OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 1. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JANUARY 5. [Price 1½*d.*

General Register Office, Somerset House,
January 7th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.		Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.
Birkenhead	20·2	16·3	16·8	21·8	Liverpool - -	24·6	22·6	21·8	23·2
Birmingham	19·3	18·0	17·5	20·7	London - -	18·6	17·4	17·2	17·4
Blackburn -	19·9	17·8	20·3	15·5	Manchester -	20·3	22·2	18·5	23·4
Bolton -	22·0	15·4	18·1	17·9	Newcastle-on-Tyne	20·9	18·3	18·3	17·6
Bradford -	25·1	19·1	21·4	15·2	Norwich - -	15·3	24·2	13·8	19·0
Brighton -	18·9	14·9	23·3	24·0	Nottingham -	17·3	15·6	16·8	15·9
Bristol -	18·0	17·0	15·2	21·0	Oldham - -	28·9	20·7	19·2	20·0
Burnley -	18·9	22·2	22·7	19·4	Plymouth - -	26·1	11·3	19·0	14·6
Cardiff -	20·3	17·5	15·1	14·1	Portsmouth -	19·2	19·8	18·6	20·3
Croydon -	13·5	14·0	6·5	18·1	Preston - -	19·7	26·7	26·2	24·5
Derby -	17·9	13·7	17·4	15·6	Salford - -	20·3	18·2	21·5	20·5
Gateshead -	22·3	19·5	24·0	25·0	Sheffield - -	21·4	16·5	19·3	19·9
Halifax -	18·5	16·3	15·2	14·5	Sunderland -	22·6	20·7	23·0	21·2
Huddersfield	18·0	14·8	16·9	22·0	Swansea - -	17·5	20·2	15·3	23·7
Hull - -	16·9	19·4	18·9	15·6	West Ham - -	11·8	15·3	13·6	17·1
Leeds -	25·9	21·7	21·3	24·1	Wolverhampton -	23·3	19·6	21·5	24·3
Leicester -	21·2	14·9	13·2	17·2					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·1 in Derby and in Leeds, 2·5 in Newcastle, 2·7 in Gateshead, 2·8 in Preston, and 3·3 in Portsmouth; from *scarlet fever*, 1·0 in Salford; from *whooping-cough*, 1·1 in Sunderland, 1·2 in Wolverhampton, and 1·6 in Blackburn; from "*fever*," 1·5 in Birkenhead; and from *diarrhœa*, 1·0 in Newcastle. The 87 deaths from *diphtheria* included 50 in London, 3 in West Ham, 5 in Birmingham, 4 in Leeds, and 4 in Sheffield. Two deaths from *small-pox* were registered in Birmingham, and one death in Liverpool, but not one in London or in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate increase between 1881 and 1891 had been maintained since the latter date.

A 85176.—1, 650.—1/95. Wt. 32. A

London.

In London 3085 births and 1462* deaths were registered. Allowing for increase of population, the births exceeded by 159, while the deaths were 820 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·6, 17·4, and 17·2 in the preceding three weeks, rose again last week to 17·4. During the four weeks ending on Saturday last the death-rate averaged 17·7 per 1000, being 6·6 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1462 deaths included 34 from measles, 14 from scarlet fever, 50 from diphtheria, 23 from whooping-cough, 17 from enteric fever, 14 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 152 deaths were referred to these diseases, being 81 below the corrected average weekly number.

The deaths from *measles*, which had been 32, 35, and 46 in the preceding three weeks, declined last week to 34, and were 33 below the corrected average; 6 belonged to Poplar, 3 to Bethnal Green, 3 to Greenwich, and 7 to Plumstead sanitary areas. The deaths from *scarlet fever*, which had been 13, 14, and 14 in the preceding three weeks, again numbered 14 last week, and were 7 below the corrected average; 3 belonged to Fulham and 2 to St. Pancras sanitary areas. The deaths from *diphtheria*, which had been 53, 36, and 35 in the preceding three weeks, increased again last week to 50, and exceeded the corrected average by 17; 5 belonged to Hackney, 4 each to Kensington, Hammersmith, Poplar, and Battersea, and 3 each to Fulham, Islington, Mile End Old Town, Newington, and Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 25, 26, and 14 in the preceding three weeks, rose last week to 23, but were 58 below the corrected average. The fatal cases of *enteric fever*, which had been 24, 25, and 32 in the preceding three weeks, declined last week to 17, but exceeded the corrected average by 3; 3 belonged to St. Pancras and 2 each to Poplar, Lambeth, and Battersea sanitary areas. The deaths from *diarrhœa*, which had been 11, 15, and 7 in the preceding three weeks, rose last week to 14, exceeding the corrected average by one death.

The deaths referred to diseases of the respiratory organs, which had been 358, 325, and 332 in the preceding three weeks, numbered 319 last week, and were 449 below the corrected average.

The deaths attributed directly to *influenza* numbered 15, having been 17, 17, and 10 in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning 71 of which inquests were held. Of these 72 deaths, 8 were cases of suicide, and one death was a case of homicide, while the remaining 63 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 7 to burns and scalds, 10 to drowning, and 18 (including 17 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 23 cases of small-pox, 1779 of scarlet fever, 499 of diphtheria, and 112 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 126 cases, against 191, 161, and 116; of diphtheria, 64 cases, against 113, 80, and 75; and of enteric fever, 24 cases, against 13, 12, and 20.

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

Deaths belonging to the several Sanitary Areas of Registration London registered in the 13 weeks ending on 29th December, 1894.

Sanitary Areas.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and undefined Fever.	Diarrhœa.			
REGISTRATION LONDON	17,582	5	300	175	645	205	-	254	1	251	1,813	4,499	138
West.													
Paddington	424	1	9	-	18	3	-	5	-	5	40	79	113
Kensington	604	-	11	7	27	4	-	12	-	9	59	139	160
Hammersmith	417	-	5	2	16	7	-	5	-	10	37	120	160
Fulham	422	-	8	13	28	6	-	2	-	5	43	119	127
Chelsea	372	-	3	3	16	4	-	6	-	5	41	89	136
St. George Hanover Square	248	1	1	2	7	3	-	5	-	2	25	34	89
St. Margt & St. John Westr.	228	-	1	1	9	4	-	4	-	2	29	40	131
St. James Westminster	107	-	-	1	3	2	-	5	-	1	16	20	172
North.													
St. Marylebone	558	3	-	4	12	7	-	5	-	4	60	117	113
Hampstead	188	-	11	2	-	1	-	3	-	1	14	39	105
St. Pancras	1,017	-	13	10	26	14	-	17	-	14	123	248	141
Islington	1,235	-	2	13	41	26	-	16	-	21	137	285	123
Stoke Newington	82	-	1	3	2	1	-	2	-	1	12	15	79
Hackney	752	-	27	7	34	2	-	19	-	9	55	177	118
Central.													
St. Giles	172	-	1	-	2	2	-	5	-	1	24	34	127
St. Martin-in-the-Fields	61	-	-	-	2	1	-	1	-	1	11	14	241
Strand	121	-	1	-	3	2	-	4	-	-	17	24	166
Holborn	154	-	-	-	4	1	-	-	-	2	15	37	161
Clerkenwell	276	-	1	3	7	3	-	4	-	1	46	60	112
St. Luke	263	-	4	3	3	11	-	1	-	3	31	64	134
City of London	150	-	-	1	-	-	-	4	-	1	16	19	143
East.													
Shoreditch	518	-	8	1	12	7	-	5	-	10	71	157	140
Bethnal Green	608	-	5	6	22	1	-	7	-	12	54	180	153
Whitechapel	357	-	4	5	15	2	-	5	-	-	41	104	137
St. George-in-the-East	234	-	-	1	10	3	-	1	-	5	26	62	129
Limehouse	333	-	2	4	20	3	-	2	-	5	37	83	166
Mile End Old Town	499	-	2	5	18	3	-	6	-	8	49	142	143
Poplar	736	-	26	7	20	4	-	13	1	12	65	217	143
South.													
St. Saviour	144	-	-	1	6	-	-	-	-	-	11	37	174
St. George-the-Mar. Southwk.	290	-	-	3	13	1	-	2	-	2	39	95	178
Newington	534	-	-	4	17	8	-	4	-	8	53	176	163
St. Olave	60	-	-	-	-	-	-	-	-	1	10	17	142
Bermondsey	400	-	-	9	12	2	-	8	-	14	45	119	143
Rotherhithe	181	-	-	5	6	-	-	1	-	5	20	52	144
Lambeth	1,091	-	3	16	42	16	-	16	-	14	110	311	133
Battersea	677	-	-	6	29	21	-	11	-	18	70	206	170
Wandsworth	569	-	2	4	15	4	-	11	-	9	54	136	123
Camberwell	997	-	7	5	68	9	-	13	-	18	89	280	155
Greenwich	693	-	63	8	33	9	-	14	-	6	63	169	126
Lee	119	-	8	2	4	1	-	1	-	-	9	20	97
Lewisham (excluding Penge)	304	-	19	1	1	4	-	8	-	2	14	69	133
Woolwich	205	-	32	2	8	-	-	-	-	3	15	46	149
Plumstead	182	-	20	5	14	3	-	1	-	1	17	48	109

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 392 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 418 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Greater London.

In Greater London 4198 births and 1897 deaths were registered, corresponding to annual rates of 36·2 and 16·4 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 18 from diphtheria, 7 from whooping-cough, 10 from "fever", and 6 from diarrhœa were recorded. Of the 8 deaths from

measles, 3 occurred in Croydon, and 3 in West Ham districts. The 18 deaths from diphtheria included 5 in West Ham, 3 in Kingston, and 3 in Romford districts. Four deaths from "fever" occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 34°·3, the latter being 4°·2 below the week's average in the 50 years 1841–90. The direction of the wind was Northerly, the horizontal movement of the air being 29 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 0·2 of an hour; and the measured rainfall was 0·2 of an inch.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of December. The supply was in the ratio of 227 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	DECEMBER. 1893.	DECEMBER. 1894.	DECEMBER. 1893.	DECEMBER. 1894.
TOTAL SUPPLY . . .	800,565	811,588	182,927,690	184,352,703
From Thames	386,688	392,526	94,505,985	93,798,479
From Lea and from other Sources . .	413,877	419,062	88,421,705	90,554,224
THAMES.				
Chelsea	36,752	36,967	10,619,325	10,940,709
West Middlesex	77,197	78,486	17,963,109	18,365,253
Southwark and Vauxhall . . .	116,082	117,317	28,793,933	29,107,985
Grand Junction	58,771	59,443	17,190,967	16,210,172
Lambeth	97,886	100,313	19,938,651	19,174,360
LEA AND OTHER SOURCES.				
New River	157,401	158,189	32,274,000	31,786,000
East London	176,416	179,681	41,893,592	44,669,917
Kent	80,060	81,192	14,254,113	14,098,307

Note.—The Return for December 1894, as compared with that for the corresponding month of 1893, shows an increase of 11,023 services and of 1,425,013 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING DECEMBER, 1894.

Water-analysis Laboratory, The Yews, Reigate,
4th January, 1895.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of December.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·5, Tottenham 1·3, East London (deep-well) 1·5, New River and Colne Valley 2·0, Grand Junction 3·1, West Middlesex 3·5, East London (river supply) 3·6, Southwark 3·7, Lambeth 3·8, and Chelsea 4·5. The unfiltered river waters contained the following proportions:—Thames at Hampton 3·5, New River Cut 1·4, and the Lea at Angel Road 3·4.

The Thames at Hampton was, on December the 10th, turbid and pale yellow in colour, but otherwise chemically in excellent condition, containing only a very small proportion of organic matter. Bacterially, however, it was of very inferior quality although much better than on the 5th of November. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered; but owing to the previous impounding of flood water, it was, in nearly

every case, less pure organically than the untreated river water passing the intakes at the time the samples were collected for analysis. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·86, West Middlesex 99·96, South wark (average of 2 filter wells) 99·21, Grand Junction (average of 3 filter wells)99·80, and Lambeth 99·77.

The New River Cut before entering the storage and subsidence reservoirs was turbid and yellow in colour, but of a high degree of organic puriry. Bacterially, however, it was of inferior quality. After treatment by the New River Company, it was delivered in a clear and bright condition, although it was inferior in organic purity to the unfiltered water. The bacterial improvement effected by storage and filtration amounted, on the average of three filter wells, to 99·68 per cent. The water taken from the Lea at Angel Road by the East London Company was turbid and pale yellow in colour. It was of about the same chemical quality as the Thames at Hampton but much inferior, both to the Thames and New River Cut, in bacterial quality. It was efficiently filtered before delivery, but was then, as in the case of the New River Company's water, slightly inferior to the unfiltered water in respect of organic purity. The bacterial improvement amounted, however, on the average of five filter wells, to 99·39 per cent.

The deep-well waters of the Kent, East London, and Colne Valley Companies and of the Tottenham Local Board of Health, possessed a high degree of organic purity and were of excellent quality for dietetic purposes. All these waters were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Colne Valley, and East London (deep-well) waters were clear and colourless, the Tottenham slightly turbid and colourless, the New River clear and very pale yellow, and the remaining waters clear and pale yellow.

The bacterioscopic examination of the raw river water before and after storage, and of the supplies of the various Companies collected on the 10th, 11th, 12th, and 13th of December gave the results contained in the following table:—

Description.	— Microbes per c.c.	Temp. C.
Raw and Gravel and Stored River Waters.		
Thames at Hampton	16,300	5·5°
„ after storage for 14·7 days (Chelsea Company)	720	5·4
„ after storage for 6 days (Lambeth Company)	6,020	—
Grand Junction Company's unfiltered water arriving at Kew Bridge from Hampton.	11,800	5·9
New River Cut before entering reservoirs	5,120	6·7
„ „ after storage before filtration	2,400	6·0
East London Company's intake at Angel Road	9,400	6·7
„ „ after storage for 15 days	840	6·4
Filtered River Water as supplied.		
Thames.		
Chelsea, general well	22	5·3
West Middlesex, general well	6	5·3
Southwark, No. 3 well	206	5·2
„ No. 8 well	52	5·1
Grand Junction general well at Hampton	48	5·8
„ general well at Kew Bridge	24	5·8
„ south well at Kew Bridge	24	6·5
Lambeth, general well	38	5·2
Lea.		
New River, general well	30	5·7
„ No. 2 well	8	5·6
„ No. 3 well	10	6·1
East London, No. 1 Essex well	50	6·2
„ No. 2 Essex well	20	7·5
„ No. 11 bed	88	6·4
„ No. 12 bed	82	6·1
„ Middlesex well	48	6·5
Deep Well.		
Kent, new well at Deptford	8	11·3

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and green as seen in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

The Registrar General, &c. &c. E. Frankland.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	December 10th. Grand Junction Co.'s intake at Hampton.	5·5	36·40	·179	·028	·010	·358	·394	1·8	23·0
	Chelsea - -	December 13th. Cab Rank, Horse Guards, Whitehall.	6·7	34·42	·240	·024	0	·316	·340	1·7	22·7
	West Middlesex -	December 13th. Cab Rank, Riding House-street.	7·5	34·50	·190	·017	0	·345	·362	1·7	22·7
	Southwark -	December 13th. Cab Rank, St. George's Church, Borough.	7·5	35·00	·186	·030	0	·351	·381	1·7	22·7
	Grand Junction -	December 13th. Cab Rank, Portman-street, Oxford-street.	7·0	34·64	·157	·023	0	·357	·380	1·7	22·7
	Lambeth - -	December 13th. Cab Rank, St. George's-road, Southwark.	6·7	34·40	·205	·019	0	·364	·383	1·8	22·4
	LEA. (Unfiltered water) -	December 11th. New River Cut at Green-lanes.	6·7	35·48	·068	·016	·002	·415	·433	1·7	23·6
	New River - -	December 13th. Cab Rank, Tottenham Court-road.	7·3	33·76	·103	·013	0	·359	·372	1·7	22·7
	(Unfiltered water) -	December 12th. East London Co.'s intake at Angel-road.	6·7	40·80	·168	·032	·030	·332	·389	2·1	25·7
	East London -	December 13th. Cab Rank, Sidney-street, E.	7·2	39·10	·181	·030	0	·286	·316	2·2	22·7
	DEEP WELLS. Kent - - -	December 13th. Mill-lane, Deptford.	10·8	37·64	·024	·006	0	·519	·525	2·2	26·0
Outer Circle.	Colne Valley - -	December 17th. Bushey.	—	19·68	·100	·017	·058	·547	·612	2·4	7·9
	Tottenham - -	December 27th. Tottenham.	—	42·08	·065	·012	·060	·042	·103	2·9	23·9
	East London - -	December 20th. Lea Bridge well.	—	38·52	·078	·012	·050	·032	·085	2·5	22·7
	Corporation of Birmingham* - - -	December 11th. Ryland Grove, Coplow-street.	8·3	31·70	·150	·050	0	·275	·325	2·2	21·7
	Corporation of Glasgow† -	December 15th. Loch Katrine water.	7·0	3·00	·167	·043	0	·006	·049	0·8	0·9
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 13th of December, had a temperature of 6°·70 C.; 100,000 lbs. of it contained 34·42 lbs. of solid matter; the organic substances, constituting a portion of the matter, contained ·240 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·316 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·340 lb. The above weight of water also contained 1·7 lb. of chlorine and 22·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 5th Jan. 1895. Births.	Registered during the Week ending 5th Jan. 1895. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	7410	3844	934	904	3	125	35	87	63	41	45	191	388	789	76	18·9	2·0	43·0	21·9	34·6	14·3	0·35	0·89	33 Towns.
London	4,392,346	3085	1462	348	366	–	34	14	50	23	17	14	72	176	411	13	17·4	1·8	40·6	28·2	34·3	1·28	0·20	0·51	London.
West Ham	249,473	200	82	21	24	–	1	–	3	2	4	1	3	5	11	4	17·1	2·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	58	40	6	13	–	3	1	1	–	1	–	2	5	5	–	18·1	2·7	42·0	25·2	33·6	0·89	0·04	0·10	Croydon.
Brighton	119,604	66	55	7	12	–	2	–	–	–	–	–	1	3	7	–	24·0	0·9	42·6	28·4	34·8	1·56	0·15	0·38	Brighton.
Portsmouth	174,751	119	68	12	27	–	11	–	1	1	–	–	3	8	10	–	20·3	3·9	43·0	28·0	34·9	1·61	0·32	0·81	Portsmouth.
Plymouth	89,096	67	25	9	6	–	–	–	–	–	–	–	–	1	2	–	14·6	–	–	–	–	–	–	–	Plymouth.
Bristol	228,189	143	92	15	32	–	1	–	2	1	1	4	6	10	22	1	21·0	2·1	41·0	25·0	33·3	0·72	0·31	0·79	Bristol.
Cardiff	155,637	124	42	6	5	–	–	–	2	–	–	–	2	2	4	–	14·1	0·7	–	–	–	–	–	–	Cardiff.
Swansea	97,108	80	44	14	7	–	–	–	2	1	–	–	2	2	1	–	23·7	1·6	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	80	40	13	12	–	–	–	2	2	–	–	1	5	12	–	24·3	2·4	41·0	21·9	31·2	−0·45	0·13	0·33	Wolverhampton.
Birmingham	496,751	351	197	61	39	2	–	2	5	2	–	2	13	13	42	14	20·7	1·4	–	–	–	–	–	–	Birmingham.
Norwich	107,127	55	39	9	17	–	–	–	1	1	–	–	–	–	3	1	19·0	1·0	39·0	26·2	34·5	1·39	1·66	4·22	Norwich.
Leicester	193,889	165	64	24	12	–	–	1	2	1	1	1	2	2	12	4	17·2	1·6	–	–	–	–	–	–	Leicester.
Nottingham	226,658	147	69	17	17	–	–	2	–	2	–	4	–	–	10	1	15·9	1·8	43·0	28·1	34·4	1·33	0·30	0·76	Nottingham.
Derby	100,272	58	30	4	4	–	4	–	–	1	–	–	2	6	8	–	15·6	2·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	72	45	16	9	–	–	–	–	–	3	–	1	3	7	1	21·8	1·5	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	381	224	57	35	1	4	4	1	2	3	2	17	24	48	7	23·2	1·8	1·9	31·2	40·4	4·67	0·19	0·48	Liverpool.
Bolton	119,337	86	41	4	7	–	1	2	–	1	2	–	3	4	3	–	17·9	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	346	236	54	42	–	3	1	1	–	2	2	17	31	61	3	23·4	0·9	–	–	–	–	–	–	Manchester.
Salford	208,253	134	82	20	8	–	1	4	–	1	2	3	4	5	6	4	20·5	2·8	–	–	–	–	–	–	Salford.
Oldham	141,079	87	54	11	17	–	1	–	1	2	1	–	3	5	5	–	20·0	1·8	–	–	–	–	–	–	Oldham.
Burnley	99,591	85	37	6	13	–	–	–	1	1	–	–	2	2	3	1	19·4	1·0	–	–	–	–	–	–	Burnley.
Blackburn	127,615	94	38	10	10	–	–	–	1	4	–	1	3	4	3	2	15·5	2·5	–	–	–	–	–	–	Blackburn.
Preston	112,638	113	53	10	17	–	6	–	–	1	–	1	1	1	4	1	24·5	3·7	–	–	–	–	–	–	Preston.
Huddersfield	99,482	63	42	11	14	–	–	1	–	1	–	–	2	4	4	4	22·0	1·0	–	–	–	–	–	–	Huddersfield.
Halifax	93,813	44	26	5	8	–	2	–	–	1	–	–	2	3	3	–	14·5	1·7	–	–	–	–	–	–	Halifax.
Bradford	226,384	123	66	17	16	–	2	1	–	1	1	1	1	6	8	–	15·2	1·4	40·0	28·0	34·3	1·28	0·20	0·51	Bradford.
Leeds	395,546	261	183	38	42	–	16	–	4	3	–	1	15	28	24	–	24·1	3·2	–	–	–	–	–	–	Leeds.
Sheffield	342,768	282	131	31	32	–	10	–	4	1	2	1	3	7	21	8	19·9	2·7	–	–	–	–	–	–	Sheffield.
Hull	216,722	168	65	21	9	–	6	1	1	1	–	–	2	3	12	4	15·6	2·2	–	–	–	–	–	–	Hull.
Sunderland	157,705	100	56	16	14	–	2	1	–	3	–	2	–	4	12	1	21·2	3·0	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	62	46	10	9	–	5	–	2	1	1	1	2	7	1	–	25·0	5·4	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	111	70	21	9	–	10	–	–	2	–	4	4	9	4	2	17·6	4·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—Births and Deaths Registered in the First Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
Total Births	2816	2653	2804	2845	2855	2961	2817	2911	2577	2486	2926·1	3085
Males . .	1415	1335	1366	1484	1481	1516	1420	1479	1311	1306	1489·5	1569
Females .	1401	1318	1438	1361	1374	1445	1397	1432	1266	1180	1436·6	1516
Total Deaths	1956	1784	2127	1868	1784	2371	2505	2679	2509	2038	2281·9	1462
Males . .	945	916	1023	944	905	1202	1221	1248	1221	1001	1121·5	751
Females .	1011	868	1104	924	879	1169	1284	1431	1288	1037	1160·4	711

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, and Meteorology in the Last Thirteen Weeks.

	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.
Total Births - -	2328	2516	2413	2659	2657	2494	2704	2550	2599	2597	2703	1950	3085
Total Deaths - -	1291	1326	1481	1372	1249	1275	1326	1347	1614	1550	1448	1434	1462
Ages at Death: Under 1 year -	321	350	391	398	337	341	316	364	370	347	316	352	348
1— 5 years -	163	182	198	169	125	172	167	207	203	207	185	191	194
5—20 " -	81	85	78	82	92	92	86	78	86	92	77	71	85
20—40 " -	181	170	187	184	166	168	207	165	248	213	193	205	221
40—60 " -	262	236	260	226	229	228	246	249	321	284	297	254	248
60—80 " -	232	237	294	253	250	236	250	234	313	341	314	277	297
80 years & upwards	51	66	73	60	50	43	54	50	68	66	66	84	69
Deaths from—													
Small-pox - - - -	–	–	–	1	1	–	–	–	–	–	1	1	–
Measles - - - -	10	8	24	15	13	22	21	29	36	32	35	46	34
Scarlet fever - - -	12	18	17	10	9	8	14	19	18	13	14	14	14
Diphtheria - - -	54	61	49	54	42	44	48	54	57	53	36	35	50
Whooping-cough - -	13	10	18	14	10	8	11	26	23	25	26	14	23
Typhus - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric fever - - -	20	17	14	17	24	21	23	18	17	24	25	32	17
Simple Continued fever -	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	30	26	19	20	16	23	15	25	14	11	15	7	14
Cholera - - - -	–	–	–	–	1	–	–	–	–	1	–	–	–
All the above Diseases -	139	140	141	131	117	126	132	171	165	159	152	149	152
Dis. of Respiratory System	241	287	329	329	245	245	261	263	338	358	325	332	319
Phthisis - - - -	137	135	161	132	150	133	166	125	187	132	140	144	155
Dis. of Circulatory System	102	93	128	111	104	131	105	100	158	158	140	99	129
Violent Deaths - - -	57	57	47	53	43	51	41	37	67	76	73	70	72
Inquest Cases - - -	121	119	112	129	108	118	111	98	152	152	141	147	176
Deaths in Public Institutions	416	392	422	394	385	363	412	405	466	471	410	381	411
Temperature of the Air													
Mean - - - -	53°·0	44°·3	50°·3	54°·0	50°·3	47°·0	44°·0	40°·3	39°·8	45°·4	43°·9	43°·0	34°·3
Mean of Highest readings -	58·6	50·9	55·8	59·0	56·5	52·4	51·1	44·0	44·0	48·8	49·1	46·7	37·1
Mean of Lowest readings -	48·5	38·4	45·0	50·2	44·3	42·2	36·7	35·5	34·0	41·1	38·2	39·0	30·9
Humidity of the Air - -	95	85	81	87	83	87	89	87	91	88	83	87	81
Rain-fall in inches - -	0·36	0·19	1·35	2·16	0·64	2·03	0·13	0·00	0·17	0·97	0·59	0·22	0·20
Registered Sunshine (in hours)	1·7	7·3	9·3	11·8	22·8	20·4	15·6	2·7	4·4	4·4	3·0	1·7	0·2
Cases of Infectious Sickness in Hospitals* at the end of each Week.													
Small-pox - - - -	63	60	50	48	51	42	33	31	32	22	15	16	23
Scarlet fever - - - -	2171	2214	2285	2240	2253	2254	2198	2148	2142	2034	1931	1890	1779
Diphtheria - - - -	526	527	537	544	553	547	531	520	515	523	512	523	499
Enteric fever - - - -	91	86	95	93	95	96	99	99	101	101	97	105	112

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

Meteorological Observations. (*See* Table 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIRST Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 1st Week of the 10 years 1885-94.*	In the Week ending Saturday, 5th January 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	2281·9	1462	348	194	85	221	248	297	69
Small-pox: Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	2·2	-	-	-	-	-	-	-	-
Small-pox: No Statement	1·2	-	-	-	-	-	-	-	-
Measles - - - -	66·9	34	8	25	1	-	-	-	-
Scarlet Fever - -	20·7	14	1	5	7	1	-	-	-
Diphtheria - - -	0·1	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - -	20·7	15	1	1	2	5	4	2	-
Whooping-cough - -	80·9	23	8	14	1	-	-	-	-
Diphtheria - - -	33·2	50	2	30	16	1	1	-	-
Typhus Continued and Ill-defined Fever -	0·9	-	-	-	-	-	-	-	-
Enteric Fever -	13·8	17	-	1	7	7	2	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	12·6	14	11	-	-	-	-	3	-
Intermittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-
Puerperal Affections -	10·0	6	4	1	-	-	1	-	-
Erysipelas - -	7·1	4	1	2	-	-	-	1	-
Pyæmia and Septicæmia	3·2	5	1	1	1	1	1	-	-
Puerperal Fever - -	7·2	2	-	-	-	2	-	-	-
Other Zymotic Diseases	2·0	5	-	-	-	2	2	1	-
Thrush - - - -	0·9	-	-	-	-	-	-	-	-
Parasites and other Parasitical Diseases - -	0·2	1	-	-	-	1	-	-	-
Starvation, Want of Breast-milk - -	1·9	1	1	-	-	-	-	-	-
Alcoholism - - -	10·4	10	-	-	-	3	6	1	-
Rheumatic Fever, Rheumatism of Heart	10·2	6	-	-	2	2	1	1	-
Rheumatism - -	3·2		-	-	-	-	1	-	-
Cancer - - - -	4·2	1	-	-	-	-	-	1	-
Diabetes - - - -	4·0	3	1	2	-	-	-	-	-
Cancer - - - -	60·3	72	-	-	2	7	30	29	-
Disease of Mesenteric Glands	21·4	15	8	3	2	1	1	-	-
Tubercular Meningitis	22·4	19	4	10	3	2	-	-	-
Phthisis - -	198·1	155	2	2	6	82	50	13	-
Tubercular Disease, Tuberculosis	14·5	12	3	2	6	1	-	-	-
Other Constitutional Diseases - - -	14·0	16	-	1	-	3	6	2	4
Premature Birth - -	51·2	55	55	-	-	-	-	-	-
Atelectasis - -	3·4		5	-	-	-	-	-	-
Congenital Malformations - - - -	8·	12	12	-	-	-	-	-	-
Old Age - - - -	72·7	41	-	-	-	-	-	19	22
Apoplexy - - -	55·3	45	2	-	-	3	9	23	5
Paralysis - -	7·3	2	-	-	-	1	-	1	-
Convulsions - - -	47·0	35	32	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	106·0	66	7	9	6	11	9	21	3

CAUSES OF DEATH.	Corrected Averages for the 1st Week of the 10 years 1885-94.*	In the Week ending Saturday 5th January 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·0	-	-	-	-	-	-	-	-
Diseases of Circulatory System - - -	196·4	129	-	1	4	21	35	60	8
Croup - - -	12·9	3	-	3	-	-		-	-
Bronchitis - -	505·5	177	45	28	1	10	28	52	13
Pneumonia - -	178·8	107	27	29	5	16	14	13	3
Pleurisy - -	10·0	7	-	2	-	-	3	2	-
Other Diseases of Respiratory System - -	61·1	25	6	3	3	2	4	6	1
Dentition - -	13·6	5	2	3	-	-	-	-	
Quinsy, Sore Throat -	1·7	1	-	-	1	-	-	-	-
Enteritis - -	8·3	5	1	2	-	-	1	1	-
Peritonitis - -	7·3	6	2	-	-	3	-	1	-
Diseases of Liver - -	28·2	16	2	-	-	1	6	7	-
Other Diseases of Digestive System -	32·4	31	9	2	1	4	4	9	2
Diseases of Lymphatic System & of Ductless Glands - - -	·0	1	-	-	-	-	-	-	1
Diseases of Urinary System - - -	1·9	33	2	1	1	4	12	17	2
Diseases of Generative System - - -	5·0	3	-	-	-	1	2	-	-
Accident of Childbirth -	5·7	5	-	-	-	5	-		-
Diseases of Locomotive System - - -	7·8	5	-	-	2	2	1	-	-
Diseases of Integumentary System -	4·7	4	1	2	-	-	-	-	1
VIOLENT DEATHS.									
(ACCIDENT.)									
By Railways - -	67·4	1	-	-	-	-	1	-	
By Vehicles or Horses -		8	-	-	1	1	4	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	
In Building Operations -		1	-	-		-	-	1	
In Conflagrations - -		-	-	-	-	-	-	-	
By Burns, Scalds, Explosions - - -		7	2	2	1	1	1	-	-
By Drowning - -		10	-	-	1	4	4	1	
By Suffocation in Bed -		18	17	-	-	1	-	-	
By Poisons or Poisonous Vapours - - -		-	-	-	-	-	-	-	
Other or not stated Causes - - -		18	6	1	1	3	2	5	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·6	1	-	1	-	-	-	-	
Suicide - - - -	8·7	8	-	-	-	6	1	1	-
Execution - - -	0·1	-	-	-	-	-	-	-	
OTHER CAUSES - -	66·6	62	57	2	1	-	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 year of Age.	Deaths of Persons aged 60 years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
LONDON	4,211,743	3085	1462	348	366	-	34	14	50	23	-	17	-	14	72	176	4
WEST DISTRICTS	740,735	460	227	52	61	-	5	4	7	3	-	4	-	3	9	24	
NORTH DISTRICTS	993,884	624	295	61	90	-	3	5	13	5	-	5	-	2	16	31	
CENTRAL DISTRICTS	247,538	175	89	13	20	-	-	-	5	2	-	-	-	-	7	18	
EAST DISTRICTS	705,114	617	242	82	63	-	11	1	10	5	-	4	-	1	17	58	
SOUTH DISTRICTS	1,524,472	1209	543	137	124	-	15	3	15	8	-	4	-	8	23	45	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	23	-	8	-	-	1	-	-	-	-	-	-	-	-	
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	65	36	11	8	-	2	-	-	-	-	-	-	1	3	6	
St. John Paddington *H* - G.J.	33687	12	11	3	4	-	-	-	-	-	-	-	-	-	1	2	
Kensington Town *Ww* - W.M.	118751	61	34	5	12	-	-	-	-	-	-	1	-	-	-	1	
Brompton *H* - W.M. & C.	47557	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - W.M.	8584	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Paul Hammersmith *H* W.M. & G.J	88653	70	25	6	9	-	-	-	1	-	-	-	-	-	-	-	
Fulham *Ww* - W.M. & C	91639	81	45	11	9	-	2	4	5	1	-	1	-	1	4	8	1
Chelsea Kensal Town - C.	21787	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North *WHHHHH* - C.	41637	33	19	3	3	-	-	-	-	1	-	-	-	-	-	2	
Chelsea South *HH* - C.	32829	27	13	4	3	-	1	-	-	-	-	1	-	1	-	1	
May Fair *W* - G.J.	23733	5	4	-	2	-	-	-	-	-	-	-	-	-	-	1	
Belgrave *WHHH* - C.	54631	23	19	3	7	-	-	-	1	-	-	1	-	-	-	-	
St. John Westminster *HHH* - C.	34106	20	4	3	-	-	-	-	-	1	-	-	-	-	-	-	
St. Margaret Westminster *H* - C.	21668	10	4	-	1	-	-	-	-	-	-	-	-	-	1	2	
St. James Westminster *WHH* N.R. & G.J.	24995	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho *HHHHHH* - N.R.	12317	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	12	9	1	3	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone *W* - G.J. & W.M.	20024	16	7	-	6	-	-	-	-	-	-	-	-	-	1	2	
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	30	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone *H* - W.M.	33327	15	11	4	4	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone *H* - W.M.	32101	23	10	3	4	-	-	-	-	-	-	-	-	-	1	2	
Hampstead *WwHHHHH* N.R. & W.M.	68416	22	19	-	8	-	-	2	5	-	-	-	-	-	-	1	
Regent's Park Pancras *HH* - W.M.	36590	18	5	2	-	-	-	-	-	-	-	1	-	-	-	-	
Tottenham-court *wHHHH* N.R. & W.M	26321	17	17	2	6	-	-	-	1	-	-	1	-	-	1	3	
Gray's Inn Lane *HHH* - N.R.	27455	24	10	4	1	-	1	-	-	1	-	-	-	-	1	1	
Somers Town *HH* - N.R.	32829	23	5	3	-	-	-	-	-	1	-	-	-	-	-	-	
Camden Town *WH* - N.R.	15419	9	11	3	4	-	-	-	-	-	-	-	-	-	1	1	
Kentish Town *W* - N.R.	95765	68	23	4	8	-	-	-	-	-	-	1	-	-	1	3	
Upper Holloway *WWwHHH* - N.R.	90235	60	42	7	12	-	1	-	-	-	-	1	-	-	2	2	
Islington South-west *H* - N.R.	105557	80	21	9	5	-	-	-	-	2	-	-	-	1	1	3	
Islington South-east - N.R.	64158	37	18	4	5	-	-	-	-	-	-	-	-	-	1	3	
Highbury *HH* - N.R.	59193	35	7	2	2	-	-	-	1	1	-	-	-	1	-	-	
Stoke Newington *H* - N.R.	30936	19	10	2	5	-	-	-	-	-	-	-	-	-	-	1	
Stamford Hill - E.L.	17759	6	6	1	2	-	-	-	1	-	-	-	-	-	1	1	
West Hackney *H* - N.R.	42602	21	12	4	1	-	1	-	-	-	-	-	-	-	3	3	
Hackney *WwwwH* - E.L. & N.R.	96486	66	35	4	7	-	-	3	3	-	-	-	-	-	2	5	
South Hackney *w* - E.L.	41759	23	12	-	6	-	-	-	2	-	-	1	-	-	-	-	
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	10	8	3	4	-	-	-	-	-	-	-	-	-	-	1	
St. Giles South *WH* - N.R.	13454	20	4	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Giles North *H* - N.R.	9633	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields *HH* N.R. & C.	14616	6	9	1	2	-	-	-	1	-	-	-	-	-	3	3	
St. Mary-le-Strand *H* - N.R.	5706	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes *WH* - N.R.	7194	2	3	1	-		-	-	1	-	-	-	-	-	-	1	
Strand Union Workhouse, Edmonton w.	—	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
St. Geo.-the-Martyr *HHHHHHH* N.R.	17921	5	9	2	2	-	-	-	1	-	-	-	-	-	-	-	
St. Andrew Eastern *W* - N.R.	15343	7	4	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. James Clerkenwell - N.R.	16803	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - N.R.	16883	22	3	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pentonville - N.R.	17155	12	4	1	1	-	-	-	1	-	-	-	-	-	-	1	
Goswell-street - N.R.	15375	11	3	2	-	-	-	-	-	-	-	-	-	-	1	1	
City-road *HHHL* - N.R.	29177	43	12	2	1	-	-	-	-	1	-	-	-	-	-	2	
Whitecross-street - N.R.	8278	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - N.R.	4985	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
Holborn Union Workhouse, Mitcham w.	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H* - N.R. & E.L.	8944	3	2	-	1	-	-	-	-	-	-	-	-	-	-	2	
Cripplegate - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre *H* - N.R.	4444	1	10	1	-	-	-	-	1	1	-	-	-	-	-	-	
St. Bride *W* - N.R.	6591	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All hallows Barking - N.R.	10422	1	4	-	2	-	-	-	-	-	-	-	-	-	2	3	
Broad Street *H* - N.R.	3377	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public institutions situated therein, namely: *W* house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Estab receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT* 5th January, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
h South *HL** E.L. & N.R.	20098	10	7	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
New Town *w* - - - N.R.	29313	24	17	4	4	-	-	-	-	2	-	-	-	-	1	1	5	-
ld Town - - - N.R.	28354	25	7	3	1	-	-	-	-	1	-	-	-	-	1	2	-	-
on *WH* - - N.R. & E.L.	46244	44	16	5	2	-	1	-	-	-	-	-	-	-	-	1	7	-
Green North *H* - - E.L.	51820	54	14	6	2	-	1	-	-	-	-	-	-	-	1	2	2	-
Green South - - - E.L.	33489	36	8	6	-	-	2	-	-	-	-	-	-	-	1	3	-	-
Green East *WHL** - E.L.	44123	35	23	5	8	-	-	-	1	-	-	-	-	-	1	3	10	-
ds - - - - E. . N.R.	22456	14	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
New Town *W* - - E.L.	17908	25	9	1	4	-	-	-	-	-	-	-	-	-	-	-	7	-
apel Church *H'* E.L. & N.R.	20298	5	31	4	4	-	-	1	4	-	-	2	-	-	3	8	25	-
's Fields - - - E.L.	13800	8	4	3	1	-	-	-	-	-	-	-	-	-	2	2	-	-
ge's, North - - - E.L.	37738	34	11	3	2	-	-	-	1	-	-	-	-	-	1	5	-	-
St. George East *W* - E.L.	8057	10	4	2	2	-	-	-	-	-	-	-	-	-	-	-	3	-
H - - - E.L. & N.R.	10946	6	9	7	-	-	-	-	-	-	-	-	-	-	1	-	5	-
W - - - - - E.L.	14928	14	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ns - - - - - E.L.	32202	25	12	3	2	-	-	-	-	1	-	1	-	-	-	1	-	-
d Old Town West *H* - E.L.	38650	29	9	3	2	-	-	-	1	-	-	-	-	-	1	2	-	-
d Old Town East *WwwH* - E.L.	68942	59	18	7	7	-	-	-	1	-	-	-	-	1	2	5	5	-
- - - - - E.L.	40365	40	14	4	4	-	-	-	2	1	-	1	-	-	-	3	-	-
wwwH - - - E.L.	70000	63	38	6	11	-	3	-	-	-	-	-	-	-	-	9	14	-
WW - - - - - E.L.	56383	58	24	5	6	-	3	-	-	-	-	-	-	-	2	7	4	-
SOUTH DISTRICTS.																		
urch Southwark *WH* L. & S.	18264	9	8	3	3	-	-	-	-	-	-	-	-	-	2	2	1	-
our Southwark - - S.	13973	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ad - - - - S. & L.	21867	25	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
-road *WH* - - S. & L.	16624	11	6	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-
road *HL* - - L. & S.	21221	21	4	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Newington - - S. & L.	26596	25	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Walworth *W* - S. & L.	61342	42	18	6	4	-	-	-	1	1	-	-	-	-	1	2	1	-
Newington - - L. & S.	27866	30	6	3	2	-	-	-	1	-	-	-	-	2	-	-	-	-
WH - - - S.	12723	8	18	1	4	-	-	-	2	-	-	-	-	-	3	3		1
Market *W* - - S. & L	30612	36	7	4	2	-	-	-	-	-	-	-	-	-	2	2	1	1
s Bermondsey - - S.	54070	63	19	7	4	-	-	-	-	-	-	-	-	-	-	2	-	1
the *WHw* - - S. & K.	39255	29	20	4	2	-	-	-	-	-	-	-	-	-	3	5	7	-
-road 1st *H* - - L. & S.	14031	13	5	3	-	-	-	-	-	-	-	1	-	1	-	1	1	-
-road 2nd *H* - - L. & S.	14644	33	4	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Church 1st *H* - L. & S.	18075	14	10	1	1	-	-	-	-	-	-	-	-	-	-	-	9	-
Church 2nd *WW* - L. & S.	39097	35	19	2	8	-	-	-	-	-	-	-	-	-	2	3	12	2
ton 1st *H* - - S. & L.	50586	47	13	5	1	-	-	-	-	-	-	-	-	-	2	3	-	-
ton 2nd - - - S. & L.	39708	26	9	3	2	-	-	-	-	-	-	-	-	-	1	1	-	1
w - - - - L. & S.	73405	43	14	-	4	-	-	1	1	-	-	-	-	-	-	1	2	-
WH - - - - L.	25657	15	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	2
tersea - - - - S.	67244	60	18	7	1	-	-	-	2	-	-	-	-	-	-	-	-	-
ttersea *WwH* - - S.	83314	61	36	9	13	-	1	-	1	1	-	1	-	-	1	2	9	-
H - - - - S.	43698	28	13	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
orth *WHL* - - S.	48717	44	20	2	6	-	-	-	-	1	-	-	-	-	-	2	-	-
- - - - - S.	17771	12	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
m *wwww* - - - L.	48755	30	18	4	6	-	2	-	1	-	-	1	-	-	-	-	2	-
- - L. & S.	6 9	2	2	2		-	-	-	-	-	-	-	-	-	-	-	-	-
well *WwL*L** - S. & L.	81686	65	51	14	11	-	1	-	1	-	-	-	-	1	1	1	22	-
n *WW* - - S., L., & K.	83483	62	23	5	5	-	-	-	-	-	-	-	-	1	-	1	2	-
ge Camberwell - - L. & S.	63566	48	15	5	3	-	-	-	1	2	-	-	-	-	-	1	-	-
, North - - - - K.	35314	32	15	5	3	-	3	-	-	-	-	-	-	-	1	3	-	1
, Central *w* - - - K.	42607	34	16	5	1	-	-	1	2	-	-	1	-	-	-	-	4	2
, South - - - - K.	30852	19	10	-	5	-	-	-	-	-	-	-	-	-	-	1	-	1
ch West *H* - - - K.	22007	24	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ch East *WH* - - - K.	35283	24	25	2	7	-	-	-	1	-	-	-	-	-	1	1	15	-
wH - - - - - K.	5682	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
- - - - - - K.	23541	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
m *WH* - - - - K.	30950	17	11	2	4	-	1	-	-	-	-	-	-	-	-	-	3	-
m *H* - - - - - L.	34162	22	13	2	7	-	-	-	-	1	-	-	-	-	-	-	-	-
HH - - - - K.	14040	10	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
h Dockyard - - - K.	19606	10	10	6	1	-	-	-	1	-	-	-	-	-	-	2	-	-
h Arsenal *HH* - - K.	21244	22	7	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1
d, West *H* - - - K.	15869	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d, East *W* - - - K.	38567	38	18	3	2	-	7	-	-	-	-	-	-	-	2	2	4	-
l Asylum - - - - -	-		1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
n Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
ll Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
latch Asylum - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
spital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
ore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Asylum - - - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKH HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week Saturday, 5th January, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING	368,749	1,422,063	1113	435	105	123	–	8	2	18	7	10	6	14	32	40
30 : 1	Carshalton *wH'H*	12228	26108	11	3	2	1	–	–	–	–	–	–	–	–	–	–
2	Epsom, *part of* WwH*	10423	12508	6	2	1	–	–	–	–	–	–	–	–	–	–	1
37 : 1	Godstone, *part of* W-*	754	1593	–	–	–	–	–	–	–	–	–	–	–		–	–
38 : 1	Croydon *WwHH*	20351	128699	72	45	7	15	–	3	1	1	–	1	–	2	6	5
2	Mitcham *w*	11697	23088	19	3	–	–	–	–	–	1	–	–	–	–	–	1
39 : 1	Wimbledon *HHH*	3120	25761	20	9	2	1	–	–	–	2	1	–	–	1	1	2
	Kingston *WHH*	8071	44765	22	14	3	3	–	–	–	–	–	–	1	1	4	–
	Esher, *part of**	6601	12059	11	1	–	–	–	–	–	1	–	–	–	–	–	1
	Hampton *H*	4565	18252	11	5	1	1	–	–	–	–	–	–	–	1	1	1
40	Richmond *WH*	2160	25339	15	9	3	3	–	–	–	–	–	–	–	1	4	1
	Mortlake *H*	2223	16159	13	5	2	2		–	–	–	–		–	–	–	–
41	Bromley *HHH*	9127	23815	21	4	1	1	–	–	–	–	–	–	–	–	–	2
2	Beckenham *H*	6542	21969	15	6	–	4	–	–	–	–	–	–	–		–	–
	Chislehurst, pt. of* *WHH*	14307	20372	15	4	2	2	–	–	–	–	–	–	–	–	–	2
42	Bexley *HHH*	12540	30590	19	11	2	6	–	–	–	–	1	–	–	1	2	–
	Dartford *Work.*, pt. of*	–	–	–	–	–	–	–	–	–	–	–			–	–	–
144	Sunbury *w*	11054	13471	11	4	2	1	–	–	–	–	–	–	–	–	–	–
	Staines *w*	18277	13221	8	3	1	1	–	–	–	–	–	–	–	–	–	–
145 : 1	Hillingdon *WHH*	6035	12237	8	4	2	1	–	–	–	–	–	–	–	–	–	1
	Uxbridge	6172	5417	5	2	1	–	–	–	–	–	1	–	–	–	–	–
	Hayes *wH*	14537	12618	8	3	–	3	–	–	–	1	–	–	–	–	1	–
146 :	Isleworth *WHH*	6967	26273	24	9	2	2	–	–	1	–	–	–	–	–	–	–
	Twickenham *HH*	2415	16027	7	5	1	1	–	1	–	–	–	–	–	–	–	–
	Brentford *HHHH*	4318	37777	26	15	4	2	–	–	–	–	–	1	1	1	1	–
	Chiswick	1245	21963	18	10	1	5	–	–	–	–	–	–	–	–	–	–
	Acton *wH*	6132	30945	24	13	8	2	–	–	–	–	–	–	1	–	–	–
147 : 1	Harrow *HHH*	13809	15715	6	2	–	1	–	–	–	–	–	–	–	–	–	–
	Edgware *BH*	6994	3844	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	Willesden *HHH*	4383	61265	55	20	6	5	–	–	–	–	–	2	–	1	2	1
4	Hendon *W*	8382	15843	16	8	1	1	–	–	–	–	–	–	–	–	–	4
148 : 1	South Mimms	1559	8471	4	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *wHH*	5441	11778	3	3	1	–		–	–	–		–	–	–	–	–
3	Finchley *HHH*	4688	25820	10	6	2	1	–	1	–	–	–	–	–	1	1	–
149 : 1	Hornsey *BH*	3039	61097	32	15	4	5	–	–	–	1	–	1	–	–	1	–
2	Tottenham *H*	4842	97174	93	19	3	6	–	–	–	1	–	–	1	–	1	–
3	Edmonton *Ww*	7489	36351	35	7	2	1	–	–	–	–	–	–	–	–	–	1
4	Enfield *WWHH*	12639	31803	29	5	1	1	–	–	–	–	–	–	–	–	–	1
5	Waltham Abbey	11017	6066	8	1	–	1	–	–	–	–	–	–	–	–	–	–
6	Chesunt *H*	8480	9620	4	3	–	–		–	–	–	–	1	–	–	1	–
150 : 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
151 : 1	Bushey *H*	9331	7737	4	1	–	–		–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	–		–	–	–	–		–	–	–	–	–	–			–
186 : 1	Stratford *H*	1100	42983	34	18	5	6	–	–	–	–	–	1	–	1	1	–
2	Plaistow *HHHH*	1242	58030	53	18	4	4		1	–	2	1	–	1	–		–
3	Canning Town *H*	1558	54750	65	17	7	3	–	–	–	–	–	1	–	1	2	2
4	Forest Gate *w*	806	49140	43	20	5	4	–	–	–	1	1	2	–	1	2	–
5	East Ham *w*	3266	32713	45	9	2	1	–	–	–	1	–	–	1	–	–	–
6	Leyton *WWwo*	4384	70188	66	40	4	20	–	2	–	1	2	–	–	1	1	12
7	Walthamstow *HHL*	6501	57330	53	14	6	4	–	–	–	–	–	–	–	–	–	1
187 : 1	Chigwell, *part of* H*	11779	12941	7	3	1	–		–	–	2	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–		–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of* WH*	6556	4324	3	3	–	1	–	–	–	1	–	–	–	–	–	1
2	Hornchurch	8493	10913	9	4	1	1	–	–	–	1	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	19	4	2	–	–	–	–	1	–	–	–	–	–	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30) : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2252); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the paris Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 4 Dartford, 137 : 3, Watford, and 137 : 2, Epping sub-districts.

E 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 5th January, 1895.

EATER NDON.	Area in Acres.	Population estimated in the middle of the year 1894.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
R LONDON	443,421	6,048,555	16·4	1·8	837	453	489	–	42	16	68	30	27	20	86	451
R LONDON -	74,672	4,392,343	17·4	1·8	432	348	366	–	34	14	50	23	17	14	72	411
R RING -	368,749	1,656,209	3·7	1·6	435	105	123	–	8	2	18	7	10	6	14	40

—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

IES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
RGH -	273,535	January 5	3	107	20·4	2	2	2	1	–	1	1
W - -	695,876	„ 5	439	329	24·7	–	18	4	5	7	1	2
- -	349,594	„ 5	201	190	28·3	5	–	–	–	1	2	2
TA - -	466,460	November 3	–	–	–	–	–	–	–	–	–	–
Y - -	821,764	December 11	353	412	26·1	–	8	?	?	?	94	38
S - -	452,518	November 30	340	337	38·7	–	–	?	?	?	136	40
- -	2,424,705	December 29	1270	875	18·8	–	–	2	5*	5	5	37
LS - -	498,400	„ 29	247	179	18·7	–	15	2	5*	1	3	11
RDAM -	446,295	„ 29	302	140	16·2	–	–	–	1	1	–	–
RDAM -	228,597	„ 29	164	92	20·9	1	2	–	–	–	1	–
AGUE -	174,790	„ 29	118	56	16·6	–	–	–	–	1	1	–
HAGEN -	341,000	„ 29	203	134	20·5	–	3	–	7	1	1	–
HOLM -	252,937	„ 22	149	128	26·3	–	15	2	9*	–	–	6
IANIA -	167,588	„ 29	58	56	17·4	–	–	3	4	–	–	1
ERSBURG	954,400	„ 15	–	–	–	–	–	–	–	–	–	–
W - -	753,469	„ 15	–	484	33·5	–	3	11	17	3	2	51
Y - -	1,714,938	„ 15	898	558	16·9	–	8	7	25	7	2	13
RG - -	598,372	„ 29	–	176	15·3	–	–	2	5*	–	–	10
EN - -	312,772	„ 8	–	–	–	–	–	–	–	–	–	–
AU - -	360 660	„ 29	–	183	26·4	–	3	2	11*	1	–	14
H - -	390,000	„ 29	–	147	19·6	–	2	1	7*	2	–	16
A - -	1,465,537	„ 29	800	602	21·4	–	23	5	25*	1	–	31
E - -	339,172	„ 22	165	157	23·7	–	2	4	1	–	–	4
PESTH -	552,769	„ 22	393	277	26·1	–	6	–	5	–	2	12
TH - -	159,739	„ 15	100	84	27·0	–	–	1	7*	1	1	5
- -	455,678	„ 1	249	190	21·7	–	4	1	3	1	12†	13
(10 days)	337,997	„ 20	–	–	–	–	–	–	–	–	–	–
E -	160,406	„ 15	80	57	18·8	–	–	1	2*	–	–	3
- -	374,838	„ 13	–	–	–	–	–	–	–	–	–	–
NDRIA -	231,396	„ 13	–	–	–	–	–	–	–	–	–	–
YORK -	1,925.569	„ 22	–	720	18·9	1	4	8	39	3	5	12
LYN -	1,043.000	„ 22	–	369	17·8	–	1	1	31	6	2	1
DELPHIA	1,139.457	„ 22	–	391	17·8	2	–	4	48	–	10	4
ORLEANS -	254,000	„ 1	–	149	30·6	–	1	–	7	–	8	10

* Including deaths from croup.
† Including 5 deaths from malarial fever.

TABLE D.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 5TH JANUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1894-95. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY . 30	Apogee.	29·198	37·1	31·7	5·4	34·5	− 4·1	26·7	7·8	11·2	4·0	73	40·4	28·6	45·22	WNW.&NW.	NW.&NNW.	7·9	0·0	0·8	517	+211	0·00	0·0
MONDAY . 31	..	29·507	35·9	28·2	7·7	32·5	− 6·1	24·9	7·6	9·2	3·3	73	51·0	26·0	44·60	NNW.&N.	NNW.	6·3	0·0	0·8	478	+169	0·00	0·0
JANUARY. TUESDAY. 1	..	29·804	36·0	29·2	6·8	32·8	− 5·7	27·0	5·8	7·6	0·9	79	48·8	26·2	44·00	NNW.&N.	N.&NNW.	4·9	0·0	0·5	354	+ 43	0·00	0·7
WEDNESDY 2	..	29·613	40·6	29·6	11·0	36·3	− 2·2	32·1	4·2	7·6	2·0	85	51·1	27·4	43·41	W.&WSW.	WNW.&WSW.	2·8	0·0	0·2	339	+ 26	0·05	2·3
THURSDAY 3	In Equator.	29·357	35·4	32·3	3·1	33·6	− 4·9	30·7	2·9	4·2	1·6	89	37·0	29·8	42·91	W.NW.&N.	N.	5·3	0·0	0·3	321	+ 6	0·13	0·0
FRIDAY . 4	First Qr.	29·742	37·6	33·4	4·2	35·8	− 2·6	30·3	5·5	9·4	2·1	80	47·6	31·3	42·59	NNE.&N.	N.	5·1	0·0	0·6	425	+109	0·01	1·0
SATURDAY 5	..	29·767	36·9	31·6	5·3	34·8	− 3·5	32·2	2·6	3·8	1·2	90	46·2	30·5	42·39	N.	N.	7·0	0·0	0·6	375	+ 58	0·01	3·0
MEANS . .	..	29·570	37·1	30·9	6·2	34·3	− 4·2	29·1	5·2	7·6	2·2	81	46·0	28·5	43·59	NW. & N.		..	..	..	Sum 2809	Sum + 622	Sum 0·20	1·0
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	30	s. P. generally . .	0·0	7·8	Fine generally; a little snow in morning; cloudless after 6h. P.M.
MONDAY .	31	s. P. generally .	0·0	7·8	Cloudless in morning and evening; overcast generally at other times.
JANUARY. TUESDAY .	1	s. P. generally . .	0·2	7·9	Fine; light cloud prevalent; a little snow in early morning.
WEDNESDAY	2	v. P. and v. N. between 7h. and 10h. A.M; s. P. at other times.	0·0	7·9	Overcast till 8h. A.M.; a fall of snow at 7h. A.M.; afterwards very fine with small amounts of thin cloud.
THURSDAY .	3	v. P. and s. N. in morning and evening; s. P. in afternoon.	0·0	7·9	Overcast generally; sleet and rain in early morning.
FRIDAY .	4	m. P. and s. N. in early morning; s. P. afterwards.	0·0	7·9	Overcast; a little snow in morning.
SATURDAY .	5	s. P. generally . .	0·0	7·9	Overcast; occasional slight snow and rain.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·20 in. at the beginning of the week to

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 2. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JANUARY 12. [Price 1½*d.*

General Register Office, Somerset House,
January 14th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Dec. 22.	Dec. 29.	Jan 5.	n. 12.
Birkenhead	16·3	16·8	21·8	20·4
Birmingham	18·0	17·5	20·7	18·4
Blackburn -	17·8	20·3	15·5	24·1
Bolton -	15·4	18·1	17·9	21·4
Bradford -	19·1	21·4	15·2	16·8
Brighton -	14·9	23·3	24·0	21·4
Bristol -	17·0	15·2	21·0	18·3
Burnley -	22·2	22·7	19·4	18·3
Cardiff -	17·5	15·1	14·1	17·4
Croydon -	14·0	6·5	18·1	16·8
Derby -	13·7	17·4	15·6	14·6
Gateshead -	19·5	24·0	25·0	22·3
Halifax -	16·3	15·2	14·5	18·3
Huddersfield	14·8	16·9	22·0	25·7
Hull - -	19·4	18·9	15·6	18·5
Leeds -	21·7	21·3	24·1	22·3
Leicester -	14·9	13·2	17·2	16·9

TOWNS.	Weeks ending Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.
Liverpool - -	22·6	21·8	23·6	28·9
London - -	17·4	17·2	17·4	19·3
Manchester -	22·2	18·6	23·4	23·9
Newcastle-on-Tyne	18·3	18·3	17·6	22·7
Norwich - -	24·2	13·8	19·0	18·5
Nottingham -	15·6	16·8	15·9	20·2
Oldham - -	20·7	19·2	20·0	22·5
Plymouth - -	11·3	19·0	14·6	18·7
Portsmouth -	19·8	18·6	20·3	21·5
Preston - -	26·7	26·2	24·5	19·9
Salford - -	18·2	21·5	20·5	18·8
Sheffield - -	16·5	19·3	19·9	18·6
Sunderland -	20·7	23·0	21·2	19·7
Swansea - -	20·2	15·3	23·7	18·3
West Ham - -	15·3	13·6	17·1	20·3
Wolverhampton -	19·6	21·5	24·3	20·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·5 in Newcastle, 1·6 in Gateshead and in Derby, 1·7 in Halifax, 2·0 in Sheffield, and 2·4 in Portsmouth; from *scarlet fever*, 1·8 in Wolverhampton; from *whooping-cough*, 1·0 in Birkenhead, 1·1 in Sunderland, and 1·6 in Huddersfield; and from *diarrhœa*, 1·6 in Gateshead. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 66 deaths from *diphtheria* included 34 in London, 6 in West Ham, 3 each in Bristol, Wolverhampton, and Birmingham, and 2 each in Cardiff, Liverpool, Sheffield, and Newcastle. Three deaths from *small-pox* were registered in Liverpool, but not one death in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2922 BIRTHS and 1622† DEATHS were registered. Allowing for increase of population, the births exceeded by 45, while the deaths were 819 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4, 17·2, and 17·4 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7 added to the Outer Ring, or to other areas to which they belong.

A 85176.—2. 650.—1/95. Wt. 32.

preceding three weeks, rose last week to 19·3. During the four weeks ending on Saturday last the death-rate averaged 17·8 per 1000, being 8·2 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1622 deaths included 30 from measles, 12 from scarlet fever, 34 from diphtheria, 35 from whooping-cough, 16 from enteric fever, 15 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 142 deaths were referred to these diseases, being 97 below the corrected average weekly number.

The deaths from *measles*, which had been 35, 46, and 34 in the preceding three weeks, further declined last week to 30, and were 37 below the corrected average; 7 belonged to Bethnal Green, 4 to Poplar, 4 to Greenwich, and 2 to Plumstead sanitary areas. The deaths from *scarlet fever*, which had been 14 in each of the preceding three weeks, numbered 12 last week, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 36, 35, and 50 in the preceding three weeks, declined again last week to 34, but exceeded the corrected average by 4; 4 belonged to Lambeth, 3 to Bethnal Green, 3 to Mile End Old Town, and 2 each to Fulham, St. Pancras, Shoreditch, Limehouse, Poplar, Newington, Camberwell, and Greenwich sanitary areas. The deaths from *whooping-cough*, which had numbered 26, 14, and 23 in the preceding three weeks, further rose last week to 35, being, however, 53 below the corrected average; 6 belonged to Shoreditch, 5 to St. Pancras, 5 to Lambeth, 4 to Chelsea, and 3 to Islington sanitary areas. The fatal cases of *enteric fever*, which had been 25, 32, and 17 in the preceding three weeks, numbered 16 last week, exceeding the corrected average by 3; 3 belonged to Wandsworth and 2 to St. Pancras sanitary areas. The deaths from *diarrhœa*, which had been 15, 7, and 14 in the preceding three weeks, numbered 15 last week, and were one death above the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 325, 332, and 319 in the preceding three weeks, rose last week to 389, but were 454 below the corrected average.

The deaths attributed directly to *influenza* numbered 18, having been 17, 10, and 15 in the preceding three weeks.

Different forms of violence caused 77 deaths, concerning all but 2 of which inquests were held. Of these 77 deaths, 8 were cases of suicide, while the remaining 69 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 9 to conflagrations (including 8 resulting from a fire at a laundry in the Edgware Road), and 11 (of infants under one year of age) to suffocation in bed.

The death of a timber porter, aged 32 years, was referred, after inquest, to "syncope when under chloroform duly and properly administered for an operation."

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 28 cases of small-pox, 1713 of scarlet fever, 517 of diphtheria, and 107 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 8 cases against 0, 1, and 8; of scarlet fever, 130 cases, against 161, 116, and 126; of diphtheria, 74 cases, against 80, 75, and 64; and of enteric fever, 12 cases, against 12, 20, and 24.

Greater London.

In Greater London 3919 births and 2105 deaths were registered, corresponding to annual rates of 33·8 and 18·1 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 13 from diphtheria, 6 from whooping-cough, and 10 from "fever" were recorded. Of the 13 deaths from diphtheria, 9 occurred in West Ham and 2 in Edmonton districts. The 10 deaths from "fever" included 4 in West Ham and 2 in Brentford districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·61 inches, and that of the Thermometer 29°·8, the latter being 8°·2 below the week's average in the 50 years 1841–90. The direction of the wind was Northerly, the horizontal movement of the air being 49 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 1·7 hour; and the measured rainfall was 0·01 inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 12th Jan. 1895. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Nuisance Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	7072	4091	939	1043	3	109	33	66	68	39	45	169	338	797	82	20·1	1·8	44·0	11·6	28·8	−1·78	0·34	0·86	33 Towns.
London	4,392,346	2922	1622	369	451	–	30	12	34	35	16	15	77	155	438	14	19·3	1·7	36·6	23·0	29·8	−1·33	0·01	0·03	London.
West Ham	249,473	203	97	37	19	–	–	–	6	2	2	–	2	7	8	1	20·3	2·1	–	–	–	–	–	–	West Ham.
Croydon	114,923	59	37	10	17	–	1	–	1	1	–	–	2	6	6	–	16·8	1·4	36·5	20·3	28·5	−1·94	0·05	0·13	Croydon.
Brighton	119,604	69	49	10	19	–	1	–	–	–	–	–	1	3	7	2	21·4	0·4	44·0	25·6	32·4	0·22	0·48	1·22	Brighton.
Portsmouth	174,751	82	72	13	18	–	8	–	1	1	–	–	2	5	5	–	21·5	3·0	41·0	22·0	30·4	−0·89	0·09	0·23	Portsmouth.
Plymouth	89,096	46	32	4	14	–	2	–	–	–	–	–	1	5	3	–	18·7	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,189	146	80	12	32	–	1	–	3	1	–	1	3	6	19	–	18·3	1·4	35·0	15·0	26·6	−3·00	0·08	0·20	Bristol.
Cardiff	155,637	94	52	12	13	–	–	–	2	–	–	2	–	4	4	2	17·4	1·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	66	34	8	4	–	–	–	–	–	–	–	1	4	6	1	18·3	–	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	73	34	8	4	–	–	3	3	–	1	–	1	3	5	–	20·7	4·3	36·3	15·0	26·7	−2·94	0·67	1·70	Wolverhampton.
Birmingham	496,751	309	175	41	35	–	–	3	3	3	–	5	7	3	23	12	18·4	1·5	–	–	–	–	–	–	Birmingham.
Norwich	107,127	75	38	10	13	–	–	–	–	–	–	–	3	3	7	–	18·5	–	37·8	11·6	29·4	−1·44	0·40	1·02	Norwich.
Leicester	193,889	115	63	17	19	–	–	–	1	–	–	1	–	2	5	3	16·9	0·5	–	–	–	–	–	–	Leicester.
Nottingham	226,658	142	88	19	24	–	–	1	–	1	–	1	4	9	8	3	20·2	0·7	36·8	13·7	27·2	−2·67	0·12	0·30	Nottingham.
Derby	100,272	49	28	6	11	–	3	–	–	–	–	1	1	3	3	–	14·6	2·1	–	–	–	–	–	–	Derby.
Birkenhead	107,469	63	42	14	10	–	–	–	1	2	1	–	1	3	7	1	20·4	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	431	279	52	62	3	8	1	2	5	7	–	17	27	77	7	28·9	2·7	36·3	21·7	29·2	−1·56	0·18	0·46	Liverpool.
Bolton	119,337	98	49	8	9	–	1	1	–	–	1	–	2	5	3	–	21·4	1·3	–	–	–	–	–	–	Bolton.
Manchester	524,865	413	241	63	41	–	7	5	1	4	1	7	10	21	41	5	23·9	2·5	–	–	–	–	–	–	Manchester.
Salford	208,253	172	75	19	11	–	1	1	–	–	–	2	2	4	18	1	18·8	1·0	–	–	–	–	–	–	Salford.
Oldham	141,079	86	61	16	16	–	1	1	1	1	1	1	–	5	9	–	22·5	2·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	59	35	7	6	–	–	1	–	–	–	–	3	3	4	–	18·3	0·5	–	–	–	–	–	–	Burnley.
Blackburn	127,615	94	59	14	13	–	–	–	–	2	1	2	1	2	10	5	24·1	2·0	–	–	–	–	–	–	Blackburn.
Preston	112,628	57	43	6	14	–	1	–	1	–	1	–	3	3	3	2	19·9	1·4	–	–	–	–	–	–	Preston.
Huddersfield	99,482	53	49	12	14	–	–	1	–	3	–	–	1	1	5	2	25·7	2·1	–	–	–	–	–	–	Huddersfield.
Halifax	93,813	48	33	8	10	–	3	–	–	–	–	–	–	–	2	2	18·3	1·7	–	–	–	–	–	–	Halifax.
Bradford	226,384	129	73	14	13	–	5	1	1	–	–	1	–	–	11	1	16·8	1·8	37·6	17·2	29·1	−1·60	0·17	0·43	Bradford.
Leeds	395,546	219	109	43	38	–	10	1	1	1	3	2	6	10	21	–	22·3	2·4	–	–	–	–	–	–	Leeds.
Sheffield	342,768	240	122	25	26	–	13	–	2	1	–	–	3	6	9	3	18·6	2·4	–	–	–	–	–	–	Sheffield.
Hull	216,722	165	77	22	21	–	3	–	–	1	2	1	1	3	10	10	18·5	1·7	38·0	12·0	27·2	−2·67	1·47	3·73	Hull.
Sunderland	137,705	105	52	11	12	–	1	–	–	3	2	–	4	7	7	3	19·7	2·3	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	59	41	11	7	–	3	1	–	1	–	3	2	7	2	1	22·3	4·4	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	131	90	18	27	–	6	–	2	–	–	–	8	13	11	1	22·7	2·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SECOND Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2876	2695	2623	2556	2671	2818	2761	2680	2715	2867	2877·3	2922
Males . .	1503	1363	1333	1293	1329	1484	1363	1356	1375	1444	1461·0	1498
Females .	1373	1332	1290	1263	1342	1334	1398	1324	1340	1423	1416·3	1424
TOTAL **Deaths**	1855	1902	1860	1940	2075	2747	2513	3271	2503	2461	2440·8	1622
Males . .	899	942	893	961	1023	1436	1163	1525	1193	1236	1189·6	806
Females .	956	960	967	979	1052	1311	1350	1746	1310	1225	1251·2	816

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885-94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.
TOTAL **Births**	2516	2413	2659	2657	2494	2704	2550	2599	2597	2703	1950	3035	2922
TOTAL **Deaths**	1326	1481	1372	1249	1275	1326	1347	1614	1550	1448	1434	1462	1622
Ages at Death: Under 1 year	350	391	398	337	341	316	364	370	347	316	352	348	369
1—5 years	182	198	169	125	172	167	207	203	207	185	191	194	200
5—20 "	85	78	82	92	92	86	78	86	92	77	71	85	90
20—40 "	170	187	184	166	163	207	165	248	213	193	205	221	224
40—60 "	236	260	226	229	228	246	249	321	284	297	254	248	288
60—80 "	237	291	253	250	236	250	234	318	341	314	277	297	360
80 years & upwards	66	73	60	50	43	54	50	68	66	66	84	69	91
Deaths from—													
Small-pox	–	–	1	1	–	–	–	–	–	1	1	–	–
Measles	8	24	15	13	22	21	29	36	32	35	46	34	30
Scarlet fever	18	17	10	9	8	14	19	18	13	14	14	14	12
Diphtheria	61	49	54	42	44	48	54	57	53	36	35	50	34
Whooping-cough	10	18	14	10	8	11	26	23	25	26	14	23	35
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric fever	17	14	17	24	21	23	18	17	24	25	32	17	16
Simple Continued fever	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	26	19	20	16	23	15	25	14	11	15	7	14	15
Cholera	–	–	–	1	–	–	–	–	1	–	–	–	–
All the above Diseases	140	141	131	117	126	132	171	165	159	152	149	152	142
Dis. of Respiratory System	287	329	329	245	245	261	263	338	358	325	352	319	389
Phthisis	135	161	132	150	133	166	125	187	132	140	144	155	159
Dis. of Circulatory System	93	128	111	104	131	105	100	158	158	140	99	129	161
Violence	57	47	53	43	51	41	37	67	76	73	70	72	77
Inquest Cases	119	112	129	108	118	111	98	152	152	141	147	176	155
Deaths in Public Institutions	392	422	394	385	363	412	405	466	471	410	381	411	438
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean	44·3	50·3	54·0	50·3	47·0	44·0	40·3	39·8	45·4	43·9	43·0	34·3	29·8
Mean of Highest readings	50·9	55·8	59·0	56·5	52·4	51·1	44·0	44·0	48·8	49·1	46·7	37·1	32·5
Mean of Lowest readings	38·4	45·0	50·2	44·3	42·2	36·7	35·5	34·0	41·1	38·2	39·0	30·9	27·2
Humidity of the Air	85	81	87	83	87	89	87	91	88	83	87	81	87
Rain-fall (in inches)	0·19	1·35	2·16	0·64	2·03	0·13	0·00	0·17	0·97	0·59	0·22	0·20	0·01
Registered Sunshine (in hours)	7·3	9·3	11·8	22·8	20·4	15·6	2·7	4·4	4·4	3·0	1·7	0·2	1·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	60	50	48	51	42	38	31	32	22	15	16	23	28
Scarlet fever	2214	2285	2240	2258	2254	2198	2148	2142	2034	1931	1810	1779	1713
Diphtheria	527	537	544	553	547	531	520	515	523	512	523	499	517
Enteric fever	86	95	98	95	96	99	99	101	101	97	105	112	107

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SECOND Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 2nd Week of the 10 years 1885-94.*	In the Week ending Saturday, 12th January 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	2440·8	1622	369	200	90	224	288	360	91
Small-pox: Vaccinated† -	1·1	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·8	-	-	-	-	-	-	-	-
Small-pox: No Statement	2·7	-	-	-	-	-	-	-	-
Measles - - - -	66·8	30	4	2	-	-	-	-	-
Scarlet Fever - -	21·1	12	-	8	4	-	-	-	-
Diphtheria - - -	0·1	-	-	-	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	45·3	18	1	1	2	2	6	6	-
Enteric Fever - -	87·8	35	12	19	4	-	-	-	-
Whooping-cough - -	39·1	34	2	24	8	-	-	-	-
Diphtheria - - -	1·2	-	-	-	-	-	-	-	-
Simple Continued and Well-defined Fever - -	12·5	16	-	-	3	13	-	-	-
Typhoid Fever - -	0·2	-	-	-	-	-	-	-	-
Cholera and Chol. Diarr.	13·5	15	11	1	-	-	-	1	2
Diarrhœa, Dysentery -	0·2	-	-	-	-	-	-	-	-
Intermittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Plague - - -	0·3	-	-	-	-	-	-	-	-
Erysipelas - - -	12·3	8	7	-	-	-	1	-	-
Pyæmia and Septicæmia	8·4	-	-	-	-	-	-	-	-
Puerperal Fever - -	1·9	1	-	1	-	-	-	-	-
Other Zymotic Diseases	2·2	7	-	-	-	6	1	-	-
Cancer - - - -	2·2	3	-	-	1	2	-	-	-
Hydrocephalus - - -	1·2	-	-	-	-	-	-	-	-
Tumors and other Parasitical Diseases - -	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·2	5	4	-	-	-	1	-	-
Alcoholism - - -	10·0	3	-	-	-	1	2	-	-
Rheumatic Fever, Rheumatism of Heart	10·8	8	-	-	4	3	1	-	-
Rheumatism - -	2·4	-	-	-	-	-	-	-	-
Gout - - - -	4·2	4	-	-	-	-	1	2	1
Rickets - - - -	4·5	7	3	4	-	-	-	-	-
Cancer - - - -	61·6	60	-	-	-	6	26	24	4
Tabes Mesenterica - -	22·9	14	9	1	3	1	-	-	-
Tubercular Meningitis -	20·8	23	3	14	5	1	-	-	-
Phthisis - - -	217·9	159	3	4	12	83	46	11	-
Scrofula, Tuberculosis -	18·5	10	4	2	-	3	1	-	-
Other Constitutional Diseases - - -	14·2	20	1	-	-	3	11	5	-
Premature Birth - -	46·6	44	44	-	-	-	-	-	-
Atelectasis - - -	3·2	4	4	-	-	-	-	-	-
Congenital Malformations - - - -	8·1	5	5	-	-	-	-	-	-
Old Age - - - -	75·0	53	-	-	-	-	-	22	31
Apoplexy - - -	60·1	41	-	-	-	-	16	19	6
Epilepsy - - -	8·7	6	-	-	2	2	2	-	-
Convulsions - - -	53·8	39	32	6	1	-	-	-	-
Other Diseases of Brain and Nervous System	110·3	83	11	6	8	13	18	30	2

CAUSES OF DEATH.	Corrected Averages for the 2nd Week of the 10 years 1885-94.*	In the Week ending Saturday, 12th January 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	1·7	1	-	-	1	-	-	-	-
Diseases of Circulatory System - - -	209·6	131	4	2	8	25	40	62	11
Croup - - - -	13·6	3	1	2	-	-	-	-	-
Bronchitis - - -	535·2	237	54	27	5	7	21	99	19
Pneumonia - - -	193·7	120	27	30	5	12	23	20	3
Pleurisy - - - -	7·3	3	-	1	-	-	2	-	-
Other Diseases of Respiratory System - -	61·3	23	6	1	-	2	7	8	2
Dentition - - -	13·7	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	1·8	-	-	-	-	-	-	-	-
Enteritis - - -	10·0	21	12	2	1	-	3	2	1
Peritonitis - - -	8·0	4	-	-	2	1	-	-	1
Diseases of Liver - -	23·0	28	2	-	2	1	12	11	-
Other Diseases of Digestive System - -	35·6	32	6	5	3	6	5	5	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	2	-	-	-	2	-	-	-
Diseases of Urinary System - - -	51·8	43	1	1	1	4	15	20	1
Diseases of Generative System - - -	6·1	3	-	-	1	2	-	-	-
Accidents of Childbirth -	5·3	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	6·9	3	-	-	1	-	1	1	-
Diseases of Integumentary System - -	6·8	7	2	1	-	-	1	2	1
VIOLENT DEATHS ‡ (ACCIDENT.)									
By Railways - -	61·7	3	-	-	-	2	1	-	-
By Vehicles or Horses -		5	-	-	-	2	1	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations - -		9	-	-	2	5	-	1	1
By Burns, Scalds, Explosions - - -		13	1	8	3	-	1	-	-
By Drowning - -		3	-	-	1	1	1	-	-
By Suffocation in Bed -		11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		2	-	-	-	2	-	-	-
Other or not stated Causes - - -		21	4	-	2	5	2	5	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·6	-	-	-	-	-	-	-	-
Suicide - - - -	7·3	8	-	-	-	2	4	2	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	65·6	77	75	2	-	-	-	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA[illegible] during the Week en[illegible]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public [illegible]
LONDON	4,211,743	2922	1622	369	451	-	30	12	34	35	-	16	-	15	77	155	43[illegible]
WEST DISTRICTS	740,735	433	282	57	85	-	4	1	3	5	-	1	-	7	8	27	80
NORTH DISTRICTS	993,884	645	334	76	109	-	-	5	9	8	-	3	-	2	27	42	77
CENTRAL DISTRICTS	247,538	169	105	21	25	-	1	-	1	3	-	2	-	-	7	12	38
EAST DISTRICTS	705,114	572	300	84	68	-	13	2	8	9	-	2	-	1	13	33	85
SOUTH DISTRICTS	1,524,472	1103	566	131	156	-	12	3	13	10	-	8	-	5	22	38	123
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	35	-	8	-	-	1	-	-	-	-	-	-	-	-	35
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	55	26	5	9	-	1	-	-	-	-	1	-	-	-	2	1
St. John Paddington *H* - G.J.	33687	10	14	1	3	-	-	-	-	-	-	-	-	-	1	1	6
Kensington Town *Ww* - W.M.	118751	70	58	11	22	-	-	-	-	-	-	-	-	2	1	4	14
Brompton *HH* - W.M. & C.	47557	9	15	1	3	-	-	-	-	-	-	-	-	-	-	-	4
St. Peter Hammersmith - W.M.	8584	9	1	1	-	-	-	-	-	1	-	-	-	1	2	4	3
St. Paul Hammersmith *H* W.M. & G.J	88653	63	22	7	6	-	1	1	2	-	-	-	-	1	-	3	11
Fulham *Ww* - W.M. & C.	91639	69	45	16	15	-	1	-	-	-	-	-	-	1	-	-	-
Chelsea Kensal Town - C.	21787	13	8	-	4	-	-	-	-	2	-	-	-	-	-	1	9
Chelsea North *WHHHHH* - C.	41637	34	19	2	4	-	-	-	-	2	-	-	-	2	2	4	5
Chelsea South *HH* - C.	32829	19	15	4	2	-	-	-	-	-	-	-	-	-	-	1	5
May Fair *WH* - G.J.	23733	9	9	2	4	-	1	-	-	-	-	-	-	-	-	3	12
Belgrave *WHHH* - C.	54631	23	21	2	6	-	-	-	-	-	-	-	-	-	-	-	-
St. John Westminster *HH* - C.	34106	22	6	-	3	-	-	-	1	-	-	-	-	-	-	1	5
St. Margaret Westminster *H* - C.	21668	6	8	1	1	-	-	-	-	-	-	-	-	-	1	1	2
St. James Westminster *WHHH* N.R. & G.J.	24995	14	7	2	1	-	-	-	-	-	-	-	-	-	1	2	3
St. Anne Soho *HHHHHH* - N.R.	12317	8	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	14	18	2	5	-	-	-	-	-	-	-	-	2	4	11	-
Rectory Marylebone *WH* G.J. & W.M.	20024	20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	25	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W.M.	33327	23	12	4	5	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone *HH* - W.M.	32101	24	15	1	4	-	-	-	-	-	-	-	-	8	9	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	31	20	4	3	-	-	1	3	-	-	-	-	1	1	5	-
Regent's Park Paneras *HH* - W.M.	36590	20	12	7	1	-	-	-	-	1	-	-	-	-	-	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	10	10	5	2	-	-	-	-	-	-	-	-	-	-	-	6
Gray's Inn Lane *HHH* - N.R.	27455	17	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Somers Town *HH* - N.R.	32829	20	10	2	2	-	-	-	-	-	-	-	-	-	-	1	3
Camden Town *WH* - N.R.	15419	10	14	1	9	-	-	-	-	-	-	1	-	-	2	3	9
Kentish Town *WW* - N.R.	95765	61	30	7	11	-	-	-	-	4	-	-	-	-	-	-	2
Upper Holloway *WWWwHHH* - N.R.	99235	65	42	7	14	-	-	-	1	-	-	1	-	-	4	7	20
Islington South-west *H* - N.R.	105557	89	32	11	8	-	-	1	-	2	-	-	-	-	3	4	-
Islington South-east - N.R.	64153	47	16	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *HH* - N.R.	59193	30	15	5	6	-	-	-	-	1	-	-	-	-	3	3	-
Stoke Newington *H* - N.R.	36936	18	7	1	3	-	-	-	-	-	-	1	-	-	-	-	-
Stamford Hill - E.L.	17759	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42602	23	8	-	4	-	-	-	-	-	-	-	-	1	2	1	-
Hackney *WwwH* - E.L. & N.R.	96486	65	40	3	16	-	-	3	5	-	-	-	-	1	1	4	19
South Hackney *wH* - E.L.	41759	26	12	5	4	-	-	-	-	-	-	-	-	1	1	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	15	10	-	7	-	-	-	-	-	-	-	-	-	-	-	8
St. Giles North *H* - N.R.	9633	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	9	10	3	-	-	-	-	-	1	-	1	-	-	-	-	4
St. Mary-le-Strand *H* - N.R.	5706	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	6	8	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand Union Workhouse, Edmonton -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	5	13	2	1	-	1	-	-	-	-	-	-	-	1	1	5
St. Andrew Eastern *WH* - N.R.	15343	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	10	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Amwell Clerkenwell - N.R.	16883	15	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Pentonville - N.R.	17155	14	5	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Goswell-street - N.R.	15375	12	6	1	3	-	-	-	1	-	-	-	-	-	-	1	-
City-road *HHHL* - N.R.	29177	39	8	4	1	-	-	-	-	-	-	-	-	-	1	2	-
Whitecross-street - N.R.	8278	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4985	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre *H* - N.R.	4444	-	12	1	2	-	-	-	-	-	-	1	-	-	3	3	12
St. Bride *W* - N.R.	6594	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establish[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the dif[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. [illegible] River; E. L., East London; and K., the Kent Company.

*See note on first page of this Return.

Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district y, 12th January, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
ditch South *HL** E.L. & N.R.	20098	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-
n New Town *w* - - - N.R.	29313	52	20	4	7	-	-	-	-	5	-	-	-	-	-	2	8	-
n Old Town - - - - N.R.	28354	28	10	4	1	-	-	-	-	-	-	1	-	-	-	1	-	-
erston *WH* - - N.R. & E.L.	46244	53	29	11	5	-	-	-	1	1	-	-	-	-	1	1	7	-
al Green North *H* - - E.L.	51520	40	20	4	5	-	2	-	2	-	-	-	-	-	1	2	1	-
al Green South - - - E.L.	33489	25	11	1	2	-	3	-	-	-	-	-	-	-	-	1	-	-
al Green East *WHL** - E.L.	44123	29	16	6	10	-	-	-	1	-	-	-	-	-	1	4	12	-
fields - - - E. N.R.	22456	17	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
End New Town *W* - - E.L.	17908	19	8	1	4	-	1	-	-	-	-	-	-	-	-	1	5	-
echapel Church *H'* E.L. & N.R.	20298	7	16	2	1	-	-	-	1	-	-	1	-	-	1	1	14	-
man's Fields - - - E.L.	18800	12	4	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
eorge's, North - - - E.L.	37738	38	20	12	3	-	-	-	-	2	-	-	-	-	3	4	-	-
ohn, St. George East *W* - E.L.	8057	5	11	6	2	-	-	-	-	-	-	-	-	1	-	1	9	-
well *H* - - - E.L. & N.R.	10246	8	9	1	-	-	-	-	-	-	-	-	-	-	2	3	6	-
ff *W* - - - - - E.L.	14928	14	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
house - - - - - E.L.	32202	19	12	3	3	-	1	-	1	-	-	-	-	-	1	2	-	-
End Old Town West *H* - E.L.	38850	35	7	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
End Old Town East *W WwwH* E.L.	68942	49	16	1	4	-	-	-	-	1	-	-	-	-	-	1	7	-
*L** - - - - - E.L.	40365	35	15	8	4	-	-	-	-	-	-	-	-	-	-	1	-	-
aley *wwwH* - - - E.L.	70000	53	28	11	8	-	2	-	-	-	-	-	-	-	1	4	12	-
ar *WW* - - - - - E.L.	56383	42	22	3	4	-	2	-	1	-	-	-	-	-	1	3	1	-
South Districts.																		
stchurch Southwark *WH* L. & S.	13264	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
avious Southwark - - - S.	13913	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-road - - - - S. & L.	21867	23	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2
ugh-road *WH* - - S. & L.	16624	14	12	3	1	-	-	-	-	1	-	-	-	-	-	-	5	1
ion-road *HL* - - L. & S.	21221	24	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ty Newington - - S. & L.	26596	27	10	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-
eter Walworth *W* - S. & L.	61342	57	21	6	5	-	-	-	-	-	-	-	-	-	-	-	7	-
fary Newington - - L. & S.	27866	19	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
lave *WH* - - - - S.	12723	17	17	1	3	-	-	-	-	-	-	-	-	-	6	7	13	-
her Market *W* - - S. & L.	30612	31	13	1	6	-	-	-	-	-	-	-	-	-	-	-	4	-
ames Bermondsey - - S.	54070	39	21	5	4	-	-	1	-	-	-	-	-	-	-	1	-	-
erhithe *WwH* - - S. & K.	39255	33	14	1	5	-	-	-	-	-	-	-	-	1	-	-	7	-
erloo-road 1st *H* - - L. & S.	14031	14	8	4	2	-	-	-	-	-	-	-	-	1	-	-	2	-
erloo-road 2nd *H* - - L. & S.	14644	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
beth Church 1st *H* - - L. & S.	18075	8	13	-	1	-	-	-	-	1	-	-	-	-	3	3	8	-
beth Church 2nd *WW* - L. & S.	39097	37	31	10	10	-	-	-	-	-	-	-	-	-	1	5	14	-
nington 1st *H* - - S. & L.	50586	28	16	5	6	-	1	-	-	-	-	-	-	-	-	2	-	-
nington 2nd - - - S. & L.	39708	24	8	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1
ton *w* - - - - L. & S.	73405	53	25	5	10	-	-	-	2	2	-	-	-	-	2	2	1	1
wood *WH* - - - - L.	25667	11	8	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Battersea - - - - S.	67244	62	20	4	3	-	-	1	1	2	-	-	-	-	-	4	-	-
Battersea *WwH* - - S.	83314	56	29	8	11	-	-	-	-	-	-	-	-	-	-	-	8	-
nam *H* - - - - S.	43698	17	14	2	7	-	-	-	-	-	-	-	-	-	1	-	-	-
dsworth *WHHL* - - S.	46717	41	14	7	3	-	-	-	-	-	-	-	-	3	1	1	-	-
ey - - - - - S.	17771	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tham *www* - - - L.	48756	27	19	1	5	-	1	-	2	1	-	3	-	-	2	1	4	-
wich - - - L. & S.	6309	-	2	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
berwell *WwL*L** - S. & L.	81686	55	43	5	19	-	-	1	1	-	-	-	-	-	1	1	25	-
ham *WW* - - S., L., & K.	33483	74	35	12	8	-	-	-	-	-	-	1	-	-	1	3	2	2
George Camberwell - - L. & S.	63566	41	25	7	5	-	-	-	-	-	-	-	-	-	1	2	-	-
ford, North - - - - K.	25314	21	9	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
ford, Central *w* - - - K.	42007	37	18	4	1	-	-	-	4	-	-	3	-	-	-	-	7	1
ford, South - - - - K.	30852	13	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
nwich West *H* - - - K.	22007	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich East *WH* - - - K.	35223	22	11	1	3	-	2	-	-	-	-	-	-	-	-	-	7	1
ham *w'l* - - - - - K.	5682	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	4	9	1	2	-	1	-	-	1	-	-	-	-	-	-	-	1
isham *WH* - - - - K.	30950	15	11	1	5	-	1	-	-	-	-	1	-	-	-	-	4	-
nham *H* - - - - - L.	34162	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ton *HH* - - - - K.	14040	10	6	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
lwich Dockyard - - - K.	19606	15	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
lwich Arsenal *HHHH* - K.	21242	14	9	4	1	-	-	-	-	1	-	-	-	-	-	1	-	1
nstead, West *H* - - - K.	15869	13	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1
nstead, East *WH* - - - K.	36567	41	15	3	5	-	2	-	-	-	-	-	-	-	1	1	4	-
stead Asylum - - - - -	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
rham Asylum - - - - -	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	5	-
e Hill Asylum - - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
pital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
enth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
well Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ey Hatch Asylum - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
ehmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
wesden Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
bury Asylum - - - - -	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 12th January, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 year of age.	Deaths of: Persons aged 60 years & upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unregistered deaths
	LONDON—OUTER RING	368,749	1,422,063	997	483	123	143	–	5	2	13	6	10	4	10	28	49	
30:	Carshalton *wSH*	12228	26108	14	6	3	–	–	1	–	–	–	–	–	1	1	–	
	Epsom, *part of** *Wo*	10423	13508	6	3	–	2	–	–	–	–	–	–	–	–	–	–	
37: 1	Godstone, *part of** *W*	2754	1593	–	2	–	1		–		–	–	–	–		–	–	
38: 1	Croydon *WoHBH*	20551	128699	68	49	13	20	–	1	–	1	2	–	–	2	7	7	
2	Mitcham *w*	11637	23038	11	5	1	2	–	–	–	–	–	–	–	–	–	–	
39: 1	Wimbledon *HHH*	3220	25761	18	14	2	3	–	1	–	–	–	–	1	–	2	1	
2	Kingston *WH*	8071	44765	21	19	6	6	–	–	–	–	1	–	–	–	–	3	
3	Esher, *part o** *HH*	6601	12059	3	4	1	2	–	–	–	–	–	–	–	–	–	–	
4	Hampton *H*	4535	18252	12	7	–	2	–	–	–	–	–	–	–	–	–	–	
40: 1	Richmond *W*	2160	25389	10	11	1	2	–	–	–	–	–	1	–	2	2	6	
2	Mortlake *H*	2323	16159	5	4	1	2	–	–	–	–	–		–	–	–	–	
41: 1	Bromley *HHH*	9127	23815	11	2	–	–	–	–	–	–	–	–	–	–	–	–	
2	Beckenham *H*	6542	21969	10	5	1	–	–	–	–	–	–	–	–		–	1	
	Chislhrst, *pt. of** *WHH*	14397	20372	15	5	1	3	–	–	–	–	–	–	–	–	–	1	
42: 1	Bexley *HHH*	12549	30590	21	6	–	1	–	–	–	–	–	1	–	–	–	–	
2	Dartford *Work.*, pt. of**	—	—	–	–	–	–	–	–	–	–	–		–	–	–	–	
124: 1	Sunbury *w*	11054	13471	10	3	1	–	–	–	–	–	–	–	–	–	–	–	
2	Staines *WH*	13277	13221	14	10	2	3	–	–	1	–	–	–	–	–	–	2	
125: 1	Hillingdon *wHH*	6035	12237	5	8	1	4	–	–	1	1	–	–	–	–	–	3	
2	Uxbridge	6173	5417	2	1	1	–	–	–	–	–	–	–	–	–	–	–	
3	Hayes *wH*	14537	12313	7	–	–	–	–	–	–	–	–	–	–	–	–	–	
126: 1	Isleworth *WBH*	6067	26273	14	13	2	5	–	1	–	–	–	–	–	–	–	2	
2	Twickenham *HH*	2415	16027	6	8	1	3	–	–	–	–	–	–	–	–	–	1	
3	Brentford *HHHH*	4318	37777	20	10	4	1	–	–	–	–	–	2	–	–	–	1	
4	Chiswick	1245	21953	15	7	2	1	–	–	–	–	–	–	1	–	1	–	
5	Acton *wH*	6133	30945	33	10	3	3	–	–	–	–	–	–	–	2	2	–	
127: 1	Harrow *BHH*	13809	15715	12	4	1	–	–	–	–	–	–	–	–	–	–	1	
2	Edgware *BH*	6994	3344	3	1	–	1	–	–	–	–	–	–	–	–	–	–	
3	Willesden *HHH*	4383	61265	44	19	5	10	–	–	–	–	–	–	–	–	–	1	
4	Hendon *WH*	8382	15843	10	6	3	1	–	–	–	–	–	–	–	–	1	1	
128: 1	South Mimms *H*	15599	8474	7	7	3	1	–	–	–	–	–	1	–	–	–	–	
2	Barnet *WHH*	5441	11773	7	5	1	2	–	1	–	–		–	–	–	–	2	
3	Finchley *BHH*	4688	25820	20	5	2	2	–	–	–	–	–	–	2	–	–	–	
129: 1	Hornsey *BH*	2039	61097	26	11	2	1	–	–	–	1	–	–	–	–	–	–	
2	Tottenham *H*	4642	97174	76	20	3	11	–	–	–	–	–	–	–	–	2	1	
3	Edmonton *Wo*	7439	36351	35	7	3	1	–	–	–	–	–	–	–	–	–	2	
4	Enfield *WWBH*	12639	31803	19	13	1	4	–	–	–	1	–	1	–	1	1	1	
5	Waltham Abbey	11017	6066	5	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Chesunut *H*	8480	9620	5	5	1	2	–	–	–	–	–	–	–	–	–	–	
135: 1	Hatfield, *part o** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
137: 1	Bushey *H*	9331	7737	6	2	–	1	–	–	–	–	–	–	–		–	–	
2	Watford *Work.*, pt. of**	—	—	–	–	–	–	–	–	–	–	–	–	–			–	
186: 1	Stratford *H*	1100	42983	42	18	6	6	–	–	–	–	–	1	–	–	–	2	
2	Plaistow	1242	58030	67	40	14	8	–	–	–	4	–	1	–	1	4	–	
3	Canning Town *H*	1558	54750	56	16	9	1	–	–	–	1		–	–	–		–	
4	Forest Gate *w*	806	49140	38	17	7	1	–	–	–	1	2	–	–	1	3	–	
5	East Ham *w*	3266	32713	20	14	3	5	–	–	–	2	–	–	–	–	–	–	
6	Leyton *WWWoH*	4584	70188	54	25	5	6	–	–	–	–	–	1	–	–	1	7	
7	Walthamstow *HBE*	6501	57330	41	21	8	5	–	–	–	1	1	1	–	–	–	–	
187: 1	Chigwell, *part of** *H*	11779	12941	10	1	1	–	–	–	–	–	–	–	–	–	–	–	
2	Epping *Work.*, pt. of**	—	—	–	–	–	–	–	–	–	–	–	–	–			–	
189: 1	Romford, *part of** *WH*	6556	4321	3	5	–	3	–	–	–	–		–	–		–	2	
2	Ilford	8493	10913	9	4	–	3	–	–	–	–	–	–	–	–	1	–	
3	Barking Town *H*	3814	14391	18	4	1	1	–	–	–	–	–	–	–	–	–	–	
	Cane Hill Asylum	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1753); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2262); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 12th January, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	18·1	1·6	2105	405	504	–	35	14	47	41	26	19	87	487
NER LONDON -	74,672	4,392,346	19·3	1·7	1622	330	451	–	30	12	34	35	16	15	77	438
UTER RING -	368,749	1,656,209	15·2	1·3	483	123	143	–	5	2	13	6	10	4	10	49

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·843 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	January 12	162	128	24·7	2	5	2	7	1	1	2
ASGOW - -	695,876	" 12	436	384	29·2	–	28	3	3	15	1	2
BLIN - -	349,594	" 12	201	208	31·0	11	–	2	–	2	3	1
LCUTTA - -	466,460	November 10	–	–	–	–	–	–	–	–	–	–
MBAY - -	821,764	December 18	318	455	28·8	4	3	?	?	?	103	43†
DRAS - -	452,518	" 7	331	270	31·0	–	–	?	?	?	101	39
RIS - - -	2,424,705	January 5	1152	982	21·1	1	1	–	12*	6	3	36
USSELS - -	498,400	" 5	223	216	22·5	–	20	2	–	–	2	6
STERDAM -	446,295	" 5	303	147	17·1	–	1	–	1	1	1	–
TTERDAM -	228,597	" 5	180	83	18·8	–	4	–	–	1	–	–
E HAGUE -	174,790	" 5	100	46	13·7	–	–	1	1	2	–	–
PENHAGEN -	341,000	" 5	216	113	17·3	–	7	2	1	–	2	5
OCKHOLM -	252,937	December 29	147	117	24·1	–	6	1	6*	1	–	7
RISTIANIA -	167,588	January 5	65	50	15·5	–	–	–	3	2	1	1
. PETERSBURG	954,400	December 22	639	435	23·8	2	8	15	16	6	8	37
OSCOW - -	753,469	" 22	–	464	32·1	1	5	5	22	5	5	58
ERLIN - -	1,714,938	" 22	898	578	17·5	–	9	12	21	6	1	16
AMBURG - -	598,372	January 5	–	–	–	–	–	–	–	–	–	–
RESDEN - -	312,772	December 15	–	–	–	–	–	–	–	–	–	–
RESLAU - -	360 660	January 5	–	162	23·4	–	1	2	4*	1	–	8
UNICH - -	390,000	" 5	–	172	22·6	–	4	1	3*	3	–	17
IENNA - -	1,465,537	" 5	833	662	23·1	–	28	8	29*	2	1	31
RAGUE - -	339,172	December 29	209	150	22·7	–	2	2	3	1	–	5
UDA-PESTH -	552,769	" 29	459	259	24·4	1	3	1	3	–	1	13
RIESTE - -	159,739	" 22	97	94	30·6	–	–	3	5*	1	2	4
OME - -	455,678	" 8	228	171	19·5	–	–	–	–	–	8‡	9
URIN (11 days)	337,997	" 31	–	–	–	–	–	–	–	–	–	–
ENICE -	160,406	" 22	72	82	27·1	–	–	–	2*	–	–	3
AIRO - -	374,838	" 20	–	–	–	–	–	–	–	–	–	–
LEXANDRIA -	231,396	" 20	–	–	–	–	–	–	–	–	–	–
EW YORK -	1,925 569	" 29	–	670	17·6	–	5	12	41	8	7	9
ROOKLYN -	1,043,000	" 29	–	397	19·2	1	1	–	25	2	4	2
HILADELPHIA	1,139,457	" 29	–	–	–	–	–	–	–	–	–	–
EW ORLEANS -	254,000	" 8	–	155	31·8	–	–	–	3	–	10	9

* Including deaths from croup.
† Including 2 deaths from cholera.
‡ Including 7 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 12TH JANUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	6	..	29·575	31·6	28·2	3·4	29·1	− 9·1	27·7	1·4	2·6	0·0	94	35·0	27·0	42·28	NNE. & Calm.	SW. & Calm.	0·0	0·0	0·0	72	−245	0·00	0·0
MONDAY	7	..	29·558	33·1	28·2	4·9	31·0	− 7·1	27·7	3·3	3·8	2·0	87	46·7	27·0	42·00	NE. & NNE.	N.	1·6	0·0	0·1	197	−121	0·00	0·0
TUESDAY	8	..	29·651	36·6	30·9	5·7	33·8	− 4·2	29·3	4·5	6·8	1·9	84	50·4	28·7	41·62	N.	N.	2·0	0·0	0·1	261	− 57	0·00	0·0
WEDNESDY	9	Greatest Dec. N.	29·723	33·7	30·2	3·5	32·1	− 5·8	29·8	2·3	3·3	1·1	91	35·6	27·0	41·40	N. NNE. & NE.	NNE. N. & NNW.	0·5	0·0	0·0	126	−192	0·00	0·0
THURSDAY	10	..	29·734	31·5	24·7	6·8	27·6	−10·3	24·9	2·7	3·8	1·3	89	51·9	24·0	41·20	N. & NNW.	N. & NNE.	0·0	0·0	0·0	99	−220	0·00	0·0
FRIDAY	11	Full	29·676	28·7	25·0	3·7	27·2	−10·7	25·5	1·7	2·9	0·0	93	31·0	24·2	40·90	N. & NNW.	Variable & Calm.	0·0	0·0	0·0	104	−215	0·00	0·0
SATURDAY	12	Perigee.	29·373	32·2	23·0	9·2	28·0	− 9·9	19·8	8·2	11·8	0·0	70	53·0	23·0	40·61	E.ESE. & SE.	E. & ESE.	5·5	0·0	0·4	280	− 40	0·01	0·0
MEANS		..	29·613	32·5	27·2	5·3	29·8	− 8·2	26·4	3·4	5·0	0·9	87	43·4	25·8	41·43	N.		..	..	..	Sum 1139	Sum −1090	Sum 0·01	0·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	6	v. P. generally	0·0	8·0	Overcast; dense fog till evening. Great gloom in afternoon.
MONDAY	7	v. P. in morning; s. P. afterwards.	0·0	8·0	Overcast; foggy in early morning.
TUESDAY	8	s. P. throughout	0·5	8·0	Cloudy, but fine; a slight fall of snow at 6h. AM.
WEDNESDAY	9	s. P. generally	0·1	8·1	Overcast; occasional snow in morning; gloomy during the day; lunar halo in evening.
THURSDAY	10	s. P. generally	1·1	8·1	Fine; cloudless till evening; light cloud prevalent afterwards; hoar frost.
FRIDAY	11	s. P. throughout	0·0	8·1	Overcast generally; hard frost.
SATURDAY	12	s. P. generally	0·0	8·2	Fine till noon; afterwards overcast, snow in evening; hard frost.
			Sum 1·7	Sum 56·5	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·77 in. at the beginning of the week to 29·41 in. by 2h. A.M. on the 7th; increased to 29·76 in. by 9h. A.M. on the 10th; and decreased to 29·05 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 3. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JANUARY 19. [Price 1½*d.*

General Register Office, Somerset House,
January 21*st*, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	TOWNS.	Weeks ending Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.
Birkenhead	16·8	21·8	20·4	18·9	Liverpool - -	21·8	23·6	28·9	28·3
Birmingham	17·5	20·7	18·4	27·9	London - -	17·2	17·4	19·3	20·0
Blackburn -	20·3	15·5	24·1	20·0	Manchester -	18·6	23·4	23·9	23·3
Bolton -	18·1	17·9	21·4	29·3	Newcastle-on-Tyne	18·3	17·6	22·7	21·2
Bradford -	21·4	15·2	16·8	23·3	Norwich - -	13·8	19·0	18·5	22·9
Brighton -	23·3	24·0	21·4	20·5	Nottingham -	16·8	15·9	20·2	17·9
Bristol -	15·2	21·0	18·3	21·9	Oldham - -	19·2	20·0	22·5	19·6
Burnley -	22·7	19·4	18·3	26·2	Plymouth - -	19·0	14·6	18·7	12·9
Cardiff -	15·1	14·1	17·4	14·4	Portsmouth -	18·6	20·3	21·5	20·6
Croydon -	6·5	18·1	16·8	19·5	Preston - -	26·2	24·5	19·9	22·7
Derby -	17·4	15·6	14·6	21·3	Salford - -	21·5	20·5	18·8	24·0
Gateshead -	24·0	25·0	22·3	21·8	Sheffield - -	19·3	19·9	18·6	22·7
Halifax -	15·2	14·5	18·3	25·0	Sunderland -	23·0	21·2	19·7	30·7
Huddersfield	16·9	22·0	25·7	22·0	Swansea - -	15·3	23·7	18·3	21·0
Hull - -	18·9	15·6	18·5	20·5	West Ham - -	13·6	17·1	20·3	18·4
Leeds -	21·3	24·1	22·3	24·9	Wolverhampton -	21·5	24·3	20·7	33·4
Leicester -	13·2	17·2	16·9	15·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Plymouth, 1·3 in Newcastle, 1·5 in Leeds, 1·8 in Portsmouth, and 3·3 in Gateshead; from *whooping-cough*, 1·0 in Newcastle, 1·2 in Blackburn, and 1·4 in Preston; and from *diarrhœa*, 1·1 in Swansea. The death-rate from *scarlet fever* and from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 63 deaths from *diphtheria* included 31 in London, 6 in Birmingham, 4 in West Ham, 3 in Liverpool, and 2 each in Bristol, Cardiff, Salford, Hull, and Sunderland. Two deaths from *small-pox* were registered in Birmingham and one death in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2818 BIRTHS and 1689† DEATHS were registered. Allowing for increase of population, the births were 47, and the deaths 616, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·2, 17·4, and 19·3 in the preceding three weeks, further rose last week to 20·0. During the four weeks ending on Saturday

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

last the death-rate averaged 18·5 per 1000, being 8·9 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1689 deaths included one death from small-pox, 35 deaths from measles, 9 from scarlet fever, 31 from diphtheria, 21 from whooping-cough, 19 from enteric fever, 17 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 133 deaths were referred to these diseases, being 83 below the corrected average weekly number.

The death from *small-pox* belonged to Marylebone sanitary area. The deaths from *measles*, which had been 46, 34, and 30 in the preceding three weeks, increased again last week to 35, but were 17 below the corrected average; 9 belonged to Poplar, and 3 each to Holborn, Camberwell, Greenwich, and Lee sanitary areas. The deaths from *scarlet fever*, which had been 14, 14, and 12 in the preceding three weeks, declined last week to 9, and were 12 below the corrected average; 3 belonged to St. Pancras sanitary area. The deaths from *diphtheria*, which had been 35, 50, and 34 in the preceding three weeks, further declined last week to 31, but exceeded the corrected average by 4; 4 belonged to Chelsea, 3 each to Fulham, St. Pancras, and Camberwell, 2 to Bethnal Green, and 2 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 14, 23, and 35 in the preceding three weeks, declined last week to 21, being less than one-fourth of the corrected average. The fatal cases of *enteric fever*, which had been 32, 17, and 16 in the preceding three weeks, numbered 19 last week, exceeding the corrected average by 7; 3 belonged to Islington, and 2 each to St. Marylebone, Hackney, and Greenwich sanitary areas. The deaths from *diarrhœa*, which had been 7, 14, and 15 in the preceding three weeks, further rose last week to 17, and were 3 above the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 352, 319, and 389 in the preceding three weeks, further rose last week to 399, but were 362 below the corrected average.

The deaths attributed directly to *influenza* numbered 15, having been 10, 15, and 18 in the preceding three weeks.

The age of a female, who died in the Metropolitan Imbecile Asylum at Leavesden was stated to be 104 years.

Different forms of violence caused 76 deaths, concerning all but 4 of which inquests were held. Of these 76 deaths, 9 were cases of suicide, and one death was a case of homicide, while the remaining 66 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 15 to burns and scalds, and 21 (including 19 of infants under one year of age) to suffocation n bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 32 cases of small-pox, 1653 of scarlet fever, 514 of diphtheria, and 115 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 6 cases against 1, 8, and 8; of scarlet fever, 154 cases, against 116, 126, and 130; of diphtheria, 74 cases, against 75, 64, and 74; and of enteric fever, 23 cases, against 20, 24, and 12.

Greater London.

In Greater London 3792 births and 2198 deaths were registered, corresponding to annual rates of 32·7 and 18·9 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 10 from diphtheria, 9 from whooping-cough, and 6 from "fever" were recorded. Of the 10 deaths from diphtheria, 8 occurred in West Ham district. Two of the 6 deaths from "fever" were registered in Croydon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·10 inches, and that of the Thermometer 40°·4, the latter being 2°·0 above the week's average in the 50 years 1841–90. The direction of the wind was Southerly, the horizontal movement of the air being 9 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 4·7 hours; and the measured rainfall was 0·72 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

Table 1.—33 Great Towns, Births, Deaths, and Meteorology, during the Week ending 19th January 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 19th Jan. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centi-Metres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6809	4407	1004	1220	3	96	25	63	66	36	49	205	419	901	82	21·7	1·7	48·6	19·6	37·6	3·11	1·23	3·12	33 Towns
London	4,392,346	2818	1689	370	490	1	35	9	31	21	19	17	76	173	432	7	20·0	1·6	45·9	27·4	40·4	4·67	0·72	1·83	London.
West Ham	249,473	183	88	17	19	–	–	1	4	3	1	1	7	9	13	7	18·4	2·1	–	–	–	–	–	–	West Ham.
Croydon	114,923	56	43	10	16	–	1	1	–	–	2	1	4	6	9	–	19·5	2·3	45·5	27·0	38·7	3·72	0·60	1·52	Croydon.
Brighton	119,004	67	47	11	14	–	2	–	1	1	–	–	3	6	6	1	20·5	1·7	48·6	29·6	41·5	5·28	1·15	2·92	Brighton.
Portsmouth	174,751	91	69	14	25	–	6	–	–	–	–	–	4	8	4	–	20·6	1·8	48·0	30·0	41·3	5·17	1·70	4·32	Portsmouth.
Plymouth	89,096	65	22	7	5	–	2	–	–	1	–	–	–	–	2	–	12·9	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,139	126	96	16	38	–	–	–	2	2	–	–	3	10	20	1	21·9	0·9	46·0	28·0	38·6	3·67	1·70	4·32	Bristol.
Cardiff	155,637	105	43	15	11	–	–	–	2	–	–	–	2	4	4	–	14·4	0·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	63	39	13	9	–	–	1	–	1	–	2	1	2	3	–	21·0	2·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	60	55	10	17	–	–	1	1	–	–	–	2	6	14	–	33·4	1·2	41·0	25·4	33·8	1·00	1·58	4·01	Wolverhampton.
Birmingham	496,751	352	266	65	71	2	–	1	6	5	1	6	8	6	73	9	27·9	2·2	–	–	–	–	–	–	Birmingham.
Norwich	107,127	72	47	17	19	–	–	–	–	1	–	1	3	5	6	1	22·9	1·0	45·0	21·8	37·0	2·78	0·49	1·24	Norwich.
Leicester	193,839	128	56	18	16	–	–	–	1	–	1	1	3	8	11	1	15·1	0·8	–	–	–	–	–	–	Leicester.
Nottingham	226,658	123	78	20	29	–	–	1	–	1	–	–	5	8	17	3	17·9	0·5	41·8	21·3	35·0	1·67	1·11	2·82	Nottingham.
Derby	100,272	52	41	8	13	–	–	–	–	–	1	1	1	4	3	–	21·3	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	71	39	9	13	–	–	–	1	–	–	1	2	3	10	1	18·9	1·0	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	344	274	70	53	–	6	4	3	3	2	4	14	23	68	8	28·3	2·3	41·6	29·2	36·7	2·61	1·68	4·27	Liverpool.
Bolton	119,337	88	67	11	21	–	2	–	–	1	–	–	7	10	13	–	29·3	1·3	–	–	–	–	–	–	Bolton.
Manchester	524,865	366	235	59	53	–	3	4	1	5	2	5	13	30	54	2	23·3	2·0	–	–	–	–	–	–	Manchester.
Salford	208,253	143	96	30	21	–	–	2	2	3	3	1	5	6	19	5	24·0	2·8	–	–	–	–	–	–	Salford.
Oldham	141,079	74	53	10	17	–	–	–	1	1	–	2	1	3	10	1	19·6	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	75	50	14	14	–	1	–	1	–	1	1	4	4	5	5	26·2	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	81	49	11	10	–	–	–	1	3	–	–	2	4	6	5	20·0	1·6	–	–	–	–	–	–	Blackburn.
Preston	112,638	73	49	8	9	–	1	–	–	3	–	1	5	5	9	3	22·7	2·3	–	–	–	–	–	–	Preston.
Huddersfield	99,482	48	42	5	16	–	1	–	–	1	–	–	1	1	4	2	22·0	1·0	–	–	–	–	–	–	Huddersfield.
Halifax	93,813	37	45	5	13	–	–	–	–	–	–	–	2	4	3	1	25·0	–	–	–	–	–	–	–	Halifax.
Bradford	226,384	118	101	14	33	–	4	–	–	1	1	–	2	8	16	4	23·3	1·4	40·4	19·6	34·2	1·22	1·38	3·51	Bradford.
Leeds	395,546	241	189	39	45	–	11	–	–	3	1	1	6	22	23	2	24·9	2·1	–	–	–	–	–	–	Leeds.
Sheffield	342,768	239	149	38	41	–	5	–	1	–	–	–	7	9	17	8	22·7	0·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	136	85	30	17	–	3	–	2	1	–	1	4	7	5	4	20·5	1·7	41·0	30·0	36·0	2·22	1·38	3·51	Hull.
Sunderland	137,705	114	81	18	23	–	2	–	2	1	–	1	4	11	10	1	30·7	2·3	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	76	40	5	11	–	6	–	–	–	–	1	1	2	1	–	21·8	3·8	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	124	84	17	18	–	5	–	–	4	1	–	3	12	11	–	21·2	2·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRD Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2803	2667	2655	2688	2837	2714	2789	2623	2645	2729	2865·4	2818
Males . .	1347	1391	1385	1304	1430	1409	1381	1357	1330	1342	1443·3	1388
Females .	1456	1276	1270	1384	1407	1305	1408	1266	1315	1387	1422·1	1430
TOTAL **Deaths**	1807	1738	1757	2000	1769	2720	2212	3761	2101	1975	2305·0	1689
Males . .	847	874	862	1021	899	1420	1061	1723	1037	997	1133·6	879
Females .	960	864	895	979	870	1300	1151	2038	1064	978	1171·4	810

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.
TOTAL **Births** - -	2413	2659	2657	2491	2704	2550	2599	2597	2703	1950	3085	2922	2818
TOTAL **Deaths** - -	1481	1372	1249	1275	1326	1347	1614	1550	1448	1434	1462	1622	1689
Ages at Death: Under 1 year -	391	398	337	341	316	364	370	347	316	352	348	369	370
1— 5 years -	198	169	125	172	167	207	203	207	185	191	194	200	205
5—20 „ -	78	82	92	92	86	78	86	92	77	71	85	90	96
20—40 „ -	187	184	166	163	207	165	248	213	193	205	221	224	197
40—60 „ -	260	226	229	228	246	249	321	284	297	254	248	288	331
60—80 „ -	294	253	250	236	250	234	318	341	314	277	297	360	290
80 years & upwards	73	60	50	43	54	50	68	66	66	84	69	91	100
Deaths from—													
Small-pox - - - - -	-	1	1	-	-	-	-	-	1	1	-	-	1
Measles - - - -	24	15	13	22	21	29	36	32	35	46	34	30	35
Scarlet fever - - -	17	10	9	8	14	19	18	13	14	14	14	12	9
Diphtheria - - -	49	54	42	44	48	54	57	53	36	35	50	34	31
Whooping-cough - -	18	14	10	8	11	26	23	25	26	14	23	35	21
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric fever - - -	14	17	24	21	23	18	17	24	25	32	17	16	19
Simple Continued fever -	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	19	20	16	23	15	25	14	11	15	7	14	15	17
Cholera - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-
All the above Diseases -	141	131	117	126	132	171	165	159	152	149	152	142	133
Dis. of Respiratory System	329	329	245	245	261	263	338	358	325	352	319	389	399
Phthisis - - - -	161	132	150	133	166	125	187	132	140	144	155	159	139
Dis. of Circulatory System	128	111	104	131	105	100	158	158	140	99	129	161	162
Violence - - - -	47	53	43	51	41	37	67	76	73	70	72	77	76
Inquest Cases - - -	112	129	108	118	111	98	152	152	141	147	176	155	173
Deaths in Public Institutions	422	394	385	363	412	405	466	471	410	381	411	439	432
TEMPERATURE OF THE AIR													
Mean - - - - -	50°·3	54°·0	50°·3	47°·0	44°·0	40°·3	39°·8	45°·4	43°·9	43°·0	34°·3	29°·3	40°·4
Mean of Highest readings -	55°·8	59°·0	56°·5	52°·4	51°·1	44°·0	44°·0	48°·8	49°·1	46°·7	37°·1	32°·5	44°·0
Mean of Lowest readings -	45°·0	50°·2	44°·3	42°·2	36°·7	35°·5	34°·0	41°·1	38°·2	39°·0	30°·9	27°·2	35°·6
Humidity of the Air - -	81	87	83	87	89	87	91	88	83	87	81	87	89
Rain-fall (in inches) - -	1·35	2·16	0·64	2·03	0·13	0·00	0·17	0·97	0·59	0·22	0·20	0·01	0·72
Registered Sunshine (in hours)	9·3	11·8	22·8	20·4	15·6	2·7	4·4	4·4	3·0	1·7	0·2	1·7	4·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	50	48	51	42	33	31	32	22	15	16	23	28	32
Scarlet fever - - - -	2285	2240	2258	2254	2198	2148	2142	2034	1931	1890	1779	1713	1653
Diphtheria - - - -	537	544	553	547	531	520	515	523	512	523	499	517	514
Enteric fever - - - -	95	98	95	96	99	99	101	101	97	105	112	107	115

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRD Week of the Year 1895.

SES OF DEATH.	Corrected Averages for the 3rd Week of the 10 years 1885–94.*	In the Week ending Saturday, 19th January 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
CAUSES - -	2305·0	1689	370	205	96	197	331	390	100
ll- { Vaccinated† -	0·8	-	-	-	-	-	-	-	-
; Unvaccinated	2·3	-	-	-	-	-	-	-	-
No Statement	1·5	1	-	-	-	1	-	-	-
les - - - -	51·8	35	10	22	3	-	-	-	-
et Fever - -	21·4	9	-	7	2	-	-	-	-
us - - - -	0·1	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
enza - - -	76·0	15	1	-	-	3	6	4	2
oping-cough - -	85·4	21	6	14	1	-	-	-	-
theria - - -	26·6	31	1	17	12	1	-	-	-
le Continued and defined Fever -	1·1	-	-	-	-	-	-	-	-
rio Fever -	11·7	19	-	-	5	9	3	2	-
era and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rhœa, Dysentery -	13·6	17	8	3	-	1	-	1	4
ittent Fever - -	0·2	-	-	-	-	-	-	-	-
rophobia - -	0·2	-	-	-	-	-	-	-	-
ders - - -	-	-	-	-	-	-	-	-	-
pox and Effects of cination - -	0·1	-	-	-	-	-	-	-	-
real Affections -	10·8	14	10	2	-	-	2	-	-
ipelas - - -	7·1	1	1	-	-	-	-	-	-
nia and Septicæmia	2·5	4	-	-	1	2	1	-	-
peral Fever - -	7·4	4	-	-	-	4	-	-	-
r Zymotic Diseases	2·7	1	-	-	-	-	1	-	-
sh - - - -	1·8	-	-	-	-	-	-	-	-
ms and other Parasical Diseases - -	0·5	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	1·2	4	3	-	-	-	-	1	-
holism - - -	9·8	8	-	-	-	3	3	2	-
umatic Fever, umatism of Heart	11·1	7	-	-	4	2	-	-	1
umatism - -	3·0	-	-	-	-	-	-	-	-
- - - - -	4·6	3	-	-	-	-	2	1	-
ots - - - -	4·5	6	3	2	1	-	-	-	-
ver - - - -	64·7	74	-	-	1	7	31	31	1
s Mesenterica -	21·5	21	9	13	2	-	-	-	-
ercular Meningitis -	23·3	28	8	17	3	-	-	-	-
isis - - -	193·2	139	2	3	13	57	55	9	-
Tula, Tuberculosis -	17·3	14	3	1	6	2	1	1	-
r Constitutional seases - - -	13·7	15	1	1	1	2	6	4	-
natural Birth - -	47·2	49	49	-	-	-	-	-	-
ectasis - - -	3·1	5	5	-	-	-	-	-	-
genital Malformans - - - -	8·1	14	12	1	1	-	-	-	-
Age - - - -	78·7	64	-	-	-	-	-	29	35
oplexy - - -	53·4	54	1	-	-	3	19	24	7
ppsy - - -	8·1	10	-	-	1	4	3	2	-
vulsions - - -	53·1	45	42	2	1	-	-	-	-
r Diseases of Brain d Nervous System	102·8	85	11	7	5	15	13	29	1

CAUSES OF DEATH.	Corrected Averages for the 3rd Week of the 10 years 1885–94.*	In the Week ending Saturday, 19th January 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·6	3	-	2	1	-	-	-	-
Diseases of Circulatory System - - -	192·6	152	3	1	11	24	45	63	10
Croup - - - -	12·1	5	-	5	-	-	-	-	-
Bronchitis - - -	496·0	233	47	25	2	3	39	94	23
Pneumonia - - -	185·2	111	20	27	2	13	21	18	2
Pleurisy - - - -	6·9	3	-	1	-	-	2	-	-
Other Diseases of Respiratory System - -	60·6	44	8	2	3	4	9	17	1
Dentition - - -	13·0	8	5	3	-	-	-	-	-
Quinsy, Sore Throat -	2·3	2	-	2	-	-	-	-	-
Enteritis - - -	8·1	14	9	2	-	1	-	2	-
Peritonitis - - -	7·0	11	-	1	1	4	-	5	-
Diseases of Liver - -	23·5	31	3	1	-	3	15	9	-
Other Diseases of Digestive System -	32·5	35	9	-	1	2	9	12	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	2	-	-	-	1	-	-	1
Diseases of Urinary System - - -	50·1	43	-	-	-	6	23	17	2
Diseases of Generative System - - -	5·5	2	-	-	-	1	-	1	-
Accidents of Childbirth -	3·6	7	-	-	1	6	-	-	-
Diseases of Locomotive System - - -	8·0	9	1	2	3	2	1	-	-
Diseases of Integumentary System - -	7·3	7	2	1	2	-	-	-	2
VIOLENT DEATHS.									
(ACCIDENT.)									
By Railways - -	61·3	2	-	-	1	-	-	1	-
By Vehicles or Horses -		4	1	1	1	-	1	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		15	-	10	3	-	1	1	-
By Drowning - -		2	-	-	-	1	1	-	-
By Suffocation in Bed -		21	19	2	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	-	-	1	-
Other or not stated Causes - - -		21	7	4	1	2	2	4	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·8	1	1	-	-	-	-	-	-
Suicide - - - -	7·8	9	-	-	-	5	4	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	64·0	54	49	1	-	-	1	1	2

The numbers in this column are the average weekly deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, slaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2818	1689	370	490	1	35	9	31	21	-	19	-	17	76	178	432
WEST DISTRICTS	740,735	440	237	51	85	-	2	1	9	5	-	2	-	2	14	27	84
NORTH DISTRICTS	993,884	603	364	61	122	1	2	4	7	4	-	8	-	4	12	28	78
CENTRAL DISTRICTS	247,538	149	115	25	29	-	4	-	2	-	-	1	-	1	4	9	33
EAST DISTRICTS	705,114	565	338	79	85	-	14	2	3	2	-	-	-	4	22	61	93
SOUTH DISTRICTS	1,524,472	1053	564	154	157	-	13	2	10	10	-	8	-	6	24	43	103
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	33	-	12	-	-	-	-	-	-	-	-	-	-	-	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	58	31	14	8	-	2	-	-	-	-	-	-	-	1	5	2
St. John Paddington *H* - - G.J.	33687	14	16	1	3	-	-	-	-	-	-	-	-	-	1	3	8
Kensington Town *Ww* - - W.M.	118751	74	48	8	18	-	-	-	-	1	-	1	-	1	2	3	19
Brompton *HH* - - - W.M. & C.	47557	11	10	1	3	-	-	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith - - W.M.	8536	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	49	34	5	15	-	-	-	-	-	-	-	-	-	6	8	4
Fulham *Ww* - - - W.M. & C.	91639	94	43	8	8	-	-	1	8	2	-	-	-	-	-	-	16
Chelsea Kensal Town - - - C.	21787	15	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	27	19	2	6	-	-	-	-	1	-	-	-	-	1	1	6
Chelsea South *HH* - - - C.	32329	16	14	3	5	-	-	-	-	-	-	-	-	-	-	-	2
May Fair *WH* - - - - G.J.	23733	4	6	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Belgrave *WHHH* - - - - C.	54331	23	26	1	6	-	-	-	1	1	-	-	-	1	1	3	13
St. John Westminster *HH* - C.	34106	18	11	4	1	-	-	-	-	-	-	-	-	-	2	3	-
St. Margaret Westminster *H* - C.	21668	10	8	-	3	-	-	-	-	-	-	-	-	-	-	-	3
St. James Westminster *WHHH* N.R. & G.J.	24995	9	13	2	5	-	-	-	-	-	-	-	-	-	-	2	4
St. Anne Soho *HHHHHH* - - N.R.	12317	9	4	-	1	-	-	-	-	-	-	1	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	12	23	3	9	-	1	-	-	-	-	2	-	-	1	1	9
Rectory Marylebone *WH* G.J. & W.M.	20024	11	3	1	3	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	35	9	4	2	-	-	-	1	-	-	-	-	-	1	1	1
Christchurch Marylebone *H* - W.M.	33327	23	15	2	4	1	-	-	-	-	-	-	-	-	2	2	-
St. John Marylebone *HH* - - W.M.	32101	14	19	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	23	27	3	6	-	-	4	1	-	-	1	-	-	1	2	10
Regent's Park Pancras *HH* - W.M.	86590	23	11	1	3	-	-	-	-	-	-	-	-	-	-	2	2
Tottenham-court *wHHH* N.R. & W.M.	26321	14	11	1	3	-	-	-	-	1	-	-	-	-	-	-	10
Gray's Inn Lane *HHH* - - N.R.	27455	23	11	3	3	-	-	-	-	1	-	-	-	-	-	-	3
Somers Town *HH* - - - N.R.	32829	15	13	1	6	-	-	-	2	-	-	-	-	-	-	-	3
Camden Town *WH* - - - N.R.	15419	17	13	3	7	-	-	-	-	-	-	-	-	1	-	1	7
Kentish Town *WW* - - - N.R.	95765	62	29	4	11	-	-	-	-	-	-	-	-	-	3	3	3
Upper Holloway *WWWwHHH* - N.R.	90235	53	36	4	13	-	-	-	-	1	-	-	-	-	-	-	17
Islington South-west *H* - - N.R.	105557	83	44	10	15	-	-	-	-	1	-	2	-	2	3	8	-
Islington South-east - - - N.R.	64153	36	22	3	6	-	-	-	-	-	-	1	-	1	-	3	-
Highbury *HH* - - - - N.R.	59193	29	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - - N.R.	30936	7	10	3	4	-	1	-	1	-	-	-	-	-	1	1	-
Stamford Hill - - - - E.L.	17759	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42909	20	14	2	4	-	-	-	1	-	-	1	-	-	-	1	-
Hackney *WwwH* - - E.L. & N.R.	96486	58	35	3	16	-	-	-	1	-	-	-	-	-	-	3	11
South Hackney *wH* - - - E.L.	41759	31	13	3	2	-	-	-	-	-	-	1	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	2	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North *H* - - - N.R.	9633	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	7	10	-	2	-	-	-	2	-	-	1	-	-	-	-	6
St. Mary-le-Strand *H* - - - N.R.	5706	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	4	7	-	1	-	-	-	-	-	-	-	-	-	1	3	4
Strand Union Workhouse, Edmonton -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
St. George-the-Martyr *HHHHHH* - N.R.	17921	13	11	5	2	-	3	-	-	-	-	-	-	-	-	-	3
St. Andrew Eastern *WH* - - N.R.	15343	10	7	3	2	-	-	-	-	-	-	-	1	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16383	17	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - - - - - N.R.	17155	14	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Goswell-street - - - - N.R.	15375	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2
City-road *HHHL* - - - N.R.	29177	25	16	5	3	-	1	-	-	-	-	-	-	-	-	-	-
Whitecross-street - - - N.R.	8278	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Holborn Union Workhouse, Mitcham -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - - N.R.	4441	-	13	-	2	-	-	-	-	-	-	-	-	-	1	3	12
St. Bride *W* - - - - - N.R.	6591	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All hallows Barking - - - N.R.	10422	2	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishn receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diffe Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT ay, 19th January, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week ending Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
ditch South *HL** E.L. & N.R.	20098	12	6	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-
on New Town *w* - - - N.R.	29313	21	17	5	5	-	1	-	-	-	-	-	-	-	1	3	4	-
on Old Town - - - N.R.	28354	14	6	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
erston *WH* - - N.R. & E.L.	46244	29	32	7	10	-	-	-	-	-	-	-	-	1	1	5	15	-
al Green North *H* - - E.L.	51520	39	11	5	3	-	-	-	-	1	-	-	-	-	2	4	-	-
al Green South - - - E.L.	33489	29	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
al Green East *WHL** - E.L.	44123	40	18	3	6	-	-	-	-	-	-	-	-	-	2	3	7	-
fields - - - E. N.R.	22456	25	5	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
End New Town *W* - - E.L.	17908	16	15	3	8	-	-	-	-	-	-	-	-	-	-	1	7	-
echapel Church *H* E.L. & N.R.	20298	14	28	4	3	-	2	-	2	-	-	-	-	-	6	7	23	-
man's Fields - - - E.L.	18800	6	7	2	2	-	-	-	-	-	-	-	-	-	1	3	-	-
eorge's, North - - - E.L.	37738	29	8	2	1	-	-	1	-	-	-	-	-	-	-	2	-	-
ohn, St. George East *W* - E.L.	8057	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
well *H* - - - E.L. & N.R.	40246	7	8	2	-	-	-	-	-	-	-	-	-	-	-	-	8	-
ff *W* - - - - - E.L.	14028	21	8	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-
house - - - - - E.L.	32202	24	10	3	1	-	1	-	-	-	-	-	-	-	-	3	-	-
End Old Town West *H* - E.L.	38650	22	10	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-
End Old Town East *WWwwH* E.L.	68942	53	39	6	17	-	-	-	-	-	-	-	-	1	2	5	13	-
*L** - - - - - - E.L.	40365	21	15	6	5	-	-	-	-	-	-	-	-	1	2	4	-	-
ley *wwwH* - - - - E.L.	70000	61	42	14	9	-	4	-	1	1	-	-	-	1	4	6	16	-
r. *WW* - - - - - E.L.	56383	47	28	6	5	-	5	-	-	-	-	-	-	-	1	6	1	-
SOUTH DISTRICTS.																		
stchurch Southwark *WH* L. & S.	13264	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1
aviour Southwark - - - S.	18913	6	7	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-
-road - - - - S. & L.	21867	21	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ugh-road *WH* - - S. & L.	16624	18	13	3	1	-	-	-	-	1	-	-	-	-	-	-	6	1
on-road *HL* - - L. & S.	21221	8	6	1	2	-	-	-	-	-	-	1	-	-	-	-	1	-
ty Newington - - S. & L.	26596	20	11	2	1	-	-	-	-	-	-	1	-	-	2	2	-	-
eter Walworth *W* - S. & L.	61342	44	15	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
lary Newington - - L. & S.	27866	21	7	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-
lave *WH* - - - - S.	12723	9	7	1	-	-	-	-	-	-	-	-	-	-	-	7	-	-
her Market *W* - - S. & L	30612	27	13	5	6	-	-	-	-	-	-	-	-	-	-	3	2	-
ames Bermondsey - - S.	54070	45	15	4	3	-	1	-	-	-	-	-	-	-	1	1	-	-
erhithe *WwH* - - S. & K.	39255	46	15	5	3	-	-	-	-	-	-	-	-	-	1	2	4	1
rloo-road 1st *H* - - L. & S.	14031	11	3	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-
rloo-road 2nd *H* - - L. & S.	14644	24	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
beth Church 1st *H* - - L. & S.	18075	19	13	3	2	-	-	-	-	-	-	-	-	-	4	5	7	-
beth Church 2nd *WW* - L. & S.	38097	37	24	7	9	-	-	-	-	-	-	-	-	-	1	1	12	-
ington 1st *H* - - S. & L.	50586	27	18	6	7	-	-	-	1	-	-	-	-	-	-	-	1	-
ington 2nd - - - S. & L.	39708	19	11	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
on *w* - - - - L. & S.	72405	24	18	3	5	-	-	2	-	-	-	1	-	-	1	1	1	1
ood *WH* - - - - L.	25657	17	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - - S.	67244	42	19	5	5	-	-	-	-	1	-	-	-	-	3	5	-	-
Battersea *WwH* - - S.	83314	64	44	13	9	-	-	-	-	2	-	-	-	1	3	8	10	-
am *H* - - - - S.	43698	30	10	1	5	-	-	-	1	-	-	-	-	-	2	4	-	-
dsworth *WHHL* - - - S.	48717	21	17	5	4	-	-	-	-	-	-	1	-	-	-	1	2	-
ey - - - - - - S.	17771	9	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
tham *www* - - - - L.	48756	33	14	-	5	-	-	-	2	-	-	-	-	-	-	1	2	-
ich - - - L. & S.	6309	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
cerwell *WwL*L** - S. & L.	81686	49	47	7	19	-	3	-	-	-	1	-	1	-	2	23	-	-
ham *WW* - - S., L., & K.	83483	39	27	9	8	-	-	-	2	-	-	-	-	-	-	1	1	1
eorge Camberwell - - L. & S.	63366	38	15	8	2	-	-	-	-	2	-	-	-	1	-	-	-	-
ford, North - - - - K.	35314	30	15	5	3	-	1	-	-	3	-	-	-	1	-	1	-	-
ford, Central *w* - - - K.	42007	36	19	6	2	-	1	-	1	-	-	1	-	-	1	1	1	-
ford, South - - - - K.	50852	9	8	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-
nwich West *H* - - - K.	22007	18	9	3	2	-	-	-	-	-	-	-	-	-	-	-	2	1
nwich East *WH* - - - K.	35233	22	23	3	12	-	1	-	-	-	-	-	-	-	-	1	12	-
am *wH* - - - - - K.	5682	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	7	9	4	1	-	3	-	-	1	-	-	-	-	1	1	-	-
sham *WH* - - - - K.	30950	24	11	-	6	-	-	-	-	-	-	-	-	-	1	1	4	1
nham *H* - - - - - L.	34162	24	12	1	7	-	-	-	-	-	-	-	-	-	-	-	1	-
ton *HH* - - - - K.	14040	12	7	3	1	-	1	-	-	-	-	1	-	-	-	-	1	-
wich Dockyard - - - K.	19806	16	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
lwich Arsenal *HHJH* - K.	21242	10	8	2	4	-	-	-	1	-	-	-	-	2	1	1	-	-
stead, West *H* - - - K.	15869	17	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, East *WH* - - - K.	36567	46	14	5	1	-	2	-	-	-	-	-	-	-	-	1	2	-
tead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rham Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Hill Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
ital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nth Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
well Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
ty Hatch Asylum - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hospital - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
esden Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
bury Asylum - - - - -	-	-	12	-	1	-	-	-	-	-	-	-	-	-	-	-	12	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKH HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week e Saturday, 19th January, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	974	509	129	148	–	8	2	10	9	6	6	20	33	53
30: 1	Carshalton *wHH*	12228	26108	12	6	1	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WoH*	10423	12508	7	4	–	1	–	–	–	–	–	–	–	–	–	1
37: 1	Godstone, *part of** *W*	2754	1593	–	2	1	–	–	–	–	–	–	–	–	–	1	–
38: 1	Croydon *WoHHH*	20351	128699	65	52	13	13	–	1	1	–	–	2	1	4	6	9
2	Mitcham *w*	11697	23088	10	9	2	5	–	–	–	1	–	–	–	–	–	–
39: 1	Wimbledon *HHH*	3220	25761	10	8	3	2	–	–	–	–	2	–	–	–	–	–
2	Kingston *WH*	8071	44765	23	15	3	8	–	–		1	–	–	–	–	1	1
3	Esher, *part of** *HH*	6601	12059	7	3	–	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18372	12	7	2	3	–	–	–	–	–	–	–	–	–	–
40: 1	Richmond *WH*	2160	25339	16	11	1	4	–	–	–	–	–	–	–	1	1	4
2	Mortlake *H*	2323	16159	8	5	3	1		–	–	–	–		1	–	–	–
41: 1	Bromley *HHH*	9127	23815	10	4	1	1	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6542	21939	8	5	2	2	–	–	–	–	–	–	–	1	1	–
	Chislhrst, *pt. of** *WHH*	14307	20372	7	10	1	4	–	–	–	–	–	–	–	–	1	6
42: 1	Bexley *HHH*	12540	30590	15	8	2	3	–	–	–	–	1	–	–	–	–	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–		–	–	–	–	–	1
124: 1	Sunbury *w*	11054	13371	9	7	–	2	–	1	–	–	–	–	–	–	–	1
2	Staines *WH*	13277	13221	5	4	1	1	–	–	–	–	–	–	–	–	–	1
125: 1	Hillingdon *WHH*	6035	12237	6	2	–	1	–	–	–	–	–	–	–	–		–
2	Uxbridge	6172	5417	3	6	2	1	–	–	–	–	–	–	–	1	–	–
3	Hayes *wH*	14537	12313	9	3	2	–	–	–	–	–	–	–	–	–	–	–
126: 1	Isleworth *WHH*	6967	23273	25	12	2	5	–	1	–	–	–	1	1	–	–	–
2	Twickenham *HH*	2415	16027	8	5	2	2	–	1	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	21	15	6	6	–	–	–	–	–	–	–		–	–
4	Chiswick	1245	21963	12	5	–	1	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	22	12	5	1	–	–	–	–	–	–	–	1	–	–
127: 1	Harrow *HHH*	13899	15715	11	4	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *BH*	6994	3844	1	1	–	–	–	–		–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61235	41	22	9	8	–	–	–	–	–	1	–	–	1	1
4	Hendon *WH*	8382	15843	7	6	2	–	–	–	–	–	–	–	–	1	1	3
133: 1	South Mimms *H*	15599	8474	7	5	3	–	–	–	–	–	2	–	–	–	–	–
2	Barnet *WHH*	5441	11773	11	7	2	2	–	–	–	–		–	–	–	–	2
3	Finchley *HHH*	4688	25820	20	6	2	3	–	–	–	–	–	–	–	–	–	–
134: 1	Hornsey *HH*	3039	61097	32	19	3	9	–	–	–	–	1	–	–	–	1	–
2	Tottenham *H*	4642	97174	62	34	12	4	–	–	–	–	–	–	1	2	4	1
3	Edmonton *Wo*	7439	33351	34	12	4	4	–	–	–	–	–	–	–	–	4	1
4	Enfield *WWHH*	12639	31803	22	9	4	3	–	–	–	–	–	–	–	1	1	–
5	Waltham Abbey	11017	6066	4	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8430	9620	8	5	–	2	–	1	–	–	–	1	–	–	–	–
135: 1	Hatfield, *part of** *W*	3306	582	–	1	–	1	–	–	–	–	–	–	–	–		1
137: 1	Bushey *H*	9331	7737	6	–	–	–	–	–	–	–	–	–	–		–	–
2	Watford *Work.*, pt. of*	—	—	1	–	–	–		–	–	–		–	–	–	–	
138: 1	Stratford *H*	1100	42983	41	24	8	7	–	–	1	–	1	–	–	3	4	1
2	Plaistow	1242	58030	44	16	3	1	–	–	–	2	2	–	1	–	–	–
3	Canning Town *H*	1558	54750	69	22	3	1	–	–	–	2	–	1	–	2	3	1
4	Forest Gate *w*	806	49140	38	15	2	4	–	–	–	–	–	–	–	2	2	–
5	East Ham *w*	3266	32713	43	16	3	4	–	–	–	1	–	–	–	–	–	–
6	Barking *WWWoH*	4334	70183	63	28	4	14	–	–	–	2	–	–	–	–	–	11
7	Walthamstow *HdL*	6501	57330	37	21	5	3	–	2	–	1	–	–	1	–	–	–
137: 1	Chigwell, *part of** *H*	11779	12941	6	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–		–	–	–	–	–	–		–	–
139: 1	Romford, *part of** *WH*	6556	4324	7	1	–	1	–	–	–	–	–	–	–		–	–
2	Hornchurch	8493	10913	14	4	2	1	–	1	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14391	12	4	2	–	–	–	–	–	–	–	–	1	1	–
	Middlesex Lunatic Asy.	—	–	–	4	–	1	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30: 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 3, Chislhurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1 Chigwell sub-district, except the parit Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 137: 3, Watford, and 137; 2, Epping sub-districts.

LE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 19th January, 1895.

REATER ONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8–14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
ER LONDON	443,421	6,048,555	18·9	1·5	2198	499	638	1	43	11	41	30	25	23	96	485
ER LONDON -	74,672	4,392,346	20·0	1·6	1689	370	490	1	35	9	31	21	19	17	76	432
ER RING -	368,749	1,656,209	16·0	1·3	509	129	148	–	8	2	10	9	6	6	20	53

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	January 19	167	152	29·0	2	13	1	3	1	–	1
GOW - -	695,876	„ 19	447	415	31·1	1	24	2	–	13	3	7
IN - -	349,594	„ 19	210	274	40·9	10	–	1	–	4	4	4
UTTA - -	466,460	November 10	–	–	–	–	–	–	–	–	–	–
BAY - -	821,764	December 25	253	442	28·0	2	2	?	?	?	113	43
RAS - -	452,518	„ 14	345	344	39·5	–	1	?	?	?	109	40†
S - - -	2,424,705	January 12	1108	1079	23·1	–	1	2	14*	5	6	36
SELS - -	498,400	„ 12	244	189	19·7	–	21	2	2*	1	–	10
TERDAM -	446,295	„ 12	319	135	15·7	–	–	1	–	5	–	–
TERDAM -	228,597	„ 12	176	93	21·1	3	4	–	–	–	–	–
HAGUE -	174,790	„ 12	111	53	15·7	–	–	–	–	–	1	–
NHAGEN -	341,000	„ 12	195	115	17·6	–	–	1	5	1	–	2
KHOLM -	252,937	„ 5	156	114	23·4	–	10	2	7*	1	–	–
STIANIA -	167,588	„ 12	42	51	15·8	–	–	4	–	2	–	4
ETERSBURG	954,400	December 29	465	446	24·4	–	9	13	18	4	8	29
COW - -	753,469	„ 29	–	480	33·2	2	3	6	27	3	3	50
LIN - -	1,724,265	„ 29	920	518	15·9	–	8	8	27	7	2	19
BURG - -	608,710	January 5	398	215	18·8	–	–	2	4*	1	–	6
SDEN - -	316,600	December 22	202	99	16·3	–	–	–	6*	2	–	3
SLAU - -	360 660	January 12	–	174	25·1	–	4	1	2*	1	1	10
ICH - -	396,000	„ 12	–	163	21·4	–	–	–	4*	4	–	15
NNA - -	1,495,764	„ 12	804	619	21·5	–	24	7	15*	3	–	31
GUE - -	343,822	„ 5	235	160	24·2	–	1	1	2	1	1	1
DA-PESTH -	552,769	„ 5	374	282	25·9	1	2	3	8	–	–	8
ESTE - -	159,739	December 29	106	77	25·1	–	–	1	4*	–	2	1
E - -	456,664	„ 15	–	–	–	–	–	–	–	–	–	–
IN (11 days)	338,228	„ 31	219	236	23·1	–	–	–	9	–	3	13
ICE -	158,187	„ 29	92	79	26·1	–	–	–	1*	–	–	4
RO - -	374,838	„ 20	–	–	–	–	–	–	–	–	–	–
XANDRIA -	231,396	„ 20	–	–	–	–	–	–	–	–	–	–
W YORK -	1,992,715	January 5	–	775	20·3	–	11	11	46	3	6	5
OKLYN -	1,080,000	„ 5	–	–	–	–	–	–	–	–	–	–
LADELPHIA	1,139,457	„ 5	–	471	21·6	3	–	1	42	1	2	3
W ORLEANS -	254,000	December 22	–	146	30·0	–	–	–	2	–	7	17

* Including deaths from croup.
† Including 3 deaths from cholera in Madras.

TABLE D.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 19TH JANUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	13	..	28·878	43·4	27·4	16·0	37·7	− 0·3	34·4	3·3	5·5	2·0	88	61·4	27·2	40·30	E. ESE. & SSE.	S. SSE. & SE.	13·0	0·0	0·0	378	+ 57	0·10	2·0
MONDAY .	14	..	28·835	43·1	37·3	5·8	39·9	+ 1·7	37·8	2·1	4·0	1·6	92	45·7	32·2	40·10	SE.	S.SSE. & SE.	4·7	0·0	0·0	279	− 43	0·08	10·0
TUESDAY.	15	In Equator.	28·915	41·1	37·8	3·3	39·3	+ 1·0	37·9	1·4	3·2	1·4	95	45·9	34·3	40·12	SE.	SSE. & SE.	1·7	0·0	0·0	199	−125	0·00	3·0
WEDNESDY	16	..	28·899	44·8	38·2	6·6	42·2	+ 3·7	40·0	2·2	3·3	1·4	92	48·4	34·4	40·30	SSE. & S.	S.	2·8	0·0	0·0	223	−103	0·14	0·0
THURSDAY	17	Last Qr	29·055	44·7	37·9	6·8	41·3	+ 2·8	35·9	5·4	9·5	3·2	81	59·5	34·5	40·50	S. SSW. & SW.	SW.	6·0	0·0	0·0	451	+123	0·03	0·0
FRIDAY .	18	..	29·591	45·9	34·0	11·9	40·3	+ 1·8	36·0	4·3	8·3	1·9	85	81·5	30·8	40·82	SW. & SSW.	SW. SSW. & S.	2·9	0·0	0·0	308	− 22	0·00	0·0
SATURDAY	19	..	29·543	45·1	36·7	8·4	41·8	+ 3·3	39·8	2·0	4·6	0·5	92	50·7	32·1	40·91	S. & SSE.	SSE. SE. & ESE.	2·0	0·0	0·1	238	− 93	0·37	3·8
MEANS . .		..	29·102	44·0	35·6	8·4	40·4	+ 2·0	37·4	3·0	5·5	1·7	89	53·2	32·2	40·44	SE. & SW.		..	..	..	Sum 2076	Sum − 206	Sum 0·72	2·7
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	13	v. P. and v. N. generally.	0·6	8·2	Overcast generally; afternoon fine; slight snow in early morning; rain in evening.
MONDAY .	14	w. P. in early morning; s. P. and s. N. afterwards.	0·1	8·2	Overcast; frequent slight rain.
TUESDAY .	15	w. P. in morning; v. P. and v. N. afterwards.	0·0	8·3	Overcast; occasional slight rain in evening.
WEDNESDAY	16	m. P. in morning; v. P. and v. N. afterwards.	0·0	8·3	Variable in morning; generally overcast afterwards, with frequent rain.
THURSDAY .	17	v. N. and v. P. generally.	0·8	8·3	Variable; showery in evening.
FRIDAY .	18	s. P. generally . .	3·2	8·4	A fine day. Small amounts of light cloud prevailed till evening; cloudless at night. Hoar frost in morning.
SATURDAY .	19	m. P. in early morning; v. N. and v. P. afterwards.	0·0	8·4	Overcast; steady rain from 5h. P.M.
			Sum 4·7	Sum 58·1	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·05 in. at the beginning of the week to 28·83 in. by 7h. A.M. on the 13th; increased to 28·93 in. by 8h. P.M. on the same day; decreased to 28·78 in. by noon on the 14th; increased to 28·94 in. by 9h. A.M. on the 15th; decreased to 28·83 in. by 4h. A.M. on the 17th; increased to 29·67 in. by 10h. P.M. on the 18th; and decreased to 29·33 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 4. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JANUARY 26. [Price 1½*d.*

General Register Office, Somerset House,
January 28th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.
Birkenhead	21·8	20·4	18·9	20·9
Birmingham	20·7	18·4	27·9	19·1
Blackburn	15·5	24·1	20·0	15·9
Bolton	17·9	21·4	29·3	21·4
Bradford	15·2	16·8	23·3	14·7
Brighton	24·0	21·4	20·5	13·5
Bristol	21·0	18·3	21·9	21·7
Burnley	19·4	18·3	26·2	22·0
Cardiff	14·1	17·4	14·4	16·4
Croydon	18·1	16·8	19·5	15·0
Derby	15·6	14·6	21·3	15·6
Gateshead	25·0	22·3	21·8	15·8
Halifax	14·5	18·3	25·0	19·5
Huddersfield	22·0	25·7	22·0	16·2
Hull	15·6	18·5	20·5	17·3
Leeds	24·1	22·3	24·9	20·3
Leicester	17·2	16·9	15·1	11·3
Liverpool	23·6	28·8	28·3	28·0
London	17·4	19·3	20·0	17·6
Manchester	23·4	23·9	23·3	23·1
Newcastle-on-Tyne	17·6	22·7	21·2	16·6
Norwich	19·0	18·5	22·9	20·4
Nottingham	15·9	20·2	17·9	17·9
Oldham	20·0	22·5	19·6	19·2
Plymouth	14·6	18·7	12·9	21·1
Portsmouth	20·3	21·5	20·6	21·8
Preston	24·5	19·9	22·7	24·1
Salford	20·5	18·8	24·0	19·0
Sheffield	19·9	18·6	22·7	18·3
Sunderland	21·2	19·7	30·7	20·4
Swansea	23·7	18·3	21·0	18·3
West Ham	17·1	20·3	18·4	14·6
Wolverhampton	24·3	20·7	33·4	23·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Gateshead, 1·2 in Portsmouth, and 1·8 in Sheffield and in Newcastle; from *scarlet fever*, 1·8 in Wolverhampton; from *whooping-cough*, 1·0 in Birkenhead, 1·1 in Oldham, in Halifax, and in Sunderland, 1·2 in Plymouth and in Wolverhampton, and 1·6 in Gateshead; and from "*fever*," 1·1 in Halifax. The 56 deaths from *diphtheria* included 29 in London, 6 in Birmingham, 3 in Manchester, and 2 each in West Ham, Croydon, Wolverhampton, Liverpool, and Sheffield. Two deaths from *small-pox* were registered in Birmingham, and 2 in Liverpool, but not one death in London, or in any other of the thirty-three towns.

LONDON.

In LONDON 2612 BIRTHS and 1481† DEATHS were registered. Allowing for increase of population, the births were 222, and the deaths 593, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4, 19·3, and 20·0 in the preceding three

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 85176.—4. 650.—1/95. Wt. 32.

weeks, declined again last week to 17·6. During the four weeks ending on Saturday last the death-rate averaged 18·6 per 1000, being 8·3 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1481 deaths included 21 from measles, 7 from scarlet fever, 29 from diphtheria, 27 from whooping-cough, 16 from enteric fever, one death from an ill-defined form of continued fever, 10 deaths from diarrhœa and dysentery, one death from choleraic diarrhœa, and not one from small-pox or from typhus; thus, 112 deaths were referred to these diseases, being 91 below the corrected average weekly number.

The cause of death of an infant, aged eight months, which occurred in London Place, Hackney, was certified as "*chicken-pox*, bronchitis." The deaths from *measles*, which had been 34, 30, and 35 in the preceding three weeks, declined last week to 21, and were 19 below the corrected average; 5 belonged to Poplar sanitary area. The deaths from *scarlet fever*, which had been 14, 12, and 9 in the preceding three weeks, further declined last week to 7, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 50, 34, and 31 in the preceding three weeks, numbered 29 last week, being one death below the corrected average; 6 belonged to Islington, 6 to Poplar, and 2 each to Mile End Old Town, St. George Southwark, and Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 23, 35, and 21 in the preceding three weeks, increased again last week to 27, but were 58 below the corrected average; 4 belonged to Clerkenwell and 3 to Battersea sanitary areas. The fatal cases of *enteric fever*, which had numbered 17, 16, and 20 in the preceding three weeks, declined again last week to 16, but exceeded the corrected average by 6; 2 belonged to Hammersmith and 2 to Shoreditch sanitary areas. The deaths from *diarrhœa*, which had been 14, 15, and 16 in the preceding three weeks, fell last week to 10, being 7 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 319, 389, and 399 in the preceding three weeks, declined again last week to 324, and were 310 below the corrected average.

The deaths attributed directly to *influenza* numbered 11, having been 15, 18, and 15 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all but 3 of which inquests were held. Of these 58 deaths, 5 were cases of suicide, and one was a case of homicide, while the remaining 52 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 11 to burns and scalds, 4 to drowning, and 11 (including 10 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 35 cases of small-pox, 1662 of scarlet fever, 528 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 8 cases, against 8, 8, and 6; of scarlet fever, 186 cases, against 126, 130, and 154; of diphtheria, 72 cases, against 64, 74, and 74; and of enteric fever, 23 cases, against 24, 12, and 23.

Greater London.

In Greater London 3534 births and 1927 deaths were registered, corresponding to annual rates of 30·5 and 16·6 per 1000 of the estimated population. In the Outer Ring 4 deaths from measles, 15 from diphtheria, 7 from whooping-cough, and 8 from "fever" were recorded. Of the 15 deaths from diphtheria, 8 occurred in West Ham, 2 in Croydon, and 2 in Epping districts. The 8 deaths from "fever" included 2 in Brentford, 2 in Edmonton, and 2 in West Ham districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·42 inches, and that of the Thermometer 35°·6, the latter being 2°·9 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 18 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·4 hours; and the measured rainfall was 0·54 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2.—33 GREAT TOWNS, BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 26th January 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 26th Jan. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6849	3797	858	1026	4	75	35	56	69	47	42	158	324	822	79	18·7	1·6	53·8	17·2	35·2	1·78	1·03	2·62	33 Towns.
London	4,392,346	2612	1481	311	435	–	21	7	29	27	17	10	58	149	462	15	17·6	1·3	53·8	23·4	35·6	2·00	0·54	1·37	London.
West Ham	249,473	179	70	22	7	–	2	1	2	4	2	1	4	4	4	3	14·6	2·5	–	–	–	–	–	–	West Ham.
Croydon	114,923	52	33	3	15	–	–	–	2	1	1	–	2	3	8	–	15·0	1·8	53·0	19·2	34·8	1·56	0·71	1·80	Croydon.
Brighton	119,604	48	31	4	10	–	2	–	–	1	–	–	–	–	7	–	13·5	1·3	48·4	25·4	37·7	3·17	0·68	1·73	Brighton.
Portsmouth	174,751	105	73	18	20	–	4	1	1	–	2	1	3	7	10	–	21·8	2·7	51·0	26·5	37·9	3·28	1·03	2·62	Portsmouth.
Plymouth	89,096	62	36	5	12	–	1	–	–	2	–	–	1	1	4	–	21·1	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,139	165	95	26	30	–	–	1	1	2	2	3	1	8	16	2	21·7	2·1	45·0	21·0	35·3	1·83	1·57	3·99	Bristol.
Cardiff	155,637	103	49	18	10	–	–	–	–	1	1	1	3	4	6	–	16·4	1·0	–	–	–	–	–	–	Cardiff.
Swansea	87,008	58	34	9	8	–	–	–	–	–	1	–	3	4	6	–	18·3	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	76	39	11	10	–	–	3	2	2	1	–	1	2	1	1	23·7	4·9	43·7	17·2	34·0	1·11	1·08	2·74	Wolverhampton.
Birmingham	496,751	312	182	38	48	2	–	–	6	2	3	3	8	8	25	10	19·1	1·7	–	–	–	–	–	–	Birmingham.
Norwich	107,127	61	42	11	15	–	1	–	–	–	1	1	2	4	4	1	20·4	1·5	44·2	24·4	34·8	1·56	1·58	4·01	Norwich.
Leicester	193,839	121	42	18	7	–	–	–	–	–	–	–	1	1	6	8	11·3	–	–	–	–	–	–	–	Leicester.
Nottingham	226,658	159	78	24	27	–	–	1	–	–	–	1	1	5	9	2	17·9	0·5	43·8	24·5	35·1	1·72	1·76	4·47	Nottingham.
Derby	100,272	80	30	7	8	–	–	–	–	–	1	–	–	3	–	–	15·6	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	58	43	8	13	–	–	–	–	2	–	1	3	7	6	1	20·9	1·5	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	445	271	57	62	2	6	5	2	1	6	4	25	30	71	13	28·0	2·7	42·0	26·8	34·9	1·61	0·68	1·73	Liverpool.
Bolton	119,337	83	49	14	12	–	1	1	1	1	–	2	1	1	6	–	21·4	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	410	233	50	47	–	2	7	3	5	1	5	8	19	50	2	23·1	2·3	–	–	–	–	–	–	Manchester.
Salford	208,253	155	76	19	15	–	1	3	1	1	–	2	6	6	20	5	19·0	2·0	–	–	–	–	–	–	Salford.
Oldham	141,079	76	52	12	13	–	–	–	1	3	–	–	1	5	6	–	19·2	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	81	42	16	8	–	–	–	1	–	–	–	1	2	3	1	22·0	0·5	–	–	–	–	–	–	Burnley.
Blackburn	127,615	84	39	9	8	–	–	–	–	2	–	1	–	–	2	4	15·9	1·2	–	–	–	–	–	–	Blackburn.
Preston	112,638	90	52	13	13	–	2	–	–	2	1	1	3	3	8	2	24·1	2·8	–	–	–	–	–	–	Preston.
Huddersfield	99,482	89	31	5	10	–	–	1	–	–	–	–	–	–	–	1	16·2	0·5	–	–	–	–	–	–	Huddersfield.
Halifax	93,813	36	35	3	13	–	–	–	–	2	2	–	1	3	7	1	19·5	2·2	–	–	–	–	–	–	Halifax.
Bradford	226,284	119	64	9	16	–	3	–	–	–	–	1	3	4	11	–	14·7	0·9	40·0	26·1	34·9	1·61	1·41	3·58	Bradford.
Leeds	395,546	274	154	29	54	–	7	1	1	1	–	–	4	13	14	1	20·3	1·3	–	–	–	–	–	–	Leeds.
Sheffield	342,768	259	120	30	23	–	12	2	2	–	1	1	5	8	17	3	18·3	2·7	–	–	–	–	–	–	Sheffield.
Hull	216,722	145	72	25	19	–	1	–	–	1	–	1	1	5	8	3	17·3	0·7	41·0	23·0	33·5	0·83	0·93	2·36	Hull.
Sunderland	157,705	111	54	14	18	–	–	1	–	3	2	2	4	4	10	–	20·4	3·0	40·0	26·0	33·8	1·00	0·42	1·07	Sunderland.
Gateshead	95,871	63	29	9	7	–	2	–	–	3	–	–	1	3	1	–	15·8	2·7	–	–	–	–	–	–	Gateshead.
Newcastle	207,621	127	66	11	13	–	7	–	1	–	2	–	3	8	14	–	16·6	2·5	–	–	–	–	–	–	Newcastle.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
Total Births	2727	2836	2579	2715	2599	2510	2794	2643	2758	2689	2833·8	2612
Males . .	1391	1419	1274	1382	1285	1313	1441	1313	1444	1377	1439·5	1294
Females .	1336	1417	1305	1333	1314	1197	1353	1330	1314	1312	1394·3	1318
Total Deaths	1885	1769	1585	1816	1620	2227	1903	3355	1831	1655	2073·5	1481
Males . .	939	860	813	878	848	1192	993	1587	939	855	1045·3	728
Females .	946	909	772	938	772	1035	910	1768	892	800	1028·2	753

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.
Total Births - -	2659	2657	2494	2704	2550	2599	2597	2703	1950	3085	2922	2818	2612
Total Deaths - -	1372	1249	1275	1326	1347	1614	1550	1448	1434	1462	1622	1689	1481
Ages at Death: Under 1 year -	398	337	341	316	364	370	347	316	352	348	369	370	311
1— 5 years -	169	125	172	167	207	208	207	185	191	194	200	205	151
5—20 „ -	82	92	92	86	78	86	92	77	71	85	90	96	80
20—40 „ -	184	166	163	207	165	248	213	193	205	221	224	197	190
40—60 „ -	226	229	228	246	249	321	284	297	254	248	288	331	314
60—80 „ -	253	250	236	250	234	313	341	314	277	297	360	390	362
80 years & upwards	60	50	43	54	50	68	66	66	84	69	91	100	73
Deaths from—													
Small-pox - - - -	1	1	–	–	–	–	–	1	1	–	–	1	–
Measles - - - -	15	13	22	21	29	36	32	35	46	34	30	35	21
Scarlet fever - - -	10	9	8	14	19	18	13	14	14	14	12	9	7
Diphtheria - - -	54	42	44	48	54	57	53	36	35	50	34	31	29
Whooping-cough - -	14	10	8	11	26	23	25	26	14	23	35	21	27
Typhus - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric fever - - -	17	24	21	23	18	17	24	25	32	17	16	20	16
Simple Continued fever -	–	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery -	20	16	23	15	25	14	11	15	7	14	15	16	10
Cholera - - - -	–	1	–	–	–	–	1	–	–	–	–	–	1
All the above Diseases -	131	117	126	132	171	165	159	152	149	152	142	133	112
Dis. of Respiratory System	329	245	245	261	263	338	358	325	352	319	389	399	324
Phthisis - - - -	132	150	133	166	125	187	132	140	144	155	159	139	161
Dis. of Circulatory System	111	104	131	105	100	158	158	140	99	129	161	162	162
Violence - - - -	53	43	51	41	37	67	76	73	70	72	77	76	58
Inquest Cases - - -	129	108	118	111	98	152	152	141	147	176	155	173	149
Deaths in Public Institutions	394	385	363	412	405	466	471	410	381	411	439	432	462
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	54·0	50·3	47·0	44·0	40·3	39·8	45·4	43·9	43·0	34·3	29·8	40·4	35·6
Mean of Highest readings -	59·0	56·5	52·4	51·1	44·0	44·0	48·8	49·1	46·7	37·1	32·5	44·0	41·2
Mean of Lowest readings -	50·2	44·8	42·2	36·7	35·5	34·0	41·1	38·2	39·0	30·9	27·2	35·6	29·8
Humidity of the Air - -	87	83	87	89	87	91	88	83	87	81	87	89	84
Rain-fall (in inches) - -	2·16	0·64	2·03	0·13	0·00	0·17	0·97	0·59	0·22	0·20	0·01	0·72	0·54
Registered Sunshine (in hours)	11·8	22·8	20·4	15·6	2·7	4·4	4·4	3·0	1·7	0·2	1·7	4·7	6·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	48	51	42	33	31	32	22	15	16	23	28	32	35
Scarlet fever - - - -	2240	2258	2254	2198	2148	2142	2034	1931	1850	1779	1718	1653	1662
Diphtheria - - - -	544	553	547	531	520	515	523	512	523	499	517	514	528
Enteric fever - - - -	98	95	96	99	99	101	101	97	103	112	107	115	121

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Mclandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 4th Week of the 10 years 1885–94.*	In the Week ending Saturday, 26th January 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	2073·5	1481	311	151	80	190	314	332	73
Small-pox: Vaccinated† -	0·4	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·2	-	-	-	-	-	-	-	-
Small-pox: No Statement	1·5	-	-	-	-	-	-	-	-
Measles - - - -	39·7	21	3	18	-	-	-	-	-
Scarlet Fever - -	17·6	7	1	5	1	-	-	-	-
Diphus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	63·4	11	1	-	1	1	5	3	-
Whooping-cough - -	84·5	27	13	12	2	-	-	-	-
Diphtheria - - -	30·4	29	3	15	11	-	-	-	-
Simple Continued and Ill-defined Fever - -	0·7	1	-	-	1	-	-	-	-
Enteric Fever - -	9·7	16	-	1	6	8	1	-	-
Cholera and Chol. Diarr.	-	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	16·9	10			-	-	-	1	-
Intermittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-		-		-	-	-	
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	
Venereal Affections -	9·9	6	4	1		1	-	-	-
Erysipelas - - -	4·9	4	3	-	-	-	-	1	-
Pyæmia and Septicæmia	2·5	3	1	-	-	2	-	-	-
Puerperal Fever - -	7·7	4	-	-	1	3	-	-	-
Other Zymotic Diseases	1·6	3	1	-	-	-	1	1	-
Thrush - - - -	0·9	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	-	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·5	1	1	-	-	-	-	-	-
Alcoholism - - -	7·1	13	-	-	-	2	6	5	-
Rheumatic Fever, Rheumatism of Heart	9·8	5	-	-	4	1	-	-	-
Rheumatism - -	2·5	1	-	-	-	-	-	1	-
Gout - - - -	4·3	5	-	-	-	-	2	3	-
Rickets - - - -	4·7	3	-	3	-	-	-	-	-
Cancer - - - -	60·8	45	-	-	1	2	20	19	3
Diabetes Mesenterica -	17·7	12	6	4	-	1	1	-	-
Tubercular Meningitis -	24·1	25	8	16	1	-	-	-	-
Phthisis - - -	181·1	161	-	3	14	72	62	10	-
Scrofula, Tuberculosis -	18·5	18	8	4	4	1	-	1	-
Other Constitutional Diseases - - -	14·5	16	-	-	1	4	4	7	-
Premature Birth - -	45·0	57	57	-	-	-	-	-	-
Atelectasis - - -	3·2	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	6·3	5	5	-	-	-	-	-	
Old Age - - - -	66·5	54	-	-	-	-	-	27	27
Apoplexy - - -	49·6	36	-	-	-	2	12	20	2
Epilepsy - - -	9·7	4	-	-	-	2	2	-	-
Convulsions - - -	50·8	22	22	-	-	-	-	-	-
Other Diseases of Brain and Nervous System	93·9	111	12	10	4	18	29	34	4

CAUSES OF DEATH.	Corrected Averages for the 4th Week of the 10 years 1885–94.*	In the Week ending Saturday, 26th January 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·3	3	1	-	1	1	-	-	-
Diseases of Circulatory System - - -	169·9	162	1	-	11	20	56	63	8
Croup - - - -	11·3	1	1	-	-	-	-	-	-
Bronchitis - - -	406·1	200	32	19	-	5	34	93	17
Pneumonia - - -	155·9	93	24	19	3	4	21	20	2
Pleurisy - - - -	7·4	4	-	1	-	2	1	-	-
Other Diseases of Respiratory System - -	53·1	23	3	3	1	4	5	8	2
Dentition - - -	15·1	7	3	4	-	-	-	-	-
Quinsy, Sore Throat -	1·3	-	-	-	-	-	-	-	-
Enteritis - - -	10·9	12	5	4	1	-	1	1	-
Peritonitis - - -	6·0	6	1	1	1	-	2	-	1
Diseases of Liver - -	27·0	22	3	-	-	5	9	4	1
Other Diseases of Digestive System -	34·3	23	5	1	1	5	10	6	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·3	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	43·1	45	-	-	-	8	18	15	4
Diseases of Generative System - - -	7·1	6	1	-	-	1	2	2	-
Accidents of Childbirth -	5·2	3	-	-	-	3	-		-
Diseases of Locomotive System - - -	8·9	5	-	-	3	2	-	-	-
Diseases of Integumentary System - -	7·6	5	2	-	-	1	1	-	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	55·0	1	-	-	-	-	1	-	-
By Vehicles or Horses -		5	-	-	2	1	-	1	1
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		11	-	5	4	-	-	2	-
By Drowning - -		4	1	-	-	1	-	2	-
By Suffocation in Bed -		11	10	1	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	1	-	-	-
Other or not stated Causes - - -		19	4	1	-	3	5	6	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	2·1	1	-	-	-	-	-	1	-
Suicide - - - -	5·8	5	-	-	-	2	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	62·1	54	52	-	-	-	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When no medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.* —POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2612	1481	311	435	-	21	7	29	27	-	16	1	10	58	149	462
WEST DISTRICTS	740,735	350	242	46	83	-	3	1	1	1	-	2	-	1	7	24	77
NORTH DISTRICTS	993,884	602	326	76	97	-	3	4	11	4	-	4	1	2	17	29	93
CENTRAL DISTRICTS	247,538	148	97	20	26	-	-	-	1	4	-	4	-	1	5	16	39
EAST DISTRICTS	705,114	525	232	59	56	-	8	-	6	5	-	1	-	4	8	34	93
SOUTH DISTRICTS	1,524,472	987	510	110	162	-	7	2	10	13	-	5	-	2	21	46	110
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	44	-	11	-	-	-	-	-	-	-	-	-	-	-	44
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	38	28	8	14	-	2	-	-	1	-	-	-	-	-	1	4
St. John Paddington *H* - G.J.	33887	9	12	3	3	-	-	-	-	-	-	-	-	-	-	1	6
Kensington Town *Ww* - W.M.	118751	61	43	7	14	-	-	-	-	-	-	-	-	-	-	4	18
Brompton *HH* - W.M. & C.	47557	10	8	-	2	-	-	-	-	-	-	-	-	-	-	2	3
St. Peter Hammersmith - W.M.	8533	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J.	88833	52	26	5	12	-	-	-	-	-	-	1	-	-	1	5	1
Fulham *Ww* - W.M. & C.	91639	65	37	3	19	-	-	1	1	-	-	1	-	-	2	4	15
Chelsea Kensal Town - C.	21787	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - C.	41637	23	15	4	3	-	-	-	-	-	-	-	-	1	-	-	8
Chelsea South *HH* - C.	32829	11	13	5	1	-	1	-	-	-	-	-	-	-	-	-	3
May Fair *WH* - G.J.	23733	6	6	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Belgrave *WHHH* - C.	54331	20	26	4	10	-	-	-	-	-	-	-	-	-	3	4	9
St. John Westminster *HH* - C.	34106	22	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	4	8	-	1	-	-	-	-	-	-	-	-	-	1	2	4
St. James Westminster *WHHH* N.R. & G.J.	24995	11	9	3	-	-	-	-	-	-	-	-	-	-	-	1	3
St. Anne Soho *HHHHHH* - N.R.	12317	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	13	11	-	5	-	-	-	-	-	-	1	-	-	-	-	5
Rectory Marylebone *WH* G.J. & W.M.	20024	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	24	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H* - W.M.	33327	21	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone - W.M.	32101	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	38	23	2	6	-	1	2	1	-	-	1	-	-	-	-	8
Regent's Park Pancras *HH* - W.M.	36590	16	12	4	5	-	-	-	-	-	-	-	-	-	-	2	1
Tottenham-court *wHHH* N.R. & W.M.	26321	11	11	2	2	-	-	-	-	-	-	-	-	-	-	-	6
Gray's Inn Lane *HHH* - N.R.	27455	19	11	5	-	-	-	-	-	-	-	-	-	-	4	3	3
Somers Town *HH* - N.R.	32829	13	7	1	4	-	-	-	-	-	-	-	-	-	-	2	2
Camden Town *WH* - N.R.	15419	11	12	-	6	-	-	-	-	-	-	-	-	-	2	2	8
Kentish Town *WW* - N.R.	25765	66	24	2	10	-	-	-	-	1	-	-	-	-	-	1	8
Upper Holloway *WWWwHHH* - N.R.	90235	51	41	12	8	-	-	-	1	1	-	-	-	1	-	1	13
Islington South-west *H* - N.R.	105557	62	36	10	9	-	-	-	3	1	-	-	1	-	1	3	-
Islington South-east - N.R.	64158	42	19	8	3	-	-	-	-	1	-	-	-	1	1	3	-
Highbury *HH* - N.R.	59193	29	11	1	5	-	-	-	-	-	-	-	-	-	-	2	-
Stoke Newington *H* - N.R.	30936	26	8	1	6	-	-	-	-	-	-	-	-	-	1	2	-
Stamford Hill - E.L.	17759	10	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42302	27	17	6	4	-	-	-	-	-	-	1	-	-	2	2	6
Hackney *WwwH* - E.L. & N.R.	96486	62	49	11	13	-	1	2	6	-	-	1	-	-	4	4	18
South Hackney *wH* - E.L.	41759	29	12	4	3	-	1	-	-	-	-	-	-	-	1	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	13	12	3	5	-	-	-	-	-	-	-	-	-	-	-	7
St. Giles North *H* - N.R.	9633	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14816	4	4	-	1	-	-	-	-	-	-	-	-	-	2	2	3
St. Mary-le-Strand *H* - N.R.	5706	3	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-
St. Clement Danes *WH* - N.R.	7194	8	7	1	3	-	-	-	-	-	-	-	-	-	-	1	5
Strand Union Workhouse, Edmonton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	9	13	1	4	-	-	-	-	-	-	-	-	-	-	2	9
St. Andrew Eastern *WH* - N.R.	15343	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16303	16	5	3	-	-	-	-	-	1	-	1	-	-	-	-	-
Amwell Clerkenwell - N.R.	16883	13	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Pentonville - N.R.	17155	7	7	2	2	-	-	-	-	-	-	-	-	-	-	2	-
Goswell-street - N.R.	15375	10	6	2	1	-	-	-	1	1	-	-	-	-	-	1	-
City-road *HHHL* - N.R.	29177	25	9	3	3	-	-	-	-	-	-	-	-	-	-	2	2
Whitecross-street - N.R.	8278	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4935	2	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-
Holborn Union Workhouse, Mitcham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
St. Botolph *H* - N.R. & E.L.	8944	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4444	2	7	-	-	-	-	-	-	-	-	2	-	-	2	2	6
St. Bride *W* - N.R.	6594	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
All Hallows Barking - N.R.	10422	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse (Establish receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diff Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, 26th January, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	20098	13	7	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
tton New Town *w* - - - N.R.	29313	25	16	2	7	-	-	-	-	-	-	-	-	-	-	-	8	-
tton Old Town - - - - N.R.	28354	17	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	32	16	3	3	-	-	-	-	-	-	-	-	-	1	1	7	-
hnal Green North *H* - - E.L.	51520	33	14	2	2	-	2	-	-	-	-	-	-	-	-	2	-	-
hnal Green South - - - E.L.	33489	28	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green East *WHL** - E.L.	44123	19	19	1	8	-	-	-	-	-	-	-	-	-	-	1	16	-
alfields - - - E. N.R.	22456	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e End New Town *W* - - E.L.	17908	19	12	1	4	-	-	-	-	-	-	-	-	-	-	2	10	-
itechapel Church *H* E.L. & N.R.	20293	22	28	3	3	-	-	-	3	-	-	1	-	-	3	8	25	-
dman's Fields - - - E.L.	18800	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	41	8	4	-	-	1	-	-	-	-	-	-	1	-	1	-	-
John, St. George East *W* - E.L.	8057	8	9	-	4	-	-	-	-	1	-	-	-	-	-	-	7	-
dwell *H* - - - E.L. & N.R.	40246	7	9	3	-	-	-	-	-	-	-	-	-	-	1	2	7	-
cliff *W* - - - - - E.L.	14923	11	6	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-
nehouse - - - - E.L.	32202	10	13	3	3	-	-	-	-	2	-	-	-	1	1	3	-	-
e End Old Town West *H* - E.L.	38650	30	13	3	5	-	-	-	-	-	-	-	-	-	1	2	-	-
e End Old Town East *WWwwH* E.L.	68942	48	22	6	3	-	-	-	-	1	-	-	-	-	-	2	2	-
*L** - - - - - E.L.	40365	31	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
mley *wwwH* - - - E.L.	70000	54	39	9	6	-	2	-	1	-	-	-	-	-	1	5	12	-
plar. *WW* - - - - - E.L.	56383	50	22	8	-	-	3	-	2	1	-	-	-	1	-	3	1	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	13264	11	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Saviour Southwark - - - S.	13913	16	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
nt-road - - - - S. & L.	21867	19	10	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
rough-road *WH* - - S. & L.	16624	13	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
ndon-road *HL* - - L. & S.	21221	13	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
nity Newington - - S. & L.	26596	19	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Peter Walworth *W* - S. & L.	61842	37	18	8	6	-	-	-	-	-	-	-	-	-	2	2	1	-
Mary Newington - - L. & S.	27866	18	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Olave *WH* - - - - S.	12723	3	10	2	1	-	-	-	-	-	-	-	-	-	2	3	8	-
ather Market *W* - - S. & L.	30612	23	8	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
James Bermondsey - - S.	54070	34	25	8	3	-	1	-	-	-	-	-	-	-	1	1	-	1
therhithe *WwH* - - S. & K.	39255	18	18		1	-	-	-	-	2	-	1	-	-	1	2	3	1
aterloo-road 1st *H* - - L. & S.	14031	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
aterloo-road 2nd *H* - - L. & S.	14644	10	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
mbeth Church 1st *H* - L. & S.	18075	16	16	2	2	-	-	-	-	-	-	1	-	-	2	3	11	-
mbeth Church 2nd *WW* - L. & S.	39097	24	18	2	5	-	-	-	-	-	-	1	-	-	1	2	12	-
nnington 1st *H* - - S. & L.	50536	24	10	2	10	-	-	-	-	-	-	-	-	-	-	3	-	-
nnington 2nd - - - S. & L.	39708	23	11	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
ixton *w* - - - - L. & S.	73405	47	25	2	10	-	-	1	5	-	-	-	-	-	-	1	5	-
rwood *WH* - - - - L.	25657	16	6	1	3	-	-	-	-	-	-	-	-	-	-	-	2	1
st Battersea - - - - S.	67244	44	19	7	5	-	-	-	-	1	-	-	-	-	-	-	-	-
st Battersea *WwH* - - S.	83314	57	28	7	7	-	-	-	-	2	-	-	-	-	4	7	11	1
pham *H* - - - - - S.	43698	22	7	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
andsworth *WHHL* - - - S.	46717	50	14	7	2	-	-	-	1	2	-	-	-	-	-	1	-	-
tney - - - - - - - S.	17771	9	5	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
eatham *www* - - - - L.	43755	23	14	-	9	-	-	-	1	-	-	-	-	-	-	-	2	1
lwich - - - - L. & S.	6302	3	1	-	-	-	-	-	-	-	-	-		-	1	1	-	-
mberwell *WwL** - - S. & L.	81686	58	37	4	20	-	-	-	-	-	-	-	-	1	3	3	24	-
ckham *WW* - - S., L., & K.	83488	58	20	8	12	-	-	-	1	-	-	-	-	-	1	3	1	1
George Camberwell - - L. & S.	63366	51	12	4	1	-	-	-	-	1	-	-	-	1	-	1	-	1
ptford, North - - - - K.	35314	26	13	7	1	-	-	-	-	1	-	-	-	-	-	-	-	2
ptford, Central *w* - - - K.	42007	42	18	3	4	-	-	-	1	-	-	1	-	-	1	1	1	1
ptford, South - - - - K.	30852	14	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
reenwich West *H* - - - K.	22007	8	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
reenwich East *WH* - - - K.	35223	26	19	-	13	-	2	-	1	-	-	-	-	-	1	4	22	-
itham *wH* - - - - - K.	5382	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	5	7	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30050	18	9	3	2	-	-	1	-	1	-	-	-	-	-	1	1	1
dsenham *H* - - - - L.	34162	12	5	-	3	-	1	-	-	-	-	-	-	-		-	-	-
n l on *HH* - - - - K.	14040	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Dockyard - - - K.	19606	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HHHH* - K.	21242	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, West *H* - - - K.	15869	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	36567	12	6	-	1	-	2	-	-	-	-	-	-	-	-	-	3	-
anstead Asylum - - - - -	-		4	-	-	-	-	-	-	-	-	-	-			-	4	-
aterham Asylum - - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-			4	-
ane Hill Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-			4	-
ospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arenth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
anwell Asylum - - - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-
olney Hatch Asylum - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
.E. Hospital - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
caveaden Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
laybury Asylum - - - - -	-	-	12	-	2	-	-	-	-	-	-	-	-	-	-		12	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 26th January, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	922	446	111	139	–	4	2	15	7	8	3	11	27	44
30:	Carshalton *wHH*	12228	26104	12	5	–	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WoH*	10423	13503	2	1	–	–	–	–	–	–	–	–	–	–	–	–
37: 1	Godstone, *part of* W*	2751	1594	2	–	–	–	–	–	–	–	–	–	–	–	–	–
38: 1	Croydon *WoHBH*	20351	123699	65	37	5	15	–	–	–	2	1	1	–	2	3	8
2	Mitcham *w*	11697	23083	13	4	–	2	–	–	–	–	–	–	–	–	–	–
39: 1	Wimbledon *HHH*	3220	25761	16	6	1	4	–	–	–	–	–	–	–	–	1	–
2	Kingston *WH*	8071	44765	20	17	6	3	–	–	–	–	–	–	1	–	1	4
3	Esher, *part of* HH*	6601	12059	2	1	1	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	16	8	3	4	–	–	–	–	–	–	–	–	–	–
40: 1	Richmond *WH*	2160	25339	14	16	3	8	–	–	–	–	–	–	–	–	–	5
2	Mortlake *H*	2823	16159	5	5	2	–	–	–	–	–	–	–	–	–	2	–
41: 1	Bromley *HHH*	9127	23815	9	3	–	2	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6542	21969	12	7	–	3	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of* WHH*	14307	20372	11	5	1	–	–	–	–	1	–	–	1	–	–	–
42: 1	Bexley *HHH*	12540	30590	11	12	–	4	–	–	–	–	–	–	–	1	2	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1
124: 1	Sudbury *w*	11054	18371	9	2	1	1	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	5	5	2	–	–	–	–	–	–	–	–	–	–	–
125: 1	Hillingdon *wHH*	6035	12237	9	5	–	4	–	–	–	–	–	–	–	–	–	3
2	Uxbridge	6172	5417	3	3	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12313	7	4	1	–	–	–	–	1	–	–	–	–	–	–
126: 1	Isleworth *WHH*	6067	26273	21	8	1	7	–	1	–	–	–	–	–	–	–	5
2	Twickenham *HH*	2415	16027	5	2	1	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	29	12	4	4	–	–	–	–	–	1	–	–	–	–
4	Chiswick *w*	1245	21963	15	7	1	2	–	–	–	–	–	1	–	–	–	–
5	Acton *wH*	6133	30945	21	9	3	4	–	–	–	–	–	–	–	–	–	1
127: 1	Harrow *HHH*	13809	15715	7	6	1	1	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3344	1	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61235	46	21	8	4	–	–	–	–	1	–	–	1	1	1
4	Hendon *WH*	8382	15843	10	2	–	1	–	–	–	–	–	–	–	–	–	–
128: 1	South Mimms *H*	15589	8474	–	3	1	1	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11773	7	6	1	1	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	9	6	3	2	–	–	–	–	–	–	–	–	1	–
132: 1	Hornsey *HH*	3039	61097	34	20	6	7	–	–	–	1	–	–	–	–	–	–
2	Tottenham *H*	4642	97174	78	28	5	13	–	–	–	–	–	2	–	2	8	3
3	Edmonton *Wo*	7489	36351	26	9	–	1	–	–	–	–	–	–	–	–	1	3
4	Enfield *WWH*	12639	31803	22	11	2	6	–	–	–	–	–	–	–	–	1	–
5	Waltham Abbey	11017	6066	5	2	1	1	–	–	–	–	–	–	–	–	–	–
6	Chesunt *H*	8480	9620	2	2	–	1	–	–	–	–	–	–	–	–	–	–
136: 1	Hatfield, *part of* W*	3306	582	–	1	–	1	–	–	–	–	–	–	–	–	–	–
137: 1	Bushey *H*	9331	7737	2	2	–	2	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138: 1	Stratford *H*	1100	42983	33	8	–	3	–	–	–	–	–	–	–	–	–	1
2	Plaistow	1242	50030	64	25	10	1	–	2	1	–	3	1	1	–	–	–
3	Canning Town *H*	1558	54750	41	19	5	2	–	–	–	1	1	1	–	2	2	–
4	Forest Gate *w*	806	49140	38	15	7	–	–	–	–	1	–	–	–	2	2	–
5	East Ham *w*	3266	32713	23	13	3	2	–	–	–	2	–	–	–	–	–	–
6	Leyton *WWWoT*	4334	70183	43	29	7	9	–	–	1	3	1	–	–	1	2	6
7	Walthamstow *H&L*	6501	57330	57	11	7	4	–	1	–	1	–	–	–	–	–	1
187: 1	Chigwell, *part of* H*	11779	12941	3	8	2	3	–	–	–	2	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Romford *part of* AH*	6556	4324	2	1	–	–	–	–	–	–	–	–	–	–	–	–
189: 1	Ilford	8493	10913	5	3	2	–	–	–	–	–	–	–	–	–	–	–
2	Barking Town *H*	3814	14301	18	4	2	2	–	–	–	–	–	–	–	–	–	–
3	Homerton Fever Hosp.	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1
	Cane Hill Asylum	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1755); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2832); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3037); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1 Chigwell sub-district, except the parish of Theydon Bois (1979); 189: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2 Dartford, 137: 3, Watford, and 187: 2, Epping sub-districts.

BLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 26th January, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16
HE LONDON	443,421	6,048,555	16·6	1·3	1927	422	574	–	25	9	44	34	25	13	69	506
HE LONDON -	74,672	4,392,343	17·6	1·3	1481	311	435	–	21	7	29	27	17	10	58	462
HE RING -	368,749	1,656,209	14·0	1·2	446	111	139	–	4	2	15	7	8	3	11	44

.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

TIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
URGH -	273,535	January 26	140	116	22·1	–	10	3	2	1	1	1
OW - -	695,876	„ 26	453	365	27·3	1	25	5	2	13	4	2
N - -	349,594	„ 26	212	208	31·0	7	–	2	1	2	5	3
TTA - -	466,460	November 10	–	–	–	–	–	–	–	–	–	–
AY - -	821,764	January 8	360	513	32·5	6	12	?	?	?	127	39†
AS - -	452,518	December 22	–	–	–	–	–	–	–	–	–	–
- - -	2,424,705	January 19	1201	1176	25·2	2	1	1	9*	2	2	43
ELS - -	498,400	„ 19	265	214	22·3	–	19	2	3*	1	1	10
RDAM -	446,295	„ 19	274	111	11·9	–	1	1	–	1	–	–
RDAM -	228,597	„ 19	171	83	18·8	–	2	–	1	–	–	–
IAGUE -	174,790	„ 19	135	66	19·6	–	–	–	1	1	1	–
HAGEN -	341,000	„ 19	223	119	18·2	–	4	1	1	2	–	9
HOLM -	252,937	„ 12	135	96	19·7	–	4	5	5*	–	1	–
TIANIA -	167,588	19	36	56	17·4	–	–	1	2	1	1	2
TERSBURG	954,400	„ 5	–	–	–	–	–	–	–	–	–	–
W - -	753,469	„ 5	–	467	32·3	1	2	7	13	4	9	37
N - -	1,724,544	„ 5	897	575	17·4	–	11	16	22	7	2	19
URG - -	608,710	„ 12	428	186	15·9	–	1	1	4*	–	1	9
EN - -	316,600	December 29	–	107	17·6	–	–	–	6*	2	–	4
AU - -	367,769	January 19	–	206	29·5	–	–	2	7*	1	–	13
CH - -	396,000	„ 19	–	177	23·2	–	1	2	7*	–	–	20
A - -	1,495,764	„ 19	792	676	23·8	–	25	9	21*	1	2	28
E - -	343,822	„ 12	217	161	24·4	–	2	1	5	–	2	3
-PESTH -	552,769	„ 12	382	243	22·3	–	2	1	5	–	2	12
TE - -	160,825	„ 5	72	86	27·8	–	–	3	2*	–	1	6
- -	456,664	December 22	–	–	–	–	–	–	–	–	–	–
(10 days)	338,228	January 10	–	–	–	–	–	–	–	–	–	–
E -	158,187	„ 5	95	89	29·2	–	–	–	2*	–	1	2
- -	374,838	December 27	460	357	49·5	–	–	–	3*	–	8	103
NDRIA -	231,396	„ 27	257	150	33·8	–	–	–	6*	–	7	41
YORK -	1,992,715	January 12	–	1006	26·3	1	3	24	56	10	7	13
KLYN -	1,080,000	„ 12	–	503	24·3	–	1	2	17	5	2	1
DELPHIA	1,139,457	„ 12	–	485	22·2	4	–	1	36	–	2	4
ORLEANS -	254,000	December 29	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 2 deaths from cholera in Bombay.

TABLE D.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 26TH JANUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	20	..	29·317	53·8	42·0	11·8	47·6	+ 9·2	45·1	2·5	6·8	0·7	91	80·2	39·8	41·04	S. & SSW.	SSW. & SSE.	3·1	0·0	0·1	278	− 54	0·13	5·2
MONDAY	21	..	29·548	44·8	32·0	12·8	36·9	− 1·4	34·2	2·7	6·5	2·5	90	44·8	29 6	41·43	N. & NNE.	N. NNW. & NW.	7·1	0·0	0·7	445	+113	0·00	0·0
TUESDAY	22	Greatest Dec. S.	29·676	35·0	29·0	6·0	31·7	− 6·6	27·9	3·8	6·7	1·6	85	36·5	25·4	41·62	WNW.	SW. & NW.	2·0	0·0	0·1	270	− 63	0·18	0·0
WEDNESDY	23	..	29·458	39·3	29·0	10·3	34·6	− 3·8	25·8	8·8	12·7	3·2	70	66·1	25·4	41·48	WSW. & SSW SSW. WSW. & NW.	NW. & NNW.	15·5	0·0	1·2	559	+226	0·07	1·2
THURSDAY	24	..	29·016	42·3	27·2	15·1	37·0	− 1·5	34·3	2·7	7·0	1·1	90	65·4	26·2	41·00	SW.	WSW. & WNW.	9·0	0·0	0·8	542	+208	0·11	3·8
FRIDAY	25	New.	29·387	38·0	26·3	11·7	32·6	− 6·2	26·7	5·9	13·2	3·6	78	51·2	26·3	40·69	NNW. & NW.	NW. & WNW.	7·0	0·0	0·5	468	+133	0·05	0·0
SATURDAY	26	Apogee.	29·569	35·2	23·4	11·8	29·1	− 9·9	24·1	5·0	8·1	1·4	81	60·1	23·0	40·20	WNW. NW. & N.	N. & Calm.	1·7	0·0	0·1	201	−134	0·00	0·0
MEANS		..	29·424	41·2	29·8	11·4	35·6	− 2·9	31·2	4·5	8·7	2·0	84	57·8	28·0	41·07	Variable.		..	..	..	Sum 2763	Sum + 429	Sum 0·54	1·5
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	20	w. P. and s. N. till afternoon; m. P. afterwards.	1·6	8·5	Overcast till 8h. A.M.; afterwards fine generally; rain in early morning.
MONDAY	21	v. P. generally till afternoon; s. P. in evening.	0·0	8·5	Overcast till afternoon; cloudless at night; brisk wind.
TUESDAY	22	v. P. and v. N. between 9h. A.M. and 3h. P.M.; s. P. at other times.	0·0	8·6	Cloudless in early morning; overcast till evening with heavy snow till 1 P.M.; cloudless at night.
WEDNESDAY	23	v. P. and v. N. till noon; s. P. afterwards.	2 7	8·6	Overcast in early morning; heavy snow squall shortly before 10h. A.M., accompanied by lightning and thunder; afterwards a fine bright day; cloudless from noon.
THURSDAY	24	v. P. and s. N.	1·7	8·7	Fine and clear till 3h. A.M.; afterwards overcast; occasional slight rain.
FRIDAY	25	v. P. and v. N. in early morning; s. P. afterwards with occasional s. N.	0·0	8·7	Overcast till evening; cloudless at night; rain in early morning, snow in afternoon; heavy squall at 4h. 45m. P.M.; hoar frost at night.
SATURDAY	26	s. P. generally	0·4	8·8	A fine day; cloudless at night; very cold; hoar frost.
			Sum 6·4	Sum 60·4	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·33 in. at the beginning of the week to 29·32 in. by noon on the 20th; increased to 29·83 in. by 1h. A.M. on the 22nd; decreased to 29·33 in. by 9h. 45m. A.M. on the 23rd; increased to 29·64 in. by 11h. 30m. P.M. on the same day; decreased to 28·90 in. by 7h. P.M. on the 24th; and increased to 29·58 in. by the of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 5. 1895. VOL. LVI.] WEEK ENDING SATURDAY, FEBRUARY 2. [Price 1½*d.*

General Register Office, Somerset House,
February 4th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	TOWNS.	Weeks ending Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.
Birkenhead	20·4	18·9	20·9	18·9	Liverpool	28·8	28·3	28·0	27·9
Birmingham	18·4	27·9	19·1	16·0	London	19·3	20·0	17·6	19·0
Blackburn	24·1	20·0	15·9	18·4	Manchester	23·9	23·3	23·1	23·5
Bolton	21·4	29·3	21·4	23·2	Newcastle-on-Tyne	22·7	21·2	16·6	21·2
Bradford	16·8	23·3	14·7	19·8	Norwich	18·5	22·9	20·4	19·0
Brighton	21·4	20·5	13·5	24·4	Nottingham	20·2	17·9	17·9	17·0
Bristol	18·3	21·9	21·7	18·7	Oldham	22·5	19·6	19·2	20·0
Burnley	18·3	26·2	22·0	18·3	Plymouth	18·7	12·9	21·1	21·1
Cardiff	17·4	14·4	16·4	17·8	Portsmouth	21·5	20·6	21·8	14·6
Croydon	16·8	19·5	15·0	11·8	Preston	19·9	22·7	24·1	26·8
Derby	14·6	21·3	15·6	21·8	Salford	18·8	24·0	19·0	25·3
Gateshead	22·3	21·8	15·8	21·8	Sheffield	18·6	22·7	18·3	18·6
Halifax	18·3	25·0	19·5	20·0	Sunderland	19·7	30·7	20·4	20·4
Huddersfield	25·7	22·0	16·2	16·8	Swansea	18·3	21·0	18·3	22·0
Hull	18·5	20·5	17·3	17·8	West Ham	20·3	18·4	14·6	16·3
Leeds	22·3	24·9	20·3	20·3	Wolverhampton	20·7	33·4	23·7	22·5
Leicester	16·9	15·1	11·3	16·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Gateshead, 1·4 in Preston, and 1·7 in Bolton; from *scarlet fever*, 1·0 in Salford; from *whooping-cough*, 1·0 in Huddersfield, 1·1 in Swansea, 1·2 in Plymouth, 1·3 in Salford, and 1·7 in Brighton; and from *diarrhœa*, 1·0 in Burnley. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 70 deaths from *diphtheria* included 45 in London, 3 in Birmingham, 3 in Manchester, 3 in Blackburn, and 2 each in Wolverhampton, Liverpool, and Sheffield. Two deaths from *small-pox* were registered in London, but not one death in any other of the thirty-three towns.

LONDON.

In LONDON 2587 BIRTHS and 1598† DEATHS were registered. Allowing for increase of population, the births were 325, and the deaths 260, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

from all causes, which had been 19·3, 20·0, and 17·6 in the preceding three weeks, increased again last week to 19·0. During the four weeks ending on Saturday last the death-rate averaged 19·0 per 1000, being 6·7 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1598 deaths included 2 from small-pox, 13 from measles, 11 from scarlet fever, 45 from diphtheria, 30 from whooping-cough, 9 from enteric fever, 12 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 122 deaths were referred to these diseases, being 74 below the corrected average weekly number.

The 2 deaths from *small-pox* belonged to St. Marylebone sanitary area. The deaths from *measles*, which had been 30, 35, and 21 in the preceding three weeks, further declined last week to 13, and were 18 below the corrected average; 2 belonged to Paddington, 2 to Poplar, and 2 to Greenwich sanitary areas. The deaths from *scarlet fever*, which had been 12, 9, and 7 in the preceding three weeks, numbered 11 last week, being 9 below the corrected average; 3 belonged to Islington and 3 to Poplar sanitary areas. The deaths from *diphtheria*, which had been 34, 31, and 29 in the preceding three weeks, increased last week to 45, exceeding the corrected average by 12; 7 belonged to Islington, 6 to Camberwell, 3 to Mile End Old Town, 3 to Newington, 3 to Plumstead, and 2 each to Chelsea, St. Pancras, Hackney, Poplar, and Battersea sanitary areas. The deaths from *whooping-cough*, which had been 35, 21, and 27 in the preceding three weeks, numbered 30 last week, and were 51 below the corrected average; 4 belonged to Shoreditch and 3 to Battersea sanitary areas. The fatal cases of *enteric fever*, which had been 16, 20, and 16 in the preceding three weeks, declined last week to 9, and were 3 below the corrected average; 2 belonged to Camberwell sanitary area. The deaths from *diarrhœa*, which had been 15, 16, and 10 in the preceding three weeks, declined last week to 12, being 2 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 389, 399, and 324 in the preceding three weeks, increased again last week to 377, but were 126 below the corrected average.

The deaths attributed directly to *influenza* numbered 16, having been 18, 15, and 11 in the preceding three weeks.

Different forms of violence caused 68 deaths, concerning 67 of which inquests were held. Of these 68 deaths, 11 were cases of suicide, while the remaining 57 were attributed to accident or negligence. One death was referred to a horse in a street, 4 deaths to railways, 12 to burns and scalds, 3 to drowning, and 17 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 51 cases of small-pox, 1653 of scarlet fever, 519 of diphtheria, and 115 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 21 cases, against 8, 6, and 8; of scarlet fever, 160 cases, against 130, 154, and 186; of diphtheria, 76 cases, against 74, 74, and 72; and of enteric fever, 11 cases, against 12, 23, and 23.

Greater London.

In Greater London 3562 births and 2019 deaths were registered, corresponding to annual rates of 30·7 and 17·4 per 1000 of the estimated population. In the Outer Ring 12 deaths from diphtheria, 14 from whooping-cough, 5 from "fever", and 6 from diarrhœa were recorded. Of the 12 deaths from diphtheria, and of the 5 deaths from "fever," 5 and 3 respectively occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 26°·9, the latter being 12°·7 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 20 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 4·8 hours; rain or melted snow was measured to the amount of 0·28 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 2nd February 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 2nd Feb. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6366	4000	892	1027	2	48	25	70	76	33	45	165	344	875	77	19·7	1·5	38·0	9·5	27·4	-2·56	0·35	0·89	33 Towns.
London	4,392,346	2587	1598	337	437	2	13	11	45	30	9	12	68	160	477	18	19·0	1·4	34·2	19·2	26·9	−2·83	0·28	0·71	London.
West Ham	249,473	167	78	28	18	-	-	-	1	1	2	4	2	6	9	1	16·3	1·7	-	-	-	-	-	-	West Ham.
Croydon	114,923	64	26	11	7	-	1	-	-	1	-	-	1	1	-	-	11·8	0·9	35·1	15·2	26·7	−2·95	0·22	0·56	Croydon.
Brighton	119,604	61	56	10	19	-	1	-	1	4	-	-	3	3	14	2	24·4	2·6	34·8	21·8	28·4	−2·00	0·11	0·28	Brighton.
Portsmouth	174,751	89	49	10	25	-	1	-	-	1	-	1	2	3	6	-	14·6	0·9	38·0	22·0	28·0	−2·22	0·05	0·13	Portsmouth.
Plymouth	89,096	40	36	6	12	-	1	-	1	2	-	-	-	1	2	-	21·1	2·3	-	-	-	-	-	-	Plymouth.
Bristol	228,139	151	82	6	26	-	-	-	-	1	1	-	3	9	17	-	18·7	0·5	35·0	16·0	25·6	−3·55	0·44	1·12	Bristol.
Cardiff	155,637	114	53	17	12	-	-	-	-	-	-	1	4	6	12	-	17·8	0·3	-	-	-	-	-	-	Cardiff.
Swansea	57,008	61	41	12	11	-	-	-	-	2	-	1	2	2	3	1	22·0	1·6	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	54	37	9	13	-	-	1	2	1	1	-	-	-	6	1	22·5	3·0	32·7	15·1	24·3	−4·27	0·63	1·60	Wolverhampton.
Birmingham	496,751	325	152	34	42	-	-	-	3	4	-	2	5	4	26	10	16·0	0·9	-	-	-	-	-	-	Birmingham.
Norwich	107,127	76	39	18	14	-	-	-	-	-	-	1	1	2	3	-	19·0	0·5	35·0	9·5	27·4	−2·56	0·44	1·12	Norwich.
Leicester	193,839	97	63	17	20	-	-	-	-	-	-	-	-	2	8	3	16·9	-	-	-	-	-	-	-	Leicester.
Nottingham	226,658	134	74	20	14	-	-	3	-	-	1	-	1	3	15	1	17·0	0·9	34·4	14·6	27·5	−2·50	0·51	1·30	Nottingham.
Derby	100,272	53	42	7	15	-	-	1	-	-	-	-	3	7	10	-	21·8	0·5	-	-	-	-	-	-	Derby.
Birkenhead	107,469	63	39	6	13	-	1	-	1	-	-	1	2	2	1	-	18·9	1·5	-	-	-	-	-	-	Birkenhead.
Liverpool	503,967	350	270	54	59	-	2	1	2	4	7	3	19	29	87	10	27·9	2·0	36·3	23·2	29·4	−1·45	0·17	0·43	Liverpool.
Bolton	119,337	61	53	7	12	-	4	-	1	-	2	-	1	5	5	-	23·2	3·1	-	-	-	-	-	-	Bolton.
Manchester	524,865	315	237	48	43	-	4	-	3	8	2	5	12	26	49	3	23·5	2·2	-	-	-	-	-	-	Manchester.
Salford	208,253	128	101	31	16	-	1	4	1	5	1	3	6	10	17	3	25·3	3·8	-	-	-	-	-	-	Salford.
Oldham	141,079	54	54	20	9	-	-	-	1	1	-	1	2	3		-	20·0	1·1	-	-	-	-	-	-	Oldham.
Burnley	99,591	56	35	12	9	-	-	-	-	-	-	2	-	2	2	2	18·3	1·0	-	-	-	-	-	-	Burnley.
Blackburn	127,615	66	45	12	9	-	-	-	3	-	-	1	3	3	6	1	18·4	1·6	-	-	-	-	-	-	Blackburn.
Preston	112,638	80	58	18	8	-	3	-	-	1	-	2	-	-	7	7	26·8	2·8	-	-	-	-	-	-	Preston.
Huddersfield	99,482	38	32	8	6	-	-	-	-	2	-	-	-	2	3	1	16·8	1·0	-	-	-	-	-	-	Huddersfield.
Halifax	93,813	39	36	6	16	-	-	-	-	-	-	-	3	5	6	4	20·0	-	-	-	-	-	-	-	Halifax.
Bradford	226,384	109	86	24	24	-	1	-	-	-	-	1	3	8	10	1	19·8	0·5	35·0	21·1	28·8	−1·78	0·45	1·14	Bradford.
Leeds	395,546	249	154	26	28	-	4	1	1	3	-	1	6	11	19	-	20·3	1·3	-	-	-	-	-	-	Leeds.
Sheffield	342,768	226	122	21	40	-	6	-	2	-	4	2	3	8	17	1	18·6	2·1	-	-	-	-	-	-	Sheffield.
Hull	216,722	150	74	16	17	-	-	2	1	1	2	1	3	3	12	6	17·8	1·7	36·0	15·0	28·6	−1·89	0·59	1·50	Hull.
Sunderland	157,705	101	54	13	13	-	-	-	-	2	-	-	5	8	6	1	20·4	0·8	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	78	40	16	8	-	2	-	1	1	-	-	1	2	4	-	21·8	2·2	-	-	-	-	-	-	Gateshead.
Newcastle	207,621	130	84	22	12	-	3	1	-	1	1	-	1	8	12	-	21·2	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2806	2800	2665	2688	2662	2699	2991	2808	2768	2708	2912·4	2587
Males . .	1414	1438	1339	1371	1327	1355	1463	1422	1393	1365	1465·6	1336
Females .	1392	1362	1326	1317	1335	1344	1528	1386	1375	1343	1446·8	1251
TOTAL **Deaths**	1592	1783	1485	1894	1572	1849	1638	2500	1673	1620	1858·2	1598
Males . .	812	877	734	958	796	965	840	1232	852	821	938·0	828
Females .	780	906	751	936	776	884	798	1268	821	799	920·2	770

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the LAST THIRTEEN WEEKS.

	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.
TOTAL **Births** - -	2657	2494	2704	2550	2599	2597	2703	1950	3085	2922	2818	2612	2587
TOTAL **Deaths** - -	1249	1275	1326	1347	1614	1550	1448	1434	1462	1622	1689	1481	1598
Ages at Death: Under 1 year -	337	341	316	364	370	347	316	352	348	369	370	311	337
1— 5 years -	125	172	167	207	208	207	185	191	194	200	205	151	192
5—20 " -	92	92	86	78	86	92	77	71	85	90	96	80	87
20—40 " -	166	163	207	165	248	213	193	205	221	224	197	190	221
40—60 " -	229	228	246	249	321	284	297	254	248	288	331	314	324
60—80 " -	250	236	250	234	313	341	314	277	297	360	390	362	373
80 years & upwards	50	43	54	50	68	66	66	84	69	91	100	73	64
Deaths from—													
Small-pox - - - -	1	-	-	-	-	-	1	1	-	-	1	-	2
Measles - - - -	13	22	21	29	36	32	35	46	34	30	35	21	13
Scarlet fever - - -	9	8	14	19	18	13	14	14	14	12	9	7	11
Diphtheria - - -	42	44	48	54	57	53	36	35	50	34	31	29	45
Whooping-cough - -	10	8	11	26	23	25	26	14	23	35	21	27	30
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric fever - - -	24	21	23	18	17	24	25	32	17	16	20	16	9
Simple Continued fever -	1	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Dysentery -	16	23	15	25	14	11	15	7	14	15	16	10	12
Cholera - - - -	1	-	-	-	-	1	-	-	-	-	-	1	-
All the above Diseases -	117	126	132	171	165	159	152	149	152	142	133	112	122
Dis. of Respiratory System	245	245	261	263	338	358	325	352	319	389	399	324	377
Phthisis - - - -	150	133	166	125	187	132	140	144	155	159	139	161	166
Dis. of Circulatory System	104	131	105	100	158	158	140	99	129	161	162	162	161
Violence - - - -	43	51	41	37	67	76	73	70	72	77	76	58	68
Inquest Cases - - -	108	118	111	98	152	152	141	147	176	155	173	149	160
Deaths in Public Institutions	385	363	412	405	466	471	410	381	411	439	432	462	477
TEMPERATURE OF THE AIR													
Mean - - - -	50°·3	47°·0	44°·0	40°·3	39°·8	45°·4	43°·9	43°·0	34°·3	29°·8	40°·4	35°·6	26°·9
Mean of Highest readings -	56·5	52·4	51·1	44·0	44·0	48·8	49·1	46·7	37·1	32·5	44·0	41·2	32·0
Mean of Lowest readings -	44·3	42·2	36·7	35·5	34·0	41·1	38·2	39·0	30·9	27·2	35·6	29·8	21·9
Humidity of the Air - -	83	87	89	87	91	88	83	87	81	87	89	84	75
Rain-fall (in inches) - -	0·64	2·03	0·13	0·00	0·17	0·97	0·59	0·22	0·20	0·01	0·72	0·54	0·28
Registered Sunshine (in hours)	22·8	20·4	15·6	2·7	4·4	4·4	3·0	1·7	0·2	1·7	4·7	6·4	4·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	51	42	33	31	32	22	15	16	23	28	32	35	51
Scarlet fever - - - -	2258	2254	2198	2148	2142	2034	1931	1850	1779	1713	1653	1662	1653
Diphtheria - - - -	553	547	531	520	515	523	512	523	499	517	514	528	519
Enteric fever - - - -	95	96	99	99	101	101	97	105	112	107	115	121	115

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Mclandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTH Week of the Year 1895.

SES OF DEATH.	Corrected Averages for the 5th Week of the 10 years 1885–94.*	In the Week ending Saturday, 2nd February 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
CAUSES - -	1858·2	1598	337	92	87	221	324	373	64
all- x Vaccinated†	0·9	-	-	-	-	-	-	-	-
all- x Unvaccinated	2·5	1	1	-	-	-	-	-	-
all- x No Statement	1·5	1	-	-	1	-	-	-	-
sles - - - -	30·8	13	4	9	-	-	-	-	-
let Fever - -	19·7	11	-	8	3	-	-	-	-
nus - - - -	0·4	-	-	-	-	-	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - -	4·3	16	2	3	1	5	4	1	-
oping-cough - -	0·7	30	14	14	2	-	-	-	-
theria - - -	33·4	45	1	31	11	1	1	-	-
ple Continued and -defined Fever - -	0·8	-	-	-	-	-	-	-	-
eric Fever - -	11·6	9	-	1	5	2	1	-	-
lera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	13·8	12	6	2	-	-	1	3	-
mittent Fever - -	0·2	-	-	-	-	-	-	-	-
trophobia - -	-	-	-	-	-	-	-	-	-
nders - - -	-	-	-	-	-	-	-	-	-
rpox and Effects of accination - -	0·2	-	-	-	-	-	-	-	-
ereal Affections - -	9·6	11	7	1	-	1	1	1	-
sipelas - - -	5·4	1	-	-	-	-	-	1	-
mia and Septicæmia	3·0	2	1	-	-	-	1	-	-
rperal Fever - -	6·0	3	-	-	-	3	-	-	-
er Zymotic Diseases	1·2	1	-	-	-	1	-	-	-
ush - - - -	1·6	1	1	-	-	-	-	-	-
rms and other Para- tical Diseases - -	0·3	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	1·2	2	2	-	-	-	-	-	-
oholism - - -	7·4	9	-	-	-	1	7	1	-
eumatic Fever, eumatism of Heart	10·0	3	-	1	-	1	1	-	-
eumatism - -	2·7	2	-	-	-	-	1	1	-
nt - - - -	4·5	6	-	-	-	-	1	5	-
kets - - - -	3·4	4	1	3	-	-	-	-	-
nser - - -	55·7	66	-	-	1	2	30	32	1
bes Mesenterica -	21·4	9	4	4	1	-	-	-	-
bercular Meningitis -	24·1	25	5	15	5	-	-	-	-
thisis - - -	175·9	166	1	4	12	84	54	11	-
rofula, Tuberculosis -	17·8	19	7	3	4	3	2	-	-
her Constitutional Diseases - - -	11·9	9	-	1	2	2	1	3	-
emature Birth - -	43·5	49	49	-	-	-	-	-	-
electasis - - -	2·5	2	2	-	-	-	-	-	-
ngenital Malforma- tions - - - -	8·1	10	8	1	1	-	-	-	-
d Age - - -	64·7	43	-	-	-	-	-	25	18
poplexy - - -	44·5	45	-	-	-	1	14	26	4
pilepsy - - -	7·0	6	-	1	1	1	2	1	-
nvulsions - - -	48·0	41	38	3	-	-	-	-	-
ther Diseases of Brain and Nervous System	105·1	80	9	12	2	12	19	34	1

CAUSES OF DEATH.	Corrected Averages for the 5th Week of the 10 years 1885–94.*	In the Week ending Saturday, 2nd February 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·4	1	-	-	1	-	-	-	-
Diseases of Circulatory System - - -	145·4	161	-	1	13	24	56	62	5
Croup - - - -	9·2	1	-	-	1	-	-	-	-
Bronchitis - - -	313·0	237	33	23	4	10	43	102	22
Pneumonia - - -	134·0	100	23	27	2	14	21	12	2
Pleurisy - - - -	6·6	6	-	1	1	1	2	1	-
Other Diseases of Respiratory System - -	40·4	33	6	5	-	4	6	11	1
Dentition - - -	12·3	12	7	5	-	-	-	-	-
Quinsy, Sore Throat -	2·0	-	-	-	-	-	-	-	-
Enteritis - - -	8·5	13	9	1	1	1	1	-	-
Peritonitis - - -	7·9	7	-	-	-	4	2	1	-
Diseases of Liver - -	25·3	21	3	-	-	4	9	4	1
Other Diseases of Digestive System -	30·4	34	13	1	2	6	5	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	3	-	-	-	3	-	-	-
Diseases of Urinary System - - -	43·1	45	-	2	-	4	22	17	-
Diseases of Generative System - - -	5·9	11	-	-	1	3	3	3	1
Accidents of Childbirth -	4·5	9	-	-	1	7	1	-	-
Diseases of Locomotive System - - -	6·4	5	-	1	1	1	1	1	-
Diseases of Integumentary System - -	6·4	5	-	-	-	1	-	2	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	52·7	4	-	-	-	2	1	1	-
By Vehicles or Horses -		1	-	-	-	1	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	-	-	1	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		12	-	5	3	3	-	-	1
By Drowning - -		3	1	-	1	-	1	-	-
By Suffocation in Bed -		17	17	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		-	-	-	-	-	-	-	-
Other or not stated Causes - - - -		18	2	-	2	2	6	3	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·4	-	-	-	-	-	-	-	-
Suicide - - - -	8·1	11	-	-	1	6	2	1	1
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·7	64	61	3	-	-	-	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 3. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2587	1598	337	437	2	13	11	45	30	-	9	-	12	68	60	477
WEST DISTRICTS	740,735	370	280	60	75	-	2	-	6	4	-	2	-	3	9	23	94
NORTH DISTRICTS	993,884	548	326	57	105	1	-	3	13	2	-	1	-	2	14	35	84
CENTRAL DISTRICTS	247,538	159	114	22	30	-	-	-	1	5	-	-	-	-	6	13	33
EAST DISTRICTS	705,114	503	289	73	65	-	5	3	5	9	-	2	-	1	20	44	86
SOUTH DISTRICTS	1,524,472	1007	552	124	150	-	6	3	20	10	-	4	-	6	19	45	110
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	37	1	12	1	-	2	-	-	-	-	-	-	-	-	37
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	45	28	4	13	-	2	-	-	-	-	-	-	-	-	1	3
St. John Paddington *H* - G.J.	33387	7	15	2	-	-	-	-	-	-	-	-	-	-	2	3	10
Kensington Town *Ws* - W.M.	118751	59	45	9	16	-	-	-	-	-	-	-	-	-	1	2	20
Brompton *HH* - W.M. & C.	47557	9	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Peter Hammersmith - W.M.	8833	3	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Paul Hammersmith *H* W.M. & G.J.	88553	52	37	10	8	-	-	-	-	2	-	-	-	1	2	4	4
Fulham *Ws* - W.M. & C.	91639	77	40	15	7	-	-	-	4	-	-	-	-	1	-	2	11
Chelsea Kensal Town - C.	21787	10	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - C.	41637	23	30	4	8	-	-	-	-	-	-	1	-	-	-	1	16
Chelsea South *HH* - C.	32829	18	11	-	1	-	-	-	1	-	-	-	-	-	-	1	4
May Fair *WH* - G.J.	23733	1	14	2	9	-	-	-	-	-	-	-	-	-	1	2	8
Belgrave *WHHH* - C.	54831	27	25	6	6	-	-	-	-	1	-	1	-	1	2	3	13
St. John Westminster *HH* - C.	34106	19	2	1	1	-	-	-	-	1	-	-	-	-	-	1	-
St. Margaret Westminster *H* - C.	21638	5	6	-	2	-	-	-	-	-	-	-	-	-	-	-	3
St. James Westminster *WHHH* N.R. & G.J.	24995	10	5	2	1	-	-	-	-	-	-	-	-	-	1	1	1
St. Anne Soho *HHHHHH* - N.R.	12317	3	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	8	9	1	3	-	-	-	-	-	-	-	-	-	-	-	6
Rectory Marylebone *WH* G.J. & W.M.	20024	4	5	1	4	-	-	-	-	-	-	-	-	-	1	1	3
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	32	5	1	3	-	-	-	-	-	-	1	-	-	-	-	-
Christchurch Marylebone *H* - W.M.	33327	15	9	3	2	1	-	-	-	-	-	-	-	-	-	2	-
St. John Marylebone - W.M.	32101	21	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *WsHHHHH* N.R. & W.M.	68416	33	19	3	6	-	-	-	1	-	-	-	-	-	1	3	7
Regent's Park Paneras *HH* - W.M.	36590	19	7	2	2	-	-	-	-	-	-	-	-	-	-	-	2
Tottenham-court *wHHH* N.R. & W.M.	26321	12	15	2	3	-	-	-	-	-	-	-	-	-	2	3	5
Gray's Inn Lane *HHH* - N.R.	27455	24	14	3	3	-	-	-	-	-	-	-	-	-	-	1	1
Somers Town *HH* - N.R.	32829	18	9	4	2	-	-	-	-	-	-	-	-	-	-	-	1
Camden Town *WH* - N.R.	15419	13	6	1	5	-	-	-	-	-	-	-	-	-	1	1	5
Kentish Town *WW* - N.R.	95765	60	34	5	11	-	-	-	-	-	-	-	-	-	1	3	10
Upper Holloway *WWWwHHH* - N.R.	90235	38	54	5	22	-	-	-	2	-	-	-	-	-	3	2	24
Islington South-west *H* - N.R.	105557	66	25	5	6	-	-	-	2	-	-	-	-	-	1	1	-
Islington South-east - N.R.	64153	23	15	2	5	-	-	-	-	-	-	-	-	-	2	7	-
Highbury *HH* - N.R.	59193	33	16	5	5	-	-	1	1	-	-	-	-	-	1	1	1
Stoke Newington *H* - N.R.	30936	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	17759	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
West Hackney *H* - N.R.	42802	23	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Hackney *WwwH* - E.L. & N.R.	96486	55	48	7	14	-	-	2	7	1	-	-	-	1	1	4	19
South Hackney *wH* - E.L.	41759	24	12	3	2	-	-	-	-	1	-	-	-	-	-	3	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16693	11	7	1	2	-	-	-	-	-	-	-	-	-	2	2	-
St. Giles South *WH* - N.R.	13454	13	10	3	4	-	-	-	-	-	-	-	-	-	-	1	7
St. Giles North *H* - N.R.	9633	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	7	10	-	3	-	-	-	-	1	-	-	-	-	-	1	5
St. Mary-le-Strand *H* - N.R.	5706	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Clement Danes *WH* - N.R.	7194	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Strand Union Workhouse, Edmonton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	2	13	3	3	-	-	-	-	-	-	-	-	-	-	1	4
St. Andrew Eastern *WH* - N.R.	15343	11	7	2	1	-	-	-	-	1	-	-	-	-	2	2	-
St. James Clerkenwell - N.R.	16803	9	7	3	1	-	-	-	-	1	-	-	-	-	-	1	-
Amwell Clerkenwell - N.R.	16883	14	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Pentonville - N.R.	17155	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.	16375	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - N.R.	29177	34	16	4	7	-	-	-	1	1	-	-	-	-	-	1	3
Whitecross-street - N.R.	8278	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4444	2	10	1	1	-	-	-	-	-	-	-	-	-	1	1	10
St. Bride *W* - N.R.	6594	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	3	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street *H* - N.R.	3377	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *L*ᵉ—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishme receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differe Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. No River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT y, 2nd February, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
litch South HL* E.L. & N.R.	20098	12	6	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-
n New Town w - - - N.R.	29313	23	17	4	8	-	-	-	-	3	-	-	-	-	2	4	7	-
n Old Town - - - N.R.	28354	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rston WH - - N.R. & E.L.	46244	38	17	5	3	-	1	-	-	1	-	-	-	-	-	-	7	-
al Green North H - - E.L.	51520	37	16	2	2	-	1	-	-	-	-	1	-	-	-	2	1	-
al Green South - - - E.L.	33489	24	7	2	2	-	-	1	-	-	-	-	-	-	1	1	-	-
al Green East WHL* - E.L.	44123	19	11	3	3	-	-	-	-	-	-	-	-	-	1	2	3	-
fields - - - E. N.R.	22456	16	10	5	4	-	-	-	-	-	-	-	-	-	-	5	-	-
End New Town W - - E.L.	17908	15	10	2	3	-	-	-	-	-	-	-	-	-	-	-	9	-
chapel Church H' E.L. & N.R.	20298	10	31	2	7	-	-	-	-	-	-	-	-	-	4	4	25	-
nan's Fields - - - E.L.	13800	7	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
orge's, North - - - E.L.	37738	21	12	5	1	-	1	-	-	1	-	-	-	-	-	1	-	-
hn, St. George East W - E.L.	8057	3	6	1	-	-	-	-	1	-	-	-	-	-	1	1	4	-
vell H - - - E.L. & N.R.	10246	6	8	1	-	-	-	-	1	1	-	-	-	-	-	-	5	-
ff W - - - - - E.L.	14928	14	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
house - - - - - E.L.	32202	22	10	1	2	-	-	-	-	2	-	-	-	-	-	1	-	-
End Old Town West H - E.L.	38650	32	14	8	-	-	-	-	1	-	-	-	-	-	1	4	1	-
End Old Town East WWwwH E.L.	68942	48	32	8	9	-	-	-	-	-	-	-	-	1	4	9	6	-
L* - - - - - E.L.	40365	25	9	1	1	-	1	-	-	-	-	-	-	-	1	1	-	1
ley wwwH - - - E.L.	70000	60	43	8	12	-	1	1	-	1	-	1	-	-	2	4	18	-
r. WW - - - - E.L.	56388	43	20	9	5	-	-	1	1	-	-	-	-	-	2	2	-	-
SOUTH DISTRICTS.																		
stchurch Southwark WH L. & S.	18264	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
aviour Southwark - - - S.	18913	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
-road - - - - S. & L.	21867	23	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
ugh-road WH - - S. & L.	16624	18	11	5	-	-	-	-	-	1	-	-	-	-	-	-	6	1
lon-road HL - - L. & S.	21221	12	9	3	1	-	-	-	-	-	-	-	-	-	1	1	1	-
ty Newington - - S. & L.	26596	22	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eter Walworth W - S. & L.	61342	48	20	2	9	-	-	-	-	1	-	-	-	-	-	3	3	2
Mary Newington - - L. & S.	27866	18	7	3	1	-	-	-	2	1	-	-	-	-	-	-	-	-
lave WH - - - - S.	12723	6	16	1	7	-	-	-	-	-	-	1	-	-	3	4	10	-
her Market W - - S. & L	30612	28	9	3	3	-	-	-	-	-	-	-	-	-	-	1	1	1
ames Bermondsey - - - S.	54070	42	8	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
erhithe WwH - - S. & K.	39255	32	19	-	4	-	-	-	-	-	-	-	-	-	-	-	8	1
erloo-road 1st H - - L. & S.	14031	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
erloo-road 2nd H - - L. & S.	14644	18	7	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
beth Church 1st H - L. & S.	18075	10	16	3	2	-	-	-	1	1	-	-	-	-	-	2	9	-
beth Church 2nd WW - L. & S.	39097	37	24	6	8	-	-	-	1	-	-	-	-	-	-	3	13	1
nington 1st H - - S. & L.	50586	33	18	4	4	-	-	-	-	-	-	-	-	2	1	4	-	-
nington 2nd - - - S. & L.	39708	22	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ton w - - - - L. & S.	73405	38	26	3	4	-	1	3	5	-	-	-	-	-	1	1	9	-
rood WH - - - - L.	25657	12	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - - S.	67244	43	22	5	5	-	1	-	-	2	-	-	-	-	2	3	-	-
Battersea WwH - - S.	83314	63	38	12	9	-	-	-	1	1	-	1	-	2	-	1	13	-
ham H - - - - S.	43698	25	15	2	7	-	-	-	-	-	-	-	-	-	1	1	2	-
dsworth WHHL - - S.	46717	21	19	4	6	-	-	-	-	-	-	-	-	-	-	1	1	-
ey - - - - - S.	17771	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
tham wwww - - - - L.	48756	34	13	4	4	-	-	-	2	-	-	-	-	-	-	-	3	1
wich - - - L. & S.	6309	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
therwell WwL*L* - - S. & L.	81686	53	47	8	16	-	-	-	2	-	-	-	-	-	2	2	26	1
ham WW - - S., L., & K.	83483	61	20	7	3	-	-	-	-	-	-	-	-	-	1	2	1	-
George Camberwell - - L. & S.	63366	47	21	7	2	-	-	-	-	1	-	-	-	1	-	3	-	-
tford, North - - - - K.	35314	24	10	3	3	-	1	-	-	-	-	-	-	-	-	-	-	1
tford, Central w - - - K.	42607	31	19	3	7	-	-	-	5	-	-	2	-	1	-	2	8	1
tford, South - - - - K.	30852	12	13	4	6	-	-	-	-	-	-	-	-	-	-	-	-	1
nwich West H - - - K.	22007	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1
nwich East WH - - - K.	35233	19	20	5	8	-	1	-	-	-	-	-	-	-	2	2	13	-
am wH - - - - K.	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - K.	23541	12	6	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-
isham WH - - - - K.	30950	19	16	1	3	-	-	-	-	-	-	-	-	-	-	-	7	-
nham H - - - - L.	34162	15	10	3	3	-	-	-	-	1	-	-	-	-	-	-	-	1
lon HH - - - - K.	14040	7	5	1	1	-	-	-	-	-	-	-	-	-	2	2	1	-
olwich Dockyard - - - K.	19606	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olwich Arsenal HHHH - K.	21242	14	9	3	3	-	1	-	-	-	-	-	-	-	-	1	-	-
mstead, West H - - - K.	15869	3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
mstead, East WH - - - K.	36567	24	9	1	2	-	-	-	-	-	-	-	-	-	-	2	2	-
stead Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
erham Asylum - - - - -	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	5	-
e Hill Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
pital Ships and Camp, Dartford -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
enth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
well Asylum - - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ney Hatch Asylum - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
chmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
vesden Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-
ybury Asylum - - - - -	-	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 2nd February, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,746	1,422,063	975	421	115	129	–	3	1	12	14	5	6	13	34	35
30:	Carshalton *wHH*	12228	26108	13	6	3	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WwH*	10423	12508	5	5	3	2	–	–	–	–	–	–	–	–	–	–
37: 1	Godstone, *part of* W*	2754	1593	1	–	–	–	–	–	–	–	–	–	–	–	–	–
38: 1	Croydon *WwHHH*	20851	128699	73	35	12	11	–	1	–	1	2	–	–	1	1	2
2	Mitcham *w*	11697	23088	11	5	–	4	–	–	–	–	–	–	–	–	1	–
39: 1	Wimbledon *HHH*	3220	25761	14	7	2	2	–	–	–	–	3	–	–	–	–	–
2	Kingston *WH*	8071	44765	22	13	3	5	–	–	–	–	–	–	1	1	2	1
3	Esher, *part of* HH*	6601	12059	5	3	2	–	–	–	–	–	–	–	1	–	–	–
4	Hampton *H*	4565	18252	9	9	3	4	–	–	–	1	–	–	–	–	–	–
40: 1	Richmond *WH*	2160	25389	8	5	–	2	–	–	–	–	–	1	–	1	1	–
2	Mortlake *H*	2823	16159	10	7	–	3	–	–	–	–	–	–	–	1	2	–
41: 1	Bromley *HHH*	9127	23815	22	5	2	2	–	–	–	–	–	–	–	1	1	–
2	Beckenham *H*	6542	21969	6	5	1	2	–	–	1	–	–	–	–	–	–	–
	Chislhrst, *pt. of* WHH*	14307	20372	9	5	1	–	–	–	–	–	–	–	–	1	1	–
42: 1	Bexley *HHH*	12540	30590	23	13	5	3	–	–	–	–	1	–	–	1	2	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1
124: 1	Sunbury *w*	11054	13671	8	7	2	2	–	–	–	–	–	1	–	–	–	–
2	Staines *WH*	13277	13221	12	4	1	2	–	–	–	–	–	–	–	–	1	–
125: 1	Hillingdon *WHH*	6035	12237	9	2	–	2	–	–	–	–	–	–	–	–	–	1
2	Uxbridge	6172	5417	3	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12313	9	2	1	–	–	–	–	–	–	–	–	–	1	–
126: 1	Isleworth *WBH*	6967	26273	17	10	2	4	–	–	–	–	–	–	–	–	–	1
2	Twickenham *HH*	2415	16027	14	3	–	3	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	22	6	3	1	–	–	–	–	–	–	–	–	2	–
4	Chiswick	1245	21933	15	8	2	3	–	–	–	–	–	–	–	–	1	–
5	Acton *wH*	6132	30945	23	10	–	3	–	–	–	–	1	–	–	–	–	–
127: 1	Harrow *BHH*	13809	15715	7	6	–	4	–	–	–	–	–	–	–	–	–	–
2	Edgware *BH*	6994	3844	3	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	47	8	4	2	–	–	–	–	–	–	–	1	3	–
4	Hendon *WH*	8382	15843	15	9	4	1	–	–	–	1	–	–	–	1	2	5
128: 1	South Mimms *H*	15599	8474	8	2	1	–	–	–	–	1	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	4	5	1	2	–	–	–	–	1	–	–	–	–	–
3	Finchley *HHH*	4688	25820	12	1	–	–	–	–	–	–	–	–	–	–	–	–
129: 1	Hornsey *HH*	3039	61097	35	17	4	10	–	–	–	–	1	–	–	–	–	–
2	Tottenham *H*	4642	97174	69	27	6	8	–	1	–	1	1	–	–	1	3	2
3	Edmonton *Ww*	7489	36851	22	16	4	4	–	–	–	–	–	–	–	–	–	4
4	Enfield *WWHH*	12639	31803	36	12	3	3	–	–	–	–	–	–	–	–	2	3
5	Waltham Abbey	11017	6066	10	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Chesshunt *H*	8480	9620	8	–	–	–	–	–	–	–	–	–	–	–	–	–
135: 1	Hatfield, *part of * W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–		–
137: 1	Bushey *H*	9331	7737	5	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186: 1	Stratford *H*	1100	42983	38	17	4	7	–	–	–	–	–	1	–	1	3	3
2	Plaistow	1242	58030	54	25	12	3	–	–	–	1	–	–	3	–	1	–
3	Canning Town *H*	1558	54750	44	24	10	1	–	–	–	–	1	1	1	1	1	1
4	Forest Gate *w*	806	49140	31	7	2	3	–	–		–	–	–	–	–	1	–
5	East Ham *w*	3266	32713	35	11	2	4	–	–	–	1	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70183	54	20	1	7	–	–	–	2	–	1	–		–	6
7	Walthamstow *HBL*	6501	57330	43	23	5	5	–	1	–	1	1	–	–	–	–	3
187: 1	Chigwell, *part of * H*	11779	12941	3	2	1	1	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–		–
	Romford *part of* WH*	6556	4324	3	–	–	–	–	–	–	–	–	–	–	–		–
189: 1	Ilford	8493	10913	5	3	–	1	–	–	–	–	–	–	–	1	2	
2	Barking Town *H*	3814	14301	18	6	3	–	–	–	–	1	2	–	–	–	–	–
3	Homerton Fever Hosp.	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Middsx. Lunatic Asylum	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 3, Chislhurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1 Chigwell sub-district, except the parishes Theydon Bois (1979); 189: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 187: 3, Watford, and 187: 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd February, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	17·4	1·4	2019	452	566	2	16	12	57	44	14	18	81	512
NNER LONDON -	74,672	4,392,346	19·0	1·4	1598	337	437	2	13	11	45	30	9	12	68	477
UTER RING -	368,749	1,656,209	13·3	1·3	421	115	129	–	3	1	12	14	5	6	13	35

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	February 2	147	120	22·9	–	10	2	–	1	–	–
ASGOW - -	695,876	" 2	422	354	26·5	–	15	7	2	21	3	3
BLIN - -	349,594	" 2	223	214	31·9	5	–	1	–	3	4	3
LCUTTA - -	466,460	November 10	–	–	–	–	–	–	–	–	–	–
MBAY - -	821,764	January 15	227	482	30·5	3	7	?	?	?	133	38
DRAS - -	452,518	December 22	–	–	–	–	–	–	–	–	–	–
RIS - - -	2,424,705	January 26	1145	1208	25·9	–	2	3	7*	1	1	41
USSELS - -	498,400	" 26	249	244	25·5	–	20	2	4*	5	4	17
STERDAM -	446,295	" 26	291	151	17·5	1	1	1	–	2	3	–
TTERDAM -	228,597	" 26	157	82	18·6	–	–	–	–	2	–	–
E HAGUE -	174,790	" 26	104	62	18·4	–	–	–	2	–	–	–
PENHAGEN -	341,000	" 26	195	105	16·1	–	2	3	2	–	–	4
OCKHOLM -	252,937	" 19	127	93	19·1	–	2	2	7*	–	1	1
RISTIANIA -	167,588	" 26	45	74	23·0	–	–	1	1	1	–	5
.PETERSBURG	954,400	" 12	723	425	23·2	1	3	15	17	6	2	32
OSCOW - -	753,469	" 12	–	500	34·6	2	4	13	12	4	12	34
RLIN - -	1,724,544	" 12	–	–	–	–	–	–	–	–	–	–
AMBURG - -	608,710	" 19	400	206	17·6	–	–	4	1*	3	1	4
RESDEN - -	316,600	" 5	–	–	–	–	–	–	–	–	–	–
RESLAU - -	367,769	" 26	–	168	24·0	–	3	2	6*	–	–	9
UNICH - -	396,000	" 26	–	161	21·1	–	1	2	4*	3	–	18
IENNA - -	1,495,764	" 26	–	–	–	–	–	–	–	–	–	–
RAGUE - -	343,822	" 19	208	141	21·3	–	–	–	2	–	4	3
UDA-PESTH -	552,769	" 19	419	280	25·7	–	1	–	5	–	1	8
RIESTE - -	160,825	" 12	114	97	31·4	–	–	1	5*	3	–	4
OME - -	456,664	December 22	235	216	24·7	–	–	–	2	–	8†	9
URIN (10 days)	244,203	January 10	228	257	27·2	–	–	3	8	–	3	11
ENICE -	158,187	" 12	71	86	28·4	–	–	–	2*	3	–	5
AIRO - -	374,838	" 3	–	–	–	–	–	–	–	–	–	–
LEXANDRIA -	231,396	" 3	–	–	–	–	–	–	–	–	–	–
EW YORK -	1,992,715	" 19	–	–	–	–	–	–	–	–	–	–
ROOKLYN -	1,080,600	" 19	–	508	24·5	–	2	–	33	1	4	3
HILADELPHIA	1,139,457	" 19	–	472	21·6	3	–	2	41	1	10	7
EW ORLEANS -	254,000	" 5	–	219	45·0	–	1	–	6	1	19	13

* Including deaths from croup.
† Including 1 death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 2ND FEBRUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point uperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	27	..	29·643	34·0	22·2	11·8	26·9	−12·4	19·5	7·4	11·0	0·0	72	72·5	21·7	40·12	Variable & Calm.	S. SSW. & SW.	0·7	0·0	0·0	131	−205	0·01	0·5
MONDAY	28	..	29·899	30·1	24·7	5·4	27·2	−12·3	16·7	10·5	13·0	5·0	63	42·6	21·1	39·80	SW. WNW. & NNW.	NNW.&NW.	5·2	0·0	0·3	318	− 18	0·06	1·5
TUESDAY	29	In Equator.	30·071	29·8	20·3	9·5	25·6	−14·1	14·3	11·3	13·2	6·0	60	35·0	20·3	39·42	SW. & SSW.	SSW. & NE.	1·1	0·0	0·0	190	−147	0·00	0·0
WEDNESDAY	30	..	30·269	32·0	20·6	11·4	26·2	−13·6	18·2	8·0	10·8	6·0	70	61·0	20·6	39·11	NE. & ENE.	NNE.	5·5	0·0	0·6	435	+ 98	0·02	0·0
THURSDAY	31	..	29·917	33·1	23·4	9·7	27·3	−12·5	20·2	7·1	13·8	4·5	73	55·9	23·0	38·81	N.	N. & NE.	11·5	0·0	1·0	516	+178	0·06	0·0
FEBRUARY. FRIDAY	1	..	29·852	30·7	22·9	7·8	27·1	−12·6	24·3	2·8	6·6	1·0	89	42·7	22·9	38·55	NNE.&ENE.	NE. NNE. & N.	0·7	0·0	0·0	137	−202	0·08	2·0
SATURDAY	2	..	29·774	34·2	19·2	15·0	28·3	−11·4	27·3	1·0	5·2	0·0	96	37·8	19·2	38·35	NNW. N. & NNE.	NE. E. & SE.	1·1	0·0	0·0	167	−173	0·05	0·0
MEANS		..	29·918	32·0	21·9	10·1	26·9	−12·7	20·1	6·9	10·5	3·2	75	49·6	21·3	39·17	SW. & NE.		..	..	..	Sum 1894	Sum − 469	Sum 0·28	0·6
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	27	s. P. throughout	3·9	8·8	Cloudless generally; very cold; hoar frost.
MONDAY	28	Pipe frozen in morning; s. P. afterwards.	0·0	8·9	Overcast till noon; generally cloudless afterwards; hard frost.
TUESDAY	29	s. P. generally	0·0	8·9	Overcast till evening; night fine; hard frost.
WEDNESDAY	30	v. P. and v. N. till noon; s. P. afterwards.	0·8	9·0	Fine generally; occasional slight snow till afternoon; cloudless at night; hard frost.
THURSDAY	31	s. P. in morning; v. P. and v. N. in afternoon and evening.	0·1	9·0	Fine till 11h. A.M.; solar halo between 9h. and 10h. A.M.; overcast from noon with frequent snow; hard frost.
FEBRUARY. FRIDAY	1	v. P. till noon; s. P. afterwards.	0·0	9·1	Overcast; occasional snow.
SATURDAY	2	s. P. till noon; v. P. and v. N. afterwards.	0·0	9·2	Overcast till 6h. P.M., with occasional slight snow; cloudless at night.
			Sum 4·8	Sum 62·9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·58 in. at the beginning of the week to 30·28 in. by 3h. P.M. on the 30th of January; decreased to 29·75 in. by 9h. A.M. on the 2nd of February; and increased to 29·85 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 6. 1895. VOL. LVI.] WEEK ENDING SATURDAY, FEBRUARY 9. [Price 1½*d.*

General Register Office, Somerset House,
February 11th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	TOWNS.	Weeks ending Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.
Birkenhead	18·9	20·9	18·9	23·8	Liverpool - -	28·3	28·0	27·9	30·9
Birmingham	27·9	19·1	16·0	22·3	London - -	20·0	17·6	19·0	21·0
Blackburn -	20·0	15·9	18·4	19·6	Manchester -	23·3	23·0	23·5	24·8
Bolton -	29·3	21·4	23·2	27·1	Newcastle-on-Tyne	21·2	16·6	21·2	19·4
Bradford -	23·3	14·7	19·8	15·0	Norwich - -	22·9	20·4	19·0	22·9
Brighton -	20·5	13·5	24·4	16·6	Nottingham -	17·9	17·9	17·0	18·2
Bristol -	21·9	21·7	18·7	16·7	Oldham - -	19·6	19·2	20·0	17·0
Burnley -	26·2	22·0	18·3	20·9	Plymouth - -	12·9	21·1	21·1	24·0
Cardiff -	14·4	16·4	17·8	22·4	Portsmouth -	20·6	21·8	14·6	19·7
Croydon -	19·5	15·0	11·8	18·1	Preston - -	22·7	24·1	26·8	20·8
Derby -	21·3	15·6	21·8	13·5	Salford - -	24·0	19·0	25·3	20·8
Gateshead -	21·8	15·8	21·8	15·2	Sheffield - -	22·7	18·3	18·6	17·6
Halifax -	25·0	19·5	20·0	21·1	Sunderland -	30·7	20·4	20·4	17·0
Huddersfield	22·0	16·2	16·8	21·5	Swansea - -	21·0	18·3	22·0	21·0
Hull - -	20·5	17·3	17·8	20·2	West Ham - -	18·4	14·6	16·3	15·0
Leeds -	24·9	20·3	20·3	17·5	Wolverhampton -	33·4	23·7	22·5	23·7
Leicester -	15·1	11·3	16·9	14·5					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Halifax, 1·3 in Bolton, 1·4 in Preston, 1·8 in Croydon, and 2·3 in Plymouth; from *whooping-cough*, 1·2 in Blackburn and 2·3 in Plymouth; from "*fever*", 1·1 in Gateshead and 1·5 in Birkenhead; and from *diarrhœa*, 1·6 in Derby. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 67 deaths from *diphtheria* included 34 in London, 5 in Birmingham, 5 in Manchester, 3 in Wolverhampton, and 3 in Liverpool. Three deaths from *small-pox* were registered in London, and one death in Derby, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2736 BIRTHS and 1768† DEATHS were registered. Allowing for increase of population, the births were 175, and the deaths 2, below the average numbers

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·0, 17·6, and 19·0 in the preceding three weeks, further rose last week to 21·0. During the four weeks ending on Saturday last the death-rate averaged 19·4 per 1000, being 4·3 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1768 deaths included 3 from small-pox, 17 from measles, 15 from scarlet fever, 34 from diphtheria, 29 from whooping-cough, 13 from enteric fever, 12 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 123 deaths were referred to these diseases, being 59 below the corrected average weekly number.

The 3 deaths from *small-pox* belonged to St. Marylebone sanitary area. The deaths from *measles*, which had been 35, 21, and 13 in the preceding three weeks, numbered 17 last week, and were 11 below the corrected average; 3 belonged to Poplar, and 3 to Greenwich sanitary areas. The deaths from *scarlet fever*, which had been 9, 7, and 11 in the preceding three weeks, further rose last week to 15, but were 3 below the corrected average; 2 each belonged to St. Pancras, Islington, and Camberwell sanitary areas. The deaths from *diphtheria*, which had been 31, 29, and 45 in the preceding three weeks, declined again to 34 last week, but were 2 above the corrected average; 4 belonged to Poplar, 4 to Battersea, 4 to Greenwich, 3 to St. Pancras, 3 to Limehouse, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 21, 27, and 30 in the preceding three weeks, numbered 29 last week, being 48 below the corrected average; 5 belonged to Limehouse sanitary area. The fatal cases of *enteric fever*, which had declined in the preceding three weeks from 20 to 9, increased again last week to 13, and exceeded the corrected average by 6; 2 belonged to Hampstead, 2 to Stoke Newington, and 2 to the City of London sanitary areas.

The deaths attributed directly to *influenza* numbered 13, having been 15, 11, and 16 in the preceding three weeks.

The deaths referred to diseases of the respiratory organs, which had been 399, 324, and 377 in the preceding three weeks, further rose last week to 480, and were 9 above the corrected average.

The 81 deaths from different forms of violence included 19 by burns and scalds, 3 by poison (2 of which resulted from chloroform administered for operations), and 17 (of infants under one year of age) by suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 56 cases of small-pox, 1667 of scarlet fever, 500 of diphtheria, and 117 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 18 cases, against 6, 8, and 21; of scarlet fever, 149 cases, against 154, 186, and 160; of diphtheria, 49 cases, against 74, 72, and 76; and of enteric fever, 14 cases, against 23, 23, and 11.

Greater London.

In Greater London 3721 births and 2241 deaths were registered, corresponding to annual rates of 32·1 and 19·3 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 7 from diphtheria, 3 from "fever," and 5 from diarrhœa were recorded. Of the 5 deaths from measles, 4 occurred in Croydon district. The 7 deaths from diphtheria included 3 in West Ham, 2 in Edmonton, and 2 in Bromley districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 22°·4, the latter being 17°·0 below the week's average in the 50 years 1841–90. The direction of the wind was Easterly, the horizontal movement of the air being 29 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 16·4 hours; rain or melted snow was measured to the amount of 0·02 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of January 1895. The supply was in the ratio of 242 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	January. 1894.	January. 1895.	January. 1894.	January. 1895.
Total Supply	801,196	812,595	202,442,984	196,989,975
From Thames	386,895	392,719	101,347,786	99,695,849
From Lea and from other Sources	414,301	419,876	101,095,198	97,294,126
Thames.				
Chelsea	36,776	36,941	11,550,864	11,255,444
West Middlesex	77,197	78,486	18,869,914	19,335,363
Southwark and Vauxhall	116,153	117,385	31,885,631	31,056,666
Grand Junction	58,773	59,495	17,972,267	16,564,220
Lambeth	97,996	100,412	21,069,110	21,484,156
Lea and other Sources.				
New River	157,413	158,210	37,340,000	33,627,000
East London	176,644	180,312	47,305,627	48,413,589
Kent	80,244	81,354	16,449,571	15,253,537

Note.—The Return for January 1895, as compared with that for the corresponding month of 1894, shows an increase of 11,399 services and a decrease of 5,453,009 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during January, 1895.

Water-analysis Laboratory, The Yews, Reigate,
4th February, 1895.

Sir,

I have to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of January.

At the request of the Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Mills of Glasgow and Dr. Hill of Birmingham.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·7, Tottenham 1·3, East London (deep-well) 1·8, Colne Valley 1·9, New River 2·3, Grand Junction 3·8, Southwark and Lambeth 3·9, West Middlesex 4·1, Chelsea and East London (river supply) 4·4. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·1, New River Cut 1·9, and the Lea at Angel Road 4·0.

The Thames at Hampton was, on January 4th, turbid and pale yellow in colour and of fairly good chemical quality. Bacterially, however, it was of very inferior quality, and still much worse on the 21st of January, when a second sample was taken. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered, and of good chemical quality. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·54, West Middlesex 99·20, Southwark (No. 4 filter well) 92·52, (No. 8 filter well) 98·84, Grand Junction (general well at Hampton) 98·53, (general well at Kew) 99·71, (Kew south well) 99·73, and Lambeth 97·53.

The New River Cut before entering the subsidence and storage reservoirs was, on January 7th, turbid and of a very pale yellow colour. It possessed a high degree of organic purity, but was bacterially of very inferior quality. It was, however, in this respect considerably improved by storage before filtration. After treatment, the New River Company delivered it in a clear and bright condition, and improved it bacterially to the extent represented by the following percentage numbers:—General filter well 89·78, No. 2 filter well 97·87, and No. 8 filter well 91·09. The water abstracted from the Lea at Angel Road by the East London Company was pale yellow and turbid. It was of almost exactly the same chemical quality as the Thames at Hampton, but much inferior in bacterial quality. It was efficiently filtered before delivery, but was then somewhat inferior in respect of organic purity to the raw river water passing the intake on that day. The bacterial improvement is expressed by the following percentage numbers:—No. 1 Essex well 98·88, No. 2 Essex well 99·16, Middlesex well, 99·09, No. 11 filter 99·15, and No. 12 filter 99·35.

The deep-well waters of the Kent, East London, and Colne Valley Companies, and of the Tottenham Local Board of Health, possessed a high degree of organic purity and were of excellent quality for dietetic purposes. All these waters, with the exception of the Tottenham, were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery and thus rendered suitable for washing. The Tottenham Company's supply was very slightly turbid.

Seen through a stratum two feet deep, the Kent, Colne Valley, and East London (deep-well) waters were clear and colourless, the Tottenham colourless and very slightly turbid, the New River clear and very pale yellow, and the remaining waters clear and pale yellow.

The bacterioscopic examination of the raw river water before and after storage, and of the supplies of the various Companies collected on the 4th, 5th, 7th, 8th, 21st, and 22nd of January gave the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, January 4th	16,520	1°5
" " January 21st	50,040	4·6
" after storage for 14·7 days (Chelsea Company)	780	2·5
New River Cut before entering reservoirs, January 7th	6,400	3·3
" " after storage before filtration, January 7th	4,680	1·3
" " " " " January 22nd	10,520	3·7
East London Company's intake at Angel Road, January 7th	23,400	1·8
" " " " Lea Bridge, January 7th	5,540	1·4
" " " " " January 22nd	3,980	1·7
Filtered River Water as supplied.		
Thames.		
Chelsea, general filter well, January 4th	76	2·3
West Middlesex, general filter well, January 5th	132	2·0
" " " January 21st	61	3·7
Southwark, No. 4 filter well, January 4th	1,236	2·5
" " " January 21st	560	4·8
" No. 8 filter well, January 4th	192	1·4
" " " January 21st	190	4·3
Grand Junction, general well at Hampton, January 4th	176	1·5
" " " " January 21st	894	4·3
" " " Kew Bridge, January 5th	48	3·5
" south well at Kew Bridge, January 5th	44	3·7
Lambeth, general well, January 4th	408	2·5
Lea.		
New River, general well, January 7th	654	1·5
" " January 22nd	208	3·3
" No. 2 filter well, January 7th	136	1·4
" No. 8 filter well, January 7th	570	1·1
" No. 1 filter well January 22nd	70	3·3
" No. 7 filter well, January 22nd	52	3·4
East London, No. 1 Essex well, January 7th	262	1·2
" " " January 22nd	2,240	1·9
" No. 2 Essex well, January 7th	198	1·4
" " " January 22nd	5,120	2·3
" Middlesex well, January 7th	214	1·3
" " " January 22nd	2,052	2·4
" No. 11 bed, January 7th	200	1·4
" No. 12 bed, January 7th	152	1·3
Deep Well.		
Kent, new well at Deptford, January 8th	7	11·3

Notwithstanding that the numbers in the above table yielded by the filtered river waters exhibit an enormous reduction, when they are compared with the numbers obtained by the cultivation of the raw river waters, the results are still far from satisfactory, and quite without precedent during the time these bacterioscopic observations have been made. On the 5th of January the filters of the Chelsea and Grand Junction (Kew Bridge) Companies were alone yielding water of satisfactory bacterial quality; whilst some of the filters of the remaining Companies drawing from rivers were yielding on the 4th, 5th, and 7th of January numbers of microbes per c.c. much in excess of those almost invariably found in the water from the same filters. This abnormal bacterial quality in the filtered waters led me to have a second series of samples taken on the 21st and 22nd of January, and the cultivation of these samples upon gelatine peptone plates yielded in some cases better, in others worse, results than those obtained from the samples collected on the earlier dates Thus the water of the general filter well of the West Middlesex Company, which contained 132 microbes per c.c. on the 5th of January, contained only 61 on the 21st; whilst the water from the New River Company's general well, which contained 654 microbes per c.c. on the 7th, contained only 208 on the 22nd of January. On the other hand, the Grand Junction Company's water, taken from the general well at Hampton on the 4th of January, contained only 176 microbes per c.c.; but, on the 21st, 894 per c.c. Again, the water from the East London Company's No. 1 Essex well, which contained 262 microbes per c.c. on the 7th instant, was found to contain nearly 10 times this number per c.c. on the 22nd; and the water of No. 2 Essex well, which contained only 198 microbes per c.c. on the 7th of January, contained no less than 5,120 on the 22nd, a number which considerably exceeds that contained in the unfiltered water on the same day. There can be no doubt that these abnormal results are due entirely to the prevalence of cold weather and not to any defects in the filtration plant. Nothing of an injurious character was found amongst these microbes. They were ordinary river microbes which, in a state of suspended animation, owing to the low temperature, were unable to attach themselves to the particles of sand on the surface of the filter and were carried along by the water through the interstices.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very slightly turbid and of a yellowish green colour in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.
E. Frankland.

The Registrar General, &c. &c.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	January 4th. Grand Junction Co.'s intake at Hampton.	1·5	33·88	·202	·038	·016	·323	·374	1·8	21·5
	Chelsea - -	January 8th. Cab Rank, Horse Guards, Whitehall.	3·8	34·14	·228	·031	0	·293	·324	1·7	21·8
	West Middlesex -	January 8th. Cab Rank, Riding House-street.	3·0	34·50	·221	·021	0	·318	·339	1·7	22·1
	Southwark -	January 8th. Cab Rank, St. George's Church, Borough.	3·7	34·40	·204	·027	0	·336	·363	1·8	22·4
	Grand Junction -	January 8th. Cab Rank, Portman-street, Oxford-street.	4·1	35·42	·205	·020	0	·349	·369	1·8	22·4
	Lambeth - -	January 8th. Cab Rank, St. George's-road, Southwark.	3·3	34·80	·197	·034	0	·354	·388	1·8	22·4
	LEA. (Unfiltered water) -	January 7th. New River Cut at Green-lanes.	3·3	33·80	·089	·023	·001	·375	·399	1·7	23·3
	New River - -	January 8th. Cab Rank, Tottenham Court-road.	2·5	33·90	·126	·012	0	·374	·386	1·7	22·4
	(Unfiltered water) -	January 7th. East London Co.'s intake at Angel-road.	1·8	39·52	·193	·043	·024	·309	·363	2·1	25·4
	East London -	January 8th. Cab Rank, Sidney-street, E.	1·6	39·98	·232	·026	0	·303	·329	2·1	25·4
	DEEP WELLS. Kent - - -	January 8th. Police Station, Blackheath-road.	12·4	43·44	·037	·007	0	·484	·491	2·5	27·2
Outer Circle.	Colne Valley - -	January 14th. Bushey.	—	21·14	·092	·023	·052	·472	·538	2·2	8·6
	Tottenham - -	January 12th. Tottenham.	—	41·40	·037	·011	·056	·026	·083	2·9	24·2
	East London - -	January 22nd. Chingford well.	—	28·48	·091	·015	0	trace	·015	2·1	19·1
Corporation of Birmingham* - - -		January 9th. 8 Court, Rea-street.	2·8	28·70	·250	·050	·001	·130	·181	1·8	19·3
Corporation of Glasgow† -		January 15th. Loch Katrine water.	3·4	2·68	·172	·029	0	·035	·034	0·7	0·8
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 8th of January at the Horse Guards cab rank, had a temperature of 3°·8 C.; 100,000 lbs. of it contained 34·14 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·228 lb. of carbon and ·031 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·293 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·324 lb. The above weight of water also contained 1·7 lb. of chlorine and 21·8 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 9th February 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 9th Feb. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6870	4210	937	1199	4	56	32	67	78	36	39	167	379	881	86	20·7	1·5	37·0	0·7	23·2	−4·9	0·37	0·94	33 Towns.
London	4,892,346	2736	1768	386	534	3	17	15	34	29	13	12	81	195	480	16	21·0	1·5	34·1	6·9	22·4	−5·3	0·02	0·05	London.
West Ham	249,473	164	72	20	16	–	–	1	1	–	–	–	2	4	7	2	15·0	0·4	–	–	–	–	–	–	West Ham.
Croydon	114,923	60	40	5	20	–	4	–	–	1	1	–	3	8	5	–	18·1	2·7	35·5	0·7	19·9	−6·7	0·01	0·03	Croydon.
Brighton	119,604	64	38	6	11	–	2	–	1	–	–	–	2	3	11	–	16·6	1·3	36·0	17·4	25·2	−3·8	0·02	0·05	Brighton.
Portsmouth	174,751	96	66	12	23	–	2	–	–	–	–	1	3	9	12	1	19·7	0·9	35·0	17·0	25·0	−3·9	0·02	0·05	Portsmouth.
Plymouth	89,096	62	41	9	15	–	4	–	–	4	–	–	1	3	–	–	24·0	4·7	–	–	–	–	–	–	Plymouth.
Bristol	228,199	155	73	18	28	–	–	–	–	1	–	–	3	9	12	1	16·7	0·2	35·0	6·0	20·6	−6·3	0·00	0·00	Bristol.
Cardiff	155,637	105	67	20	16	–	–	–	–	2	–	1	7	11	12	–	22·4	1·0	–	–	–	–	–	–	Cardiff.
Swansea	97,608	73	39	12	6	–	–	–	–	–	–	–	1	3	3	–	21·0	–	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	73	39	10	10	–	–	–	3	–	–	–	1	2	10	–	23·7	1·8	35·6	4·1	21·2	−6·0	0·00	0·00	Wolverhampton.
Birmingham	496,751	260	212	44	61	–	–	–	5	9	1	1	4	6	42	13	22·3	1·7	–	–	–	–	–	–	Birmingham.
Norwich	107,127	65	47	13	14	–	–	–	1	1	1	–	2	7	8	1	22·9	1·5	35·6	4·0	25·0	−3·9	0·12	0·30	Norwich.
Leicester	193,889	113	54	14	16	–	–	–	2	3	–	–	1	5	6	1	14·5	1·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	163	79	23	25	–	–	2	–	2	–	–	1	8	4	1	18·2	0·9	35·6	2·0	23·1	−4·9	0·03	0·08	Nottingham.
Derby	100,272	82	26	7	5	1	–	–	1	–	–	3	–	2	4	1	13·5	2·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	57	49	8	9	–	–	1	1	–	3	–	2	4	9	1	23·8	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	381	299	55	65	–	2	2	3	3	4	6	21	26	69	14	30·9	2·1	36·9	11·6	23·8	−4·6	0·00	0·00	Liverpool.
Bolton	119,337	86	62	15	24	–	3	–	–	1	–	–	2	6	5	–	27·1	1·7	–	–	–	–	–	–	Bolton.
Manchester	524,865	387	250	52	58	–	5	6	5	8	4	5	8	15	60	3	24·8	3·3	–	–	–	–	–	–	Manchester.
Salford	208,253	14	83	15	22	–	2	1	1	1	–	1	2	4	20	1	20·8	1·5	–	–	–	–	–	–	Salford.
Oldham	141,079	85	46	16	8	–	1	–	–	3	–	–	1	4	5	1	17·0	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	57	40	7	12	–	–	1	–		1	1	–	1	7	1	20·9	2·6	–	–	–	–	–	–	Burnley.
Blackburn	127,615	71	48	10	14	–	–	–	–	3	2	2		1	8	3	19·6	2·9	–	–	–	–	–	–	Blackburn.
Preston	112,638	80	45	7	15	–	3	–	1	–	–	–	–	–	4	5	20·8	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	47	41	11	14	–	–	–	1	1	–	–	–	–	1	1	21·5	1·0	37·0	1·0	22·8	−5·1	0·03	0·08	Huddersfield.
Halifax	93,813	43	38	11	16	–	2	–	1	–	–	1	–	2	4	1	21·1	2·2	–	–	–	–	–	–	Halifax.
Bradford	226,284	113	65	11	25	–	–	1	–	–	–	2	–	–	10	3	15·0	0·7	36·8	9·4	25·5	−3·6	0·04	0·10	Bradford.
Leeds	395,546	240	133	27	35	–	1	1	1	–	1	1	5	13	10	–	17·5	0·7	–	–	–	–	–	–	Leeds.
Sheffield	342,768	280	116	32	24	–	4	–	1	–	1	1	1	2	21	7	17·6	1·1	–	–	–	–	–	–	Sheffield.
Hull	236,722	139	84	22	17	–	1	1	1	–	–	–	5	8	14	7	20·2	0·7	37·0	5·0	24·4	−4·2	0·08	0·20	Hull.
Sunderland	137,705	93	45	12	11	–	–	–	1	2	–	1	2	4	7	–	17·0	1·5	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	68	28	13	5	–	–	–	2	2	2	–	1	4	2	–	15·2	3·3	–	–	–	–	–	–	Gateshead.
Newcastle	267,021	129	77	14	25	–	3	–	–	–	2	–	4	10	9	1	19·4	1·3	–	–	–	–	–	–	Newcastle.

TABLE 2. LONDON.—**Births and Deaths** Registered in the SIXTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2913	2739	2563	2830	2772	2707	2814	2651	2884	2709	2911·0	2736
Males . .	1473	1363	1315	1383	1433	1373	1371	1356	1468	1403	1471·5	1381
Females .	1440	1376	1248	1447	1339	1334	1443	1295	1416	1301	1439·5	1355
TOTAL **Deaths**	1525	1983	1418	1838	1460	1749	1673	2010	1579	1532	1769·6	1768
Males . .	766	972	697	914	721	886	880	992	757	781	883·0	880
Females .	759	1011	721	924	739	863	793	1018	822	751	836·6	888

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.
TOTAL **Births**	2494	2704	2550	2599	2597	2703	1950	3085	2922	2818	2612	2587	2736
TOTAL **Deaths**	1275	1326	1347	1614	1550	1448	1434	1462	1622	1689	1481	1598	1768
Ages at Death: Under 1 year	341	316	364	370	347	316	352	348	369	370	311	337	386
1— 5 years	172	167	207	208	207	185	191	194	200	205	151	192	188
5—20 "	92	86	78	86	92	77	71	85	90	96	80	87	82
20—40 "	163	207	165	248	213	193	205	221	224	197	190	221	237
40—60 "	228	246	249	321	284	297	254	248	288	331	314	324	341
60—80 "	236	250	284	318	341	314	277	297	360	390	362	373	442
80 years & upwards	43	54	50	68	66	66	84	69	91	100	73	64	92
Deaths from—													
Small-pox	–	–	–	–	–	1	1	–	–	1	–	2	3
Measles	22	21	29	36	32	35	46	34	30	35	21	13	17
Scarlet fever	8	14	19	18	13	14	14	14	12	9	7	11	15
Diphtheria	44	48	54	57	53	36	35	50	34	31	29	45	34
Whooping-cough	8	11	26	23	25	26	14	23	35	21	27	30	29
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric fever	21	23	18	17	24	25	32	17	16	20	16	9	13
Simple Continued fever	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	23	15	25	14	11	15	7	14	15	16	10	12	12
Cholera	–	–	–	–	1	–	–	–	–	–	1	–	–
All the above Diseases	126	132	171	165	159	152	149	152	142	133	112	122	123
Dis. of Respiratory System	245	261	263	338	358	325	352	319	389	399	324	377	480
Phthisis	133	166	125	187	132	140	144	155	159	139	161	166	157
Dis. of Circulatory System	131	105	100	158	158	140	99	129	161	162	162	161	160
Violence	51	41	37	67	76	73	70	72	77	76	58	68	81
Inquest Cases	118	111	98	152	152	141	147	176	155	173	149	160	195
Deaths in Public Institutions	363	412	405	466	471	410	381	411	439	432	462	477	480
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean	47·0	44·0	40·3	39·8	45·4	43·9	43·0	34·3	29·8	40·4	35·6	26·9	22·4
Mean of Highest readings	52·4	51·1	44·0	44·0	48·8	49·1	46·7	37·1	32·5	44·0	41·2	32·0	29·5
Mean of Lowest readings	42·2	36·7	35·5	34·0	41·1	38·2	39·0	30·9	27·2	35·6	29·8	21·9	14·9
Humidity of the Air	87	89	87	91	88	83	87	81	87	89	84	75	68
Rain-fall (in inches)	2·03	0·13	0·00	0·17	0·97	0·59	0·22	0·20	0·01	0·72	0·54	0·28	0·02
Registered Sunshine (in hours)	20·4	15·6	2·7	4·4	4·4	3·0	1·7	0·2	1·7	4·7	6·4	4·8	16·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	42	33	31	32	22	15	16	23	28	32	35	51	56
Scarlet fever	2254	2198	2148	2142	2034	1931	1890	1779	1713	1653	1662	1653	1667
Diphtheria	547	531	520	515	523	512	523	499	517	514	528	519	500
Enteric fever	96	99	99	101	101	97	105	112	107	115	121	115	117

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 6th Week of the 10 years 1885–94.*	In the Week ending Saturday, 9th February 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1769·6	1768	386	188	82	237	341	442	92
Small-pox { Vaccinated† -	0·9	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	1·5	3	2	1	-	-	-	-	-
Small-pox { No Statement	1·3	-	-	-	-	-	-	-	-
Measles - - - -	28·2	17	7	10	-	-	-	-	-
Scarlet Fever - -	17·9	15	3	9	3	-	-	-	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - -	27·7	13	-	-	-	3	4	5	1
Whooping-cough - -	77·1	29	11	18	-	-	-	-	-
Diphtheria - - -	32·0	34	2	26	5	1	-	-	-
Simple Continued and Ill-defined Fever	0·5	-	-	-	-	-	-	-	-
Enteric Fever -	7·3	13	-	-	3	7	2	1	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	14·6	12	7	3	-	-	-	1	1
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	1	1	-	-			-	-
Venereal Affections -	11·3	17	12	1	1	2		1	-
Erysipelas - -	7·6	1	1	-	-	-	-	-	-
Pyæmia and Septicæmia	2·3	4	1	-	2	1	-	-	-
Puerperal Fever - -	6·5	4	-	-	-	4	-	-	-
Other Zymotic Diseases	1·8	-	-	-	-	-	-	-	-
Thrush - - - -	1·9	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·1	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·0	2	2	-	-	-	-	-	-
Alcoholism - - -	6·6	5	-	-	-	2	2	1	-
Rheumatic Fever, Rheumatism of Heart	9·3	5	1	-	1	1	2	-	-
Rheumatism - -	2·1	1	-	-	-	1	-	-	-
Gout - - - -	3·3	1	-	-	-	-	-	1	-
Rickets - - - -	4·6	5	1	4	-	-	-	-	-
Cancer - - - -	57·8	81	-	-	2	4	35	38	2
Tabes Mesenterica -	19·9	19	18	4	2	-	-	-	-
Tubercular Meningitis -	22·6	23	7	16	3	2	-	-	-
Phthisis - - -	175·4	157	-	-	7	85	50	15	-
Scrofula, Tuberculosis -	17·9	12	4	1	3	2	1	-	1
Other Constitutional Diseases - - -	11·8	11	-	1	1	1	4	4	-
Premature Birth - -	46·1	56	56	-	-	-	-	-	-
Atelectasis - - -	3·0	9	9	-	-	-	-	-	-
Congenital Malformations - - - -	6·9	9	6	1	2	-	-		
Old Age - - - -	55·1	53	-	-	-	-	-	18	35
Apoplexy - - -	46·4	45	2	-	-	4	9	24	6
Epilepsy - - -	9·0	11	-	-	2	3	2	4	-
Convulsions - - -	46·6	32	30	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	89·1	97	18	10	4	11	25	31	3

CAUSES OF DEATH.	Corrected Averages for the 6th Week of the 10 years 1885–94.*	In the Week ending Saturday, 9th February 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·3	3	-	-	2	1	-	-	
Diseases of Circulatory System - - -	149·1	160	3	-	10	30	42	63	
Croup - - - -	10·7	5	1	3	1	-	-	-	
Bronchitis - - -	299·1	307	47	20	2	15	62	142	
Pneumonia - - -	120·8	120	25	30	1	16	20	21	
Pleurisy - - - -	5·5	8	-	-	1	1	3	3	
Other Diseases of Respiratory System - -	34·8	40	8	6	4	4	12	6	
Dentition - - -	14·0	11	5	6	-	-	-	-	
Quinsy, Sore Throat -	1·3	-	-	-	-	-	-	-	
Enteritis - - -	7·5	17	9	-	2	1	3	2	
Peritonitis - - -	6·0	3	-	-	2	1	-	-	
Diseases of Liver - -	27·1	24	-	-	-	2	11	9	
Other Diseases of Digestive System - -	28·4	38	10	3	1	9	6	9	
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	1	-	-	1	-	-	-	
Diseases of Urinary System - - -	44·4	58	1	1	1	6	24	23	
Diseases of Generative System - - -	5·2	5	-	-	-	2	3	-	
Accidents of Childbirth -	4·3	5	-	-	-	4	1	-	
Diseases of Locomotive System - - -	7·1	2	-	-	1	1	-	-	
Diseases of Integumentary System - -	6·2	4	-	-	-	-	-	3	
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	52·9	2	-	-	-	1	1	-	
By Vehicles or Horses -		5	-	-	-	1	-	4	
In Ships, Boats, Docks (exclusive of Drowning) - - - -		5	-	-	-	2	2	1	
In Building Operations -		-	-	-	-	-	-	-	
In Conflagrations - -		1	-	-	1	-	-	-	
By Burns, Scalds, Explosions - - -		19	-	8	7	1	1	-	
By Drowning - -		3	-	-	1	1	1	-	
By Suffocation in Bed -		17	17		-	-	-	-	
By Poisons or Poisonous Vapours - - -		3	-	-	-	-	3	-	
Other or not stated Causes - - -		20	4	-	3	3	6	2	
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·8	1	-	-	-	1	-		
Suicide - - - -	7·4	5	-	-	-	-	3	2	
Execution - - -	-	-	-	-	-	-	-	-	
OTHER CAUSES - -	55·1	74	65	4	-	-	1	3	

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. Wh the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registe practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murd manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 9th February 1895.

TABLE 5. LONDON.* – POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES, SCARLE[T] during the Week endin[g]

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Unverified Causes of
LONDON	4,211,743	2736	1768	386	534	3	17	15	34	29	–	13	–	12	81	195	480	1
WEST DISTRICTS	740,735	387	326	63	112	–	1	1	4	5	–	–	–	–	13	29	91	
NORTH DISTRICTS	993,884	643	377	73	118	–	1	6	9	4	–	7	–	4	14	45	95	1
CENTRAL DISTRICTS	247,538	137	93	28	16	–	1	–	–	2	–	3	–	–	9	14	32	1
EAST DISTRICTS	705,114	521	310	71	88	–	7	1	7	10	–	–	–	–	22	51	100	
SOUTH DISTRICTS	1,524,472	1048	612	149	182	–	7	5	14	8	–	3	–	8	23	56	117	13
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	45	2	18	3	–	2	–	–	–	–	–	–	–	–	45	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	57	27	9	8	–	–	–	–	1	–	–	–	–	1	3	3	–
St. John Paddington *H* – G.J.	33687	8	25	2	7	–	–	–	–	1	–	–	–	–	2	5	15	–
Kensington Town *Ww* – W.M.	118751	44	62	12	26	–	1	–	–	1	–	–	–	–	–		28	–
Brompton *HH* – W.M. & C.	47557	15	12	–	4	–	–	–	–	–	–	–	–	–	2	2	6	–
St. Peter Hammersmith – W.M.	8533	8	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	38653	54	40	15	9	–	–	–	–	–	–	–	–	–	2	3	5	–
Fulham *Ww* – W.M. & C.	91639	71	46	11	14	–	–	1	1	–	–	–	–	–	2	4	9	–
Chelsea Kensal Town – C.	21737	17	6	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Chelsea North *WHHHHH* – C.	41637	30	20	3	6	–	–	–	–	–	–	–	–	–	1	1	7	–
Chelsea South *HH* – C.	32829	11	18	2	8	–	–	–	2	–	–	–	–	–	–	–	1	–
May Fair *WH* – G.J.	23733	1	17	1	10	–	–	–	1	–	–	–	–	–	–	–	8	–
Belgrave *WHHH* – C.	54331	23	23	3	7	–	–	–	–	1	–	–	–	–	1	2	5	–
St. John Westminster *HH* – C.	34106	17	13	1	4	–	–	–	–	1	–	–	–	–	2	2	2	–
St Margaret Westminster *H* – C.	21668	11	3	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–
St. James Westminster *WHHH* N.R. & G.J.	24995	12	8	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Anne Soho *HHHHHH* – N.R.	12317	8	3	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* – W.M.	37713	14	17	2	4	–	–	–	–	–	–	–	–	–	2	4	8	–
Rectory Marylebone *WH* G.J. & W.M.	20024	11	10	2	5	–	–	1	–	–	–	–	–	–	–	–	–	–
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	22	15	6	8	–	–	–	–	–	–	–	–	–	1	4	3	–
Christchurch Marylebone *H* – W.M.	33327	26	17	9	2	–	–	–	–	–	–	–	–	–	1	4	1	1
St. John Marylebone – W.M.	32101	22	9	1	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	21	19	1	2	–	–	3	2	–	–	3	–	–	–	–	10	–
Regent's Park Pancras *HH* – W.M.	36590	18	10	1	2	–	–	–	–	1	–	–	–	–	1	1	1	–
Tottenham-court *wHHH* N.R. & W.M.	26331	8	17	1	2	–	–	–	2	–	–	–	–	–	2	4	11	–
Gray's Inn Lane *HHH* – N.R.	27455	33	10	3	2	–	–	–	1	–	–	1	–	–	–	–	4	–
Somers Town *HH* – N.R.	32829	18	8	3	1	–	–	–	–	–	–	–	–	1	1	2	2	–
Camden Town *WH* – N.R.	15419	10	13	2	6	–	–	–	–	–	–	–	–	1	–	1	7	–
Kentish Town *WW* – N.R.	95765	65	30	9	10	–	–	–	1	–	–	–	–	–	3	6	2	–
Upper Holloway *WWWwHHH* – N.R.	99235	74	59	12	21	–	–	–	–	–	–	–	–	–	1	3	33	–
Islington South-west *H* – N.R.	105557	79	37	8	11	–	–	1	–	–	–	–	–	1	2	9	–	–
Islington South-east – N.R.	64158	47	25	2	12	–	–	–	–	1	–	–	–	–	–	–	–	–
Highbury *HH* – N.R.	59193	31	13	1	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Stoke Newington *H* – N.R.	30936	15	4	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Stamford Hill – E.L.	17759	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* – N.R.	42602	27	11	1	4	–	–	–	1	–	–	1	–	–	–	–	–	–
Hackney *WwwH* – E.L. & N.R.	96486	65	40	7	11	–	–	1	2	1	–	1	–	1	–	7	14	–
South Hackney *wH* – E.L.	41759	26	11	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury – N.R.	16895	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* – N.R.	13454	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles North *H* – N.R.	9633	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	7	1	–	–	–	–	–	1	–	–	–	–	1	2	3	–
St. Mary-le-Strand *H* – N.R.	5706	2	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Clement Danes *WH* – N.R.	7194	3	10	4	–	–	–	–	–	–	–	1	–	–	1	2	4	–
Strand Union Workhouse, Edmonton –	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	–
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	8	7	2	–	–	–	–	–	–	–	–	–	–	–	–	6	–
St. Andrew Eastern *WH* – N.R.	15343	11	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell – N.R.	16803	17	5	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1
Amwell Clerkenwell – N.R.	16883	12	5	3	1	–	–	–	–	1	–	–	–	–	1	1	–	–
Pentonville – N.R.	17155	10	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Goswell-street – N.R.	15375	12	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City-road *HHHL* – N.R.	29177	32	12	2	3	–	–	–	–	–	–	–	–	–	1	2	1	–
Whitecross-street – N.R.	8278	8	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Finsbury – N.R.	4985	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Holborn Union Workhouse, Mitcham –	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H* – N.R. & E.L.	8944	6	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cripplegate – N.R.	4539	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – N.R.	4444	2	15	4	3	–	–	–	–	–	–	–	–	–	3	3	12	–
St. Bride *W* – N.R.	6594	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aldgate Barking – N.R.	10422	3	6	1	3	–	–	–	–	–	–	1	–	–	–	–	–	–
Broad Street *H* – N.R.	3377	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *w*—Lunatic Asylum; *L*—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K., the Kent Company.

See note † on first page of this Return.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 9th February, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
horeditch South *HL** E.L. & N.R.	20098	5	5	-	3	-	-	-	-	-	-	-	-	-	-	2	1	-
otton New Town *w* - - - N.R.	29313	26	11	3	5	-	-	-	-	1	-	-	-	-	-	1	3	-
otton Old Town - - - N.R.	28354	25	12	5	2	-	-	-	-	1	-	-	-	-	-	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	40	21	7	3	-	2	-	-	1	-	-	-	-	3	6	8	-
Bethnal Green North *H* - E.L.	51520	35	13	4	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Bethnal Green South - - E.L.	33489	32	10	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East *WHL** - E.L.	44123	31	25	6	10	-	-	-	-	-	-	-	-	-	-	4	11	-
pitalfields - - - E. - N.R.	22456	15	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W* - - E.L.	17908	13	11	2	4	-	-	-	-	-	-	-	-	-	-	1	8	-
Whitechapel Church *H* E.L. & N.R.	20298	14	22	1	1	-	-	-	1	-	-	-	-	-	9	13	18	-
Goodman's Fields - - - E.L.	13800	8	7	1	1	-	-	-	-	1	-	-	-	-	1	3	-	-
St. George's, North - - - E.L.	37738	28	14	5	2	-	-	-	-	-	-	-	-	-	1	2	-	-
St. John, St. George East *W* - E.L.	8057	2	14	1	4	-	-	-	-	-	-	-	-	-	-	-	12	-
Shadwell *H* - - - E.L. & N.R.	40246	12	10	6	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Ratcliff *W* - - - - - E.L.	14928	16	9	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-
Limehouse - - - - - E.L.	32202	26	16	2	5	-	-	-	1	3	-	-	-	-	-	3	-	-
Mile End Old Town West *H* - E.L.	38650	22	7	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-
Mile End Old Town East *WWwwH* E.L.	68942	45	20	5	11	-	-	1	-	-	-	-	-	-	-	-	6	-
Bow *L** - - - - - E.L.	40365	26	10	1	1	-	-	-	-	-	-	-	-	-	3	4	-	-
Bromley *wwwH* - - - - E.L.	70000	51	46	8	16	-	2	-	3	-	-	-	-	-	3	8	20	-
Poplar *WW* - - - - E.L.	56883	49	22	7	7	-	1	-	1	-	-	-	-	-	1	2	4	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13264	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark - - S.	13913	10	6	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Kent-road - - - S. & L.	21867	21	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-	3
Borough-road *WH* - - S. & L.	16624	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London-road *HL* - - L. & S.	21221	16	9	2	6	-	-	-	-	-	-	-	-	-	-	3	-	-
Trinity Newington - - S. & L.	26596	20	8	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	41	24	8	6	-	-	-	-	-	-	-	-	1	-	3	1	1
St. Mary Newington - - L. & S.	27866	18	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - S.	12723	7	20	4	3	-	-	-	-	-	-	-	-	-	3	5	11	-
Leather Market *W* - - S. & L	30612	19	19	4	3	-	-	-	-	1	-	-	-	-	-	1	2	-
St. James Bermondsey - - S.	54070	37	20	3	6	-	-	-	-	-	-	-	-	1	2	3	-	-
Rotherhithe *WwH* - S. & K.	32255	30	12	4	5	-	-	-	-	-	-	-	-	1	1	2	3	-
Waterloo-road 1st *H* - - L. & S.	14031	15	6	2	-	-	-	-	-	1	-	-	-	1	-	1	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18075	12	17	2	4	-	-	-	-	-	-	1	-	-	1	3	6	1
Lambeth Church 2nd *WW* - L. & S.	39097	38	20	3	11	-	-	-	-	1	-	-	-	-	2	2	11	1
Kennington 1st *H* - - S. & L.	50586	31	14	7	5	-	-	-	-	-	-	-	-	1	-	2	1	-
Kennington 2nd - - - S. & L.	39708	26	7	3	2	-	-	-	-	-	-	-	-	1	1	1	-	1
Brixton *w* - - - - L. & S.	73405	43	25	8	7	-	-	1	1	-	-	-	-	-	-	-	2	-
Norwood *WH* - - - L.	25657	17	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea - - - - S.	67244	41	22	10	3	-	-	-	1	-	-	-	-	-	2	7	-	-
West Battersea *WwH* - - S.	88314	59	36	9	10	-	1	-	-	-	-	-	-	1	2	4	8	-
Clapham *H* - - - - S.	43698	22	17	2	7	-	-	-	-	-	-	-	-	-	-	2	1	-
Wandsworth *WHHL* - - - S.	46717	36	15	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Putney - - - - - - S.	17771	8	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Streatham *www* - - - L.	48756	31	25	6	7	-	-	1	5	-	-	-	-	-	2	2	7	-
Dulwich - - L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL**L** - - S. & L.	81686	56	58	8	18	-	-	-	1	1	-	-	-	1	-	1	25	-
Peckham *WW* - S., L., & K.	83488	66	24	7	5	-	-	-	-	-	-	-	-	-	2	3	2	-
St George Camberwell - - L. & S.	63366	52	17	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford, North - - - - K.	35314	31	15	3	4	-	1	-	-	-	-	-	-	-	-	-	-	2
Deptford, Central *w* - - K.	42007	33	26	5	5	-	1	3	4	1	-	2	-	-	-	-	9	1
Deptford, South - - - - K.	30852	23	12	3	7	-	-	-	-	-	-	-	-	-	-	2	-	2
Greenwich West *H* - - - K.	22007	9	6	1	1	-	-	-	1	-	-	-	-	-	-	-	2	-
Greenwich East *WH* - K.	35233	20	21	2	11	-	1	-	-	-	-	-	-	-	2	2	12	-
Eltham *wH* - - - - - K.	5682	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	7	6	1	4	-	1	-	-	-	-	-	-	-	1	1	-	-
Lewisham *WH* - - - - K.	30950	19	16	1	10	-	-	-	-	-	-	-	-	-	-	2	6	-
Sydenham *H* - - - - L.	34162	19	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *HH* - - - - K.	14040	13	4	3	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Woolwich Dockyard - - - K.	19606	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21242	16	6	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead, West *H* - - - K.	15869	8	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1
Plumstead, East *WH* - - - K.	36567	27	16	5	6	-	1	-	-	-	-	-	-	-	-	1	4	-
Banstead Asylum - - - - -	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Caterham Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford -	-	-	3	2	-	3	-	-	-	-	-	-	-	-	-	-	3	-
Darenth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell Asylum - - - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
Colney Hatch Asylum - - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
N.E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Claybury Asylum - - - - -	-	-	9	-	4	-	-	-	-	-	-	-	-	-	-	-	9	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 9th February, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	985	473	107	166	–	5	2	7	3	3	5	16	35	55	6
30:	Carshalton *wHH*	12228	26108	7	12	1	8	–	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WwH*	10423	12508	9	7	–	4	–	–	–	–	1	–	–	–	–	5	–
37: 1	Godstone, *part of* W-*	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38: 1	Croydon *WwHHH*	20351	123699	72	49	8	22	–	4	–	–	1	1	–	3	9	6	–
2	Mitcham *w*	11697	23088	5	9	1	3	–	–	–	–	–	–	–	–	1	–	–
39: 1	Wimbledon *HHH*	3220	25761	17	9	4	2	–	–	–	–	–	–	1	–	–	–	–
2	Kingston *WH*	8071	44765	29	19	5	7	–	–	–	–	–	–	–	–	–	2	1
3	Esher, *part of* HH*	6601	12059	14	3	2	–	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4545	18252	8	5	1	1	–	–	–	–	–	–	1	1	1	1	–
40: 1	Richmond *WH*	2160	25399	13	11	2	7	–	–	–	–	–	–	–	–	–	1	–
2	Mortlake *H*	2323	16159	8	6	–	2	–	–	1	–	–	–	–	–	–	1	–
41: 1	Bromley *HHH*	9127	23815	17	5	1	–	–	–	–	2	–	–	–	–	–	2	–
2	Beckenham *H*	6542	21969	6	8	2	–	–	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of* WHH*	14307	20372	22	13	2	7	–	–	–	–	–	–	1	–	–	5	–
42: 1	Bexley *HHH*	12540	30590	16	9	2	4	–	–	–	–	–	1	–	–	–	1	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
124: 1	Sunbury *w*	11054	13371	7	3	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	9	5	–	4	–	–	–	–	–	–	–	1	1	–	–
125: 1	Hillingdon *WHH*	6035	12237	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge	6172	5417	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12613	4	3	–	1	–	–	–	–	–	–	–	1	1	–	–
126: 1	Isleworth *WHH*	6967	26273	24	8	–	5	–	–	–	–	–	–	–	–	–	5	–
2	Twickenham *HH*	2415	16027	11	5	–	3	–	–	–	–	–	–	–	–	1	–	–
	Brentford *HHHH*	4318	37777	23	8	–	4	–	–	–	–	–	–	–	1	1	–	–
4	Chiswick	1245	21963	14	8	3	1	–	–	–	–	–	–	–	1	1	–	1
5	Acton *wH*	6132	30945	21	13	5	4	–	–	–	–	–	1	–	–	–	–	–
127: 1	Harrow *HHH*	13809	15715	7	9	4	2	–	–	–	–	–	–	–	–	2	2	–
2	Edgware *HH*	6994	3844	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	51	25	11	10	–	–	–	–	–	–	–	–	1	–	1
4	Hendon *WH*	8382	15843	17	8	–	1	–	–	–	–	–	–	–	1	2	3	–
128: 1	South Mimms *H*	15599	8474	6	2	–	1	–	–	–	–	–	–	–	–	1	–	–
2	Barnet *WHH*	5441	11778	6	6	–	4	–	–	–	–	–	–	–	–	–	4	–
3	Finchley *HHH*	4688	25820	18	11	3	1	–	–	–	–	–	–	–	–	–	–	–
129: 1	Hornsey *HH*	3039	61097	27	13	5	5	–	–	–	–	–	–	–	1	1	–	–
2	Tottenham *H*	4642	97174	70	29	5	10	–	–	–	–	–	–	–	1	3	3	–
3	Edmonton *Ww*	7489	33851	28	4	–	3	–	–	–	–	–	–	–	–	1	1	–
4	Enfield *WWHH*	12639	31803	22	7	1	2	–	–	–	2	–	–	–	1	1	–	–
5	Waltham Abbey	11017	6066	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	9	3	1	1	–	–	–	–	–	–	–	–	–	–	–
135: 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137: 1	Bushey *H*	9331	7737	4	4	2	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186: 1	Stratford *H*	1100	42983	28	10	1	1	–	–	–	–	–	–	–	2	2	2	–
2	Plaistow	1242	58030	52	21	8	4	–	–	1	1	–	–	–	–	1	–	1
3	Canning Town *H*	1558	54750	55	17	6	4	–	–	–	–	–	–	–	–	–	–	1
4	Forest Gate *w*	806	49140	29	19	4	6	–	–	–	–	–	–	–	–	1	–	–
5	East Ham *w*	3266	32713	37	10	–	4	–	–	–	1	–	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	56	24	7	5	–	–	–	–	2	–	–	1	2	6	1
7	Walthamstow *HHL*	6501	57330	50	18	3	4	–	1	–	1	–	–	–	1	1	1	–
187: 1	Chigwell, *part of* H*	11779	12941	9	4	1	1	–	–	–	–	–	–	1	–	–	1	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Romford, *part of* WH*	6556	4324	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189: 1	Ilford	8493	10913	13	2	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Barking Town *H*	3314	14301	18	5	2	–	–	–	–	–	–	–	1	–	–	–	–
3	Hanwell Asylum	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	Colney Hatch Asylum	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1768); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1 Chigwell sub-district, except the parish of

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 9th February, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8–14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
EATER LONDON	443,421	6,048,555	19·3	1·3	2241	493	700	3	22	17	41	32	16	17	97	535
INNER LONDON -	74,672	4,392,346	21·0	1·5	1768	386	534	3	17	15	34	29	13	12	81	480
OUTER RING -	368,749	1,656,209	14·9	·8	473	107	66	–	5	2	7	3	3	5	16	55

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
DINBURGH -	273,535	February 9	154	108	20·6	2	4	1	1	1	3	1
LASGOW - -	695,876	„ 9	402	433	32·4	1	10	2	4	20	2	3
UBLIN - -	349,594	„ 9	159	214	31·9	7	–	1	–	5	4	2
ALCUTTA - -	466,460	January 5	–	–	–	–	–	–	–	–	–	–
OMBAY - -	821,764	„ 22	275	475	30·1	6	14	?	?	?	124	35
ADRAS - -	452,518	December 28	264	313	35·9	–	1	–	–	–	122	48†
ARIS - - -	2,424,705	February 2	1145	1358	29·1	–	3	3	11*	9	2	32
RUSSELS - -	498,400	„ 2	241	228	23·8	–	12	–	4*	3	4	10
MSTERDAM -	446,295	„ 2	284	128	14·9	–	–	–	1	4	–	–
OTTERDAM -	228,597	„ 2	157	86	19·5	–	4	–	–	1	–	–
HE HAGUE -	174,790	„ 2	119	57	16·9	–	–	–	1	–	–	–
OPENHAGEN -	341,000	„ 2	245	110	16·8	–	4	2	4	–	–	2
TOCKHOLM -	252,937	January 26	132	102	21·0	–	1	5	5*	–	–	2
HRISTIANIA -	167,588	February 2	40	51	15·8	–	–	2	2	1	–	2
T. PETERSBURG	954,400	January 19	468	545	29·8	–	5	21	20	4	3	43
IOSCOW - -	753,469	„ 19	–	529	36·6	2	2	9	21	–	6	36
ERLIN - -	1,724,544	„ 19	899	520	15·7	–	1	16	23	8	–	13
AMBURG - -	608,710	„ 26	–	188	16·1	–	1	1	1	3	–	8
RESDEN - -	316,600	„ 12	–	–	–	–	–	–	–	–	–	–
RESLAU - -	367,769	February 2	–	165	23·6	–	–	–	5*	–	2	10
UNICH - -	396,000	„ 2	–	160	21·0	–	1	2	7*	4	–	21
IENNA - -	1,495,764	January 26	984	670	23·3	–	17	8	18*	3	1	35
RAGUE - -	343,822	„ 26	212	165	25·0	–	3	1	1	–	3	2
UDA-PESTH -	552,769	„ 26	369	267	24·5	–	–	2	5	–	3	21
RIESTE - -	160,825	„ 19	129	90	29·1	–	–	–	8*	–	1	2
OME - -	456,664	December 29	222	219	25·0	–	1	–	–	–	6‡	12
URIN (10 days)	344,203	January 20	221	249	26·4	–	3	1	2	–	3	13
ENICE -	158,187	„ 19	92	77	25·4	–	–	–	–	–	–	4
AIRO - -	374,838	„ 3	–	–	–	–	–	–	–	–	–	–
LEXANDRIA -	231,396	„ 3	–	–	–	–	–	–	–	–	–	–
EW YORK -	1,992,715	„ 19	–	949	24·8	1	9	17	33	8	2	4
ROOKLYN -	1,080,000	„ 26	–	496	23·9	–	1	3	21	3	2	2
HILADELPHIA	1,139,457	„ 26	–	488	22·3	–	2	2	39	2	15	4
EW ORLEANS -	254,000	„ 12	–	147	27·8	–	3	1	1	–	9	8

* Including deaths from croup.
† Including 7 deaths from cholera in Madras.
‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 9TH FEBRUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°	
SUNDAY .	3	..	29·868	31·7	17·7	14·0	27·7	−12·0	21·4	6·3	6·7	3·0	76
MONDAY .	4	..	29·999	34·1	26·5	7·6	30·4	− 9·4	21·3	9·1	14·0	3·3	67
TUESDAY.	5	..	29·851	30·9	18·1	12·8	24·1	−15·7	11·7	12·4	18·8	3·2	56
WEDNESDAY	6	Greatest Dec. N.	29·636	27·0	15·1	11·9	19·4	−20·0	12·8	6·6	15·1	0·0	73
THURSDAY	7	..	29·722	27·0	9·6	17·4	18·3	−21·1	3·9	14·4	22·0	6·0	53
FRIDAY .	8	..	29·789	29·0	6·9	22·1	18·9	−20·2	8·0	10·9	20·1	0·0	61
SATURDAY	9	Perigee. Full	29·942	27·0	10·2	16·8	18·0	−20·7	15·4	2·6	9·7	0·0	89
MEANS . .		..	29·830	29·5	14·9	14·7	22·4	−17·0	13·5	8·9	15·2	2·2	68
No. of Column		3	4	5	6		8	9	10	11	12	13	14

1895. Month and Day.		Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	3	39·0	17·6	38·22	E. & NE.	ENE. & NE.	6·5	0·0	0·3	345	+ 4	0·00	0·5
MONDAY .	4	53·0	26·0	38·01	NE. & NNE.	NE.	5·1	0·0	0·4	404	+ 63	0·00	1·5
TUESDAY.	5	76·0	18·1	37·86	NE.	NE. & NNE.	2·3	0·0	0·2	310	− 30	0·00	0·5
WEDNESDAY	6	58·1	15·1	37·74	NE. NNE. & N.	ENE. & NE.	0·8	0·0	0·0	178	−161	0·02	1·5
THURSDAY	7	72·0	9·6	37·50	E. & NE.	E.	1·7	0·0	0·0	150	−187	0·00	0·0
FRIDAY .	8	76·0	6·9	37·30	NE. & ENE.	N. & NNW.	3·4	0·0	0·0	161	−173	0·00	0·0
SATURDAY	9	41·0	8·0	37·10	NNW. & S.	ESE. & E.	0·1	0·0	0·0	123	−207	0·00	0·0
MEANS . .		59·3	14·5	37·68	E. & NE.		..	..	..	Sum 1671	Sum − 691	Sum 0·02	0·6
No. of Column		15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon in hours.
SUNDAY .	3	s. P. in early morning; pipe frozen afterwards.	0·0	9·2
MONDAY .	4	Pipe frozen till 10h. A.M.; s. P. afterwards.	0·1	9·3
TUESDAY .	5	s. P. throughout	3·6	9·3
WEDNESDAY	6	s. P. in afternoon; pipe frozen at other times.	3·3	9·4
THURSDAY	7	Loss of register; pipe frozen.	4·3	9·4
FRIDAY	8		5·1	9·5
SATURDAY	9		0·0	9·6
			Sum 16·4	Sum 65·7

GENERAL REMARKS.

Cloudless till 3h. A.M.; afterwards overcast; a little snow at 10h. A.M..

Overcast generally; occasional slight snow in afternoon.

Cloudy till 9h. A.M., with occasional snow afterwards; fine, with few light clouds.

Variable; occasional snow, cloudless at times, intensely cold.

Cloudless throughout; intensely cold.

Cloudless generally; slight fog in morning; intensely cold. The minimum temperature is lower than any previously recorded at the Royal Observatory in the month of February since the commencement of regular observation in 1841. In 1841 on February 12th, a temperature of 7°·7 was registered.

Cloudless throughout; fog in morning; intensely cold.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·85 in. at the beginning of the week to 30·01 in. by 9h. A.M. on the 4th; decreased to 29·61 in. by 3h. P.M. on the 6th; increased to 29·97 in. by 9h. A.M. on the 9th; and decreased to 29·85 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 7. 1895. VOL. LVI.] WEEK ENDING SATURDAY, FEBRUARY 16. [Price 1½*d.*

General Register Office, Somerset House,
February 18th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 26·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.
Birkenhead	20·9	18·9	23·8	26·7
Birmingham	19·1	16·0	22·3	25·7
Blackburn -	15·9	18·4	19·6	22·9
Bolton -	21·4	23·2	27·1	22·3
Bradford -	14·7	19·8	15·0	24·0
Brighton -	13·5	24·4	16·6	23·1
Bristol -	21·7	18·7	16·7	25·4
Burnley -	22·0	18·3	20·9	20·4
Cardiff -	16·4	17·8	22·4	24·5
Croydon -	15·0	11·8	18·1	14·5
Derby -	15·6	21·8	13·5	19·8
Gateshead -	15·8	21·8	15·2	22·8
Halifax -	19·5	20·0	21·1	20·6
Huddersfield	16·2	16·8	21·5	20·4
Hull - -	17·3	17·8	20·2	18·3
Leeds -	20·3	20·3	17·5	27·7
Leicester -	11·3	16·9	14·5	21·3
Liverpool - -	28·0	27·9	30·9	39·6
London - -	17·6	19·0	21·0	29·3
Manchester -	23·0	23·5	24·8	27·2
Newcastle-on-Tyne	16·6	21·2	19·4	21·9
Norwich - -	20·4	19·0	22·9	20·9
Nottingham -	17·9	17·0	18·2	23·0
Oldham - -	19·2	20·0	17·0	23·7
Plymouth - -	21·1	21·1	24·0	18·7
Portsmouth -	21·8	14·6	19·7	20·9
Preston - -	24·1	26·8	20·8	27·3
Salford - -	19·0	25·3	20·8	26·8
Sheffield - -	18·3	18·6	17·6	24·3
Sunderland -	20·4	20·4	17·0	20·4
Swansea - -	18·3	22·0	21·0	24·2
West Ham - -	14·6	16·3	15·0	21·3
Wolverhampton -	23·7	22·5	23·7	26·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Sheffield, 1·6 in Gateshead, and 2·3 in Plymouth; from *scarlet fever*, 1·0 in Burnley; from *whooping-cough*, 1·0 in Birkenhead, 1·1 in Bristol, and 1·5 in Norwich; and from "*fever*," 1·3 in Bolton. The 52 deaths from *diphtheria* included 27 in London, 4 in Liverpool, 3 in Wolverhampton, 3 in Birmingham, 2 in Cardiff, and 2 in Manchester. One death from *small-pox* was registered in London, and one in Birmingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2737 BIRTHS and 2467† DEATHS were registered. Allowing for increase of population, the births were 19 below, whilst the deaths exceeded by 708, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·6, 19·0, and 21·0 in the preceding three weeks, further rose last week to 29·3. During the four weeks ending on Saturday last the death-rate averaged 21·7 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

The 2467 deaths included one death from small-pox, 27 deaths from measles, 18 from scarlet fever, 27 from diphtheria, 48 from whooping-cough, 10 from enteric fever, 10 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 141 deaths were referred to these diseases, being 44 below the corrected average weekly number.

The death from *small-pox* belonged to Marylebone sanitary area. The deaths from *measles*, which had been 21, 13, and 17 in the preceding three weeks, further rose last week to 27, but were 4 below the corrected average; 5 belonged to Poplar, 4 to Mile End Old Town, and 3 to Shoreditch sanitary areas. The deaths from *scarlet fever*, which had been 7, 11, and 15 in the preceding three weeks, further increased last week to 18, corresponding with the corrected average; 3 belonged to Hackney, 2 to Paddington, and 2 to Greenwich sanitary areas. The deaths from *diphtheria*, which had been 29, 45, and 34 in the preceding three weeks, further declined last week to 27, being 4 below the corrected average; 3 belonged to Poplar, 3 to Wandsworth, 3 to Camberwell, 3 to Greenwich, 3 to Plumstead, and 2 each to St. Pancras, Islington, and Battersea sanitary areas. The deaths from *whooping-cough*, which had been 27, 30, and 29 in the preceding three weeks rose last week to 48, but were 30 below the corrected average; 6 belonged to St. Pancras, 5 to Islington, 5 to Lambeth, 5 to Battersea, and 4 to Shoreditch sanitary areas. The fatal cases of *enteric fever*, which had been 16, 9, and 13 in the preceding three weeks, numbered 10 last week, corresponding with the corrected average; 2 belonged to Islington sanitary area. The deaths from *diarrhœa*, which had been 10, 12, and 12 in the preceding three weeks, numbered 10 last week, being 3 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 324, 377, and 480 in the preceding three weeks, further rose last week to 840, exceeding the corrected average by no fewer than 382.

The deaths attributed directly to *influenza* numbered 24, having been 11, 16, and 13 in the preceding three weeks.

A retired cheesemonger, whose death occurred at Hammersmith, was stated to have attained the age of 101 years.

Different forms of violence caused 89 deaths, concerning all but 6 of which inquests were held. Of these 89 deaths, 6 were cases of suicide, and one death was a case of homicide, while the remaining 82 deaths were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 13 to burns and scalds, and 21 (of infants under one year of age) to suffocation in bed. Twelve deaths were directly attributed to the effects of the severe weather.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 67 cases of small-pox, 1657 of scarlet fever, 498 of diphtheria, and 111 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 18 cases, against 8, 21, and 18; of scarlet fever, 159 cases, against 186, 160, and 149; of diphtheria, 55 cases, against 72, 76, and 49; and of enteric fever, 9 cases, against 23, 11, and 14.

Greater London.

In Greater London 3683 births and 3092 deaths were registered, corresponding to annual rates of 31·8 and 26·7 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 4 from scarlet fever, 9 from diphtheria, and 5 from whooping-cough were recorded. Two deaths from scarlet fever occurred in Bromley district. Of the 9 deaths from diphtheria, 3 were registered in West Ham and 2 in Brentford districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·93 inches, and that of the Thermometer 26°·0, the latter being 12°·9 below the week's average in the 50 years 1841–90. The direction of the wind was North-Easterly, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 14·5 hours; no rain was measured during the week.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 16th February 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 16th Feb. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6906	5430	1110	1728	2	64	36	52	93	35	33	207	453	1110	131	26·7	1·5	39·0	5·0	25·0	-3·89	0·01	0·03	33 Towns.
London	4,392,346	2737	2467	452	867	1	27	18	27	48	10	10	89	239	663	19	29·3	1·7	36·2	14·4	26·0	-3·33	0·00	0·00	London.
West Ham	249,473	184	102	39	24	-	-	-	1	1	1	2	3	4	9	9	21·3	1·0	-	-	-	-	-	-	West Ham.
Croydon	114,923	53	32	4	15	-	1	-	-	-	-	-	1	3	5	-	14·5	0·5	35·9	8·8	23·3	-4·83	0·00	0·00	Croydon.
Brighton	119,604	40	53	6	20	-	-	-	1	-	-	-	-	-	10	-	23·1	0·4	-	-	-	-	-	-	Brighton.
Portsmouth	174,751	105	70	17	15	-	1	-	1	1	-	-	3	11	11	-	20·9	0·9	39·0	18·0	28·1	-2·16	0·00	0·00	Portsmouth.
Plymouth	89,096	65	32	8	10	-	4	-	-	-	-	-	-	4	4	-	18·7	2·3	-	-	-	-	-	-	Plymouth.
Bristol	228,139	121	111	20	44	-	2	-	-	5	2	-	2	13	20	1	25·4	2·1	36·0	12·0	24·2	-4·33	0·00	0·00	Bristol.
Cardiff	155,637	99	73	17	26	-	-	-	2	1	2	1	2	5	10	-	24·5	2·0	-	-	-	-	-	-	Cardiff.
Swansea	97,008	80	45	13	14	-	-	1	1	1	1	-	-	1	1	2	24·2	2·2	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	58	43	7	14	-	-	-	3	-	-	1	3	3	3	-	26·1	2·4	33·2	11·0	21·9	-5·62	0·00	0·00	Wolverhampton.
Birmingham	496,751	323	245	53	78	1	-	1	3	8	2	4	12	11	50	13	25·7	2·0	-	-	-	-	-	-	Birmingham.
Norwich	107,127	86	43	8	16	-	-	-	-	3	-	-	1	2	10	1	20·9	1·5	-	-	-	-	-	-	Norwich.
Leicester	193,839	128	79	21	29	-	-	-	1	2	-	-	5	6	10	2	21·3	0·8	-	-	-	-	-	-	Leicester.
Nottingham	226,658	140	100	18	42	-	-	-	-	-	1	1	5	7	15	3	23·0	0·5	36·8	9·0	23·8	-4·55	0·00	0·00	Nottingham.
Derby	100,272	59	38	10	12	-	-	1	-	-	-	1	3	9	8	-	19·8	1·0	-	-	-	-	-	-	Derby.
Birkenhead	107,469	74	55	10	24	-	-	1	-	2	1	-	-	1	4	-	26·7	1·9	-	-	-	-	-	-	Birkenhead.
Liverpool	508,967	422	383	74	99	-	4	1	4	3	-	-	23	30	79	25	39·6	1·2	37·3	18·3	27·5	-2·50	0·00	0·00	Liverpool.
Bolton	119,337	80	51	5	23	-	1	-	-	-	3	-	-	2	8	-	22·3	1·7	-	-	-	-	-	-	Bolton.
Manchester	524,865	373	274	71	50	-	7	3	2	6	3	4	14	22	60	6	27·2	2·5	-	-	-	-	-	-	Manchester.
Salford	208,253	171	107	28	32	-	1	3	1	1	1	2	3	6	18	4	26·8	2·3	-	-	-	-	-	-	Salford.
Oldham	141,079	82	64	13	16	-	-	1	-	-	1	2	1	3	6	-	23·7	1·5	-	-	-	-	-	-	Oldham.
Burnley	99,591	61	39	7	7	-	-	2	1	1	1	-	-	1	2	2	20·4	2·6	-	-	-	-	-	-	Burnley.
Blackburn	127,615	80	56	13	12	-	-	-	-	-	2	1	3	4	6	3	22·9	1·2	-	-	-	-	-	-	Blackburn.
Preston	112,638	71	59	12	14	-	-	-	-	1	-	-	1	2	4	8	27·3	0·5	-	-	-	-	-	-	Preston.
Huddersfield	99,482	28	39	7	14	-	-	-	-	-	-	-	1	1	1	3	20·4	-	35·0	5·0	23·0	-5·00	0·00	0·00	Huddersfield.
Halifax	93,813	50	37	7	14	-	-	-	1	1	-	-	-	2	3	4	20·6	1·1	-	-	-	-	-	-	Halifax.
Bradford	226,384	118	104	21	28	-	-	2	-	1	1	-	1	3	13	6	24·0	0·9	33·2	13·0	24·6	-4·11	0·00	0·00	Bradford.
Leeds	395,546	277	210	37	67	-	4	-	1	1	-	1	16	29	21	-	27·7	0·9	-	-	-	-	-	-	Leeds.
Sheffield	342,768	270	160	56	30	-	7	2	1	4	-	2	2	8	16	8	24·3	2·4	-	-	-	-	-	-	Sheffield.
Hull	216,722	151	76	20	29	-	-	-	-	-	-	-	3	3	13	9	18·3	-	37·0	6·0	26·0	-3·33	0·02	0·05	Hull.
Sunderland	137,705	112	54	11	16	-	1	-	-	2	2	-	2	2	11	1	20·4	1·9	39·0	5·0	26·6	-3·00	0·13	0·33	Sunderland.
Gateshead	95,871	71	42	8	9	-	3	-	-	-	-	1	2	8	2	1	22·8	2·2	-	-	-	-	-	-	Gateshead.
Newcastle	207,621	137	87	17	18	-	1	-	1	-	1	-	6	8	14	1	21·9	0·8	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2526	2849	2612	2569	2511	2793	2655	2233	2762	2602	2755·9	2737
Males . .	1268	1512	1325	1298	1334	1461	1347	1150	1399	1300	1413·6	1402
Females .	1258	1337	1287	1271	1177	1332	1308	1083	1363	1302	1342·3	1335
TOTAL **Deaths**	1497	2035	1560	1689	1516	1809	1762	1693	1556	1552	1759·3	2467
Males . .	765	1023	803	841	744	904	940	866	767	784	890·5	1203
Females .	732	1012	757	848	772	905	822	827	789	763	868·8	1264

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885-94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.
TOTAL **Births** - -	2704	2550	2599	2597	2703	1950	3085	2922	2818	2612	2587	2786	2737
TOTAL **Deaths** - -	1326	1347	1614	1550	1448	1434	1462	1622	1689	1481	1598	1768	2467
Ages at Death: Under 1 year -	316	364	370	347	316	352	348	369	370	311	337	386	452
1— 5 years -	167	207	208	207	185	191	194	200	205	151	192	188	250
5—20 " -	86	78	86	92	77	71	85	90	96	80	87	82	99
20—40 " -	207	165	248	213	193	205	221	224	197	190	221	237	278
40—60 " -	246	249	321	284	297	254	248	288	331	314	324	341	521
60—80 " -	250	234	313	341	314	277	297	360	390	362	373	442	700
80 years & upwards	54	50	68	66	66	84	69	91	100	73	64	92	167
Deaths from—													
Small-pox - - - -	-	-	-	-	1	1	-	-	1	-	2	3	1
Measles - - - -	21	29	36	32	35	46	34	30	35	21	13	17	27
Scarlet fever - - -	14	19	18	13	14	14	14	12	9	7	11	15	18
Diphtheria - - -	48	54	57	53	36	35	50	34	31	29	45	34	27
Whooping-cough - -	11	26	23	25	26	14	23	35	21	27	30	29	48
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric fever - - -	23	18	17	24	25	32	17	16	20	16	9	13	10
Simple Continued fever -	-	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa and Dysentery -	15	25	14	11	15	7	14	15	16	10	12	12	10
Cholera - - - -	-	-	-	1	-	-	-	-	-	1	-	-	-
All the above Diseases	132	171	165	159	152	149	152	142	133	112	122	123	141
Dis. of Respiratory System	261	263	338	358	325	352	319	389	399	324	377	480	840
Phthisis - - -	166	125	187	132	140	144	155	159	139	161	166	157	210
Dis. of Circulatory System	105	100	158	158	140	99	129	161	162	162	161	160	248
Violence - - - -	41	37	67	76	73	70	72	77	76	58	68	81	89
Inquest Cases - - -	111	98	152	152	141	147	176	155	173	149	160	195	239
Deaths in Public Institutions	412	405	466	471	410	381	411	439	432	462	477	480	663
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·0	40·3	39·8	45·4	43·9	48·0	34·3	29·8	40·4	35·6	26·9	22·4	26·0
Mean of Highest readings -	51·1	44·0	44·0	48·8	49·1	46·7	37·1	32·5	44·0	41·2	32·0	29·5	32·4
Mean of Lowest readings -	36·7	35·5	34·0	41·1	38·2	39·0	30·9	27·2	35·6	29·8	21·9	14·9	19·8
Humidity of the Air - -	89	87	91	88	83	87	81	87	89	84	75	68	66
Rain-fall (in inches) - -	0·13	0·00	0·17	0·97	0·59	0·22	0·20	0·01	0·72	0·54	0·28	0·02	0·00
Registered Sunshine (in hours)	15·6	2·7	4·4	4·4	3·0	1·7	0·2	1·7	4·7	6·4	4·8	16·4	14·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	33	31	32	22	15	16	23	28	32	35	51	56	67
Scarlet fever - - - -	2198	2148	2142	2034	1931	1890	1779	1713	1653	1662	1653	1667	1657
Diphtheria - - - -	531	520	515	523	512	523	499	517	514	523	519	500	498
Enteric fever - - - -	99	99	101	101	97	105	112	107	115	121	115	117	111

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 7th Week of the 10 years 1885–94.*	In the Week ending Saturday, 16th February 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
L CAUSES - -	1759·3	2467	452	250	99	278	521	700	167
Small-pox: Vaccinated† -	0·8	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·4	1	-	-	1	-	-	-	-
Small-pox: No Statement	1·3	-	-	-	-	-	-	-	-
asles - - - -	31·1	27	6	18	3	-	-	-	-
arlet Fever - -	17·7	18	1	12	5	-	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
luenza - - -	16·7	24	1	1	-	6	7	9	-
hooping-cough - -	78·3	48	20	27	1	-	-	-	-
phtheria - - -	31·2	27	2	19	5	1	-	-	-
ophe Continued and ll-defined Fever - -	0·2	-	-	-	-	-	-	-	-
teric Fever - -	10·1	10	-	-	5	2	2	1	-
olera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	12·9	10	10	-	-	-	-	-	-
ermittent Fever - -	0·4	-	-	-	-	-	-	-	-
drophobia - -	-	-	-	-	-	-	-	-	-
anders - - -	-	-	-	-	-	-	-	-	-
wpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
nereal Affections - -	10·2	19	10	-	-	1	6	2	-
ysipelas - - -	5·0	1	-	-	-	-	-	1	-
emia and Septicæmia	2·4	1	-	-	-	1	-	-	-
erperal Fever - -	5·9	3	-	-	-	3	-	-	-
her Zymotic Diseases	1·7	1	-	-	-	-	-	1	-
rush - - - -	1·4	1	1	-	-	-	-	-	-
orms and other Parasitical Diseases - -	0·3	-	-	-	-	-	-	-	-
arvation, Want of Breast-milk - -	1·3	3	2	1	-	-	-	-	-
coholism - - -	6·2	7	-	-	-	4	3	-	-
heumatic Fever, Rheumatism of Heart	8·2	8	-	1	4	3	-	-	-
heumatism - -	1·5	4	-	-	-	2	-	2	-
out - - - -	4·2	5	-	-	-	-	3	2	-
ickets - - - -	5·1	11	3	8	-	-	-	-	-
ancer - - - -	55·6	84	-	-	1	7	34	38	4
abes Mesenterica -	20·8	15	6	4	2	3	-	-	-
ubercular Meningitis -	25·3	21	6	11	4	-	-	-	-
hthisis - - -	173·8	210	4	6	17	95	72	16	-
crofula, Tuberculosi -	18·0	28	7	9	1	5	5	1	-
ther Constitutional Diseases - - -	11·1	14	-	-	-	5	3	4	2
remature Birth - -	43·7	54	54	-	-	-	-	-	-
telectasis - - -	2·8	3	3	-	-	-	-	-	-
ongenital Malformations - - - -	9·4	9	8	1	-	-	-	-	-
ld Age - - - -	56·9	91	-	-	-	-	-	40	51
poplexy - - -	48·1	69	-	-	-	2	20	38	9
pilepsy - - -	9·1	11	-	-	1	2	2	3	3
onvulsions - - -	45·5	45	39	6	-	-	-	-	-
ther Diseases of Brain and Nervous System	101·3	119	14	7	6	14	23	43	12

CAUSES OF DEATH.	Corrected Averages for the 7th Week of the 10 years 1885–94.*	In the Week ending Saturday, 16th February 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	1·9	1	-	-	-	-	1	-	-
Diseases of Circulatory System - - -	144·6	248	1	-	4	24	77	126	16
Croup - - - -	11·9	3	1	2	-	-	-	-	-
Bronchitis - - -	231·8	563	70	36	1	18	145	247	51
Pneumonia - - -	120·1	202	39	40	18	26	34	41	4
Pleurisy - - - -	6·8	11	1	2	1	1	3	3	-
Other Diseases of Respiratory System - -	37·7	56	7	5	1	4	19	17	3
Dentition - - -	15·4	15	5	10	-	-	-	-	-
Quinsy, Sore Throat -	2·0	2	-	1	1	-	-	-	-
Enteritis - - -	8·8	15	8	3	1	-	-	2	1
Peritonitis - - -	5·9	4	-	-	1	1	2	-	-
Diseases of Liver - -	24·0	19	2	-	-	2	9	5	1
Other Diseases of Digestive System -	31·0	39	8	3	2	10	8	8	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	7	-	-	3	1	1	2	-
Diseases of Urinary System - - -	44·1	74	-	2	4	17	23	26	2
Diseases of Generative System - - -	5·4	5	-	-	-	3	1	-	1
Accidents of Childbirth -	6·6	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	7·5	15	2	1	1	3	4	3	1
Diseases of Integumentary System - -	4·9	6	3	-	-	-	1	2	-
VIOLENT DEATHS ‡ (ACCIDENT.)									
By Railways - -	59·8	4	-	-	-	2	2	-	-
By Vehicles or Horses -		2	-	-	-	-	1	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		1	-	-	-	-	-	1	-
By Burns, Scalds, Explosions - - -		13	1	9	2	-	-	1	-
By Drowning - -		1	-	-	1	-	-	-	-
By Suffocation in Bed -		21	21		-	-	-	-	-
By Poisons or Poisonous Vapours - - -		2	-	-	-	-	1	1	-
Other or not stated Causes - - - -		37	9	2	1	4	7	9	5
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	7·8	6	-	-	-	2	2	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	59·2	84	77	3	1	-	-	2	1

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2737	2467	452	867	1	27	18	27	48	-	10	-	10	89	239	663
WEST DISTRICTS	740,735	485	420	75	154	-	1	4	1	6	-	2	-	2	10	27	122
NORTH DISTRICTS	993,884	590	524	77	183	-	6	3	5	15	-	4	-	-	14	50	113
CENTRAL DISTRICTS	247,538	142	169	30	59	-	2	-	1	4	-	-	-	-	8	18	66
EAST DISTRICTS	705,114	568	439	98	167	-	14	1	6	10	-	1	-	3	23	81	163
SOUTH DISTRICTS	1,524,472	972	820	172	233	-	4	8	14	13	-	3	-	6	31	63	154
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	45	-	16	1	-	2	-	-	-	-	-	-	-	-	45
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	55	43	6	18	-	1	-	-	-	-	-	-	1	4	5	5
St. John Paddington *H* - G.J.	33387	9	12	1	5	-	-	-	-	-	-	-	-	-	-	-	4
Kensington Town *Ww* - W.M.	118751	100	83	12	34	-	-	-	-	-	-	-	-	1	2	5	32
Brompton *HH* - W.M. & C.	47557	13	13	3	5	-	-	-	-	-	-	-	-	-	-	1	1
St. Peter Hammersmith - W.M.	8533	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88633	52	39	9	17	-	-	-	-	2	-	-	-	-	-	2	3
Fulham *Ww* - W.M. & C.	91639	87	58	15	20	-	-	4	-	-	-	1	-	-	1	2	15
Chelsea Kensal Town - C.	21787	17	11	2	2	-	-	-	-	1	-	-	-	-	-	1	1
Chelsea North *WHHHHH* - C.	41637	25	39	5	16	-	-	-	-	-	-	-	-	-	-	2	21
Chelsea South *HH* - C.	32829	19	15	3	4	-	-	-	1	-	-	-	-	-	1	2	6
May Fair *WH* - G.J.	23733	5	19	-	12	-	-	-	-	-	-	-	-	-	-	-	14
Belgrave *WHHH* - C.	54631	31	33	6	6	-	-	-	-	2	-	1	-	-	1	3	15
St. John Westminster *HH* - C.	34105	23	18	5	5	-	-	-	-	-	-	-	-	-	1	2	1
St. Margaret Westminster *H* - C.	21668	5	8	1	3	-	-	-	-	-	-	-	-	-	-	1	3
St. James Westminster *WHHH* N.R. & G.J.	24995	11	15	2	4	-	-	-	-	1	-	-	-	-	-	-	2
St. Anne Soho *HHHHHH* - N.R.	12317	4	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	14	23	2	3	-	1	-	-	-	-	-	-	-	1	3	11
Rectory Marylebone *WH* G.J. & W.M.	20024	17	12	2	5	-	-	-	-	-	-	-	-	-	-	-	7
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	29	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W.M.	33327	16	21	3	6	-	-	-	-	-	-	-	-	-	-	2	-
St. John Marylebone - W.M.	32101	9	18	1	7	-	-	-	-	1	-	-	-	-	-	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	33	28	3	10	-	-	1	-	-	-	1	-	-	1	2	5
Regent's Park Paneras *HH* - W.M.	36590	21	18	7	9	-	-	-	1	-	-	-	-	-	1	4	1
Tottenham-court *wHHH* N.R. & W.M.	26321	10	18	1	7	-	-	-	1	-	-	-	-	-	1	2	8
Gray's Inn Lane *HHH* - N.R.	27455	17	18	3	7	-	2	-	-	3	-	-	-	-	1	2	2
Somers Town *HH* - N.R.	32829	23	17	3	6	-	-	-	-	-	-	-	-	-	1	2	4
Camden Town *WH* - N.R.	15419	10	16	2	6	-	-	-	-	2	-	-	-	-	1	1	12
Kentish Town *WW* - N.R.	95765	52	49	9	14	-	-	-	-	1	-	-	-	-	2	6	5
Upper Holloway *WWWwHHH* - N.R.	90235	67	64	8	30	-	-	-	-	1	-	-	-	-	-	2	33
Islington South-west *H* - N.R.	105557	67	52	11	11	-	1	-	1	4	-	-	-	-	1	4	-
Islington South-east - N.R.	64153	41	32	6	9	-	-	-	-	1	-	1	-	-	1	6	-
Highbury *HH* - N.R.	59193	23	21	1	12	-	-	-	-	-	-	-	-	-	-	4	-
Stoke Newington *H* - N.R.	30936	21	13	-	7	-	-	-	-	-	-	-	-	-	-	1	-
Stamford Hill - E.L.	17759	6	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42802	25	19	4	5	-	1	-	-	1	-	1	-	-	1	1	2
Hackney *WwwH* - E.L. & N.R.	96486	61	46	5	18	-	1	2	2	-	-	1	-	-	2	5	20
South Hackney *wH* - E.L.	41759	28	23	5	10	-	-	-	-	1	-	-	-	-	1	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	5	12	3	4	-	1	-	-	-	-	-	-	-	1	1	-
St. Giles South *WH* - N.R.	13454	5	22	-	13	-	-	-	-	-	-	-	-	-	-	2	16
St. Giles North *H* - N.R.	9633	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	7	2	2	-	-	-	-	-	-	-	-	-	-	-	4
St. Mary-le-Strand *H* - N.R.	5706	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	3	7	2	2	-	-	-	-	1	-	-	-	-	-	-	6
Strand Union Workhouse, Edmonton	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	3	13	2	1	-	-	-	1	-	-	-	-	-	1	1	9
St. Andrew Eastern *WH* - N.R.	15343	11	5	-	3	-	1	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16893	11	11	6	2	-	-	-	-	-	-	-	-	-	1	2	-
Amwell Clerkenwell - N.R.	16883	14	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	17155	12	8	2	1	-	-	-	-	2	-	-	-	-	1	1	-
Goswell-street - N.R.	15375	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - N.R.	29177	35	18	2	3	-	-	-	-	-	-	-	-	-	-	1	2
Whitecross-street - N.R.	8278	9	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury - N.R.	4985	-	3	1	-	-	-	-	-	1	-	-	-	-	1	1	-
Holborn Union Workhouse, Mitcham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H* - N.R. & E.L.	8944	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre *H* - N.R.	4441	2	25	2	6	-	-	-	-	-	-	-	-	-	3	7	19
St. Bride *W* - N.R.	6594	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All hallows Barking - N.R.	10422	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3577	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*— house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse / Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the d Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

r, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district lay, 16th February, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
editch South *HL** E.L. & N.R.	20098	14	9	1	3	-	-	-	-	1	-	-	-	-	-	-	1	-
ton New Town *w* - - - N.R.	29313	20	24	6	10	-	1	-	-	3	-	-	-	-	-	3	7	-
ton Old Town - - - - N.R.	28354	18	11	3	3	-	-	-	-	-	-	-	-	-	3	4	-	-
gerston *WH* - - N.R. & E.L.	46244	45	41	9	14	-	2	-	-	-	-	-	-	-	2	6	19	-
nal Green North *H* - - E.L.	51520	45	20	5	3	-	-	-	1	-	-	-	-	-	1	6	2	-
nal Green South - - - E.L.	33489	24	16	7	2	-	-	-	-	1	-	-	-	1	1	2	-	-
nal Green East *WHL** - E.L.	44123	24	41	2	24	-	-	-	-	-	-	-	-	-	1	2	33	-
alfields - - - E. N.R.	22456	14	11	2	3	-	-	-	-	-	-	-	-	-	-	6	-	-
e End New Town *W* - - E.L.	17908	16	23	1	8	-	-	-	-	-	-	-	-	-	-	-	18	-
itechapel Church *H* E.L. & N.R.	20298	12	37	5	7	-	-	-	1	-	-	-	-	-	1	3	29	-
dman's Fields - - - E.L.	13800	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37788	26	22	9	6	-	2	-	-	2	-	-	-	-	4	6	-	-
John, St. George East *W* - E.L.	8057	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
dwell *H* - - - E.L. & N.R.	10246	9	9	1	1	-	-	-	-	-	-	-	-	-	-	2	5	-
cliff *W* - - - - - E.L.	14928	9	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ichouse - - - - - E.L.	32202	13	22	7	6	-	-	-	-	1	-	-	-	1	3	6	-	-
e End Old Town West *H* - E.L.	38650	42	33	8	13	-	4	-	-	-	-	-	-	-	2	7	-	-
e End Old Town East *WWwwH* E.L.	68942	63	45	8	21	-	-	-	1	1	-	-	-	-	1	8	17	-
*L** - - - - - E.L.	40365	24	22	5	5	-	-	-	1	-	-	-	-	-	1	1	1	-
mley *wwwH* - - - - E.L.	70000	75	50	9	16	-	2	-	-	1	-	-	-	-	3	6	23	-
lar. *WW* - - - - - E.L.	56383	46	35	9	13	-	3	1	2	-	-	1	-	-	3	15	4	-
South Districts.																		
ristchurch Southwark *WH* L. & S.	13264	10	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Saviour Southwark - - - S.	13913	7	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
nt-road - - - - S. & L.	21867	19	12	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
rough-road *WH* - - S. & L.	16624	13	8	4	-	-	-	-	-	-	-	-	-	-	2	2	2	1
adon-road *HL* - - L. & S.	21221	19	16	3	4	-	-	-	-	-	-	-	-	-	-	1	2	-
nity Newington - - S. & L.	26596	21	12	7	2	-	-	-	-	-	-	-	-	-	-	1	-	1
Peter Walworth *W* - - S. & L.	61342	46	32	9	6	-	-	-	-	-	-	-	-	-	1	3	3	-
Mary Newington - - L. & S.	27866	22	23	5	8	-	-	-	-	-	-	-	-	-	1	3	-	-
Olave *WH* - - - - S.	12723	1	17	2	4	-	-	1	-	-	-	-	-	-	5	7	10	-
ather Market *W* - - S. & L.	30612	23	14	4	7	-	-	-	-	-	-	-	-	-	2	3	4	1
James Bermondsey - - S.	54070	43	22	3	14	-	-	-	1	-	-	-	-	-	3	3	-	-
therhithe *WwH* - - S. & K.	39255	25	31	4	12	-	-	-	-	-	-	-	-	-	1	1	10	1
aterloo-road 1st *H* - - L. & S.	14031	9	8	2	-	-	-	-	-	-	-	-	-	-	-	2	1	-
aterloo-road 2nd *H* - - L. & S.	14644	21	13	3	2	-	-	-	-	2	-	-	-	1	1	2	-	-
mbeth Church 1st *H* - L. & S.	18075	15	15	4	2	-	-	-	-	-	-	-	-	-	2	3	0	-
mbeth Church 2nd *WW* - L. & S.	39097	29	39	2	20	-	-	-	-	1	-	-	-	-	1	3	21	-
nnington 1st *H* - - S. & L.	50586	38	10	4	10	-	-	-	-	-	-	-	-	-	-	1	2	-
nnington 2nd - - - S. & L.	39708	26	31	6	13	-	-	1	-	-	-	-	-	-	1	1	-	1
xton *w* - - - - L. & S.	73405	38	46	13	17	-	-	3	2	1	-	-	-	-	1	1	6	-
rwood *WH* - - - - L.	25657	8	12	3	5	-	-	-	-	2	-	-	-	-	-	-	-	-
st Battersea - - - - S.	67244	42	40	12	8	-	2	-	-	3	-	-	-	-	2	9	-	-
est Battersea *WwH* - - S.	83314	36	48	7	16	-	-	-	-	2	-	-	-	1	1	1	14	-
apham *H* - - - - S.	43698	35	19	3	9	-	-	-	2	-	-	-	-	1	1	2	-	-
andsworth *WHHL* - - - S.	46717	31	21	5	7	-	-	-	-	-	-	-	-	-	-	1	5	-
tney - - - - - - S.	17771	12	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-
eatham *www* - - - - L.	48756	24	18	1	9	-	-	1	1	-	-	-	-	-	-	1	3	-
alwich - - - L. & S.	6309	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL**L** - - S. & L.	81686	42	58	6	25	-	1	-	1	-	-	-	-	-	-	1	25	1
ckham *WW* - - S., L., & K.	83483	45	35	9	10	-	-	-	1	-	-	-	-	-	2	3	6	-
George Camberwell - - L. & S.	63366	41	23	9	2	-	-	-	-	-	-	1	-	2	-	2	-	-
eptford, North - - - - K.	35314	30	19	4	7	-	-	1	-	-	-	-	-	-	2	1	-	3
eptford, Central *w* - - - K.	42007	31	29	6	8	-	-	1	3	1	-	2	-	-	-	-	5	1
eptford, South - - - - K.	60852	23	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich West *H* - - - K.	22007	10	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich East *WH* - - - K.	35233	18	15	4	9	-	-	-	-	-	-	-	-	-	1	1	18	1
tham *wH* - - - - - K.	5682	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30950	22	16	4	8	-	-	-	-	-	-	-	-	-	-	2	2	1
denham *H* - - - - - L.	34162	12	18	3	7	-	-	-	-	1	-	-	-	-	-	-	1	1
nd on *HH* - - - - K.	14040	7	8	-	2	-	-	-	-	-	-	-	-	-	1	1	-	1
oolwich Dockyard - - - K.	19606	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HHHH* - K.	21242	10	7	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
umstead, West *H* - - - K.	15869	14	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	36567	27	21	5	6	-	2	-	2	-	-	-	-	-	-	-	5	1
anstead Asylum - - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
aterham Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
ane Hill Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
ospital Ships and Camp, Dartford -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
arenth Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
anwell Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
oiney Hatch Asylum - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
.E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
inchmore Hill Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden Asylum - - - -	-	-	10	-	5	-	-	-	-	-	-	-	-	-	-	-	10	-
laybury Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 16th February, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		368,746	1,422,063	946	625	160	212	–	6	4	9	5	2	3	20	38	62	23
38 : 1	Carshalton *wHH*	12228	26108	14	10	2	4	–	–	–	–	–	–	–	2	3	–	–
	Epsom, *part of** *WoH*	10423	12508	9	5	1	1	–	–	–	–	–	–	–	1	1	–	–
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–				–	–	–	–		–	–	
38 : 1	Croydon *WoHBH*	20851	138699	66	43	5	23	–	1	–	–	–	–	–	1	3	7	–
2	Mitcham *w*	11697	23083	12	7	5	1	–	–	1	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	17	5	1	4	–	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	8071	44765	24	25	5	14	–	–	–	–	–	–	–	–	1	3	–
3	Esher, *part of** *HH*	6601	12059	11	6	2	1	–	–	–	1	–	–	–	–	–	–	–
4	Hampton *H*	4545	18252	12	5	2	1	–	–	–	–	–	–	–	1	1	1	–
40 : 1	Richmond *WH*	2160	25389	14	11	3	3	–	–	–	–	–	–	1	2	3	6	–
2	Mortlake *H*	2823	16159	6	6	–	3		–	–	–	–		–	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	17	16	2	4	–	–	2	1	–	–	–	1	1	6	–
2	Beckenham *H*	6542	21969	8	3	–	1	–	–	–	–	1	–	–	–	–		–
	Chislhrst, pt. of* *WH*	14307	20372	16	8	2	3	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HHH*	12540	30599	20	14	3	3	–	1	–	–	1	–	–	–	–	–	3
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–		–	–	1	–
124 : 1	Sunbury *w*	11054	13671	12	7	2	4	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	14	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge	6172	5417	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12313	11	4	–	3	–	–	–	–	–	–	–	–	–	–	1
126 : 1	Isleworth *WHH*	6067	26273	13	22	4	11	–	2	–	–	–	–	–	–	1	8	–
2	Twickenham *HH*	2415	16027	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	Brentford *HHHH*	4318	37777	25	25	4	10	–	–	–	2	–	–	–	–	–	1	–
4	Chiswick	1245	21963	4	11	1	3	–	–	–	–	–	–	–	1	1	–	–
5	Aston *wH*	6132	30945	19	14	4	9	–	–	–	–	–	–	–	–	1	–	–
127 : 1	Harrow *HHH*	13809	15715	6	6	1	3	–	–	–	–	–	–	–	–	–	1	–
2	Edgware *HH*	6994	3844	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	36	25	6	7	–	–	–	–	–	–	–	1	3	–	–
4	Hendon *WH*	8382	15843	15	7	4	2	–	–	–	–	–	–	–	–	–	1	–
128 : 1	South Mimms *H*	15599	8474	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	6	6	1	3	–	–	–	–	–	–	–	–	–	2	–
3	Finchley *HHH*	4688	25820	16	9	2	2	–	–	–	–	–	–	–	–	–	2	–
129 : 1	Hornsey *HH*	3039	61097	33	19	5	8	–	–	–	–	1	–	–	–	1	–	–
2	Tottenham *H*	4642	97174	74	41	16	11	–	–	–	–	–	–	–	1	8	3	–
3	Edmonton *Wo*	7439	36351	29	19	6	4	–	–	–	–	–	–	–	–	1	4	–
4	Enfield *WWHH*	12639	31803	22	9	2	3	–	–	–	–	–	1	–	–	–	–	1
5	Waltham Abbey	11017	6066	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Chesthunt *H*	8430	9620	4	2	1	–	–	–	–	1	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136 : 1	Stratford *H*	1100	42983	41	17	8		–	–	–	–	–	–	–	2	2	1	–
2	Plaistow	1242	58030	53	31	19	8	–	–	–	1	–	–	–	–	–	–	6
3	Canning Town *H*	1558	54750	58	25	8	3	–	–	–	–	1	–	1	1	2	–	3
4	Forest Gate *w*	806	49140	27	18	4	6	–	–		–	–	1	1	–	–	–	–
5	East Ham *w*	3266	32713	27	23	9	8	–	–	1	1	–	–	–	1	1	–	1
6	Barking *WWWoT*	4334	70183	49	45	13	18	–	–	–	1	–	–	–	1	1	11	6
7	Walthamstow *H L*	6501	57330	44	29	8	8	–	2	–	–	–	–	–	1	1	1	
137 : 1	Chigwell *part of** *H*	11779	12911	6	6	1	2	–	–	–	–	–	–	–	1	1	–	1
2	Epping *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	
139 : 1	Romford *part of** *HH*	6553	4324	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
2	Ilford	3493	10913	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14391	14	6	3	1	–	–	–	–	1	–	–	–	–	–	2
	Sth. Eastern Fev. Hosp.	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–
	Midx. Lunatic Asylum	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—38 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1763); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2332); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1799); 139 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 2, Watford, and 137 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 16th February, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8–14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16
ATER LONDON	443,421	6,048,555	26·7	1·5	3092	621	1079	1	33	22	35	53	12	13	109	725
NNER LONDON -	74,672	4,392,346	29·3	1·7	2137	452	857	1	27	18	27	48	10	10	89	663
UTER RING -	368,749	1,656,209	19·7	0·9	625	169	212	–	6	4	9	5	2	3	20	62

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 15·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	February 16	115	141	26·9	–	9	1	1	1	1	–
ASGOW - -	695,876	„ 16	496	576	43·2	1	23	4	4	25	4	9
BLIN - -	349,594	„ 16	248	229	34·2	8	–	–	1	1	2	5
LCUTTA - -	466,460	January 5	–	–	–	–	–	–	–	–	–	–
MBAY - -	821,764	„ 29	333	495	31·3	6	14	?	?	?	122	33
DRAS - -	452,518	„ 4	296	319	36·6	–	1	?	?	?	107	65†
RIS - - -	2,424,705	February 9	1220	1414	30·4	–	5	1	12*	2	2	41
USSELS - -	498,400	„ 9	236	280	29·2	1	11	2	3*	1	1	8
STERDAM -	446,295	„ 9	310	157	18·2	–	–	–	–	5	2	–
TTERDAM -	228,579	„ 9	132	121	27·5	1	2	–	–	–	–	–
E HAGUE -	174,790	„ 9	122	75	22·3	–	–	–	2	1	–	–
PENHAGEN -	341,000	„ 9	198	142	21·7	–	10	3	5	2	–	3
OCKHOLM -	252,937	„ 2	131	97	19·9	–	1	2	7*	–	–	2
RISTIANIA -	167,588	„ 9	52	50	15·5	–	–	–	–	–	–	1
.PETERSBURG	954,409	January 26	435	564	30·8	3	2	18	26	5	12	52
OSCOW - -	753,469	„ 26	–	499	34·5	4	3	13	28	5	5	26
RLIN - -	1,724,544	„ 26	892	491	14·8	–	7	12	11	4	1	17
MBURG - -	608,710	February 2	417	195	16·7	–	–	3	5*	2	2	5
RESDEN - -	316,600	January 12	–	–	–	–	–	–	–	–	–	–
RESLAU - -	367 769	February 9	–	164	23·5	–	–	1	5*	–	–	10
UNICH - -	396,900	„ 9	–	209	27·4	–	–	–	5*	2	–	13
ENNA - -	1,495,764	„ 2	783	678	23·5	–	18	10	13*	1	2	36
AGUE - -	343,822	„ 2	217	160	24·2	1	1	–	1	1	–	5
DA-PESTH -	566,022	„ 2	446	261	24·0	1	1	3	6	–	1	14
RIESTE - -	160,825	January 26	87	79	25·5	–	–	–	5*	–	1	2
OME - -	456,664	„ 5	–	–	–	–	–	–	–	–	–	–
UBIN (11 days)	244,203	„ 31	278	263	25·3	–	8	3	2	1	1	9
ENICE -	158,159	„ 26	79	63	20·8	–	–	–	–	1	1	2
IRO - -	374,838	„ 7	420	337	46·8	–	–	–	2*	1	6	97
EXANDRIA -	231,396	„ 7	260	165	37·2	–	–	–	1*	–	3	36
EW YORK -	1,992,715	„ 26	–	–	–	–	–	–	–	–	–	–
ROOKLYN -	1,080,000	February 2	–	–	–	–	–	–	–	–	–	–
HILADELPHIA	1,163,854	„ 2	–	–	–	–	–	–	–	–	–	–
EW ORLEANS -	275,000	January 19	–	189	35·9	–	4	–	3	1	6	10

* Including deaths from croup.
† Including 21 deaths from cholera in Madras.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 16TH FEBRUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	10	..	29·645	29·7	14·4	15·3	23·8	−14·6	9·8	14·0	19·2	5·0	52	63·0	11·7	37·00	ENE. & E.	E. & ENE.	6·6	0·0	0·3	316	− 9	0·00	1·5
MONDAY .	11	..	29·506	32·0	21·7	10·3	26·8	−11·5	14·8	12·0	14·2	9·0	58	78·9	15·5	36·90	ENE. & NE.	NE. NNE. & N.	8·0	0·0	0·8	469	+149	0·00	4·5
TUESDAY.	12	In Equator.	29·797	35·1	17·4	17·7	26·3	−12·2	15·6	10 7	12·8	4·0	62	67 0	13·0	36·90	NW. & Calm.	NNW. NW. & WSW.	1·1	0·0	0·0	181	−134	0·00	0·9
WEDNESDAY	13	..	30·038	36·2	16·2	20·0	24·5	−14·3	20·5	4·0	9·5	2·0	83	72·9	10·9	..	WSW. & SW.	E. & SE.	0·6	0·0	0·0	138	−172	0·00	1·9
THURSDAY	14	..	30·134	28·4	20·2	8·2	23·5	−15·7	15·0	8·5	12·5	4·0	68	85·0	14·0	..	E.	E.	3 9	0·0	0·2	232	− 73	0·00	3·0
FRIDAY .	15	..	30·093	31·1	24·0	7·1	27·4	−12·2	20·9	6·5	12·2	5·1	75	37·8	22·0	..	E. ENE. & NE.	NE.	8·5	0·0	0·8	471	+170	0·00	0·0
SATURDAY	16	Last Qr.	30·266	34·1	24·5	9·6	29·8	−10·0	18·8	11·0	14·4	3·2	61	83·5	19·0	..	NE. & ENE.	NE.	17·2	0·0	1·0	522	+224	0·00	0·0
MEANS . .		..	29·926	32·4	19·8	12·6	26·0	−12·9	16·5	9·5	13·5	4·6	66	69·7	15·2	..	NE. & ENE.		..	..	..	Sum 2329	Sum + 155	Sum 0·00	1·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	10	Pipe frozen - -	0 9	9·6	Cloudless till 4h. P.M.; afterwards overcast.
MONDAY .	11	s. P. in afternoon; pipe frozen at other times.	1·8	9 7	Overcast in morning; fine during day, with light cloud; cloudless at night.
TUESDAY .	12	Pipe frozen - -	0·5	9·8	Cloudless; very fine, foggy in morning, and again at night; hoar frost.
WEDNESDAY	13	Pipe frozen - -	1·8	9·8	Cloudless; hoar frost in early morning; foggy between 8h. A.M. and noon; a fine, bright afternoon.
THURSDAY .	14	Pipe frozen - -	2·3	9·9	Fine generally; cloudless in early morning; occasional fine snow between 5h. A.M. and noon.
FRIDAY .	15	Pipe frozen till noon; s. P. afterwards.	0·0	9·9	Overcast; bleak wind; occasional slight snow.
SATURDAY .	16	Pipe frozen in morning; s. P. afterwards.	7·2	10·0	Cloudless generally; a fine bright day; bleak wind.
			Sum 14·5	Sum 68·7	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·85 in. at the beginning of the week to 29·40 in. by 5h. A.M. on the 11th; increased to 30·15 in. by noon on the 13th; decreased to 30·07 in. by 3h. P.M. on the 15th; and increased to 30·31 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 8. 1895. VOL. LVI.] WEEK ENDING SATURDAY, FEBRUARY 23. [Price 1½*d*

General Register Office, Somerset House,
February 25th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 29·6 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	TOWNS.	Weeks ending Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.
Birkenhead	18·9	23·8	26·7	24·7	Liverpool - -	27·9	30·9	39·6	46·1
Birmingham	16·0	22·3	25·7	21·8	London - -	19·0	21·0	29·3	34·0
Blackburn -	18·4	19·6	22·9	24·9	Manchester -	23·5	24·8	27·2	26·6
Bolton -	23·2	27·1	22·3	27·5	Newcastle-on-Tyne	21·2	19·4	21·9	21·7
Bradford -	19·8	15·0	24·0	28·3	Norwich - -	19·0	22·9	20·9	28·2
Brighton -	24·4	16·6	23·1	26·6	Nottingham -	17·0	18·2	23·0	35·2
Bristol -	18·7	16·7	25·4	26·3	Oldham - -	20·0	17·0	23·7	20·3
Burnley -	18·3	20·9	20·4	21·5	Plymouth - -	21·1	24·0	18·7	38·0
Cardiff -	17·8	22·4	24·5	31·5	Portsmouth -	14·6	19·7	20·9	25·1
Croydon -	11·8	18·1	14·5	24·5	Preston - -	26·8	20·8	27·3	22·7
Derby -	21·8	13·5	19·8	19·8	Salford - -	25·3	20·8	26·8	29·5
Gateshead -	21·8	15·2	22·8	17·4	Sheffield - -	18·6	17·6	24·3	23·1
Halifax -	20·0	21·1	20·6	31·1	Sunderland -	20·4	17·0	20·4	22·0
Huddersfield	16·8	21·5	20·4	21·0	Swansea - -	22·0	21·0	24·2	28·0
Hull - -	17·8	20·2	18·3	20·5	West Ham - -	16·3	15·0	21·3	21·1
Leeds -	20·3	17·5	27·7	21·1	Wolverhampton -	22·5	23·7	26·1	30·4
Leicester -	16·9	14·5	21·3	19·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Gateshead, 1·7 in Bolton, and 1·7 in Sheffield; from *scarlet fever*, 1·0 in Huddersfield, 1·2 in Wolverhampton, and 1·3 in Salford; and from *whooping-cough*, 1·0 in Manchester and in Burnley, and 1·9 in Norwich. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 55 deaths from *diphtheria* included 29 in London, 4 in Leeds, 3 in West Ham and in Sheffield, and 2 each in Birmingham, Liverpool, and Manchester. One death from *small-pox* was registered in London, and one in Derby, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2787 BIRTHS and 2863† DEATHS were registered. Allowing for increase of population, the births were 9 below, whilst the deaths exceeded by 1006, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·0, 21·0, and 29·3 in the preceding three weeks, further rose last week to 34·0. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

ending on Saturday last the death-rate averaged 25·8 per 1000, being 4·2 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 2863 deaths included one death from small-pox, 26 deaths from measles, 10 from scarlet fever, 29 from diphtheria, 42 from whooping-cough, 3 from enteric fever, one death from an ill-defined form of continued fever, 12 deaths from diarrhœa and dysentery, and not one death from typhus or from cholera; thus, 124 deaths were referred to these diseases, being 71 below the corrected average weekly number.

The death from *small-pox* belonged to Marylebone sanitary area. The death of an infant, aged 4 months, which occurred in Nutfield Road, Camberwell, was certified to have resulted from "*chicken-pox*," 17 days, bronchitis, and wasting." The deaths from *measles*, which had been 13, 17, and 27 in the preceding three weeks, numbered 26 last week, and were 16 below the corrected average; 4 belonged to Poplar sanitary area. The deaths from *scarlet fever*, which had been 11, 15, and 18 in the preceding three weeks, declined last week to 10, and were 8 below the corrected average; 2 belonged to Islington and 2 to St. George Southwark sanitary areas. The deaths from *diphtheria*, which had been 45, 34, and 27 in the preceding three weeks, numbered 29 last week, being 2 below the corrected average; 3 belonged to Poplar, 3 to Camberwell, and 2 each to Paddington, St. Pancras, Hackney, Battersea, and Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 30, 29, and 48 in the preceding three weeks, numbered 42 last week, being 33 below the corrected average; 6 belonged to Lambeth and 5 to St. Pancras sanitary areas. The fatal cases of *enteric fever*, which had been 9, 13, and 10 in the preceding three weeks, declined last week to 3, and were but one-third of the corrected average. The deaths from *diarrhœa*, which had been 12, 12, and 10 in the preceding three weeks, numbered 12 last week, and were 5 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 377, 480, and 840 in the preceding three weeks, further rose last week to 1119, and were 615 above the corrected average.

The deaths attributed directly to *influenza* numbered 111, having been 16, 13, and 24 in the preceding three weeks.

Different forms of violence caused 86 deaths, concerning 85 of which inquests were held. Of these 86 deaths, 2 were cases of suicide, and 2 of homicide, while the remaining 82 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 20 to burns and scalds, 5 to drowning, and 28 (of infants under one year of age) to suffocation in bed. Two deaths were referred directly to the effects of the severe weather.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 75 cases of small-pox, 1658 of scarlet fever, 486 of diphtheria, and 107 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 19 cases, against 21, 18, and 18; of scarlet fever, 152 cases, against 160, 149, and 159; of diphtheria, 54 cases, against 76, 49, and 55; and of enteric fever, 8 cases, against 11, 14, and 9.

Greater London.

In Greater London 3768 births and 3509 deaths were registered, corresponding to annual rates of 32·5 and 30·3 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 8 from diphtheria, 9 from whooping-cough, and 5 from diarrhœa were recorded. Of the 8 deaths from diphtheria, 5 occurred in West Ham district and 2 in Edmonton district. The 9 deaths from whooping-cough included 5 in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·15 inches, and that of the Thermometer 34°·0, the latter being 5°·7 below the week's average in the 50 years 1841–90. The direction of the wind was North-Easterly, the horizontal movement of the air being 41 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 8·3 hours; no rain was measured during the week.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 23rd February 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 23rd Feb. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6866	6014	1144	2059	2	70	33	55	94	20	43	201	488	1168	107	29·6	1·6	46·0	10·9	33·2	0·67	0·02	0·05	33 Towns.
London	4,392,346	2787	2863	505	1037	1	26	10	29	42	4	12	86	254	692	24	34·0	1·5	43·1	18·2	34·0	1·11	0·00	0·00	London.
West Ham	249,473	182	101	31	34	–	1	–	3	4	–	–	2	7	10	3	21·1	1·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	64	54	7	25	–	1	–	–	–	1	–	3	7	7	–	24·5	0·9	44·2	10·9	32·2	0·11	0·01	0·03	Croydon.
Brighton	119,604	72	61	9	23	–	–	–	–	2	–	1	1	3	9	1	26·6	1·3	44·4	24·2	34·6	1·44	0·00	0·00	Brighton.
Portsmouth	174,751	115	84	16	34	–	2	–	–	–	1	1	3	6	15	2	25·1	1·2	46·0	21·5	33·8	1·00	0·00	0·00	Portsmouth.
Plymouth	89,096	48	65	13	25	–	–	–	–	–	–	1	2	9	6	1	38·0	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,189	131	115	30	48	–	–	–	–	–	–	2	5	10	26	2	26·3	0·5	42·0	17·0	30·4	−0·89	0·00	0·00	Bristol.
Cardiff	155,637	105	94	25	30	–	–	–	1	2	–	1	2	3	10	2	31·5	1·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	62	52	15	15	–	–	–	–	–	1	–	3	7	4	1	28·0	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	75	50	12	17	–	–	2	1	–	–	–	–	3	15	–	30·4	1·8	36·9	20·0	29·8	−1·22	0·00	0·00	Wolverhampton.
Birmingham	496,751	292	208	44	72	–	–	1	2	8	1	6	7	8	41	12	21·8	1·9	–	–	–	–	–	–	Birmingham.
Norwich	107,127	68	58	11	28	–	–	–	–	4	1	–	2	4	9	1	28·2	2·4	45·8	19·0	34·7	1·50	0·05	0·13	Norwich.
Leicester	193,839	135	74	18	31	–	–	–	–	–	–	1	3	8	9	1	19·9	0·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	147	153	31	64	–	–	–	1	1	–	2	3	7	10	4	35·2	0·9	42·9	23·1	33·0	0·56	0·01	0·03	Nottingham.
Derby	100,272	62	38	7	18	1	–	1	–	–	1	1	4	8	11	–	19·8	2·1	–	–	–	–	–	–	Derby.
Birkenhead	107,469	75	51	7	17	–	–	1	–	–	–	–	2	5	3	–	24·7	0·5	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	407	446	76	137	–	6	2	2	3	1	5	18	26	80	19	46·1	2·0	41·8	24·7	32·3	0·17	0·06	0·15	Liverpool.
Bolton	119,337	77	63	12	16	–	4	–	1	–	–	–	7	8	4	–	27·5	2·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	356	268	53	50	–	9	5	2	10	1	4	16	36	62	3	26·6	3·1	–	–	–	–	–	–	Manchester.
Salford	208,253	142	118	27	28	–	–	5	1	2	3	2	2	6	24	5	29·5	3·3	–	–	–	–	–	–	Salford.
Oldham	141,079	73	55	13	14	–	–	–	1	1	–	–	1	8	1	–	20·3	0·7	–	–	–	–	–	–	Oldham.
Burnley	99,591	68	41	11	13	–	–	1	–	2	1	1	–	2	2	1	21·5	2·6	–	–	–	–	–	–	Burnley.
Blackburn	127,615	80	61	12	15	–	–	–	1	1	1	–	4	4	11	3	24·9	1·2	–	–	–	–	–	–	Blackburn.
Preston	112,638	67	49	12	14	–	2	–	–	1	–	–	2	2	1	4	22·7	1·4	–	–	–	–	–	–	Preston.
Huddersfield	99,482	41	40	2	15	–	–	2	–	–	–	–	1	1	5	3	21·0	1·0	43·0	21·0	32·6	0·33	0·01	0·03	Huddersfield.
Halifax	93,813	50	56	8	20	–	–	–	–	1	–	–	1	2	10	2	31·1	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	120	123	16	39	–	1	–	–	2	1	–	1	3	11	3	28·3	0·9	43·1	25·4	34·2	1·22	0·00	0·00	Bradford.
Leeds	395,546	264	160	28	54	–	3	1	4	1	–	1	2	11	21	–	21·1	1·3	–	–	–	–	–	–	Leeds.
Sheffield	342,768	243	152	31	50	–	11	–	3	2	–	–	8	10	24	5	23·1	2·4	–	–	–	–	–	–	Sheffield.
Hull	216,722	144	85	22	27	–	1	2	1	2	–	1	4	5	12	5	20·5	1·7	45·0	25·0	34·7	1·50	0·06	0·15	Hull.
Sunderland	137,705	101	58	12	17	–	–	–	1	–	–	–	3	6	9	–	22·0	0·4	44·0	23·0	35·9	2·17	0·09	0·23	Sunderland.
Gateshead	85,871	74	32	9	8	–	2	–	–	1	–	–	1	2	2	–	17·4	1·6	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	139	86	19	24	–	1	–	1	2	2	1	2	7	12	–	21·7	1·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—Births and Deaths Registered in the Eighth Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
Total Births	2709	2712	2769	2473	2695	2702	2622	2694	2527	2587	2795·8	2787
Males . .	1406	1402	1363	1208	1341	1323	1315	1371	1265	1337	1407·0	1412
Females .	1303	1310	1406	1265	1354	1379	1307	1323	1262	1250	1388·8	1375
Total Deaths	1569	1988	1691	1772	1567	1347	2042	1829	1629	1663	1857·2	2863
Males . .	823	1006	847	874	762	934	1050	930	857	858	943·6	1384
Females .	746	982	844	898	805	913	992	899	772	805	913·6	1479

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.
Total Births - -	2550	2599	2597	2703	1950	3085	2922	2818	2612	2587	2736	2737	2787
Total Deaths - -	1347	1614	1550	1448	1434	1462	1622	1689	1481	1598	1768	2467	2863
Ages at Death: Under 1 year -	364	370	347	316	352	348	369	370	311	337	386	452	505
1— 5 years -	207	208	207	185	191	194	200	205	151	192	188	250	337
5—20 " -	78	86	92	77	71	85	90	96	80	87	82	99	92
20—40 " -	165	248	213	193	205	221	224	197	190	221	237	278	280
40—60 " -	249	321	284	297	254	248	288	331	314	324	341	521	612
60—80 " -	234	313	341	314	277	297	360	390	362	373	442	700	868
80 years & upwards	50	68	66	66	84	69	91	100	73	64	92	167	169
Deaths from—													
Small-pox - - - -	-	-	-	1	1	-	-	1	-	2	3	1	1
Measles - - - -	29	36	32	35	46	34	30	35	21	13	17	27	26
Scarlet fever - - -	19	18	13	14	14	14	12	9	7	11	15	18	10
Diphtheria - - -	54	57	53	36	35	50	34	31	29	45	34	27	29
Whooping-cough - -	26	23	25	26	14	23	35	21	27	30	29	48	42
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric fever - - -	18	17	24	25	32	17	16	20	16	9	13	10	3
Simple Continued fever -	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa and Dysentery -	25	14	11	15	7	14	15	16	10	12	12	10	12
Cholera - - - -	-	-	1	-	-	-	-	-	1	-	-	-	-
All the above Diseases -	171	165	159	152	149	152	142	133	112	122	123	141	124
Dis. of Respiratory System	263	338	358	325	352	319	389	399	324	377	480	840	1119
Phthisis - - -	125	187	132	140	144	155	159	139	161	166	157	210	230
Dis. of Circulatory System	100	158	158	140	99	129	161	162	162	161	160	248	269
Violence - - - -	37	67	76	73	70	72	77	76	58	68	81	89	86
Inquest Cases - - -	98	152	152	141	147	176	155	173	149	160	195	239	254
Deaths in Public Institutions	405	466	471	410	381	411	439	432	462	477	480	663	692
Temperature of the Air													
Mean - - - -	40°·3	39°·8	45°·4	43°·9	43°·0	34°·3	29°·8	40°·4	35°·6	26°·9	22°·4	26°·0	34°·0
Mean of Highest readings -	44·0	44·0	48·8	49·1	46·7	37·1	32·5	44·0	41·2	32·0	29·5	32·4	40·1
Mean of Lowest readings -	35·5	34·0	41·1	38·2	39·0	30·9	27·2	35·6	29·8	21·9	14·9	19·8	23·5
Humidity of the Air - -	87	91	28	83	87	81	87	89	84	75	68	66	84
Rain-fall (in inches) - -	0·00	0·17	0·97	0·59	0·22	0·20	0·01	0·72	0·54	0·28	0·02	0·00	0·00
Registered Sunshine (in hours)	2·7	4·4	4·4	3·0	1·7	0·2	1·7	4·7	6·4	4·8	16·4	14·5	8·3
Cases of Infectious Sickness in Hospitals* at the end of each Week.													
Small-pox - - - -	31	32	22	15	16	23	28	32	35	51	56	67	75
Scarlet fever - - - -	2148	2142	2034	1931	1890	1779	1713	1653	1662	1653	1667	1657	1658
Diphtheria - - - -	520	515	523	512	523	499	517	514	528	519	500	498	486
Enteric fever - - - -	99	101	101	97	105	112	107	115	121	115	117	111	107

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

Meteorological Observations. (*See* Table 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 8th Week of the 10 years 1885–94.*	In the Week ending Saturday, 23rd February 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1857·2	2363	505	337	92	280	612	868	169
Small-pox: Vaccinated† -	1·1	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·5	1	1	-	-	-	-	-	-
Small-pox: No Statement	1·1	-	-	-	-	-	-	-	-
Measles - - - -	41·7	26	3	19	4	-	-	-	-
Scarlet Fever - -	18·0	10	1	7	1	1	-	-	-
Diphus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	15·4	111	5	6	1	12	37	41	6
Whooping-cough - -	75·1	42	9	33	-	-	-	-	-
Diphtheria - - -	30·5	29	2	17	10	-	-	-	-
Simple Continued and Ill-defined Fever - -	0·6	1	-	1	-	-	-	-	-
Enteric Fever -	8·8	3	-	-	-	3	-	-	-
Cholera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	16·8	12	6	2	-	-	-	2	2
Intermittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Venereal Affections -	12·8	10	5	1	-	2	1	1	-
Erysipelas - -	4·1	7	3	-	1	-	1	1	1
Pyæmia and Septicæmia	2·3	5	-	1	1	3	-	-	-
Puerperal Fever - -	5·3	2	-	-	-	2	-	-	-
Other Zymotic Diseases	2·1	1	1	-	-	-	-	-	-
Thrush - - - -	1·2	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·4	-	-	-	-	-	-	-	-
Alcoholism - - -	6·3	13	-	-	-	5	8	-	-
Rheumatic Fever, Rheumatism of Heart	8·0	8	-	-	1	5	1	1	-
Rheumatism - -	4·2	1	-	-	-	-	-	1	-
Gout - - - -	4·0	8	-	-	-	-	1	7	-
Rickets - - - -	5·6	4	1	3	-	-	-	-	-
Cancer - - - -	65·6	76	-	-	-	11	34	28	3
Tabes Mesenterica -	21·1	23	10	12	1	-	-	-	-
Tubercular Meningitis -	23·4	31	17	11	1	1	1	-	-
Phthisis - - -	183·7	230	-	5	12	86	103	19	-
Scrofula, Tuberculosis -	20·2	20	4	10	3	1	2	-	-
Other Constitutional Diseases - - -	10·9	21	-	-	1	6	7	7	-
Premature Birth - -	43·6	55	55	-	-	-	-	-	-
Atelectasis - - -	2·7	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	7·4	10	8	1	1	-	-	-	-
Old Age - - - -	62·4	93	-	-	-	-	-	45	48
Apoplexy - - -	43·0	67	-	1	-	4	15	38	9
Epilepsy - - -	7·1	7	1	1	-	3	2	-	-
Convulsions - - -	48·5	60	53	7	-	-	-	-	-
Other Diseases of Brain and Nervous System	100·5	120	16	13	8	13	29	33	8

CAUSES OF DEATH.	Corrected Averages for the 8th Week of the 10 years 1885–94.*	In the Week ending Saturday, 23rd February 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·5	5	2	1	1	-	1	-	-
Diseases of Circulatory System - - -	150·8	269	2	3	14	24	80	127	19
Croup - - - -	13·7	6	-	5	1	-	-	-	-
Bronchitis - - -	309·9	787	105	64	3	24	153	379	54
Pneumonia - - -	132·3	253	42	66	10	27	52	54	5
Pleurisy - - - -	6·4	6	-	-	-	2	2	2	-
Other Diseases of Respiratory System - -	41·2	65	12	4	-	6	20	21	2
Dentition - - -	13·7	19	9	10	-	-	-	-	-
Quinsy, Sore Throat -	1·8	3	-	1	-	1	-	-	1
Enteritis - - -	10·2	11	8	1	1	-	-	-	1
Peritonitis - - -	5·7	4	-	-	-	3	-	1	-
Diseases of Liver - -	27·5	28	5	-	1	4	9	7	2
Other Diseases of Digestive System -	30·5	31	6	1	1	8	5	9	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	4	-	1	1	-	-	2	-
Diseases of Urinary System - - -	45·7	63	-	1	2	10	22	23	4
Diseases of Generative System - - -	5·3	6	-	-	-	-	5	1	-
Accidents of Childbirth -	5·4	4	-	-	-	3	1	-	-
Diseases of Locomotive System - - -	6·5	12	1	2	2	2	2	3	-
Diseases of Integumentary System - -	4·6	6	1	-	-	1	2	2	-
VIOLENT DEATHS (ACCIDENT.)									
By Railways - - -	58·2	1	-	-	-	1	-	-	-
By Vehicles or Horses -		3	-	1	-	-	1	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		1	-	1	-	-	-	-	-
By Burns, Scalds, Explosions - - -		20	-	16	3	-	-	-	1
By Drowning - -		5	-	-	4	1	-	-	-
By Suffocation in Bed -		28	28		-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	1	-	-	-	-	-
Other or not stated Causes - - -		23	3	2	2	3	4	7	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·2	2	1	-	-	1	-	-	-
Suicide - - - -	7·4	2	-	-	-	1	1	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	60·3	83	76	5	-	-	-	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA[illegible] during the Week en[illegible]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2787	2863	505	1037	1	26	10	29	42	-	3	1	12	86	254	692
WEST DISTRICTS	740,735	431	546	82	218	-	2	1	3	5	-	-	1	1	12	51	138
NORTH DISTRICTS	993,884	627	627	111	241	-	5	2	8	1	-	1	-	3	18	43	132
CENTRAL DISTRICTS	247,538	121	177	31	51	-	8	-	2	5	-	-	-	-	4	14	45
EAST DISTRICTS	705,114	543	475	104	163	-	5	1	4	3	-	-	-	1	18	62	141
SOUTH DISTRICTS	1,524,472	1065	989	177	351	1	11	5	11	17	-	2	-	7	34	81	187
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	49	-	13	-	-	1	1	-	-	-	-	-	-	-	49
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	57	60	11	20	-	1	-	2	-	-	-	-	-	3	7	9
St. John Paddington *H* - - G.J.	33887	12	25	2	13	-	-	-	-	-	-	-	-	-	1	2	8
Kensington Town *Ww* - - W.M.	118751	71	84	11	37	-	1	-	1	-	-	-	1	-	-	5	24
Brompton *HH* - - W.M. & C.	47557	5	19	2	7	-	-	-	-	-	-	-	-	-	-	2	5
St. Peter Hammersmith - - W.M.	8533	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	38653	63	48	8	19	-	-	-	-	2	-	-	-	1	2	4	2
Fulham *Ww* - - - W.M. & C.	91639	77	87	16	27	-	-	1	-	-	-	-	-	-	2	15	14
Chelsea Kensal Town - - - C.	21787	24	11	5	3	-	-	-	-	-	-	-	-	-	-	3	5
Chelsea North *WHHHHH* - - C.	41637	30	50	6	16	-	-	-	-	1	-	-	-	-	-	3	22
Chelsea South *HH* - - - C.	33829	11	18	7	4	-	-	-	-	-	-	-	-	-	-	-	1
May Fair *WH* - - - - G.J.	23733	6	43	-	32	-	-	-	-	-	-	-	-	-	1	-	33
Belgrave *WHHH* - - - - C.	54631	25	40	5	15	-	-	-	-	1	-	-	-	-	2	4	9
St. John Westminster *HH* - C.	34106	18	16	5	5	-	-	-	-	-	-	-	-	-	-	1	1
St. Margaret Westminster *H* - C.	21668	11	20	-	7	-	-	-	-	-	-	-	-	-	-	2	7
St. James Westminster *WHHH* N.R. & G.J.	24995	14	18	3	12	-	-	-	-	-	-	-	-	-	1	2	2
St. Anne Soho *HHHHHH* - - N.R.	12317	4	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	13	28	2	12	-	-	-	-	-	-	-	-	-	2	3	8
Rectory Marylebone *WH* G.J. & W.M.	20024	13	17	3	5	-	-	-	-	-	-	-	-	-	-	1	4
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	38	20	2	11	-	-	-	-	-	-	-	-	-	-	5	2
Christchurch Marylebone *HH* - W.M.	33327	21	16	5	4	-	-	-	-	-	-	-	-	-	1	2	-
St. John Marylebone *HH* - - W.M.	32101	17	20	2	9	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHHH* N.R. & W.M.	68416	24	33	7	12	-	1	1	2	-	-	-	-	-	-	-	8
Regent's Park Pancras *HH* - W.M.	36590	18	18	5	8	-	-	-	-	-	-	-	-	-	-	4	-
Tottenham-court *wHHH* N.R. & W.M.	28321	9	12	4	2	-	-	-	1	-	-	1	-	-	-	-	4
Gray's Inn Lane *HHH* - - N.R.	27455	16	15	4	2	-	-	-	-	-	-	-	-	-	-	1	4
Somers Town *HH* - - - N.R.	32829	23	27	5	7	-	-	-	1	3	-	-	-	1	2	3	6
Camden Town *WH* - - - N.R.	15419	10	23	5	12	-	-	-	-	1	-	-	-	-	1	2	16
Kentish Town *WW* - - - N.R.	95765	56	63	7	35	-	-	-	-	1	-	-	-	1	1	2	11
Upper Holloway *WWWwHHH* - N.R.	90235	59	75	10	31	-	2	1	-	-	-	-	-	1	1	2	40
Islington South-west *H* - - N.R.	105557	81	71	15	23	-	1	-	-	2	-	-	-	-	4	7	-
Islington South-east - - - N.R.	64153	47	34	9	8	-	-	-	-	2	-	-	-	-	1	3	-
Highbury *HH* - - - - N.R.	59193	32	33	6	14	-	-	-	1	-	-	-	-	-	-	1	1
Stoke Newington *H* - - - N.R.	30936	24	17	2	7	-	-	-	-	-	-	-	-	-	1	1	-
Stamford Hill - - - - E.L.	17759	7	8	2	2	-	-	-	1	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42802	15	21	4	11	-	-	-	-	1	-	-	-	-	2	4	2
Hackney *WwwH* - - E.L. & N.R.	96486	69	61	8	25	-	-	-	2	1	-	-	-	-	2	5	24
South Hackney *wH* - - - E.L.	41759	35	16	4	2	-	1	-	-	1	-	-	-	-	-	-	1
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	4	5	-	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Giles South *WH* - - - N.R.	13454	16	23	4	12	-	-	-	-	-	-	-	-	-	-	1	12
St. Giles North *H* - - - N.R.	9633	6	9	1	4	-	-	-	-	2	-	-	-	-	-	-	2
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary-le-Strand *H* - - - N.R.	5706	3	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Clement Danes *WH* - - N.R.	7194	6	7	-	3	-	-	-	-	-	-	-	-	-	1	3	4
Strand Union Workhouse, Edmonton -	†1037	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	6	22	6	2	-	-	-	1	-	-	-	-	-	-	2	8
St. Andrew Eastern *WH* - - N.R.	15343	4	10	2	4	-	3	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	15	8	3	1	-	-	-	-	-	-	-	-	-	-	2	-
Amwell Clerkenwell - - - N.R.	16883	10	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	6	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Goswell-street - - - - N.R.	15375	7	10	3	3	-	-	-	-	-	-	-	-	-	-	-	2
City-road *HHHL* - - - N.R.	29177	22	20	6	4	-	-	-	-	2	-	-	-	-	-	-	-
Whitecross-street - - - N.R.	8278	3	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - N.R.	4985	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Holborn Union Workhouse, Mitcham -	†892	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cripplegate - - - - N.R.	4539	2	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	15	3	2	-	-	-	1	-	-	-	-	-	1	2	10
St. Bride *W* - - - - N.R.	6594	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All hallows Barking - - - N.R.	10422	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *w*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse (Establish[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diffe[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. [illegible] River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total proportion of the Central Districts for London.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
lay, 23rd February, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
ediltch South *HL** E.L. & N.R.	20098	7	4	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ton New Town *w* - - - N.R.	29313	20	40	6	22	-	-	-	-	-	-	-	-	1	1	2	22	-
ton Old Town - - - N.R.	28354	27	20	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	35	32	9	13	-	-	-	-	-	-	-	-	-	3	4	11	-
nal Green North *H* - - E.L.	51520	35	18	5	4	-	-	-	-	-	-	-	-	-	1	2	-	-
nal Green South - - - E.L.	33489	26	14	5	6	-	-	-	-	-	-	-	-	-	1	4	-	-
nal Green East *WHL** - E.L.	44123	40	20	4	8	-	-	-	-	-	-	-	-	-	-	2	9	-
alfields - - - E. N.R.	22456	16	9	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-
e End New Town *W* - - E.L.	17908	18	17	1	5	-	-	-	-	-	-	-	-	-	-	2	12	-
itechapel Church *H'* E.L. & N.R.	20293	9	31	4	5	-	-	-	-	-	-	-	-	-	3	3	23	-
dman's Fields - - - E.L.	13800	9	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	32	21	4	6	-	-	-	-	1	-	-	-	-	-	5	-	-
John, St. George East *W* - E.L.	8057	7	16	2	6	-	-	-	-	-	-	-	-	-	1	1	15	-
dwell *H* - - - E.L. & N.R.	10246	7	16	7	3	-	-	-	2	-	-	-	-	-	-	-	11	-
cliff *W* - - - - - E.L.	14928	11	12	4	3	-	-	-	-	-	-	-	-	-	1	1	-	-
chouse - - - - - E.L.	32202	33	13	2	3	-	-	1	-	-	-	-	-	-	-	1	-	-
e End Old Town West *H* - E.L.	38650	30	20	8	4	-	-	-	-	-	-	-	-	-	1	3	-	-
e End Old Town East *WWww* E.L.	68942	59	40	7	18	-	-	-	-	-	-	-	-	-	-	6	9	-
*y L** - - - - - E.L.	40365	32	24	8	5	-	-	-	1	1	-	-	-	-	-	3	1	-
omley *wwwH* - - - - E.L.	70000	63	45	4	17	-	2	-	-	-	-	-	-	-	5	8	18	-
olar. *WW* - - - - - E.L.	56383	28	55	11	20	-	2	-	1	1	-	-	-	-	1	13	10	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	10	15	5	3	-	-	-	-	-	-	-	-	-	2	4	1	-
Saviour Southwark - - - S.	13913	10	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1
nt-road - - - - S. & L.	21867	12	10	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-
rough-road *WH* - - S. & L.	16824	13	16	3	1	-	-	1	-	-	-	-	-	-	1	3	4	-
ndon-road *HL* - - L. & S.	21221	22	12	4	1	-	-	-	1	1	-	-	-	-	-	1	-	-
inity Newington - - S. & L.	26596	17	20	5	9	-	-	-	-	1	-	-	-	1	-	2	-	-
Peter Walworth *W* - S. & L.	61342	48	42	9	14	-	-	-	-	-	-	-	-	1	1	2	-	1
Mary Newington - - L. & S.	27866	18	19	6	4	-	1	-	1	-	-	-	-	1	-	-	-	-
Olave *WH* - - - - S.	12723	20	22	6	5	-	-	-	-	-	-	-	-	1	3	6	12	1
ather Market *W* - - S. & L.	30612	26	16	5	4	-	-	-	-	-	-	-	-	-	2	4	1	1
James Bermondsey - - S.	54070	33	24	6	8	-	-	-	-	-	-	-	-	-	-	1	-	-
therhithe *WwH* - - S. & K.	39255	23	24	3	13	1	-	-	-	-	-	-	-	1	1	1	10	-
aterloo-road 1st *H* - - L. & S.	14031	16	15	7	3	-	-	-	-	-	-	-	-	-	2	4	2	-
aterloo-road 2nd *H* - - L. & S.	14644	24	13	3	3	-	-	-	-	1	-	-	-	-	-	1	-	-
mbeth Church 1st *H* - L. & S.	18075	12	25	6	3	-	-	-	-	3	-	-	-	-	5	6	11	-
mbeth Church 2nd *WW.* - L. & S.	39097	42	48	9	21	-	-	-	1	1	-	-	-	-	1	5	28	-
nnington 1st *H* - - S. & L.	50586	25	27	10	7	-	-	-	-	-	-	-	-	-	1	2	-	-
nnington 2nd - - - S. & L.	39708	32	21	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-
xton *w* - - - - - L. & S.	73405	40	46	7	15	-	-	1	1	1	-	-	-	1	1	1	3	2
rwood *WH* - - - - L.	25667	13	11	2	7	-	-	-	-	-	-	1	-	-	-	-	-	-
st Battersea - - - - S.	67244	51	44	7	12	-	2	-	-	-	-	-	-	-	1	4	-	-
est Battersea *WwH* - - S.	83314	54	64	11	26	-	-	-	1	2	-	1	-	-	-	1	16	-
apham *H* - - - - S.	43698	26	37	3	19	-	1	-	-	-	-	-	-	-	-	2	-	-
andsworth *WHHL* - - - S.	46717	46	21	6	9	-	-	-	-	-	-	-	-	-	-	3	2	-
ntney - - - - - - S.	17771	8	13	2	9	-	-	-	-	-	-	-	-	-	-	2	-	-
reatham *www* - - - - L.	48756	28	40	9	15	-	2	3	1	-	-	-	-	-	-	2	6	-
ulwich - - - L. & S.	6809	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
amberwell *WwL*L** - S. & L.	81686	48	92	8	35	-	-	-	-	2	-	-	-	-	3	4	52	3
eckham *WW* - - S., L., & K.	83488	55	48	7	16	-	-	-	1	-	-	-	-	-	2	5	2	3
. George Camberwell - - L. & S.	63366	46	30	6	8	-	1	-	-	1	-	-	-	-	2	5	-	3
eptford, North - - - - K.	35314	25	17	1	6	-	-	-	-	1	-	-	-	-	-	1	-	-
eptford, Central *w* - - - K.	42007	41	16	4	4	-	-	-	4	1	-	-	-	-	-	-	4	-
eptford, South - - - - K.	30852	13	19	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
reenwich West *H* - - - K.	22007	14	10	1	4	-	-	-	-	-	-	-	-	1	3	3	1	-
reenwich East *WH* - - - K.	35233	27	34	2	17	-	-	-	-	-	-	-	-	-	1	1	20	1
ltham *wH* - - - - - K.	5682	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ee *H* - - - - - - K.	23541	6	9	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-
ewisham *WH* - - - - K.	30950	28	14	-	8	-	1	-	-	-	-	-	-	-	-	-	6	-
ydenham *H* - - - - L.	34162	15	11	3	4	-	-	-	-	1	-	-	-	-	-	-	-	1
harlton *HH* - - - - K.	14040	4	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Woolwich Dockyard - - - K.	19606	13	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21242	17	7	3	2	-	-	-	-	-	-	-	-	-	-	2	-	1
Plumstead, West *H* - - - K.	15869	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Plumstead, East *WH* - - - K.	36567	32	20	3	6	-	-	-	-	-	-	-	-	-	1	1	5	1
Banstead Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Caterham Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Hospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch Asylum - - - -	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
N.E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Leavesden Asylum - - - - -	-	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-
Claybury Asylum - - - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 23rd February, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,746	1,422,063	981	646	130	244	–	7	3	8	9	1	5	13	40	63
38 : 1	Carshalton *wHH*	12228	26108	14	6	–	3	–	–	–	–	–	–	–	–	–	1
	Epsom, *part of** *W w*	10423	12508	3	4	1	3	–	–		–	–		–	–	–	–
37 : 1	Godstone, *part of** *W*	2754	1593	4	–	–	–	–	–		–	–	–	–		–	–
38 : 1	Croydon *WwHHH*	20351	128699	80	62	8	28	–	1	–	–	–	1	–	3	8	7
2	Mitcham *w*	11697	23088	15	8	1	3	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	17	13	4	5	–	–	–	–	–	–	1	–	1	–
2	Kingston *WH*	8071	44765	27	24	6	8	–	–	–	–	1	–	1	–	1	7
3	Esher, *part of** *HH*	6601	12059	13	6	2	4	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4565	18252	11	10	2	3	–	–	–	–	–	–	–	–	1	–
40 : 1	Richmond *WH*	2160	25389	10	12	1	9	–	–	–	–	–	–	1	–	–	–
2	Mortlake *H*	2823	16159	6	10	1	3	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	10	8	2	2	–	–	–	–	–	–	–	1	1	–
2	Beckenham *H*	6542	21969	13	3	1	2	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	12	11	2	3	–	–	–	–	–	–	–	–	–	3
42 : 1	Bexley *HHH*	12540	30590	18	14	5	4	–	1	–	–	–	–	–	1	1	–
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	5	7	1	4	–	1	–	–	–	–	–	–	–	1
2	Staines *WH*	13277	13221	7	6	1	4	–	–	–	–	–	–	–	–	–	2
125 : 1	Hillingdon *WHH*	6035	12287	7	6	1	5	–	–	–	–	–	–	–	–	–	5
2	Uxbridge	6172	5417	3	2	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12613	4	4	–	1	–	–	–	–	–	–	–	1	1	–
126 : 1	Isleworth *WHH*	6967	23273	10	23	3	10	–	2	–	–	–	–	–	1	2	9
2	Twickenham *HH*	2415	16027	11	14	2	4	–	–	–	–	–	–	–	1	1	1
3	Brentford *HHHH*	4318	37777	29	16	–	9	–	–	–	1	–	–	–	–	–	1
4	Chiswick	1245	21963	11	13	2	6	–	–	1	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	21	24	2	3	–	–	–	–	–	–	–	–	1	–
127 : 1	Harrow *HHH*	13809	15715	9	3	–	2	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	1	3	–	2	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	51	27	2	10	–	–	–	–	–	–	2	–	–	–
4	Hendon *WH*	8382	15843	9	7	1	2	–	–	–	–	–	–	–	–	1	3
128 : 1	South Mimms *H*	15599	8474	6	4	–	4	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11773	5	5	1	3	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	9	4	1	2	–	–	–	–	–	–	–	–	–	1
129 : 1	Hornsey *HH*	3039	61097	29	20	3	7	–	–	1	–	1	–	–	1	3	–
2	Tottenham *H*	4642	97174	82	43	13	11	–	–	–	–	1	–	–	1	5	2
3	Edmonton *Wwo*	7489	36351	22	25	6	9	–	–	–	–	–	–	–	–	1	6
4	Enfield *WWHH*	12639	31803	23	8	–	3	–	–	–	1	–	–	–	–	–	–
5	Waltham Abbey	11017	6066	2	3	–	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	13	4	2	1	–	–	–	1	–	–	–	–	1	–
135 : 1	Hatfield, *part of** *W*	8306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	3	3	2	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	33	13	4	9	–	–	–	–	1	–	–	2	3	1
2	Plaistow	1242	58030	54	28	13	3	–	–	–	3	–	–	–	–	–	–
3	Canning Town *H*	1558	54750	59	20	9	4	–	–	–	–	3	–	–	–	2	–
4	Forest Gate *w*	806	49140	36	26	5	11	–	1	–	–	–	–	–	–	1	–
5	East Ham *w*	3266	32713	39	14	1	5	–	–	–	1	–	–	–	–	1	–
6	Leyton *WWWwH*	4334	70188	54	36	9	16	–	–	–	1	1	–	–	1	2	11
7	Walthamstow *HwL*	6501	57330	41	17	6	2	–	1	–	–	–	–	–	–	1	–
187 : 1	Chigwell, *part of** *H*	11779	12941	9	6	–	2	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	2	3	–	2	–	–	–	–	–	–	–	–	1	–
2	Ilford	8493	10913	6	2	–	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	13	7	3	1	–	–	1	–	1	–	–	–	–	1
	Midx. Lunatic Asylum	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 38 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Sidcup, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 23rd February, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	30·3	1·4	3509	635	1281	1	33	13	37	51	5	17	99	755
NER LONDON -	74,672	4,392,346	34·0	1·5	2863	505	1037	1	23	10	29	42	4	12	86	692
UTER RING -	368,749	1,656,209	20·3	1·0	646	130	244	–	7	3	8	9	1	5	13	63

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
NBURGH -	273,535	February 23	134	200	38·1	2	22	–	1	2	–	–
ASGOW - -	695,876	„ 23	461	683	51·2	–	18	2	4	30	3	5
BLIN - -	349,594	„ 23	219	235	35·1	6	–	–	1	1	1	1
LCUTTA - -	466,460	January 5	–	–	–	–	–	–	–	–	–	–
MBAY - -	821,764	February 5	283	488	30·9	3	7	?	?	?	134	38
DRAS - -	452,518	January 11	345	360	41·3	–	3	?	?	?	128	62†
RIS - - -	2,424,705	February 16	1186	1493	32·0	–	5	2	13*	7	3	38
USSELS - -	498,406	„ 16	–	–	–	–	–	–	–	–	–	–
STERDAM -	446,295	„ 16	296	181	21·0	–	–	–	–	4	1	–
TTERDAM -	228,579	„ 16	173	112	25·4	2	3	–	–	–	–	–
E HAGUE -	174,790	„ 16	106	65	19·3	–	–	–	–	–	–	–
PENHAGEN -	341,000	„ 16	191	130	19·9	–	4	3	4	3	–	2
OCKHOLM -	252,937	„ 9	118	98	20·1	–	1	1	1*	–	1	2
RISTIANIA -	167,588	„ 16	35	65	20·2	–	–	1	1	2	–	1
.PETERSBURG	954,400	„ 2	555	520	28·3	2	8	16	17	3	6	40
OSCOW - -	753,469	„ 2	–	500	34·6	1	1	9	16	5	9	35
ERLIN - -	1,724,544	„ 2	–	–	–	–	–	–	–	–	–	–
AMBURG - -	608,710	„ 9	422	232	19·8	–	–	5	5*	2	–	8
RESDEN - -	316,600	January 26	220	128	20·8	–	1	–	2*	2	–	3
RESLAU - -	367,769	February 16	–	179	25·6	–	–	5	7*	2	1	15
UNICH - -	396,000	„ 16	–	247	32·4	–	3	4	4*	5	–	16
IENNA - -	1,495,764	„ 16	935	697	24·2	–	10	3	14*	1	1	32
RAGUE - -	343,822	„ 9	219	169	25·6	–	1	–	1	1	3	2
UDA-PESTH -	566,022	„ 9	429	291	26·7	–	2	1	5	1	2	14
RIESTE - -	160,825	„ 9	121	114	35·6	–	–	1	8*	–	–	4
OME - -	463,786	January 5	341	237	26·6	–	1	–	1	–	6‡	8
URIN (10 days)	344,203	February 10	–	–	–	–	–	–	–	–	–	–
ENICE -	158,159	„ 2	75	86	28·4	–	1	–	2*	1	–	5
AIRO - -	374,838	January 14	464	339	47·0	–	–	–	1*	1	11	93
LEXANDRIA -	231,396	„ 14	266	169	38·1	–	–	–	4*	–	5	40
EW YORK -	1,992,715	February 2	–	952	24·9	–	5	10	33	4	2	10
ROOKLYN -	1,080,000	„ 2	–	456	22·0	–	2	4	22	2	1	1
HILADELPHIA	1,163,864	„ 2	–	496	22·2	2	–	2	40	1	7	3
EW ORLEANS -	275,000	January 26	–	155	29·4	–	2	–	3	–	9	6

* Including deaths from croup.
† Including 20 deaths from cholera in Madras.
‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 23RD FEBRUARY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	17	..	30·293	36·8	18·2	18·6	26·9	−12·9	20·7	6·2	10·7	4·1	76	75·0	11·4	Below range of Scale.	NNE. & Calm.	ENE. & NE.	0·5	0·0	0·0	132	−164	0·00	0·0
MONDAY	18	..	30·132	36·9	22·4	14·5	30·8	− 8·9	27·4	3·4	7·0	2·5	87	48·6	17·0		NNW. & Calm.	N.	1·2	0·0	0·0	174	−121	0·00	1·5
TUESDAY	19	Greatest ☾ Dec. S.	30·110	40·7	29·2	11·5	33·8	− 5·8	29·9	3·9	9·2	1·4	86	76·7	22·0		N. & NE.	ENE. & NE.	0·3	0·0	0·0	154	−142	0·00	4·5
WEDNESDAY	20	..	30·161	40·0	27·0	13·0	34·2	− 5·3	29·8	4·4	8·7	2·7	84	64·2	19·7		NE. & NNE.	NNE.	1·6	0·0	0·1	196	−102	0·00	0·3
THURSDAY	21	..	30·143	42·9	33·9	9·0	37·3	− 2·2	32·5	4·8	9·0	2·9	83	53·9	32·1		NNW. N. & NNE.	NNE. & N.	2·9	0·0	0·1	224	− 76	0·00	0·7
FRIDAY	22	Apogee.	30·158	40·1	35·1	5·0	37·3	− 2·3	32·3	5·0	7·2	3·4	82	59·8	32·2		N.	N.	1·3	0·0	0·1	227	− 75	0·00	0·0
SATURDAY	23	..	30·074	43·1	34·0	9·1	37·4	− 2·4	34·0	3·4	8·6	1·3	88	52·0	30·6		N. & SW.	NW. & WSW.	0·0	0·0	0·0	137	−168	0·00	0·5
MEANS		..	30·153	40·1	28·5	11·5	34·0	− 5·7	29·5	4·4	8·6	2·6	84	61·5	23·6	..	NE. & N.		..	..	..	Sum 1244	Sum − 848	Sum 0·00	1·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	17	Water supply pipes of Electrometer frozen.	3·1	10·1	Overcast with slight fog between 8h. A.M. and noon; otherwise cloudless, and very fine; hoar frost in morning.
MONDAY	18		0·0	10·1	Overcast; foggy and gloomy in morning; a little snow fell at 10h. A.M.
TUESDAY	19		5·1	10·2	Overcast till 10h. A.M.; cloudless and very fine afterwards.
WEDNESDAY	20		0·0	10·3	Cloudless in early morning; afterwards overcast.
THURSDAY	21		0·0	10·3	Overcast; slight fog in morning.
FRIDAY	22		0·1	10·4	Overcast; gloomy in forenoon.
SATURDAY	23		0·0	10·5	Overcast till noon; gloomy and foggy between 6h. A.M. and 11h. A.M.; afterwards fine; with variable amounts of cloud.
			Sum 8·3	Sum 71·9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·31 in. at the beginning of the week to 30·08 in. by 9h. P.M. on the 18th; increased to 30·19 in. by 10h. P.M. on the 20th; decreased to 30·13 in. by 3h. P.M. on the 21st; increased to 30·20 in. by 10h. P.M. on the 22nd; and decreased to 29·95 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 9. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MARCH 2. [Price 1½*d.*

General Register Office, Somerset House,
March 4th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 32·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.		Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.
Birkenhead	23·8	26·7	24·7	27·7	Liverpool - -	30·9	39·6	46·1	55·5
Birmingham	22·3	25·7	21·8	23·1	London - -	21·0	29·3	34·0	38·5
Blackburn -	19·6	22·9	24·9	20·0	Manchester -	24·8	27·2	26·6	28·7
Bolton -	27·1	22·3	27·5	23·6	Newcastle-on-Tyne	19·4	21·9	21·7	23·9
Bradford -	15·0	24·0	28·3	25·3	Norwich - -	22·9	20·9	28·2	16·1
Brighton -	16·6	23·1	26·6	32·3	Nottingham -	18·2	23·0	35·2	49·2
Bristol -	16·7	25·4	26·3	27·4	Oldham - -	17·0	23·7	20·3	27·7
Burnley -	20·9	20·4	21·5	24·1	Plymouth - -	24·0	18·7	38·0	39·2
Cardiff -	22·4	24·5	31·5	34·5	Portsmouth -	19·7	20·9	25·1	22·1
Croydon -	18·1	14·5	24·5	26·8	Preston - -	20·8	27·3	22·7	36·1
Derby -	13·5	19·8	19·8	15·1	Salford - -	20·8	26·8	29·5	30·5
Gateshead -	15·2	22·8	17·4	18·5	Sheffield - -	17·6	24·3	23·1	25·9
Halifax -	21·1	20·6	31·1	43·4	Sunderland -	17·0	20·4	22·0	17·0
Huddersfield	21·5	20·4	21·0	23·1	Swansea - -	21·0	24·2	28·0	28·5
Hull - -	20·2	18·3	20·5	20·5	West Ham - -	15·0	21·3	21·1	28·6
Leeds -	17·5	27·7	21·1	23·7	Wolverhampton -	23·7	26·1	30·4	21·9
Leicester -	14·5	21·3	19·9	19·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·4 in Preston, 1·7 in Bolton and in Sheffield, and 1·8 in Plymouth; from *whooping-cough*, 1·0 in Cardiff and in Manchester, 1·9 in Birkenhead, 2·2 in Halifax, and 2·6 in Brighton; and from "*fever*," 1·0 in Salford. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 47 deaths from *diphtheria* included 31 in London, and 2 each in West Ham, Birmingham, Manchester, Salford, and Oldham. One death from *small-pox* was registered in London, and one in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2671 BIRTHS and 3246† DEATHS were registered. Allowing for increase of population, the births were 104 below, whilst the deaths exceeded by 1412, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·0, 29·3, and 34·0 in the preceding three weeks, further rose last week to 38·5. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 85176.—9. 650.—3/95. Wt. 32.

ending on Saturday last the death-rate averaged 30·7 per 1000, being 9·5 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 3246 deaths included one death from small-pox, 20 deaths from measles, 7 from scarlet fever, 31 from diphtheria, 53 from whooping-cough, 7 from enteric fever, 11 from diarrhœa and dysentery, one death from choleraic diarrhœa, and not one from typhus or from any ill-defined form of continued fever; thus, 131 deaths were referred to these diseases, being 52 below the corrected average weekly number.

The death from *small-pox* belonged to Newington sanitary area. The deaths from *measles*, which had been 17, 27, and 26 in the preceding three weeks, declined again last week to 20, being less than half of the corrected average; 4 belonged to Battersea and 3 to Poplar sanitary areas. The deaths from *scarlet fever*, which had numbered 15, 18, and 10 in the preceding three weeks, further declined last week to 7, and were 8 below the corrected average; 3 belonged to Islington sanitary area. The deaths from *diphtheria*, which had been 34, 27, and 29 in the preceding three weeks, numbered 31 last week, being one death in excess of the corrected average; 6 belonged to Camberwell, 3 to Greenwich, and 2 each to St. Pancras, Islington, and Poplar sanitary areas. The deaths from *whooping-cough*, which had been 29, 48, and 42 in the preceding three weeks, rose last week to 53, but were 16 below the corrected average; 8 belonged to St. Pancras, 5 to St. Marylebone, and 5 to Poplar sanitary areas. The fatal cases of *enteric fever*, which had declined in the preceding three weeks from 13 to 3, increased again last week to 7, the corrected average being 8; 2 belonged to Kensington sanitary area. The deaths from *diarrhœa*, which had been 12, 10, and 12 in the preceding three weeks, numbered 11 last week, and were 4 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 480, 840, and 1120 in the preceding three weeks, further rose last week to 1449, exceeding the corrected average by no fewer than 945.

The deaths attributed directly to *influenza* numbered 296, having been 13, 24, and 111 in the preceding three weeks.

The ages of two widows who died in Grant Road, Battersea, were stated to be 100 and 102 years respectively.

Different forms of violence caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 5 were cases of suicide, and one death was a case of homicide, while the remaining 51 deaths were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 11 to burns and scalds, 3 to drowning, and 13 (including 11 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 68 cases of small-pox, 1621 of scarlet fever, 463 of diphtheria, and 95 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 8 cases, against 18, 18, and 19; of scarlet fever, 143 cases, against 149, 159, and 152; of diphtheria, 43 cases, against 49, 55, and 54; and of enteric fever, 7 cases, against 14, 9, and 8.

Greater London.

In Greater London 3580 births and 3966 deaths were registered, corresponding to annual rates of 30·9 and 34·2 per 1000 of the estimated population. In the Outer Ring 16 deaths from measles, 9 from diphtheria, 4 from whooping-cough, and 3 from "fever" were recorded. Of the 16 deaths from measles, 6 occurred in West Ham, 4 in Epping, and 3 in Richmond districts. The 9 deaths from diphtheria included 3 in Edmonton and 3 in West Ham districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 36°·2, the latter being 3°·9 below the week's average in the 50 years 1841–90. The direction of the wind was Westerly, the horizontal movement of the air being equal to the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·2 hours; the measured rainfall amounted to 0·19 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 2nd March 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 2nd Mar., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6676	6683	1225	2416	2	67	30	47	113	35	36	142	411	1248	122	32·9	1·6	49·0	23·5	35·7	2·06	0·17	0·43	33 Towns.
London	4,392,346	2671	3246	523	1331	1	20	7	31	53	7	11	57	209	740	25	38·5	1·5	47·1	27·4	36·2	2·33	0·19	0·48	London.
West Ham	249,473	170	137	25	49	–	1	1	2	–	1	–	1	3	8	4	28·6	1·0	–	–	–	–	–	–	West Ham.
Croydon	114,923	63	59	16	25	–	2	–	–	2	–	–	2	7	3	–	26·8	1·8	46·5	23·5	35·5	1·94	0·23	0·58	Croydon.
Brighton	119,004	60	74	14	32	–	3	–	–	6	1	1	–	2	5	3	32·3	4·4	43·0	28·8	35·8	2·11	0·18	0·46	Brighton.
Portsmouth	174,751	119	74	16	30	–	–	–	–	1	1	–	–	5	7	1	22·1	0·6	47·0	27·5	35·6	2·00	0·01	0·03	Portsmouth.
Plymouth	89,096	44	67	5	39	–	3	–	–	–	–	–	–	2	8	–	39·2	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,189	129	120	25	53	–	–	–	–	1	–	1	2	9	21	–	27·4	0·5	49·0	28·0	35·7	2·06	0·14	0·36	Bristol.
Cardiff	155,637	98	103	21	31	–	–	1	1	3	–	–	4	10	12	2	34·5	1·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	60	53	20	13	–	–	–	–	–	–	–	4	6	3	2	28·5	–	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	60	36	8	7	–	–	–	1	–	–	–	1	4	7	–	21·9	0·6	46·1	25·2	34·5	1·39	0·12	0·30	Wolverhampton.
Birmingham	496,751	322	220	48	58	–	–	–	2	6	2	3	3	4	45	11	23·1	1·4	–	–	–	–	–	–	Birmingham.
Norwich	107,127	78	33	6	16	–	1	–	–	1	1	–	–	2	4	–	16·1	1·5	–	–	–	–	–	–	Norwich.
Leicester	193,839	112	71	17	25	–	–	1	1	1	1	–	–	1	7	2	19·1	1·1	–	–	–	–	–	–	Leicester.
Nottingham	226,658	154	214	33	97	–	–	3	–	1	3	1	3	6	33	8	49·2	1·8	46·8	26·1	36·2	2·33	0·06	0·15	Nottingham.
Derby	100,272	58	29	4	10	–	–	–	–	–	–	–	3	6	3	–	15·1	–	–	–	–	–	–	–	Derby.
Birkenhead	107,469	79	57	4	19	–	–	–	–	4	–	–	2	7	8	–	27·7	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	378	536	90	158	1	4	8	1	6	2		24	28	119	17	55·5	2·9	44·5	29·3	35·5	1·94	0·25	0·63	Liverpool.
Bolton	119,337	80	54	9	9	–	–	1	–	–	2	–	3	9	5	–	23·6	3·1	–	–	–	–	–	–	Bolton.
Manchester	524,865	364	289	70	69	–	7	3	2	10	3	5	8	22	68	4	28·7	3·0	–	–	–	–	–	–	Manchester.
Salford	208,253	144	122	28	23	–	1	3	2	2	4	1	4	8	16	4	30·5	3·3	–	–	–	–	–	–	Salford.
Oldham	141,079	74	75	12	24	–	–	–	2	1	–	–	1	4	8	–	27·7	1·1	–	–	–	–	–	–	Oldham.
Burnley	99,591	63	46	10	9	–	–	–	1	1	1	1	1	1	2	–	24·1	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	89	49	16	17	–	–	–	–	2	–	1	1	2	4	2	20·0	1·2	–	–	–	–	–	–	Blackburn.
Preston	112,638	83	78	26	22	–	3	–	–	2	–	1	–	–	9	4	36·1	2·8	–	–	–	–	–	–	Preston.
Huddersfield	99,482	39	44	3	14	–	–	–	–	–	–	–	2		2	3	23·1	–	43·0	27·0	35·0	1·67	0·37	0·94	Huddersfield.
Halifax	93,813	49	78	15	29	–	–	–	–	4	–	–	–	3	5	4	43·4	2·2	–	–	–	–	–	–	Halifax.
Bradford	226,384	94	110	17	39	–	–	–	–	–	2	–	–	4	13	–	25·3	0·5	44·0	30·0	37·0	2·78	0·22	0·56	Bradford.
Leeds	395,546	220	180	50	46	–	5	1	1	2	–	1	6	26	16	2	23·7	1·3	–	–	–	–	–	–	Leeds.
Sheffield	342,703	226	170	39	44	–	11	1	–	–	1	3	4	6	22	12	25·9	2·4	–	–	–	–	–	–	Sheffield.
Hull	216,722	15	85	20	26	–	–	–	–	1	–	–	3	4	16	6	20·5	0·2	48·0	27·0	35·3	1·83	0·09	0·23	Hull.
Sunderland	137,705	82	45	10	13	–	–	–	–	1	1	–	–	2	8	3	17·0	0·8	45·0	28·0	36·1	2·28	0·21	0·53	Sunderland.
Gateshead	95,871	73	34	15	12	–	1	–	–	–	1	–	–	1	1	1	18·5	1·1	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	143	95	12	27	–	2	–	–	2	1	–	3	4	15	2	23·9	1·3	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—Births and Deaths Registered in the Ninth Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
Total Births	2623	2640	2572	2778	2608	2560	2872	2295	2783	2564	2775·2	2671
Males . .	1378	1392	1267	1439	1321	1264	1419	1183	1416	1336	1415·8	1349
Females .	1245	1248	1305	1339	1287	1296	1453	1112	1367	1228	1359·4	1322
Total Deaths	1495	2143	1635	1794	1472	1803	2019	1515	1718	1748	1833·5	3246
Males . .	751	1027	812	910	737	888	1009	767	850	865	909·3	1562
Females .	744	1116	823	884	735	915	1010	778	868	883	924·2	1684

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.
Total Births	2599	2597	2703	1950	3085	2922	2818	2612	2587	2786	2737	2787	2671
Total Deaths	1614	1550	1448	1434	1462	1622	1689	1481	1598	1768	2467	2863	3246
Ages at Death: Under 1 year	370	347	316	352	348	369	370	311	337	386	452	505	523
1— 5 years	208	207	185	191	194	200	205	151	192	188	250	337	358
5—20 "	86	92	77	71	85	90	96	80	87	82	99	92	100
20—40 "	248	213	193	205	221	224	197	190	221	237	278	280	288
40—60 "	321	284	297	254	248	288	331	314	324	341	521	612	646
60—80 "	313	341	314	277	297	360	390	362	373	442	700	868	1077
80 years & upwards	68	66	66	84	69	91	100	73	64	92	167	169	254
Deaths from—													
Small-pox	–	–	1	1	–	–	1	–	2	3	1	1	1
Measles	36	32	35	46	34	30	35	21	13	17	27	26	20
Scarlet fever	18	13	14	14	14	12	9	7	11	15	18	10	7
Diphtheria	57	53	36	35	50	34	31	29	45	34	27	29	31
Whooping-cough	23	25	26	14	23	35	21	27	30	29	48	42	53
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric fever	17	24	25	32	17	16	20	16	9	13	10	3	7
Simple Continued fever	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	14	11	15	7	14	15	16	10	12	12	10	12	11
Cholera	–	1	–	–	–	–	–	1	–	–	–	–	1
All the above Diseases	165	159	152	149	152	142	133	112	122	123	141	124	131
Dis. of Respiratory System	338	358	325	352	319	389	399	324	377	480	840	1120	1448
Phthisis	187	132	140	144	155	159	139	161	166	157	210	230	218
Dis. of Circulatory System	158	158	140	99	129	161	162	162	161	160	248	269	242
Violence	67	76	73	70	72	77	76	58	68	81	89	86	57
Inquest Cases	152	152	141	147	176	155	173	149	160	195	239	255	209
Deaths in Public Institutions	466	471	410	381	411	439	432	462	477	480	663	692	740
Temperature of the Air													
Mean	39°·8	45°·4	43°·9	43°·0	34°·3	29°·8	40°·4	35°·6	26°·9	22°·4	26°·0	34°·0	36°·2
Mean of Highest readings	44·0	48·8	49·1	46·7	37·1	32·5	44·0	41·2	32·0	29·5	32·4	40·1	42·1
Mean of Lowest readings	34·0	41·1	38·2	39·0	30·9	27·2	35·6	29·8	21·9	14·9	19·8	28·5	31·7
Humidity of the Air	91	88	83	87	81	87	89	84	75	68	66	84	81
Rain-fall (in inches)	0·17	0·97	0·59	0·22	0·20	0·01	0·72	0·54	0·28	0·02	0·00	0·00	0·19
Registered Sunshine (in hours)	4·4	4·4	3·0	1·7	0·2	1·7	4·7	6·4	4·8	16·4	14·5	8·3	5·2
Cases of Infectious Sickness in Hospitals* at the end of each Week.													
Small-pox	32	22	15	16	23	28	32	35	51	56	67	75	68
Scarlet fever	2142	2034	1931	1890	1779	1713	1653	1662	1653	1667	1657	1658	1631
Diphtheria	515	523	512	523	499	517	514	528	519	500	498	486	463
Enteric fever	101	101	97	105	112	107	115	121	115	117	111	107	95

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

Meteorological Observations. (*See* Table 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINTH Week of the Year 1895.

SES OF DEATH.	Corrected Averages for the 9th Week of the 10 years 1885–94.*	In the Week ending Saturday, 2nd March 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
CAUSES - -	1833·5	3246	523	358	100	288	646	1077	254
all-x Vaccinated† -	0·8	-	-	-	-	-	-	-	-
all-x Unvaccinated	0·4	-	-	-	-	-	-	-	-
all-x No Statement	1·2	1	-	-	-	1	-	-	-
sles - - - -	41·9	20	3	16	1	-	-	-	-
let Fever - -	15·4	7	-	7	-	-	-	-	-
hus - - - -	0·2	-	-	-	-	-	-	-	-
pelas - - - -	-	-	-	-	-	-	-	-	-
pelas Fever - -	-	-	-	-	-	-	-	-	-
enza - - -	12·8	296	12	18	7	33	79	119	23
pping-cough - -	69·4	53	25	25	3	-	-	-	-
theria - - -	29·6	31	6	20	4	-	-	1	-
ple Continued and l-defined Fever - -	0·6	-	-	-	-	-	-	-	-
eric Fever - -	8·4	7	-	1	3	1	2	-	-
lera and Chol. Diarr.	0·1	1	1	-	-	-	-	-	-
rrhœa, Dysentery -	14·6	11	8	2	-	-	-	1	-
mittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - -	0·1	-	-	-	-	-	-	-	-
nders - - -	-	-	-	-	-	-	-	-	-
rpox and Effects of vaccination - -	0·2	1	1	-	-	-	-	-	-
ereal Affections - -	11·1	8	4	-	-	-	2	1	1
sipelas - - -	6·5	4	2	-	-	-	1	1	-
emia and Septicæmia	2·4	-	-	-	-	-	-	-	-
erperal Fever - -	6·3	2	-	-	-	2	-	-	-
er Zymotic Diseases	2·1	2	1	-	-	-	-	1	-
rush - - - -	1·2	1	1	-	-	-	-	-	-
orms and other Parasitical Diseases - -	0·5	1	-	-	-	-	-	1	-
rvation, Want of Breast-milk - -	2·2	2	-	-	-	-	1	1	-
coholism - - -	7·1	10	-	-	-	3	6	1	-
eumatic Fever, heumatism of Heart	8·7	5	-	-	1	2	-	2	-
eumatism - -	2·3	6	-	-	-	-	2	4	-
out - - - -	2·2	7	-	-	-	-	1	6	-
oketa - - - -	5·0	7	2	5	-	-	-	-	-
ncer - - - -	57·7	82	-	2	2	5	29	41	3
bes Mesenterica -	23·2	15	8	4	2	-	1	-	-
bercular Meningitis -	23·6	18	8	6	4	-	-	-	-
thisis - - -	181·2	218	2	4	12	108	79	13	-
rofula, Tuberculosis -	19·8	15	4	6	3	1	1	-	-
ther Constitutional Diseases - - -	12·1	22	-	1	1	3	7	10	-
remature Birth - -	47·1	52	52	-	-	-	-	-	-
telectasis - - -	1·6	5	5	-	-	-	-	-	-
ongenital Malformations - - - -	8·8	9	7	1	1	-	-	-	-
ld Age - - - -	56·1	116	-	-	-	-	-	46	70
Apoplexy - - -	47·3	45	-	1	1	1	11	25	6
Epilepsy - - -	7·6	11	-	-	1	4	2	4	-
Convulsions - - -	51·9	44	38	5	1	-	-	-	-
Other Diseases of Brain and Nervous System	100·3	129	14	10	3	13	24	57	8

CAUSES OF DEATH.	Corrected Averages for the 9th Week of the 10 years 1885–94.*	In the Week ending Saturday, 2nd March 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·3	2	-	-	-	1	-	1	-
Diseases of Circulatory System - - -	151·5	242	-	3	9	22	70	125	13
Croup - - - -	11·8	5	2	2	1	-	-	-	-
Bronchitis - - -	315·7	976	117	101	6	18	175	455	104
Pneumonia - - -	130·3	355	86	95	17	29	61	54	13
Pleurisy - - -	8·5	13	-	-	-	3	7	2	1
Other Diseases of Respiratory System - -	37·5	99	10	7	2	3	32	41	4
Dentition - - -	14·4	10	9	1	-	-	-	-	-
Quinsy, Sore Throat -	3·7	-	-	-	-	-	-	-	-
Enteritis - - -	6·8	8	6	-	1	1	-	-	-
Peritonitis - - -	7·4	6	1	-	2	1	-	2	-
Diseases of Liver - -	28·0	23	3	-	-	2	8	10	-
Other Diseases of Digestive System -	31·1	39	7	2	2	3	13	10	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	3	1	-	2	-	-	-	-
Diseases of Urinary System - - -	45·2	56	-	2	1	9	18	24	2
Diseases of Generative System - - -	6·1	4	-	-	-	-	1	3	-
Accidents of Childbirth -	5·0	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	8·9	10	3	-	2	1	1	3	-
Diseases of Integumentary System - -	6·1	6	-	-	-	2	-	3	1
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	53·0	1	-	-	-	1	-	-	-
By Vehicles or Horses -		5	1	1	-	-	1	1	1
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		11	1	5	4	-	1	-	-
By Drowning - -		3	-	-	-	1	2	-	-
By Suffocation in Bed -		13	11	2	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		2	-	-	-	2	-	-	-
Other or not stated Causes - - -		16	3	1	1	3	3	4	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	0·8	1	-	-	-	-	1	-	-
Suicide - - - -	7·5	5	-	-	-	2	2	-	1
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·3	66	53	2	-	-	2	4	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLE[T FEVER] during the Week endin[g]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2671	3246	523	1331	1	20	7	31	53	-	7	-	11	57	209	740
WEST DISTRICTS	740,735	420	600	94	235	-	1	2	3	5	-	2	-	-	10	31	133
NORTH DISTRICTS	993,884	553	708	104	297	-	2	3	8	22	-	1	-	4	13	54	135
CENTRAL DISTRICTS	247,538	136	208	36	69	-	1	-	3	4	-	-	-	-	6	20	53
EAST DISTRICTS	705,114	520	580	94	222	-	8	-	3	14	-	1	-	3	10	55	181
SOUTH DISTRICTS	1,524,472	1042	1109	195	462	-	8	-	14	8	-	3	-	4	18	48	197
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	41	-	16	1	-	2	-	-	-	-	-	-	-	1	41
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	53	65	10	29	-	1	-	-	-	-	-	-	-	-	2	9
St. John Paddington *H* - - G.J.	33837	9	26	2	12	-	-	-	2	-	-	-	-	-	1	2	10
Kensington Town *Ww* - - W.M.	118751	65	122	15	64	-	-	-	-	1	-	2	-	-	-	8	34
Brompton *HH* - - - W.M., & C.	47557	16	30	2	15	-	-	-	-	-	-	-	-	-	1	2	4
St. Peter Hammersmith - - W.M.	8833	2	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88033	71	46	12	20	-	-	-	-	2	-	-	-	-	2	4	2
Fulham *Ww* - - - W.M. & C.	91639	72	88	23	25	-	-	2	1	1	-	-	-	-	4	6	21
Chelsea Kensal Town - - - C.	21787	17	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHHH* - - C.	41637	26	39	1	22	-	-	-	-	-	-	-	-	-	-	-	12
Chelsea South *HH* - - - C.	32829	18	29	5	13	-	-	-	-	-	-	-	-	-	-	-	3
May Fair *WH* - - - - G.J.	23733	2	25	1	15	-	-	-	-	-	-	-	-	-	-	1	15
Belgrave *WHHH*- - - C.	54631	25	43	8	16	-	-	-	-	1	-	-	-	-	-	-	12
St. John Westminster *HH* - C.	34106	19	17	6	8	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	10	26	3	8	-	-	-	-	-	-	-	-	-	1	2	7
St. James Westminster *WHHH* N.R. & G.J.	24995	11	16	1	9	-	-	-	-	-	-	-	-	-	-	3	4
St. Anne Soho *HHHHHH* - - N.R.	12317	4	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	10	32	3	11	-	-	-	1	1	-	-	-	-	2	3	13
Rectory Marylebone *WH* G.J. & W.M.	20024	9	20	-	13	-	-	-	-	-	-	-	-	-	-	1	6
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	27	18	3	8	-	-	-	-	2	-	-	-	-	-	2	1
Christchurch Marylebone *HH* - W.M.	33327	14	20	4	5	-	-	-	-	-	-	-	-	-	-	2	-
St. John Marylebone *HH* - - W.M.	32101	11	16	3	6	-	-	-	-	2	-	-	-	-	-	2	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	21	39	9	12	-	-	1	4	-	-	-	-	2	1	1	10
Regent's Park Pancras *HH* - W.M.	86590	21	34	2	19	-	-	-	-	-	-	-	-	-	1	3	3
Tottenham-court *wHHH* N.R. & W.M	26321	6	20	1	7	-	-	-	-	-	-	-	-	-	2	4	9
Gray's Inn Lane *HHH* - - N.R.	27455	13	25	3	9	-	-	-	-	4	-	-	-	-	-	4	5
Somers Town *HH* - - - N.R.	32829	19	24	5	9	-	-	-	-	2	-	-	-	1	-	-	2
Camden Town *WH* - - - N.R.	15419	11	25	3	12	-	-	-	-	-	-	-	-	-	2	6	16
Kentish Town *WW* - - - N.R.	95765	43	56	12	22	-	-	-	-	2	-	-	-	1	-	3	7
Upper Holloway *WWWwHHH* - N.R.	90235	54	87	10	43	-	-	1	-	1	-	1	-	-	1	2	40
Islington South-west *H* - - N.R.	105557	70	61	11	18	-	-	-	-	2	-	-	-	-	1	5	-
Islington South-east - - - N.R.	64153	48	45	5	19	-	-	-	-	-	-	-	-	-	-	2	-
Highbury *HH* - - - - N.R.	59193	28	32	2	15	-	1	1	-	-	-	-	-	-	-	2	-
Stoke Newington *H* - - - N.R.	30936	20	23	3	13	-	-	-	-	2	-	-	-	-	-	1	1
Stamford Hill - - - - E.L.	17759	10	14	4	6	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42802	26	29	7	12	-	1	-	-	1	-	-	-	-	2	5	2
Hackney *WwwH* - - E.L. & N.R.	96486	65	59	10	27	-	-	-	3	2	-	-	-	-	1	4	20
South Hackney *wH* - - - E.L.	41759	24	29	4	11	-	-	-	-	1	-	-	-	-	-	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16895	2	12	1	5	-	1	-	-	1	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	10	12	1	8	-	-	-	-	-	-	-	-	-	-	1	5
St. Giles North *H* - - - N.R.	9633	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	1	9	1	4	-	-	-	-	-	-	-	-	-	-	-	3
St. Mary-le-Strand *H* - - - N.R.	5706	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	2	17	-	6	-	-	-	-	-	-	-	-	-	1	2	12
Strand Union Workhouse, Edmonton -	†1037	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	11	16	5	5	-	-	-	2	-	-	-	-	-	-	-	6
St. Andrew Eastern *WH* - - N.R.	15343	11	10	3	5	-	-	-	-	-	-	-	-	-	1	1	-
St. James Clerkenwell - - - N.R.	16803	7	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Amwell Clerkenwell - - - N.R.	16883	12	12	5	4	-	-	-	-	1	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	13	16	2	5	-	-	-	1	1	-	-	-	-	1	5	-
City-road *HHHL* - - - N.R.	29177	39	36	11	8	-	-	-	-	-	-	-	-	-	1	3	4
Whitecross-street - - - N.R.	8278	5	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury - - - - N.R.	4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†894	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph *H* - - - N.R. & E.L.	8944	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	4	22	1	4	-	-	-	-	-	-	-	-	-	1	4	17
St. Bride *W* - - - - N.R.	6594	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	1	7	1	3	-	-	-	-	-	-	-	-	-	1	2	-
Broad Street *H* - - - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[orkhouse]; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establish[ment] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the dis[tricts] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total proportion of the Central Districts or of London.

s, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district day, 2nd March, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
reditch South *HL** E.L. & N.R.	20098	11	11	-	6	-	-	-	-	-	-	-	-	-	-	-	2	-
ton New Town *w* - - - N.R.	29313	14	28	6	10	-	-	-	-	2	-	-	-	-	-	1	6	-
ton Old Town - - - N.R.	28354	23	19	3	4	-	2	-	-	-	-	-	-	-	-	2	-	-
gerston *WH* - - N.R. & E.L.	46244	38	50	8	17	-	-	-	-	-	-	-	-	-	-	4	20	-
hnal Green North *H* - E.L.	51520	31	30	6	6	-	-	-	-	2	-	1	-	-	1	2	-	-
hnal Green South - - E.L.	33489	22	15	6	6	-	-	-	-	-	-	-	-	-	-	2	-	-
hnal Green East *WHL** - E.L.	44123	31	56	5	23	-	-	-	-	2	-	-	-	-	2	5	29	-
talfields - - - E. N.R.	22456	22	13	1	5	-	-	-	-	1	-	-	-	-	-	1	-	-
e End New Town *W* - - E.L.	17908	22	13	2	6	-	-	-	-	-	-	-	-	-	1	1	8	-
itechapel Church *H* E.L. & N.R.	20298	12	29	2	6	-	-	-	-	-	-	-	-	-	2	4	23	-
odman's Fields - - - E.L.	13800	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - E.L.	37738	27	19	4	8	-	1	-	-	-	-	-	-	-	-	1	-	-
John, St. George East *W* - E.L.	8057	7	12	1	7	-	-	-	-	-	-	-	-	-	-	1	8	-
dwell *H* - - - E.L. & N.R.	10246	2	9	3	1	-	-	-	-	-	-	-	-	-	1	-	1	5	-
cliff *W* - - - - - E.L.	14928	10	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
nehouse - - - - - E.L.	32202	23	17	7	4	-	2	-	-	1	-	-	-	-	-	6	-	-
le End Old Town West *H* - E.L.	38650	38	25	5	10	-	-	-	-	-	-	-	-	-	-	4	-	-
le End Old Town East *WWww* E.L.	68942	47	67	7	37	-	-	-	1	1	-	-	-	-	-	4	25	-
w *L** - - - - - E.L.	40365	33	25	3	11	-	-	-	-	-	-	-	-	-	1	1	2	-
omley *wwwH* - - - - E.L.	70000	52	90	13	38	-	1	-	1	2	-	-	-	-	1	10	43	-
plar *WW* - - - - - E.L.	56383	48	42	10	14	-	2	-	1	3	-	-	-	2	2	5	5	-
South Districts.																		
ristchurch Southwark *WH* L. & S.	18264	8	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Saviour Southwark - - - S.	13913	8	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
nt-road - - - - S. & L.	21867	15	13	3	5	-	-	-	-	-	-	-	-	-	1	1	4	-
orough-road *WH* - - S. & L.	16624	9	12	2	2	-	-	-	-	1	-	-	-	-	-	-	1	-
ndon-road *HL* - - L. & S.	21221	11	14	6	1	-	-	-	-	-	-	-	-	-	-	2	-	1
inity Newington - - S. & L.	26596	21	17	5	6	-	-	-	-	-	-	-	-	-	-	1	10	1
. Peter Walworth *W* - S. & L.	61342	43	55	9	23	-	-	-	-	-	-	-	-	-	-	-	-	1
. Mary Newington - - L. & S.	27866	24	28	2	11	-	-	-	-	-	-	-	-	-	-	1	11	-
. Olave *WH* - - - S.	12723	7	15	2	4	-	-	-	-	-	-	-	-	-	-	-	5	1
eather Market *W* - - S. & L	30612	32	13	6	10	-	-	-	-	-	-	-	-	-	-	1	-	-
. James Bermondsey - - S.	54070	48	27	3	12	-	-	-	-	-	-	-	-	-	2	3	10	-
otherhithe *WwH* - - S. & K.	39255	27	32	10	8	-	-	-	-	1	-	-	-	-	-	1	-	-
aterloo-road 1st *H* - - L. & S.	14031	11	8	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
aterloo-road 2nd *H* - - L. & S.	14644	17	8	1	2	-	-	-	-	1	-	-	-	-	3	3	15	-
ambeth Church 1st *H* - L. & S.	18075	16	29	4	11	-	-	-	-	1	-	-	-	-	1	3	36	-
ambeth Church 2nd *WW* - L. & S.	39097	29	55	6	32	-	-	-	-	-	-	-	-	-	1	3	-	-
ennington 1st *H* - - S. & L.	50586	44	34	6	16	-	-	-	1	-	-	-	-	-	-	-	-	4
ennington 2nd *w* - - S. & L.	39708	28	33	9	15	-	-	-	-	-	-	-	-	-	-	-	4	2
rixton *w* - - - - L. & S.	73405	37	61	19	32	-	-	-	3	2	-	-	-	-	-	1	-	1
orwood *WH* - - - - L.	25657	17	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
est Battersea - - - - S.	67214	46	53	15	13	-	4	-	-	1	-	1	-	1	1	3	-	1
est Battersea *WwH* - - S.	83314	62	75	14	25	-	-	-	1	1	-	-	-	-	-	1	17	1
apham *H* - - - - - S.	43698	24	20	1	20	-	1	-	-	-	-	-	-	-	1	1	-	-
andsworth *WHHL* - - - S.	46717	33	24	5	13	-	-	-	-	-	-	-	-	-	-	1	1	-
utney - - - - - - S.	17771	10	17	6	6	-	-	-	-	-	-	-	-	-	-	1	-	-
reatham *www* - - - - L.	48756	34	34	4	20	-	-	-	-	-	-	-	-	1	1	1	1	-
ulwich - - - - L. & S.	6809	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
amberwell *WwL*L** - - S. & L.	81686	52	98	10	42	-	-	-	-	-	-	-	-	1	1	4	49	1
eckham *WW* - - - S., L., & K.	83483	56	55	8	24	-	-	-	2	-	-	-	-	-	-	1	1	2
. George Camberwell - - L. & S.	63366	39	36	8	12	-	-	-	-	-	-	-	-	-	2	3	-	2
eptford, North - - - - K.	35314	22	13	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
eptford, Central *w* - - - K.	42007	37	30	4	9	-	-	-	3	-	-	1	-	-	-	-	5	1
eptford, South - - - - K.	30852	16	11	2	4	-	1	-	-	-	-	-	-	-	-	-	-	1
reenwich West *H* - - - K.	22007	12	8	1	3	-	-	-	-	-	-	1	-	-	2	2	2	-
reenwich East *WH* - - - K.	35233	14	30	3	18	-	-	-	1	-	-	-	-	-	1	1	11	2
ltham *wH* - - - - - K.	5682	3	2		2	-	-	-	-	-	-	-	-	-	-	-	-	-
ee *H* - - - - - - K.	23541	10	15		8	-	-	-	-	-	-	-	-	-	-	-	6	1
ewisham *WH* - - - - K.	30950	20	20		9	-	1	-	1	-	-	-	-	1	1	1	1	1
ydenham *H* - - - - L.	34162	26	18		10	-	-	-	-	-	-	-	-	-	-	-	3	-
harlton *HH* - - - - K.	14040	11	7		3	-	-	-	-	-	-	-	-	-	-	2	-	-
Woolwich Dockyard - - - K.	19606	8	8		2	-	1	-	-	-	-	-	-	-	-	-	-	1
Woolwich Arsenal *HHHH* - K.	21242	19	18	4	8	-	-	-	1	-	-	-	-	-	-	-	-	-
lumstead, West *H* - - - K.	15869	8	3	1	-	-	-	-	-	-	-	-	-	-	-	1	4	-
lumstead, East *WH* - - - K.	36567	26	21	5	8	-	-	-	1	-	-	-	-	-	-	-	1	-
Banstead Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Darenth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Manwell Asylum - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch Asylum - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
N.E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Leavesden Asylum - - - - -	-	-	7	-	6	-	-	-	-	-	-	-	-	-	-	1	13	-
Claybury Asylum - - - - -	-	-	13	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 2nd March, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	909	720	138	295	–	16	1	9	4	3	3	20	38	47
30: 1	Carshalton *wHH* -	12228	26108	12	6	–	3	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WwH*	10423	12508	5	3	–	1	–	–	–	–	–	–	–	–	–	–
37: 1	Godstone, *part of* W-*	2754	1594	1	1	1	–	–	–	–	–	–	–	–	–	–	–
38: 1	Croydon *WwHHH* -	20851	128699	77	70	18	30	–	2	–	–	2	–	–	2	9	3
2	Mitcham *w* -	11667	23088	10	11	3	5	–	–	–	–	–	–	–	–	–	–
39: 1	Wimbledon *HHH* -	3220	25761	25	11	3	3	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH* - -	8071	44765	18	23	5	10	–	–	–	–	–	–	–	2	2	6
3	Esher, *part of* HH*	6601	12059	7	5	2	2	–	–	–	–	–	–	–	–	–	–
4	Hampton *H* -	4565	18252	7	8	5	2	–	–	–	–	–	–	–	–	–	–
40: 1	Richmond *WH* - -	2160	25389	12	14	2	7	–	1	–	–	–	1	–	2	2	2
2	Mortlake *H* - -	2823	16159	11	10	2	3	–	2	–	–	–	–	–	–	–	–
41: 1	Bromley *HHH* - -	9127	23815	12	6	1	2	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H* - -	6542	21969	6	12	3	5	–	–	–	–	1	–	–	–	1	1
	Chislhrst, *pt. of* WHH*	14307	20372	11	7	2	3	–	–	–	–	–	–	1	–	–	–
42: 1	Bexley *HHH* - -	12540	30590	8	12	1	5	–	–	–	–	–	–	1	1	1	–
2	Dartford *Work.*, pt. of*-	—	—	–	3	–	1	–	1	–	–	–	–	–	–	–	3
124: 1	Sunbury *w* - -	11054	13671	13	6	–	5	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - -	13277	13221	8	6	1	4	–	–	–	–	–	–	–	–	–	1
125: 1	Hillingdon *WHH* -	6035	12237	4	6	1	4	–	–	–	–	–	–	–	–	–	1
2	Uxbridge - - -	6172	5417	2	3	–	2	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - -	14537	12618	6	2	2	–	–	–	–	–	–	–	–	–	–	–
126: 1	Isleworth *WHH* -	6967	26273	14	22	2	11	–	–	–	–	–	–	–	–	–	7
2	Twickenham *HH* -	2415	16027	12	5	1	4	–	–	–	–	–	–	–	–	–	–
	Brentford *HHHH* -	4318	37777	28	14	4	7	–	–	–	–	–	–	–	1	–	–
4	Chiswick - - -	1245	21963	10	18	2	10	–	–	–	–	–	–	–	–	–	–
5	Acton *wH* - - -	6132	30945	13	18	3	8	–	–	–	1	–	1	–	1	2	–
127: 1	Harrow *HHH* - -	13809	15715	8	3	–	3	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - -	6994	3844	3	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* - -	4383	61265	45	30	4	8	–	–	–	1	–	–	–	2	3	1
4	Hendon *WH* -	8382	15843	10	2	–	–	–	–	–	–	–	–	–	1	2	–
128: 1	South Mimms *H* -	15599	8474	3	4	–	4	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11773	7	3	1	1	–	–	–	–	–	–	–	1	1	1
3	Finchley *HHH* -	4688	25820	11	17	2	10	–	–	–	–	–	–	–	1	3	2
129: 1	Hornsey *HH* - -	3039	61097	29	20	3	8	–	–	–	–	1	–	–	–	–	–
2	Tottenham *H* - -	4642	97174	66	41	5	17	–	–	–	1	–	–	–	2	3	1
3	Edmonton *Wwh* -	7489	36351	33	18	5	4	–	–	–	2	–	–	–	1	3	–
4	Enfield *WWHH* - -	12639	31803	13	9	–	5	–	–	–	–	–	–	–	–	–	2
5	Waltham Abbey - -	11017	6066	2	5	3	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8480	9620	11	3	–	2	–	–	–	–	–	–	–	–	–	–
135: 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137: 1	Bushey *H* - - -	9331	7737	5	4	–	2	–	–	–	–	–	–	–	–	–	1
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186: 1	Stratford *H*- - -	1100	42983	37	34	6	13	–	–	–	–	–	–	–	–	1	1
2	Plaistow - - -	1242	58030	46	32	6	10	–	–	–	1	–	–	–	1	2	–
3	Canning Town *H* -	1558	54750	60	51	7	6	–	–	1	–	–	1	–	–	–	–
4	Forest Gate *w* - -	806	49140	27	33	6	13	–	1	–	1	–	–	–	–	–	–
5	East Ham *w* - -	3266	32713	25	13	6	4	–	1	–	–	–	–	1	–	–	–
6	Leytonstone *WWWwH* -	4334	70188	54	49	10	18	–	–	–	–	–	–	–	2	2	12
7	Walthamstow *HtL* -	6501	57330	45	39	9	11	–	5	–	1	–	–	–	–	1	1
187: 1	Chigwell *part of* H*	11779	12941	5	11	1	5	–	4	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189: 1	Romford *part of* wH*	6356	4324	4	3	–	2	–	–	–	1	–	–	–	–	–	–
2	Ilford - - -	8433	10913	7	5	–	2	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14391	19	4	–	2	–	–	–	–	–	–	–	–	–	–
	Cane Hill Asylum -	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1736); 37: 1, the parishes of Warlingham and Farley in Godstone district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1 Chigwell sub-district, except the parish of Theydon Bois (1979); 189: 3, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 137: 3, Watford, and 187: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd March, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	34·2	1·4	3966	661	1626	1	36	8	40	57	10	14	77	787
OUTER LONDON -	74,672	4,392,343	38·5	1·5	3246	523	1331	1	20	7	31	53	7	11	57	740
INNER RING -	368,749	1,656,209	22·7	1·1	720	138	295	–	16	1	9	4	3	3	20	47

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	March	2	141	196	37·4	2	21	3	–	1	2	2
GLASGOW - -	695,876	"	2	472	717	53·7	–	15	4	3	18	–	5
DUBLIN - -	349,594	"	2	219	219	32·7	4	–	–	–	1	1	–
OTTA - -	466,460	January	5	–	–	–	–	–	–	–	–	–	–
BAY - -	821,764	February	12	293	573	36·3	6	16	–	–	–	113	47
RAS - -	452,518	January	18	302	360	41·3	–	1	?	?	?	135	56†
S - - -	2,424,705	February	23	1178	1344	28·8	–	1	4	10*	7	2	22
SELS - -	498,400	"	23	283	419	43·7	1	9	1	3*	4	–	14
ERDAM -	446,295	"	23	282	227	26·3	–	–	–	2	1	–	1
ERDAM -	228,579	"	23	169	125	28·4	1	1	–	–	4	–	–
HAGUE -	174,790	"	23	98	92	27·3	–	–	1	1	1	1	–
NHAGEN -	341,000	"	23	242	127	19·4	–	1	3	3	1	–	6
KHOLM -	252,937	"	16	148	80	16·4	–	–	1	2*	–	–	1
STIANIA -	167,588	"	23	43	70	21·7	–	–	1	1	1	–	1
ETERSBURG	954,400	"	9	520	573	31·3	1	4	14	9	5	10	44
COW - -	753,469	"	9	–	543	37·6	1	1	12	14	6	5	40
IN - -	1,724,544	"	9	934	526	15·8	–	2	5	16	9	1	20
BURG - -	608,710	"	16	417	265	22·6	–	1	1	5*	1	–	9
DEN - -	316,600	"	2	210	112	18·2	–	–	–	7*	–	–	3
LAU - -	367 769	"	23	–	210	30·0	–	1	2	6*	–	–	13
ICH - -	396,900	"	23	–	278	36·5	–	–	1	8*	3	–	20
NA - -	1,495,764	"	23	764	708	24·6	–	12	12	15*	1	–	35
UE - -	343,822	"	16	241	165	25·0	–	–	1	–	1	–	9
A-PESTH -	566,022	"	16	419	308	28·3	–	1	2	3	–	2	14
STE - -	160,825	"	16	124	138	44·6	–	–	–	5*	1	–	2
S - -	463,786	January	12	239	240	27·0	–	2	1	6*	–	4‡	8
N (10 days)	344,203	February	10	221	250	26·5	–	13	–	1	–	–	11
CE -	158,159	"	9	–	–	–	–	–	–	–	–	–	–
O - -	374,838	January	21	420	296	41·1	1	–	–	3*	1	3	74
XANDRIA -	231,396	"	21	262	147	33·1	1	–	–	2*	–	4	34
YORK +	1,992,715	February	9	–	921	24·0	3	6	9	39	8	1	2
OKLYN -	1,080,000	"	9	–	469	22·6	–	1	1	25	5	2	1
ADELPHIA	1,163,864	"	9	–	455	20·4	3	1	2	35	2	8	10
ORLEANS -	275,000	"	2	–	140	26·6	–	1	–	–	1	6	9

* Including deaths from croup.
† Including 17 deaths from cholera in Madras.
‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 2ND MARCH, 1895.

[*Under the Sup rintendence of the Astronomer Royal.*]

1895. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY . 24	New	29·645	45·0	33·9	11·1	38·0	− 1·9	34·9	3·1	11·0	1·2	89	68·4	30·5	Below range of Scale (37°).	WSW. & S W.	WSW. & NNW.	2·2	0·0	0·1	255	− 54	0·07	2·7
MONDAY . 25	..	29·735	35·9	29·8	6·1	32·7	− 7·3	27·1	5·6	7·0	1·4	80	54·9	24·5		NNE. & NE.	NE. & NNE.	5·0	0·0	0·4	447	+133	0·00	3·8
TUESDAY. 26	In Equator.	29·632	40·6	27·4	13·2	34·4	− 5·7	30·4	4·0	9·2	2·2	85	62·4	22·1		NE. & N.	WSW. & N.	3·0	0·0	0·1	250	− 68	0·00	0·0
WEDNESDAY 27	..	29·638	41·2	31·4	9·8	36·0	− 4·1	28·7	7·3	11·4	5·6	75	75·5	26·4		NNW.	NNW.	3·6	0·0	0·4	343	+ 21	0·00	0·0
THURSDAY 28	..	29 855	45·0	32·1	12·9	37·4	− 2·8	30·4	7·0	16·1	5·4	76	77·9	29·8		NNW. & WSW.	WSW.& SW.	2·4	0·0	0·1	294	− 32	0·00	1·5
MARCH FRIDAY . 1	..	29·586	47·1	36·5	10·6	41·0	+ 0·8	37·6	3·4	8·4	1·8	88	67·5	31·0		SW.	WSW. & W.	5·6	0·0	0·4	412	+ 83	0·00	4·5
SATURDAY 2	..	29·579	40·0	30·5	9·5	34·0	− 6·4	26·5	7·5	13·3	4·0	73	85·3	26·5		NW. & NNW.	NNW.& NW.	2·4	0·0	0·1	248	− 83	0·03	0·0
MEANS . .	..	29·667	42·1	31·7	10·5	36·2	− 3·9	30·8	5·4	10·9	3·1	81	70·3	27·3	..	WSW. & NNW.		..	..	..	Sum 2249	Sum 0	Sum 0·19	1·8
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	24	Water supply pipes of Electrometer frozen.	0·3	10·5	Overcast; thin rain in evening.
MONDAY .	25		0·2	10 6	Overcast till 6h. P.M.; afterwards cloudless.
TUESDAY .	26		0·0	10·7	Cloudless in early morning, with hoar frost; afterwards overcast generally.
WEDNESDAY	27		2·8	10·7	Fine till afternoon; afterwards overcast; occasional slight snow between 3½h. P.M. and 5½h. P.M.
THURSDAY .	28		0·2	10·8	Fine between 9h. A.M. and 3h. P.M.; with light cloud; otherwise overcast.
MARCH. FRIDAY .	1		0·2	10·8	Overcast till 6h. P.M.; afterwards cloudless; continuous rain between 9½h. A.M. and noon.
SATURDAY .	2	Pipe frozen till 11h. A.M; afterwards v. P.	1·5	10·9	Fine in morning; afterwards cloudy; slight snow in forenoon, and again in evening.
			Sum 5·2	Sum 75·0	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·95 in. at the beginning of the week to 29·56 in. by 7h. P.M. on the 24th of February; increased to 29·84 in. by 11h. A.M. on the 25th; decreased to 29·51 in. by 9h. P.M. on the 26th; increased to 29·87 in. by noon on the 28th; decreased to 29·55 in. by 3h. P.M. on the 1st of March; increased to 29·61 in. by noon on the 2nd; and decreased to 29·52 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 10. 1895. Vol. LVI.] Week ending Saturday, March 9. [Price 1½*d*.

General Register Office, Somerset House,
March 11th, 1895.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 35·0 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of 1895. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Towns.	Weeks ending Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.
Birkenhead	26·7	24·7	27·7	31·1	Liverpool - -	39·6	46·1	54·4	45·2
Birmingham	25·7	21·8	23·1	21·5	London - -	29·3	34·0	38·5	41·2
Blackburn -	22·9	24·9	20·0	19·2	Manchester -	27·2	26·6	28·7	32·2
Bolton -	22·3	27·5	23·6	27·1	Newcastle-on-Tyne	21·9	21·7	23·9	34·0
Bradford -	24·0	28·3	25·3	35·7	Norwich - -	20·9	28·2	16·1	22·4
Brighton -	23·1	26·6	32·3	40·1	Nottingham -	23·0	35·2	49·2	37·7
Bristol -	25·4	26·3	27·4	32·5	Oldham - -	23·7	20·3	27·7	34·4
Burnley -	20·4	21·5	24·1	25·1	Plymouth - -	18·7	38·0	39·2	48·0
Cardiff -	24·5	31·5	34·5	34·8	Portsmouth -	20·9	25·1	22·1	33·4
Croydon -	14·5	24·5	26·8	23·1	Preston - -	27·3	22·7	36·1	35·2
Derby -	19·8	19·8	15·1	16·1	Salford - -	26·8	29·5	30·5	30·3
Gateshead -	22·8	17·4	18·5	32·1	Sheffield - -	24·3	23·1	25·9	30·4
Halifax -	20·6	31·1	43·4	42·8	Sunderland -	20·4	22·0	17·0	27·6
Huddersfield	20·4	21·0	23·1	23·6	Swansea - -	24·2	28·0	28·5	21·0
Hull - -	18·3	20·5	20·5	23·1	West Ham - -	21·3	21·1	28·6	28·0
Leeds -	27·7	21·1	23·7	27·4	Wolverhampton -	26·1	30·4	21·9	31·0
Leicester -	21·3	19·9	19·1	19·6					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·7 in Sheffield, 1·8 in Plymouth, 2·0 in Newcastle, and 2·2 in Bolton; from *whooping-cough*, 1·0 in Norwich, 1·1 in Oldham, and 1·1 in Halifax; and from *diarrhœa*, 1·0 in Cardiff. The death-rate from *scarlet fever* and from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 62 deaths from *diphtheria* included 34 in London, 6 in Liverpool, 4 in Birkenhead, 3 in Salford, and 3 in Birmingham. One death from *small-pox* was registered in Derby, but not one in London, or in any other of the thirty-three towns.

London.

In London 2681 births and 3471† deaths were registered. Allowing for increase of population, the births were 105 below, whilst the deaths exceeded by 1583, the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 85176.—10 650.—3/95. Wt. 32.

average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 29·3, 34·0, and 38·5 in the preceding three weeks, further rose last week to 41·2. During the four weeks ending on Saturday last the death-rate averaged 35·8 per 1000, being 14·0 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 3471 deaths included 23 from measles, 6 from scarlet fever, 34 from diphtheria, 55 from whooping-cough, 9 from enteric fever, 16 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 143 deaths were referred to these diseases, being 46 below the corrected average weekly number.

The deaths from *measles*, which had been 27, 26, and 20 in the preceding three weeks, numbered 23 last week, and were 27 below the corrected average; 6 belonged to Battersea sanitary area. The deaths from *scarlet fever*, which had been 18, 10, and 7 in the preceding three weeks, further declined last week to 6, and were 8 below the corrected average; 2 belonged to Islington sanitary area. The deaths from *diphtheria*, which had been 27, 29, and 31 in the preceding three weeks, further rose last week to 34, exceeding the corrected average by 9; 4 belonged to St. Pancras, 4 to Greenwich, 3 each to Hackney, Bethnal Green, Battersea, and Camberwell, and 2 to Wandsworth sanitary areas. The deaths from *whooping-cough*, which had been 48, 42, and 53 in the preceding three weeks, numbered 55 last week, being 16 below the corrected average; 12 belonged to Lambeth, 4 to Newington, and 4 to Fulham sanitary areas. The fatal cases of *enteric fever*, which had been 10, 3, and 7 in the preceding three weeks, further rose last week to 9, corresponding with the corrected average; 2 belonged to Islington sanitary area. The deaths from *diarrhœa*, which had been 10, 12, and 11 in the preceding three weeks, rose last week to 16, the corrected average being also 16.

The deaths referred to diseases of the respiratory organs, which had been 840, 1120, and 1448 in the preceding three weeks, numbered 1366 last week, exceeding the corrected average by 842.

The deaths attributed directly to *influenza* numbered 473, having been 24, 111, and 296 in the preceding three weeks.

The age of a shoemaker, whose death from "senile decay" occurred in St. Pancras Workhouse, was stated to be 104 years.

Different forms of violence caused 67 deaths, concerning 66 of which inquests were held. Of these 67 deaths, 9 were cases of suicide, and one death was a case of homicide, while the remaining 57 deaths were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 10 to burns and scalds, and 16 (of infants under one year of age) to suffocation in bed. The death of a female, aged 41 years, was referred, after inquest, to "asphyxia, syncope, when under the "influence of chloroform duly administered for a proper purpose during con-"finement."

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 54 cases of small-pox, 1619 of scarlet fever, 455 of diphtheria, and 80 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 8 cases, against 18, 19, and 8; of scarlet fever, 141 cases, against 159, 152, and 143; of diphtheria, 55 cases, against 55, 54, and 43; and of enteric fever, 9 cases, against 9, 8, and 7.

Greater London.

In Greater London 3680 births and 4358 deaths were registered, corresponding to annual rates of 31·7 and 37·6 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 3 from scarlet fever, 11 from diphtheria, 7 from whooping-cough, and 5 from diarrhœa were recorded. Of the 12 deaths from measles, 6 occurred in Epping district. The 11 deaths from diphtheria included 4 in West Ham district and 2 in Edmonton district.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·59 inches, and that of the Thermometer 36°·5, the latter being 4°·4 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 24 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·3 hours; the measured rainfall amounted to 0·34 of an inch.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of February 1895. The supply was in the ratio of 271 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	FEBRUARY. 1894.	FEBRUARY. 1895.	FEBRUARY. 1894.	FEBRUARY. 1895.
TOTAL SUPPLY	801,971	812,799	187,920,100	220,149,332
From Thames	387,238	392,796	95,788,117	97,386,515
From Lea and from other Sources	414,733	420,003	92,131,983	122,762,817
THAMES.				
Chelsea	36,782	36,950	11,085,306	11,751,290
West Middlesex	77,197	78,486	18,140,459	18,310,034
Southwark and Vauxhall	116,277	117,421	30,638,003	26,630,684
Grand Junction	58,809	59,500	16,700,685	18,038,929
Lambeth	98,173	100,439	19,223,664	22,655,578
LEA AND OTHER SOURCES.				
New River	157,421	158,188	32,986,000	41,101,000
East London	176,936	180,398	44,093,715	63,607,612
Kent	80,376	81,417	15,052,268	18,054,205

Note.—The Return for February 1895, as compared with that for the corresponding month of 1894, shows an increase of 10,828 services and of 32,229,232 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING FEBRUARY, 1895.

Water-analysis Laboratory, The Yews, Reigate,
4th March, 1895.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of February.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·8, Tottenham 1·2, New River and Colne Valley 1·6, East London (deep-well) 2·1, Grand Junction 2·2, Lambeth 2·3, West Middlesex and Southwark 2·7, Chelsea 3·1, and East London (river supply) 3·4. The unfiltered river waters contained the following proportions:—Thames at Hampton 2·6, New River Cut 1·8, and the Lea at Angel Road 3·2.

The Thames at Hampton was, on February 4th, turbid and pale yellow in colour, but otherwise, chemically, in excellent condition, containing only a very small proportion of organic matter. Bacterially, it was exceedingly bad, even after storage for 14 days. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered before delivery. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·32, West Middlesex 99·16, Southwark (No. 4 filter well) 81·71, (No. 7 filter well) 98·89, Grand Junction (general well at Hampton) 85·55, (general well at Kew, February 5th) 99·85, (ditto, February 16th) 99·66, (Kew south well, February 5th) 99·88, (ditto, February 16th) 99·89, and Lambeth 96·55.

The New River Cut before entering the subsidence and storage reservoirs was, on February 6th, turbid and of a very pale yellow colour. It possessed a high degree of organic purity, but was, both before and after storage, of bad bacterial quality. After filtration, the New River Company delivered it in a clear and bright condition, and improved it, bacterially, to the extent represented by the following percentage numbers:—General filter well 98·48, and No. 4 filter well 98·89. The water taken from the Lea at Angel Road by the East London Company was, on February 6th, turbid and pale yellow. It was of good chemical, but very bad bacterial quality. Even after storage for 15 days, it still contained 37,200 microbes or their spores per cubic centimetre. It was efficiently filtered before delivery, and improved bacterially, to an extent represented by the following

percentage numbers:—No. 1 Essex well 89·78, No. 2 Essex well 95·31, and Middlesex well, 98·39.

The deep-well waters of the Kent and Colne Valley Companies, and of the Tottenham Local Board of Health, possessed a high degree of organic purity and were of excellent quality for dietetic purposes. The Tottenham and East London waters were very slightly turbid, but the others were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent and Colne Valley waters were clear and colourless, the Tottenham and East London (deep-well) colourless and very slightly turbid, the New River clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river water before and after storage, and of the supplies of the various Companies collected on the 4th, 5th, 6th, 15th, and 16th of February furnished the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		°
Thames at Hampton, February 4th	34,220	0·8
„ after storage for 14·7 days (Chelsea Company), February 4th	26,800	0·5
New River Cut before entering reservoirs, February 6th	14,440	1·4
„ „ after storage but before filtration, February 6th	14,580	1·4
River Lea at Angel Road, February 6th	50,860	0·1
„ after storage for 15 days (East London Company), February 6th	37,200	0·2
Filtered River Water as supplied.		
Thames.		
Chelsea, general filter well, February 4th	232	0·5
West Middlesex, general filter well, February 5th	286	0·4
Southwark, No. 4 filter well, February 4th	6,260	0·5
„ No. 7 filter well, February 4th	380	0·4
Grand Junction, general well at Hampton, February 4th	4,944	1·1
„ „ „ Kew Bridge, February 5th	52	0·5
„ „ „ February 16th	116	0·8
„ south filter well at Kew Bridge, February 5th	44	0·5
„ „ „ „ February 16th	36	1·1
Lambeth, general filter well, February 4th	1,180	1·0
Lea.		
New River, general filter well, February 6th	220	1·2
„ No. 4 filter well, February 6th	160	1·2
East London, No. 1 Essex well, February 6th	5,200	0·2
„ No. 2 Essex well, February 6th	2,384	0·2
„ Middlesex well, February 6th	820	0·2
Deep Well.		
Kent, Bath well at Deptford, February 15th	8	11·3

This table shows that a continuance of very low temperatures during the month again prevented most of the filters from working efficiently. Indeed, the results were, in nearly all cases, more unsatisfactory than even during the previous month; for, although there was in every case a great reduction in the number of microbes per c.c., it was only in some of the filters of the Grand Junction Company that the number was brought within the standard limit of 100 per c.c. The enormous increase in the consumption of water during the frost, taxing, as it did, the filters to the utmost, probably contributed to this unsatisfactory result; nevertheless, it is obvious that there are other conditions affecting bacterial filtration during frost which require investigation. From this point of view it is both interesting and important to compare the results obtained by the Grand Junction Company at Hampton, where the raw water operated upon contained 34,220 microbes per c.c., with those obtained at Kew, where the water supplied to the filters, *having undergone a preliminary filtration*, contained only 880 microbes per c.c. The filtered water at Hampton still contained 4,944 microbes per c.c., whilst that at Kew contained only 52. It would thus appear that, in very cold weather at least, the initial number of microbes has an important influence upon the number in the filtered water. And this conclusion is borne out by reference to the results obtained by the other Companies drawing from rivers, for, in every case, as is seen from the above table, the greater the number of microbes in the raw water the larger the number passing the filters. My bacterioscopic observations, made during the recent severe weather, have further shown that storage in open reservoirs, even when prolonged for 15 days, has, at temperatures near the freezing point, but little effect in reducing the number of microbes in the raw river waters. On the other hand, it would seem that passage through a deep layer of gravel is a potent means, even in severe weather, for the retention of microbes. The higher temperature to which the water is exposed in this deep gravel is, no doubt, the cause of this bacterial efficiency of preliminary filtration.

Nothing of an injurious character was found amongst the microbes in any of the waters.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very slightly turbid and green in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

The Registrar General, &c. &c. E. Frankland.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
			°								
Inner Circle.	THAMES. (Unfiltered water) -	February 4th. Grand Junction Co.'s intake at Hampton.	1·1	33·40	·135	·021	·008	·364	·392	1·7	21·8
	Chelsea - -	February 15th. Commercial-road, Pimlico.	1·1	34·28	·156	·024	0	·384	·408	1·7	21·8
	West Middlesex -	February 15th. Standpipe in Seymour-street, W.	1·4	35·16	·140	·020	0	·423	·443	1·7	22·7
	Southwark -	February 15th. S.E. District Post Office, Borough.	3·8	34·44	·142	·020	0	·409	·429	1·7	23·0
	Grand Junction -	February 16th. Standpipe in Portland-road, Notting-hill.	0·9	34·22	·114	·017	0	·430	·447	1·7	22·4
	Lambeth - -	February 15th. Standpipe in Lambeth-road.	0·8	34·50	·121	·015	0	·398	·413	1·7	22·7
	LEA. (Unfiltered water) -	February 6th. New River Cut at Green-lanes.	1·4	33·92	·086	·020	·003	·371	·394	1·8	22·4
	New River - - -	February 15th. Cab Rank, Tottenham Court-road.	1·4	34·76	·084	·010	0	·284	·294	2·0	22·7
	(Unfiltered water) -	February 6th. East London Co.'s intake at Angel-road.	0·1	39·16	·153	·038	·026	·404	·463	2·0	26·0
	East London -	February 15th. Fire Brigade Station, Commercial-road, E.	2·0	40·42	·167	·034	·004	·455	·492	2·1	26·6
	DEEP WELLS. Kent - - -	February 15th. Police Station, Blackheath-road.	9·0	40·10	·040	·005	0	·514	·519	2·4	26·8
Outer Circle.	Colne Valley - -	February 14th. Bushey.	—	17·90	·080	·014	·064	·526	·593	2·1	6·7
	Tottenham - -	February 18th. Tottenham.	—	39·00	·065	·008	·048	·026	·074	2·7	23·6
	East London - -	February 23rd. Chingford well.	—	29·76	·102	·022	0	trace	·022	2·0	20·0
	Corporation of Birmingham* - - -	February 12th. The back of 196, Warstone-lane.	2·8	35·00	·270	·045	·001	·310	·356	2·1	28·1
	Corporation of Glasgow† -	February 15th. Loch Katrine water.	2·5	2·60	·201	·024	0	·005	·029	0·7	0·8
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 15th of February at Commercial-road, Pimlico, had a temperature of 1°·1 C.; 100,000 lbs. of it contained 34·28 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·156 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·384 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·408 lb. The above weight of water also contained 1·7 lb. of chlorine and 21·8 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredient.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 9th March 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 9th Mar., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6625	7117	1436	2470	1	73	23	62	111	30	39	156	394	1139	126	35·0	1·7	48·8	20·6	35·3	1·83	0·44	1·12	33 Towns.
London	4,232,346	2681	3471	618	1368	–	23	6	34	55	9	16	67	223	694	31	41·2	1·7	48·0	25·3	36·5	2·50	0·34	0·86	London.
West Ham	249,473	166	134	34	34	–	–	–	1	1	–	–	–	2	13	5	28·0	0·4	–	–	–	–	–	–	West Ham.
Croydon	114,923	47	51	7	29	–	–	–	1	–	–	–	1	4	2	–	23·1	0·5	48·8	25·5	36·3	2·39	0·17	0·43	Croydon.
Brighton	119,604	55	92	16	42	–	–	–	–	2	–	1	1	2	4	5	40·1	1·3	42·6	25·4	35·3	1·83	0·53	1·35	Brighton.
Portsmouth	174,751	94	112	19	45	–	1	2	1	2	1	–	2	5	15	1	33·4	2·1	46·0	25·5	35·7	2·06	0·25	0·63	Portsmouth.
Plymouth	89,096	66	82	20	38	–	3	–	–	–	–	–	1	4	6	–	48·0	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,189	116	142	21	59	–	–	–	–	4	2	1	3	4	32	3	32·5	1·6	47·0	25·0	35·4	1·89	0·33	0·84	Bristol.
Cardiff	155,637	102	104	34	22	–	–	–	1	2	–	3	3	5	7	1	34·8	2·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	53	39	9	9	–	–	1	–	1	–	–	1	3	1	–	21·0	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	66	51	13	21	–	–	1	–	1	–	–	1	2	5	–	31·0	1·2	44·1	20·6	33·7	0·94	0·77	1·96	Wolverhampton.
Birmingham	496,751	327	205	49	47	–	–	–	3	9	3	–	9	7	20	17	21·5	1·6	–	–	–	–	–	–	Birmingham.
Norwich	107,127	83	46	10	21	–	–	–	–	2	–	–	1	2	8	1	22·4	1·0	47·0	23·0	34·4	1·33	0·48	1·22	Norwich.
Leicester	193,839	107	73	25	21	–	–	–	1	–	1	–	2	4	4	5	19·6	0·5	–	–	–	–	–	–	Leicester.
Nottingham	226,658	160	164	33	61	–	–	1	–	4	1	1	6	9	9	–	37·7	1·6	43·9	25·3	35·1	1·72	0·15	0·38	Nottingham.
Derby	100,272	63	31	9	4	1	–	–	–	–	–	1	2	3	4	–	16·1	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	80	64	14	20	–	1	–	4	–	–	–	3	7	7	–	31·1	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	397	437	91	123	–	2	2	6	6	–	3	17	19	75	18	45·2	2·0	45·5	27·8	36·8	2·67	0·76	1·93	Liverpool.
Bolton	119,337	80	62	12	17	–	5	–	–	1	2	–	1	6	8	–	27·1	3·5	–	–	–	–	–	–	Bolton.
Manchester	524,865	342	324	61	79	–	10	1	2	5	3	4	13	24	75	2	32·2	2·5	–	–	–	–	–	–	Manchester.
Salford	208,253	134	121	29	29	–	1	3	3	3	–	1	1	4	17	3	30·3	2·8	–	–	–	–	–	–	Salford.
Oldham	141,079	82	93	15	28	–	–	–	–	3	–	1	4	9	12	–	34·4	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	53	48	12	9	–	–	1	–	–	1	–	–	–	2	1	25·1	1·0	–	–	–	–	–	–	Burnley.
Blackburn	127,615	80	47	10	11	–	–	–	–	–	–	–	–	1	6	2	19·2	–	–	–	–	–	–	–	Blackburn.
Preston	112,638	74	76	19	31	–	1	–	–	2	–	1	1	1	4	3	35·2	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	50	45	16	12	–	–	1	–	–	–	–	–	–	3	3	23·6	0·5	47·0	24·0	34·1	1·17	0·44	1·12	Huddersfield.
Halifax	93,813	40	77	15	29	–	–	–	–	2	1	–	1	1	6	2	42·8	1·7	–	–	–	–	–	–	Halifax.
Bradford	226,384	117	155	26	56	–	–	1	1	–	–	1	1	6	14	–	35·7	0·7	45·0	27·2	35·8	2·11	0·36	0·91	Bradford.
Leeds	395,546	218	208	51	60	–	7	–	2	1	–	3	6	15	16	–	27·4	1·7	–	–	–	–	–	–	Leeds.
Sheffield	342,768	228	200	55	42	–	11	–	1	1	1	2	1	3	17	7	30·4	2·4	–	–	–	–	–	–	Sheffield.
Hull	216,722	164	96	26	32	–	–	1	–	1	1	–	3	4	15	9	23·1	0·7	45·0	24·0	34·9	1·61	0·75	1·90	Hull.
Sunderland	157,705	111	73	12	28	–	–	1	–	–	2	–	1	3	17	2	27·6	1·1	–	–	–	–	–	–	Sunderland.
Gateshead	65,871	60	59	13	13	–	–	–	–	1	–	–	1	4	5	1	32·1	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	247,021	129	135	42	30	–	8	1	1	2	2	–	2	8	16	4	34·0	3·5	–	–	–	–	–	–	Newcastle.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2737	2697	2728	2583	2698	2536	2505	2510	2769	2636	2786·2	2681
Males	1367	1389	1369	1375	1361	1325	1300	1283	1392	1358	1426·8	1354
Females	1370	1308	1359	1208	1337	1211	1205	1227	1377	1278	1359·4	1327
TOTAL **Deaths**	1678	2285	1649	1886	1637	1889	1783	1808	1576	1700	1888·2	3471
Males	854	1122	843	928	828	978	947	921	805	876	960·6	1600
Females	824	1163	806	958	809	911	836	887	771	824	927·6	1871

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.
TOTAL **Births**	2597	2703	1950	3085	2922	2818	2612	2587	2736	2737	2787	2671	2681
TOTAL **Deaths**	1550	1448	1434	1462	1622	1689	1481	1598	1768	2467	2863	3246	3471
Ages at Death: Under 1 year	347	316	352	348	369	370	311	337	386	452	505	524	618
1—5 years	207	185	191	194	200	205	151	192	188	250	337	357	395
5—20 "	92	77	71	85	90	96	80	87	82	99	92	100	101
20—40 "	213	198	205	221	224	197	190	221	237	278	280	288	320
40—60 "	284	297	254	248	288	331	314	324	341	521	612	646	669
60—80 "	341	314	277	297	360	390	362	373	442	700	868	1077	1089
80 years & upwards	66	66	84	69	91	100	73	64	92	167	169	254	279
Deaths from—													
Small-pox	-	1	1	-	-	1	-	2	3	1	1	1	-
Measles	32	35	46	34	30	35	21	13	17	27	26	20	23
Scarlet fever	13	14	14	14	12	9	7	11	15	18	10	7	6
Diphtheria	53	36	35	50	34	31	29	45	34	27	29	31	34
Whooping-cough	25	26	14	23	35	21	27	30	29	48	42	53	55
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric fever	24	25	32	17	16	20	16	9	13	10	3	7	9
Simple Continued fever	-	-	-	-	-	-	1	-	-	-	1	-	-
Diarrhœa and Dysentery	11	15	7	14	15	16	10	12	12	10	12	11	16
Cholera	1	-	-	-	-	-	1	-	-	-	-	1	-
All the above Diseases	159	152	149	152	142	133	112	122	123	141	124	131	143
Dis. of Respiratory System	358	325	352	319	389	399	324	377	480	840	1120	1448	1366
Phthisis	132	140	144	155	159	139	161	166	157	210	230	218	222
Dis. of Circulatory System	158	140	99	129	161	162	162	161	160	248	269	242	244
Violence	76	73	70	72	77	76	58	68	81	89	86	57	67
Inquest Cases	152	141	147	176	155	173	149	160	195	239	255	211	223
Deaths in Public Institutions	471	410	381	411	439	432	462	477	480	663	692	739	694
TEMPERATURE OF THE AIR													
Mean	45·4°	43·9°	43·0°	34·3°	29·8°	40·4°	35·6°	26·9°	22·4°	26·0°	34·0°	36·2°	36·5°
Mean of Highest readings	48·8	49·1	46·7	37·1	32·5	44·0	41·2	32·0	29·5	32·4	40·1	42·1	43·3
Mean of Lowest readings	41·1	38·2	39·0	30·9	27·2	35·6	29·8	21·9	14·9	19·8	28·5	31·7	31·7
Humidity of the Air	88	83	87	81	87	89	84	75	68	66	84	81	86
Rain-fall (in inches)	0·97	0·59	0·22	0·20	0·01	0·72	0·54	0·28	0·02	0·00	0·00	0·19	0·34
Registered Sunshine (in hours)	4·4	3·0	1·7	0·2	1·7	4·7	6·4	4·8	16·4	14·5	8·3	5·2	12·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	22	15	16	23	28	32	35	51	56	67	75	68	54
Scarlet fever	2084	1931	1890	1779	1713	1653	1662	1653	1667	1657	1658	1621	1619
Diphtheria	523	512	523	499	517	514	528	519	500	498	486	463	455
Enteric fever	101	97	105	112	107	115	121	115	117	111	107	95	80

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peal, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 10th Week of the 10 years 1885-94.*	In the Week ending Saturday, 9th March 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1888·2	3471	618	395	101	320	669	1089	279
Small-pox: Vaccinated† -	1·3	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·2	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·9	-	-	-	-	-	-	-	-
Measles - - - -	49·8	23	8	14	1	-	-	-	-
Scarlet Fever - -	13·6	6	-	4	1	-	-	1	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	11·3	473	29	19	7	46	117	205	50
Whooping-cough - -	70·5	55	23	28	4	-	-	-	-
Diphtheria - - -	25·4	34	4	22	8	-	-	-	-
Simple Continued and Ill-defined Fever - -	0·8	-	-	-	-	-	-	-	-
Enteric Fever -	9·4	9	-	-	4	5	-	-	-
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	15·6	16	11	3	-	-	-	2	-
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections -	11·0	13	9	-	-	2	-	2	-
Erysipelas - - -	4·4	2	2	-	-	-	-	-	-
Pyæmia and Septicæmia	2·5	1	-	-	1	-	-	-	-
Puerperal Fever - -	6·5	5	-	-	-	4	1	-	-
Other Zymotic Diseases	2·0	1	-	-	-	1	-	-	-
Thrush - - - -	1·5	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·1	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·8	3	2	-	-	-	1	-	-
Alcoholism - - -	7·2	9	-	-	-	1	6	2	-
Rheumatic Fever, Rheumatism of Heart	6·4	6	-	-	2	2	2	-	-
Rheumatism - -	3·0	2	-	-	-	1	-	1	-
Gout - - - -	3·6	4	-	-	-	-	2	2	-
Rickets - - - -	6·2	6	1	5	-	-	-	-	-
Cancer - - - -	62·8	64	-	2	-	5	30	26	1
Tabes Mesenterica -	20·2	19	7	10	1	1	-	-	-
Tubercular Meningitis -	27·3	20	6	11	3	-	-	-	-
Phthisis - - -	182·1	222	1	1	12	93	91	24	-
Scrofula, Tuberculosis -	20·5	30	7	8	9	3	3	-	-
Other Constitutional Diseases - - -	13·5	26	-	-	-	4	7	15	-
Premature Birth - -	44·6	55	55	-	-	-	-	-	-
Atelectasis - - -	2·8	9	9	-	-	-	-	-	-
Congenital Malformations - - - -	8·0	13	12	1	-	-	-	-	-
Old Age - - - -	62·4	96	-	-	-	-	1	45	50
Apoplexy - - -	52·3	64	-	1	-	4	10	37	10
Epilepsy - - -	9·7	13	-	-	2	2	3	5	-
Convulsions - - -	47·9	58	47	11	-	-	-	-	-
Other Diseases of Brain and Nervous System	105·6	135	12	21	6	14	24	33	20

CAUSES OF DEATH.	Corrected Averages for the 10th Week of the 10 years 1885-94.*	In the Week ending Saturday, 9th March 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.
Diseases of Organs of Special Sense - -	2·4	6	3	-	1	2	-
Diseases of Circulatory System - - -	152·1	244	1	2	7	25	73
Croup - - - -	8·3	3	-	3	-	-	-
Bronchitis - - -	325·4	937	144	93	4	21	162
Pneumonia - - -	143·2	336	82	90	10	30	50
Pleurisy - - - -	6·3	6	-	-	2	1	3
Other Diseases of Respiratory System - -	40·8	84	13	9	1	8	23
Dentition - - -	14·4	19	7	12	-	-	-
Quinsy, Sore Throat -	2·4	2	1	-	1	-	-
Enteritis - - -	9·9	16	12	2	1	-	1
Peritonitis - - -	6·9	4	-	-	1	3	-
Diseases of Liver - -	27·7	27	4	-	1	4	8
Other Diseases of Digestive System - -	27·4	40	5	2	5	6	6
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	2	-	-	-	-	1
Diseases of Urinary System - - -	48·3	80	1	1	2	16	23
Diseases of Generative System - - -	4·9	3	-	-	-	1	2
Accidents of Childbirth -	4·9	5	-	-	-	4	1
Diseases of Locomotive System - - -	6·9	3	-	1	1	1	-
Diseases of Integumentary System -	6·5	6	3	-	-	1	1
VIOLENT DEATHS.							
(ACCIDENT.)							
By Railways - - -		-	-	-	-	-	-
By Vehicles or Horses -		5	-	1	-	-	4
In Ships, Boats, Docks (exclusive of Drowning) - - -		-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	1
In Conflagrations - -		-	-	-	-	-	-
By Burns, Scalds, Explosions - - -	59·2	10	-	4	2	1	1
By Drowning - -		2	-	-	-	-	1
By Suffocation in Bed -		16	16	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	-	1
Other or not stated Causes - - -		22	4	2	-	2	5
(VIOLENCE OTHER THAN ACCIDENTAL.)							
Homicide - -	1·8	1	1	-	-	-	-
Suicide - - - -	6·6	9	-	-	-	6	3
Execution - - -	-	-	-	-	-	-	-
OTHER CAUSES - -	65·1	92	76	12	1	-	1

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. W the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a regis practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, mu manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 9th March 1895.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET
during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON	4,211,743	2681	3471	618	1368	–	23	6	34	55	–	9	–	16	67	223	694	31
WEST DISTRICTS	740,735	374	659	105	288	–	1	–	4	10	–	2	–	5	14	41	154	2
NORTH DISTRICTS	993,884	566	750	125	318	–	3	2	10	6	–	2	–	1	9	42	112	–
CENTRAL DISTRICTS	247,538	183	212	32	71	–	2	–	1	3	–	–	–	–	5	18	51	2
EAST DISTRICTS	705,114	531	555	122	187	–	7	–	6	11	–	2	–	1	15	69	139	–
SOUTH DISTRICTS	1,524,472	1027	1251	234	482	–	10	3	13	25	–	3	–	9	24	52	194	27
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	–	–	44	–	22	–	–	1	–	–	–	–	–	–	–	1	44	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	37	71	8	38	–	–	–	–	1	–	–	–	–	1	3	11	–
St. John Paddington *H* - - G.J.	33687	7	29	–	13	–	–	–	–	–	–	1	–	1	–	3	12	–
Kensington Town *Ww* - - W.M.	118751	63	124	13	61	–	1	–	–	1	–	–	–	–	4	6	46	1
Brompton *HH* - - - W.M. & C.	47557	9	39	3	19	–	–	–	–	–	–	–	–	1	–	1	2	–
St. Peter Hammersmith - - W.M.	8533	4	6	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Paul Hammersmith *H* W.M. & G.J.	83633	61	82	22	39	–	–	–	–	2	–	–	–	1	1	5	4	–
Fulham *Ww* - - - W.M. & C.	91639	61	91	22	33	–	–	–	1	4	–	–	–	2	1	7	15	1
Chelsea Kensal Town - - - C.	21787	14	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *WHHHHH* - - C.	41637	27	37	9	11	–	–	–	–	2	–	1	–	–	1	1	14	–
Chelsea South *HH* - - - C.	32829	16	37	4	13	–	–	–	–	–	–	–	–	–	–	–	8	–
May Fair *WH* - - - - G.J.	23733	4	24	1	14	–	–	–	–	–	–	–	–	–	1	2	12	–
Belgrave *WHHH* - - - - C.	54331	22	53	9	14	–	–	–	3	–	–	–	–	–	5	7	19	–
St. John Westminster *HH* - - C.	34106	23	20	6	9	–	–	–	–	–	–	–	–	–	–	2	–	–
St. Margaret Westminster *H* - C.	21668	9	25	5	12	–	–	–	–	–	–	–	–	–	–	2	7	–
St. James Westminster *WHHH* N.R. & G.J.	24995	8	12	2	6	–	–	–	–	–	–	–	–	–	–	–	4	–
St. Anne Soho *HHHHHH* - - N.R.	12317	6	7	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	10	25	1	14	–	–	–	1	–	–	–	–	–	–	1	6	–
Rectory Marylebone *WH* G.J. & W.M.	20024	13	22	1	10	–	–	–	–	–	–	–	–	–	–	1	4	–
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	27	15	3	9	–	–	–	–	–	–	–	–	–	–	–	1	–
Christchurch Marylebone *HH* - W.M.	33327	9	17	2	6	–	–	–	–	–	–	–	–	–	2	3	–	–
St. John Marylebone *HH* - - W.M.	32101	12	18	5	8	–	–	–	–	–	–	–	–	–	1	1	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	36	43	6	21	–	1	1	1	–	–	–	–	–	–	1	7	–
Regent's Park Pancras *HH* - W.M.	35590	28	16	2	7	–	–	–	1	–	–	–	–	–	–	1	1	–
Tottenham-court *wHHH* N.R. & W.M	24321	13	30	4	9	–	–	–	2	–	–	–	–	–	2	5	14	–
Gray's Inn Lane *HHH* - - N.R.	27455	15	22	8	5	–	–	–	–	2	–	–	–	–	–	1	1	–
Somers Town *HH* - - - N.R.	32822	20	17	8	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Camden Town *WH* - - - N.R.	15419	16	25	4	14	–	–	–	–	–	–	–	–	–	–	2	13	–
Kentish Town *WW* - - - N.R.	95765	43	70	13	21	–	–	–	–	1	–	–	–	–	–	2	14	–
Upper Holloway *WWWwHHH* - N.R.	90235	53	85	8	38	–	–	1	–	1	–	1	–	1	–	1	29	–
Islington South-west *H* - - N.R.	105557	62	74	17	31	–	–	–	1	1	–	–	–	–	–	9	–	–
Islington South-east - - - N.R.	64158	37	51	9	23	–	1	–	–	–	–	–	–	–	1	4	–	–
Highbury *HH* - - - - N.R.	59193	31	40	3	22	–	–	–	–	–	–	1	–	–	–	–	–	–
Stoke Newington *H* - - - N.R.	30934	28	2	7	11	–	–	–	–	–	–	–	–	–	–	2	–	–
Stamford Hill - - - - E.L.	17759	5	9	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* - - - N.R.	42802	20	28	3	13	–	–	–	–	–	–	–	–	–	–	1	1	–
Hackney *WwwH* - - E.L. & N.R.	96486	66	80	14	28	–	–	–	4	1	–	–	–	–	1	2	21	–
South Hackney *wH* - - - E.L.	41759	22	36	6	21	–	1	–	–	–	–	–	–	–	2	4	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	9	10	–	2	–	–	–	–	–	–	–	–	–	1	2	–	–
St. Giles South *WH* - - N.R.	13454	24	18	–	9	–	–	–	–	–	–	–	–	–	1	1	13	1
St. Giles North *H* - - - N.R.	9633	7	12	3	3	–	–	–	–	–	–	–	–	–	–	–	5	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	1	10	1	1	–	–	–	–	–	–	–	–	–	2	2	3	–
St. Mary-le-Strand *H* - - - N.R.	5706	9	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Clement Danes *WH* - - N.R.	7194	2	15	4	6	–	–	–	–	–	–	–	–	–	–	1	7	–
Strand Union Workhouse, Edmonton -	†1037	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–	3	–
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	15	19	4	2	–	1	–	1	–	–	–	–	–	–	–	7	–
St. Andrew Eastern *WH* - - N.R.	15343	9	10	1	5	–	1	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell - - - N.R.	16803	8	16	1	7	–	–	–	–	–	–	–	–	–	–	2	–	–
Amwell Clerkenwell - - - N.R.	16883	14	14	3	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Pentonville - - - - - N.R.	17155	10	11	4	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Goswell-street - - - - N.R.	15375	13	12	2	4	–	–	–	–	1	–	–	–	–	–	1	–	–
City-road *HHHL* - - - N.R.	29177	40	15	1	4	–	–	–	–	1	–	–	–	–	–	1	1	–
Whitecross-street - - - - N.R.	8278	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Finsbury - - - - - N.R.	4985	3	5	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham -	†892	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H* - - - N.R. & E.L.	8944	6	4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate - - - - - N.R.	4539	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* - - - N.R.	4444	1	11	–	2	–	–	–	–	–	–	–	–	–	–	3	9	–
St. Bride *W* - - - - N.R.	6594	2	8	1	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Allhallows Barking - - - N.R.	10422	3	7	2	4	–	–	–	–	–	–	–	–	–	1	1	–	–
Broad Street *H* - - - N.R.	3377	1	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone - -	†388	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

2, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district
day, 9th March, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
editch South *HL** E.L. & N.R.	29098	10	18	4	6	-	-	-	-	1	-	-	-	-	-	-	2	-
ton New Town *w* - - - N.R.	29313	21	32	2	12	-	-	-	1	-	-	-	-	-	1	3	12	-
ton Old Town - - - N.R.	28354	20	19	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	28	47	12	15	-	-	-	-	2	-	-	-	-	2	6	20	-
nal Green North *H* - - E.L.	51520	34	33	6	8	-	-	-	2	-	-	-	-	-	1	3	-	-
nal Green South - - - E.L.	33489	21	21	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green East *WHL** - E.L.	44123	38	33	5	13	-	1	-	-	1	-	-	-	-	1	1	12	-
alfields - - - E. N.R.	22456	13	14	1	7	-	-	-	-	-	-	-	-	-	1	2	-	-
End New Town *W* - - E.L.	17908	24	27	6	8	-	-	-	-	-	-	-	-	-	-	5	13	-
itechapel Church *H** E.L. & N.R.	20298	20	39	7	6	-	1	-	1	-	-	1	-	-	4	8	29	-
dman's Fields - - - E.L.	13800	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	40	24	9	2	-	1	-	-	2	-	-	-	1	1	7	-	-
John, St. George East *W* - E.L.	8057	4	17	2	10	-	-	-	-	-	-	-	-	-	-	1	3	-
dwell *H* - - - E.L. & N.R.	10246	9	9	4	-	-	-	-	-	-	-	-	-	-	-	1	8	-
cliff *W* - - - - - E.L.	14928	12	14	5	2	-	1	-	-	-	-	-	-	-	1	3	-	-
ehouse - - - - - - E.L.	32202	18	17	6	6	-	1		-	-	-	1	-	-	-	-	-	-
End Old Town West *H* - E.L.	38650	41	18	6	7	-	1	-	-	-	-	-	-	-	-	1	-	-
End Old Town East *WWW* . E.L.	68942	46	43	7	14	-	-	-	1	2	-	-	-	-	-	5	4	-
*L** - - - - - E.L.	40365	25	21	8	8	-	-	-	-	-	-	-	-	-	-	4	-	-
mley *wwwH* - - - - E.L.	70000	50	58	10	19	-	-	-	-	1	-	-	-	-	2	13	20	-
lar. *WW* - - - - - E.L.	56388	52	48	11	19	-	1	-	1	2	-	-	-	-	1	6	6	-
South Districts.																		
ristchurch Southwark *WB* L. & S.	18284	10	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Saviour Southwark - - - S.	13913	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t-road - - - - S. & L.	21867	16	14	5	2	-	-	-	-	-	-	-	-	-	-	2	-	-
ough-road *WH* - - S. & L.	16624	11	14	2	4	-	-	-	-	-	-	-	-	-	1	2	6	-
ndon-road *HL* - - L. & S.	21221	11	19	7	2	-	-	-	-	1	-	-	-	-	-	1	-	-
nity Newington - - S. & L.	26596	13	21	9	6	-	-	-	-	-	-	-	-	-	1	2	-	1
Peter Walworth *W* - S. & L.	61342	50	55	8	21	-	-	-	-	1	-	-	-	2	1	1	10	1
Mary Newington - - L. & S.	27866	22	27	9	7	-	1	-	-	3	-	-	-	-	1	2	-	1
Olave *WH* - - - S.	12723	5	25	6	6	-	-	-	-	-	-	-	-	1	1	2	12	1
ther Market *W* - - S. & L	30612	28	24	7	8	-	-	-	-	-	-	-	-	-	1	5	2	-
James Bermondsey - - S.	54670	42	36	8	15	-	-	-	-	-	-	-	-	-	-	2	-	-
herhithe *WwH* - - S. & K.	39255	40	37	7	13	-	1	-	1	-	-	-	-	-	-	3	13	1
terloo-road 1st *H* - - L. & S.	14631	6	14	2	5	-	-	-	-	3	-	-	-	-	-	-	2	-
terloo-road 2nd *H* - - L. & S.	14644	14	9	-	4	-	-	1	-	-	-	-	-	-	-	-	-	1
nbeth Church 1st *H* - L. & S.	18075	20	29	5	5	-	-	-	-	1	-	-	-	-	3	4	15	-
nbeth Church 2nd *WW* - L. & S.	39097	27	52	6	23	-	1	-	-	2	-	-	-	-	1	1	21	-
nnington 1st *H* - - S. & L.	50586	29	33	11	13	-	-	-	-	1	-	-	-	1	1	1	2	-
nnington 2nd - - - S. & L.	39708	20	40	7	14	-	-	-	-	2	-	-	-	1	1	1	-	1
xton *w* - - - - - L. & S.	73405	51	56	8	28	-	-	-	3	2	-	1	-	-	-	-	4	3
wood *WH* - - - - L.	25657	12	23	4	15	-	-	-	-	1	-	-	-	-	-	1	1	1
t Battersea - - - - S.	67244	59	52	12	13	-	4	-	1	1	-	-	-	-	-	3	-	2
st Battersea *WwH* - - S.	83314	71	74	14	24	-	2	-	1	1	-	-	-	-	-	-	12	-
pham *H* - - - - - S.	43698	25	29	4	14	-	-	-	-	-	-	-	-	-	2	2	-	-
ndsworth *WHHL* - - - S.	46717	30	34	9	15	-	-	-	-	-	-	-	-	-	2	2	1	-
ney - - - - - - - S.	17771	9	11	-	8	-	-	-	-	-	-	-	-	-	-	3	-	-
atham *www* - - - - L.	48756	31	31	2	19	-	-	1	2	-	-	-	-	-	-	1	2	-
wich - - - - L. & S.	6309	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nberwell *WwL**L** - - S. & L.	41686	49	104	7	54	-	-	-	1	1	-	1	-	-	-	-	49	-
kham *WW* - - S., L., & K.	83483	70	62	12	26	-	-	-	-	-	-	-	-	1	1	2	1	2
George Camberwell - - L. & S.	63366	46	50	13	11	-	-	1	-	1	-	-	-	-	2	4	-	1
ptford, North - - - - K.	35314	31	23	5	7	-	-	-	-	1	-	-	-	1	1	2	-	-
ptford, Central *w* - - - K.	42007	25	44	14	13	-	-	-	3	2	-	1	-	-	1	-	2	2
ptford, South - - - - K.	36952	12	27	3	14	-	-	-	-	-	-	-	-	-	-	-	-	1
enwich West *H* - - - K.	22007	16	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
enwich East *WH* - - - K.	36233	25	38	4	13	-	1	-	1	-	-	-	-	2	1	1	24	-
ham *wH* - - - - - K.	5682	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	10	15	1	12	-	-	-	-	-	-	-	-	-	-	-	1	1
wnham *WH* - - - - K.	30950	15	25	2	10	-	-	-	-	-	-	-	-	-	1	1	7	4
enham *H* - - - - - L.	34162	22	24	4	12	-	-	-	-	1	-	-	-	-	1	1	-	1
il on *HH* - - - - K.	14049	7	12	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-
olwich Dockyard - - - K.	19606	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olwich Arsenal *HH III* - K.	21242	14	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mstead, West *H* - - - K.	15869	9	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1
mstead, East *WH* - - - K.	36567	28	21	5	4	-	-	-	-	-	-	-	-	-	-	-	4	1
nstead Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
erham Asylum - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
ne Hill Asylum - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
spital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
renth Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
nwell Asylum - - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
ney Hatch Asylum - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
nehmere Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vesden Asylum - - - - -	-	-	10	-	7	-	-	-	-	-	-	-	-	-	-	-	10	-
ybury Asylum - - - - -	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-	1	8	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 9th March, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,746	1,422,963	999	887	178	365	–	12	3	11	7	2	5	18	39	57
37 : 1	Carshalton *wHH* -	12228	26104	11	7	1	4	-	-	-	-	-	-	-	1	1	-
	Epsom, *part of** *WwH*	10423	12508	9	7	3	4	-	-	-	-	-	-	-	-	-	2
37 : 1	Godstone, *part of** *W* -	2754	1594	-	-	-	-		-		-	-	-	-		-	-
38 : 1	Croydon *WwHHH* -	20351	128699	67	68	10	33	-	-	-	1	1	-	-	2	5	4
2	Mitcham *w* - -	11697	23088	13	11	5	4	-	-	-	-	-	-	2	-	-	-
39 : 1	Wimbledon *HHH* -	3229	25761	23	22	6	8	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - -	8071	44765	25	23	6	10	-	-	-	-	-	-	-	1	1	3
3	Esher, *part of** *HH* -	6601	12059	6	6	-	4	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* - -	4535	18252	10	7	2	3	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	12	17	-	10	-	-	-	-	-	-	-	1	1	1
2	Mortlake *H* - -	2823	16159	12	14	2	8	-	-	-	-	-	-	-	2	2	-
41 : 1	Bromley *HHH* - -	9127	23815	7	8	2	6	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - -	6542	21969	13	13	3	4	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of** *WHH*	14307	20372	10	10	2	7		-	-	-	-	-	-	-	-	2
42 : 1	Bexley *HHH* - -	12540	30590	40	17	6	8	-	-	-	-		-	-	1	1	-
2	Dartford *Work.*, pt. of*-	—	—	-	2	-	-	-	2				-		-	-	2
124 : 1	Sunbury *w* - -	11054	13671	14	9	3	5	-	-	-	-	-	-	1	-	-	-
2	Staines *WH* - -	13277	13221	10	11	1	6	-	-	1	-	-	1	-	-	-	1
125 : 1	Hillingdon *WHH* -	6035	12237	12	13	2	7	-	-	1	-	-	-	-	2	1	2
2	Uxbridge - - -	6172	5417	2	4	-	3	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - -	14537	12613	2	4	-	2	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* -	6967	26273	20	24	2	14	-	1	1	-	-	-	-	1	1	3
2	Twickenham *HH* -	2415	16027	11	12	2	9	-	-	-	-	-	-	-	-	1	-
	Brentford *HHHH* -	4318	37777	28	22	1	12	-	-	-	-	-	-	-	1	1	1
4	Chiswick - - -	1245	21913	15	14	3	3	-	-	-	1	-	-	-	-	1	-
5	Aston *wH* - - -	6132	30945	26	23	-	14		-	-	-	-	-	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	9	9	2	3	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - -	6994	3844	3	5	2	1	-	-		-	1	-	-	-	1	-
3	Willesden *HHH*- -	4383	61265	55	45	15	14	-	-	-	1	-	-	-	-	-	-
4	Hendon *WH* - -	8332	15813	5	12	2	2	-	1	-	-	-	-	-	1	1	4
128 : 1	South Mimms *H* -	15599	8474	8	4	2	1	-	-	-	1	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11778	7	10	-	5	-	-	-	-	-	-	-	-	1	2
3	Finchley *HHH* -	4683	25829	11	13	2	6	-	-	-	-	-	-	-	-	1	-
129 : 1	Hornsey *HH* - -	3039	61097	39	43	6	13	-	-	-	-	1	1	1	1	4	-
2	Tottenham *H* - -	4642	97174	78	59	12	24	-	-	-	1	-	-	-	2	9	3
3	Edmonton *WwH* - -	7489	36351	31	26	7	12	-	-	-	-	-	-	-	-	2	5
4	Enfield *WWHH* -	12639	31603	18	13	3	6		-	-	-	-	-	1		1	1
5	Waltham Abbey - -	11017	6066	2	1	-	1	-	-	-	-	-	-	-	-	-	-
6	Chesnunt *H* - -	8450	9620	8	6	1	4		-	-	1	-	-	-	1	1	-
135 : 1	Hatfield, *part of** *W*	3306	582	2	2	-	1	-	-	-	-	-	-		-		-
137 : 1	Bushey *H* - - -	9331	7737	3	3	1	1	-	-	-	-	-	-	-		-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-			-
186 : 1	Stratford *H*- -	1100	42983	31	24	5	6	-	-	-	-	-	-	-	-	-	3
2	Plaistow - - -	1242	58030	53	27	13	7	-	-	-	1	-	-	-	-	2	-
3	Canning Town *H* -	1558	54750	46	30	6	4	-	-	-	-	-	-	-		-	-
4	Forest Gate *w* - -	806	49149	36	33	8	12	-	-		-	1	-	-	-	-	-
5	East Ham *w* - -	3266	32713	35	13	3	3	-	-	-	-	-	-		-	-	-
6	Leyton *WWWwH* -	4334	70183	53	54	11	27	-		-	-	1		-		-	12
7	Walthamstow *HBL* -	6501	57330	39	20	7	12	-	2	-	3	-	-	-		-	-
187 : 1	Chigwell *part of* *H*-	11779	12941	10	10	1	-	-	6	-	-	-	-	-	-	-	-
2	Epping *Work.*, pt. of* -	—	—	-	-		-					-	-				-
189 : 1	Romford *part of** *WH*	6556	4324	3	3	-	2			-	-	-				-	1
2	Ilford - - - -	8493	10913	7	10	-	4	-	-	-	-		-	-	-	-	-
3	Barking Town *H* -	3814	14301	18	14	7	-	-		-	1	2	-	-	-	-	-
	Middx. County Lun. Asy.	-	-	-	5	-	2	-	-	-	-	-	-	-	-	-	5

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 37 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1763); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Sidcup, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 1 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 9th March, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	37·6	1·6	4358	796	1733	-	35	9	45	62	11	21	85	751
NNER LONDON -	74,672	4,392,346	41·2	1·7	3471	618	1368	-	23	6	34	55	9	16	67	694
UTER RING -	368,749	1,656,209	27·9	1·3	887	178	365	-	12	3	11	7	2	5	18	57

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	March 9	162	234	44·6	2	30	1	3	2	1	1
ASGOW - -	695,876	" 9	472	588	44·1	1	11	4	1	31	-	5
BLIN - -	349,594	" 9	164	327	48·8	5	-	-	-	3	5	1
LCUTTA - -	446,440	January 5	-	-	-	-	-	-	-	-	-	-
MBAY - -	821,764	February 19	310	485	30·7	3	13	?	?	?	131	40
DRAS - -	452,518	January 25	274	317	36·4	-	3	?	?	?	117	56†
RIS - - -	2,424,705	March 2	1133	1282	27·5	2	9	6	8*	11	2	30
USSELS - -	498,400	" 2	254	355	37·0	-	2	2	4*	2	2	10
STERDAM -	446,295	" 2	285	198	23·0	-	-	-	-	6	2	-
TTERDAM -	228,579	" 2	188	135	30·7	3	3	-	-	1	-	-
E HAGUE -	174,790	" 2	110	73	21·7	-	-	-	1	2	-	-
PENHAGEN -	341,000	" 2	165	132	20·2	-	1	4	3	4	2	3
OCKHOLM -	252,937	February 23	153	109	22·4	-	1	3	5*	-	-	1
RISTIANIA -	167,588	March 2	52	67	20·8	-	-	1	-	2	-	1
PETERSBURG	954,400	February 16	716	675	36·9	1	10	18	13	2	13	55
OSCOW - -	753,469	" 16	-	515	35·6	2	6	8	10	2	4	23
RLIN - -	1,724,544	" 16	864	530	16·0	-	4	17	21	7	1	18
MBURG - -	608,710	" 23	383	308	26·3	-	-	3	2*	2	2	5
RESDEN - -	323,600	" 9	-	100	16·2	-	1	-	6*	2	-	3
RESLAU - -	367,769	March 2	-	235	33·6	-	2	5	2*	-	-	10
NICH - -	396,000	" 2	-	242	31·8	-	-	-	7*	2	2	16
ENNA - -	1,495,764	" 2	962	780	27·1	-	11	6	10*	4	-	47
AGUE - -	343,822	February 23	217	186	28·1	-	1	-	-	-	2	2
DA-PESTH -	566,022	" 23	423	311	28·6	1	1	3	3	-	4	18
IESTE - -	160,825	" 23	105	150	48·1	-	-	1	6*	1	-	4
ME - -	463,786	January 19	219	218	24·5	-	-	-	2*	-	1	6
RIN (10 days)	344,203	February 20	-	-	-	-	-	-	-	-	-	-
NICE -	158,159	" 9	-	-	-	-	-	-	-	-	-	-
IRO - -	374,858	January 28	466	321	44·5	1	-	-	3*	-	5	87
EXANDRIA -	231,396	" 28	265	111	25·0	-	-	-	3*	-	1	29
W YORK -	1,992,715	February 16	-	958	25·0	-	4	16	29	5	8	12
OOKLYN -	1,080,000	" 16	-	462	22·3	-	3	3	10	4	2	2
ILADELPHIA	1,163,864	" 16	-	559	25·0	1	-	3	29	2	16	8
W ORLEANS -	275,000	" 9	-	165	31·3	-	3	1	3	-	7	7

* Including deaths from croup.
† Including 9 deaths from cholera in Madras.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 9TH MARCH, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. De-parture from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	3	..	29·449	38·8	25·3	13·5	30·0	−10·5	25·8	4·2	8·6	0·0	84	79·0	18·1	Below range of Scale (37°).	NNW. & WSW.	N. & NNW.	2·5	0·0	0·1	216	−117	0·01	0·0
MONDAY	4	First Qr.	29·647	40·3	27·4	12·9	33·2	− 7·5	27·6	5·6	11·7	0·0	80	83·1	25·0		NW. & NNW.	N. & NNW.	6·2	0·0	0·2	325	− 6	0·00	0·5
TUESDAY	5	Greatest Dec. N.	29·759	43·0	30·4	12·6	35·6	− 5·3	31·0	4·6	9·7	0·	84	81·2	28·0		NNW. & N.	N. & SW.	2·6	0·0	0·1	233	−100	0·13	1·5
WEDNESDAY	6	..	29·681	42·0	34·1	7·9	37·7	− 3·4	33·2	4·5	9·9	2·4	84	56·3	31·3		SSW. & S.	SSW. & S.	2·3	0·0	0·1	262	− 73	0·00	3·8
THURSDAY	7	..	29·681	47·7	34·2	13·5	38·7	− 2·3	37·3	1·4	9·0	0·7	95	84·2	31·0		S.	SSW. & S.	1·6	0·0	0·1	273	− 63	0·13	6·7
FRIDAY	8	..	29·543	48·0	32·4	15·6	40·1	− 0·8	33·2	6·9	12·6	4·1	76	94·0	28·2		SSE. & SE.	SSE. & SE.	2·3	0·0	0·1	274	− 62	0·01	5·7
SATURDAY	9	..	29·345	43·4	37·8	5·6	39·9	− 0·9	38·8	1·1	4·5	0·0	96	54·0	35·0		SSE. SE. & ESE.	ESE. SE. & SSE.	1·3	0·0	0·0	187	−148	0·06	3·8
MEANS		..	29·586	43·3	31·7	11·7	36·5	− 4·4	32·4	4·0	9·4	1·0	86	76·0	28·1	..	NW. SW. & SE.		..	..	..	Sum 1770	Sum − 569	Sum 0·34	3·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	3	v. P. generally; s. P. in evening.	2·2	11·0	Variable in morning; afterwards very fine; cloudless in evening.
MONDAY	4	s. P. till 7h. P.M.; s. N. afterwards.	2·5	11·1	Overcast in morning and evening; fine during the day; heavy fall of snow between 7h. P.M. and 8h. P.M.
TUESDAY	5	m. P. till 4h. P.M.; v. P. afterwards.	1·5	11·1	Overcast in morning; partially cloudy till evening; sky covered with thin cloud at night.
WEDNESDAY	6	m. P. till afternoon; s. P. afterwards.	0·0	11·2	Overcast throughout; very fine rain at 5h. P.M.
THURSDAY	7	v. P. and v. N. in morning; m. P. afterwards.	2·2	11·2	Overcast generally.
FRIDAY	8	v. P. till 9h. A.M.; s. P. till 9h. P.M.; s. N. afterwards.	3·9	11·3	Overcast in morning and evening; fine during the day with small amounts of light cloud.
SATURDAY	9	v. P. in morning; s. P. and s. N. afterwards.	0·0	11·4	Overcast till evening; variable afterwards; frequent rain in afternoon.
			Sum 12·3	Sum 78·3	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·52 in. at the beginning of the week to 29·42 in. by 1h. P.M. on the 3rd; increased to 29·77 in. by noon on the 5th; and decreased to 29·26 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 11. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MARCH 16. [Price 1½*d.*

General Register Office, Somerset House,
March 18th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 32·2 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	TOWNS.	Weeks ending Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.
Birkenhead	24·7	27·7	31·1	30·1	Liverpool - -	46·1	54·4	45·2	37·1
Birmingham	21·8	23·1	21·5	30·9	London - -	34·0	38·5	41·2	33·4
Blackburn -	24·9	20·0	19·2	22·1	Manchester -	26·6	28·7	32·2	33·1
Bolton -	27·5	23·6	27·1	32·3	Newcastle-on-Tyne	21·7	23·9	34·0	34·5
Bradford -	28·3	25·3	35·7	36·4	Norwich - -	28·2	16·1	22·4	15·6
Brighton -	26·6	32·3	40·1	48·0	Nottingham -	35·2	49·2	37·7	32·2
Bristol -	26·3	27·4	32·5	30·4	Oldham - -	20·3	27·7	34·4	44·0
Burnley -	21·5	24·1	25·1	31·9	Plymouth - -	38·0	39·2	48·0	32·2
Cardiff -	31·5	34·5	34·8	26·5	Portsmouth -	25·1	22·1	33·4	34·9
Croydon -	24·5	26·8	23·1	34·5	Preston - -	22·7	36·1	35·2	40·3
Derby -	19·8	15·1	16·1	21·3	Salford - -	29·5	30·5	30·3	30·0
Gateshead -	17·4	18·5	32·1	26·1	Sheffield - -	23·1	25·9	30·4	27·7
Halifax -	31·1	43·4	42·8	31·7	Sunderland -	22·0	17·0	27·6	27·3
Huddersfield	21·0	23·1	23·6	26·7	Swansea - -	28·0	28·5	21·0	28·5
Hull - -	20·5	20·5	23·1	22·9	West Ham - -	21·1	28·6	28·0	26·8
Leeds -	21·1	23·7	27·4	34·0	Wolverhampton -	30·4	21·9	31·0	33·4
Leicester -	19·9	19·1	19·6	20·7					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Manchester, 1·2 in Plymouth and in Sheffield, and 1·3 in Bolton; and from *whooping-cough*, 1·6 in Burnley, and 2·3 in Croydon. The death-rate from *scarlet fever* and from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 52 deaths from *diphtheria* included 27 in London, 4 in West Ham, 4 in Birmingham, 3 in Sheffield, and 2 each in Birkenhead, Oldham, and Leeds. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2821 BIRTHS and 2817† DEATHS were registered. Allowing for increase of population, the births were 23, and the deaths 951, above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 34·0, 38·5, and 41·2 in the preceding three weeks, fell last week to 33·4. During the four weeks ending on Saturday last the death-rate averaged 36·8 per 1000, being 14·5 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

The 2817 deaths included one death from small-pox, 12 deaths from measles, 4 from scarlet fever, 27 from diphtheria, 56 from whooping-cough, 4 from enteric fever, 10 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 114 deaths were referred to these diseases, being 89 below the corrected average weekly number.

The death from *small-pox* was of a patient in the Metropolitan Asylum Hospital at Dartford, who had been admitted from St. Marylebone sanitary area. The deaths from *measles*, which had numbered 26, 20, and 23 in the preceding three weeks, declined last week to 12, and were so many as 42 below the corrected average; 2 belonged to Hackney sanitary area. The deaths from *scarlet fever*, which had been 10, 7, and 6 in the preceding three weeks, further fell last week to 4, and were less than one fourth of the corrected average. The deaths from *diphtheria*, which had been 29, 31, and 34 in the preceding three weeks, declined last week to 27, and were 5 below the corrected average; 6 belonged to Camberwell, 4 to Greenwich, 4 to Mile End Old Town, 3 to Paddington, and 2 each to Fulham, St. Martin-in-the-Fields, and Battersea sanitary areas. The deaths from *whooping-cough*, which had been 42, 53, and 55 in the preceding three weeks, numbered 56 last week, being 14 below the corrected average; 8 belonged to Islington, 5 to St. Pancras, 4 to St. George Hanover Square, and 4 to Poplar sanitary areas. The fatal cases of *enteric fever*, which had been 3, 7, and 8 in the preceding three weeks, declined again last week to 4, and were 5 below the corrected average; 2 belonged to Hammersmith sanitary area. The deaths from *diarrhœa*, which had been 12, 11, and 16 in the preceding three weeks, numbered 10 last week, being 5 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 1120, 1448, and 1366 in the preceding three weeks, further declined last week to 1031, but exceeded the corrected average by 507.

The deaths attributed directly to *influenza* numbered 349, having been 111, 296, and 473 in the preceding three weeks.

The age of a widow, whose death from congestion of the lungs occurred in Grundy Street, Poplar, was stated to be 103 years.

Different forms of violence caused 77 deaths, concerning all but 2 of which inquests were held. Of these 77 deaths, 14 were cases of suicide, and 8 of homicide, while the remaining 55 deaths were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 4 to railways, 10 to burns and scalds, 3 to poison, and 16 (including 14 of infants under one year of age) to suffocation in bed. The death of a milliner, aged 25 years, was referred, after inquest, to "syncope, exhaustion, weak heart, pneumonia, partly under influence of chloroform " for operation, empyæma."

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 57 cases of small-pox, 1615 of scarlet fever, 456 of diphtheria, and 70 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 12 cases, against 19, 8, and 8; of scarlet fever, 133 cases, against 152, 143, and 141; of diphtheria, 61 cases, against 54, 43, and 55; and of enteric fever, 4 cases, against 8, 7, and 9.

Greater London.

In Greater London 3822 births and 3660 deaths were registered, corresponding to annual rates of 33·0 and 31·6 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 7 from diphtheria, 13 from whooping-cough, and 5 from diarrhœa were recorded. Of the 12 deaths from measles, 5 occurred in West Ham district. The 7 deaths from diphtheria included 5 in West Ham district, and 2 in Romford district. Five deaths from whooping-cough occurred in Croydon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 43°·7, the latter being 2°·7 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 24 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 29·8 hours; the measured rainfall amounted to 0·02 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE I.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 16th March, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 16th Mar., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6914	6534	1422	2133	1	51	22	52	113	27	36	160	385	1123	98	32·2	1·5	57·0	25·7	41·1	5·06	0·15	0·38	33 Towns.
London	4,392,346	2821	2817	611	984	1	12	4	27	56	4	10	77	194	641	17	33·4	1·4	56·7	31·0	43·7	6·50	0·02	0·05	London.
West Ham	249,473	191	128	33	28	–	–	1	4	1	2	1	2	3	9	5	26·8	1·9	–	–	–	–	–	–	West Ham.
Croydon	114,923	60	76	18	33	–	1	–	–	5	–	–	3	6	4	–	34·5	2·7	56·0	25·7	42·1	5·61	0·12	0·30	Croydon.
Brighton	119,604	61	110	18	52	–	–	–	1	1	1	–	3	4	7	2	48·0	1·3	54·2	30·2	40·9	4·94	0·01	0·03	Brighton.
Portsmouth	174,751	121	117	19	47	–	–	–	1	2	–	1	1	5	13	–	34·9	1·2	53·5	29·0	42·1	5·61	0·21	0·53	Portsmouth.
Plymouth	89,096	70	55	12	19	–	2	–	–	–	–	–	1	3	3	–	32·2	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,139	124	133	15	64	–	–	–	1	–	–	1	2	10	19	2	30·4	0·5	53·0	30·0	40·1	4·50	0·30	0·76	Bristol.
Cardiff	155,637	133	79	23	18	–	–	–	1	–	–	–	4	5	13	–	26·5	0·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	70	53	11	13	–	–	–	–	2	1	–	4	9	6	–	28·5	1·6	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	47	55	13	26	–	–	1	–	1	–	1	1	3	14	–	33·4	1·8	53·0	28·6	39·2	4·00	0·09	0·23	Wolverhampton.
Birmingham	496,751	308	294	61	92	–	–	1	4	8	2	–	12	6	66	20	30·9	1·6	–	–	–	–	–	–	Birmingham.
Norwich	107,127	70	32	9	13	–	–	1	–	1	–	–	–	3	3	–	15·6	1·0	56·0	26·8	41·0	5·00	0·25	0·63	Norwich.
Leicester	193,839	119	77	19	29	–	–	–	–	–	–	–	5	8	8	3	20·7	–	–	–	–	–	–	–	Leicester.
Nottingham	226,658	149	140	31	56	–	–	1	1	1	2	2	3	7	19	5	32·2	1·6	54·3	26·7	40·3	4·61	0·11	0·28	Nottingham.
Derby	100,272	59	41	10	15	–	–	–	1	–	1	–	–	5	3	–	21·3	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	74	62	16	15	–	–	–	2	–	1	–	–	4	7	–	30·1	1·5	–	–	–	–	–	–	Birkenhead.
Liverpool	503,967	374	359	68	96	–	2	1	–	11	2	1	9	14	89	13	37·1	1·8	53·3	32·9	42·4	5·78	0·06	0·15	Liverpool.
Bolton	119,337	77	74	19	13	–	3	–	–	–	1	2	3	8	9	2	32·3	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	349	333	65	88	–	11	5	–	4	3	3	5	20	71	3	33·1	2·6	–	–	–	–	–	–	Manchester.
Salford	208,253	145	120	39	23	–	1	3	–	2	–	2	1	3	14	3	30·0	2·0	–	–	–	–	–	–	Salford.
Oldham	141,079	77	119	25	39	–	–	–	2	2	–	2	–	5	9	–	44·0	2·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	62	61	18	11	–	–	1	1	3	–	1	–	–	1	1	31·9	3·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	85	54	10	16	–	–	–	–	–	–	1	–	1	2	3	22·1	0·4	–	–	–	–	–	–	Blackburn.
Preston	112,638	77	87	23	17	–	2	–	–	1	–	1	1	2	11	4	40·3	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	35	51	11	17	–	–	–	–	–	–	–	–	–	3	1	26·7	–	53·0	26·0	40·1	4·50	0·07	0·18	Huddersfield.
Halifax	93,813	55	57	10	25	–	–	–	–	–	–	–	2	2	6	1	31·7	–	–	–	–	–	–	–	Halifax.
Bradford	226,384	141	158	32	54	–	1	–	–	1	–	2	5	12	17	–	36·4	0·9	53·1	32·0	40·8	4·89	0·56	1·42	Bradford.
Leeds	395,546	288	258	56	86	–	5	1	2	2	1	1	7	18	12	3	34·0	1·6	–	–	–	–	–	–	Leeds.
Sheffield	342,768	232	182	53	42	–	8	1	3	1	1	3	1	4	13	5	27·7	2·6	–	–	–	–	–	–	Sheffield.
Hull	216,722	154	95	22	35	–	–	–	–	1	1	–	3	3	10	4	22·9	0·5	56·0	27·0	40·7	4·83	0·08	0·20	Hull.
Sunderland	137,705	91	72	16	15	–	–	–	–	2	–	–	1	4	5	–	27·3	0·8	57·0	32·0	40·3	4·61	0·02	0·05	Sunderland.
Gateshead	95,871	70	48	15		–	1	–	–	2	1	–	–	4	1	–	26·1	2·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	105	137	21	43	–	2	1	1	3	3	1	4	10	15	1	34·5	2·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the ELEVENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2675	2750	2501	2629	2699	2717	2751	2576	2656	2558	2798·1	2821
Males . .	1330	1356	1251	1352	1366	1381	1413	1303	1314	1287	1409·3	1451
Females .	1345	1394	1250	1277	1333	1336	1338	1273	1342	1271	1388·8	1370
TOTAL **Deaths**	1678	2413	1652	1604	1638	1771	1751	1933	1578	1608	1865·5	2817
Males . .	841	1229	829	797	812	907	887	1037	799	862	949·8	1310
Females .	837	1184	823	807	826	864	864	946	779	746	915·7	1507

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885-94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.
TOTAL **Births** - -	2703	1950	3085	2922	2818	2612	2587	2736	2737	2787	2671	2681	2821
TOTAL **Deaths** - -	1448	1434	1462	1622	1689	1481	1598	1768	2467	2863	3246	3471	2817
Ages at Death: Under 1 year -	316	352	348	369	370	311	337	386	452	505	524	618	611
1— 5 years -	185	191	194	200	205	151	192	188	250	337	357	395	347
5—20 „ -	77	71	85	90	96	80	87	82	99	92	100	101	108
20—40 „ -	193	205	221	224	197	190	221	237	278	280	288	320	265
40—60 „ -	297	254	248	288	331	314	324	341	521	612	646	669	502
60—80 „ -	314	277	297	360	390	362	373	442	700	868	1077	1089	753
80 years & upwards	66	84	69	91	100	73	64	92	167	169	254	279	231
Deaths from—													
Small-pox - - - -	1	1	–	–	1	–	2	3	1	1	1	–	1
Measles - - - -	35	46	34	30	35	21	13	17	27	26	20	23	12
Scarlet fever - - -	14	14	14	12	9	7	11	15	18	10	7	6	4
Diphtheria - - -	36	35	50	34	31	29	45	34	27	29	31	34	27
Whooping-cough - -	26	14	23	35	21	27	30	29	48	42	53	55	56
Typhus - - - -	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric fever - - -	25	32	17	16	20	16	9	13	10	3	7	8	4
Simple Continued fever -	–	–	–	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery -	15	7	14	15	16	10	12	12	10	12	11	16	10
Cholera - - - -	–	–	–	–	–	1	–	–	–	–	1	–	–
All the above Diseases	152	149	152	142	133	112	122	123	141	124	131	143	114
Dis. of Respiratory System	325	352	319	389	399	324	377	480	840	1120	1448	1366	1031
Phthisis - - - -	140	144	155	159	139	161	166	157	210	230	218	222	215
Dis. of Circulatory System	140	99	129	161	162	162	161	160	248	269	242	244	184
Violence - - - -	73	70	72	77	76	58	68	81	89	86	57	67	77
Inquest Cases - - -	141	147	176	155	173	149	160	195	239	255	211	222	194
Deaths in Public Institutions	410	381	411	439	432	462	477	480	663	692	789	693	641
TEMPERATURE OF THE AIR													
Mean - - - -	43·9°	43·0°	34·3°	29·8°	40·4°	35·6°	26·9°	22·4°	26·0°	34·0°	36·2°	36·5°	43·7°
Mean of Highest readings -	49·1°	46·7°	37·1°	32·5°	44·0°	41·2°	32·0°	29·5°	32·4°	40·1°	42·1°	43·3°	52·6°
Mean of Lowest readings -	38·2°	39·0°	30·9°	27·2°	35·6°	29·8°	21·9°	14·9°	19·8°	28·5°	31·7°	31·7°	35·9°
Humidity of the Air - -	83	87	81	87	89	84	75	68	66	84	81	86	77
Rain-fall (in inches) - -	0·59	0·22	0·20	0·01	0·72	0·54	0·28	0·02	0·00	0·00	0·19	0·34	0·02
Registered Sunshine (in hours)	3·0	1·7	0·2	1·7	4·7	6·4	4·8	16·4	14·5	8·3	5·2	12·3	29·8
CASES OF INFECTIOU SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	15	16	23	28	32	35	51	56	67	75	68	56	57
Scarlet fever - - - -	1931	1890	1779	1718	1653	1662	1653	1667	1658	1658	1621	1619	1615
Diphtheria - - - -	512	523	499	517	514	528	519	500	497	486	463	455	456
Enteric fever - - - -	97	105	112	107	115	121	115	117	111	107	95	80	70

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the ELEVENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 11th Week of the 10 years 1885–94.*	In the Week ending Saturday, 16th March 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
...SES OF DEATH.									
...CAUSES - -	1865·5	2817	611	347	108	265	502	753	231
...all-pox { Vaccinated† -	0·6	-	-	-	-	-	-	-	-
... Unvaccinated	1·1	1	-	1	-	-	-	-	-
... No Statement	0·9	-	-	-	-	-	-	-	-
...sles - - - -	54·4	12	2	9	1	-	-	-	-
...let Fever - -	17·3	4	-	3	1	-	-	-	-
...hus - - - -	0·3	-	-	-	-	-	-	-	-
...psing Fever - -	-	-	-	-	-	-	-	-	-
...uenza - - -	11·8	349	22	24	9	27	81	139	47
...ooping-cough - -	70·0	56	20	33	3	-	-	-	-
...htheria - - -	32·4	27	2	16	9	-	-	-	-
...ple Continued and ...l-defined Fever -	0·8	-	-	-	-	-	-	-	-
...eric Fever -	9·3	4	-	-	2	1	1	-	-
...lera and Chol. Diarr.	0·4	-	-	-	-	-	-	-	-
...rrhœa, Dysentery -	15·4	10	9	-	-	-	1	-	-
...mittent Fever - -	0·2	-	-	-	-	-	-	-	-
...trophobia - -	0·1	-	-	-	-	-	-	-	-
...nders - - -	0·3	-	-	-	-	-	-	-	-
...rpox and Effects of ...accination - -	0·2	-	-	-	-	-	-	-	-
...acreal Affections -	10·6	12	7	1	-	-	2	2	-
...sipelas - -	4·5	4	-	-	-	-	1	3	-
...emia and Septicæmia	2·1	-	-	-	-	-	-	-	-
...erperal Fever - -	6·1	3	-	-	-	3	-	-	-
...er Zymotic Diseases	1·5	1	-	-	-	-	-	1	-
...rush - - - -	1·1	-	-	-	-	-	-	-	-
...rms and other Parasitical Diseases -	0·2	-	-	-	-	-	-	-	-
...rvation, Want of ...Breast-milk - -	2·0	4	4	-	-	-	-	-	-
...oholism - - -	7·3	8	-	-	-	3	3	2	-
...eumatic Fever, ...eumatism of Heart	8·1	7	-	-	3	1	3	-	-
...eumatism - -	2·7	3	-	-	-	-	2	1	-
...out - - - -	4·7	3	-	-	-	-	-	2	1
...ckets - - - -	6·2	8	1	7	-	-	-	-	-
...ncer - - - -	62·7	68	-	1	1	2	37	26	1
...bes Mesenterica -	22·8	24	15	5	3	-	1	-	-
...bercular Meningitis -	23·7	21	9	9	2	-	1	-	-
...thisis - - -	171·7	215	2	4	18	98	72	21	-
...rofula, Tuberculoti -	19·5	23	10	8	2	3	-	-	-
...her Constitutional ...Diseases - - -	12·0	17	-	-	3	3	5	6	-
...emature Birth - -	43·5	65	65	-	-	-	-	-	-
...electasis - - -	2·4	4	4	-	-	-	-	-	-
...ngenital Malformations - - - -	7·5	6	5	1	-	-	-	-	-
...d Age - - - -	57·4	85	-	-	-	-	1	27	57
...oplexy - - -	45·7	46	1	-	-	1	11	29	4
...ilepsy - - -	7·6	12	-	-	3	5	3	1	-
...nvulsions - - -	47·6	53	50	3	-	-	-	-	-
...her Diseases of Brain ...and Nervous System	108·3	123	15	11	7	14	21	43	12

CAUSES OF DEATH.	Corrected Averages for the 11th Week of the 10 years 1885–94.*	In the Week ending Saturday, 16th March 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·3	4	-	1	1	1	-	1	-
Diseases of Circulatory System - - -	152·0	184	2	2	10	18	51	90	11
Croup - - - -	12·3	1	-	1	-	-	-	-	-
Bronchitis - - -	331·5	700	144	89	2	21	111	253	80
Pneumonia - - -	139·6	247	82	78	5	18	35	21	8
Pleurisy - - - -	5·9	10	-	-	1	3	2	3	1
Other Diseases of Respiratory System - -	35·1	73	18	9	1	1	17	22	5
Dentition - - -	14·7	21	14	7	-	-	-	-	-
Quinsy, Sore Throat -	2·3	2	1	1	-	-	-	-	-
Enteritis - - -	9·5	11	6	3	-	-	-	2	-
Peritonitis - - -	7·9	5	-	1	1	2	1	-	-
Diseases of Liver - -	25·0	12	1	-	-	4	2	5	-
Other Diseases of Digestive System -	29·9	48	14	2	4	4	9	15	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	3	-	-	-	1	1	1	-
Diseases of Urinary System - - -	45·0	47	-	1	1	11	10	21	3
Diseases of Generative System - - -	4·1	2	-	-	1	-	1	-	-
Accidents of Childbirth -	4·1	5	-	-	2	3	-	-	-
Diseases of Locomotive System - - -	7·1	8	-	1	2	1	2	1	1
Diseases of Integumentary System -	6·5	8	2	1	1	-	1	3	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - - -	58·2	4	-	-	-	2	-	2	-
By Vehicles or Horses -		3	-	-	1	-	1	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		10	2	5	1	1	1	-	-
By Drowning - -		2	-	-	-	1	1	-	-
By Suffocation in Bed -		16	14	1	-	-	1	-	-
By Poisons or Poisonous Vapours - - -		3	-	-	-	2	-	1	-
Other or not stated Causes - - - -		17	3	1	3	2	3	5	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	0·9	8	1	2	4	1	-	-	
Suicide - - - -	10·3	14	-	-	-	6	6	2	-
Execution - - -	0·1	-	-	-	-	-	-	-	
OTHER CAUSES - -	53·2	71	61	5	-	1	-	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94 raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 3. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR[illegible] during the Week end[illegible]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2821	2817	611	984	1	12	4	27	56	-	4	-	10	77	194	641
WEST DISTRICTS	740,735	398	496	97	201	-	3	-	5	8	-	2	-	2	10	27	112
NORTH DISTRICTS	993,884	653	634	135	233	-	5	-	3	20	-	-	-	2	12	36	117
CENTRAL DISTRICTS	247,538	147	141	36	42	-	-	-	-	2	-	-	-	1	7	11	31
EAST DISTRICTS	705,114	551	450	108	137	-	2	1	4	10	-	1	-	-	11	48	130
SOUTH DISTRICTS	1,524,472	1072	1048	235	350	-	2	3	14	16	-	1	-	5	37	72	203
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	48	-	18	1	-	-	1	-	-	-	-	-	-	-	48
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	53	60	10	28	-	-	-	1	-	-	-	-	-	-	1	3
St. John Paddington *H* - - G.J.	33687	7	22	2	9	-	-	-	-	-	-	-	-	-	-	4	9
Kensington Town *Ww* - - W.M.	118751	62	74	10	37	-	-	-	1	-	-	-	-	-	1	3	30
Brompton *HH* - - - W.M. & C.	47557	9	19	2	8	-	-	-	-	-	-	-	-	1	-	-	2
St. Peter Hammersmith - - W.M.	8583	7	8	3	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Paul Hammersmith *H* W.M. & G.J	88653	50	49	11	17	-	1	-	-	1	-	2	-	-	2	5	1
Fulham *Ww* - - - W.M. & C.	91639	91	74	24	22	-	1	-	2	1	-	-	-	-	-	5	15
Chelsea Kensal Town - - - C.	21787	16	17	4	8	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	23	37	4	15	-	-	-	-	-	-	-	-	1	1	9	9
Chelsea South *HH* - - - C.	32829	15	25	6	8	-	-	-	-	-	-	-	-	-	2	3	3
May Fair *WH* - - - - G.J.	28733	9	19	-	14	-	-	-	-	-	-	-	-	-	-	-	14
Belgrave *WHHH* - - - - C.	54831	19	43	9	17	-	1	-	-	4	-	-	-	-	1	2	8
St. John Westminster *HH* - C.	34103	18	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	10	13	2	2	-	-	-	1	-	-	-	-	-	-	-	5
St. James Westminster *WHHH* N.R. & G.J.	24995	5	16	2	11	-	-	-	-	-	-	-	-	-	1	1	7
St. Anne Soho *HHHHHH* - - N.R.	12317	4	5	3	1	-	-	-	-	1	-	-	-	-	1	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	17	22	3	12	-	-	-	-	-	-	-	-	-	-	1	9
Rectory Marylebone *WH* G.J. & W.M.	20024	13	20	3	13	-	-	-	-	-	-	-	-	-	-	-	13
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	40	16	6	4	-	-	-	-	3	-	-	-	-	-	1	1
Christchurch Marylebone *HH* - W.M.	33327	20	22	7	7	-	-	-	-	-	-	-	-	-	1	2	-
St. John Marylebone *HH* - - W.M.	32101	11	22	6	12	-	1	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	27	30	1	14	-	-	-	1	2	-	-	-	-	-	1	7
Regent's Park Pancras *HH* - W.M.	36590	24	1	4	3	-	-	-	-	1	-	-	-	-	-	1	2
Tottenham-court *wHHH* N.R. & W.M.	26321	15	25	3	10	-	-	-	-	1	-	-	-	-	-	-	15
Gray's Inn Lane *HHH* - - N.R.	27455	18	15	4	4	-	-	-	-	-	-	-	-	-	2	2	3
Somers Town *HH* - - - N.R.	32829	21	16	2	5	-	-	-	-	1	-	-	-	-	-	-	3
Camden Town *WH* - - - N.R.	15419	8	23	5	8	-	-	-	-	2	-	-	-	-	2	3	13
Kentish Town *WW* - - - N.R.	95765	68	60	19	16	-	1	-	-	-	-	-	-	-	2	5	8
Upper Holloway *WWWwHHH* - N.R.	99235	65	67	15	25	-	-	-	1	1	-	-	-	-	-	2	26
Islington South-west *H* - - N.R.	105557	64	54	10	14	-	-	-	-	4	-	-	-	-	-	3	-
Islington South-east - - - N.R.	64158	49	25	7	11	-	1	-	-	2	-	-	-	-	2	2	-
Highbury *HH* - - - - N.R.	59193	46	39	8	17	-	-	-	-	1	-	-	-	-	1	2	-
Stoke Newington *H* - - - N.R.	30936	9	22	5	11	-	2	-	-	-	-	-	-	-	-	2	-
Stamford Hill - - - - E.L.	17759	5	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-
West Hackney *H* - - - N.R.	42602	31	32	5	15	-	-	-	-	2	-	-	-	-	1	2	2
Hackney *WwwH* - - E.L. & N.R.	96486	70	69	13	24	-	-	-	1	-	-	-	-	1	1	5	15
South Hackney *wH* - - - E.L.	41789	32	25	7	8	-	-	-	-	-	-	-	-	1	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16395	10	8	3	2	-	-	-	-	1	-	-	-	-	-	1	-
St. Giles South *WH* - - - N.R.	13454	13	11	2	4	-	-	-	-	-	-	-	-	-	-	-	5
St. Giles North *H* - - - N.R.	9633	3	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	6	10	2	3	-	-	-	-	-	-	-	-	-	-	1	3
St. Mary-le-Strand *H* - - - N.R.	5706	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	3	9	2	1	-	-	-	-	-	-	-	-	-	-	-	6
Strand Union Workhouse, Edmonton -	†1037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. George-the-Martyr *HHHHHH* - N.R.	17921	12	19	2	5	-	-	-	-	-	-	-	-	1	-	1	6
St. Andrew Eastern *WH* - - N.R.	15343	5	12	6	3	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	12	9	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - - - N.R.	16883	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	11	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Goswell-street - - - - N.R.	15375	7	7	2	3	-	-	-	-	-	-	-	-	-	1	1	-
City-road *HHHL* - - - N.R.	29177	30	20	7	4	-	-	-	-	-	-	-	-	-	1	1	4
Whitecross-street - - - N.R.	8278	6	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury - - - - N.R.	4985	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - - N.R.	4444	1	6	-	3	-	-	-	-	-	-	-	-	-	2	2	5
St. Bride *W* - - - - N.R.	6594	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All Hallows Barking - - - N.R.	10422	4	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street *H* - - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse / Establish[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. [illegible] River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
lay, 16th March, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
editch South *HL** E.L. & N.R.	20098	10	10	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
ton New Town *w* - - - N.R.	29313	23	24	5	10	-	-	1	-	-	-	-	-	-	-	-	8	-
ton Old Town - - - N.R.	28354	19	16	3	5	-	-	-	-	-	-	-	-	-	-	2	-	-
gerston *WH* - - N.R. & E.L.	46244	36	41	11	15	-	1	-	-	3	-	-	-	-	1	3	10	-
nal Green North *H* - - E.L.	51820	35	22	7	7	-	-	-	-	-	-	-	-	-	1	2	1	-
nal Green South - - E.L.	33489	29	16	10	1	-	-	-	-	-	-	-	-	-	-	2	-	-
nal Green East *WHL** - E.L.	44123	24	47	10	15	-	-	-	-	-	-	-	-	-	-	-	26	-
alfields - - - N. & N.R.	22456	8	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town *W* - - E.L.	17908	34	18	1	5	-	-	-	-	-	-	-	-	-	-	-	13	-
itechapel Church *H** E.L. & N.R.	20298	10	29	4	3	-	-	-	-	-	-	1	-	-	3	4	23	-
dman's Fields - - - E.L.	13800	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	44	20	7	5	-	-	-	-	1	-	-	-	-	1	6	-	-
John, St. George East *W* - E.L.	8057	7	9	1	4	-	-	-	-	-	-	-	-	-	-	-	7	-
dwell *H* - - - E.L. & N.R.	10246	3	14	7	1	-	-	-	-	-	-	-	-	-	1	1	9	-
eliff *W* - - - - - E.L.	14928	10	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ichouse - - - - - E.L.	32202	33	14	5	2	-	-	-	-	1	-	-	-	-	-	2	-	-
e End Old Town West *H* - E.L.	38650	29	13	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-
e End Old Town East *Wwv* E.L.	68942	58	43	9	19	-	-	-	3	1	-	-	-	-	-	6	10	-
*L** - - - - - E.L.	40365	26	20	5	6	-	-	-	-	1	-	-	-	-	1	4	1	-
omley *wwwH* - - - E.L.	70000	54	57	7	22	-	-	-	-	2	-	-	-	-	1	6	14	-
plar *WW* - - - - E.L.	56883	51	27	7	11	-	1	-	1	1	-	-	-	-	2	6	6	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	9	10	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Saviour Southwark - - S.	13913	11	8	3	4	-	-	-	-	-	-	-	-	-	-	2	-	-
nt-road - - - - S. & L.	21867	15	19	8	-	-	-	-	-	-	-	-	-	-	1	6	-	1
rough-road *WH* - - S. & L.	16624	14	8	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
ndon-road *HL* - - L. & S.	21221	14	19	7	6	-	-	-	-	-	-	-	-	-	-	2	3	1
inity Newington - - S. & L.	26596	21	21	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Peter Walworth *W* - - S. & L.	61342	51	41	9	16	-	-	-	-	3	-	-	-	-	-	-	1	2
Mary Newington - - L. & S.	27866	18	21	10	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Olave *WH* - - - S.	12723	9	21	-	7	-	-	-	-	1	-	-	-	-	7	8	14	-
ather Market *W* - - S. & L	30612	30	16	4	5	-	-	-	-	1	-	-	-	-	-	1	5	1
James Bermondsey - - S.	54070	50	28	7	10	-	-	-	-	1	-	-	-	-	-	-	-	-
therhithe *WwH* - - S. & K.	39255	32	22	5	7	-	-	-	-	1	-	-	-	1	-	2	1	-
aterloo-road 1st *H* - - L. & S.	14031	13	8	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
aterloo-road 2nd *H* - - L. & S.	14644	15	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
mbeth Church 1st *H* - - L. & S.	18075	8	28	6	4	-	-	-	-	-	-	-	-	-	-	2	16	-
mbeth Church 2nd *WW* - L. & S.	39097	24	35	2	15	-	-	-	-	1	-	-	-	-	1	5	20	-
nnington 1st *H* - - S. & L.	50586	41	32	6	10	-	-	-	-	-	-	-	-	-	-	-	-	-
nnington 2nd - - - S. & L.	39708	24	21	5	8	-	-	-	-	-	-	-	-	-	1	1	-	1
ixton *w* - - - - L. & S.	73405	50	49	12	13	-	-	-	5	1	-	-	-	-	3	5	5	2
rwood *WH* - - - - L.	25657	15	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-
st Battersea - - - - S.	67244	45	37	10	7	-	1	-	-	-	-	-	-	1	1	4	-	-
est Battersea *WwH* - - S.	33314	71	75	17	24	-	-	-	1	1	-	-	-	-	2	4	25	-
apham *H* - - - - S.	43698	28	23	5	9	-	1	-	-	-	-	-	-	-	-	-	-	-
andsworth *WHHL* - - - S.	46717	45	16	2	7	-	-	-	-	-	-	-	-	-	-	1	-	-
tney - - - - - - S.	17771	14	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
reatham *wwwv* - - - - L.	48756	46	41	5	18	-	-	1	1	-	-	-	-	-	7	7	3	-
lwich - - - - L. & S.	6309	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL**L** - - S. & L.	81686	41	105	18	37	-	-	1	-	-	-	1	-	1	-	2	51	-
kham *WW* - - S., L., & K.	83488	41	46	19	14	-	-	-	1	-	-	-	-	-	1	1	4	-
George Camberwell - - L. & S.	63366	40	34	9	5	-	-	-	1	2	-	-	-	-	2	4	-	-
ptford, North - - - - K.	35314	33	17	4	4	-	-	-	1	1	-	-	-	-	-	-	-	1
ptford, Central *w* - - - K.	42007	34	27	10	6	-	-	1	3	-	-	-	-	-	-	-	4	2
ptford, South - - - - K.	30852	15	15	1	9	-	-	-	-	-	-	-	-	-	-	1	-	-
eenwich West *H* - - - K.	22007	11	10	2	4	-	-	-	-	-	-	-	-	-	2	2	1	1
eenwich East *WH* - - - K.	35233	30	35	5	16	-	-	-	-	-	-	-	-	-	-	-	19	-
tham *wH* - - - - - K.	5682	3	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
e *H* - - - - - - K.	23541	8	12	-	6	-	-	-	-	-	-	-	-	1	-	-	-	1
wisham *WH* - - - - K.	30950	21	28	6	12	-	-	-	-	1	-	-	-	-	1	1	10	-
ddenham *H* - - - - L.	34162	19	22	4	4	-	-	-	-	2	-	-	-	1	1	1	1	2
nalton *HH* - - - - K.	14040	3	11	1	6	-	-	-	-	-	-	-	-	-	2	2	5	-
oolwich Dockyard - - - K.	19606	13	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HHHH* - K.	21242	12	11	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, West *H* - - - K.	15869	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	86667	34	33	7	13	-	-	-	-	-	-	-	-	-	1	2	10	1
anstead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
aterham Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
sne Hill Asylum - - - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
ospital Ships and Camp, Dartford -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
arenth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
anwell Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
olney Hatch Asylum - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
.E. Hospital - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
inchmore Hill Hospital - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
eavesden Asylum - - - - -	-	-	10	-	4	-	-	-	-	-	-	-	-	-	-	-	10	-
aybury Asylum - - - - -	-	-	14	-	6	-	-	-	-	-	-	-	-	-	-	-	14	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 16th March, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON—OUTER RING		368,746	1,422,063	1001	843	178	338	–	12	2	7	13	2	5	21	34	46
36 : 1	Carshalton *wHH*	12228	26108	16	5	–	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WwH*	10423	12508	4	8	–	5	–	–	–	–	–	–	–	–	–	1
37 : 1	Godstone, *part of* W*	2754	1598	3	2	1	1	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	83	100	24	49	–	1	–	–	5	–	–	4	8	6
2	Mitcham *w*	11697	23098	11	8	–	5	–	–	–	–	–	–	–	–	1	–
39 : 1	Wimbledon *HHH*	3220	25761	28	15	2	6	–	–	–	–	1	–	–	1	1	–
2	Kingston *WH*	8071	44765	24	38	6	19	–	–	–	–	1	–	–	–	–	7
3	Esher, *part of* HH*	6601	12059	4	6	3	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	7	13	6	5	–	–	–	–	–	–	–	–	1	–
40 : 1	Richmond *WH*	2160	25389	13	16	1	10	–	–	–	–	–	–	–	–	–	3
2	Mortlake *H*	2823	16159	11	4	1	2	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	9	7	–	5	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6542	21989	10	19	6	7	–	1	–	–	–	–	–	1	2	–
	Chislhrst, *pt. of* WHH*	14307	20372	13	10	1	6	–	–	–	–	–	–	1	2	2	1
42 : 1	Bexley *HH*	12540	30590	31	16	2	7	–	–	–	–	–	–	–	1	1	1
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	5	11	–	7	–	–	–	–	–	–	–	1	1	–
2	Staines *WH*	13377	13221	12	8	2	3	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	12	9	2	4	–	–	–	–	–	–	–	2	–	1
2	Uxbridge	6172	5417	1	4	–	2	–	–	–	–	–	–	–	1	–	–
3	Hayes *wH*	14537	12618	8	7	1	2	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6067	26273	24	17	2	9	–	2	–	–	–	–	–	–	1	3
2	Twickenham *HH*	2415	16027	14	12	1	6	–	–	–	–	–	–	–	1	1	–
3	Brentford *HHHH*	4318	37777	23	25	4	11	–	–	–	–	–	–	–	1	1	–
4	Chiswick	1245	21963	18	5	1	1	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	13	14	7	4	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13809	15715	9	8	2	3	–	–	–	–	–	–	–	–	–	1
2	Edgware *HH*	6994	3844	–	3	–	1	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	40	35	7	17	–	–	–	–	–	–	–	–	1	–
4	Hendon *WH*	8382	15843	7	8	1	4	–	–	–	–	–	–	–	–	1	2
128 : 1	South Mimms *H*	15569	8474	2	5	1	2	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	11	8	1	1	–	–	1	–	1	–	–	–	–	–
3	Finchley *HHH*	4688	25820	11	12	2	5	–	–	–	–	–	–	–	–	1	–
129 : 1	Hornsey *HH*	3039	61097	33	36	6	20	–	–	–	–	–	–	2	2	2	–
2	Tottenham *H*	4642	97174	80	50	11	18	–	–	–	–	1	–	–	1	2	3
3	Edmonton *Wwv*	7489	36351	31	19	4	8	–	–	–	–	–	–	1	–	1	1
4	Enfield *WWHH*	12669	31803	20	23	4	11	–	1	–	–	–	–	–	–	2	2
5	Waltham Abbey	11017	6066	3	5	2	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	8	2	–	1	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	5	4	1	–	–	–	–	–	–	–	–	–	–	1
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	34	27	7	5	–	–	–	–	–	1	–	1	1	1
2	Plaistow	1242	58030	63	32	12	4		–	1	2	1	1	–	–	–	–
3	Canning Town *H*	1558	54750	60	35	9	5	–	–	–	1	–	–	1	1	1	1
4	Forest Gate *w*	806	49140	34	27	5	9	–	–	–	1	–	–	–	–	1	–
5	East Ham *w*	3266	32713	30	22	7	6	–	–	–	–	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	47	46	9	22	–	–	–	1	1		–	–	–	10
7	Walthamstow *H L*	6501	57330	41	32	9	10	–	5	–	–	1	–	–	1	1	–
187 : 1	Chigwell *part of* H*	11779	12941	9	9	1	4	–	2	–	–	–	–	–	–	–	–
2	Epping *Work.* pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of* H*	6556	4324	4	5	1	1	–	–	–	2	–	–	–	–	–	–
2	Ilford	8493	10913	8	6	3	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	14	4	–	1	–	–	–	–	1	–	–	–	–	–
	London County Lun. Asy., Claybury, Ilford.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo
39 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1756); 37 : 1, the parishes of Warlingham and Farley in Godstone
district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chels
Bulham, and Knockholt (pop. 3007); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the paris
Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in
Hertford, 137 : 2, Watford and 187 : 2, Epping sub-districts.

BLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 16th March, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
TER LONDON	443,421	6,048,555	31·6	1·3	3660	789	1322	1	24	6	34	69	6	15	98	687
ER LONDON -	74,672	4,392,346	33·4	1·4	2817	611	984	1	12	4	27	56	4	10	77	641
HE RING -	368,749	1,656,209	26·5	1·3	843	178	338	–	12	2	7	13	2	5	21	46

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	March 16	150	241	45·9	–	19	2	–	1	1	6
GOW - -	695,876	„ 16	477	480	36·0	1	15	7	2	14	2	12
IN - -	349,594	„ 16	197	284	42·4	4	–	–	1	3	–	1
UTTA - -	466,469	January 5	–	–	–	–	–	–	–	–	–	–
BAY - -	821,764	February 26	252	522	33·0	2	18	?	?	?	134	37
RAS - -	452,518	„ 1	286	303	34·8	–	6	?	?	?	102	47†
S - - -	2,424,705	March 9	1229	1205	25·9	–	2	5	7*	5	4	37
SELS - -	498,400	„ 9	234	271	28·3	2	4	3	–	2	2	13
ERDAM -	446,295	„ 9	277	165	19·1	–	–	–	1	4	1	–
ERDAM -	266,579	„ 9	165	161	32·2	3	2	–	–	2	–	–
HAGUE -	174,790	„ 9	109	85	25·3	–	–	2	1	3	–	–
NHAGEN -	341,900	„ 9	184	129	19·7	–	1	1	1	3	–	3
KHOLM -	252,937	„ 2	144	87	17·9	–	1	1	2*	–	–	–
STIANIA -	167,588	„ 9	67	101	31·4	–	–	–	2	2	–	5
ETERSBURG	954,400	February 23	895	672	36·7	2	3	20	11	3	12	49
COW - -	753,469	„ 23	–	527	36·5	–	3	7	11	7	7	25
LIN - -	1,724,544	„ 23	910	598	18·0	–	3	17	12	10	1	19
BURG - -	608,710	March 2	400	342	29·2	–	1	2	1*	3	–	5
DEN - -	323,600	February 16	–	–	–	–	–	–	–	–	–	–
LAU - -	367,769	March 9	–	229	32·8	–	–	3	1*	–	1	14
ICH - -	396,000	„ 9	–	217	28·5	–	–	–	3*	3	–	23
NA - -	1,495,764	„ 9	892	849	29·5	–	6	8	10*	4	–	42
GUE - -	343,822	„ 2	224	186	28·1	–	–	–	2	2	3	5
A-PESTH -	566,022	„ 2	426	304	27·9	1	2	1	6	–	2	11
STE - -	160,825	„ 2	133	138	44·6	–	–	1	7*	2	–	2
E - -	463,786	January 26	261	191	21·5	–	1	–	–	–	1	4
N (10 days)	344,203	February 20	–	–	–	–	–	–	–	–	–	–
ICE -	158,159	„ 9	99	86	28·3	–	–	–	1*	1	–	4
O - -	374,838	„ 4	–	–	–	–	–	–	–	–	–	–
KANDRIA -	231,396	„ 4	–	–	–	–	–	–	–	–	–	–
YORK -	1,992,715	„ 23	–	889	23·2	–	9	15	43	10	4	8
OKLYN -	1,080,000	„ 23	–	400	19·3	1	–	2	16	4	2	4
LADELPHIA	1,163,864	„ 23	–	595	26·7	1	–	2	23	–	16	7
ORLEANS -	275,000	„ 16	–	195	37·0	–	7	–	1	–	10	4†

* Including deaths from croup.
† Including 11 deaths from cholera in Madras, and 1 in New Orleans.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 16TH MARCH, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895 Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY . 10	..	29·347	51·8	36·7	15·1	42·7	+ 2·0	37·4	5·3	14·2	3·4	82	102·6	32·0	37·40	S. & SSW.	SSW. & S.	4·7	0·0	0·5	400	+ 71	0·02	1·2
MONDAY . 11	Full In Equator.	29·430	6·7	34·1	22·6	44·1	+ 3·5	34·7	9·4	20·9	6·4	70	110·0	29·2	37·90	S.	SE. & ENE.	0·5	0·0	0·0	177	−149	0·00	3·8
TUESDAY. 12	..	29·517	52·3	34·2	18·1	42·9	+ 2·2	36·7	6·2	12·0	0·3	79	95·0	30·8	38·36	ENE. NE. & NNE.	NNE. & N.	1·8	0·0	0·2	288	− 36	0·00	1·2
WEDNESDAY 13	..	29·893	48·1	32·9	15·2	39·3	− 1·6	34·2	5·1	8·8	3·5	82	95·5	27·9	38·82	N.	N.	3·5	0·0	0·3	301	− 21	0·00	3·8
THURSDAY 14	..	30·154	55·8	31·0	24·8	43·8	+ 2·6	36·6	7·2	15·9	0·3	76	93·6	26·2	39·20	SW.	WSW. & SW.	1·5	0·0	0·0	211	−108	0·00	0·0
FRIDAY . 15	..	30·226	52·8	41·0	11·8	46·9	+ 5·5	38·4	8·5	15·4	1·4	72	89·7	36·0	39·37	SW.	WSW.	1·6	0·0	0·1	219	− 98	0·00	0·0
SATURDAY 16	..	30·175	51·0	41·2	9·8	46·2	+ 4·7	40·6	5·6	8·0	3·0	81	65·0	38·2	39·80	SW. & E.	NE. & SE.	0·0	0·0	0·0	114	−201	0·00	0·0
MEANS . .	..	29·820	52·6	35·9	16·8	43·7	+ 2·7	36·9	6·8	13·6	2·6	77	93·1	31·5	38·69	Variable.		..	..	..	Sum 1710	Sum − 542	Sum 0·02	1·4
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	10	v. N. and w. P. till 6h. A.M.; m. P. till noon; s. P. afterwards.	7·1	11·4	Showery in early morning; fine with small amounts of light cloud till evening; cloudless at night.
MONDAY .	11	s. P. in morning; v. P. afterwards.	6·5	11·5	Cloudless in early morning; very fine and partially cloudy throughout day.
TUESDAY .	12	v. P. in morning; s. P. afterwards.	5·2	11·6	Cloudy and foggy in early morning; fine and partially cloudy throughout day.
WEDNESDAY	13	s. P. generally .	4·7	11·6	Overcast till 9h. A.M.; fine with few light clouds till 2h. P.M.; cloudy till evening; cloudless at night, but somewhat hazy and foggy.
THURSDAY .	14	v. P. throughout .	5·7	11·7	Cloudless, with hoar frost and fog in morning; fine and partially cloudy till evening; generally overcast at night.
FRIDAY .	15	s. P. generally .	0·6	11·8	Variable clouds in morning; overcast afterwards.
SATURDAY .	16	m. P. till 9h. A.M.; v. P. and w. N. till 5h. P.M.; m. P. afterwards.	0·0	11·8	Partially cloudy, hazy and foggy till noon; generally overcast afterwards.
			Sum 29·8	Sum 81·4	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·26 in. at the beginning of the week to 30·24 in. by 9h. A.M. on the 15th; and decreased to 30·16 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 12. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MARCH 23. [Price 1½*d.*

General Register Office, Somerset House,
March 25th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 27·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.		Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.
Birkenhead	27·7	31·1	30·1	18·9	Liverpool - -	54·4	45·2	37·1	27·7
Birmingham	23·1	21·5	30·9	31·4	London - -	38·5	41·2	33·4	26·0
Blackburn -	20·0	19·2	22·1	36·4	Manchester -	28·7	32·2	33·1	36·5
Bolton -	23·6	27·1	32·3	30·6	Newcastle-on-Tyne	23·9	34·0	34·5	29·0
Bradford -	25·3	35·7	36·4	26·9	Norwich - -	16·1	22·4	15·6	21·4
Brighton -	32·3	40·1	48·0	47·5	Nottingham -	49·2	37·7	32·2	20·7
Bristol -	27·4	32·5	30·4	33·6	Oldham - -	27·7	34·4	44·0	38·1
Burnley -	24·1	25·1	31·9	25·1	Plymouth - -	39·2	48·0	32·2	28·1
Cardiff -	34·5	34·8	26·5	22·1	Portsmouth -	22·1	33·4	34·9	28·0
Croydon -	26·8	23·1	34·5	25·4	Preston - -	36·1	35·2	40·3	31·5
Derby -	15·1	16·1	21·3	22·4	Salford - -	30·5	30·3	30·0	33·6
Gateshead -	18·5	32·1	26·1	25·6	Sheffield - -	25·9	30·4	27·7	25·1
Halifax -	43·4	42·8	31·7	20·6	Sunderland -	17·0	27·6	27·3	30·3
Huddersfield	23·1	23·6	26·7	32·0	Swansea - -	28·5	21·0	28·5	19·9
Hull - -	20·5	23·1	22·9	27·4	West Ham - -	28·6	28·0	26·8	20·7
Leeds -	23·7	27·4	34·0	32·2	Wolverhampton -	21·9	31·0	33·4	37·1
Leicester -	19·1	19·6	20·7	23·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Plymouth and in Sheffield, 1·3 in Brighton, 1·6 in Manchester, and 3·1 in Bolton; from *scarlet fever*, 1·2 in Wolverhampton; from *whooping-cough*, 1·0 in Newcastle, 1·5 in Norwich, and 1·6 in Leicester and in Blackburn; and from *diarrhœa*, 1·1 in Oldham. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 50 deaths from *diphtheria* included 24 in London, 5 in Leeds, 4 in Birmingham, 3 in Manchester, and 3 in West Ham. One death from *small-pox* was registered in Derby and one in Liverpool, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2650 BIRTHS and 2190† DEATHS were registered. Allowing for increase of population, the births were 84 below, whilst the deaths exceeded by 369, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 38·5, 41·2, and 33·4 in the preceding three weeks, further declined last week to 26·0. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7 added to the Outer Ring, or to other areas to which they belong.

A 85176.—12. 650.—3/95. Wt. 32.

ending on Saturday last the death-rate averaged 34·8 per 1000, being 12·8 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 2190 deaths included 19 from measles, 15 from scarlet fever, 24 from diphtheria, 43 from whooping-cough, 4 from enteric fever, 15 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 120 deaths were referred to these diseases, being 76 below the corrected average weekly number.

The deaths from *measles*, which had been 20, 23, and 12 in the preceding three weeks, increased again last week to 19, being, however, less than one-third of the corrected average; 3 belonged to Shoreditch, 3 to Limehouse, and 3 to Battersea sanitary areas. The deaths from *scarlet fever*, which had been 7, 6, and 4 in the preceding three weeks, rose last week to 15, and exceeded the corrected average by 2; 4 belonged to Islington sanitary area. The deaths from *diphtheria*, which had numbered 31, 34, and 27 in the preceding three weeks, further declined last week to 24, and were 4 below the corrected average; 3 belonged to Lambeth, 3 to Greenwich, and 2 to Kensington sanitary areas. The deaths from *whooping-cough*, which had been 53, 55, and 56 in the preceding three weeks, declined last week to 43, and were 28 below the corrected average; 4 belonged to Lambeth, 4 to Lewisham, and 3 each to Newington, Kensington, St. Marylebone, St. Pancras, and Shoreditch sanitary areas. The fatal cases of *enteric fever*, which had been 7, 8, and 4 in the preceding three weeks, again numbered 4 last week, being but half of the corrected average. The deaths from *diarrhœa*, which had been 11, 16, and 10 in the preceding three weeks, increased again last week to 15, as compared with a corrected average of 14.

The deaths referred to diseases of the respiratory organs, which had been 1448, 1366, and 1031 in the preceding three weeks, further declined last week to 740, but exceeded the corrected average by 254.

The deaths attributed directly to *influenza* numbered 225, having been 296, 473, and 349 in the preceding three weeks.

The death of a waterside labourer, aged 30 years, who had been admitted into Guy's Hospital from Stanworth Street, Bermondsey, was referred, after inquest and *post-mortem* examination, to "anthrax, a few days."

Different forms of violence caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 14 were cases of suicide, and one death was a case of homicide, while the remaining 44 deaths were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 2 to railways, 8 to burns and scalds, 2 to poison, and 7 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 58 cases of small-pox, 1587 of scarlet fever, 455 of diphtheria, and 72 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 14 cases, against 8, 8, and 12; of scarlet fever, 184 cases, against 143, 141, and 133; of diphtheria, 64 cases, against 43, 55, and 61; and of enteric fever, 12 cases, against 7, 9, and 4.

Greater London.

In Greater London 3655 births and 2880 deaths were registered, corresponding to annual rates of 31·5 and 24·8 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 8 from diphtheria, 12 from whooping-cough, and 5 from "fever" were recorded. Of the 11 deaths from measles, 9 occurred in Walthamstow sub-district. The 8 deaths from diphtheria included 4 in West Ham and 2 in Croydon districts. Of the 12 deaths from whooping-cough, 4 were registered in Edmonton, 3 in West Ham, and 2 in Croydon districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 48°·3, the latter being 6°·8 above the week's average in the 50 years 1841–90. The direction of the wind was South-westerly, the horizontal movement of the air being 20 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·4 hours; the measured rainfall amounted to 0·18 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 23rd March 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 23rd Mar., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6693	5635	1204	1663	2	72	29	50	100	22	39	134	286	996	74	27·7	1·5	63·0	27·0	45·4	7·44	0·31	0·79	33 Towns.
London	4,392,346	2650	2190	448	678	–	19	15	24	43	4	15	59	135	534	15	26·0	1·4	63·0	33·6	48·3	9·06	0·18	0·46	London.
West Ham	249,473	185	99	28	24	–	1	–	3	2	–	1	1	6	7	–	20·7	1·5	–	–	–	–	–	–	West Ham.
Croydon	114,923	53	56	8	27	–	–	–	1	2	1	–	–	–	4	–	25·4	1·8	62·0	30·5	46·1	7·83	0·13	0·33	Croydon.
Brighton	119,604	66	109	16	48	–	3	–	–	1	1	–	3	4	15	1	47·5	2·2	56·0	34·4	42·7	5·94	0·45	1·14	Brighton.
Portsmouth	174,751	87	94	19	46	–	–	–	–	1	–	–	2	4	16	1	28·0	0·3	–	–	–	–	–	–	Portsmouth.
Plymouth	89,096	55	48	6	21	–	2	–	–	–	–	–	–	–	–	–	28·1	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,189	150	147	20	58	–	–	–	1	–	–	–	8	13	32	–	33·6	0·2	56·0	33·0	45·0	7·22	0·01	0·03	Bristol.
Cardiff	155,637	119	66	17	17	–	–	–	–	1	–	1	1	1	8	–	22·1	0·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	66	37	16	8	–	1	–	–	1	–	–	1	3	3	–	19·9	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	62	61	12	20	–	–	2	2	–	–	–	2	3	5	–	37·1	2·4	58·2	27·0	44·7	7·06	0·53	1·35	Wolverhampton.
Birmingham	496,751	307	299	61	77	–	–	–	4	3	3	3	6	6	51	18	31·4	1·4	–	–	–	–	–	–	Birmingham.
Norwich	107,127	66	44	12	11	–	–	–	–	3	1	–	2	2	4	–	21·4	1·9	60·2	30·8	46·0	7·78	0·19	0·48	Norwich.
Leicester	193,839	112	86	23	31	–	–	–	–	6	1	–	2	4	6	6	23·1	1·9	–	–	–	–	–	–	Leicester.
Nottingham	226,658	131	90	18	30	–	–	1	–	2	–	–	3	4	6	1	20·7	0·7	58·8	27·8	45·1	7·28	0·21	0·53	Nottingham.
Derby	100,272	62	43	7	13	1	–	–	–	–	–	–	2	3	4	–	22·4	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	67	39	6	7	–	–	–	–	–	1	–	–	2	6	–	18·9	0·5	–	–	–	–	–	–	Birkenhead.
Liverpool	503,267	327	268	62	59	1	3	1	1	7	2	6	8	15	60	5	27·7	2·2	54·3	30·8	44·4	6·89	0·70	1·78	Liverpool.
Bolton	119,337	94	70	17	18	–	7	–	1	1	2	–	1	5	9	–	30·6	4·8	–	–	–	–	–	–	Bolton.
Manchester	524,865	376	367	65	93	–	16	4	3	6	1	–	10	22	90	2	36·5	3·0	–	–	–	–	–	–	Manchester.
Salford	208,253	161	134	30	26	–	3	1	–	2	1	–	4	13	13	2	33·6	1·8	–	–	–	–	–	–	Salford.
Oldham	141,079	81	103	20	29	–	–	–	–	1	–	3	2	2	12	1	38·1	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	63	48	12	16	–	1	–	–	1	–	–	–	–	4	–	25·1	1·0	–	–	–	–	–	–	Burnley.
Blackburn	127,615	80	89	24	21	–	–	–	–	4	1	2	–	2	5	1	36·4	2·9	–	–	–	–	–	–	Blackburn.
Preston	112,638	92	68	19	17	–	–	–	–	2	–	–	1	1	6	3	31·5	0·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	37	61	10	22	–	–	–	–	–	–	–	2	2	3	3	32·0	–	57·0	33·0	45·2	7·33	0·59	1·50	Huddersfield.
Halifax	93,813	37	37	9	14	–	–	–	–	–	–	–	–	–	3	1	20·6	–	–	–	–	–	–	–	Halifax.
Bradford	226,384	109	117	22	34	–	–	1	2	–	–	1	3	3	16	–	26·9	0·9	55·4	36·2	46·2	7·89	0·19	0·48	Bradford.
Leeds	395,546	255	244	61	67	–	5	–	5	2	–	–	1	7	23	–	32·2	1·6	–	–	–	–	–	–	Leeds.
Sheffield	342,768	261	165	46	34	–	8	3	1	1	–	3	3	6	13	4	25·1	2·4	–	–	–	–	–	–	Sheffield.
Hull	216,722	171	114	24	37	–	–	1	1	1	1	2	3	3	14	5	27·4	1·4	60·0	32·0	46·0	7·78	0·33	0·84	Hull.
Sunderland	137,705	108	80	27	22	–	–	–	1	2	–	–	1	4	6	–	30·3	1·1	57·0	34·0	45·2	7·33	0·24	0·61	Sunderland.
Gateshead	95,871	67	47	8	12	–	–	–	–	1	–	–	1	3	5	–	25·6	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	267,021	136	115	31	26	–	3	–	–	4	2	2	2	8	13	5	29·0	2·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—Births and Deaths Registered in the Twelfth Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
Total Births	2537	2731	2671	2522	2670	2534	2575	2437	2729	2496	2733·7	2650
Males . .	1271	1384	1397	1284	1404	1283	1335	1269	1373	1289	1402·5	1340
Females .	1266	1347	1274	1238	1266	1251	1240	1168	1356	1207	1331·2	1310
Total Deaths	1734	2141	1720	1655	1554	1637	1667	1744	1708	1689	1820·5	2190
Males . .	869	1067	860	835	762	850	879	930	877	849	926·5	1099
Females .	865	1074	860	820	792	787	788	814	831	840	894·0	1091

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.
Total Births	1950	3085	2922	2818	2612	2587	2736	2737	2787	2671	2681	2821	2650
Total Deaths	1434	1462	1622	1689	1481	1598	1768	2467	2863	3246	3471	2817	2190
Ages at Death: Under 1 year	352	348	369	370	311	337	386	452	505	524	618	611	448
1— 5 years	191	194	200	205	151	192	188	250	337	357	395	347	332
5—20 „	71	85	90	96	80	87	82	99	92	100	101	103	79
20—40 „	205	221	224	197	190	221	237	278	280	288	320	265	226
40—60 „	254	248	288	331	314	324	341	521	612	646	669	502	427
60—80 „	277	297	360	390	362	373	442	700	868	1077	1089	753	533
80 years & upwards	84	69	91	100	73	64	92	167	169	254	279	231	145
Deaths from—													
Small-pox	1	–	–	1	–	2	3	1	1	1	–	1	–
Measles	46	34	30	35	21	13	17	27	26	20	23	12	19
Scarlet fever	14	14	12	9	7	11	15	18	10	7	6	4	15
Diphtheria	35	50	34	31	29	45	34	27	29	31	34	27	24
Whooping-cough	14	23	35	21	27	30	29	43	42	53	55	56	43
Typhus	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric fever	32	17	16	20	16	9	13	10	3	7	8	4	4
Simple Continued fever	–	–	–	–	1	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	7	14	15	16	10	12	12	10	12	11	16	10	15
Cholera	–	–	–	–	1	–	–	–	–	1	–	–	–
All the above Diseases	149	152	142	133	112	122	123	141	124	131	143	114	120
Dis. of Respiratory System	352	319	389	399	324	377	480	840	1120	1448	1366	1031	740
Phthisis	144	155	159	139	161	166	157	210	230	218	222	214	181
Dis. of Circulatory System	99	129	161	162	162	161	160	248	269	242	244	184	154
Violence	70	72	77	76	58	68	81	89	86	57	67	77	59
Inquest Cases	147	176	155	173	149	160	195	239	255	211	222	194	135
Deaths in Public Institutions	381	411	439	432	462	477	480	663	692	739	693	641	534
Temperature of the Air													
Mean	43·0	34·3	29·8	40·4	35·6	26·9	22·4	26·0	34·0	36·2	36·5	43·7	48·3
Mean of Highest readings	46·7	37·1	32·5	44·0	41·2	32·0	29·5	32·4	40·1	42·1	43·3	52·6	58·2
Mean of Lowest readings	39·0	30·9	27·2	35·6	29·8	21·9	14·9	19·8	28·5	31·7	31·7	35·9	39·7
Humidity of the Air	87	81	87	89	84	75	68	66	84	81	86	77	80
Rain-fall (in inches)	0·22	0·20	0·01	0·72	0·54	0·28	0·02	0·00	0·00	0·19	0·34	0·02	0·18
Registered Sunshine (in hours)	1·7	0·2	1·7	4·7	6·4	4·8	16·4	14·5	8·3	5·2	12·3	29·8	21·4
Cases of Infectious Sickness in Hospitals* at the end of each Week.													
Small-pox	16	23	28	32	35	51	56	67	75	68	56	57	58
Scarlet fever	1860	1779	1713	1653	1662	1653	1667	1658	1658	1631	1619	1615	1587
Diphtheria	523	499	517	514	528	519	500	497	486	463	455	456	455
Enteric fever	105	112	107	115	121	115	117	111	107	95	80	70	72

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

Meteorological Observations. (*See* Table 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWELFTH Week of the Year 1895.

USES OF DEATH.	Corrected Averages for the 12th Week of the 10 years 1885-94.*	In the Week ending Saturday, 23rd March 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
. CAUSES - -	1820·5	2199	448	332	79	223	427	533	145
all-pox { Vaccinated† -	0·8	-	-	-	-	-	-	-	-
Unvaccinated	1·2	-	-	-		-	-	-	-
No Statement	0·9	-	-	-	-	-	-	-	-
asles - - - -	57·9	19	8	13	3	-	-	-	-
let Fever - -	13·3	15	1	9	4	1	-	-	-
hus - - - -	0·2	-	-	-	-	-	-	-	-
ping Fever - -	-	-	-	-	-	-	-	-	-
enza - - -	10 0	225	17	14	6	24	49	89	26
ooping-cough - -	71·3	43	18	24	1	-	-	-	-
hthria - - -	23·0	24	2	15	6	1	-	-	-
pic Continued and l-defined Fever - -	0·6	-	-	-	-	-	-	-	-
eric Fever - -	8·0	4	-	-	2	1	1	-	-
lera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	13·5	15	11	1	-	-	1	2	-
mittent Fever - -	0·3	-	-	-	-	-	-	-	-
trophobia - -	0·1	-	-	-	-	-	-	-	-
nders - - -	-	-	-	-	-	-	-	-	-
rpox and Effects of accination - -	0·2	-	-	-	-	-	-	-	-
ereal Affections -	9·6	5	1	2	-	1	1	-	-
sipelas - -	4 9	2	-	1	-	-	-	1	-
mia and Septicæmia	2 2	-	-	-	-	-	-	-	-
rperal Fever - -	3·1	2	-	-	-	2	-	-	-
er Zymotic Diseases	1·5	2	-	-	-	1	1	-	-
ush - - - -	0 9	-	-	-	-	-	-	-	-
rms and other Parasitical Diseases - -	0·3	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	1 4	-	-	-	-	-	-	-	-
oholism - - -	6·6	5	-	-	-	1	4	-	-
eumatic Fever, eumatism of Heart	6·8	2	-	-	1	-	1	-	-
eumatism - -	2·4	4	-	-	-	-	-	3	1
it - - - -	3·4	6	-	-	-	-	2	3	1
kets - - - -	6·3	10	8	7	-	-	-	-	-
cer - - - -	63·7	64	-	-	-	8	32	23	1
ons Mesenterica -	20 6	24	15	6	1	-	2	-	-
bercular Meningitis -	27·1	24	11	9	2	2	-	-	-
thisis - - -	175·5	181	4	2	13	84	66	12	-
ofula, Tuberculosis -	20·6	29	10	9	1	5	4	-	-
her Constitutional Diseases - - -	14·4	9	2	-	1	1	2	3	-
emature Birth - -	43·5	40	40	-	-	-	-	-	-
electasis - - -	2·4	5	5	-	-	-	-	-	-
ngenital Malformations - - - -	8 4	9	6	2	-	1	-	-	-
l Age - - - -	61·6	76	-	-	-	-	-	34	42
oplexy - - -	47·7	28	1	-	-	1	6	17	3
ilepsy - - -	7 0	10	-	-	2	4	3	1	-
nvulsions - - -	50·4	33	33	5	-	-	-	-	-
her Diseases of Grain and Nervous System	100·3	105	12	13	2	6	21	43	5

CAUSES OF DEATH.	Corrected Averages for the 12th Week of the 10 years 1885-94.*	In the Week ending Saturday, 23rd March 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2 4	1	1	-	-	-	-	-	-
Diseases of Circulatory System - - -	118·4	154	-	5	6	21	56	61	5
Croup - - - -	9·3	4	1	3	-	-	-	-	-
Bronchitis - - -	291·1	442	88	73	5	12	67	150	47
Pneumonia - - -	143 0	243	69	90	6	15	33	26	4
Pleurisy - - -	6·3	5	-	1	-	-	3	1	-
Other Diseases of Respiratory System - -	36·3	46	6	8	-	2	14	14	2
Dentition - - -	16·7	13	4	9	-	-	-	-	-
Quinsy, Sore Throat -	2·7	2	-	1	-		1	-	-
Enteritis - - -	8·0	17	5	3	2	-	3	3	1
Peritonitis - - -	7·2	8	-	-	3	3	-	2	-
Diseases of Liver - -	28 0	22	3	-	1	2	9	7	-
Other Diseases of Digestive System - -	33·3	33	6	-	2	5	6	12	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·7	1	-	-	-	-	1	-	-
Diseases of Urinary System - - -	46 5	43	-	2	2	5	17	15	2
Diseases of Generative System - - -	6·5	3	-	-	-	1	2	-	-
Accidents of Childbirth -	4 9	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	6·9	5	1	-	3	1	-	-	-
Diseases of Integumentary System - -	6 0	5	2	-	-	-	-	2	1
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	52·6	2	-	-	-	2	-	-	
By Vehicles or Horses -		3	-	-	1	-	1	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	
In Building Operations -		-	-	-	-	-	-	-	
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		8	1	2	1	1	1	2	-
By Drowning - -		2	-	-	-	2	-	-	
By Suffocation in Bed -		7	7	-	-	-	-	-	
By Poisons or Poisonous Vapours - - -		2	-	1	-	-	1	-	
Other or not stated Causes - - - -		20	4	1	2	2	4	5	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1 3	1	1	-	-	-	-	-	
Suicide - - - -	7 7	11	-	-	-	6	3	-	-
Execution - - -	0·1	-	-	-	-	-	-	-	
OTHER CAUSES - -	57·1	53	51	1	-	-	-	1	-

The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 3. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2650	2190	448	678	–	19	15	24	43	–	4	–	15	59	135	534
WEST DISTRICTS	740,735	884	370	72	111	–	–	3	3	8	–	–	–	2	13	22	93
NORTH DISTRICTS	903,834	693	475	104	148	–	4	6	5	8	–	1	–	4	14	27	84
CENTRAL DISTRICTS	247,538	133	132	23	33	–	–	–	2	3	–	1	–	–	5	10	41
EAST DISTRICTS	705,114	556	335	84	116	–	8	–	3	4	–	–	–	2	18	48	115
SOUTH DISTRICTS	1,524,472	971	775	165	251	–	7	4	11	20	–	2	–	7	9	27	144
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	53	–	19	–	–	3	–	–	–	–	–	–	–	1	53
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	44	43	7	17	–	–	–	–	–	–	–	–	–	–	1	3
St. John Paddington *H* G.J.	33837	22	22	3	4	–	–	–	–	–	–	–	–	–	3	5	10
Kensington Town *Ww* W.M.	118751	59	59	11	18	–	–	–	1	2	–	–	–	–	1	1	21
Brompton W.M. & C.	47557	7	15	1	4	–	–	–	–	1	–	–	–	–	1	1	3
St. Peter Hammersmith W.M.	8533	3	5	–	3	–	–	–	–	–	–	–	–	–	1	1	–
St. Paul Hammersmith *H* W.M. & G.J	83833	53	38	6	9	–	–	–	–	1	–	–	–	–	1	2	3
Fulham *Ww* W.M. & C.	91639	85	52	16	11	–	–	2	1	–	–	–	–	–	1	4	16
Chelsea Kensal Town C.	21787	13	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *WHHHHH* C.	41637	27	25	4	10	–	–	–	–	–	–	–	–	1	–	–	13
Chelsea South *HH* C.	32829	16	14	4	3	–	–	–	–	–	–	–	–	–	1	1	1
May Fair *WH* G.J.	23733	–	17	–	10	–	–	–	–	–	–	–	–	–	1	1	10
Belgrave *WHHH* C.	54631	22	38	6	15	–	–	–	–	2	–	–	–	–	1	1	9
St. John Westminster *HH* C.	34106	11	13	5	2	–	–	–	–	–	–	–	–	–	2	3	–
St. Margaret Westminster *H* C.	21668	3	10	2	3	–	–	–	1	–	–	–	–	–	–	–	3
St. James Westminster *WHHH* N.R. & G.J.	24995	9	10	3	2	–	–	–	–	2	–	–	–	–	1	1	1
St. Anne Soho *HHHHHH* N.R.	12317	10	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* W.M.	37713	16	15	3	4	–	–	–	–	1	–	–	–	–	–	–	6
Rectory Marylebone *WH* G.J. & W.M.	20024	7	11	1	6	–	–	–	–	–	–	–	–	–	–	–	5
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	30	8	5	2	–	–	–	–	–	–	–	–	–	–	–	–
Christchurch Marylebone *HH* W.M.	33327	21	11	2	2	–	–	–	–	–	–	1	–	–	1	3	–
St. John Marylebone *HH* W.M.	32101	19	11	1	3	–	–	–	–	2	–	–	–	–	–	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	31	25	9	7	–	1	1	1	–	–	–	–	–	1	3	3
Regent's Park Pancras *HH* W.M.	36590	13	11	2	3	–	–	–	–	–	–	–	–	1	–	1	–
Tottenham-court *wHHH* N.R. & W.M.	26321	8	12	3	1	–	–	–	–	–	–	–	–	–	–	–	10
Gray's Inn Lane *HHH* N.R.	27435	20	19	5	5	–	2	–	–	4	–	–	–	–	–	–	4
Somers Town *HH* N.R.	32829	22	21	6	5	–	–	–	–	–	–	–	–	1	2	2	3
Camden Town *WH* N.R.	15419	13	17	5	7	–	–	–	–	–	–	–	–	–	2	2	11
Kentish Town *WW* N.R.	95765	75	43	10	12	–	–	–	–	–	–	–	–	–	–	1	3
Upper Holloway *WWWwHHH* N.R.	99235	52	58	9	21	–	–	1	–	–	–	–	–	–	1	2	21
Islington South-west *H* N.R.	105557	63	47	11	17	–	–	1	–	–	–	–	–	–	2	3	1
Islington South-east N.R.	64153	43	23	6	7	–	–	–	–	–	–	–	–	–	2	3	–
Highbury *HH* N.R.	59193	31	24	8	6	–	–	1	–	–	–	–	–	–	–	1	–
Stoke Newington *H* N.R.	30936	15	10	2	2	–	–	–	–	–	–	–	–	–	1	1	–
Stamford Hill E.L.	17759	6	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* N.R.	42302	23	23	1	12	–	1	–	–	1	–	–	–	–	1	1	1
Hackney *WwwH* E.L. & N.R.	96486	75	65	12	22	–	–	1	4	–	–	–	–	2	1	3	18
South Hackney *wH* E.L.	41759	23	17	3	2	–	–	1	–	–	–	–	–	–	–	1	–
CENTRAL DISTRICTS.																	
St. George Bloomsbury N.R.	10395	5	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–
St. Giles South *WH* N.R.	13454	13	11	1	8	–	–	–	–	–	–	–	–	–	–	–	3
St. Giles North *H* N.R.	9333	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Martin-in-the-Fields *HH* N.R. & C.	14816	1	7	2	4	–	–	–	–	–	–	–	–	–	–	–	3
St. Mary-le-Strand *H* N.R.	5706	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Clement Danes *WH* N.R.	7194	3	10	1	1	–	–	–	–	–	–	–	–	–	–	–	7
Strand Union Workhouse, Edmonton	†1037	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2
St. Geo.-the-Martyr *HHHHHH* N.R.	17921	10	12	–	–	–	–	–	1	–	–	–	–	–	1	1	6
St. Andrew Eastern *WH* N.R.	15343	5	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell N.R.	16893	9	10	3	3	–	–	–	1	–	–	–	–	–	–	–	–
Amwell Clerkenwell N.R.	16883	8	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Pentonville N.R.	17155	10	4	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Goswell-street N.R.	15375	8	11	2	2	–	–	–	–	–	–	1	–	–	1	1	3
City-road *HHHL* N.R.	29177	35	15	2	3	–	–	–	–	2	–	–	–	–	–	1	–
Whitecross-street N.R.	8278	5	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Finsbury N.R.	4255	3	2	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Holborn Union Workhouse, Mitcham	†892	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Botolph *H* N.R. & S.L.	8944	2	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–
Cripplegate N.R.	4539	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* N.R.	4444	6	11	–	2	–	–	–	–	1	–	–	–	–	1	1	10
St. Bride N.R.	6594	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alhallows Barking N.R.	10122	2	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Broad Street N.R.	3377	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone	†383	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*— homes; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the d Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. I River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT y, 23rd March, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
...ith South *HL** E.L. & N.R.	26098	11	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
...New Town *w* - - - N.R.	29318	20	17	2	7	-	-	-	-	2	-	-	-	-	-	-	6	-
...Old Town - - - N.R.	28354	20	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
...ston *WH* - - N.R. & E.L.	46244	29	36	7	12	-	3	-	-	-	-	-	-	-	-	-	12	-
...l Green North *H* - - E.L.	51520	47	20	7	3	-	-	-	-	-	-	-	-	-	1	2	2	-
...l Green South - - - E.L.	33489	22	12	4	6	-	-	-	-	-	-	-	-	1	-	2	-	-
...l Green East *WHL** - E.L.	44123	19	33	4	10	-	-	-	-	-	-	-	-	-	1	4	12	-
...elds - - - E. ... N.R.	22456	19	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
...nd New Town *W* - - E.L.	17908	18	17	1	3	-	1	-	1	-	-	-	-	-	-	1	9	-
...chapel Church *H** E.L. & N.R.	20298	15	25	4	2	-	-	-	1	-	-	-	-	-	7	8	23	-
...an's Fields - - - E.L.	13800	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
...rge's, North - - - E.L.	37738	32	13	3	4	-	-	-	-	-	-	-	-	-	1	2	-	-
...n, St. George East *W* - E.L.	8057	3	8	2	4	-	-	-	-	-	-	-	-	-	-	1	2	-
...ell *H* - - - E.L. & N.R.	10246	15	14	8	-	-	1	-	-	-	-	-	-	-	2	2	6	-
... *W* - - - - - E.L.	14928	9	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
...ouse - - - - E.L.	32202	23	16	3	5	-	1	-	1	1	-	-	-	-	1	3	-	-
...nd Old Town West *H* - E.L.	38650	42	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
...nd Old Town East *WWww* E.L.	68942	62	36	7	17	-	-	-	-	-	-	-	-	-	1	5	11	-
...* - - - - - E.L.	40365	20	15	4	4	-	-	-	-	1	-	-	-	-	-	4	-	-
...ey *wwwH* - - - - E.L.	70006	71	61	10	19	-	1	-	-	-	-	-	-	1	2	10	30	-
... *WW* - - - - - E.L.	56383	40	26	9	9	-	-	-	-	-	-	-	-	-	2	4	2	-
SOUTH DISTRICTS.																		
...tehurch Southwark *WH* L. & S.	18264	5	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
...vious Southwark - - - S.	13913	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
...road - - - - - S. & L.	21867	12	4	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
...gh-road *WH* - - S. & L.	16624	23	15	5	2	-	-	-	-	3	-	-	-	-	-	1	4	-
...n-road *HL* - - L. & S.	21221	16	22	4	3	-	-	-	-	-	-	-	-	-	-	3	3	-
...y Newington - - S. & L.	26596	22	10	1	2	-	-	-	-	1	-	-	-	-	-	-	-	1
...ter Walworth *W* - S. & L.	61342	41	30	8	10	-	-	-	-	1	-	-	-	-	-	-	2	-
...ary Newington - - L. & S.	27866	19	17	4	5	-	1	-	-	1	-	-	-	-	-	-	-	-
...ave *WH* - - - - S.	12723	14	25	3	6	-	-	-	1	-	-	-	-	-	1	4	19	-
...ter Market *W* - - S. & L.	30612	21	9	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1
...mes Bermondsey - - S.	54070	33	27	6	7	-	-	-	-	1	-	-	-	1	-	-	-	1
...rhithe *WwH* - - S. & K.	39255	33	19	4	5	-	-	-	-	2	-	-	-	-	-	-	5	1
...rloo-road 1st *H* - - L. & S.	14031	11	8	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-
...rloo-road 2nd *H* - - L. & S.	14644	20	5	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-
...eth Church 1st *H* - L. & S.	18075	15	17	4	3	-	-	-	1	-	-	-	-	1	1	1	10	-
...eth Church 2nd *WW* - L. & S.	39097	27	32	7	9	-	-	-	-	2	-	-	-	-	-	-	21	-
...ington 1st *H* - - S. & L.	50586	37	27	6	9	-	-	-	-	1	-	-	-	-	1	3	-	-
...ington 2nd - - - S. & L.	32708	16	15	6	5	-	-	-	-	-	-	-	-	2	-	-	-	1
...on *w* - - - - - L. & S.	73405	21	36	5	16	-	-	2	2	-	-	-	-	1	-	-	5	2
...ood *WH* - - - - L.	25657	9	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	1
...Battersea - - - - S.	67244	43	23	6	6	-	3	-	-	-	-	-	-	-	-	1	-	-
...Battersea *WwH* - - S.	83314	55	47	10	16	-	-	-	-	1	-	-	-	-	1	2	14	-
...am *H* - - - - - S.	43698	29	12	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-
...sworth *WHHL* - - - S.	46717	26	24	1	8	-	-	-	1	-	-	-	-	-	1	1	1	-
...y - - - - - - S.	17771	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
...ham *www* - - - - L.	48756	19	21	4	13	-	1	-	-	-	-	-	-	-	-	-	2	-
...eh - - - - L. & S.	6809	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
...erwell *WwL*L** - - S. & L.	51686	54	60	12	25	-	-	-	-	-	-	-	-	-	1	1	21	-
...am *W* - - - - S., L., & K.	83488	66	32	7	12	-	-	-	1	-	-	-	-	1	1	2	1	-
...orge Camberwell - - L. & S.	63366	43	21	9	6	-	-	-	-	-	-	-	-	1	-	-	-	1
...ord, North - - - - K.	35314	25	18	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
...ord, Central *w* - - - K.	42007	26	24	8	4	-	-	-	3	2	-	1	-	-	-	1	4	1
...ord, South - - - - K.	30852	13	13	2	6	-	1	1	-	-	-	-	-	-	-	-	-	1
...wich West *H* - - - K.	22007	12	13	2	8	-	-	-	-	-	-	-	-	-	1	1	1	1
...wich East *WH* - - - K.	35223	24	30	3	11	-	-	-	-	-	-	-	-	-	-	-	17	-
...m *wH* - - - - - K.	5662	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
... *H* - - - - - - K.	23541	8	13	2	6	-	-	-	-	1	-	1	-	-	-	-	-	-
...ham *WH* - - - - K.	30950	20	28	4	7	-	-	-	1	2	-	-	-	-	-	1	6	-
...ham *H* - - - - - L.	34162	12	7	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-
...ton *HH* - - - - K.	14040	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
...wich Dockyard - - - K.	19606	13	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
...wich Arsenal *HHHH* - K.	21242	11	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1
...stead, West *H* - - - K.	15869	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
...stead, East *WH* - - - K.	36567	24	20	6	10	-	-	1	-	-	-	-	-	-	-	-	6	-
...ead Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
...ham Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
... Hill Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
...ital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
...ath Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
...vell Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
...y Hatch Asylum - - - -	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
... Hospital - - - - -	-	-	4	-	-	-	-	3	-	-	-	-	-	-	-	1	4	-
...hmere Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
...sden Asylum - - - - -	-	-	12	7	-	-	-	-	-	-	-	-	-	-	-	-	12	-
...ury Asylum - - - - -	-	-	13	-	4	-	-	-	-	-	-	-	-	-	-	-	13	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week e Saturday, 23rd March, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,069	1005	690	153	242	–	11	–	8	12	5	6	17	84	258
30 : 1	Carshalton *wHH* - -	12223	26108	12	5	–	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	8	15	2	8	–	–	–	–	–	–	–	–	–	6
37 : 1	Godstone, *part of** *W* -	2754	1593	1	1	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH* -	20851	128699	62	67	10	30	–	–	–	2	2	1	–	–	–	5
2	Mitcham *w* - -	11697	23068	15	10	3	3	–	–	–	–	–	–	1	–	–	–
39 : 1	Wimbledon *HHH* -	3220	25761	20	12	5	2	–	–	–	–	1	–	2	–	–	–
2	Kingston *WH* - -	8071	44765	28	24	6	11	–	–	–	–	–	–	–	1	2	1
3	Esher, *part of** *HH* -	6601	12059	12	3	1	–	–	–	–	–	–	1	–	–	–	–
4	Hampton *H* - -	4595	18252	15	7	1	3	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH* - -	2160	25389	14	15	1	7	–	–	–	–	–	1	–	2	2	1
2	Mortlake *H* - -	2323	16159	18	8	3	2	–	–	–	–	–	–	–	1	1	–
41 : 1	Bromley *HHH* - -	9127	23815	8	16	6	1	–	–	–	–	–	1	–	2	2	4
2	Beckenham *H* - -	6542	21969	11	10	3	4	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	14	12	2	3	–	–	–	–	–	–	–	–	–	3
42 : 1	Bexley *HH* - -	12540	30590	25	22	1	10	–	–	–	–	–	–	–	–	–	1
2	Dartford *Work.*, pt. of*-	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1
124 : 1	Sunbury *w* - -	11054	13671	12	6	–	2	–	–	–	–	–	–	–	1	1	–
2	Staines *WH* - -	13277	13221	7	1	–	1	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	9	7	2	3	–	–	–	–	–	–	–	–	–	1
2	Uxbridge - -	6172	5417	1	2	–	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - -	14537	12613	1	5	1	2	–	–	–	–	–	–	–	1	1	–
126 : 1	Isleworth *WHH*	6967	26273	16	13	2	6	–	–	–	–	–	–	–	–	–	3
2	Twickenham *HH*	2415	16027	8	7	–	2	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH* -	4318	37777	23	20	3	12	–	–	–	–	–	1	–	1	2	–
4	Chiswick - - -	1245	21963	17	13	2	5	–	–	–	–	–	–	–	–	1	–
5	Acton *wH* - - -	6132	30945	24	20	4	3	–	–	–	1	–	–	–	1	1	1
127 : 1	Harrow *HHH* - -	13809	15715	5	11	4	3	–	–	–	1	–	–	–	–	–	–
2	Edgware *HH* - -	6994	3344	3	4	–	2	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* - -	4388	61265	56	20	5	4	–	–	–	–	1	–	–	–	2	–
4	Hendon *WH* - -	8382	15343	6	11	–	5	–	–	–	–	–	–	–	–	1	5
128 : 1	South Mimms *H* -	15599	8474	–	7	1	5	–	–	–	–	–	–	–	–	–	1
2	Barnet *WHH* - -	5441	11778	4	4	2	1	–	–	–	–	1	–	–	–	–	2
3	Finchley *HHH* -	4688	25820	18	6	1	3	–	–	–	–	–	–	–	1	1	–
129 : 1	Hornsey *HH* - -	3039	61097	31	26	3	11	–	–	–	–	1	–	–	2	2	–
2	Tottenham *H* - -	4642	97174	76	42	15	10	–	–	–	–	2	–	–	–	3	2
3	Edmonton *Wwo* -	7489	36351	29	16	3	7	–	–	–	–	–	–	–	1	2	4
4	Enfield *WWHH* -	12639	31803	21	13	1	6	–	–	–	–	–	–	–	1	1	3
5	Waltham Abbey - -	11017	6066	6	3	1	1	–	–	–	–	–	–	–	–	–	–
6	Chesnunt *H* - -	8480	9620	6	6	2	2	–	–	–	–	1	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	1	1	–	1	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*- - -	1100	42983	38	17	4	6	–	1	–	–	–	–	–	1	1	–
2	Plaistow - - -	1242	58030	63	25	11	2	–	–	–	1	2	–	–	–	1	–
3	Canning Town *H* -	1558	54750	47	25	7	5	–	–	–	2	–	–	1	–	–	–
4	Forest Gate *w* - -	806	49140	34	25	6	7	–	–	–	–	–	–	–	–	4	–
5	East Ham *w* - -	3266	32713	42	16	9	4	–	–	–	–	–	–	1	–	–	–
6	Leyton *WWWwH*	4334	76183	57	33	10	15	–	–	–	1	1	–	–	1	1	1
7	Walthamstow *HHL*	6501	57330	50	35	8	8	–	9	–	–	–	–	1	–	1	–
187 : 1	Chigwell *part of** *H*	11779	12341	5	6	1	3	–	1	–	–	–	–	–	–	1	–
2	Epping *Work.* pt. of*	—	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *H*	6556	4321	2	1	–	1	–		–	–	–	–	–	–	–	–
2	Ilford - - -	8493	16913	7	6	–	4	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	13	2	1	–	–	–	–	–	–	–	–	–	–	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as f
39 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godston
District; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Ch
Sidcup, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the p
Theydon Bois (1073); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring i
Dartford, 137 : 3, Watford, and 137 : 2, Epping sub-districts.

LE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 23rd March, 1895.

REATER ONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ER LONDON	443,421	6,048,555	24·8	1·4	2880	601	920	-	30	15	32	55	9	21	76	592
ER LONDON -	74,672	4,392,346	26·0	1·4	2190	448	678	-	19	15	24	43	4	15	59	534
ER RING -	368,749	1,656,209	21·7	1·3	690	153	242	-	11	-	8	12	5	6	17	58

.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	March	23	149	215	41·0	-	19	2	1	2	-	4
GOW - -	695,876	„	23	518	383	28·7	-	9	3	6	17	-	8
IN - -	349,594	„	23	187	302	45·0	5	-	-	-	-	2	-
UTTA - -	466,460	January	5	-	-	-	-	-	-	-	-	-	-
AY - -	821,764	March	5	250	492	31·1	13	16	?	?	?	128	35
RAS - -	452,518	February	8	279	290	33·3	-	3	?	?	?	93	44†
S - - -	2,424,705	March	16	1196	1162	24·9	-	4	2	16*	14	2	28
SELS - -	498,490	„	16	244	238	24·8	-	2	-	1*	2	1	4
ERDAM -	446,295	„	16	317	194	22·3	-	-	1	1	6	-	-
ERDAM -	272,042	„	16	209	175	33·4	4	3	-	-	2	-	1
HAGUE -	180,455	„	16	111	96	26·5	-	-	-	3	-	-	-
NHAGEN -	341,000	„	16	229	131	20·0	-	2	1	2	-	-	5
KHOLM -	252,937	„	9	105	78	16·0	-	1	-	-	-	-	2
STIANIA -	167,588	„	16	50	102	31·7	-	-	-	3	-	-	2
ETERSBURG	954,400	March	2	423	680	37·2	-	4	14	18	5	15	45
COW - -	753,469	„	2	-	525	36·3	3	4	7	10	5	5	31
IN - -	1,724,544	„	2	935	721	21·7	-	5	9	12	12	1	14
BURG - -	608,710	„	9	434	280	23·9	-	-	1	1*	-	-	6
DEN - -	323,600	February	16	-	-	-	-	-	-	-	-	-	-
LAU - -	367,769	March	16	-	210	30·0	-	-	2	2*	-	-	16
ICH - -	396,000	„	16	-	224	29·4	-	-	-	3*	3	1	25
NA - -	1,495,764	„	16	937	954	33·0	-	7	13	15*	-	1	30
GUE - -	343,822	„	9	225	204	30·9	-	2	1	1	1	1	4
A-PESTH -	566,022	„	9	463	286	26·3	-	2	2	2	-	1	17
ESTE - -	160,825	„	9	131	166	53·7	-	-	-	9*	1	1	1
E - -	463,786	February	2	290	190	21·4	-	4	-	1	1	5‡	8
IN (10 days)	344,203	„	20	208	271	28·7	-	8	2	6*	3	3	16
ICE -	158,159	„	23	84	129	42·5	-	-	-	2*	1	-	3
RO - -	374,838	„	4	467	309	42·9	1	-	-	5*	-	7	85
XANDRIA -	231,396	„	4	253	128	28·8	2	-	-	2*	-	3	32
W YORK -	1,992,715	March	2	-	893	23·3	1	15	29	35	7	3	12
OKLYN -	1,080,000	„	2	-	396	19·1	-	1	6	16	4	1	2
LADELPHIA	1,163,864	„	2	-	737	33·0	-	1	1	34	3	24	8
W ORLEANS -	275,000	„	23	-	196	37·2	-	6	-	7	2	9	1

* Including deaths from croup.
† Including 4 deaths from cholera.
‡ Including 2 deaths from malarial fever.

TABLE D.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 23RD MARCH, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY . 17	..	30·083	57·0	39·0	18·0	47·9	+ 6·3	38·5	9·4	16·7	0·7	70	107·0	32·0	40·20	Calm. & SE.	Calm & SW.	0·0	0·0	0·0	80	−233	0·00	0·5
MONDAY . 18	Last Qr. Greatest Dec. S.	29·990	61·6	33·6	28·0	47·8	+ 6·2	37·3	10·5	21·8	0·0	67	104·2	26·7	40·59	S.	SW.	0·7	0·0	0·0	156	−156	0·00	1·5
TUESDAY. 19	..	29·817	53·8	38·5	15·3	45·2	+ 3·7	40·7	4·5	11·8	0·5	84	70·6	35·7	40·95	SW. & WSW.	WSW.	4·6	0·0	0·6	398	+ 87	0·03	0·0
WEDNESDAY 20	..	29·726	56·1	43·3	12·8	48·5	+ 7·1	45·4	3·1	11·4	0·0	89	76·9	42·5	41·25	WSW. & NW.	NW. NE. & E.	3·3	0·0	0·5	338	+ 28	0·08	1·0
THURSDAY 21	..	29·756	61·0	42·5	18·5	50·3	+ 8·9	47·8	2·5	9·5	0·9	91	90·9	41·7	41·55	SE. & SW.	WSW. & WNW.	1·8	0·0	·1	219	− 90	0·02	3·0
FRIDAY . 22	Apogee.	29·789	63·0	42·0	21·0	52·1	+10·6	43·8	8·3	18·2	0·4	74	106·3	36·0	42·00	SW. W. & NW.	NW. NE. & Calm.	0·9	0·0	0·0	187	−120	0·00	0·0
SATURDAY 23	..	29·710	55·0	39·2	15·8	46·5	+ 4·7	43·3	3·2	9·8	0·7	88	107·0	33·2	42·48	Calm & SSW.	SSW.	7·3	0·0	0·5	351	+ 47	0·05	2·0
MEANS . .	..	29·839	58·2	39·7	18·5	48·3	+ 6·8	42·4	5·9	14·2	0·5	80	94·7	35·4	41·29	SW.		..	..	..	Sum 1729	Sum − 447	Sum 0·18	1·1
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. March.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.
SUNDAY . 17	s. P. in morning; m. P. in afternoon; s. P. at night.	4·3	11·9
MONDAY . 18	v. P. in morning; m. P. afterwards.	9·2	12·0
TUESDAY . 19	m. P. in morning; v. P. afterwards.	0·0	12·0
WEDNESDAY 20	v. P. till evening; v. N. and w. P. at night.	0·2	12·1
THURSDAY . 21	w. P. in morning; m. P. afterwards.	0·6	12·2
FRIDAY . 22	s. P. generally	4·4	12·2
SATURDAY . 23	v. P. till afternoon; w. N. and v. P. afterwards.	2·7	12·3
		Sum 21·4	Sum 84·7

GENERAL REMARKS.

Overcast in early morning; very fine, with little cloud between 7h. A.M. and noon; foggy and cloudy in afternoon; cloudless and fine at night.

Hoar frost in morning; cloudless and very fine throughout. Slightly foggy between 8h. A.M. and 10h. A.M.

Fine with little cloud in early morning; generally overcast throughout the day. Rain in evening.

Overcast and showery in morning; fine, but generally cloudy in afternoon; overcast and showery at night.

Overcast and showery in morning; fine afterwards, but generally cloudy till evening; cloudless at night.

Fine; small amounts of cloud prevailed in afternoon; cloudless at other times. Lightning at night.

Cloudless in early morning; partially cloudy till 1h. P.M.; overcast afterwards. Showery at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·16 in. at the beginning of the week to 29·67 in. by 9h. A.M. on the 20th; increased to 29·81 in. by 9h. P.M. on the 22nd; and decreased to 29·48 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 13. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MARCH 30. [Price 1½*d.*

General Register Office, Somerset House,
April 1st, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 23·4 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.
Birkenhead	31·1	30·1	18·9	16·5
Birmingham	21·5	30·9	31·4	27·1
Blackburn -	19·2	22·1	36·4	26·2
Bolton -	27·1	32·3	30·6	37·1
Bradford -	35·7	36·4	26·9	22·8
Brighton -	40·1	48·0	47·5	36·6
Bristol -	32·5	30·4	33·6	24·2
Burnley -	25·1	31·9	25·1	42·4
Cardiff -	34·8	26·5	22·1	15·1
Croydon -	23·1	34·5	25·4	16·8
Derby -	16·1	21·3	22·4	27·0
Gateshead -	32·1	26·1	25·6	20·7
Halifax -	42·8	31·7	20·6	17·8
Huddersfield	23·6	26·7	32·0	21·5
Hull - -	23·1	22·9	26·9	27·9
Leeds -	27·4	34·0	32·2	24·9
Leicester -	19·6	20·7	23·1	21·8
Liverpool - -	45·2	37·1	27·7	25·5
London - -	41·2	33·4	26·0	21·1
Manchester -	32·2	33·1	36·5	30·8
Newcastle-on-Tyne	34·0	34·5	29·0	21·9
Norwich - -	22·4	15·6	21·4	18·5
Nottingham -	37·7	32·2	20·7	18·9
Oldham - -	34·4	44·0	38·1	29·6
Plymouth - -	48·0	32·2	28·1	24·6
Portsmouth -	33·4	34·9	28·0	22·7
Preston - -	35·2	40·3	31·5	30·6
Salford - -	30·3	30·0	33·6	29·8
Sheffield - -	30·4	27·7	25·1	21·0
Sunderland -	27·6	27·3	30·3	23·1
Swansea - -	21·0	28·5	19·9	14·5
West Ham - -	28·0	26·8	20·7	19·4
Wolverhampton -	31·0	33·4	37·1	38·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·5 in Sheffield, and 2·2 in Bolton; from *scarlet fever*, 1·2 in Wolverhampton; from *whooping-cough*, 1·2 in Plymouth and in Blackburn, 1·3 in Salford, and 1·6 in Gateshead; from "*fever*", 1·1 in Halifax and in Sunderland; and from *diarrhœa*, 1·0 in Derby, and 1·4 in Preston. The 53 deaths from *diphtheria* included 31 in London, 3 in West Ham, 3 in Manchester, 2 in Birmingham, and 2 in Liverpool. No death from *small-pox* was registered in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2466 BIRTHS and 1781† DEATHS were registered. Allowing for increase of population, the births were 273 below, whilst the deaths exceeded by 11, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 41·2, 33·4, and 26·0 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 85176.—13, 650.—4/95. Wt. 32.

preceding three weeks, further fell last week to 21·1. During the four weeks ending on Saturday last the death-rate averaged 30·4 per 1000, being 8·6 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1781 deaths included 23 from measles, 13 from scarlet fever, 31 from diphtheria, 49 from whooping-cough, 4 from enteric fever, one death from an ill-defined form of continued fever, 14 deaths from diarrhœa and dysentery, one death from cholera (*cholera infantum*), and not one from small-pox or from typhus; thus, 136 deaths were referred to these diseases, being 71 below the corrected average weekly number.

The deaths from *measles*, which had been 23, 12, and 19 in the preceding three weeks, further rose last week to 23, but were 41 below the corrected average; 3 belonged to Hackney, 3 to Shoreditch, and 3 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 6, 4, and 15 in the preceding three weeks, numbered 13 last week, and were 4 below the corrected average; 3 belonged to Islington, 2 to St. Pancras, and 2 to Fulham sanitary areas. The deaths from *diphtheria*, which had numbered 34, 27, and 24 in the preceding three weeks, increased again last week to 31, exceeding the corrected average by 6; 6 belonged to Greenwich, 3 to Camberwell, 3 to Poplar, and 2 each to Battersea, St. Pancras, and Westminster sanitary areas. The deaths from *whooping-cough*, which had been 55, 56, and 43 in the preceding three weeks, numbered 49 last week, and were 28 below the corrected average; 6 belonged to St. Pancras, 6 to Lambeth, and 4 to Hackney sanitary areas. The fatal cases of *enteric fever*, which had been 8, 4, and 4 in the preceding three weeks, were again 4 last week, and less than half of the corrected average; 2 belonged to Wandsworth sanitary area. The deaths from *diarrhœa*, which had been 16, 10, and 15 in the preceding three weeks, numbered 14 last week, and exceeded the corrected average by 2.

The deaths referred to diseases of the respiratory organs, which had been 1366, 1031, and 740 in the preceding three weeks, further declined last week to 497, but exceeded the corrected average by 48.

The deaths attributed directly to *influenza* numbered 116, having been 473, 349, and 225 in the preceding three weeks.

Different forms of violence caused 73 deaths, concerning all but 4 of which inquests were held. Of these 73 deaths, 11 were cases of suicide, while the remaining 62 were attributed to accident or negligence. Four of these were caused by vehicles in the streets, 5 by drowning, 7 by poison, and 12 (including 11 of infants under one year of age) by suffocation in bed. The death of a house-painter, aged 66 years, which occurred in the Lambeth Workhouse Infirmary, was certified to have been caused by "chronic lead-poisoning, exhaustion."

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 55 cases of small-pox, 1555 of scarlet fever, 435 of diphtheria, and 73 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 11 cases, against 8, 12, and 14; of scarlet fever, 161 cases, against 141, 133, and 184; of diphtheria, 67 cases, against 55, 61, and 64; and of enteric fever, 12 cases, against 9, 4, and 12.

Greater London.

In Greater London 3333 births and 2323 deaths were registered, corresponding to annual rates of 28·7 and 20·0 per 1000 of the estimated population. In the Outer Ring 15 deaths from measles, 9 from diphtheria, and 10 from whooping-cough were recorded. Of the 15 deaths from measles, 12 occurred in Walthamstow sub-district. The 9 deaths from diphtheria included 5 which occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·04 inches, and that of the Thermometer 44°·6, the latter being 1°·3 above the week's average in the 50 years 1841–90. The direction of the wind was South-westerly, the horizontal movement of the air being 79 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·5 hours; the measured rainfall amounted to 0·71 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 30th March 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 30th Mar., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6317	4751	1101	1261	–	63	26	53	101	23	45	160	294	911	74	23·4	1·5	58·4	32·0	42·8	6·00	0·97	2·46	33 Towns.
London	4,332,346	2466	1781	390	473	–	23	13	31	49	5	14	73	144	464	18	21·1	1·6	57·1	35·4	44·6	7·00	0·71	1·80	London.
West Ham	249,473	170	93	26	29	–	1	–	3	1	1	–	2	4	13	2	19·4	1·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	46	37	4	14	–	1	–	1	1	–	–	2	3	6	–	16·8	1·4	57·4	34·2	43·7	6·50	0·94	2·39	Croydon.
Brighton	119,604	58	84	17	33	–	–	–	1	1	–	–	3	3	14	1	36·6	0·9	53·8	39·8	43·2	6·22	0·81	2·06	Brighton.
Portsmouth	174,751	108	76	14	31	–	–	–	–	–	–	–	–	3	9	4	22·7	–	54·0	39·0	44·3	6·83	0·96	2·44	Portsmouth.
Plymouth	89,096	41	42	8	13	–	1	–	–	2	–	–	–	1	8	–	24·6	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,139	132	106	25	29	–	–	–	1	–	–	1	3	7	8	3	24·2	0·5	56·0	36·0	42·9	6·06	1·87	4·75	Bristol.
Cardiff	155,637	89	45	10	7	–	1	–	–	–	–	–	3	3	9	–	15·1	0·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	59	27	8	8	–	–	–	–	1	–	–	–	1	1	–	14·5	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	72	63	12	21	–	–	2	–	1	–	–	1	4	8	–	38·3	1·8	52·9	33·1	41·4	5·22	0·71	1·80	Wolverhampton.
Birmingham	496,751	304	258	58	90	–	–	–	2	4	2	2	8	7	30	13	27·1	1·0	–	–	–	–	–	–	Birmingham.
Norwich	107,127	58	38	8	11	–	–	1	1	1	–	1	–	2	7	–	18·5	1·9	58·4	33·8	44·0	6·67	0·74	1·88	Norwich.
Leicester	193,889	117	81	22	22	–	–	–	–	–	1	–	4	4	9	2	21·8	0·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	129	82	12	25	–	–	2	1	1	1	2	2	4	27	–	18·9	1·6	58·2	34·3	42·8	6·00	0·71	1·80	Nottingham.
Derby	100,272	58	52	13	19	–	–	–	–	–	–	2	2	5	8	1	27·0	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	80	34	9	8	–	1	–	–	–	–	–	1	3	4	–	16·5	0·5	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,987	350	246	58	44	–	4	3	2	6	1	6	11	15	70	4	25·5	2·3	53·8	36·2	41·1	5·06	0·89	2·26	Liverpool.
Bolton	119,337	82	85	22	12	–	5	1	1	1	–	1	–	4	15	–	37·1	3·9	–	–	–	–	–	–	Bolton.
Manchester	524,865	394	310	86	58	–	9	1	3	8	3	5	10	16	62	2	30·8	2·9	–	–	–	–	–	–	Manchester.
Salford	208,253	169	119	39	25	–	1	2	1	5	1	1	4	6	17	4	29·8	2·8	–	–	–	–	–	–	Salford.
Oldham	141,079	76	80	15	25	–	–	–	–	2	–	–	3	6	10	–	29·6	0·7	–	–	–	–	–	–	Oldham.
Burnley	99,591	63	81	15	19	–	–	1	1	1	–	1	1	2	4	1	42·4	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	77	64	12	12	–	–	–	–	3	1	–	3	3	3	1	26·2	1·6	–	–	–	–	–	–	Blackburn.
Preston	112,638	79	66	24	15	–	–	–	–	1	–	3	–	–	6	1	30·6	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	33	41	11	16	–	–	–	1	1	–	–	5	5	3	1	21·5	1·0	56·0	33·0	40·9	4·94	1·34	3·40	Huddersfield.
Halifax	93,813	51	32	5	8	–	–	–	–	–	2	–	–	1	7	–	17·8	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	100	99	24	31	–	–	–	–	3	–	1	1	3	14	3	22·8	0·9	53·2	36·2	42·7	5·94	1·17	2·97	Bradford.
Leeds	395,546	219	189	44	56	–	2	–	1	–	–	–	3	12	19	3	24·9	0·4	–	–	–	–	–	–	Leeds.
Sheffield	342,768	225	138	43	29	–	10	–	–	–	–	1	–	1	9	3	21·0	1·7	–	–	–	–	–	–	Sheffield.
Hull	216,722	132	116	26	31	–	1	–	1	1	–	2	8	11	19	5	27·9	1·2	58·0	32·0	41·6	5·33	0·76	1·93	Hull.
Sunderland	137,705	99	61	10	21	–	–	–	–	2	3	1	3	4	7	–	23·1	2·3	–	–	–	–	–	–	Sunderland.
Gateshead	85,871	60	38	11	6	–	1	–	1	3	–	1	1	1	1	1	20·7	3·3	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	130	87	20	20	–	2	–	–	2	2	–	3	6	20	1	21·9	1·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return. † Urban Sanitary District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2404	2698	2736	2492	2808	2543	2781	2498	2553	2437	2738·8	2466
Males . .	1247	1359	1379	1288	1403	1332	1457	1259	1276	1244	1397·8	1227
Females .	1157	1339	1357	1204	1405	1211	1324	1239	1277	1193	1341·0	1239
TOTAL **Deaths**	1701	1745	1588	1668	1476	1571	1799	1753	1732	1736	1769·8	1781
Males . .	852	876	806	828	731	810	944	900	918	863	900·0	927
Females .	849	869	782	840	745	761	855	853	814	873	869·8	854

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.
TOTAL **Births** - -	3085	2922	2818	2612	2587	2736	2737	2787	2671	2681	2821	2650	2466
TOTAL **Deaths** - -	1462	1622	1689	1481	1598	1768	2467	2863	3246	3471	2817	2190	1781
Ages at Death: Under 1 year -	348	369	370	311	337	386	452	505	524	618	611	448	390
1— 5 years -	194	200	205	151	192	188	250	337	357	395	347	332	282
5—20 " -	85	90	96	80	87	82	99	92	100	101	103	79	88
20—40 " -	221	224	197	190	221	237	278	280	288	320	265	226	222
40—60 " -	248	288	331	314	324	341	521	612	646	669	502	427	326
60—80 " -	297	360	390	362	373	442	700	868	1077	1089	753	533	410
80 years & upwards	69	91	100	73	64	92	167	169	254	279	231	145	63
Deaths from—													
Small-pox - -	-	-	1	-	2	3	1	1	1	-	1	-	-
Measles - - - -	34	30	35	21	13	17	27	26	20	23	12	19	23
Scarlet fever - - -	14	12	9	7	11	15	18	10	7	6	4	15	13
Diphtheria - - -	50	34	31	29	45	34	27	29	31	34	27	24	31
Whooping-cough - -	23	35	21	27	30	29	43	42	53	55	56	43	49
Typhus - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric fever - - -	17	16	20	16	9	13	10	3	7	8	4	4	4
Simple Continued fever -	-	-	-	1	-	-	-	1	-	-	-	-	1
Diarrhœa and Dysentery -	14	15	16	10	12	12	10	12	11	16	10	15	14
Cholera - - - -	-	-	-	1	-	-	-	-	1	-	-	-	1
All the above Diseases	152	142	133	112	122	123	141	124	131	143	114	120	136
Dis. of Respiratory System	319	389	399	324	377	480	840	1120	1418	1366	1031	740	497
Phthisis - - -	155	159	139	161	166	157	210	230	218	222	214	181	173
Dis. of Circulatory System	129	161	162	162	161	160	248	269	242	244	184	154	133
Violence - - - -	72	77	76	58	68	81	89	86	57	67	77	59	73
Inquest Cases - - -	176	155	173	149	160	195	239	255	211	222	194	135	144
Deaths in Public Institutions	411	439	432	462	477	480	663	692	739	693	641	536	464
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	34·3	29·8	40·4	35·6	26·9	22·4	26·0	34·0	36·2	36·5	43·7	48·3	44·6
Mean of Highest readings -	37·1	32·5	44·0	41·2	32·0	29·5	32·4	40·1	42·1	43·3	52·6	58·2	52·3
Mean of Lowest readings -	30·9	27·2	35·6	29·8	21·9	14·9	19·8	28·5	31·7	31·7	35·9	39·7	39·5
Humidity of the Air - -	81	87	89	84	75	68	66	84	81	86	77	80	81
Rain-fall (in inches) -	0·20	0·01	0·72	0·54	0·28	0·02	0·00	0·00	0·19	0·34	0·02	0·18	0·71
Registered Sunshine (in hours)	0·2	1·7	4·7	6·4	4·8	16·4	14·5	8·3	5·2	12·3	29·8	21·4	17·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	23	28	32	35	51	56	67	75	63	56	57	58	55
Scarlet fever - - - -	1779	1713	1653	1662	1653	1667	1658	1658	1621	1619	1615	1587	1555
Diphtheria - - - -	499	517	514	528	519	500	497	486	463	455	456	455	435
Enteric fever - - - -	112	107	115	121	115	117	111	107	95	80	70	72	73

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTEENTH Week of the Year 1895.

ES OF DEATH.	Corrected Averages for the 13th Week of the 10 years 1885-94.*	In the Week ending Saturday, 30th March 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
CAUSES - -	1769·8	1781	390	282	88	222	323	410	63
all-pox { Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	1·6	-	-	-		-	-	-	-
No Statement	1·6	-	-	-	-	-	-	-	-
sles - - - -	64·1	23	3	19	1	-	-	-	-
let Fever - -	16·5	13	1	9	3	-	-	-	-
nus - - - -	0·2	-	-	-	-	-	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - -	10·1	116	11	4	4	21	27	42	7
oping-cough - -	76·8	49	24	23	2	-	-	-	-
itheria - - -	24·6	31	6	17	8	-	-	-	-
ple Continued and -defined Fever - -	0·3	1	-	-	-	-	1	-	-
eric Fever - -	9·3	4	-	1	1	-	2	-	-
lera and Chol. Diarr.	-	1	1	-	-	-	-	-	-
rrhœa, Dysentery -	11·5	14	9	1	-	1	-	3	-
hittent Fever - -	0·2	-	-	-	-	-	-	-	-
trophobia - -	0·2	-	-	-	-	-	-	-	-
nders - - -	-	-	-	-	-	-	-	-	-
rpox and Effects of vaccination - -	0·1	-	-	-	-	-	-	-	-
ereal Affections -	11·9	4	3	1	-	-	-	-	-
rsipelas - - -	4·1	6	-	-	-	-	4	1	1
emia and Septicæmia	2·2	1	-	-	-	-	1	-	-
erperal Fever - -	5·6	3	-	-	2	-	1	-	-
er Zymotic Diseases	1·2	-	-	-	-	-	-	-	-
rush - - - -	1·5	-	-	-	-	-	-	-	-
rms and other Parasitical Diseases - -	0·3	-	-	-	-	-	-	-	-
rvation, Want of Breast-milk - -	2·4	1		-	-	-	-	-	-
coholism - - -	7·7	4	-	-	-	1	3	-	-
eumatic Fever, heumatism of Heart	9·6	5	-	1	2	2	-	-	-
heumatism - -	2·6	-	-	-	-	-	-	-	-
out - - - -	3·6	1	-	-	-	-	1	-	-
ickets - - -	5·9	6	2	4	-	-	-	-	-
ancer - - - -	58·3	58	-	-	1	8	21	23	-
abes Mesenterica -	21·7	16	11	5	-	-	-	-	-
ubercular Meningitis -	27·3	29	14	13	2	-	-	-	-
hthisis - - -	170·7	173	2	4	13	86	55	12	1
crofula, Tuberculosis -	19·5	32	9	13	5	2	3	-	-
ther Constitutional Diseases - - -	12·8	9	1	1	1	2	-	4	-
Premature Birth - -	42·5	51	51	-	-	-	-	-	-
Atelectasis - - -	3·0	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	7·9	3	2	1	-	-	-	-	-
Old Age - - - -	53·9	47	-	-	-	-	-	26	21
Apoplexy - - -	46·5	42	-	-	-	-	16	25	1
Epilepsy - - -	7·9	11	1	1	2	2	2	3	-
Convulsions - - -	45·1	42	35	7	-	-	-	-	-
Other Diseases of Brain and Nervous System	97·4	92	7	17	11	14	12	30	1

CAUSES OF DEATH.	Corrected Averages for the 13th Week of the 10 years 1885-94.*	In the Week ending Saturday, 30th March 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·4	6	3	-	1	1	1	-	-
Diseases of Circulatory System - - -	149·9	138	2	1	6	23	44	57	5
Croup - - - - -	10·2	3	-	3	-	-	-	-	-
Bronchitis - - -	261·7	300	67	48	2	12	43	111	17
Pneumonia - - -	133·5	161	44	51	7	17	19	19	4
Pleurisy - - - -	6·5	4	-	1	1	1	1	-	-
Other Diseases of Respiratory System - -	31·1	29	8	4	-	2	9	5	1
Dentition - - -	11·5	9	6	3	-	-	-	-	-
Quinsy, Sore Throat -	1·7	1	-	1	-		-	-	-
Enteritis - - -	7·5	15	8	2	-	1	1	2	1
Peritonitis - - -	6·6	3	1	-	-	-	-	1	1
Diseases of Liver - -	27·1	19	2	-	1	-	11	5	-
Other Diseases of Digestive System -	23·3	27	3	4	2	5	4	8	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	47·5	40	-	2	1	5	18	13	1
Diseases of Generative System - - -	4·5	7	-	-	1	3	2	1	-
Accidents of Childbirth -	5·0	3	-	-	1	1	1	-	-
Diseases of Locomotive System - - -	7·4	7	-	2	1	3	1	-	-
Diseases of Integumentary System - -	5·1	5	1	3	-	-	-	1	-
VIOLENT DEATHS.									
(ACCIDENT.)									
By Railways - - -	59·5	-	-	-	-	-	-	-	-
By Vehicles or Horses -		4	-	1	1	-	1	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	-	-	1	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		4	-	3	-	-	1	-	-
By Drowning - -		5	-	-	1	2	2	-	-
By Suffocation in Bed -		12	11	-	-	-	1	-	-
By Poisons or Poisonous Vapours - - -		7	-	-	1	1	3	2	-
Other or not stated Causes - - -		29	5	5	2	4	6	7	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·6	-	-	-	-	-	-	-	-
Suicide - - - -	7·9	11	-	-	1	2	8	-	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	51·4	49	32	6	-	-	-	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94 raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.* —POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON *	4,211,743	2466	1781	390	473	-	23	13	31	49	-	4	1	14	78	144	464
WEST DISTRICTS	740,735	333	309	63	87	-	2	3	5	4	-	1	-	3	22	37	85
NORTH DISTRICTS	993,984	539	392	86	109	-	5	4	7	15	-	-	-	3	7	23	89
CENTRAL DISTRICTS	247,538	145	113	19	27	-	2	-	1	1	-	-	-	1	9	15	34
EAST DISTRICTS	705,114	523	325	75	76	-	8	1	3	11	-	-	-	4	16	39	85
SOUTH DISTRICTS	1,524,472	924	606	148	166	-	6	2	15	17	-	3	1	3	19	20	135
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	36	-	8	-	-	3	-	1	-	-	-	-	-	1	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	26	29	4	10	-	-	-	-	-	-	-	-	-	2	5	5
St. John Paddington *H* - - G.J.	33687	11	14	-	3	-	-	-	-	-	-	-	-	-	5	6	8
Kensington Town *Ww* - - W.M.	118751	50	53	11	20	-	-	-	-	1	-	1	-	3	2	4	19
Brompton - - W.M. & C.	47557	7	10	-	2	-	-	-	-	-	-	-	-	-	2	2	2
St. Peter Hammersmith - - W.M.	8536	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J.	88853	43	22	7	8	-	-	-	1	-	-	-	-	-	2	2	1
Fulham *Ww* - - W.M. & C.	91639	75	61	20	9	-	1	3	1	-	-	-	-	-	4	9	13
Chelsea Kensal Town - - C.	21787	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	22	31	6	7	-	1	-	-	-	-	-	-	-	2	2	11
Chelsea South *HH* - - C.	32329	11	9	4	2	-	-	-	-	-	-	-	-	-	1	3	3
May Fair *WH* - - - G.J.	23733	6	13	-	8	-	-	-	-	-	-	-	-	-	-	1	10
Belgrave *WHHH* - - - C.	54331	17	22	2	6	-	-	-	-	-	-	-	-	-	2	2	5
St. John Westminster *HH* - C.	34193	18	14	3	4	-	-	-	-	2	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21868	4	7	-	2	-	-	-	2	-	-	-	-	-	-	1	5
St. James Westminster *WHHH* N.R. & G.J.	24995	10	7	2	3	-	-	-	-	1	-	-	-	-	-	-	3
St. Anne Soho *HHHHHH* - - N.R.	12317	3	7	2	1	-	-	-	1	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.M.	37713	12	14	4	1	-	-	-	1	-	-	-	-	-	-	-	7
Rectory Marylebone *WH* G.J. & W.M.	20924	8	8	-	4	-	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	22	9	-	4	-	-	-	-	1	-	-	-	-	-	-	-
Christchurch Marylebone *HH* - W.M.	33327	20	10	4	2	-	-	-	1	-	-	-	-	-	1	1	-
St. John Marylebone *HH* - - W.M.	32101	11	11	4	4	-	-	-	-	1	-	-	-	1	-	3	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	25	30	7	5	-	-	3	1	-	-	-	-	-	-	-	7
Regent's Park Paneras *HH* - W.M.	36590	21	11	2	2	-	-	-	1	2	-	-	-	-	-	-	-
Tottenham-court *wHHH* N.R. & W.M.	26321	11	18	4	4	-	-	1	-	-	-	-	-	-	1	2	5
Gray's Inn Lane *HHH* - - N.R.	27455	14	9	4	-	-	1	-	-	-	-	-	-	-	-	-	2
Somers Town *HH* - - - N.R.	32829	16	8	3	1	-	-	-	-	2	-	-	-	-	-	-	1
Camden Town *WH* - - - N.R.	15419	14	14	6	4	-	-	-	-	1	-	-	-	-	1	1	7
Kentish Town *WW* - - - N.R.	95765	49	32	9	11	-	1	-	-	1	-	-	-	-	1	3	5
Upper Holloway *WWWwHHH* - N.R.	90235	61	61	9	20	-	-	-	-	-	-	-	-	2	1	2	31
Islington South-west *H* - - N.R.	105557	59	26	4	3	-	-	-	-	2	-	-	-	-	1	3	-
Islington South-east - - - N.R.	64158	36	15	1	7	-	-	-	-	-	-	-	-	-	1	1	-
Highbury *HH* - - - - N.R.	59193	25	19	2	9	-	-	-	-	1	-	-	-	-	-	1	-
Stoke Newington *H* - - - N.R.	30936	20	8	1	6	-	-	-	-	-	-	-	-	-	-	1	-
Stamford Hill - - - - E.L.	17759	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42302	27	26	4	7	-	2	-	1	1	-	-	-	-	-	3	3
Hackney *WwwH* - - E.L. & N.R.	96486	54	49	11	13	-	1	-	2	1	-	-	-	-	-	1	17
South Hackney *wH* - - - E.L.	41759	28	13	6	2	-	-	-	-	2	-	-	-	-	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	7	3	-	1	-	-	-	-	-	-	-	-	-	1	2	1
St. Giles North *H* - - - N.R.	9633	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	10	1	4	-	-	-	-	-	-	-	-	-	2	2	3
St. Mary-le-Strand *H* - - - N.R.	5706	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	4	9	1	2	-	-	-	-	-	-	-	-	-	1	-	9
Strand Union Workhouse, Edmonton -	†1037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	7	15	1	1	-	-	-	1	-	-	-	-	-	1	2	8
St. Andrew Eastern *WH* - - N.R.	15343	14	8	2	2	-	1	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16893	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	11	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Goswell-street - - - - N.R.	15375	19	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	43	16	4	5	-	-	-	-	-	-	-	-	-	1	8	2
Whitecross-street - - - N.R.	8278	4	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury - - - - N.R.	4985	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H* - - - N.R. & E.L.	8944	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - N.R.	4539	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	2	10	1	-	-	-	-	-	-	-	-	-	-	-	1	5
St. Bride *W* - - - - N.R.	6394	2	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Allhallows Barking - - - N.R.	10422	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street *H* - - - N.R.	3377	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*— house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the d Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT y, 30th March, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
tch South *HL** E.L. & N.R.	20098	8	8	2	-	-	-	-	-	-	-	-	-	-	2	1	3	-
New Town *w* - - - N.R.	29313	7	19	5	4	-	-	-	-	-	-	-	-	-	-	3	2	-
Old Town - - - N.R.	28354	17	15	3	2	-	-	-	-	-	-	-	-	-	-	3	-	-
ston *WH* - - N.R. & E.L.	46244	35	27	7	9	-	3	-	-	1	-	-	-	-	1	-	7	-
l Green North *H* - - E.L.	51520	27	15	3	4	-	-	-	-	-	-	-	-	-	1	3	1	-
l Green South - - - E.L.	33489	25	11	5	3	-	-	-	-	1	-	-	-	1	-	2	-	-
l Green East *WHL** - E.L.	44123	38	30	4	15	-	-	-	-	-	-	-	-	-	-	4	17	-
elds - - - E. N.R.	22456	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd New Town *W* - - E.L.	17908	24	11	5	2	-	-	-	-	-	-	-	-	1	-	-	7	-
chapel Church *H** E.L. & N.R.	20298	19	20	2	1	-	-	-	-	-	-	-	-	-	4	4	17	-
an's Fields - - - E.L.	13800	7	6	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
rge's, North - - - E.L.	37738	42	8	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-
n, St. George East *W* - E.L.	8057	9	8	1	2	-	-	-	-	-	-	-	-	-	-	1	5	-
ell *H* - - - E.L. & N.R.	10246	5	12	1	-	-	1	-	-	1	-	-	-	-	3	3	8	-
W - - - - - E.L.	14928	11	6	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
ouse - - - - - E.L.	32202	27	12	5	1	-	-	-	-	2	-	-	-	-	1	2	-	-
nd Old Town West *H* - E.L.	38650	40	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Old Town East *H Wow* E.L.	68942	48	28	9	8	-	-	-	1	1	-	-	-	-	1	3	7	-
L* - - - - - E.L.	40365	25	16	3	5	-	-	-	-	2	-	-	-	-	-	1	-	-
ley' *wowH* - - - E.L.	70000	31	32	8	7	-	1	-	1	1	-	-	-	1	-	-	8	-
r. *WW* - - - - E.L.	56383	39	38	6	9	-	2	1	1	1	-	-	-	1	2	7	3	-
SOUTH DISTRICTS.																		
tchurch Southwark *WH* L. & S.	18264	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
aviour Southwark - - - S.	13913	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
road - - - - S. & L.	21867	14	7	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
igh-road *WH* - - S. & L.	16624	10	5	1	-	-	-	-	1	-	-	1	-	-	-	-	4	-
on-road *HL* - - L. & S.	21221	11	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
ty Newington - - S. & L.	26596	14	10	3	3	-	-	-	-	1	-	-	-	-	1	1	-	-
eter Walworth *W* - S. & L.	61342	39	31	9	10	-	-	-	-	2	-	-	-	-	-	-	2	-
ary Newington - - L. & S.	27866	24	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ave *WH* - - - S.	12723	5	11	1	1	-	-	-	-	-	-	-	-	-	1	2	8	-
ner Market *W* - - S. & L	30612	18	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2
mes Bermondsey - - S.	54070	61	20	11	3	-	-	-	-	-	-	-	-	-	-	1	-	3
rhithe *WoH* - - S. & K.	32255	18	32	5	9	-	-	-	1	-	-	-	-	-	1	1	17	1
rloo-road 1st *H* - - L. & S.	14031	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
rloo-road 2nd *H* - - L. & S.	14644	23	8	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
beth Church 1st *H* - L. & S.	18075	14	16	3	-	-	-	-	1	1	-	-	-	-	-	-	10	-
beth Church 2nd *WW* - L. & S.	39097	29	29	3	7	-	-	-	-	1	-	-	1	-	2	2	15	1
ington 1st *H* - - S. & L.	50586	35	16	8	3	-	1	-	-	2	-	-	-	-	-	2	-	-
ington 2nd - - - S. & L.	39708	26	11	2	7	-	-	-	-	-	-	-	-	-	1	1	-	1
on *w* - - - - L. & S.	73405	46	18	2	9	-	-	-	-	1	-	-	-	-	1	1	1	-
ood *WH* - - - - L.	25687	7	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Battersea - - - S.	67244	41	25	11	5	-	1	-	1	-	-	-	-	-	-	1	-	-
Battersea *WoH* - - S.	88314	44	30	10	5	-	-	-	1	3	-	-	-	1	1	4	5	-
nam *H* - - - - S.	43698	25	18	5	5	-	2	-	-	-	-	-	-	-	-	-	1	-
dsworth *WHHL* - - - S.	46717	29	12	4	3	-	-	-	-	-	-	-	-	1	-	-	2	-
ey - - - - - - S.	17771	11	10	4	2	-	-	-	-	-	-	1	-	-	2	2	-	-
tham *wowo* - - - - L.	46756	30	19	3	12	-	-	-	-	-	-	-	-	-	-	-	3	-
rich - - - - L. & S.	6809	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell *WoL*L** - S. & L.	51686	43	43	7	15	-	-	-	-	-	-	-	-	-	1	2	23	-
ham *W* - - - S., L., & K.	83483	37	34	9	8	-	-	-	1	2	-	-	-	-	-	1	2	1
George Camberwell - - L. & S.	63366	42	40	7	3	-	-	-	1	-	-	-	-	-	1	1	-	-
ford, North - - - - K.	35314	25	12	6	-	-	1	-	-	2	-	-	-	1	-	-	-	-
ford, Central *w* - - - K.	42007	32	21	-	4	-	-	1	7	-	-	-	-	-	-	-	8	1
ford, South - - - - K.	30852	10	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich West *H* - - - K.	22007	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich East *WH* - - - K.	35233	22	11	-	7	-	-	-	-	-	-	-	-	-	3	3	8	-
am *wH* - - - - - K.	5682	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
isham *WH* - - - - K.	30950	19	18	3	8	-	-	-	-	1	-	-	-	-	1	1	7	-
nham *H* - - - - L.	34162	14	15	7	4	-	-	-	-	1	-	-	-	-	1	1	-	-
lton *HH* - - - - K.	14040	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
lwich Dockyard - - - K.	19606	13	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
lwich Arsenal *HHHH* - K.	21242	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1
nstead, West *H* - - - K.	15869	12	8	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-
nstead, East *WH* - - - K.	36567	23	21	3	7	-	-	1	-	-	-	1	-	-	-	-	9	-
stead Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
rham Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
e Hill Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
pital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
enth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
well Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
ey Hatch Asylum - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1	4	-
. Hospital - - - - -	-	-	4	-	-	-	-	3	-	1	-	-	-	-	-	-	4	-
chmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vesden Asylum - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ybury Asylum - - - - -	-	-	13	-	3	-	-	-	-	-	-	-	-	-	-	-	13	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 30th March, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,746	1,422,063	867	542	120	183	–	15	1	9	10	2	2	13	27	60
39 : 1	Carshalton *wHH*	12228	26108	12	8	1	5	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	6	13	3	6	–	–	–	–	–	–	1	–	–	11
37 : 1	Godstone, *part of** *W*	2754	1598	2	2	1	1	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	54	50	6	20	–	1	–	1	1	–	–	2	3	8
2	Mitcham *w*	11697	23088	9	9	3	5	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	22	8	1	1	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	8071	44765	24	11	3	2	–	–	–	1	–	–	–	–	–	1
3	Esher, *part of** *HH*	6601	12059	1	5	3	1	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	9	9	2	4	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25389	5	7	1	4	–	–	–	–	–	–	–	–	1	–
2	Mortlake *H*	2823	16159	6	3	1	–	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley *HHH*	9127	23315	13	11	1	4	–	–	1	–	–	–	–	1	1	1
2	Beckenham *H*	6542	21988	9	7	1	1	–	1	–	1	1	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	10	7	3	2	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HH*	12540	30590	21	8	1	6	–	–	–	–	–	–	–	1	1	–
2	Dartford *Work.*, pt. of*-	—	—	–	7	–	5	–	–	–	–	–	–	–	–	–	7
124 : 1	Sunbury *w*	11054	13671	6	6	1	3	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	9	3	1	1	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	8	7	–	4	–	–	–	–	–	–	–	–	–	2
2	Uxbridge	6172	5417	4	2	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12613	12	6	1	3	–	–	–	–	–	–	–	–	–	1
126 : 1	Isleworth *WHH*	6967	26273	19	11	5	3	–	–	–	–	–	–	–	–	–	2
2	Twickenham *HH*	2415	16027	10	8	2	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	23	10	1	5	–	–	–	–	–	–	–	1	2	–
4	Chiswick	1245	21963	16	5	–	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	13	15	3	6	–	–	–	1	1	–	–	–	–	–
127 : 1	Harrow *HHH*	13809	15715	6	4	–	2	–	–	–	–	–	–	–	1	1	–
2	Edgware *HH*	6994	3344	1	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	52	14	2	7	–	–	–	–	–	–	–	–	2	–
4	Hendon *WH*	8382	15843	10	3	2	–	–	–	–	–	–	–	–	–	2	–
128 : 1	South Mimms *H*	15599	8474	7	3	–	1	–	–	–	–	–	–	–	1	1	–
2	Barnet *WHH*	5441	11773	8	4	2	1	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	13	12	3	5	–	–	–	–	–	–	–	–	3	2
129 : 1	Hornsey *HH*	3039	61097	17	14	4	2	–	–	–	–	–	–	–	–	–	–
2	Tottenham *H*	4842	97174	71	28	12	5	–	–	–	–	1	–	1	2	3	1
3	Edmonton *Wwu*	7439	36351	26	10	4	3	–	–	–	–	–	–	–	–	–	2
4	Enfield *WWHH*	12639	31803	15	15	1	9	–	–	–	–	1	–	–	1	1	3
5	Waltham Abbey	11017	6066	5	3	1	–	–	–	–	–	2	–	–	–	–	–
6	Cheshunt *H*	8480	9620	3	4	2	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	583	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	3	2	1	1	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	37	19	2	5	–	–	–	2	–	–	–	–	–	–
2	Plaistow	1242	58030	53	24	9	6	–	1	–	–	–	–	–	1	2	–
3	Canning Town *H*	1558	54750	41	21	9	3	–	–	–	1	1	–	–	1	2	1
4	Forest Gate *w*	806	49140	36	17	6	6	–	–	–	–	–	1	–	–	–	–
5	East Ham *w*	3266	32713	34	14	6	–	–	–	–	–	–	1	–	1	1	–
6	Leyton *WWWwH*	4334	70188	46	39	6	16	–	–	–	1	–	–	–	–	1	16
7	Walthamstow *H L*	6501	57339	29	37	7	9	–	12	–	1	–	–	–	–	–	–
187 : 1	Chigwell *part of** *H*	11779	12341	8	4	–	2	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *H*	6556	4324	2	3	1	1	–	–	–	–	–	–	–	–	–	–
2	Ilford	8493	10913	9	4	2	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14391	9	3	1	1	–	–	–	–	2	–	–	–	–	–
	Midd. Co. Lun. Asy. Wandsworth.	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	2

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 39 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1738); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Sidcup, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford, 137 : 2, Watford, and 187 : 2, Epping sub-districts.

E 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 30th March, 1895.

EATER NDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ER LONDON	443,421	6,048,555	20·0	1·5	2323	519	656	–	38	14	40	59	7	16	86	524
R LONDON -	74,672	4,392,346	21·1	1·6	1781	390	473	–	23	13	31	49	5	14	73	464
E RING -	368,749	1,656,209	17·1	1·2	542	129	183	–	15	1	9	10	2	2	13	60

,—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

TIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
URGH -	273,535	March 30	135	123	23·4	–	15	–	1	1	1	3
OW - -	695,876	„ 30	485	333	25·0	2	3	3	2	12	–	6
N - -	349,594	„ 30	219	326	48·6	1	–	–	1	3	4	3
TTA - -	466,460	January 5	–	–	–	–	–	–	–	–	–	–
AY - -	821,764	March 12	193	480	30·4	9	15	?	?	?	108	27†
AS - -	452,518	February 15	302	279	32·0	–	1	?	?	?	83	46†
- - -	2,424,705	March 23	1137	1206	25·9	2	7	3	11*	10	2	42
SELS - -	498,400	„ 23	248	221	23·1	–	4	1	1*	1	1	10
ERDAM -	446,295	„ 23	313	241	27·7	–	–	–	4	2	1	–
ERDAM -	272,042	„ 23	238	171	32·7	–	1	1	–	1	–	–
HAGUE -	180,455	„ 23	82	99	28·5	–	–	–	3	1	1	–
NHAGEN -	341,000	„ 23	175	205	31·3	–	5	3	5	8	–	5
KHOLM -	252,937	„ 16	145	86	17·7	–	–	–	2*	–	–	–
STIANIA -	167,588	„ 23	35	62	19·2	–	–	1	–	1	–	3
ETERSBURG	954,400	„ 9	560	727	39·7	3	4	12	11	2	13	45
COW - -	753,469	„ 9	–	507	35·1	–	6	10	8	1	7	34
IN - -	1,724,544	„ 9	924	804	24·2	–	1	5	18	8	2	26
BURG - -	608,710	„ 16	–	275	23·5	1	–	2	7*	4	–	16
DEN - -	323,600	February 16	–	–	–	–	–	–	–	–	–	–
LAU - -	367,769	March 23	–	213	30·5	–	–	1	7*	–	–	18
ICH - -	396,000	„ 23	–	217	28·5	–	–	–	2*	–	–	16
NA - -	1,495,764	„ 23	911	871	30·3	–	6	5	11*	2	–	44
GUE - -	343,822	„ 16	214	245	37·1	–	2	3	4	1	2	6
A-PESTH -	566,022	„ 16	426	266	24·4	–	1	1	4	–	–	13
STE - -	160,825	„ 16	–	–	–	–	–	–	–	–	–	–
R - -	463,786	February 9	280	207	23·3	–	2	–	1	2	5‡	2
IN (8 days)	344,203	„ 28	168	214	28·3	–	3	3	2*	2	1	14
ICE -	158,159	March 9	90	114	37·6	–	–	–	2*	1	1	2
O - -	374,838	February 11	456	289	40·1	–	–	–	2*	1	2	75
XANDRIA -	231,396	„ 11	251	123	27·7	3	1	1	1*	3	4	24
Y YORK -	1,992,715	March 9	–	864	22·5	–	13	15	37	6	2	11
OKLYN -	1,080,000	„ 9	–	418	20·2	–	3	6	29	7	1	4
LADELPHIA	1,163,864	„ 9	–	570	25·5	1	–	–	23	2	16	8
Y ORLEANS -	275,000	„ 2	–	186	35·3	–	3	–	3	–	11	4

* Including deaths from croup.
† Including 1 death from cholera in Bombay and 4 in Madras.
‡ Including 4 deaths from malarial fever.

TABLE D.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 30TH MARCH, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	24	..	29·183	57·1	43·0	14·1	48·9	+ 6·8	42·2	6·7	11·2	1·5	78	97·0	38·0	42·63	SSW.	SW. & WSW.	36·0	0·2	3·3	799	+497	0·01	6·0
MONDAY	25	In Equator.	29·035	55·7	39·2	16·5	45·7	+ 3·3	38·2	7·5	18·2	0·0	75	107·7	34 5	43·09	SSW. & SW.	SSW. & SW.	4·7	0·0	0·5	436	+135	0·02	0·0
TUESDAY	26	New	29·179	53·2	40·8	12·4	45·5	+ 2·6	39·1	6·4	16·0	0·9	78	92·0	35·2	43·23	SSW. SW. & NW.	NW. & SW.	5·4	0·0	0·6	421	+121	0·01	0·0
WEDNESDAY	27	..	28·911	54·3	38·1	16·2	45·5	+ 2·2	45·1	0·4	4·8	0·0	99	80·2	35·6	43·21	SSW. & SE.	SSW.	7·3	0·0	0·4	389	+ 89	0·48	0·0
THURSDAY	28	..	28·762	49·7	40·8	8·9	44·4	+ 0·7	37·2	7·2	10·3	4·0	76	86·2	38·7	43·24	SSW.	SW.	19·1	0·0	2·1	736	+437	0·04	1·0
FRIDAY	29	..	28·976	47·0	39·1	7·9	41·5	− 2·6	36·3	5·2	8·8	2·5	82	73·9	36·8	43·30	SW.	WSW.	7·8	0·0	1·2	557	+258	0·11	4·5
SATURDAY	30	..	29·200	49·0	35·4	13·6	40·7	− 3·9	35·5	5·2	12·8	2·1	82	97·1	33·0	43·16	SW.	SW.& WSW.	5·1	0·0	0·7	421	+123	0·04	4·5
MEANS		..	29·035	52·3	39·5	12·8	44·6	+ 1·3	39·1	5·5	11·7	1·6	81	90·6	36·0	43·12	SW.		..	..	..	Sum 3759	Sum +1660	Sum 0·71	2·3
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. March.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	24	w. P. till afternoon; m. P. afterwards.	2·8	12·4	A gale of wind till afternoon, with occasional rain; solar halo shortly after noon; very fine in afternoon; cloudless at night. Occasional flashes of lightning between 8h. and 9h. P.M.
MONDAY	25	w. P. till afternoon; m. P. afterwards, with occasional s. N.	6·1	12·4	Very fine, with little cloud till afternoon; cloudy and showery afterwards.
TUESDAY	26	v. P. and v. N. till 9h. A.M.; v. P. afterwards.	1·9	12·5	Variable and showery in morning; fine afterwards, generally cloudless at night.
WEDNESDAY	27	v. P. and v. N. throughout.	0·0	12·6	Overcast generally; frequent rain.
THURSDAY	28	w. P. in morning; v. P. and v. N. during afternoon; m. P. in evening.	1·9	12·6	Variable and showery till afternoon; cloudless and very fine at night. Strong wind.
FRIDAY	29	m. P. in morning; s. P. and s. N. afterwards.	0·5	12·7	Cloudy and showery till evening (hail about 4h. P.M.); cloudless at night.
SATURDAY	30	w. P. till noon; v. P. and s. N. afterwards.	4·3	12·8	Cloudless and very fine in early morning; variable and showery afterwards. Hail fell occasionally between noon and 1h. P.M.
			Sum 17·5	Sum 88·0	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·48 in. at the beginning of the week to 29·08 in. by noon on the 24th; increased to 29·33 by 8h. P.M. on the same day; decreased to 28·90 in. by 9h. P.M. on the 25th; increased to 29·39 in. by 9h. P.M. on the 26th; decreased to 28·72 in. by noon on the 28th; and increased to 29·26 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 14. 1895. Vol. LVI.] Week ending Saturday, April 6. [Price 1½*d*.

General Register Office, Somerset House,
April 8th, 1895.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 21·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Towns.	Weeks ending Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.
Birkenhead	30·1	18·9	16·5	18·4	Liverpool - -	37·1	27·7	25·5	24·9
Birmingham	30·9	31·4	27·1	26·9	London - -	33·4	26·0	21·1	19·0
Blackburn -	22·1	36·4	26·2	27·0	Manchester -	33·1	36·5	30·8	26·4
Bolton -	32·3	30·6	37·1	23·6	Newcastle-on-Tyne	34·5	29·0	21·9	16·9
Bradford -	36·4	26·9	22·8	19·3	Norwich - -	15·6	21·4	18·5	18·0
Brighton -	48·0	47·5	36·6	20·5	Nottingham -	32·2	20·7	18·9	15·4
Bristol -	30·4	33·6	24·2	24·9	Oldham - -	44·0	38·1	29·6	28·5
Burnley -	31·9	25·1	42·4	33·0	Plymouth - -	32·2	28·1	24·6	15·2
Cardiff -	26·5	22·1	15·1	20·8	Portsmouth -	34·9	28·0	22·7	20·0
Croydon -	34·5	25·4	16·8	10·9	Preston - -	40·3	31·5	30·6	31·9
Derby -	21·3	22·4	27·0	23·9	Salford - -	30·0	33·6	29·8	23·0
Gateshead -	26·1	25·6	20·7	20·7	Sheffield - -	27·7	25·1	21·0	20·7
Halifax -	31·7	20·6	17·8	23·3	Sunderland -	27·3	30·3	23·1	25·7
Huddersfield	26·7	32·0	21·5	13·1	Swansea - -	28·5	19·9	14·5	22·0
Hull - -	22·9	26·9	27·9	25·5	West Ham - -	26·8	20·7	19·4	15·7
Leeds -	34·0	32·2	24·9	21·9	Wolverhampton -	33·4	37·1	38·3	25·5
Leicester -	20·7	23·1	21·8	23·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Cardiff, 1·1 in Sheffield, and 3·1 in Bolton; and from *whooping-cough*, 1·0 in Norwich and in Salford, 1·2 in Portsmouth, 1·4 in Preston, and 2·1 in Burnley. In none of the thirty-three towns did the death-rate from *scarlet fever*, "*fever*," or *diarrhœa* reach 1·0 per 1000. The 51 deaths from *diphtheria* included 23 in London, 5 in Birmingham, 4 in Manchester, and 3 in West Ham. One death from *small-pox* was registered in Derby, but not one in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

A 86721.—1. 650.—4/95. Wt. 259.

London.

In London 2731 births and 1597* deaths were registered. Allowing for increase of population, the births were 6 above, and the deaths 119 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 33·4, 26·0, and 21·1 in the preceding three weeks, further fell last week to 19·0. During the four weeks ending on Saturday last the death-rate averaged 24·9 per 1000, being 3·6 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1597 deaths included 18 from measles, 11 from scarlet fever, 23 from diphtheria, 44 from whooping-cough, 6 from enteric fever, 15 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 117 deaths were referred to these diseases, being 85 below the corrected average weekly number.

The deaths from *measles*, which had been 12, 19, and 23 in the preceding three weeks, fell again last week to 18, and were 46 below the corrected average; 4 belonged to Shoreditch sanitary area. The deaths from *scarlet fever*, which had been 4, 15, and 13 in the preceding three weeks, further fell last week to 11, the corrected average being 15; 2 belonged to Islington, and 2 to Hackney sanitary areas. The deaths from *diphtheria*, which had been 27, 24, and 31 in the preceding three weeks, fell again last week to 23, and were 5 below the corrected average; 3 belonged to Islington, 3 to Shoreditch, and 2 to Westminster sanitary areas. The deaths from *whooping-cough*, which had been 56, 43, and 49 in the preceding three weeks, fell again last week to 44, and were 23 below the corrected average; 5 belonged to Camberwell, 4 to Mile End Old Town, 4 to Lambeth, and 4 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 4 in each of the preceding three weeks, rose last week to 6, but were 2 below the corrected average; 2 belonged to Poplar sanitary area. The deaths from *diarrhœa*, which had been 10, 14, and 14 in the preceding three weeks, were 15 last week, the corrected average being 14.

The deaths referred to diseases of the respiratory organs, which had been 1448, 1366, 1031, 740, and 497 in the preceding five weeks, further fell last week to 427, but were 17 above the corrected average.

The deaths attributed directly to *influenza* numbered 63, having been 349, 225, and 116 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 12 were cases of suicide, and one of homicide, while the remaining 42 were attributed to accident or negligence. One of these was caused by a vehicle in the street, one by a conflagration, one by poison, 2 by drowning, and 15 (of infants under one year of age) by suffocation in bed.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 53 cases of small-pox, 1519 of scarlet fever, 440 of diphtheria, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 7 cases, against 12, 14, and 11; of scarlet fever, 143 cases, against 133, 184, and 161; of diphtheria, 71 cases, against 61, 64, and 67; and of enteric fever, 4 cases, against 4, 12, and 12.

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

Deaths belonging to the several Sanitary Areas of Registration London registered in the 13 weeks ending on 30th March, 1895.

Sanitary Areas.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and undefined Fever.	Diarrhœa.			
REGISTRATION LONDON	28,001	10	300	141	420	511	1	126	3	165	2,329	5,621	158
West.													
Paddington	749	–	12	4	8	3	–	1	–	3	54	128	162
Kensington	957	–	3	2	11	8	–	7	–	8	75	153	157
Hammersmith	629	–	1	2	9	14	–	4	–	4	39	141	176
Fulham	738	–	5	8	14	9	–	3	–	5	42	198	197
Chelsea	690	–	4	4	8	12	–	3	–	6	62	117	154
St. George Hanover Square	455	–	2	1	3	13	–	1	–	2	28	68	188
St. Margt & St. John Westr.	388	–	–	–	5	5	–	–	–	–	39	64	183
St. James Westminster	164	–	–	–	1	4	–	–	–	–	9	29	210
North.													
St. Marylebone	1,034	9	2	5	4	15	–	6	1	1	92	164	142
Hampstead	303	–	4	2	2	2	–	3	–	2	19	52	139
St. Pancras	1,549	–	8	13	22	47	–	7	–	9	122	323	175
Islington	1,937	–	8	22	27	35	1	9	1	13	185	352	134
Stoke Newington	163	–	1	–	1	2	–	3	–	–	8	28	122
Hackney	1,184	–	14	5	17	20	–	6	–	8	107	201	127
Central.													
St. Giles	318	–	3	1	1	6	–	–	–	1	35	42	139
St. Martin-in-the-Fields	85	–	–	–	4	2	–	–	–	–	7	14	259
Strand	208	–	–	1	4	3	–	3	–	–	23	29	181
Holborn	269	–	11	1	1	1	–	–	–	3	29	48	210
Clerkenwell	453	–	–	3	6	18	–	2	–	1	38	104	176
St. Luke	367	–	1	2	3	11	–	1	–	–	30	75	141
City of London	241	–	1	1	2	1	–	5	–	–	14	24	162
East.													
Shoreditch	897	–	18	2	7	33	–	4	–	1	88	205	175
Bethnal Green	826	–	16	3	14	8	–	2	–	3	74	185	151
Whitechapel	517	–	5	–	5	3	–	2	–	1	61	95	123
St. George-in-the-East	372	–	6	2	5	11	–	–	–	3	28	102	195
Limehouse	467	–	11	2	10	18	–	2	–	4	42	102	178
Mile End Old Town	698	–	7	4	22	10	–	–	–	3	55	156	138
Poplar	1,198	–	47	9	33	23	–	4	–	8	81	278	163
South.													
St. Saviour	210	–	–	1	2	–	–	–	–	1	22	48	204
St. George-the-Mar. Southwk.	500	–	–	2	5	8	–	1	–	–	56	117	191
Newington	946	1	5	3	11	19	–	3	–	10	90	217	194
St. Olave	96	–	–	–	–	1	–	2	–	1	10	22	198
Bermondsey	585	–	3	3	2	5	–	3	–	4	56	128	142
Rotherhithe	246	–	1	1	3	6	–	3	–	3	22	63	168
Lambeth	1,873	–	5	6	18	48	–	5	1	14	164	379	152
Battersea	922	–	22	4	23	28	–	6	–	7	71	259	188
Wandsworth	1,086	–	11	3	11	6	–	8	–	9	67	166	129
Camberwell	1,485	–	5	8	42	15	–	9	–	15	127	320	164
Greenwich	1,064	–	23	3	38	17	–	4	–	7	66	201	139
Lee	186	–	10	1	1	4	–	1	–	1	11	36	176
Lewisham (excluding Penge)	440	–	5	2	4	16	–	2	–	1	31	67	130
Woolwich	228	–	3	1	3	1	–	–	–	3	26	60	176
Plumstead	278	–	17	4	8	–	–	1	–	–	24	61	116

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 596 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 454 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Greater London.

In Greater London 3715 births and 2066 deaths were registered, corresponding to annual rates of 32·0 and 17·8 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 10 from diphtheria, and 8 from whooping-cough were recorded. Of the 14 deaths from measles, 10 occurred in Walthamstow sub-district. The 10 deaths from diphtheria included 6 which occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 41°·5, the latter being 4°·4 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 9·8 hours; the measured rainfall amounted to 0·12 of an inch.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of March 1895. The supply was in the ratio of 282 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	MARCH. 1894.	MARCH. 1895.	MARCH. 1894.	MARCH. 1895.
TOTAL SUPPLY	803,215	813,528	185,463,942	229,272,068
From Thames	388,007	393,133	94,569,624	112,562,290
From Lea and from other Sources	415,208	420,395	90,894,318	116,709,778
THAMES.				
Chelsea	36,791	36,950	10,730,938	12,855,115
West Middlesex	77,527	78,486	17,799,251	19,732,717
Southwark and Vauxhall	116,377	117,544	30,176,875	37,565,511
Grand Junction	58,865	59,549	17,157,926	18,609,876
Lambeth	98,447	100,604	18,704,634	23,799,071
LEA AND OTHER SOURCES.				
New River	157,500	158,207	32,808,000	38,859,000
East London	177,274	180,741	42,962,733	58,477,148
Kent	80,434	81,447	15,123,585	19,373,630

Note.—The Return for March 1895, as compared with that for the corresponding month of 1894, shows an increase of 10,313 services and of 43,808,126 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MARCH, 1895.

Water-analysis Laboratory, The Yews, Reigate,
6th April, 1895.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of March.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·7, Tottenham 1·3, East London (deep-well) 1·5, New River 1·6, Chelsea 2·1, Colne Valley 2·2, West Middlesex 2·8, Grand Junction 3·1, East London (river supply) 3·3, Southwark 3·9, and Lambeth 4·1. The unfiltered river water contained the following proportions:—Thames at Hampton 4·8, New River Cut 3·3, and the Lea at Angel Road 5·1.

The Thames at Hampton was, on March 11th, turbid and yellow in colour; it was below its average chemical quality and of very bad bacterial quality. Storage for periods varying from 6 to 14·7 days reduced the number of bacteria to a maximum of less than one-sixth and a minimum of less than one-twentieth of the original amount. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and improved in chemical quality. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers:—Chelsea 99·78, West Middlesex 99·19, Southwark (No. 4 filter well) 99·84, (No. 8 filter well) 99·53, Grand Junction (general well at Hampton) 97·28, (general well at Kew Bridge) 99·4, and Lambeth 99·31.

The New River Cut before entering the subsidence and storage reservoirs was, on March 13th, turbid and pale yellow in colour. It was of good chemical, but inferior bacterial quality; even

after passing the storage reservoirs, it still contained upwards of 6,000 bacteria per c.c. After filtration, the New River Company delivered it in a clear, bright, and colourless condition, and improved it, bacterially, to the extent represented by the following percentage numbers :—General filter well 99·29, No. 2 filter well 99·53, and No. 8 filter well 95·83. The water taken from the Lea at Angel Road by the East London Company was, on March 13th, turbid and yellow ; both in chemical and bacterial quality it was inferior to the Thames at Hampton two days previously ; even after storage for 15 days, it still contained a large number of bacteria; but it was efficiently filtered before delivery, and much improved in chemical quality. The bacterial improvement is expressed by the following percentage numbers :—No. 1 Essex well 99·45, No. 2 Essex well 99·05, Middlesex well 97·04, and No. 12 filter bed 99·68.

The deep-well waters of the Kent and East London Companies, and of the Tottenham Local Board of Health, possessed a high degree of organic purity and were of excellent quality for dietetic purposes; the Tottenham water was, however, very slightly turbid. The Colne Valley Company's water contained more organic matter than usual, but this was of vegetable origin, and in other respects the water was of excellent quality. It was softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the New River, Kent, and East London (deep-well) waters were clear and colourless, the Colne Valley clear and nearly colourless, the Tottenham very slightly turbid and colourless, the East London (river supply), clear and pale yellow, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, and of the supplies of the various Companies collected on the 11th, 13th, and 14th of March furnished the results contained in the following table :—

Description.	Microbes per c.c.	Temp. C.
Raw, Stored, and Gravel Waters.		
Thames at Hampton	36,560	5°5
„ after storage for 14·7 days (Chelsea Company)	5,400	3·7
„ „ „ 6 days (Lambeth „)	3,000	—
„ „ „ 6·3 „ (West Middlesex Company)	1,620	4·3
Grand Junction Company's unfiltered water (arriving from Hampton) at Kew Bridge	4,700	—
New River Cut before entering reservoirs	11,800	8·0
„ „ after storage but before filtration	6,560	6·3
River Lea at Angel Road	40,800	6·2
„ after storage for 15 days (East London Company)	17,160	4·4
Southwark Company's gravel water	120	3·9
Filtered River Water as supplied.		
Thames.		
Chelsea, general filter well	80	2·8
West Middlesex, general filter well	296	4·2
Southwark, No. 4 filter well	60	4·9
„ No. 8 filter well	172	5·0
Grand Junction, general filter well at Hampton	996	5·2
„ „ „ „ Kew Bridge	220	5·4
Lambeth, general filter well	252	4·4
Lea.		
New River, general filter well	84	5·7
„ No. 2 „	56	5·7
„ No. 8 „	492	5·7
East London, No. 1 Essex well	224	4·0
„ No. 2 „	388	3·7
„ Middlesex well	1,208	3·7
„ No. 12 bed	132	4·5
Deep Well.		
Kent, new well at Deptford	8	11·3

From this table it is evident that the effects of the recent very low temperatures had not disappeared in the case of the raw waters. whilst several of the filtered waters also still contained an abnormal number of microbes. The water pumped from the gravel, however, was of remarkably good bacterial quality.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very slightly turbid and greyish green in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

E. Frankland.

The Registrar General, &c. &c.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	March 11th. Grand Junction Co.'s intake at Hampton.	5°·5	32·28	·235	·048	·010	·286	·342	1·8	20·0
	Chelsea - - -	March 14th. Cab Rank, Horse Guards, Whitehall.	3·8	29·20	·108	·014	0	·302	·316	1·6	19·4
	West Middlesex -	March 14th. Riding House-street.	4·3	29·50	·146	·020	0	·281	·301	1·7	19·4
	Southwark -	March 14th. St. George's Church, Borough.	5·8	30·18	·203	·027	0	·275	·302	1·8	20·0
	Grand Junction -	March 14th. Portman-street, Oxford Street.	6·3	30·08	·156	·029	0	·276	·305	1·8	20·6
	Lambeth - -	March 14th. St. George's-road, Southwark.	5·7	31·90	·214	·030	0	·283	·313	1·8	21·2
	LEA. (Unfiltered water) -	March 13th. New River Cut at Green-lanes.	8·0	36·32	·166	·029	·005	·273	·306	2·0	20·9
	New River - -	March 14th. Cab Rank, Tottenham Court-road.	6·1	33·44	·083	·011	0	·295	·306	1·9	21·8
	(Unfiltered water) -	March 13th. East London Co.'s intake at Angel-road.	6·2	39·60	·261	·042	·008	·357	·406	2·1	23·9
	East London -	March 14th. Fire Brigade Station, Commercial-road, E.	5·7	35·20	·172	·024	0	·353	·377	1·9	22·7
	DEEP WELLS. Kent - - -	March 14th. Police Station, Blackheath-road.	11·3	39·52	·038	·005	0	·478	·483	2·3	25·7
Outer Circle.	Colne Valley - -	March 20th. Bushey.	—	18·56	·110	·020	·020	·546	·582	2·3	6·3
	Tottenham - -	March 19th. Tottenham.	—	41·32	·065	·009	·068	·044	·109	2·8	23·3
	East London - -	March 28th. Lea Bridge Well.	—	38·16	·078	·010	·058	0	·058	1·6	22·1
	Corporation of Birmingham* - - -	March 18th. Gem Terrace, Icknield Port-road.	6·1	32·8	·275	·055	·001	·180	·236	1·8	25·1
	Corporation of Glasgow† -	March 15th. Loch Katrine water.	3·9	2·32	·163	·021	0	·005	·026	0·8	0·9
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 14th of March at the Horse Guards cab rank, had a temperature of 3°·8 C.; 100,000 lbs. of it contained 29·20 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·108 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·302 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·316 lb. The above weight of water also contained 1·6 lb. of chlorine and 19·4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 6th Apr. 1895. Births.	Registered during the Week ending 6th Apr. 1895. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6611	4280	1021	1090	1	53	21	51	93	17	38	133	260	837	69	21·1	1·3	58·0	24·0	39·9	4·39	0·35	0·89	33 Towns.
London	4,892,346	2731	1597	357	407	–	18	11	23	44	6	15	55	114	432	15	19·0	1·4	52·2	31·4	41·5	5·28	0·12	0·30	London.
West Ham	249,473	169	75	24	22	–	2	–	3	1	–	2	1	3	11	2	15·7	1·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	61	24	6	5	–	–	–	1	1	–	–	–	–	3	–	10·9	0·9	52·0	28·0	40·3	4·61	0·02	0·05	Croydon.
Brighton	119,604	71	47	9	20	–	–	–	–	2	–	–	5	3	6	1	20·5	0·9	52·0	32·4	42·2	5·67	0·36	0·91	Brighton.
Portsmouth	174,751	91	67	10	29	–	–	–	–	4	1	1	2	5	14	1	20·0	1·8	49·5	31·0	41·6	5·33	0·00	0·00	Portsmouth.
Plymouth	89,096	53	26	7	9	–	–	–	–	–	–	1	–	1	2	–	15·2	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,189	128	109	22	40	–	–	–	–	–	–	–	1	5	15	–	24·9	–	51·0	29·0	39·9	4·39	0·35	0·89	Bristol.
Cardiff	155,687	120	62	21	7	–	3	–	2	2	–	–	7	7	8	2	20·8	2·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	77	41	14	10	–	–	–	1	1	–	1	1	3	2	1	22·0	1·6	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	56	42	13	10	–	–	1	2	–	–	–	1	1	5	–	25·5	1·8	49·8	24·0	37·4	3·00	0·17	0·43	Wolverhampton.
Birmingham	496,751	313	256	60	74	–	–	–	5	1	–	–	6	3	50	10	26·9	0·6	–	–	–	–	–	–	Birmingham.
Norwich	107,127	65	37	7	12	–	–	–	–	2	–	–	1	5	5	–	18·0	1·0	49·0	29·0	39·5	4·17	0·46	1·17	Norwich.
Leicester	193,839	143	86	28	22	–	–	–	1	3	–	1	1	7	10	2	23·1	1·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	118	67	12	19	–	–	3	1	2	1	–	1	3	9	1	15·4	1·6	50·9	27·8	39·4	4·11	0·37	0·94	Nottingham.
Derby	100,272	63	46	14	10	1	–	–	–	–	–	1	1	3	3	1	23·9	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	68	38	12	8	–	–	–	–	–	–	–	2	4	1	–	18·4	–	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	356	241	67	41	–	5	1	2	3	2	5	14	19	52	8	24·9	1·9	49·8	33·1	39·7	4·28	0·60	1·52	Liverpool.
Bolton	119,337	89	54	13	11	–	7	–	–	1	1	–	–	1	3	–	23·6	3·9	–	–	–	–	–	–	Bolton.
Manchester	524,865	328	266	67	58	–	7	–	4	7	1	2	7	19	73	4	26·4	2·1	–	–	–	–	–	–	Manchester.
Salford	208,253	149	92	19	14	–	–	1	–	4	2	3	3	4	15	–	23·0	2·5	–	–	–	–	–	–	Salford.
Oldham	141,079	81	77	12	17	–	–	–	1	2	–	1	1	4	15	1	28·5	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	61	63	15	20	–	–	1	1	4	–	1	1	1	6	1	33·0	3·7	–	–	–	–	–	–	Burnley.
Blackburn	127,615	76	66	19	19	–	–	–	–	1	–	2	1	1	4	2	27·0	1·2	–	–	–	–	–	–	Blackburn.
Preston	112,638	73	69	19	17	–	1	–	–	3	–	–	3	3	6	1	31·9	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	35	25	4	7	–	1	–	–	–	–	–	–	–	1	1	13·1	0·5	50·0	30·0	38·4	3·56	0·77	1·96	Huddersfield.
Halifax	93,813	41	42	8	13	–	–	–	–	–	1	–	–	1	1	–	23·3	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	115	84	12	25	–	–	–	–	–	–	–	1	5	13	2	19·3	–	47·6	32·4	39·5	4·17	0·74	1·88	Bradford.
Leeds	395,546	239	166	38	47	–	2	–	–	–	–	1	8	19	22	–	21·9	0·4	–	–	–	–	–	–	Leeds.
Sheffield	342,768	213	136	43	31	–	7	1	2	1	–	1	2	2	19	8	20·7	1·8	–	–	–	–	–	–	Sheffield.
Hull	236,722	154	106	31	29	–	–	2	2	1	–	–	3	4	13	4	25·5	1·2	58·0	29·0	39·4	4·11	0·26	0·66	Hull.
Sunderland	137,705	97	68	13	19	–	–	–	–	2	1	–	–	1	7	1	25·7	1·1	–	–	–	–	–	–	Sunderland.
Gateshead	15,871	55	38	9	6	–	–	–	–	1	–	–	–	1	1	–	20·7	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	122	67	16	12	–	–	–	–	–	1	–	4	8	10	–	16·9	0·3	–	–	–	–	–	–	Newcastle.

*, See note * on first page of this return.

† Urban Sanitary District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2473	2700	2538	2588	2676	2329	2820	2448	2566	2682	2725·1	2731
Males . . .	1223	1378	1310	1305	1408	1204	1468	1246	1275	1324	1386·9	1390
Females .	1250	1322	1228	1283	1268	1125	1352	1202	1291	1358	1338·2	1341
TOTAL **Deaths**	1859	1578	1437	1593	1572	1419	1722	1812	1683	1587	1716·3	1597
Males . .	971	780	752	841	807	720	914	953	884	836	892·7	868
Females .	888	798	685	752	765	699	808	859	799	751	823·6	729

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.
TOTAL **Births** - -	2922	2818	2612	2587	2736	2737	2787	2671	2681	2821	2650	2466	2731
TOTAL **Deaths** - -	1622	1689	1481	1598	1768	2467	2863	3246	3471	2817	2190	1781	1597
Ages at Death: Under 1 year -	369	370	311	337	386	452	505	524	618	611	448	390	357
1— 5 years -	200	205	151	192	188	250	337	357	395	347	332	282	290
5—20 " -	90	96	80	87	82	99	92	100	101	108	79	88	79
20—40 " -	224	197	190	221	237	278	280	288	320	265	226	222	176
40—60 " -	288	331	314	324	341	521	612	646	669	502	427	326	288
60—80 " -	360	390	362	373	442	700	868	1077	1089	753	533	410	335
80 years & upwards	91	100	73	64	92	167	169	254	279	231	145	63	72
Deaths from—													
Small-pox - - - -	-	1	-	2	3	1	1	1	-	1	-	-	-
Measles - - - -	30	35	21	13	17	27	26	20	23	12	19	23	18
Scarlet fever - - -	12	9	7	11	15	18	10	7	6	4	15	13	11
Diphtheria - - -	34	31	29	45	34	27	29	31	34	27	24	31	23
Whooping-cough - -	35	21	27	30	29	48	42	53	55	56	43	49	44
Typhus - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric fever - - -	16	20	16	9	13	10	3	7	8	4	4	4	6
Simple Continued fever -	-	-	1	-	-	-	1	-	-	-	-	1	-
Diarrhœa and Dysentery -	15	16	10	12	12	10	12	11	16	10	14	14	15
Cholera - - - -	-	-	1	-	-	-	-	1	-	-	-	1	-
All the above Diseases	142	133	112	122	123	141	124	131	143	114	119	136	117
Dis. of Respiratory System	389	399	324	377	480	840	1120	1448	1366	1031	740	497	427
Phthisis - - -	159	139	161	166	157	210	230	218	222	214	181	173	186
Dis. of Circulatory System	161	162	162	161	160	248	269	242	244	184	154	138	127
Violence - - - -	77	76	58	68	81	89	86	57	67	77	59	74	55
Inquest Cases - - -	155	173	149	160	195	239	255	211	222	194	135	145	114
Deaths in Public Institutions	439	432	462	477	480	663	692	739	693	641	536	464	432
TEMPERATURE OF THE AIR													
Mean - - - -	29°·8	40°·4	35°·6	26°·9	22°·4	26°·0	34°·0	36°·2	36°·5	43°·7	48°·3	44°·6	41°·5
Mean of Highest readings -	32·5	44·0	41·2	32·0	29·5	32·4	40·1	42·1	43·3	52·6	58·2	52·3	48·3
Mean of Lowest readings -	27·2	35·6	29·8	21·9	14·9	19·8	28·5	31·7	31·7	35·9	39·7	39·5	36·0
Humidity of the Air - -	87	89	84	75	68	66	84	81	86	77	80	81	84
Rain-fall (in inches) - -	0·01	0·72	0·54	0·28	0·02	0·00	0·00	0·19	0·34	0·02	0·18	0·71	0·12
Registered Sunshine (in hours)	1·7	4·7	6·4	4·8	16·4	14·5	8·3	5·2	12·3	29·8	21·4	17·5	9·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	28	32	35	51	56	67	75	68	56	57	58	55	53
Scarlet fever - - - -	1713	1653	1662	1653	1667	1658	1658	1621	1619	1615	1587	1555	1519
Diphtheria - - - -	517	514	528	519	500	497	486	463	455	456	455	435	440
Enteric fever - - - -	107	115	121	115	117	111	107	95	80	70	72	73	66

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTEENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 14th Week of the 10 years 1885-94.*	In the Week ending Saturday, 6th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1716·3	1597	357	290	79	176	288	335	72
Small-pox: Vaccinated† -	1·5	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·3	-	-	-		-	-	-	-
Small-pox: No Statement	1·8	-	-	-	-	-	-	-	-
Measles - - - -	63·7	18	1	16	1	-	-	-	-
Scarlet Fever - -	14·6	11	-	10	1	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	9·8	63	6	6	5	5	16	19	6
Whooping-cough - -	67·1	41	19	23	2	-	-	-	-
Diphtheria - - -	28·3	23	1	19	2	1	-	-	-
Simple Continued and Ill-defined Fever -	1·6	-	-	-	-	-	-	-	-
Enteric Fever - -	8·3	6	-	3	1	1	1	-	-
Cholera and Chol. Diarr.	0·4	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	13·6	15	6	6	-	-	-	2	1
Intermittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections - -	10·3	13	6	3	-	4	-	-	-
Erysipelas - - -	6·0	4	-	1	-	-	1	-	2
Pyæmia and Septicæmia	3·0	1	-	-	1	-	-	-	-
Puerperal Fever - -	5·4	3	-	-	-	3	-	-	-
Other Zymotic Diseases	1·2	1	-	1	-	-	-	-	-
Thrush - - - -	1·1	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·4	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·3	-		-	-	-	-	-	-
Alcoholism - - -	6·1	5	-	-	-	1	4	-	-
Rheumatic Fever, Rheumatism of Heart	7·2	1	-	-	-	-	1	-	-
Rheumatism - -	1·3	2	-	-	-	-	-	2	-
Gout - - - -	3·5	2	-	-	-	-	2	-	-
Rickets - - - -	4·6	7	3	3	1	-	-	-	-
Cancer - - - -	59·8	64	-	1	-	7	28	25	3
Tabes Mesenterica -	21·3	24	14	5	-	3	2	-	-
Tubercular Meningitis -	25·8	26	3	17	5	1	-	-	-
Phthisis - - -	173·9	185	2	8	17	77	60	22	-
Scrofula, Tuberculosis -	22·8	22	7	6	3	5	1	-	-
Other Constitutional Diseases - - -	12·5	8	2	-	1	1	2	2	-
Premature Birth - -	40·0	54	54	-	-	-	-	-	-
Atelectasis - - -	3·5	6	6	-	-	-	-	-	-
Congenital Malformations - - - -	6·9	6	4	2	-	-	-	-	-
Old Age - - - -	55·3	48	-	-	-	-	1	23	24
Apoplexy - - -	44·5	37	1	1	-	1	6	26	2
Epilepsy - - -	7·2	5	-	-	2	2	1	-	-
Convulsions - - -	48·3	30	24	6	-	-	-	-	-
Other Diseases of Brain and Nervous System	100·5	81	10	19	4	9	18	20	1

CAUSES OF DEATH.	Corrected Averages for the 14th Week of the 10 years 1885-94.*	In the Week ending Saturday, 6th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·8	4	2	-	1	1	-	-	-
Diseases of Circulatory System - - -	136·6	127	5	2	1	11	42	61	5
Croup - - - -	10·3	4	1	2	1	-	-	-	-
Bronchitis - - -	227·4	256	67	54	2	6	29	79	19
Pneumonia - - -	133·2	133	32	52	5	8	19	17	-
Pleurisy - - - -	7·1	5	-	2	1	1	1	-	-
Other Diseases of Respiratory System - -	31·8	29	7	5	2	2	6	6	1
Dentition - - -	16·1	7	2	5	-	-	-	-	-
Quinsy, Sore Throat -	1·2	1	-	1	-	-	-	-	-
Enteritis - - -	7·5	13	7	2	3	-	1	-	-
Peritonitis - - -	6·5	5	-	-	1	3	1	-	-
Diseases of Liver - -	25·4	22	2	-	1	2	12	5	-
Other Diseases of Digestive System -	32·6	29	6	3	5	1	5	5	4
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	1	-	-	1	-	-	-	-
Diseases of Urinary System - - -	45·2	27	-	-	-	3	10	11	3
Diseases of Generative System - - -	5·6	10	-	-	1	2	3	4	-
Accidents of Childbirth -	3·9	2	-	-	-	1	1	-	-
Diseases of Locomotive System - - -	7·5	2	-	1	1	-	-	-	-
Diseases of Integumentary System - -	4·9	5	1	-	-	-	-	3	1
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - -	57·2	-	-	-	-	-	-	-	-
By Vehicles or Horses -		1	-	-	-	-	-	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations - -		1	-	-	1	-	-	-	-
By Burns, Scalds, Explosions - - -		6	-	3	2	-	-	1	-
By Drowning - -		2	-	-	-	2	-	-	-
By Suffocation in Bed -		15	15	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	1	-	-	-
Other or not stated Causes - - - -		15	2	-	4	3	5	1	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	1	-	-	-	-	1	-	-
Suicide - - - -	9·1	12	-	-	-	7	5	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·9	44	39	2	-	-	3	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET
during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON	4,211,743	2731	1597	357	407	–	18	11	23	44	–	6	–	15	55	114	432	1
WEST DISTRICTS	740,735	402	265	59	76	–	1	–	3	6	–	1	–	1	9	18	74	1
NORTH DISTRICTS	903,884	630	359	80	91	–	1	5	8	8	–	1	–	4	17	27	91	–
CENTRAL DISTRICTS	247,538	148	114	18	25	–	1	–	1	3	–	1	–	1	9	15	40	–
EAST DISTRICTS	705,114	515	279	63	51	–	12	–	5	11	–	2	–	4	8	31	81	–
SOUTH DISTRICTS	1,524,472	1036	544	137	153	–	2	4	6	16	–	1	–	5	12	23	110	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	36	–	11	–	1	2	–	–	–	–	–	–	–	–	36	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	45	25	4	9	–	–	–	–	–	–	–	–	–	1	2	3	–
St. John Paddington *H* – G.J.	33687	12	14	2	4	–	–	–	–	–	–	–	–	–	1	1	7	–
Kensington Town *Ww* – W.M.	118751	62	55	13	17	–	–	–	–	1	–	–	–	–	2	5	20	–
Brompton – W.M. & C.	47557	14	10	2	2	–	–	–	–	1	–	–	–	–	–	–	5	–
St. Peter Hammersmith – W.M.	8533	2	6	–	2	–	1	–	–	–	–	–	–	–	1	1	–	–
St. Paul Hammersmith *H* W.M. & G.J.	88633	63	22	3	7	–	–	–	–	–	–	1	–	–	2	4	2	–
Fulham *Ww* – W.M. & C.	91639	90	38	13	10	–	–	–	1	2	–	–	–	1	–	–	8	–
Chelsea Kensal Town – C.	21787	7	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *WHHHH* – C.	41637	20	22	5	8	–	–	–	–	1	–	–	–	–	1	1	8	–
Chelsea South *HH* – C.	32929	19	9	1	3	–	–	–	–	–	–	–	–	–	–	1	3	–
May Fair *WH* – G.J.	23733	6	6	–	2	–	–	–	–	–	–	–	–	–	–	–	5	–
Belgrave *WHHH* – C.	54331	24	31	7	5	–	–	–	1	1	–	–	–	–	–	2	9	1
St. John Westminster *HH* – C.	34106	20	7	3	3	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Margarets Westminster *H* – C.	21668	5	9	2	3	–	–	–	1	–	–	–	–	–	–	–	4	–
St. James Westminster *WHHH* N.R. & G.J.	24995	11	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Anne Soho *HHHHHH* – N.R.	12317	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* – W.M.	37713	9	23	2	3	–	–	–	1	–	–	–	–	–	–	–	9	–
Rectory Marylebone *WH* G.J. & W.M.	20024	12	5	1	3	–	–	–	–	–	–	–	–	–	–	–	3	–
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	37	8	4	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Christchurch Marylebone *HH* – W.M.	33327	12	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *HH* – W.M.	32101	22	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	40	25	1	7	–	–	–	3	1	–	–	–	–	1	1	5	–
Regent's Park Pancras *HH* – W.M.	36590	26	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tottenham-court *wHHH* N.R. & W.M.	26321	5	23	2	6	–	–	–	1	1	–	–	–	–	1	2	11	–
Gray's Inn Lane *HHH* – N.R.	27455	19	9	4	2	–	–	–	–	–	–	–	–	–	3	4	1	–
Somers Town *HH* – N.R.	32829	22	5	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Camden Town *WH* – N.R.	15419	15	12	3	5	–	–	–	–	–	–	–	–	–	–	1	9	–
Kentish Town *WW* – N.R.	95765	50	24	5	4	–	–	–	–	2	–	–	–	–	1	2	3	–
Upper Holloway *WWWwHHH* – N.R.	90235	60	50	9	6	–	1	–	–	–	–	–	–	1	–	1	25	–
Islington South-west *H* – N.R.	105557	83	28	7	4	–	–	–	1	2	–	1	–	–	1	2	–	–
Islington South-east – N.R.	64153	34	19	6	6	–	–	1	–	–	–	–	–	–	2	3	–	–
Highbury *HH* – N.R.	59193	32	19	7	5	–	–	–	1	–	–	–	–	2	1	2	–	–
Stoke Newington *H* – N.R.	30936	10	7	3	1	–	–	–	–	–	–	–	–	–	1	2	–	–
Stamford Hill – E.L.	17759	7	5	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
West Hackney *H* – N.R.	42302	29	17	3	5	–	–	–	–	–	–	–	–	–	2	2	2	–
Hackney *WwwH* – E.L. & N.R.	96486	70	55	16	10	–	–	4	1	1	–	–	–	–	3	4	21	–
South Hackney *wH* – E.L.	41759	36	9	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury – N.R.	16695	6	7	2	2	–	–	–	–	1	–	–	–	–	–	1	–	–
St. Giles South *WH* – N.R.	13454	15	7	1	3	–	–	–	–	–	–	–	–	–	–	–	6	–
St. Giles North *H* – N.R.	9633	6	6	1	2	–	–	–	–	–	–	–	–	–	1	1	1	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	5	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–
St. Mary-le-Strand *H* – N.R.	5706	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Clement Danes *WH* – N.R.	7194	3	9	1	2	–	–	–	–	–	–	–	–	–	1	1	4	–
Strand Union Workhouse, Edmonton	†1037	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	10	13	–	4	–	–	–	–	–	–	–	–	–	–	3	6	–
St. Andrew Eastern *WH* – N.R.	15343	4	8	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell – N.R.	16803	7	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Amwell Clerkenwell – N.R.	16883	13	7	–	1	–	–	–	–	1	–	–	–	–	1	1	–	–
Pentonville – N.R.	17155	10	7	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Goswell-street – N.R.	15375	14	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
City-road *HHHL* – N.R.	29177	29	12	3	2	–	–	–	–	–	–	–	–	–	2	2	2	–
Whitecross-street – N.R.	8278	2	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Finsbury – N.R.	4985	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	†892	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H* – N.R. & E.L.	8944	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate – N.R.	4539	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – N.R.	4444	2	14	1	2	–	–	–	1	–	–	1	–	–	2	2	12	–
St. Bride *W* – N.R.	6594	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All Hallows Barking – N.R.	10422	5	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Broad Street *H* – N.R.	3377	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
City of London Asylum, Stone	†383	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
, 6th April, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
teh South *HL** E.L. & N.R.	26098	5	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
New Town *w* - - - N.R.	29613	14	15	3	6	-	-	-	-	-	-	-	-	-	-	2	5	-
Old Town - - - N.R.	28354	15	12	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-
ston *WH* - - N.R. & E.L.	46244	36	26	2	8	-	4	-	-	1	-	-	-	1	1	1	13	-
l Green North *H* - - E.L.	51520	46	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green South - - E.L.	33489	25	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green East *WHL** - E.L.	44123	31	11	2	2	-	-	-	-	-	-	-	-	-	1	3	4	-
elds - - - E. N.R.	22456	26	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nd New Town *W* - - E.L.	17908	21	10	-	1	-	-	-	-	-	-	-	-	-	-	3	8	-
hapel Church *H* E.L. & N.R.	20298	14	26	5	2	-	2	-	1	-	-	-	-	-	3	3	22	-
an's Fields - - - E.L.	13800	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
rge's, North - - - E.L.	37738	29	10	2	1	-	-	-	-	1	-	-	-	-	1	3	-	-
n, St. George East *W* - E.L.	8057	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
ell *H* - - - E.L. & N.R.	10246	7	10	3	1	-	-	-	1	-	-	-	-	-	-	2	5	-
W - - - - - E.L.	14928	11	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
ouse - - - - E.L.	32202	31	10	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-
nd Old Town West *H* - E.L.	38650	26	11	6	2	-	1	-	1	1	-	-	-	1	1	2	-	-
nd Old Town East *WWww* E.L.	68942	50	28	9	7	-	-	-	-	3	-	-	-	-	-	3	2	-
- - - - - - E.L.	40365	33	13	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-
ey *wwwH* - - - - E.L.	70000	50	38	9	8	-	1	-	-	1	-	-	-	1	1	4	15	-
WW - - - - - E.L.	56383	29	29	5	5	-	2	-	-	1	-	2	-	1	-	2	1	-
SOUTH DISTRICTS.																		
tchurch Southwark *WH* L. & S.	13264	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
vious Southwark - - S.	13913	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
road - - - - S. & L.	21867	22	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
gh-road *WH* - - S. & L.	16624	14	13	3	3	-	-	-	-	-	-	-	-	-	-	-	2	-
n-road *HL* - - L. & S.	21221	20	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y Newington - - S. & L.	26596	27	13	9	1	-	-	-	-	-	-	-	-	-	-	2	-	1
ter Walworth *W* - S. & L.	61342	52	19	7	1	-	-	-	-	1	-	-	-	1	-	-	-	1
ary Newington - - L. & S.	27866	22	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ave *WH* - - - - S.	12723	6	12	1	2	-	-	-	-	-	-	-	-	-	1	1	9	-
er Market *W* - - S. & L.	30612	35	12	4	1	-	-	-	-	-	-	-	-	-	-	-	3	2
mes Bermondsey - - S.	54070	30	17	11	2	-	-	-	-	-	-	1	-	-	-	-	-	2
rhithe *WwH* - - S. & K.	39255	26	20	6	5	-	-	-	1	-	-	-	-	1	-	1	3	-
rloo-road 1st *H* - - L. & S.	14031	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rloo-road 2nd *H* - - L. & S.	14644	22	9	3	2	-	-	-	-	3	-	-	-	-	-	-	1	-
eth Church 1st *H* - L. & S.	18075	16	13	2	-	-	-	-	-	-	-	-	-	-	2	3	8	1
eth Church 2nd *WW* - L. & S.	39097	31	31	3	16	-	-	-	-	-	-	-	-	1	-	-	19	-
ington 1st *H* - - S. & L.	50586	28	12	2	6	-	-	-	-	-	-	-	-	-	-	1	-	1
ington 2nd - - - S. & L.	39708	23	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
on *w* - - - - L. & S.	73405	41	22	3	7	-	-	2	2	1	-	-	-	-	1	1	5	1
ood *WH* - - - - L.	25657	15	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - - S.	67244	53	24	10	4	-	1	-	1	-	-	-	-	-	2	4	-	-
Battersea *WwH* - - S.	83314	60	23	5	8	-	-	-	-	1	-	-	-	1	1	1	8	-
am *H* - - - - S.	43698	22	11	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
sworth *WHHL* - - S.	46717	40	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
y - - - - - S.	17771	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ham *www* - - - - L.	48756	31	16	4	4	-	-	-	-	-	-	-	-	-	1	1	-	-
ich - - - - L. & S.	6809	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell *WwL*L** - S. & L.	81686	52	35	4	16	-	-	-	-	-	-	-	-	1	-	-	15	-
am *W* - - - S., L., & K.	83483	59	33	7	10	-	-	-	-	2	-	-	-	-	1	3	2	2
eorge Camberwell - - L. & S.	63366	41	17	10	-	-	-	-	-	3	-	-	-	-	-	1	-	-
ord, North - - - - K.	35314	26	9	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-
ord, Central *w* - - - K.	42007	35	16	3	3	-	-	1	2	2	-	-	-	-	1	1	3	-
ord, South - - - - K.	30852	13	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich West *H* - - K.	22007	7	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1
nwich East *WH* - - K.	35233	20	30	4	12	-	-	-	-	-	-	-	-	-	1	1	22	-
m *wH* - - - - - K.	5682	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
H - - - - - - K.	23541	6	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
sham *WH* - - - - K.	30950	18	14	5	3	-	-	-	-	1	-	-	-	-	-	-	3	-
sham *H* - - - - L.	34162	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ton *HH* - - - - K.	14040	12	6	2	1	-	-	-	-	-	-	-	-	-	1	1	3	-
wich Dockyard - - - K.	19606	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
wich Arsenal *HHHH* - K.	21242	20	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, West *H* - - - K.	15869	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
stead, East *WH* - - - K.	86567	19	12	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
tead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ham Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hill Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
ital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
nth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
well Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-
y Hatch Asylum - - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Hospital - - - - -	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
hmore Hill Hospital - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	4	-
sden Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
bury Asylum - - - - -	-	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 6th April, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	984	469	106	145	–	14	2	10	8	3	4	7	28	51
30 : 1	Carshalton *wHH* -	12228	26108	11	6	–	3	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	4	4	–	1	–	–	–	–	–	–	–	–	–	1
37 : 1	Godstone, *part of** *W-*	2754	1594	3	2	–	1	–	–	–	–	–	–	–	–	–	1
38 : 1	Croydon *WwHHH* -	20851	128699	75	35	10	6	–	–	–	1	1	–	–	1	2	5
2	Mitcham *w* - -	11697	23088	11	7	1	1	–	–	–	1	–	–	–	–	2	–
39 : 1	Wimbledon *HHH* -	3220	25761	11	7	4	2	–	–	–	–	1	–	–	–	–	–
2	Kingston *WH* - -	8071	44765	25	20	4	6	–	–	–	–	1	–	–	–	1	6
3	Esher, *part of** *HH* -	6601	12059	15	5	–	2	–	–	–	–	–	–	–	–	1	–
4	Hampton *H* -	4545	18252	12	6	1	2	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH* - -	2160	25389	13	11	–	7	–	–	–	–	–	–	–	–	–	3
2	Mortlake *H* - -	2823	16159	16	6	1	3	–	–	–	–	–	–	–	–	1	–
41 : 1	Bromley *HHH* - -	9127	23815	13	12	2	3	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H* - -	6542	21969	13	6	1	2	–	–	–	–	–	–	–	–	1	–
	Chislhrst, *pt. of** *WHH*	14307	20372	20	9	–	2	–	–	–	–	–	–	–	–	–	2
42 : 1	Bexley *HH* - -	12540	20590	16	8	2	2	–	–	–	–	–	–	–	1	1	–
2	Dartford *Work.*, pt. of*-	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1
124 : 1	Sunbury *w* - -	11054	13671	11	2	2	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - -	13277	18221	10	3	1	1	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH* -	6035	12237	7	3	1	–	–	–	–	–	–	–	–	–	1	–
2	Uxbridge - - -	6172	5417	3	1	–	–	–	–	–	–	–	–	–	1	1	–
3	Hayes *wH* - - -	14537	12618	8	5	2	1	–	–	–	–	1	–	–	–	–	–
126 : 1	Isleworth *WHH* -	6967	26273	13	15	3	5	–	1	–	–	–	–	–	–	1	3
2	Twickenham *HH* -	2415	16027	18	7	1	2	–	–	–	–	–	–	–	–	1	–
3	Brentford *HHHH* -	4318	37777	23	4	–	3	–	–	–	–	–	–	–	–	–	–
4	Chiswick - - -	1245	21963	9	11	3	2	–	–	–	–	–	–	–	–	1	–
5	Aston *wH* - - -	6132	30045	21	13	2	6	–	–	–		–	–	–	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	10	4	1	1	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - -	6994	3844	4	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*- -	4883	61265	44	19	6	6	–	–	–	1	–	–	1	–	–	–
4	Hendon *WH* - -	8382	15843	15	11	–	6	–	–	–	–	–	–	–	1	1	6
128 : 1	South Mimms *H* -	15599	8474	6	2	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11778	4	3	1	1	–	–	–	–	–	–	–	–	–	2
3	Finchley *HHH* -	4688	25820	12	1	–	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	39	10	2	3	–	–	–	1	–	1	–	–	–	–
2	Tottenham *H* - -	4642	97174	75	28	8	9	–	–	1	–	1	2	–	–	6	–
3	Edmonton *Www* -	7489	53351	21	12	4	6	–	–	–	–	–	–	–	–	1	4
4	Enfield *WWHH*- -	12639	31803	17	6	1	4	–	1	–	–	–	–	–	–	–	1
5	Waltham Abbey - -	11017	5066	2	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8480	9620	5	5	–	3	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W* -	3306	582	3	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	7	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*- - -	1100	42983	43	9	3	2	–	–	–	–	–	–	–	–	–	–
2	Plaistow - - -	1242	58030	47	20	5	6	–	2	–	1	–	–	–	–	1	–
3	Canning Town *H* -	1558	54750	43	24	13	2	–	–	–	2	–	–	2	1	2	2
4	Forest Gate *w* - -	806	49140	36	13	3	6	–	–	–	–	1	–	–	–	–	–
5	East Ham *w* - -	3266	32713	36	14	6	2	–	–	–	2	–	–	–	–	–	–
6	Leyton *WWWwH* -	4334	70183	48	32	7	12	–	–	1	–	–	–	–	1	1	9
7	Walthamstow *HBL* -	6501	57330	45	26	4	2	–	10	–	1	–	–	1	1	2	1
187 : 1	Chigwell, *part of** *H*-	11779	12941	10	3	–	2	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of* -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** *WH*	6556	4324	9	4	–	3	–	–	–	–	–	–	–	–	–	3
2	Ilford - - -	8493	10913	10	4	–	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	12	7	–	3	–	–	–	–	2	–	–	–	–	–
	Midd. Co. Lun. Asy Wandsworth.	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chels Sidcup, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the paris Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 137 : 2, Watford, and 187 : 2, Epping sub-districts.

LE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 6th April, 1895.

REATER ONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ER LONDON	443,421	6,048,555	17·8	1·4	2066	463	552	–	32	13	33	52	9	19	62	483
ER LONDON -	74,672	4,392,346	19·0	1·4	1597	357	407	–	18	11	23	44	6	15	55	432
HE RING -	368,749	1,656,209	14·8	1·3	469	106	145	–	14	2	10	8	3	4	7	51

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	April 7	146	105	20·0	1	7	1	–	1	1	1
GOW - -	695,876	„ 7	445	341	25·5	2	3	1	1	13	–	9
IN - -	349,594	„ 7	207	290	43·3	3	–	–	–	4	1	3
UTTA - -	466,460	January 5	–	–	–	–	–	–	–	–	–	–
BAY - -	821,764	March 19	212	512	32·4	10	22	?	?	?	151	34
RAS - -	452,518	February 22	282	261	29·9	–	2	?	?	?	97	23†
S - - -	2,424,705	March 30	1284	1024	22·0	–	8	5	8*	7	3	29
SELS - -	498,400	„ 30	225	207	21·6	–	4	1	6*	1	–	8
TERDAM -	451,493	„ 30	260	260	29·9	–	–	–	2	2	–	–
TERDAM -	272,042	„ 30	172	181	34·6	3	–	–	–	1	–	–
HAGUE -	180,455	„ 30	101	111	32·0	–	–	–	–	2	1	–
ENHAGEN -	341,000	„ 30	221	186	28·4	–	1	4	4	6	1	6
CKHOLM -	252,937	„ 23	143	87	17·9	–	–	1	2*	–	1	3
ISTIANIA -	167,588	„ 30	26	76	23·6	–	–	–	1	1	–	4
ETERSBURG	954,400	„ 16	733	807	44·1	1	3	13	15	5	9	53
COW - -	753,469	„ 16	–	509	35·2	–	3	6	15	1	6	30
LIN - -	1,724,544	„ 16	–	–	–	–	–	–	–	–	–	–
BURG - -	608,710	„ 23	392	242	20·7	–	–	2	3*	2	1	14
SDEN - -	323,600	„ 2	205	115	18·7	–	–	1	–	2	–	1
SLAU - -	367 769	„ 30	–	189	27·0	–	2	1	2*	–	–	13
NICH - -	396,000	„ 30	–	201	26·4	–	1	1	–	1	–	21
NNA - -	1,495,764	„ 30	1021	827	28·7	–	8	12	13*	3	1	34
GUE - -	343,822	„ 30	208	238	36·0	–	4	1	2	1	4	4
DA-PESTH -	566,022	„ 23	425	307	28·1	–	2	1	2	–	1	18
ESTE - -	160,825	„ 23	97	147	47·5	–	–	–	5*	–	1	2
IE - -	463,786	February 16	248	220	24·7	–	–	–	–	–	6‡	10
IN (10 days)	344,203	March 10	217	385	40·8	–	3	–	3	–	1§	10
NICE -	158,159	„ 23	67	90	29·7	–	1	–	1*	2	1	5
RO - -	374,838	February 18	464	279	38·7	1	–	–	5*	1	5	79
XANDRIA -	231,396	„ 18	288	119	26·8	1	–	–	2*	1	7	27
W YORK -	1,992,715	March 16	–	872	22·7	–	18	13	27	9	3	9
OOKLYN -	1,080,000	„ 16	–	439	21·2	–	2	3	31	4	1	–
ILADELPHIA	1,163,864	„ 16	–	538	24·1	2	–	4	20	5	15	5
W ORLEANS -	275,000	„ 9	–	204	38·7	–	6	–	2	1	12	6

* Including deaths from croup.
† Including one death from cholera.
‡ Including 3 deaths from malarial fever.
§ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 6TH APRIL, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY . 31	Greatest Dec. N.	29·382	50·6	35·3	15·3	40·8	− 4·2	36·0	4·8	16·0	0·7	83	87·2	30·0	42·90	NW.	W. & SSW.	1·2	0·0	0·1	210	− 88	0·08	0·0
APRIL.																								
MONDAY . 1	..	29·560	52·2	31·4	20·8	41·8	− 3·6	35·8	6·0	13·6	0·4	79	105·2	27·0	42·81	SSE. & NE.	E. & NNE.	1·6	0·0	0·0	177	−121	0·00	1·5
TUESDAY. 2	First Qr.	29·719	46·2	39·1	7·1	42·2	− 3·5	39·3	2·9	5·2	1·4	89	56·0	36·4	42·76	N. & NNE.	NNE.	3·2	0·0	0·5	405	+108	0·00	4·5
WEDNESDAY 3	..	29·772	45·1	37·4	7·7	40·0	− 6·0	37·5	2·5	5·5	0·5	91	64·0	30·5	42·79	NNE.	N. & SW.	0·7	0·0	0·0	146	−151	0·00	1·2
THURSDAY 4	..	30·002	46·8	36·5	10·3	40·0	− 6·2	33·6	6·4	12·7	2·9	78	100·4	28·7	42·81	NNE. & NE.	N. NE. & SE.	1·6	0·0	0·1	205	− 92	0·02	3·8
FRIDAY . 5	..	29·972	49·2	35·2	14·0	41·6	− 4·6	35·6	6·0	10·3	1·6	79	82·8	32·6	42·72	SSE. & SW.	SW.& SSW.	2·2	0·0	0·1	243	− 53	0·00	1·5
SATURDAY 6	..	29·314	47·7	37·2	10·5	43·8	− 2·4	40·1	3·7	6·7	0·9	87	62·2	34·5	42·70	SSW. & SW.	SW.	12·5	0·0	1·1	569	+274	0·02	6·0
MEANS . .	..	29·674	48·3	36·0	12·2	41·5	− 4·	36·8	4·6	10·0	1·2	4	79·7	31·4	42·78	Variable.		..	..	..	Sum 1955	Sum − 123	Sum 0·12	2·6
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	31	s. P. and s. N. in early morning; w. P. afterwards.	3·0	12·8	Overcast till evening; rain in early morning; generally cloudless at night.
APRIL.					
MONDAY .	1	w. P. generally -	4·6	12·9	Cloudless with hoar frost in morning; foggy at 8h. A.M.; generally cloudy in afternoon and evening.
TUESDAY .	2	w. P. and w. N. in early morning; m. P. afterwards.	0·0	13·0	Overcast throughout.
WEDNESDAY	3	m. P. generally -	0·0	13·0	Clear for a short time in evening; otherwise overcast.
THURSDAY .	4	m. P. till afternoon; s. P. afterwards.	1·5	13·1	Overcast generally; showery in morning.
FRIDAY .	5	w. P. generally -	0·7	13·2	Overcast till 8h. A.M.; afterwards variable. Solar halo in afternoon.
SATURDAY .	6	w. P. till afternoon; v. P. and v. N. afterwards.	0·0	13·2	Overcast; occasional rain in afternoon and evening.
			Sum 9·8	Sum 91·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·26 in. at the beginning of the week to 29·79 in. by 10h. P.M. on the 2nd of April; decreased to 29·73 by 6h. P.M. on the 3rd; increased to 30·13 in. by 1h. A.M. on the 5th; and decreased to 29·17 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 15. 1895. VOL. LVI.] WEEK ENDING SATURDAY, APRIL 13. [Price 1½*d.*

General Register Office, Somerset House,
April 16th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.		Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.
Birkenhead	18·9	16·5	18·4	18·0	Liverpool - -	27·7	25·5	24·9	24·1
Birmingham	31·4	27·1	26·9	25·5	London - -	26·0	21·1	19·0	19·3
Blackburn -	36·4	26·2	27·0	24·9	Manchester -	36·5	30·8	26·4	24·6
Bolton -	30·6	37·1	23·6	26·7	Newcastle-on-Tyne	29·0	21·9	16·9	20·1
Bradford -	26·9	22·8	19·3	18·2	Norwich - -	21·4	18·5	18·0	20·4
Brighton -	47·5	36·6	20·5	22·7	Nottingham -	20·7	18·9	15·4	19·8
Bristol -	33·6	24·2	24·9	21·7	Oldham - -	38·1	29·6	28·5	22·5
Burnley -	25·1	42·4	33·0	24·1	Plymouth - -	28·1	24·6	15·2	22·2
Cardiff -	22·1	15·1	20·8	0·4	Portsmouth -	28·0	22·7	20·0	16·1
Croydon -	25·4	16·8	10·9	14·1	Preston - -	31·5	30·6	31·9	28·2
Derby -	22·4	27·0	23·9	22·9	Salford - -	33·6	29·8	23·0	22·5
Gateshead -	25·6	20·7	20·7	19·0	Sheffield - -	25·1	21·0	20·7	19·8
Halifax -	20·6	17·8	23·3	17·8	Sunderland -	30·3	23·1	25·7	18·9
Huddersfield	32·0	21·5	13·1	17·3	Swansea - -	19·9	14·5	22·0	14·0
Hull - -	26·9	27·9	25·5	22·9	West Ham - -	20·7	19·4	15·7	18·2
Leeds -	32·2	24·9	21·9	19·0	Wolverhampton -	37·1	38·3	25·5	24·9
Leicester -	23·1	21·8	23·1	16·7					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in West Ham, 1·1 in Manchester, 1·7 in Bolton, and 1·8 in Plymouth; from *whooping-cough*, 1·1 in Oldham, 1·2 in Liverpool and in Blackburn, 1·3 in Salford, 1·5 in Manchester, and 1·7 in Brighton; and from *diarrhœa*, 1·6 in Blackburn. In none of the thirty-three towns did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000. The 57 deaths from *diphtheria* included 27 in London, 5 in West Ham, 5 in Birmingham, and 5 in Cardiff. One death from *small-pox* was registered in Birmingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2380 BIRTHS and 1622† DEATHS were registered. Allowing for increase of population, the births were 340, and the deaths 97, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 26·0, 21·1, and 19·0 in the preceding

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

three weeks, rose last week to 19·3. During the four weeks ending on Saturday last the death-rate averaged 21·4 per 1000, being 0·7 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1622 deaths included 25 from measles, 15 from scarlet fever, 27 from diphtheria, 49 from whooping-cough, 3 from enteric fever, 18 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 137 deaths were referred to these diseases, being 72 below the corrected average weekly number.

The deaths from *measles*, which had been 19, 23, and 18 in the preceding three weeks, rose again last week to 25, but were 43 below the corrected average; 5 belonged to Poplar, 5 to Lambeth, and 4 to Shoreditch sanitary areas. The deaths from *scarlet fever*, which had been 15, 13, and 11 in the preceding three weeks, rose again last week to 15, and were just equal to the corrected average; 2 belonged to Islington and 2 to Camberwell sanitary areas. The deaths from *diphtheria*, which had been 24, 31, and 23 in the preceding three weeks, were 27 last week, the corrected average being 30; 3 belonged to Poplar, 3 to Battersea, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 43, 49, and 44 in the preceding three weeks, rose again last week to 49, but were 18 below the corrected average; 6 belonged to Islington, 4 to Pancras, 4 to Lambeth, and 4 to Battersea sanitary areas. The fatal cases of *enteric fever*, which had been 4, 4, and 6 in the preceding three weeks, fell to 3 last week, the corrected average being 8; the 3 cases belonged to Marylebone, Poplar, and Lambeth sanitary areas respectively. The deaths from *diarrhœa*, which had been 14, 14, and 15 in the preceding three weeks, rose to 18 last week, exceeding the the corrected average by 4.

The deaths referred to diseases of the respiratory organs, which had been 740, 497, and 427 in the preceding three weeks, further fell last week to 398, and were 10 below the corrected average.

The deaths attributed directly to *influenza* numbered 46, having been 225, 116, and 63 in the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all but 2 of which inquests were held. Of these 51 deaths, 6 were cases of suicide, while the remaining 45 were attributed to accident or negligence. Four of these were referred to vehicles in the street, 4 to drowning, one (of a house-painter) to lead-poisoning, and 15 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 47 cases of small-pox, 1463 of scarlet fever, 435 of diphtheria, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 9 cases, against 14, 11, and 7; of scarlet fever, 117 cases, against 184, 161, and 143; of diphtheria, 64 cases, against 64, 67, and 71; and of enteric fever, 9 cases, against 12, 12, and 4.

Greater London.

In Greater London 3230 births and 2065 deaths were registered, corresponding to annual rates of 27·9 and 17·8 per 1000 of the estimated population. In the Outer Ring 19 deaths from measles, 13 from diphtheria, and 9 from whooping-cough were registered. Of the 19 deaths from measles, 8 occurred in Walthamstow and 5 in Plaistow sub-districts; 7 deaths from diphtheria and 3 from whooping-cough occurred in West Ham district. The death of a resident of Loughton from small-pox, in the Highgate Small-pox Hospital, was recorded during the week.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·86 inches, and that of the Thermometer 47°·7, the latter being 2°·0 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 29·6 hours; the measured rainfall amounted to 0·05 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 13th April 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 13th Apr. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6105	4160	1034	1040	1	68	26	57	108	20	50	124	283	785	61	20·5	1·6	64·0	28·0	45·2	7·33	0·14	0·36	33 Towns.
London	4,892,346	2880	1622	409	410	–	25	15	27	49	3	18	51	136	424	13	19·3	1·6	64·0	34·1	47·7	8·72	0·05	0·13	London.
West Ham	249,473	170	87	24	14	–	5	–	5	3	–	–	2	3	7	2	18·2	2·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	55	31	6	10	–	–	–	1	–	–	–	1	4	4	–	14·1	0·5	63·0	31·0	46·6	8·11	0·19	0·48	Croydon.
Brighton	119,604	45	52	8	18	–	1	–	–	4	1	–	–	1	8	1	22·7	2·6	57·2	36·8	45·2	7·33	0·23	0·58	Brighton.
Portsmouth	174,751	92	54	19	14	–	1	–	1	1	–	1	4	4	8	1	16·1	1·2	61·0	37·5	46·3	7·94	0·45	1·14	Portsmouth.
Plymouth	89,096	38	38	13	7	–	3	–	1	1	1	–	2	2	6	–	22·2	3·5	–	–	–	–	–	–	Plymouth.
Bristol	228,189	129	95	24	30	–	–	–	–	3	–	2	1	5	17	1	21·7	1·1	59·0	33·0	46·0	7·78	0·23	0·58	Bristol.
Cardiff	155,637	106	61	17	10	–	2	–	5	–	–	2	2	5	8	–	20·4	3·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	53	26	4	6	–	–	–	1	–	–	–	–	2	1	–	14·0	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	49	41	7	16	–	–	–	–	–	–	–	–	2	5	–	24·9	–	60·2	31·2	43·4	6·33	0·00	0·00	Wolverhampton.
Birmingham	496,751	293	243	52	77	1	–	1	5	1	3	1	7	6	45	15	25·5	1·3	–	–	–	–	–	–	Birmingham.
Norwich	107,127	70	42	9	19	–	–	–	1	1	–	–	–	2	4	1	20·4	1·0	–	–	–	–	–	–	Norwich.
Leicester	193,839	122	62	9	14	–	1	2	1	–	–	–	2	3	9	1	16·7	1·1	–	–	–	–	–	–	Leicester.
Nottingham	226,658	148	86	18	30	–	–	1	–	2	1	1	3	4	18	2	19·8	1·2	61·2	29·8	44·3	6·83	0·12	0·30	Nottingham.
Derby	100,272	48	44	10	14	–	–	–	–	–	–	–	–	3	5	–	22·9	–	–	–	–	–	–	–	Derby.
Birkenhead	107,469	51	37	8	12	–	–	–	1	1	–	–	2	2	5	–	18·0	1·0	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	331	233	69	32	–	4	1	–	12	3	6	12	15	49	8	24·1	2·7	58·9	34·8	45·1	7·28	0·00	0·00	Liverpool.
Bolton	119,337	79	61	13	9	–	4	1	–	–	–	–	3	5	4	–	26·7	2·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	335	248	65	40	–	11	2	2	15	1	5	8	15	51	1	24·6	3·6	–	–	–	–	–	–	Manchester.
Salford	208,253	113	90	26	14	–	1	–	2	5	1	1	2	3	16	2	22·5	2·5	–	–	–	–	–	–	Salford.
Oldham	141,079	83	61	16	17	–	–	–	–	3	–	1	2	5	6	–	22·5	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	50	46	14	8	–	–	–	–	–	–	1	–	2	2	–	24·1	0·5	–	–	–	–	–	–	Burnley.
Blackburn	127,615	73	61	15	14	–	–	–	–	3	1	4	3	3	7	–	24·9	3·3	–	–	–	–	–	–	Blackburn.
Preston	112,638	96	61	25	14	–	1	–	1	1	–	2	3	5	1	–	28·2	2·3	–	–	–	–	–	–	Preston.
Huddersfield	99,482	42	33	5	10	–	–	–	–	–	–	–	1	2	1	–	17·3	–	57·0	28·0	43·4	6·33	0·00	0·00	Huddersfield.
Halifax	93,813	30	32	6	12	–	–	–	–	–	1	–	1	6	5	–	17·8	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	109	79	18	24	–	–	–	1	–	1	2	2	4	15	2	18·2	0·9	–	–	–	–	–	–	Bradford.
Leeds	395,546	243	144	28	38	–	1	2	2	–	2	1	5	11	18	1	19·0	1·1	–	–	–	–	–	–	Leeds.
Sheffield	342,768	272	130	33	29	–	6	–	–	–	–	1	4	6	16	6	19·8	1·1	–	–	–	–	–	–	Sheffield.
Hull	226,722	128	95	31	36	–	–	–	–	1	–	–	–	3	9	2	22·9	0·2	62·0	28·0	44·0	6·67	0·10	0·25	Hull.
Sunderland	157,705	86	50	13	9	–	–	–	–	1	–	–	–	3	4	1	18·9	0·4	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	53	35	5	9	–	–	–	–	–	–	–	1	4	1	–	19·0	–	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	133	80	15	24	–	2	1	–	1	1	1	–	7	6	1	20·1	1·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2617	2655	2626	2831	2509	2360	2716	2187	2667	2600	2719·6	2380
Males . .	1358	1342	1328	1442	1292	1154	1345	1112	1313	1338	1374·6	1233
Females .	1259	1313	1298	1389	1217	1206	1371	1075	1354	1262	1345·0	1147
TOTAL **Deaths**	1706	1571	1558	1692	1493	1619	1766	1590	1681	1609	1718·7	1622
Males . .	865	828	803	882	777	842	978	836	894	815	899·2	817
Females .	841	743	755	810	716	777	788	754	787	794	819·5	805

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.
TOTAL **Births**	2818	2612	2587	2736	2737	2787	2671	2681	2821	2650	2466	2731	2380
TOTAL **Deaths**	1689	1481	1598	1768	2467	2863	3246	3471	2817	2190	1781	1597	1622
Ages at Death: Under 1 year	370	311	337	386	452	505	524	618	611	448	390	357	409
1— 5 years	205	151	192	188	250	337	357	395	347	332	282	290	265
5—20 "	96	80	87	82	99	92	100	101	103	79	88	79	75
20—40 "	197	190	221	237	278	280	288	320	265	226	222	176	198
40—60 "	331	314	324	341	521	612	646	669	502	427	326	288	265
60—80 "	390	362	373	442	700	868	1077	1089	753	533	410	335	339
80 years & upwards	100	73	64	92	167	169	254	279	231	145	63	72	71
Deaths from—													
Small-pox	1	-	2	3	1	1	1	-	1	-	-	-	-
Measles	35	21	13	17	27	26	20	23	12	19	23	13	25
Scarlet fever	9	7	11	15	18	10	7	6	4	15	13	11	15
Diphtheria	31	29	45	34	27	29	31	34	27	24	31	23	27
Whooping-cough	21	27	30	29	48	42	53	55	56	43	49	44	49
Typhus	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric fever	20	16	9	13	10	3	7	8	4	4	4	6	3
Simple Continued fever	-	1	-	-	-	1	-	-	-	-	1	-	-
Diarrhœa and Dysentery	16	10	12	12	10	12	11	16	10	14	14	15	18
Cholera	-	1	-	-	-	-	1	-	-	-	1	-	-
All the above Diseases	133	112	122	123	141	124	131	143	114	119	136	117	137
Dis. of Respiratory System	399	324	377	480	840	1120	1448	1366	1031	740	497	427	398
Phthisis	139	161	166	157	210	230	218	222	214	181	173	186	164
Dis. of Circulatory System	162	162	161	160	248	269	242	244	184	154	138	127	122
Violence	76	58	68	81	89	86	57	67	77	59	74	55	51
Inquest Cases	173	149	160	195	239	255	211	222	194	135	145	114	136
Deaths in Public Institutions	432	462	477	480	663	692	739	693	641	536	464	432	424
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean	40·4	35·6	26·9	22·4	26·0	34·0	36·2	36·5	43·7	48·3	44·6	41·5	47·7
Mean of Highest readings	44·0	41·2	32·0	29·5	32·4	40·1	42·1	43·3	52·6	58·2	52·3	48·3	58·1
Mean of Lowest readings	35·6	29·8	21·9	14·9	19·8	28·5	31·7	31·7	35·9	39·7	39·5	36·0	39·7
Humidity of the Air	89	84	75	68	66	84	81	86	77	80	81	84	75
Rain-fall (in inches)	0·72	0·54	0·28	0·02	0·00	0·00	0·19	0·34	0·02	0·18	0·71	0·12	0·05
Registered Sunshine (in hours)	4·7	6·4	4·8	16·4	14·5	8·3	5·2	12·3	29·8	21·4	17·5	9·8	29·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	32	35	51	56	67	75	68	56	57	58	55	53	47
Scarlet fever	1653	1662	1653	1667	1658	1658	1621	1619	1615	1587	1555	1519	1463
Diphtheria	514	528	519	500	497	486	463	455	456	455	435	440	435
Enteric fever	115	121	115	117	111	107	95	80	70	72	73	66	67

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTEENTH Week of the Year 1895.

SES OF DEATH.	Corrected Averages for the 15th Week of the 10 years 1885–94.*	In the Week ending Saturday, 13th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
L CAUSES - -	1718·7	1622	409	265	75	198	265	339	71
all-pox Vaccinated† -	0·9	-	-	-	-	-	-	-	-
all-pox Unvaccinated	2·0	-	-	-		-	-	-	-
all-pox No Statement	1·8	-	-	-	-	-	-	-	-
bles - - - -	68·3	25	5	19	1	-	-	-	-
rlet Fever - -	14·9	15	-	9	3	3	-	-	-
hus - - - -	0 5	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - -	8·3	46	4	3	5	7	13	9	5
cooping-cough - -	67·3	49	16	31	2	-	-	-	-
htheria - - -	30·4	27	-	19	7	-	-	1	-
ple Continued and l-defined Fever -	0·6	-	-	-	-	-	-	-	-
eric Fever - -	8·4	3	-	-	2	1	-	-	-
lera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	13·5	18	10	5	-	-	-	3	-
nittent Fever - -	0·1	-	-	-	-	-	-	-	-
drophobia - -	-	-	-	-	-	-	-	-	-
nders - - -	0·2		-	-		-	-	-	-
vpox and Effects of vaccination - -	-	2	1	1	-	-	-	-	-
ereal Affections - -	11·4	8	5	-	-	1	1	1	-
rsipelas - - -	5·9	4	-	-	-	-	2	1	1
emia and Septicæmia	1·6	1	-	-	-	1	-	-	-
erperal Fever - -	4·3	4	-	-	-	4	-	-	-
er Zymotic Diseases	2·7	1	1	-	-	-	-	-	-
rush - - - -	1·2	2	2	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·6	1	-	-	-	-	-	1	-
rvation, Want of Breast-milk - -	1·3	-		-	-	-	-	-	-
coholism - - -	8·5	6	-	-	-	3	2	1	-
eumatic Fever, eumatism of Heart	8·8	7	-	-	1	4	1	1	-
eumatism - -	3·1	2	-	-	-	-	1	1	-
ut - - - -	2·8	11	-	-	-	-	2	7	2
kets - - - -	5·6	8	4	4	-	-	-	-	-
ncer - - - -	59·4	65	-	-	-	6	24	34	1
bes Mesenterica -	20·1	20	13	3	2	1	1	-	-
berculer Meningitis -	29·4	32	10	16	5	1	-	-	-
thisis - - -	163·6	164	2	3	10	32	57	10	-
rofula, Tuberculosis -	17·4	22	6	10	2	1	2	1	-
her Constitutional Diseases - - -	11·7	13	-	-	-	3	6	4	-
emature Birth - -	45·0	51	51	-	-	-	-	-	-
electasis - - -	2·6	3	3	-	-	-	-	-	-
ngenital Malformations - - - -	6 6	7	6	1	-	-	-	-	-
d Age - - - -	51·7	60	-	-	-	-	-	25	35
poplexy - - -	47·2	35	-	-	-	1	14	18	2
pilepsy - - -	9·1	9	1	-	1	3	2	2	-
nvulsions - - -	47·3	41	34	7	-	-	-	-	-
her Diseases of Brain and Nervous System	99·4	93	16	10	6	13	13	29	6

CAUSES OF DEATH.	Corrected Averages for the 15th Week of the 10 years 1885–94.*	In the Week ending Saturday, 13th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·3	5	-	3	-	-	1	1	-
Diseases of Circulatory System - - -	117·4	122	2	4	10	16	23	59	3
Croup - - - -	9·2	1	-	1	-	-	-	-	-
Bronchitis - - -	218·3	195	47	43	1	6	26	63	9
Pneumonia - - -	143·2	153	52	50	4	14	17	15	1
Pleurisy - - - -	8·1	3	2	-	-	1	-	-	-
Other Diseases of Respiratory System - -	29·3	46	8	5	-	-	13	18	2
Dentition - - -	14·6	10	6	4	-	-	-	-	-
Quinsy, Sore Throat -	1·6	-	-	-	-	-	-	-	-
Enteritis - - -	8·2	9	3	4	1	1	-	-	-
Peritonitis - - -	6·8	6	2	-	2	1	1	-	-
Diseases of Liver - -	25·8	20	5	-	-	1	7	6	1
Other Diseases of Digestive System -	29·3	25	12	-	1	3	2	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	2	1	-	1	-	-	-	-
Diseases of Urinary System - - -	47·9	40	1	-	1	7	15	14	2
Diseases of Generative System - - -	6·5	6	2	-	-	1	2	1	-
Accidents of Childbirth -	5·2	5	-	-	1	3	1	-	-
Diseases of Locomotive System - - -	7·3	5	1	-	2	1	1	-	-
Diseases of Integumentary System - -	5·1	3	1	-	-	-	-	2	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	52·6	-	-	-	-	-	-	-	-
By Vehicles or Horses -		4	-	-	-	1	2	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		2	-	-	-	-	2	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		4	-	3	1	-	-	-	-
By Drowning - -		4	-	-	2	1	1	-	-
By Suffocation in Bed -		15	15	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	1	-	-	-
Other or not stated Causes - - - -		14	5	2	1	2	1	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	-	-	-	-	-	-	-	-
Suicide - - - -	10·1	6	-	-	-	2	3	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·3	60	54	5	-	-	1	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2380	1622	409	410	–	25	15	27	40	–	3	–	18	51	136	424
WEST DISTRICTS	740,735	325	271	63	84	–	1	3	5	6	–	–	–	4	8	19	72
NORTH DISTRICTS	993,884	515	330	76	87	–	3	3	8	15	–	1	–	2	9	24	76
CENTRAL DISTRICTS	247,538	123	104	28	16	–	1	–	1	1	–	–	–	1	9	17	35
EAST DISTRICTS	705,114	513	308	96	75	–	14	–	2	7	–	1	–	2	11	36	89
SOUTH DISTRICTS	1,524,472	904	578	146	138	–	6	6	11	20	–	1	–	9	14	40	122
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	–	–	31	–	10	–	–	3	–	–	–	–	–	–	–	–	31
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	31	27	9	10	–	–	–	–	–	–	–	–	–	2	3	6
St. John Paddington *H* – G.J.	33687	9	13	2	3	–	–	–	–	–	–	–	–	–	1	2	4
Kensington Town *Ww* – W.M.	118751	62	41	3	17	–	–	–	1	–	–	–	–	1	–	2	14
Brompton – W.M. & C.	47557	15	11	–	4	–	–	–	–	–	–	–	–	1	1	1	1
St. Peter Hammersmith – W.M.	8583	5	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88633	35	20	3	4	–	–	–	2	1	–	–	–	–	–	–	1
Fulham *Ww* – W.M. & C.	91639	67	47	17	11	–	–	2	1	1	–	–	–	1	2	2	10
Chelsea Kensal Town – C.	21787	8	4	1	2	–	–	–	–	–	–	–	–	–	–	1	–
Chelsea North *WHHHH* – C.	41637	18	24	7	9	–	–	–	–	–	–	–	–	–	–	1	13
Chelsea South *HH* – C.	32829	13	16	8	3	–	–	–	–	–	–	–	–	–	–	1	4
May Fair *WH* – G.J.	23733	2	11	1	6	–	–	–	–	–	–	–	–	–	–	1	6
Belgrave *WHHH* – C.	54331	24	29	5	9	–	–	1	–	–	–	–	–	–	1	3	8
St. John Westminster *HH* – C.	34106	16	10	5	2	–	–	–	–	1	–	–	–	1	1	1	–
St. Margaret Westminster *H* – C.	21668	3	6	1	1	–	1	–	–	1	–	–	–	–	–	1	3
St. James Westminster *WHHH* N.R. & G.J.	24995	11	4	–	2	–	–	–	–	1	–	–	–	–	–	–	1
St. Anne Soho *HHHHH* – N.R.	12317	6	5	1	1	–	–	–	1	–	–	–	–	–	–	–	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* – W.M.	37713	9	14	2	5	–	–	–	–	1	–	–	–	–	–	–	5
Rectory Marylebone *WH* G.J. & W.M.	20024	10	6	5	1	–	–	–	–	1	–	–	–	–	1	1	1
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	33	9	3	2	–	–	–	–	–	–	1	–	–	–	–	3
Christchurch Marylebone *HH* – W.M.	33327	16	11	2	3	–	–	–	–	–	–	–	–	–	–	1	–
St. John Marylebone *HH* – W.M.	32101	14	7	1	2	–	–	–	–	–	–	–	–	–	–	1	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	18	25	3	7	–	–	1	4	–	–	–	–	–	–	–	11
Regent's Park Pancras *HH* – W.M.	36590	8	11	2	5	–	–	–	–	–	–	–	–	–	–	–	1
Tottenham-court *wHHH* N.R. & W.M.	26321	9	12	3	2	–	1	–	–	–	–	–	–	–	–	–	4
Gray's Inn Lane *HHH* – N.R.	27455	16	12	4	4	–	–	–	–	1	–	–	–	1	1	1	2
Somers Town *HH* – N.R.	32329	21	11	2	3	–	–	–	–	2	–	–	–	–	–	–	1
Camden Town *WH* – N.R.	15419	13	10	–	7	–	–	–	–	–	–	–	–	–	2	3	8
Kentish Town *WW* – N.R.	25765	45	29	4	6	–	–	–	–	1	–	–	–	–	1	1	12
Upper Holloway *WWWwHHH* – N.R.	90235	57	36	5	8	–	–	–	1	–	–	–	–	–	–	–	17
Islington South-west *H* – N.R.	105557	52	28	9	5	–	–	1	–	2	–	–	–	–	2	4	1
Islington South-east – N.R.	64158	27	24	5	6	–	1	–	–	2	–	–	–	–	2	6	–
Highbury *HH* – N.R.	59193	33	17	9	2	–	–	–	–	2	–	–	–	–	–	1	–
Stoke Newington *H* – N.R.	30936	16	5	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Stamford Hill – E.L.	17759	8	5	2	1	–	–	–	–	–	–	–	–	–	–	1	–
West Hackney *H* – N.R.	42802	26	14	6	1	–	1	–	–	–	–	–	–	–	–	–	1
Hackney *WwwH* – E.L. & N.R.	96486	60	31	4	11	–	–	1	2	2	–	–	–	1	–	–	9
South Hackney *wH* – E.L.	41759	24	13	3	6	–	–	–	1	1	–	–	–	–	–	3	–
CENTRAL DISTRICTS.																	
St. George Bloomsbury – N.R.	16695	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* – N.R.	13454	3	5	–	2	–	–	–	–	–	–	–	–	–	–	2	2
St. Giles North *H* – N.R.	9633	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	4	2	1	–	–	–	–	–	–	–	–	–	–	–	1
St. Mary-le-Strand *H* – N.R.	5706	3	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Clement Danes *WH* – N.R.	7194	3	11	1	1	–	–	–	–	–	–	–	–	1	1	1	7
Strand Union Workhouse, Edmonton –	†1037	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	9	9	3	3	–	–	–	–	–	–	–	–	–	–	–	5
St. Andrew Eastern *WH* – N.R.	15343	8	4	1	1	–	–	–	–	–	–	–	–	–	1	2	–
St. James Clerkenwell – N.R.	16803	8	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Amwell Clerkenwell – N.R.	16883	10	6	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Pentonville – N.R.	17155	11	3	3	–	–	1	–	–	–	–	–	–	–	1	1	–
Goswell-street – N.R.	15375	5	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–
City-road *HHHL* – N.R.	29177	30	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Whitecross-street – N.R.	8278	5	4	2	1	–	–	–	–	–	–	–	–	–	–	2	–
Finsbury – N.R.	4985	3	3	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Holborn Union Workhouse, Mitcham –	†892	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
St. Botolph *H* – N.R. & E.L.	8944	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate – N.R.	4539	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – N.R.	4444	3	20	3	1	–	–	–	1	–	–	–	–	–	5	6	16
St. Bride *W* – N.R.	6594	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All Hallows Barking – N.R.	10422	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Broad Street *H* – N.R.	3377	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone –	†383	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Wo[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establish[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the dif[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N.R. [illegible] River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.
† Not included in the total population of the Central Districts or of London.

, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district
ay, 13th April, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
editch South *HL** E.L. & N.R.	20098	8	9	3	2	-	1	-	-	-	-	-	-	-	-	-	2	-
on New Town *w* - - - N.R.	29313	27	27	4	12	-	1	-	-	2	-	-	-	-	1	3	11	-
on Old Town - - - - N.R.	28354	16	12	5	3	-	-	-	-	-	-	-	-	1	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	33	22	3	5	-	2	-	1	1	-	-	-	-	-	-	9	-
nal Green North *H* - - E.L.	51820	44	16	2	4	-	2	-	-	-	-	-	-	-	2	2	-	-
nal Green South - - - E.L.	33489	27	8	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
nal Green East *WHL** - E.L.	44123	26	22	3	10	-	-	-	-	-	-	-	-	-	-	-	13	-
alfields - - - E. N.R.	22456	14	9	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
End New Town *W* - - E.L.	17908	24	12	2	3	-	-	-	-	-	-	-	-	-	-	2	8	-
techapel Church *H** E.L. & N.R.	20293	15	23	6	3	-	-	-	-	1	-	-	-	-	3	5	17	-
dman's Fields - - - E.L.	13800	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	45	9	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-
John, St. George East *W* - E.L.	8057	4	8	1	2	-	-	-	-	-	-	-	-	-	-	-	4	-
iwell *H* - - - E.L. & N.R.	10246	6	12	5	1	-	-	-	-	-	-	-	-	1	1	2	8	-
liff *W* - - - - - E.L.	14928	9	7	4	1	-	1	-	-	-	-	-	-	-	-	2	-	-
ehouse - - - - - E.L.	32202	21	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town West *H* - E.L.	38630	38	4	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town East *WWw* E.L.	68942	36	23	9	10	-	1	-	-	1	-	-	-	-	-	-	7	-
*L** - - - - - E.L.	40365	30	9	4	2	-	-	-	-	-	-	-	-	-	1	2	-	-
mley *wwwH* - - - - E.L.	70000	52	41	16	8	-	5	-	-	1	-	-	-	-	1	5	8	-
lar *WW* - - - - - E.L.	56383	31	25	13	3	-	-	-	1	1	-	1	-	-	2	6	1	-
South Districts.																		
ristchurch Southwark *WH* L. & S.	13264	7	5	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-
Saviour Southwark - - S.	13913	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nt-road - - - - S. & L.	21867	12	9	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
rough-road *WH* - - S. & L.	16624	7	8	3	1	-	-	-	-	-	-	-	-	-	1	1	5	-
ndon-road *HL* - - L. & S.	21221	9	9	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
nity Newington - - S. & L.	28596	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peter Walworth *W* - S. & L.	61342	27	31	9	5	-	-	-	-	-	-	-	-	1	1	2	4	-
Mary Newington - - L. & S.	27866	22	12	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Olave *WH* - - - - S.	12723	9	16	3	2	-	-	-	-	-	-	-	-	1	3	4	12	-
ather Market *W* - - S. & L.	30612	23	10	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
James Bermondsey - - S.	54070	28	12	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-
therhithe *WwH* - - S. & K.	32255	23	20	3	4	-	-	-	-	1	-	-	-	1	-	-	10	-
aterloo-road 1st *H* - - L. & S.	14031	11	8	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
aterloo-road 2nd *H* - - L. & S.	11644	12	4	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
mbeth Church 1st *H* - - L. & S.	18075	9	17	3	2	-	-	-	1	2	-	-	-	-	-	1	10	1
mbeth Church 2nd *WW* - L. & S.	30097	21	27	5	13	-	-	-	-	1	-	-	-	-	-	2	15	1
nnington 1st *H* - - S. & L.	50586	27	17	4	3	-	4	-	-	-	-	-	-	-	2	3	-	-
nnington 2nd } - - - S. & L.	39708	19	10	2	4	-	-	-	-	-	-	-	-	-	2	3	-	-
ixton *w* - - - - L. & S.	73405	40	23	4	5	-	-	3	-	1	-	1	-	-	-	-	3	-
rwood *WH* - - - - L.	25657	12	11	4	4	-	-	-	-	-	-	-	-	-	-	-	1	-
st Battersea - - - - S.	67244	41	25	6	2	-	2	-	2	3	-	-	-	-	-	2	-	-
est Battersea *WwH* - - S.	83314	61	28	10	5	-	-	-	-	1	-	-	-	2	-	5	7	-
pham *H* - - - - S.	43698	19	15	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
andsworth *WHHL* - - S.	46717	28	12	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
tney - - - - - - S.	17771	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eatham *www* - - - - L.	48756	33	12	3	6	-	-	1	2	-	-	-	-	1	-	-	3	-
lwich - - - L. & S.	6309	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL**L* - - S. & L.	81686	37	43	6	15	-	-	-	1	-	-	-	-	-	-	-	22	-
ckham *W* - - - S., L., & K.	83483	58	19	4	6	-	-	-	-	-	-	-	-	1	-	-	-	2
George Camberwell - - L. & S.	63366	48	28	8	4	-	-	-	1	1	-	-	-	-	1	3	-	-
ptford, North - - - - K.	35314	23	14	7	3	-	-	-	-	-	-	-	-	-	-	1	-	1
ptford, Central *w* - - - K.	42007	36	21	5	1	-	-	1	4	1	-	-	-	-	1	1	5	2
ptford, South - - - - K.	30852	15	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1
eenwich West *H* - - - K.	22007	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
eenwich East *WH* - - - K.	35233	25	21	3	8	-	-	-	-	-	-	-	-	-	-	4	12	1
tham *wH* - - - - - K.	5682	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30950	12	11	3	5	-	-	-	-	1	-	-	-	-	1	1	2	-
denham *H* - - - - L.	34162	23	10	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1
arlton *HH* - - - - K.	14040	7	6	-	4	-	-	1	-	-	-	-	-	-	-	-	2	-
oolwich Dockyard - - - K.	19606	12	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
oolwich Arsenal *HHTH* - K.	21242	14	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
umstead, West *H* - - - K.	15869	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	36567	31	10	4	5	-	-	-	-	1	-	-	-	-	-	1	5	1
anstead Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
aterham Asylum - - - - -	-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
ane Hill Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arenth Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
anwell Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
oiney Hatch Asylum - - - -	-	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	4	-
.E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
aybury Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 13th April, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	850	443	110	118	1	19	2	13	9	2	1	9	21	36
31 : 1	Carshalton *wHH* -	12228	26108	12	2	1	-	-	-	-	-	-	-	-	-	-	-
	Epsom, *part of* WwH*	10423	12508	7	3	-	1	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of* W-*	2754	1598	-	-	-	-		-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH* -	20851	128699	65	37	7	12	-	-	-	1	-	-	-	1	4	4
2	Mitcham *w* - -	11697	23088	12	4	-	1	-	-	1	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* -	3220	25761	18	8	2	1	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - -	8071	44765	24	21	6	10	-	1	-	-	1	-	-	-	1	6
3	Esher, *part of* HH* -	6601	12059	2	2	1	1	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* -	4565	18252	11	7	5	1	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	9	4	1	-	-	-	-	-	-	-	-	-	2	1
2	Mortlake *H* - -	2823	16159	7	3	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH* - -	9127	23815	12	9	-	3	-	-	-	1	-	-	-	1	1	1
2	Beckenham *H* - -	6542	21969	11	4	2	-	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of* WHH*	14307	20372	16	6	1	2	-	-	-	-	-	-	-	-	-	2
42 : 1	Bexley *HH* - -	12540	30590	14	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Dartford *Work.*, pt. of*	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
124 : 1	Sunbury *w* - -	11054	13671	6	2	1	-	-	-	-	-	-	-	-	1	1	-
2	Staines *WH* - -	13277	13221	6	6	2	4	-	1	-	-	1	-	-	-	-	-
125 : 1	Hillingdon *WHH*	6035	12257	5	1	-	-	-	-	-	-	1	-	-	-	-	-
2	Uxbridge - -	6172	5417	4	3	1	2	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - -	14537	12618	2	4	-	1	-	-	-	-	-	1	-	-	-	-
126 : 1	Isleworth *WHH*	6967	26273	21	8	3	1	-	1	-	-	-	-	-	-	-	-
2	Twickenham *HH*	2415	16027	6	5	-	3	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* -	4318	37777	20	9	2	7	-	-	-	-	-	-	-	-	-	1
	Chiswick - - -	1245	21963	11	4	1	1	-	-	-	-	-	-	-	-	-	-
4	Aston *wH* :- - -	6132	30945	12	7	1	1	-	-	-		-	-	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	11	4	1	-	-	-	-	-	-	-	-	-	-	1
2	Edgware *HH* - -	6994	3844	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*- -	4383	61265	29	18	4	6	-	1	-	2	-	-	-	-	-	1
4	Hendon *WH* - -	8382	15843	14	4	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms *H*	15599	8474	5	5	1	2	-	-	-	1	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11778	9	1	-	-	-	-	-	-	-	-	-	-	-	1
3	Finchley *HHH* -	4688	25820	14	5	1	2	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61097	30	16	5	5	-	-	-	-	1	-	-	1	1	-
2	Tottenham *H* - -	4642	97174	55	31	13	8	-	1	-	-	-	-	-	1	4	-
3	Edmonton *Wwu* -	7439	36351	24	11	2	5	-	-	1	-	-	-	-	-	-	3
4	Enfield *WWHH* -	12339	31803	13	12	2	8	-	-	-	-	-	-	-	1	2	2
5	Waltham Abbey - -	11017	6066	6	1	-	1	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* -	8430	9620	5	3	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of * W*	8306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - -	9331	7737	3	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*- -	1100	42983	37	15	4	1	-	-	-	-	-	-	-	1	1	1
2	Plaistow - - -	1242	58030	52	24	7	5	-	5	-	1	1	-	-	-	-	-
3	Canning Town *H* -	1558	54750	42	26	9	3	-	-	-	1	2	-	-	1	2	-
4	Forest Gate *w* - -	806	49140	39	16	4	3	-	-	-	3	-	-	-	-	-	-
5	East Ham *w* -	3266	32713	26	8	-	-	-	-	-	1	-	-	-	-	-	-
6	Leyton *WWWwH*	4334	70188	35	31	8	9	-	-	-	-	-	1	1		-	9
7	Walthamstow *H L*	6501	57330	52	23	6	1	-	8	-	1	-	-	-	-	-	1
187 : 1	Chigwell *part of * H*	11779	12341	6	9	2	2	-	1	-	1	-	-	-	1	2	-
2	Epping *Work* pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford *part of* H*	6556	4324	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - -	8493	10913	4	3	-	2	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H* -	3354	14591	16	8	-	1	-	-	-	-	2	-	-	-	-	-
	Highgate Small-pox Hospital.	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 3) : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1756); 37 : 1, the parishes of Warlingham and Farley in Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the paris Theydon Bois (1,079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 4 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

LE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 13th April, 1895.

REATER ONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
ER LONDON	443,421	6,048,555	17·8	1·6	2065	519	528	1	44	17	40	58	5	19	60	460
ER LONDON -	74,672	4,392,346	19·3	1·6	1622	409	410	–	25	15	27	49	3	18	51	424
ER RING -	368,749	1,656,209	13·9	1·5	443	110	118	1	19	2	13	9	2	1	9	36

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	April	13	166	111	21·2	–	10	1	–	2	–	1
GOW - -	695,876	„	13	407	334	25·0	–	2	5	3	20	3	9
IN - -	349,594	„	13	151	196	29·2	2	–	–	–	1	2	1
UTTA - -	466,460	January	5	–	–	–	–	–	–	–	–	–	–
BAY - -	821,764	March	26	275	531	33·6	16	34	?	?	?	140	36
RAS - -	452,518	„	1	309	306	35·1	1	8	?	?	?	95	42
S - - -	2,424,705	April	6	1183	1034	22·2	–	9	2	7*	11	5	33
SSELS - -	498,400	„	6	252	183	19·1	–	3	–	2*	1	3	10
TERDAM -	451,493	„	6	283	222	25·5	1	–	1	1	5	1	–
TERDAM -	272,042	„	6	187	136	26·0	2	–	1	1	1	–	–
HAGUE -	180,455	„	6	104	75	21·6	–	–	–	–	1	1	–
ENHAGEN -	341,000	„	6	187	154	23·6	–	1	2	–	4	–	2
CKHOLM -	252,937	March	30	129	86	17·7	–	–	1	2*	–	–	–
ISTIANIA -	167,588	April	6	50	61	18·9	–	–	1	–	2	–	2
ETERSBURG	954,400	March	23	735	800	43·7	5	6	12	11	1	14	43
COW - -	753,469	„	23	–	580	40·1	1	8	6	12	3	9	36
LIN - -	1,724,544	„	23	826	720	21·7	–	3	9	14	13	2	23
BURG - -	608,710	„	30	399	254	21·7	–	–	2	5*	3	–	12
SDEN - -	323,600	„	9	212	123	20·0	1	–	–	5*	–	–	6
SLAU - -	367 769	April	6	–	209	29·9	–	–	–	3*	–	–	24
NICH - -	396,000	„	6	–	192	25·2	–	–	2	7*	–	–	21
NNA - -	1,495,764	„	6	828	760	26·4	–	13	3	17*	–	1	35
GUE - -	343,822	„	6	245	196	29·0	–	1	2	–	1	5	3
A-PESTH -	566,022	March	30	435	354	31·5	–	1	4	5	–	1	17
ESTE - -	160,825	„	30	114	96	31·0	–	–	–	8*	1	–	2
N - -	463,786	February	23	293	214	24·1	–	–	1	–	–	2†	12
IN (10 days)	344,203	March	20	–	–	–	–	–	–	–	–	–	–
ICE -	158,159	„	30	73	111	36·6	–	1	–	2*	–	1	4
RO - -	374,838	February	25	–	–	–	–	–	–	–	–	–	–
XANDRIA -	231,396	„	25	–	–	–	–	–	–	–	–	–	–
V YORK -	1,992,715	March	23	–	887	23·1	–	14	20	35	3	1	18
OKLYN -	1,080,000	„	23	–	–	–	–	–	–	–	–	–	–
LADELPHIA	1,163,864	„	23	–	490	22·0	4	–	–	24	2	10	9
V ORLEANS -	275,000	„	16	–	206	39·1	–	4	–	4	–	6	4

* Including deaths from croup.
† Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 13TH APRIL, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	7	Perigee.	29·332	47·4	37·1	10·3	41·5	− 4·6	39·5	2·0	6·3	0·5	92	68·5	31·0	42·75	WSW. & W.	N. & S.	3·0	0·0	0·2	276	− 17	0·05	4·5
MONDAY .	8	In Equator.	29·662	58·0	38·1	19·9	46·6	+ 0·7	42·1	4·5	14·3	0·5	84	100·7	31·9	42·90	S. & WSW.	SW. & SSW.	3·0	0·0	0·2	316	+ 24	0·00	0·0
TUESDAY.	9	Full	29·788	64·0	45·7	18·3	52·9	+ 7·3	46·3	6·6	14·4	0·6	79	114·7	42·0	43·01	SW.	SW. & SSW.	3·0	0·0	0·3	373	+ 83	0·00	5·0
WEDNESDAY	10	..	29·894	62·0	45·5	16·5	52·6	+ 7·1	45·6	7·0	16·0	0·4	77	109·2	41·0	43·62	SSW. & SW.	SW. & W.	2·4	0·0	0·2	309	+ 20	0·00	4·0
THURSDAY	11	..	30·133	62·2	39·6	22·6	50·4	+ 4·9	37·1	13·3	23·0	1·2	60	112·1	34·0	44·27	SW. & NW.	NW. NNW. & N.	1·8	0·0	0·1	228	− 60	0·00	0·0
FRIDAY .	12	..	30·154	57·2	37·5	19·7	46·1	+ 0·4	36·0	10·1	17·7	0·9	68	119·0	29·8	44·68	N. & ENE.	NE. & S.	1·5	0·0	0·1	165	−123	0·00	0·0
SATURDAY	13	..	30·080	56·0	34·1	21·9	44·0	− 2·0	33·3	10·7	18·8	3·2	65	113·6	29·8	44·90	SW. SE. & E.	E. & ENE.	2·5	0·0	0·1	259	− 29	0·00	0·0
MEANS .	.	..	29·863	53·1	39·7	18·5	47·7	+ 2·0	40·0	7·7	15·8	1·0	75	105·4	34·2	43·73	SW. NW. & NE.		..	..	..	Sum 1926	Sum − 102	Sum 0·05	1·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	7	v. P. and v. N. till afternoon; m. P. afterwards.	0·3	13·3	Overcast till 6h. P.M.; with rain at 3h. A.M., and occasionally between 11h. A.M. and 1h. P.M.; cloudless generally in evening.
MONDAY .	8	m. P. generally -	2·1	13·4	Fine generally; variable amounts of cloud.
TUESDAY .	9	w. P. till early evening; s. P. afterwards.	5·2	13·4	Overcast in early morning; very fine afterwards; cloudless at night.
WEDNESDAY	10	m. P. till afternoon; v. P. afterwards.	1·8	13·5	Overcast generally till 4h. P.M.; afterwards cloudless and very fine.
THURSDAY .	11	v. P. generally - -	4·7	13·6	Very fine; hazy in morning; cloudless at times.
FRIDAY .	12	m. P. in morning; w. P. generally afterwards.	5·2	13·6	Very fine till evening; cloudless in forenoon; cloudy at night.
SATURDAY .	13	w. P. generally -	10·3	13·7	A very fine day. Cloudless in morning; partially cloudy afterwards.
			Sum 29·6	Sum 94·5	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·17 in. at the beginning of the week to 30·18 in. by noon on the 12th; decreased to 30·06 by 3h. P.M. on the 13th; and was 30·07 in. at the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 16. 1895. VOL. LVI.] WEEK ENDING SATURDAY, APRIL 20. [Price 1½*d.*

General Register Office, Somerset House,
April 22nd, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·3 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	TOWNS.	Weeks ending Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.
Birkenhead	16·5	18·4	18·0	22·8	Liverpool - -	25·5	24·9	24·1	24·4
Birmingham	27·1	26·9	25·5	18·1	London - -	21·1	19·0	19·3	18·8
Blackburn -	26·2	27·0	24·9	26·6	Manchester -	30·8	26·4	24·6	29·7
Bolton -	37·1	23·6	26·7	34·5	Newcastle-on-Tyne	21·9	16·9	20·1	19·1
Bradford -	22·8	19·3	18·2	16·1	Norwich - -	18·5	18·0	20·4	21·9
Brighton -	36·6	20·5	22·7	17·9	Nottingham -	18·9	15·4	19·8	16·8
Bristol -	24·2	24·9	21·7	19·9	Oldham - -	29·6	28·5	22·5	17·0
Burnley -	42·4	33·0	24·1	20·9	Plymouth - -	24·6	15·2	22·2	25·2
Cardiff -	15·1	20·8	20·4	16·4	Portsmouth -	22·7	20·0	16·1	18·2
Croydon -	16·8	10·9	14·1	17·2	Preston - -	30·6	31·9	28·2	19·9
Derby -	27·0	23·9	22·9	16·1	Salford - -	29·8	23·0	22·5	26·3
Gateshead -	20·7	20·7	19·0	17·9	Sheffield - -	21·0	20·7	19·8	20·8
Halifax -	17·8	23·3	17·8	21·7	Sunderland -	23·1	25·7	18·9	24·2
Huddersfield	21·5	13·1	17·3	27·8	Swansea - -	14·5	22·0	14·0	22·0
Hull - -	27·9	25·5	22·9	20·2	West Ham - -	19·4	15·7	18·2	17·8
Leeds -	24·9	21·9	19·0	20·8	Wolverhampton -	38·3	25·5	24·9	22·5
Leicester -	21·8	23·1	16·7	17·5					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Plymouth, 1·5 in Manchester, and 3·5 in Bolton; from *whooping-cough*, 1·0 in Norwich and in Manchester, 1·1 in Swansea and in Oldham, 1·2 in Wolverhampton and in Blackburn, 1·3 in Salford, and 1·6 in Burnley; and from *diarrhœa*, 1·0 in Cardiff, 1·2 in Plymouth, and 1·5 in Norwich. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 57 deaths from *diphtheria* included 30 in London, 5 in West Ham, and 5 in Manchester. One death from *small-pox* was registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2677 BIRTHS and 1585† DEATHS were registered. Allowing for increase of population, the births were 58, and the deaths 112, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7 added to the Outer Ring, or to other areas to which they belong.

A 86721—3. 650.—4/95. Wt. 259.

per 1000 from all causes, which had been 21·1, 19·0, and 19·3 in the preceding three weeks, fell again last week to 18·8. During the four weeks ending on Saturday last the death-rate averaged 19·6 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1585 deaths included 39 from measles, 9 from scarlet fever, 30 from diphtheria, 51 from whooping-cough, 5 from enteric fever, 7 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 141 deaths were referred to these diseases, being 82 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 6. The deaths from *measles*, which had been 23, 18, and 25 in the preceding three weeks, further rose last week to 39, but were barely one half of the corrected average; 8 belonged to Poplar, 6 to Mile End Old Town, and 5 to Shoreditch sanitary areas. The deaths from *scarlet fever*, which had been 13, 11, and 15 in the preceding three weeks, fell last week to 9, the corrected average being 16. The deaths from *diphtheria*, which had been 31, 23, and 27 in the preceding three weeks, rose again last week to 30, exceeding the corrected average by 5; 5 belonged to Kensington and 4 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 49, 44, and 49 in the preceding three weeks, further rose last week to 51, but were 20 below the corrected average; 6 belonged to Newington, 6 to Lambeth, 5 to Battersea, and 5 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 4, 6, and 3 in the preceding three weeks, were 5 last week, the corrected average being 9; 2 belonged to Paddington sanitary area. The deaths from *diarrhœa*, which had been 14, 15, and 18 in the preceding three weeks, fell last week to 7, the corrected average being 16.

The deaths referred to diseases of the respiratory organs, which had been 497, 427, and 398 in the preceding three weeks, further fell last week to 389, but were 5 above the corrected average.

The deaths attributed directly to *influenza* numbered 32, having been 116, 63, and 46 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 6 were cases of suicide, and one was a case of homicide, while the remaining 57 were attributed to accident or negligence. Three of these were referred to vehicles in the street, 12 to drowning, 22 (including 21 of infants under one year of age) to suffocation in bed, and 2 to chloroform administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 35 cases of small-pox, 1514 of scarlet fever, 441 of diphtheria, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 4 cases, against 11, 7, and 9; of scarlet fever, 162 cases, against 161, 143, and 117; of diphtheria, 73 cases, against 67, 71, and 64; and of enteric fever, 7 cases, against 12, 4, and 9.

Greater London.

In Greater London 3678 births and 2051 deaths were registered, corresponding to annual rates of 31·7 and 17·7 per 1000 of the estimated population. In the Outer Ring 16 deaths from measles, 15 from diphtheria, 8 from whooping-cough, and 6 from scarlet fever were recorded. Of the 16 deaths from measles, 7 occurred in Walthamstow, 3 in Plaistow, and 3 in Isleworth sub-districts; 9 deaths from diphtheria occurred in West Ham district, and 3 in Croydon sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 49°·1, the latter being 1°·5 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 36·0 hours; the measured rainfall amounted to 0·13 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE I.—33 GREAT TOWNS, DURING

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 20th Apr. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6407	4127	1065	893	1	89	24	57	115	19	31	152	293	851	79	20·3	1·7	68·4	28·0	46·4	8·00	0·30	0·76	33 Towns.
London	4,392,346	2677	1585	410	375	–	39	9	30	51	5	7	64	135	458	13	18·8	1·7	67·7	32·9	49·1	9·50	0·13	0·33	London.
West Ham	249,473	161	85	30	16	–	4	2	5	2	1	1	5	5	7	4	17·8	3·1	–	–	–	–	–	–	West Ham.
Croydon	114,923	67	38	6	13	–	–	–	2	–	–	–	–	2	7	–	17·2	0·9	68·4	29·3	49·0	9·44	0·14	0·36	Croydon.
Brighton	119,604	63	41	8	16	–	1	–	1	4	–	–	1	3	8	–	17·9	2·6	64·6	36·4	46·8	8·22	0·14	0·36	Brighton.
Portsmouth	174,751	96	61	15	13	–	–	–	–	1	1	–	1	3	9	1	18·2	0·6	63·0	36·0	47·8	8·78	0·21	0·53	Portsmouth.
Plymouth	89,096	48	43	7	17	–	2	–	–	–	–	2	1	3	4	–	25·2	2·3	–	–	–	–	–	–	Plymouth.
Bristol	228,139	95	87	11	32	–	–	–	–	–	1	1	2	11	22	–	19·9	0·5	60·0	30·0	46·5	8·06	0·67	1·70	Bristol.
Cardiff	155,637	97	49	15	11	–	–	–	2	–	–	3	2	3	9	2	16·4	1·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	96	41	11	8	–	–	–	1	2	1	–	–	–	2	1	22·0	2·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	51	37	14	6	–	–	1	1	2	–	–	–	2	4	–	22·5	2·4	58·7	29·9	45·5	7·50	0·58	1·47	Wolverhampton.
Birmingham	496,751	298	172	40	43	–	–	2	–	7	–	–	4	3	34	18	18·1	0·9	–	–	–	–	–	–	Birmingham.
Norwich	107,127	53	45	13	19	–	–	–	1	2	–	3	4	6	6	1	21·9	2·9	65·8	33·0	45·7	7·61	0·18	0·46	Norwich.
Leicester	193,839	127	65	18	24	–	–	1	–	2	–	–	3	6	3	2	17·5	0·8	–	–	–	–	–	–	Leicester.
Nottingham	226,658	132	73	27	14	–	–	1	–	1	–	–	1	1	11	–	16·8	0·5	62·3	34·1	45·5	7·50	0·21	0·53	Nottingham.
Derby	100,272	54	31	4	11	–	–	–	–	1	–	–	1	1	5	–	16·1	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	63	47	14	10	–	–	–	–	1	1	–	1	4	6	–	22·8	1·0	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	301	236	62	53	1	4	1	1	6	3	–	9	12	70	6	24·4	1·6	60·4	34·9	48·3	9·06	0·31	0·79	Liverpool.
Bolton	119,337	71	79	25	16	–	8	–	–	–	1	–	2	3	3	–	34·5	3·9	–	–	–	–	–	–	Bolton.
Manchester	524,865	297	299	61	53	–	15	1	5	10	1	1	10	19	63	9	29·7	3·3	–	–	–	–	–	–	Manchester.
Salford	208,253	173	105	36	23	–	1	2	1	5	2	2	2	4	15	3	26·3	3·3	–	–	–	–	–	–	Salford.
Oldham	141,079	56	46	10	13	–	–	1	–	3	–	–	1	1	9	–	17·0	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	76	40	12	11	–	–	–	–	3	–	–	1	2	3	–	20·9	1·6	–	–	–	–	–	–	Burnley.
Blackburn	127,615	69	65	21	15	–	–	–	–	3	–	2	2	3	4	4	26·6	2·0	–	–	–	–	–	–	Blackburn.
Preston	112,638	68	43	13	11	–	2	–	–	1	–	1	1	1	2	1	19·9	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	57	53	7	16	–	–	1	2	–	–	–	2	2	8	2	27·8	1·6	62·0	28·0	43·8	6·56	0·53	1·35	Huddersfield.
Halifax	93,813	34	39	5	10	–	–	–	–	1	–	–	1	3	5	–	21·7	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	114	70	14	27	–	–	1	–	–	–	–	3	4	8	–	16·1	0·2	57·6	34·6	44·9	7·17	0·40	1·02	Bradford.
Leeds	395,546	254	158	49	34	–	3	–	–	3	–	1	9	18	26	–	20·8	0·9	–	–	–	–	–	–	Leeds.
Sheffield	342,768	230	137	40	23	–	6	–	2	2	–	2	9	11	21	6	20·8	1·8	–	–	–	–	–	–	Sheffield.
Hull	216,722	105	84	22	28	–	–	1	1	–	–	1	3	4	7	2	20·2	0·7	65·0	30·0	43·4	6·33	0·07	0·18	Hull.
Sunderland	137,705	105	64	17	17	–	–	–	–	1	1	1	4	9	5	2	24·2	1·1	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	57	33	7	3	–	1	–	2	1	–	1	–	2	3	1	17·9	2·7	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	122	76	21	12	–	3	–	–	–	1	2	3	7	4	1	19·1	1·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2541	2505	2879	2579	2488	2735	2577	2494	2660	2457	2735·1	2677
Males . .	1292	1257	1490	1289	1301	1358	1308	1311	1357	1249	1394·4	1355
Females .	1249	1248	1389	1290	1187	1377	1269	1183	1303	1208	1340·7	1322
TOTAL **Deaths**	1743	1460	1529	1551	1426	1611	1809	1715	1730	1509	1697·4	1585
Males . .	889	748	798	792	708	816	928	876	872	787	866·9	854
Females .	854	712	731	759	718	795	881	839	858	722	830·5	731

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.
TOTAL **Births** - -	2612	2587	2736	2737	2787	2671	2681	2821	2650	2466	2731	2380	2677
TOTAL **Deaths** - -	1481	1598	1768	2467	2868	3246	3471	2817	2190	1781	1597	1622	1585
Ages at Death: Under 1 year -	311	337	386	452	505	524	618	611	448	390	357	409	410
1— 5 years -	151	192	188	250	337	357	395	347	332	282	290	265	261
5—20 " -	80	87	82	99	92	100	101	103	79	88	79	75	85
20—40 " -	190	221	237	278	280	288	320	265	226	222	176	193	190
40—60 " -	314	324	341	521	612	646	669	502	427	326	288	265	264
60—80 " -	362	373	442	700	868	1077	1089	753	533	410	335	339	312
80 years & upwards	73	64	92	167	169	254	279	231	145	63	72	71	63
Deaths from—													
Small-pox - - - -	-	2	3	1	1	1	-	1	-	-	-	-	-
Measles - - - -	21	13	17	27	26	20	23	12	19	23	18	25	39
Scarlet fever - - -	7	11	15	18	10	7	6	4	15	13	11	15	9
Diphtheria - - -	29	45	34	27	29	31	34	27	24	31	23	27	30
Whooping-cough - -	27	30	29	48	42	53	55	56	43	49	44	49	51
Typhus - - - -	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric fever - - -	16	9	13	10	3	7	8	4	4	4	6	3	5
Simple Continued fever -	1	-	-	-	1	-	-	-	-	1	-	-	-
Diarrhœa and Dysentery -	10	12	12	10	12	11	16	10	14	14	15	18	7
Cholera - - - -	1	-	-	-	-	1	-	-	-	1	-	-	-
All the above Diseases	112	122	128	141	124	131	143	114	119	136	117	137	141
Dis. of Respiratory System	324	377	480	840	1120	1448	1366	1031	740	497	427	398	389
Phthisis - - -	161	166	157	210	230	218	222	214	181	173	186	164	161
Dis. of Circulatory System	162	161	160	248	269	242	244	184	154	138	127	122	125
Violence - - - -	58	68	81	89	86	57	67	77	59	74	55	51	64
Inquest Cases - - -	149	160	195	239	255	211	222	194	135	145	114	136	135
Deaths in Public Institutions	462	477	480	663	692	739	693	641	536	464	432	424	458
TEMPERATURE OF THE AIR													
Mean - - - -	35°·6	26°·9	22°·4	26°·0	34°·0	36°·2	36°·5	43°·7	48°·3	44°·6	41°·5	47°·7	49°·1
Mean of Highest readings -	41·2	32·0	29·5	32·4	40·1	42·1	43·3	52·6	58·2	52·3	48·3	53·1	60·4
Mean of Lowest readings -	29·8	21·9	14·9	19·8	28·5	31·7	31·7	35·9	39·7	39·5	36·0	39·7	40·7
Humidity of the Air - -	84	75	68	66	84	81	86	77	80	81	84	75	77
Rain-fall (in inches) - -	0·54	0·28	0·02	0·00	0·00	0·19	0·34	0·02	0·18	0·71	0·12	0·05	0·13
Registered Sunshine (in hours)	6·4	4·8	16·4	14·5	8·3	5·2	12·3	29·8	21·4	17·5	9·8	29·6	36·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	35	51	56	67	75	68	56	57	58	55	53	47	35
Scarlet fever - - - -	1662	1653	1667	1658	1658	1621	1619	1615	1587	1555	1519	1463	1514
Diphtheria - - - -	528	519	500	497	486	463	455	456	455	435	440	435	441
Enteric fever - - - -	121	115	117	111	107	95	80	70	72	73	66	67	67

* The Metropolitan Asylum, London Fever, and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Bobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTEENTH Week of the Year 1895.

ES OF DEATH.	Corrected Averages for the 16th Week of the 10 years 1885–94.*	In the Week ending Saturday, 20th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
CAUSES - -	1697·4	1585	410	261	85	190	264	312	63
l- Vaccinated†	2·7	-	-	-	-	-	-	-	-
l- Unvaccinated	2·1	-	-	-	-	-	-	-	-
l- No Statement	0·9	-	-	-	-	-	-	-	-
les - - - -	78·9	39	10	29	-	-	-	-	-
et Fever - -	16·4	9	-	5	4	-	-	-	-
us - - - -	0·4	-	-	-	-	-	-	-	-
osing Fever - -	-	-	-	-	-	-	-	-	-
enza - - -	8·2	32	2	3	1	4	8	12	2
oping-cough - -	70·8	51	20	31	-	-	-	-	-
theria - - -	25·4	30	1	25	4	-	-	-	-
le Continued and -defined Fever -	0·3	-	-	-	-	-	-	-	-
ric Fever - -	9·0	5	-	1	1	1	2	-	-
era and Chol. Diarr.	-	-	-	-	-	-	-	-	-
rhœa, Dysentery -	16·3	7	3	-	-	-	-	3	1
ittent Fever - -	0·2	-	-	-	-	-	-	-	-
rophobia - -	0·2	-	-	-	-	-	-	-	-
nders - - -	-	-	-	-	-	-	-	-	-
pox and Effects of accination - -	0·4	-	-	-	-	-	-	-	-
ereal Affections -	8·0	9	6	-	-	2	1	-	-
sipelas - - -	4·6	2	-	-	-	-	1	-	1
mia and Septicæmia	3·7	4	-	-	2	1	1	-	-
rperal Fever - -	5·9	5	-	-	-	4	1	-	-
er Zymotic Diseases	1·8	1	-	1	-	-	-	-	-
ush - - - -	1·1	-	-	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·4	-	-	-	-	-	-	-	-
rvation, Want of Breast-milk - -	2·0	1	1	-	-	-	-	-	-
oholism - - -	7·9	7	-	-	-	4	2	1	-
eumatic Fever, eumatism of Heart	7·0	2	-	-	1	1	-	-	-
eumatism - -	1·8	2	-	-	-	-	-	2	-
ut - - - -	3·2	6	-	-	-	-	3	2	1
ckets - - - -	6·0	4	3	1	-	-	-	-	-
ncer - - - -	62·3	58	-	-	-	10	22	25	1
bes Mesenterica -	20·2	20	10	10	-	-	-	-	-
berculer Meningitis -	26·9	19	7	9	2	-	1	-	-
thisis - - -	168·7	161	2	1	14	71	61	12	-
rofula, Tuberculosis -	20·3	19	4	6	6	3	-	-	-
her Constitutional Diseases - - -	10·6	11	-	2	1	1	3	4	-
emature Birth - -	40·3	59	59	-	-	-	-	-	-
telectasis - - -	3·0	2	2	-	-	-	-	-	-
ngenital Malformations - - - -	7·8	8	7	-	1	-	-	-	-
d Age - - - -	55·3	53	-	-	-	-	-	28	25
popleXy - - -	43·4	30	-	-	-	1	8	20	1
pilepsy - - -	7·7	5	-	-	-	2	1	2	-
onvulsions - - -	48·0	36	30	6	-	-	-	-	-
ther Diseases of Brain and Nervous System	95·3	93	13	9	7	15	20	26	3

CAUSES OF DEATH.	Corrected Averages for the 16th Week of the 10 years 1885–94.*	In the Week ending Saturday, 20th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·9	4	-	1	2	1	-	-	-
Diseases of Circulatory System - - -	139·4	125	2	2	11	13	30	59	8
Croup - - - -	7·3	3	1	2	-	-	-	-	-
Bronchitis - - -	202·1	204	65	40	1	3	21	62	12
Pneumonia - - -	136·7	148	42	50	8	12	22	12	2
Pleurisy - - - -	8·7	7	-	2	1	2	1	1	-
Other Diseases of Respiratory System - -	28·7	27	10	3	1	1	6	5	1
Dentition - - -	15·3	6	2	4	-	-	-	-	-
Quinsy, Sore Throat -	2·6	2	1	1	-	-	-	-	-
Enteritis - - -	7·7	19	11	4	-	1	-	3	-
Peritonitis - - -	6·2	8	-	-	3	1	4	-	-
Diseases of Liver - -	27·9	20	1	-	-	2	9	7	1
Other Diseases of Digestive System -	30·4	23	3	2	1	6	5	6	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	47·0	42	-	1	1	7	17	12	4
Diseases of Generative System - - -	5·1	10	1	-	-	4	3	2	-
Accidents of Childbirth -	4·0	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	6·5	1	-	-	1	-	-	-	-
Diseases of Integumentary System - -	5·5	7	3	-	1	-	1	2	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -		-	-	-	-	-	-	-	-
By Vehicles or Horses -		3	-	1	-	1	-	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -	47·9	5	-	3	1	1	-	-	-
By Drowning - -		12	-	1	5	4	2	-	-
By Suffocation in Bed -		22	21	1	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		8	-	-	2	1	-	-	-
Other or not stated Causes - - - -		12	3	1	1	4	1	2	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·3	1	-	-	1	-	-	-	-
Suicide - - - -	10·9	6	-	-	-	1	5	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	54·5	71	64	3	-	1	2	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2677	1585	410	375	-	39	9	30	51	-	5	-	7	64	135	458
WEST DISTRICTS	740,735	396	210	65	53	-	2	2	4	4	-	2	-	3	15	24	76
NORTH DISTRICTS	993,884	559	315	71	80	-	3	3	9	4	-	-	-	1	10	20	92
CENTRAL DISTRICTS	247,538	143	87	27	24	-	2	-	1	4	-	1	-	-	7	11	27
EAST DISTRICTS	705,114	516	318	90	62	-	21	-	4	7	-	2	-	2	10	47	111
SOUTH DISTRICTS	1,524,472	1063	596	157	142	-	11	4	12	32	-	-	-	1	22	33	123
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	29	-	9	-	-	-	-	-	-	-	-	-	-	-	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	50	31	10	8	-	1	-	-	-	-	-	-	-	2	2	1
St. John Paddington *H* - - G.J.	33687	8	10	-	4	-	-	-	-	-	-	1	-	-	1	1	3
Kensington Town *Ww* - - W.M.	118751	60	36	12	13	-	1	-	-	-	-	-	-	2	1	3	12
Brompton - - - W.M. & C.	47557	19	9	2	1	-	-	1	-	-	-	-	-	-	-	-	4
St. Peter Hammersmith - - W.M.	8886	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	62	15	5	2	-	-	-	-	1	-	-	-	-	1	2	-
Fulham *Ww* - - - W.M. & C.	91039	69	36	12	6	-	-	-	3	-	-	1	-	-	3	5	10
Chelsea Kensal Town - - - C.	21787	9	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North *WHHHHH* - - C.	41637	27	19	4	4	-	-	-	-	-	-	-	-	-	1	2	8
Chelsea South *HH* - - - C.	32829	12	11	3	1	-	-	1	-	-	-	-	-	-	-	-	2
May Fair *WH* - - - - G.J.	23733	6	18	3	9	-	-	-	1	-	-	-	-	-	-	-	13
Belgrave *WHHH* - - - C.	54831	24	24	4	4	-	-	-	-	1	-	-	-	-	3	4	10
St. John Westminster *HH* - C.	34106	17	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster *H* - C.	21668	9	10	2	-	-	-	-	-	2	-	-	-	1	1	3	6
St. James Westminster *WHHH* N.R. & G.J.	24995	9	8	2	4	-	-	-	-	-	-	-	-	-	1	1	5
St. Anne Soho *HHHHHH* - - N.R.	12317	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	12	18	1	5	-	-	-	-	-	-	-	-	-	-	2	6
Rectory Marylebone *WH* G.J. & W.M.	20024	11	6	2	3	-	-	-	-	-	-	-	-	-	-	-	3
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	39	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Christchurch Marylebone *HH* - W.M.	33327	11	8	3	2	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone *HH* - - W.M.	32101	20	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	33	24	6	3	-	1	1	7	-	-	-	-	-	-	-	13
Regent's Park Pancras *HH* - W.M.	36590	21	8	3	2	-	-	-	-	-	-	-	-	-	-	1	1
Tottenham-court *wHHH* N.R. & W.M.	26321	14	14	-	5	-	-	-	-	-	-	-	-	-	1	1	8
Gray's Inn Lane *HHH* - - N.R.	27455	11	13	3	2	-	1	-	1	1	-	-	-	-	1	2	1
Somers Town *HH* - - - N.R.	32829	27	12	2	2	-	-	-	-	2	-	-	-	-	1	1	6
Camden Town *WH* - - - N.R.	15419	12	9	2	4	-	-	-	-	-	-	-	-	-	-	-	5
Kentish Town *WW* - - - N.R.	95765	47	22	11	3	-	-	-	-	1	-	-	-	-	-	1	3
Upper Holloway *WWWwHHH* - N.R.	90235	48	36	5	13	-	-	-	-	-	-	-	-	-	1	2	17
Islington South-west *H* - - N.R.	105557	66	24	7	5	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east - - - N.R.	64158	33	19	7	2	-	-	-	-	-	-	-	-	-	-	1	-
Highbury *HH* - - - - N.R.	59193	26	13	4	4	-	1	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - - N.R.	30936	15	8	-	6	-	-	-	-	-	-	-	-	-	-	1	-
Stamford Hill - - - - E.L.	17759	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	22	14	2	3	-	-	-	-	-	-	-	-	-	-	1	2
Hackney *WwwH* - - E.L. & N.R.	96486	57	48	10	14	-	-	2	1	-	-	-	-	-	4	4	24
South Hackney *wH* - - - E.L.	41759	30	7	-	1	-	-	-	-	-	-	-	-	-	1	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	3	4	1	2	-	-	-	-	1	-	-	-	-	-	1	-
St. Giles South *WH* - - - N.R.	13454	12	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Giles North *H* - - - N.R.	9633	4	4	2	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	9	2	-	-	-	-	1	1	-	-	-	-	-	-	6
St. Mary-le-Strand *H* - - N.R.	5706	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	3	6	2	-	-	-	-	-	-	-	1	-	-	-	-	5
Strand Union Workhouse, Edmonton -	†1037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Andrew Eastern *WH* - - N.R.	15343	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	11	6	4	-	-	1	-	-	1	-	-	-	-	1	1	-
Amwell Clerkenwell - - - N.R.	16883	13	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Pentonville - - - - N.R.	17155	10	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Goswell-street - - - - N.R.	15375	9	3	1	2	-	-	-	-	-	-	-	-	-	3	4	1
City-road *HHHL* - - - N.R.	29177	40	15	6	5	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - - - N.R.	8273	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Holborn Union Workhouse, Mitcham -	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Cripplegate - - - - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	1	13	3	5	-	-	-	-	-	-	-	-	-	1	1	11
St. Bride *W* - - - - N.R.	6594	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	3	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Wo house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishm receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differ Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 20th April, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
xton New Town *w* - - - N.R.	29313	17	14	3	4	-	-	-	-	1	-	-	-	-	-	2	5	-
xton Old Town - - - - N.R.	28354	18	6	4	-	-	-	-	-	-	-	-	-	-	2	4	-	-
ggerston *WH* - - N.R. & E.L.	46244	32	28	9	4	-	5	-	1	2	-	-	-	-	1	2	10	-
thnal Green North *H* - - E.L.	51520	38	15	5	4	-	-	-	-	-	-	-	-	-	-	5	2	-
thnal Green South - - - E.L.	33489	31	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
thnal Green East *WHL** - E.L.	44123	25	17	6	4	-	-	-	1	1	-	-	-	1	1	2	4	-
italfields - - - E. . N.R.	22456	18	7	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
le End New Town *W* - - E.L.	17908	39	10	4	2	-	-	-	-	-	-	-	-	-	-	2	6	-
hitechapel Church *H'* E.L. & N.R.	20298	20	28	2	2	-	-	-	-	-	-	1	-	-	4	6	26	-
odman's Fields - - - E.L.	13800	8	4	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-
George's, North - - - E.L.	37738	39	16	5	2	-	-	-	-	1	-	-	-	-	1	5	-	-
John, St. George East *W* - E.L.	8057	7	9	1	3	-	-	-	1	1	-	-	-	-	-	-	7	-
adwell *H* - - - E.L. & N.R.	10246	5	17	7	1	-	1	-	-	-	-	-	-	-	-	-	13	-
telliff *W* - - - - - E.L.	14928	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - - - E.L.	32202	81	12	5	-	-	-	-	-	1	-	-	-	-	-	2	-	-
le End Old Town West *H* - E.L.	38650	39	15	7	1	-	4	-	-	-	-	1	-	-	-	1	-	-
le End Old Town East *WWww* E.L.	68942	31	30	5	13	-	2	-	-	-	-	-	-	1	-	1	13	-
w *L** - - - - - - E.L.	40365	31	13	3	2	-	-	-	1	-	-	-	-	-	-	1	2	-
omley *wwwH* - - - - E.L.	70000	48	39	6	6	-	6	-	-	-	-	-	-	-	1	4	15	-
plar. *WW* - - - - - E.L.	56383	27	24	9	9	-	2	-	-	-	-	-	-	-	-	4	7	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	13264	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Saviour Southwark - - - S.	13913	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nt-road - - - - S. & L.	21867	18	5	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
orough-road *WH* - - S. & L.	16624	16	9	1	-	-	-	-	-	1	-	-	-	-	-	-	6	-
ndon-road *HL* - - L. & S.	21221	15	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
inity Newington - - S. & L.	26596	16	13	4	4	-	-	-	-	1	-	-	-	-	-	1	-	1
Peter Walworth *W* - S. & L.	61342	37	32	11	7	-	-	-	1	2	-	-	-	-	5	7	-	-
Mary Newington - - L. & S.	27866	25	10	4	2	-	-	-	-	3	-	-	-	-	-	-	-	-
Olave *WH* - - - - S.	12723	5	11	2	1	-	-	-	1	-	-	-	-	-	-	-	10	-
ather Market *W* - - S. & L.	30612	28	9	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2
James Bermondsey - - S.	54070	37	15	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
therhithe *WwH* - - S. & K.	39255	26	25	1	5	-	1	-	-	1	-	-	-	-	1	1	9	-
aterloo-road 1st *H* - - L. & S.	14031	7	9	-	3	-	-	-	-	-	-	-	-	-	1	1	4	-
aterloo-road 2nd *H* - - L. & S.	14644	19	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
mbeth Church 1st *H* - L. & S.	18075	19	23	9	3	-	-	-	1	1	-	-	-	-	2	3	13	-
mbeth Church 2nd *WW* - L. & S.	39097	41	28	5	9	-	-	-	-	3	-	-	-	-	-	-	15	1
nnington 1st *H* - - S. & L.	50586	29	10	4	-	-	2	-	-	-	-	-	-	-	1	1	-	-
nnington 2nd - - - - S. & L.	39708	23	11	3	5	-	-	-	-	2	-	-	-	-	-	-	-	-
ixton *w* - - - - - L. & S.	73405	47	22	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
rwood *WH* - - - - - L.	25657	14	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
st Battersea - - - - S.	67244	52	18	6	1	-	4	-	3	1	-	-	-	-	-	-	-	-
st Battersea *WwH* - - S.	83314	54	50	10	15	-	-	-	-	4	-	-	-	-	2	3	11	-
pham *H* - - - - - S.	43698	26	16	2	6	-	3	-	1	-	-	-	-	-	-	-	1	1
andsworth *WHHL* - - - S.	46717	38	21	7	9	-	-	-	-	-	-	-	-	-	1	2	1	-
tney - - - - - - - S.	17771	11	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
eatham *www* - - - - L.	48756	29	10	1	5	-	-	-	-	-	-	-	-	-	-	-	2	-
lwich - - - L. & S.	6309	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
mberwell *WwL*L** - S. & L.	61686	66	44	10	16	-	-	-	1	-	-	-	-	1	1	1	22	-
ckham *W* - - - S., L., & K.	83488	50	30	9	3	-	-	-	-	-	-	-	-	-	4	5	-	1
.George Camberwell - - L. & S.	63366	52	22	5	2	-	-	-	-	3	-	-	-	-	-	1	-	-
ptford, North - - - - K.	35314	25	16	7	2	-	1	-	-	1	-	-	-	-	-	-	-	4
ptford, Central *w* - - - K.	42007	36	16	6	4	-	-	4	3	3	-	-	-	-	-	-	8	-
ptford, South - - - - K.	30852	15	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
eenwich West *H* - - - K.	22007	19	7	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
eenwich East *WH* - - - K.	35233	32	17	2	4	-	-	-	-	-	-	-	-	-	1	1	10	-
tham *w'l* - - - - - K.	5682	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	19	10	4	3	-	-	-	-	-	-	-	-	-	-	-	1	1
wisham *WH* - - - - - K.	30950	13	12	-	5	-	-	-	-	1	-	-	-	-	1	1	5	-
denham *H* - - - - - L.	34162	15	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
arlton *HH* - - - - K.	14040	9	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
oolwich Dockyard - - - K.	19606	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HH W* - K.	21242	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
amstead, West *H* - - - K.	15869	11	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
mstead, East *WH* - - - K.	56567	35	8	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
nstead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
terham Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ne Hill Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
ospital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rrenth Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
nwell Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
iney Hatch Asylum - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
E. Hospital - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
ybury Asylum - - - - -	-	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 20th April, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the WEEK include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	1001	466	120	128	–	16	6	15	8	1	4	11	22	43
39 : 1	Carshalton *wHH*	12228	26103	17	2	1	–	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* Ww'l*	10423	12508	9	3	1	2	–	–	–	–	–	–	–	–	–	1
37 : 1	Godstone, *part of* W*	2754	1598	1	1	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	123699	82	39	7	13	–	–	–	3	–	–	–	–	2	6
2	Mitcham *w*	11697	23088	13	7	2	3	–	–	–	–	–	–	–	–	1	1
39 : 1	Wimbledon *HHH*	3220	25761	19	9	2	1	–	–	–	–	–	–	–	2	2	2
2	Kingston *WH*	8071	44765	37	13	3	3	–	–	–	–	–	–	–	1	1	4
3	Esher, *part of* HH*	6601	12059	7	6	1	4	–	–	–	–	1	–	–	–	–	–
4	Hampton *H*	4535	18252	14	6	2	1	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25389	11	4	1	2	–	–	–	–	–	–	–	–	–	–
2	Mortlake *H*	2823	16159	8	3	1	1	–	–	–	–	–	–	–	–	1	–
41 : 1	Bromley *HHH*	9127	23815	8	3	1	1	–	–	–		–	–	–	–	–	–
2	Beckenham *H*	6542	21969	10	3	1	2	–	–	–	–	–	–	–	–	–	1
	Chislhrst, *pt. of* WHH*	14307	20372	13	7	2	2	–	–	–	–	–	–	–	–	–	1
42 : 1	Bexley *HH*	12540	30590	29	13	3	6	–	–	–	–	–	–	–	–	–	1
2	Dartford *Work.*, pt. of*	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2
124 : 1	Sunbury *w*	11054	13871	14	4	3	1	–	–	–	1	–	–	–	–	–	–
2	Staines *WH*	13277	13221	6	5	1	2	–	–	–	–	1	–	–	–	–	1
125 : 1	Hillingdon *WHH*	6035	12237	9	2	–	2	–	–	–	–	–	–	–	–	1	1
2	Uxbridge	6172	5417	4	3	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12613	5	1	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	18	19	5	5	–	3	1	–	–	–	–	–	1	2
2	Twickenham *HH*	2415	16027	9	6	4	–	–	–	–	1	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	19	8	–	2	–	–	–	–	–	–	–	–	–	1
	Chiswick	1245	21963	25	4	1	1	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	27	18	3	9	–	–	–	–	1	–	–	1	3	–
127 : 1	Harrow *HHH*	13809	15715	13	9	–	5	–	–	–	–	–	–	–	1	1	–
2	Edgware *HH*	6994	3344	2	3	–	1	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	47	20	6	5	–	–	–	–	–	–	–	–	1	–
4	Hendon *WH*	8382	15843	8	4	1	3	–	–	–	–	–	–	–	–	–	2
129 : 1	South Mimms *H*	15599	8474	8	3	1	2	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11773	6	4	2	1	–	–	–	–	–	–	–	–	–	1
3	Finchley *HHH*	4688	25820	15	4	1	2	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH*	3039	61097	36	14	3	3	–	–	–	–	–	–	2	–	–	–
2	Tottenham *H*	4642	97174	67	16	6	3	–	–	–	–	–	–	–	1	2	–
3	Edmonton *Ww*	7439	36351	25	9	1	4	–	–	–	1	–	–	–	–	1	2
4	Enfield *WWHH*	12639	31803	24	14	2	2	–	1	2	–	–	–	–	–	–	2
5	Waltham Abbey	11017	6066	5	5	1	3	–	–	–	–	–	–	–	–	–	–
6	Chesunut *H*	8430	9620	8	2	1	–	–	–	–	–	–	–	–	–	–	–
136 : 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–		–
137 : 1	Bushey *H*	9331	7737	2	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	29	9	4	2	–	–	–	–	–	–	–	–	–	–
2	Plaistow	1242	58030	51	31	7	4	–	3	–	4	1	1	1	–	–	–
3	Canning Town *H*	1553	54750	49	25	10	1	–	1	2	1	1	–	–	2	2	–
4	Forest Gate *w*	806	49140	32	14	8	4	–	–	–	–	–	–	–	3	3	–
5	East Ham *w*	3266	32713	49	16	7	2	–	–	–	1	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	38	27	6	10	–	–	–	2	2	–	1	–	–	9
7	Walthamstow *HHL*	6501	57330	46	22	7	3	–	7	–	1	1	–	–	–	–	–
187 : 1	Chigwell *part of* H*	11779	12941	–	3	–	1	–	1	–	–	–	–	–	–	–	–
2	Epping *Work* pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of* H*	6556	4324	4	5	–	1	–	–	–	–	–	–	–	–	–	1
2	Ilford	8493	10913	8	5	1	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	15	4	–	1	–	–	–	–	–	–	–	–	–	–
	Cane Hill Asylum	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
	Homerton Fever Hosp.	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1768); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3001); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 2, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 20th April, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living.		Deaths from all Causes.	The Deaths registered in the Week include: Deaths of		Deaths from								Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
EATER LONDON	443,421	6,048,555	17·7	1·6	2051	530	503	–	55	15	45	59	6	11	75	501
INNER LONDON -	74,672	4,392,346	18·8	1·7	1585	410	375	–	39	9	30	51	5	7	64	458
OUTER RING -	368,749	1,656,209	14·7	1·6	466	120	128	–	16	6	15	8	1	4	11	43

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
DINBURGH -	273,535	April	20	152	102	19·4	1	7	1	2	1	–	3
LASGOW - -	695,876	„	20	549	298	22·3	7	5	3	3	14	–	5
UBLIN - -	349,594	„	20	190	199	29·7	1	–	1	–	–	1	–
ALCUTTA - -	466,460	January	5	–	–	–	–	–	–	–	–	–	–
OMBAY - -	821,764	April	2	306	469	29·7	9	12	?	?	?	121	31
ADRAS - -	452,518	March	8	322	289	33·2	–	9	–	–	–	101	30†
ARIS - - -	2,424,705	April	13	1230	967	20·7	–	4	2	9*	10	3	41
RUSSELS - -	498,400	„	13	255	200	20·9	–	4	2	2*	3	–	15
MSTERDAM -	451,493	„	13	249	245	28·2	–	–	–	1	7	1	–
OTTERDAM -	272,042	„	13	215	129	24·6	2	2	1	1	2	–	–
E HAGUE -	180,455	„	13	102	84	24·2	–	–	1	1	1	–	–
OPENHAGEN -	341,000	„	13	161	127	19·4	–	2	–	4	1	1	5
OCKHOLM -	252,037	„	6	110	69	14·2	–	–	1	–	–	–	2
RISTIANIA -	167,588	„	13	33	39	12·1	–	1	–	2	1	1	1
.PETERSBURG	954,400	March	30	546	606	33·1	1	1	18	10	2	10	49
OSCOW - -	753,469	„	30	–	589	40·8	2	3	10	16	4	7	33
ERLIN - -	1,724,544	„	30	931	634	19·1	–	2	12	22	7	–	20
AMBURG - -	608,710	April	6	390	231	19·7	–	–	1	4*	4	2	15
RESDEN - -	323,600	March	16	230	162	26·3	–	1	–	2*	1	–	4
RESLAU - -	367,769	April	13	–	224	32·0	–	–	3	6*	–	1	25
UNICH - -	396,000	„	13	–	196	25·7	–	–	1	4*	1	–	13
ENNA - -	1,495,764	„	13	896	772	26·8	–	7	4	13*	2	1	51
AGUE - -	343,822	„	13	283	229	33·9	–	3	1	–	–	5	1
UDA-PESTH -	566,022	„	6	423	331	30·4	–	–	–	5	–	3	16
IESTE - -	160,825	„	6	80	112	36·9	–	–	2	3*	1	–	–
OME - -	463,786	March	9	286	232	26·1	–	–	–	1	1	–	4
ERIN (10 days)	244,203	„	20	230	327	33·5	–	–	–	3	2	–	12
NICE -	158,159	April	6	–	–	–	–	–	–	–	–	–	–
IRO - -	374,838	March	11	465	285	39·5	2	–	–	3*	–	8	86
EXANDRIA -	231,396	„	11	271	135	30·4	–	–	–	1*	–	4	32
EW YORK -	1,992,715	„	30	–	900	23·4	–	14	21	40	12	2	8
ROOKLYN -	1,080,000	„	30	–	411	19·8	–	7	6	21	3	–	3
HILADELPHIA	1,163,864	„	30	–	512	22·0	3	1	6	27	2	7	9
EW ORLEANS -	275,000	„	23	–	160	30·4	–	5	–	1	2	3	2

* Including deaths from croup.
† Including 2 deaths from cholera.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 20TH APRIL, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Great-est.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	14	Greatest Dec. S.	30·105	53·2	34·4	18·8	43·8	− 2·6	34·0	9·8	15·2	7·6	69	107·0	30·4	45·03	NE. & E.	E. & ENE.	5·5	0·0	0·5	389	+100	0·00	0·0
MONDAY .	15	..	29·907	51·2	32·9	18·3	41·3	− 5·6	37·7	3·6	11·0	3·1	87	111·0	25·3	45·12	NE. & ENE.	NE. & ENE.	3·3	0·0	0·3	357	+ 67	0·00	1·2
TUESDAY.	16	Last Qr.	29·710	57·0	37·5	19·5	44·0	− 3·3	41·2	2·8	11·4	0·0	90	108·2	37·2	45·20	NE.	E.	3·0	0·0	0·2	327	+ 36	0·00	3·8
WEDNESDAY	17	..	29·505	66·7	42·1	24·6	52·8	+ 5·1	46·0	6·8	16·2	0·0	78	108·0	38·7	45·30	N. NNE. & ENE.	NE. E. & SE.	0·8	0·0	0·0	143	−149	0·06	0·0
THURSDAY	18	..	29·476	63·3	45·0	18·3	51·9	+ 3·8	46·9	5·0	15·4	0·2	83	107·9	39·5	45·73	SE. S. & SW.	SW. & SSW.	1·4	0·0	0·0	234	− 58	0·00	0·2
FRIDAY .	19	Apogee.	29·686	64·0	44·4	19·6	52·7	+ 4·4	43·3	9·4	18·0	0·0	70	118·0	38·9	46·23	SW. & WSW.	WSW.	1·6	0·0	0·1	242	− 51	0·07	0·8
SATURDAY	20	..	29·840	67·7	48·7	19·0	57·1	+ 8·6	45·2	11·9	20·5	4·0	65	119·0	41·7	46·71	SW. & SSW.	SSW. & SSE.	2·4	0·0	0·1	235	− 58	0·00	1·8
MEANS . .		..	29·747	60·4	40·7	19·7	49·1	+ 1·5	42·0	7·0	15·4	2·1	77	111·3	36·0	45·62	NE. & SW.		..	..	..	Sum 1927	Sum − 113	Sum 0·13	1·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	14	m. P. generally -	9·9	13·7	Very fine; a little light cloud prevalent till evening; cloudless at night.
MONDAY .	15	m. P. generally -	5·5	13·8	Cloudless in afternoon; cloudy at other times.
TUESDAY .	16	v. P. in morning; m. P. afterwards.	5·3	13·9	Overcast till noon; cloudless and very fine afterwards.
WEDNESDAY.	17	v. P. and v. N. -	1·9	13·9	Variable; showers of rain; thunder between 3h. and 4h. P.M.
THURSDAY .	18	w. P. generally -	1·4	14·0	Light showers in early morning; cloudy till afternoon; afterwards cloudless and very fine.
FRIDAY .	19	m. P. in early morning; v. P. and v. N. afterwards.	3·9	14·1	Overcast till 9h. A.M.; with rain between 5½h. A.M. and 8h. A.M.; afterwards fine with variable amounts of light cloud.
SATURDAY .	20	s. P. in morning and and evening; v. P. in afternoon.	8·1	14·1	Very fine; small amounts of light cloud prevailed generally.
			Sum 36·0	Sum 97·5	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·07 in. at the beginning of the week to 30·13 in. by noon on the 14th; decreased to 29·45 by 9h. P.M. on the 17th; increased to 29·86 in. by 9h. A.M. on the 20th; and was 29·83 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 17. 1895. VOL. LVI.] WEEK ENDING SATURDAY, APRIL 27. [Price 1½*d.*

General Register Office, Somerset House,
April 29th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.		Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.
Birkenhead	18·4	18·0	22·8	18·4	Liverpool - -	24·9	24·1	24·4	23·7
Birmingham	26·9	25·5	18·1	17·1	London - -	19·0	19·3	18·8	17·9
Blackburn -	27·0	24·9	26·6	23·7	Manchester -	26·4	24·6	29·7	27·6
Bolton -	23·6	26·7	34·5	29·3	Newcastle-on-Tyne	16·9	20·1	19·1	19·9
Bradford -	19·3	18·2	16·1	16·8	Norwich - -	18·0	20·4	21·9	28·7
Brighton -	20·5	22·7	17·9	19·6	Nottingham -	15·4	19·8	16·8	16·3
Bristol -	24·9	21·7	19·9	13·5	Oldham - -	28·5	22·5	17·0	16·6
Burnley -	33·0	24·1	20·9	25·1	Plymouth - -	15·2	22·2	25·2	22·2
Cardiff -	20·8	20·4	16·4	12·7	Portsmouth -	20·0	16·1	18·2	15·5
Croydon -	10·9	14·1	17·2	10·4	Preston - -	31·9	28·2	19·9	29·2
Derby -	23·9	22·9	16·1	13·0	Salford - -	23·0	22·5	26·3	21·5
Gateshead -	20·7	19·0	17·9	18·5	Sheffield - -	20·7	19·8	20·8	17·0
Halifax -	23·3	17·8	21·7	23·9	Sunderland -	25·7	18·9	24·2	19·7
Huddersfield	13·1	17·3	27·8	13·6	Swansea - -	22·0	14·0	22·0	11·3
Hull - -	25·5	22·9	20·2	18·8	West Ham - -	15·7	18·2	17·8	16·5
Leeds -	21·9	19·0	20·8	17·1	Wolverhampton -	25·5	24·9	22·5	27·4
Leicester -	23·1	16·7	17·5	17·2					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·4 in Sheffield, 1·5 in Manchester, 4·1 in Plymouth, and 4·4 in Bolton; from *whooping-cough*, 1·0 in Manchester, 1·1 in Leicester, 1·2 in Plymouth and in Wolverhampton, 1·3 in Liverpool and in Bolton, 1·6 in Blackburn, 1·9 in Preston, and 2·1 in Burnley; and from *diarrhœa*, 1·0 in Derby, and 1·1 in Gateshead. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 50 deaths from *diphtheria* included 27 in London, 5 in Manchester, and 4 in West Ham. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON 2691 BIRTHS and 1508† DEATHS were registered. Allowing for increase of population, the births were 8 above, and the deaths 150 below, the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7 added to the Outer Ring, or to other areas to which they belong.

A 86721,—4, 650,—4/95. Wt. 259. B

death-rate per 1000 from all causes, which had been 19·0, 19·3, and 18·8 in the preceding three weeks, further fell last week to 17·9. During the four weeks ending on Saturday last the death-rate averaged 18·8 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1508 deaths included 26 from measles, 9 from scarlet fever, 27 from diphtheria, 44 from whooping-cough, 5 from enteric fever, 13 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 124 deaths were referred to these diseases, being 99 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 5. The deaths from *measles*, which had been 18, 25, and 39 in the preceding three weeks, fell again last week to 26, and were just one third of the corrected average; 5 belonged to Poplar, 4 to Shoreditch, and 4 to Hackney sanitary areas. The deaths from *scarlet fever*, which had been 11, 15, and 9 in the preceding three weeks, were again 9 last week, the corrected average being 16. The deaths from *diphtheria*, which had been 23, 27, and 30 in the preceding three weeks, fell again last week to 27, and were 2 below the corrected average; 6 belonged to Camberwell, 3 to Wandsworth, and 3 to Pancras sanitary areas. The deaths from *whooping-cough*, which had been 44, 49, and 51 in the preceding three weeks, fell again last week to 44, and were 29 below the corrected average; 7 belonged to Lambeth sanitary area. The fatal cases of *enteric fever*, which had been 6, 3, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 6; the 5 cases last week belonged to Clerkenwell, Battersea, Camberwell, Greenwich, and Lewisham sanitary areas respectively. The deaths from *diarrhœa*, which had been 15, 18, and 7 in the preceding three weeks, rose again last week to 13, the corrected average being 14.

The deaths referred to diseases of the respiratory organs, which had been 427, 398, and 389 in the preceding three weeks, further fell last week to 341, and were 24 below the corrected average.

The deaths attributed directly to *influenza* numbered 27, having been 63, 46, and 32 in the preceding three weeks.

Different forms of violence caused 71 deaths, concerning all but one of which inquests were held. Of these 71 deaths, 11 were cases of suicide, and 4 of homicide, while the remaining 56 were attributed to accident or negligence. Five of these were referred to vehicles in the street, 8 to drowning, and 18 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 37 cases of small-pox, 1469 of scarlet fever, 432 of diphtheria, and 61 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 12 cases, against 7, 9, and 4; of scarlet fever, 132 cases, against 143, 117, and 162; of diphtheria, 69 cases, against 71, 64, and 73; and of enteric fever, 6 cases, against 4, 9, and 7.

Greater London.

In Greater London 3619 births and 1916 deaths were registered, corresponding to annual rates of 31·2 and 16·5 per 1000 of the estimated population. In the Outer Ring 16 deaths from diphtheria, 7 from whooping-cough, and 6 from measles were registered. Four deaths from diphtheria occurred in Edmonton district, 4 in West Ham district, and 2 in Romford sub-district; 3 deaths from measles occurred in Walthamstow sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·50 inches, and that of the Thermometer 50°·9, the latter being 2°·4 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·7 hours; the measured rainfall amounted to 1·15 inches.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 27th April 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 27th Apr. 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6734	3829	1005	910	-	85	18	50	111	24	39	145	275	741	46	18·9	1·6	65·1	38·8	49·5	9·72	1·17	2·97	33 Towns.
London	4,892,346	2691	1508	423	360	-	26	9	27	44	5	13	71	135	393	15	17·9	1·5	64·8	43·0	50·9	10·50	1·15	2·92	London.
West Ham	249,473	200	79	22	16	-	2	1	4	2	1	-	4	7	8	3	16·5	2·1	-	-	-	-	-	-	West Ham.
Croydon	114,923	55	23	5	6	-	1	-	1	1	-	-	-	1	2	-	10·4	1·4	65·1	41·2	51·0	10·56	0·89	2·26	Croydon.
Brighton	119,604	62	45	10	13	-	-	-	1	1	-	1	1	1	13	-	19·6	1·3	54·6	43·8	47·5	8·61	1·55	3·94	Brighton.
Portsmouth	174,751	88	52	12	17	-	-	-	-	1	-	-	2	3	8	-	15·5	0·3	59·0	44·0	48·9	9·39	1·39	3·53	Portsmouth.
Plymouth	89,096	42	38	12	10	-	7	-	-	2	-	-	1	2	2	-	22·2	5·3	-	-	-	-	-	-	Plymouth.
Bristol	228,139	125	59	10	15	-	1	-	-	-	-	-	1	2	13	2	13·5	0·2	61·0	43·0	49·2	9·56	1·95	4·95	Bristol.
Cardiff	155,637	98	38	10	10	-	2	1	-	-	-	-	3	5	11	-	12·7	1·0	-	-	-	-	-	-	Cardiff.
Swansea	97,008	66	21	4	7	-	-	-	-	-	-	-	2	3	1	-	11·3	-	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	56	45	10	10	-	-	-	1	2	-	-	2	4	4	-	27·4	1·8	61·2	38·8	48·9	9·39	1·38	3·51	Wolverhampton.
Birmingham	496,751	334	163	32	44	-	-	-	2	2	1	1	7	7	33	3	17·1	0·6	-	-	-	-	-	-	Birmingham.
Norwich	107,127	79	59	10	24	-	1	-	-	-	1	1	2	2	8	-	28·7	1·5	63·4	41·0	50·2	10·11	0·60	1·52	Norwich.
Leicester	193,839	119	64	18	15	-	-	-	-	4	-	-	1	6	12	-	17·2	1·1	-	-	-	-	-	-	Leicester.
Nottingham	226,658	146	71	20	18	-	-	-	-	2	-	2	4	4	16	1	16·3	0·9	62·8	41·1	50·7	10·39	0·76	1·93	Nottingham.
Derby	100,272	53	25	11	4	-	-	-	-	-	-	2	-	3	2	-	13·0	1·0	-	-	-	-	-	-	Derby.
Birkenhead	107,469	48	38	6	7	-	-	-	-	-	-	-	2	2	8	-	18·4	-	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,987	391	229	50	47	-	3	3	1	13	5	3	5	9	32	7	23·7	2·9	60·8	43·5	48·8	9·33	1·11	2·82	Liverpool.
Bolton	119,337	76	67	17	15	-	10	-	-	3	-	1	2	5	4	-	29·3	6·1	-	-	-	-	-	-	Bolton.
Manchester	524,865	404	278	65	46	-	15	1	5	10	2	5	12	23	56	4	27·6	3·8	-	-	-	-	-	-	Manchester.
Salford	208,253	148	86	24	18	-	1	-	-	2	3	1	4	7	15	1	21·5	1·8	-	-	-	-	-	-	Salford.
Oldham	141,079	73	45	8	7	-	-	-	1	-	-	1	1	3	4	-	16·6	0·7	-	-	-	-	-	-	Oldham.
Burnley	99,591	67	48	14	9	-	1	-	1	4	-	-	-	2	2	-	25·1	3·1	-	-	-	-	-	-	Burnley.
Blackburn	127,615	93	58	18	10	-	2	-	-	4	-	-	-	1	11	1	23·7	2·5	-	-	-	-	-	-	Blackburn.
Preston	112,638	68	63	17	16	-	1	-	-	4	-	1	1	1	11	1	29·2	2·8	-	-	-	-	-	-	Preston.
Huddersfield	99,482	38	26	3	10	-	-	1	-	-	-	-	-	1	3	-	13·6	0·5	65·0	39·0	48·6	9·22	1·22	3·10	Huddersfield.
Halifax	93,813	46	43	9	18	-	-	-	1	1	-	-	-	-	6	-	23·9	1·1	-	-	-	-	-	-	Halifax.
Bradford	226,384	131	73	14	26	-	-	-	1	1	-	-	2	4	7	-	16·8	0·5	-	-	-	-	-	-	Bradford.
Leeds	395,546	236	130	43	29	-	1	-	1	4	-	-	2	8	10	1	17·1	0·8	-	-	-	-	-	-	Leeds
Sheffield	342,768	242	112	35	25	-	9	1	-	-	1	1	3	5	10	5	17·0	1·8	-	-	-	-	-	-	Sheffield.
Hull	216,722	135	78	26	21	-	-	-	1	2	1	2	3	3	11	1	18·8	1·4	65·0	41·0	50·2	10·11	0·90	2·29	Hull.
Sunderland	137,705	107	52	16	13	-	-	-	1	-	2	1	1	6	7	1	19·7	1·5	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	66	34	10	10	-	-	-	-	1	-		1	2	3	-	18·5	1·6	-	-	-	-	-	-	Gateshead.
Newcastle	207,021	151	79	21	14	-	2	1	1	1	2	1	5	8	15	-	19·9	2·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return. † Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2561	2515	2516	2577	2522	2598	2507	2614	2582	2485	2682·5	2691
Males . .	1326	1253	1307	1297	1279	1288	1310	1318	1318	1274	1368·8	1380
Females .	1235	1262	1209	1280	1243	1250	1197	1296	1264	1211	1313·7	1311
TOTAL **Deaths**	1549	1472	1481	1437	1462	1567	2006	1619	1570	1543	1657·6	1508
Males . .	793	762	748	750	777	826	1060	823	857	788	863·7	802
Females .	756	710	733	687	685	741	946	796	713	755	793·9	706

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.
TOTAL **Births** - -	2587	2736	2737	2787	2671	2681	2821	2650	2466	2731	2380	2677	2691
TOTAL **Deaths** - -	1598	1768	2467	2863	3246	3471	2817	2190	1781	1597	1622	1585	1508
Ages at Death: Under 1 year -	337	386	452	505	524	618	611	448	390	357	409	410	423
1—5 years -	192	188	250	337	357	395	347	332	282	290	265	261	214
5—20 „ -	87	82	99	92	100	101	103	79	88	79	75	85	60
20—40 „ -	221	237	278	280	288	320	265	226	222	176	198	190	162
40—60 „ -	324	341	521	612	646	669	502	427	326	288	265	264	289
60—80 „ -	373	442	700	868	1077	1089	753	533	410	335	339	312	293
80 years & upwards	64	92	167	169	254	279	231	145	63	72	71	63	67
Deaths from—													
Small-pox - - - -	2	3	1	1	1	-	1	-	-	-	-	-	-
Measles - - - -	13	17	27	26	20	23	12	19	23	18	25	39	26
Scarlet fever - - -	11	15	18	10	7	6	4	15	13	11	15	9	9
Diphtheria - - -	45	34	27	29	31	34	27	24	31	23	27	30	27
Whooping-cough - -	30	29	48	42	53	55	56	43	49	44	49	51	44
Typhus - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric fever - - -	9	13	10	3	7	8	4	4	4	6	3	5	5
Simple Continued fever -	-	-	-	1	-	-	-	-	1	-	-	-	-
Diarrhœa and Dysentery -	12	12	10	12	11	16	16	14	14	15	18	7	13
Cholera - - - -	-	-	-	-	1	-	-	-	1	-	-	-	-
All the above Diseases	122	123	141	124	131	143	114	119	136	117	137	141	124
Dis. of Respiratory System	377	480	840	1120	1448	1366	1031	740	497	427	398	389	341
Phthisis - - -	166	157	210	230	218	222	214	181	173	186	164	161	162
Dis. of Circulatory System	161	160	248	269	242	244	184	154	138	127	122	125	120
Violence - - - -	68	81	89	86	57	67	77	59	74	55	51	64	71
Inquest Cases - - -	160	195	239	255	211	222	194	135	145	114	136	135	135
Deaths in Public Institutions	477	480	663	692	739	693	641	536	464	432	424	459	393
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	26·9	22·4	26·0	34·0	36·2	36·5	43·7	48·3	44·6	41·5	47·7	49·1	50·9
Mean of Highest readings -	32·0	29·5	32·4	40·1	42·1	43·3	52·6	58·2	52·3	48·3	58·1	60·4	59·2
Mean of Lowest readings -	21·9	14·9	19·8	28·5	31·7	31·7	35·9	39·7	39·5	36·0	39·7	40·7	45·8
Humidity of the Air - -	75	68	66	84	81	86	77	80	81	84	75	77	88
Rain-fall (in inches) - -	0·23	0·02	0·00	0·00	0·19	0·34	0·02	0·18	0·71	0·12	0·05	0·13	1·15
Registered Sunshine (in hours)	4·8	16·4	14·5	8·3	5·2	12·3	29·8	21·4	17·5	9·8	29·6	36·0	10·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	51	56	67	75	68	56	57	58	55	53	47	35	37
Scarlet fever - - - -	1653	1667	1658	1658	1621	1619	1615	1587	1555	1519	1463	1514	1469
Diphtheria - - - -	519	500	497	486	463	455	456	455	435	440	435	441	432
Enteric fever - - - -	115	117	111	107	95	80	70	72	73	66	67	67	61

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTEENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 17th Week of the 10 years 1885–94.*	In the Week ending Saturday, 27th April 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1657·6	1503	423	214	60	162	289	293	67
Small-pox: Vaccinated†	1·3	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·4	-	-	-	-	-	-	-	-
Small-pox: No Statement	2·1	-	-	-	-	-	-	-	-
Measles	78·8	23	5	21	-	-	-	-	-
Scarlet Fever	16·3	9	1	6	2	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	10·6	27	2	-	2	3	12	8	-
Whooping-cough	72·9	41	22	22	-	-	-	-	-
Diphtheria	23·9	27	2	18	6	1	-	-	-
Simple Continued and Ill-defined Fever	0·8	-	-	-	-	-	-	-	-
Enteric Fever	6·3	5	-	-	1	3	1	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	14·4	13	10	2	1	-	-	-	-
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·1	-	-	-	-	-	-	-	-
Venereal Affections	7·7	10	8	-	-	1	1	-	-
Erysipelas	4·3	4	1	1	-	-	-	2	-
Pyæmia and Septicæmia	2·7	1	-	-	-	1	-	-	-
Puerperal Fever	5·4	4	-	-	-	4	-	-	-
Other Zymotic Diseases	2·2	2	-	-	-	1	-	1	-
Thrush	1·3	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·3	1	-	-	-	1	-	-	-
Starvation, Want of Breast-milk	1·2	2	2	-	-	-	-	-	-
Alcoholism	7·7	7	-	-	-	3	3	1	-
Rheumatic Fever, Rheumatism of Heart	7·4	8	-	-	3	-	-	-	-
Rheumatism	3·6	1	-	-	-	1	-	-	-
Gout	3·6	4	-	-	-	-	-	4	-
Rickets	6·3	5	2	3	-	-	-	-	-
Cancer	59·7	70	-	1	-	5	35	23	3
Tabes Mesenterica	22·2	17	9	5	1	1	1	-	-
Tubercular Meningitis	24·0	23	11	12	-	-	-	-	-
Phthisis	169·6	162	1	3	15	73	65	5	-
Scrofula, Tuberculosis	21·5	15	5	5	2	1	1	1	-
Other Constitutional Diseases	10·2	11	-	-	1	1	5	3	1
Premature Birth	42·7	57	57	-	-	-	-	-	-
Atelectasis	3·0	2	2	-	-	-	-	-	-
Congenital Malformations	7·0	7	7	-	-	-	-	-	-
Old Age	46·8	51	-	-	-	-	-	30	21
Apoplexy	46·4	31	1	1	-	-	7	19	3
Epilepsy	7·1	6	-	-	2	2	2	-	-
Convulsions	40·8	53	46	7	-	-	-	-	-
Other Diseases of Brain and Nervous System	91·7	82	14	7	4	9	15	30	3
Diseases of Organs of Special Sense	3·7	8	2	5	1	-	-	-	-
Diseases of Circulatory System	125·2	120	3	-	3	13	42	52	7
Croup	7·3	4	1	3	-	-	-	-	-
Bronchitis	185·7	179	54	31	2	3	20	50	19
Pneumonia	131·0	125	43	37	2	8	15	11	4
Pleurisy	9·4	8	-	1	-	-	5	2	-
Other Diseases of Respiratory System	28·4	25	7	3	1	-	7	6	1
Dentition	13·6	6	1	5	-	-	-	-	-
Quinsy, Sore Throat	1·3	3	-	1	-	1	-	1	-
Enteritis	8·1	11	9	1	-	-	-	1	-
Peritonitis	7·3	3	-	-	1	-	-	2	-
Diseases of Liver	25·9	21	3	-	-	3	12	2	1
Other Diseases of Digestive System	34·0	33	8	1	2	7	6	8	1
Diseases of Lymphatic System & of Ductless Glands	3·0	1	-	-	-	-	1	-	-
Diseases of Urinary System	44·4	33	1	-	2	3	11	15	1
Diseases of Generative System	5·4	5	-	-	-	1	4	-	-
Accidents of Childbirth	4·7	1	-	-	-	1	-	-	-
Diseases of Locomotive System	7·6	2	-	-	1	-	-	1	-
Diseases of Integumentary System	5·0	5	-	1	-	-	3	1	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways	69·1	2	-	-	-	1	-	1	-
By Vehicles or Horses		5	-	2	1	-	1	-	1
In Ships, Boats, Docks (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		-	-	-	-	-	-	-	-
In Conflagrations		1	-	-	-	-	-	-	1
By Burns, Scalds, Explosions		4	1	2	-	-	1	-	-
By Drowning		8	-	-	2	3	2	1	-
By Suffocation in Bed		18	18	-	-	-	-	-	-
By Poisons or Poisonous Vapours		1	-	-	-	-	1	-	-
Other or not stated Causes		17	2	3	1	-	6	5	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	2·5	4	3	-	-	1	-	-	-
Suicide	8·8	11	-	-	1	4	4	2	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	51·3	62	54	4	-	2	-	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SC during the Week e

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
LONDON	4,211,743	2691	1508	423	360	-	23	9	27	44	-	5	-	13	71	135	3
WEST DISTRICTS	740,735	363	227	62	65	-	-	1	-	5	-	-	-	2	8	19	
NORTH DISTRICTS	993,884	609	327	72	84	-	6	1	8	7	-	1	-	1	17	31	
CENTRAL DISTRICTS	247,536	146	95	27	21	-	1	-	1	6	-	-	-	2	8	10	
EAST DISTRICTS	705,114	542	281	84	60	-	14	1	3	6	-	-	-	3	13	37	
SOUTH DISTRICTS	1,524,472	1028	550	178	122	-	4	3	15	20	-	4	-	5	25	38	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	28	-	8	-	1	3	-	-	-	-	-	-	-	-	
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	34150	41	22	4	11	-	-	-	-	-	-	-	-	1	2	3	
St. John Paddington *H* - - G.J.	33687	8	11	1	2	-	-	-	-	1	-	-	-	-	1	1	
Kensington Town *Ww* - - W.M.	118751	54	43	15	16	-	-	1	-	-	-	-	-	-	-	3	
Brompton - - - W.M. & C.	47557	13	11	1	3	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Hammersmith - - W.M.	8538	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith *H* W.M. & G.J.	38633	50	28	9	7	-	-	-	-	-	-	-	-	-	1	1	
Fulham *Ww* - - W.M. & C.	91639	79	33	11	8	-	-	-	-	-	-	-	-	-	1	1	1
Chelsea Kensal Town - - - C.	21787	13	5	-	1	-	-	-	-	1	-	-	-	-	-	-	
Chelsea North *WHHHH* - - C.	41637	20	15	3	2	-	-	-	-	1	-	-	-	1	-	-	1
Chelsea South *HH* - - - C.	32829	15	11	4	2	-	-	-	-	-	-	-	-	-	1	1	
May Fair *WH* - - - - G.J.	23733	2	6	1	2	-	-	-	-	-	-	-	-	-	-	-	
Belgrave *WHHH* - - - C.	54831	27	16	6	1	-	-	-	-	1	-	-	-	-	1	2	
St. John Westminster *HH* - - C.	34106	17	6	3	2	-	-	-	-	-	-	-	-	-	-	2	
St. Margaret Westminster *H* - C.	21668	4	7	-	3	-	-	-	-	1	-	-	-	-	-	1	
St. James Westminster *WHHH* N.R. & G.J.	24995	13	6	1	3	-	-	-	-	-	-	-	-	-	1	2	
St. Anne Soho *HHHHHH* - - N.R.	12317	7	4	1	1	-	-	-	-	-	-	-	-	-	1	2	
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	19	12	1	1	-	-	-	-	1	-	-	-	-	2	2	
Rectory Marylebone *WH* G.J. & W.M.	20024	6	12	4	4	-	-	-	-	-	-	-	-	-	-	2	
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	36	8	-	1	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone *HH* - W.M.	33327	18	10	-	5	-	-	-	-	-	-	-	-	-	1	1	
St. John Marylebone *HH* - - W.M.	32101	14	8	2	-	-	-	-	-	-	-	-	-	-	1	1	
Hampstead *WwHHHHH* N.R. & W.M.	68416	29	23	7	4	-	-	1	6	-	-	1	-	-	1	3	
Regent's Park Pancras *HH* - W.M.	36590	20	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
Tottenham-court *wHHH* N.R. & W.M.	26321	19	13	1	6	-	-	-	-	-	-	-	-	-	2	2	
Gray's Inn Lane *HHH* - - N.R.	27453	19	16	6	2	-	-	-	-	1	-	-	-	-	3	2	
Somers Town *HH* - - - N.R.	32829	25	13	5	2	-	-	-	-	-	-	-	-	-	1	1	
Camden Town *WH* - - - N.R.	15419	16	15	-	10	-	-	-	-	-	-	-	-	-	-	3	
Kentish Town *WW* - - - N.R.	95765	49	31	4	7	-	-	-	1	1	-	-	-	-	1	2	1
Upper Holloway *WWWwHHH* - N.R.	90235	60	35	7	7	-	2	-	1	-	-	-	-	-	1	2	1
Islington South-west *H* - - N.R.	105557	72	31	10	6	-	-	-	-	-	-	-	-	1	2	4	
Islington South-east - - - N.R.	64153	30	12	4	3	-	-	-	-	1	-	-	-	-	-	-	
Highbury *HH* - - - - N.R.	59193	36	17	7	4	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington *H* - - - N.R.	30936	9	10	-	6	-	-	-	-	1	-	-	-	-	1	1	
Stamford Hill - - - - E.L.	17759	8	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
West Hackney *H* - - - N.R.	42802	31	15	3	2	-	3	-	-	-	-	-	-	-	1	2	
Hackney *WwwH* - - E.L. & N.R.	96486	68	31	5	11	-	-	-	-	1	-	-	-	-	1	3	
South Hackney *wH* - - - E.L.	41759	25	9	4	1	-	-	-	-	1	-	-	-	-	-	-	
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16395	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South *WH* - - N.R.	13454	17	12	4	3	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North *H* - - - N.R.	9333	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	9	5	1	-	-	-	-	2	-	-	-	1	-	-	
St. Mary-le-Strand *H* - - - N.R.	5706	9	3	-	1	-	-	-	-	-	-	-	-	-	1	1	
St. Clement Danes *WH* - - N.R.	7194	1	10	1	1	-	-	-	1	-	-	-	-	-	2	3	
Strand Union Workhouse, Edmonton -	†1037	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Andrew Eastern *WH* - - N.R.	15843	9	7	2	2	-	-	-	-	1	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.	16803	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - - N.R.	16883	10	5	1	1	-	-	-	-	1	-	-	-	-	-	-	
Pentonville - - - - N.R.	17155	11	4	2	1	-	-	-	-	1	-	-	-	-	1	2	
Goswell-street - - - - N.R.	15375	10	3	2	1	-	-	-	-	-	-	-	-	1	-	-	
City-road *HHHL* - - - N.R.	29177	29	9	6	-	-	1	-	-	1	-	-	-	-	2	2	
Whitecross-street - - - N.R.	8278	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - - - - N.R.	4985	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham -	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H* - - - N.R. & E.L.	8944	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - - - N.R.	4539	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre *H* - - - N.R.	4444	2	6	1	1	-	-	-	-	-	-	-	-	-	1	1	
St. Bride *W* - - - - N.R.	6594	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Allhallows Barking - - - N.R.	10422	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	
Broad Street *H* - - - N.R.	3377	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone - -	†388	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*— house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; [*w*—Workhouse Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. L. East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT y, 27th April, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
itch South *HL** E.L. & N.R.	20098	11	8	4	1	-	-	-	1	2	-	-	-	-	-	-	1	-
n New Town *w* - - - N.R.	29313	21	13	3	6	-	-	-	-	1	-	-	-	-	-	1	4	-
n Old Town - - - - N.R.	28354	14	9	4	1	-	-	-	-	-	-	-	-	1	1	2	-	-
ston *WH* - - N.R. & E.L.	46244	27	21	7	5	-	3	-	-	-	-	-	-	-	2	3	3	-
l Green North *H* - - E.L.	51520	45	11	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-
l Green South - - - E.L.	33489	24	8	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-
l Green East *WHL** - E.L.	44123	41	21	3	10	-	-	-	-	-	-	-	-	-	-	1	18	-
elds - - - E. N.R.	22456	19	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
nd New Town *W* - - E.L.	17908	29	10	4	2	-	-	-	-	-	-	-	-	-	1	3	6	-
chapel Church *H* E.L. & N.R.	20298	27	22	5	2	-	-	-	-	-	-	-	-	-	1	5	17	-
an's Fields - - - E.L.	13800	2	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
orge's, North - - - E.L.	37738	39	14	5	1	-	1	-	-	-	-	-	-	-	-	3	-	-
n, St. George East *W* - E.L.	8057	9	8	1	3	-	-	-	-	-	-	-	-	-	-	1	6	-
ell *H* - - - E.L. & N.R.	10246	5	11	5	-	-	1	-	-	-	-	-	-	1	3	4	6	-
W - - - - - E.L.	14928	14	7	1	1	-	1	-	-	-	-	-	-	-	-	2	1	-
ouse - - - - - - E.L.	32209	17	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
nd Old Town West *H* - E.L.	38650	42	11	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
nd Old Town East *W Www* E.L.	68942	47	28	9	8	-	-	-	-	1	-	-	-	-	1	1	3	-
g's - - - - - - E.L.	40365	22	10	4	2	-	-	-	-	-	-	-	-	-	1	1	1	-
ey' *wwwH* - - - - E.L.	70009	46	36	9	11	-	4	-	-	-	-	-	-	-	1	4	14	-
t. *WW* - - - - - E.L.	56383	41	19	6	2	-	1	-	2	-	-	-	-	1	1	2	2	-
SOUTH DISTRICTS.																		
tchurch Southwark *WH* L. & S.	13264	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
vious Southwark - - - S.	13913	5	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
road - - - - - S. & L.	21867	13	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
gh-road *WH* - - S. & L.	16624	12	9	7	-	-	-	-	1	-	-	-	-	-	-	-	4	1
n-road *HL* - - L. & S.	21221	13	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
y Newington - - S. & L.	26596	22	15	5	3	-	-	-	-	-	-	-	-	-	1	2	-	1
ter Walworth *W* - S. & L.	61342	49	16	6	3	-	-	-	-	1	-	-	-	-	-	-	-	-
ary Newington - - L. & S.	27366	26	13	6	4	-	-	-	-	2	-	-	-	-	-	2	-	-
ave *WH* - - - - S.	12726	19	14	7	-	-	-	-	-	-	-	-	-	-	3	3	7	3
ter Market *W* - - S. & L.	30612	32	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1
nes Bermondsey - - S.	54070	33	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1
hithe *WwH* - - S. & K.	39255	33	18	6	1	-	-	-	-	-	-	-	-	-	-	-	6	1
loo-road 1st *H* - - L. & S.	14031	8	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
loo-road 2nd *H* - - L. & S.	14644	18	7	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
eth Church 1st *H* - L. & S.	18075	10	13	3	-	-	-	-	-	1	-	-	-	-	2	1	7	-
eth Church 2nd *WW* - L. & S.	39097	38	17	4	5	-	1	-	-	-	-	-	-	-	-	2	7	-
ington 1st *H* - - S. & L.	50586	29	14	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
ington 2nd *H* - - - S. & L.	39708	25	12	5	2	-	-	-	-	3	-	-	-	-	1	1	-	-
n *w* - - - - - L. & S.	73405	40	23	11	2	-	-	2	2	1	-	-	-	-	-	-	3	-
ood *WH* - - - - L.	25657	14	11	1	4	-	-	-	-	1	-	-	-	1	1	1	1	-
Battersea - - - - S.	67244	55	20	11	3	-	-	-	1	-	-	-	-	-	1	2	-	-
Battersea *WwH* - - S.	83314	54	54	9	12	-	-	-	-	1	-	1	-	-	2	4	10	1
am *H* - - - - - S.	43698	19	21	5	5	-	2	-	2	1	-	-	-	-	1	1	-	-
sworth *WHHL* - - - S.	46717	31	12	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
y - - - - - - - S.	17771	8	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
ham *www* - - - - L.	48753	22	15	3	4	-	-	1	2	-	-	-	-	-	-	-	2	1
ch - - - - L. & S.	6309	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
erwell *WwL** - - S. & L.	81686	51	36	7	17	-	-	-	2	1	-	-	-	-	1	2	21	-
am *W* - - - S., L., & K.	83483	66	29	10	5	-	-	-	1	-	-	-	-	1	2	2	2	1
orge Camberwell - - L. & S.	63366	51	22	8	3	-	-	-	-	1	-	-	-	1	-	1	-	-
ord, North - - - - K.	25314	31	6	4	-	-	-	-	-	1	-	-	-	-	1	1	-	-
ord, Central *w* - - - K.	42007	26	22	6	4	-	-	-	2	1	-	1	-	-	2	3	3	-
ord, South - - - - K.	20852	7	13	2	6	-	-	-	-	-	-	1	-	-	1	1	-	-
wich West *H* - - - K.	22007	15	5	1	2	-	-	-	-	-	-	-	-	-	1	1	1	-
wich East *WH* - - - K.	35233	16	22	4	7	-	-	-	-	-	-	-	-	1	-	-	16	-
m *wH* - - - - - K.	5462	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	18	8	1	2	-	-	-	-	-	-	1	-	-	-	-	-	1
ham *WH* - - - - K.	30950	15	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
ham *H* - - - - - L.	34162	19	10	3	3	-	-	-	-	1	-	-	-	-	1	1	1	-
ton *HH* - - - - K.	14640	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
wich Dockyard - - - K.	19806	12	5	1	-	-	-	-	1	1	-	-	-	-	2	2	-	-
wich Arsenal *HH TH* - K	21242	18	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, West *H* - - - K	15869	9	5	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
stead, East *WH* - - - S	8 587	15	18	3	5	-	-	-	-	1	-	-	-	-	-	-	7	-
ead Asylum - - - - -		-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
ham Asylum - - - -		-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hill Asylum - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tal Ships and Camp, Dartford -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ath Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
vell Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
y Hatch Asylum - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital - - - - -	-	-	4	-	-	-	1	3	-	-	-	-	-	-	-	-	4	-
hmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sden Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
ury Asylum - - - - -		-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKH HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week e Saturday, 27th April, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	928	408	90	111	–	6	3	16	7	1	3	10	27	46
30 : 1	Carshalton *wHH* -	12228	26108	12	6	2	2	–	–	–	–	–	–	–	1	1	–
	Epsom, *part of** *WwH*	10423	12508	3	9	1	6	–	–	–	–	–	–	–	–	–	4
37 : 1	Godstone, *part of** *W* -	2754	1593	2	1	–	–					–	–	–		–	–
38 : 1	Croydon *WwHHH*	20851	128699	71	28	5	9	–	1	–	1	1	–	–	–	1	2
2	Mitcham *w* -	11697	23088	18	4	–	1	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH* -	3220	25761	17	7	1	1	–	–	–	1	–	–	–	–	–	1
2	Kingston *WH* - -	8071	44765	24	13	4	3	–	–	–	–	–	–	–	–	–	2
3	Esher, *part of** *HH*	6601	12059	5	3	–	1	–	–	–	–	1	–	–	–	1	1
4	Hampton *H* -	4545	18252	12	4	–	3	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH* - -	2160	25389	15	3	1	–	–	–	–	–	–	–	–	1	1	1
2	Mortlake *H* - -	2823	16159	12	8	1	–	–	–	–	–	–		–	–	3	–
41 : 1	Bromley *HHH* - -	9127	23815	11	7	2	1	–	–	–	1	–	–	–	–	1	1
2	Beckenham *H* - -	6542	21969	4	5	–	2	–	–	–	1	–	–	–	–	–	1
	Chislhrst, *pt. of** *WHH*	14307	20372	9	4	–	1	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HH* - -	12540	30590	23	7	1	2	–	–	–	–	1	–	–	–	1	–
2	Dartford *Work.*, pt. of*-	—	—	–	2	–	2	–	–	–			–	–	–	–	2
124 : 1	Sunbury *w* - -	11054	13671	5	2	–	1	–	–	–	1	–	–	–	–	–	–
2	Staines *WH* -	13277	13221	8	4	–	2	–	–	–	–	1	–	–	–	–	1
125 : 1	Hillingdon *WHH*	6035	12237	6	5	2	3	–	–	–	–	–	–	–	–	–	2
2	Uxbridge - -	6172	5417	2	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* -	14537	12613	10	1	–	1	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	23273	15	7	3	1	–	–	1	–	–	–	–	–	–	1
2	Twickenham *HH*	2415	16027	10	2	2	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	21	8	2	4	–	–	–	–	–	–	–	–	–	–
	Chiswick - -	1245	21963	11	6	–	2	–	–	–	–	–	–	–	–	–	–
5	Acton *wH* - - -	6132	30945	18	9	4	2	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	15	3	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - -	6994	3844	–	–	–	–	–	–		–	–	–	–	–	–	–
3	Willesden *HHH* -	4383	61235	36	19	5	4	–	–	–	–	–	–	1	2	5	–
4	Hendon *WH* -	8382	15843	17	9	1	4	–	–	–	–	–	–	–	–	1	5
128 : 1	South Mimms *H*	15599	8474	7	1	–	1	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* -	5441	11773	4	3	1	2		–	–	–	–	–	–	–	–	1
3	Finchley *HHH* -	4683	25820	12	6	–	1	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	25	14	3	3	–	–	–	–	–	–	–	–	–	–
2	Tottenham *H* - -	4642	37174	50	26	7	6	–	–	–	2	–	–	–	1	2	1
3	Edmonton *Wwv* -	7489	36351	24	12	2	3	–	–	–	1	–	–	–	–	1	6
4	Enfield *WWHH* -	12639	31803	24	13	1	5		–	–	1	–	–	–	–	1	1
5	Waltham Abbey -	11017	6066	4	2	–	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8430	9620	4	2	–	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–		–	–	–
137 : 1	Bushey *H* - - -	9331	7737	3	5	–	2	–	–	–	1	–	–	–	–	–	1
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–		–	–		–	–	–	–	–	–
186 : 1	Stratford *H*- - -	1100	42983	29	16	5	4	–	1	–	1	–	1	–	1	2	2
2	Plaistow - - -	1242	58030	66	22	5	7	–	1	–	1	1	–	–	1	2	–
3	Canning Town *H* -	1558	54750	62	19	7	1	–	–	1	1	1	–	–	2	2	1
4	Forest Gate *w* - -	806	49140	43	17	5	2	–	–		1	–	–	–		1	–
5	East Ham *w* - -	3266	32713	41	10	4	4	–	–	–	–	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	45	20	3	5	–		–	–	–	–	–	1	1	7
7	Walthamstow *H L*	6501	57330	43	19	8	3		3	–	–	–	–	2	–	–	–
187 : 1	Chigwell *part of* * *H*	11779	12941	9	4	–	1	–	–	–	–	–	–	–	–	–	–
2	Epping *Work* pt. of*	—	—	–	–	–	–				–	–	–	–	–	–	–
189 : 1	Romford *part of** *H*	6556	4324	2	4	1	–	–		–	2	–	–	–	–	–	–
2	Ilford - -	8493	10915	11	3	–	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	10	2	–	1	–	–	–	–	1	–	–	–	–	–
	Middlesex County Asyl.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
	N.E. Hospital - -	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 30 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1753); 37 : 1, the parishes of Warlingham and Farley in Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsf Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 27th April, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TE LONDON	443,421	6,048,555	16·5	1·4	1916	513	471	–	32	12	43	51	6	16	81	439
NER LONDON -	74,672	4,392,346	17·9	1·5	1508	423	360	–	26	9	27	44	5	13	71	393
TER RING -	368,749	1,656,209	12·8	·1	408	90	111	–	6	3	16	7	1	3	10	46

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the f a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
NBURGH -	273,535	April 27	147	90	17·1	–	8	–	1	–	1	1
SGOW - -	695,876	„ 27	493	288	21·5	1	6	2	2	17	–	5
LIN - -	349,594	„ 27	189	181	27·0	1	–	–	1	1	1	1
CUTTA - -	466,460	March 16	–	485	54·2	138	10	–	–	–	176	54†
BAY - -	821,764	April 9	–	–	–	–	–	–	–	–	–	–
DRAS - -	452,518	March 15	318	254	29·1	–	4	?	?	?	104	24†
IS - - -	2,424,705	April 20	1117	1039	22·3	–	6	4	8*	7	7	47
SSELS - -	498,400	„ 20	214	173	18·0	–	3	3	1*	–	–	13
TERDAM -	451,493	„ 20	270	186	21·4	1	–	–	–	4	–	–
TERDAM -	272,042	„ 20	196	112	21·4	2	1	–	–	4	–	–
HAGUE -	180,455	„ 20	86	70	20·2	–	–	–	1	1	–	–
ENHAGEN -	341,000	„ 20	211	128	19·6	–	1	–	3	3	–	5
CKHOLM -	252,937	„ 13	105	91	18·2	–	–	1	1*	2	–	4
STIANIA -	167,588	„ 20	47	67	20·8	–	–	1	1	–	1	2
'ETERSBURG	954,400	„ 6	538	621	33·9	–	9	16	6	1	15	51
COW - -	753,469	„ 6	–	597	41·3	2	3	3	11	1	5	20
LIN - -	1,724,544	„ 6	828	601	18·1	–	4	11	18	7	–	22
BURG - -	608,710	„ 13	405	226	19·3	–	–	3	–	3	–	11
SDEN - -	323,600	March 23	–	170	27·6	–	1	–	4*	1	–	4
SLAU - -	367 769	April 20	–	171	24·3	–	–	4	4*	–	–	16
ICH - -	396,000	„ 20	–	198	26·0	–	2	–	4*	1	–	25
NA - -	1,495,764	„ 20	947	697	24·2	–	8	8	14*	5	–	39
GUE - -	343,822	„ 20	225	186	27·5	–	1	–	–	3	1	2
A-PESTH -	566,022	„ 13	397	370	31·0	–	–	3	7	–	1	17
SSTE - -	160,825	„ 13	81	100	32·3	–	–	2	3*	3	–	4
E - -	463,786	March 16	–	–	–	–	–	–	–	–	–	–
IN (11 days)	244,203	„ 31	241	247	26·2	–	–	–	6	4	4	5
ICE -	158,159	April 6	–	–	–	–	–	–	–	–	–	–
RO - -	374,838	March 18	479	319	44·3	1	–	–	–	–	5	93
XANDRIA -	231,396	„ 18	258	111	25·0	1	1	–	1*	–	7	29
W YORK -	1,992,715	April 13	–	892	23·1	–	11	10	34	15	3	6
OKLYN -	1,080,000	„ 13	–	432	20·5	–	3	8	29	4	2	6
LADELPHIA	1,163,864	„ 13	–	422	18·9	–	1	2	14	1	13	3
W ORLEANS -	275,000	March 30	–	153	29·0	–	1	–	1	–	2	3

* Including deaths from croup.
† Including 27 deaths from cholera in Calcutta, and one in Madras.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 27TH APRIL, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	●	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	21	..	29·753	60·6	49·2	11·4	53·3	+ 4·8	50·5	2·8	9·7	1·7	90	82·0	42·7	47·20	SSW.	SSW. & SW.	2·5	0·0	0·2	310	+ 18	0·03	6·7
MONDAY .	22	In Equator.	29·695	60·2	49·0	11·2	52·9	+ 4·4	47·9	5·0	9·5	1·7	83	89·0	44·0	47·70	SW. & SSW.	SSW. & S.	3·4	0·0	0·2	306	+ 16	0·03	9·0
TUESDAY.	23	..	29·501	62·8	44·4	18·4	52·0	+ 3·6	46·9	5·1	14·8	0·0	83	108·6	38·5	48·01	SSW. & SW.	SW. & SSW.	4·8	0·0	0·3	351	+ 64	0·03	5·5
WEDNESDAY	24	..	29·507	64·8	43·0	21·8	52·9	+ 4·5	47·9	5·0	12·6	0·0	83	116·0	37·0	48·31	SSW. & SSE.	S.	3·5	0·0	0·1	237	− 46	0·10	5·5
THURSDAY	25	New	29·256	58·0	44·1	13·9	50·5	+ 1·9	47·8	2·5	7·0	0·0	91	105·0	39·0	48·59	S. & ENE.	S. & SSW.	6·3	0·0	0·3	300	+ 21	0·49	3·0
FRIDAY .	26	..	29·297	54·8	46·1	8·7	47·5	− 0·9	45·0	2·5	8·2	0·4	91	89·2	43·8	48·71	S. SSW. & SW.	SW.	3·0	0·0	0·2	320	+ 45	0·28	4·5
SATURDAY	27	..	29·470	53·2	45·0	8·2	47·1	− 1·4	46·0	1·1	6·4	0·0	96	84·8	43·1	48·78	SW. & W.	WSW. NNW. & N.	2·0	0·0	0·1	278	+ 6	0·19	0·0
MEANS . .		..	29·497	59·2	45·8	13·4	50·9	+ 2·4	47·4	3·4	9·7	0·5	88	96·4	41·2	48·19	SW.		..	..	..	Sum 2102	Sum + 124	Sum 1·15	4·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	21	m. P. generally	0·1	14·2	Overcast till 2h. P.M. with frequent rain; variable in afternoon; cloudy at night.
MONDAY .	22	s. N. for a short time in evening; otherwise m. P. generally.	0·4	14·2	Overcast generally; frequent rain in evening.
TUESDAY .	23	w. P. in morning; m. P. afterwards.	2·6	14·3	Generally cloudy till afternoon; few light clouds prevalent between 3h. P.M. and 8h. P.M. with solar halo at 6h. P.M.; afterwards cloudless.
WEDNESDAY	24	m. P. till afternoon; v. N. and s. P. afterwards.	2·8	14·4	Variable; solar halo at 2h. P.M.; rain at 7h. P.M.; cloudless at night.
THURSDAY .	25	s. P. till 6h. A.M.; v. P. and v. N. till 11h. A.M.; m. P. till 9h. P.M.; v. P. and v. N. afterwards.	3·6	14·4	Generally cloudy, with frequent rain; afternoon fine, but variable.
FRIDAY .	26	w. P. in morning; s. P. and s. N. afterwards.	1·2	14·5	Generally cloudy; frequent rain.
SATURDAY .	27	v. P. and v. N. generally.	0·0	14·5	Overcast; frequent rain in afternoon and evening. A heavy shower at 2h. P.M. accompanied by hail and thunder.
			Sum 10·7	Sum 100·5	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·83 in. at the beginning of the week to 29·43 in. by 2h. A.M. on the 23rd; increased to 29·59 by 11h. P.M. on the same day; decreased to 29·23 in. by 3h. P.M. on the 25th; and increased to 29·63 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 18. 1895, Vol. LVI.] WEEK ENDING SATURDAY, MAY 4. [Price 1½d.

General Register Office, Somerset House,
May 6th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Apr. 13.	Apr. 20.	Apr. 27.	May 4.	Towns.	Weeks ending Apr. 13.	Apr. 20.	Apr. 27.	May 4.
Birkenhead	18·0	22·8	18·4	20·9	Liverpool - -	24·1	24·4	23·7	23·2
Birmingham	25·5	18·1	17·1	16·9	London - -	19·3	18·8	17·9	16·6
Blackburn -	24·9	26·6	23·7	22·9	Manchester -	24·6	29·7	27·6	23·9
Bolton -	26·2	34·5	27·5	20·1	Newcastle-on-Tyne	20·1	19·1	19·9	19·4
Bradford -	18·2	16·1	16·8	16·6	Norwich - -	20·4	21·9	28·7	19·0
Brighton -	22·7	17·9	19·6	20·9	Nottingham -	19·8	16·8	16·3	10·6
Bristol -	21·7	19·9	13·5	13·3	Oldham - -	22·5	17·0	16·6	23·3
Burnley -	24·1	20·9	25·1	26·7	Plymouth - -	22·2	25·2	22·2	16·4
Cardiff -	20·4	16·4	12·7	14·7	Portsmouth -	16·1	18·2	15·5	11·9
Croydon -	14·1	17·2	10·4	13·6	Preston - -	28·2	19·9	29·2	19·0
Derby -	22·9	16·1	13·0	14·6	Salford - -	22·5	26·3	21·5	21·5
Gateshead -	19·0	17·9	18·5	15·2	Sheffield - -	19·8	20·8	17·0	18·4
Halifax -	17·8	21·7	23·9	17·2	Sunderland -	18·9	24·2	19·7	15·5
Huddersfield	17·3	27·8	13·6	12·6	Swansea - -	14·0	22·0	11·3	13·4
Hull - -	22·9	20·2	18·8	21·4	West Ham - -	18·2	17·8	16·5	12·7
Leeds -	19·0	20·8	17·1	17·7	Wolverhampton -	24·9	22·5	27·4	20·7
Leicester -	16·7	17·5	17·2	12·4					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Manchester, 2·3 in Plymouth, and 2·6 in Bolton; and from *whooping-cough*, 1·0 in Birkenhead, 1·2 in Plymouth, 1·6 in Burnley, 1·8 in Wolverhampton, 1·9 in Preston, and 2·0 in Salford. In no case did the death-rate from *scarlet fever*, from "*fever*", or from *diarrhœa* reach 1·0 per 1000 in any of the thirty-three towns. The 49 deaths from *diphtheria* included 29 in London, 5 in Birmingham, and 3 in Leeds. One death from *small-pox* was registered in the Metropolitan Asylum Hospital Ship, but not one in any of the thirty-two provincial towns.

LONDON.

In LONDON 2837 BIRTHS and 1395† DEATHS were registered. Allowing for increase of population, the births were 55 above, and the deaths 236 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·3, 18·8, and 17·9 in the preceding three weeks, further fell last week to 16·6. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—650. 8.—5/95. Wt. 259.

ending on Saturday last the death-rate averaged 18·2 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1395 deaths included one from small-pox, 39 from measles, 13 from scarlet fever, 29 from diphtheria, 36 from whooping-cough, 5 from enteric fever, 18 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or cholera; thus, 141 deaths were referred to these diseases, being 86 below the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 6; the fatal case last week belonged to Rotherhithe sanitary area. The deaths from *measles*, which had been 25, 39, and 26 in the preceding three weeks, rose again last week to 39, but were barely more than half the corrected average; 6 belonged to Poplar, 5 to Shoreditch, 4 to Limehouse, 4 to Mile End Old Town, and 4 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 15, 9, and 9 in the preceding three weeks, rose again last week to 13, but were 5 below the corrected average; 2 belonged to Fulham and 2 to Poplar sanitary areas. The deaths from *diphtheria*, which had been 27, 30, and 27 in the preceding three weeks, were 29 last week, this number being also the corrected average; the 29 cases were distributed among no less than 22 sanitary areas. The deaths from *whooping-cough*, which had been 49, 51, and 44 in the preceding three weeks, further fell last week to 36, which is almost exactly half of the corrected average; 3 each belonged to Chelsea, St. Pancras, and Lambeth sanitary areas. The fatal cases of *enteric fever*, which had been 3, 5, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 10; the 5 fatal cases belonged to Paddington, Clerkenwell, St. George in the East, Rotherhithe, and Wandsworth sanitary areas respectively. The deaths from *diarrhœa*, which had been 18, 7, and 13 in the preceding three weeks, rose again last week to 18, the corrected average being 17.

The deaths referred to diseases of the respiratory organs, which had been 398, 389, and 341 in the preceding three weeks, further fell last week to 290, and were 55 below the corrected average.

The deaths attributed directly to *influenza* numbered 34, having been 46, 32, and 27 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 15 were cases of suicide, and 3 of homicide, while the remaining 45 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, one to a conflagration, 8 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 34 cases of small-pox, 1413 of scarlet fever, 457 of diphtheria, and 64 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 8 cases, against 9, 4, and 12; of scarlet fever, 107 cases, against 117, 162, and 132; of diphtheria, 79 cases, against 64, 73, and 69; and of enteric fever, 15 cases, against 9, 7, and 6.

Greater London.

In Greater London 3836 births and 1754 deaths were registered, corresponding to annual rates of 33·1 and 15·1 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 7 from diphtheria, and 3 from scarlet fever were registered. Six deaths from measles occurred in Walthamstow, 3 in Plaistow, and 3 in Tottenham sub-districts; 5 deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·15 inches, and that of the Thermometer 51°·2, the latter being 2°·0 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 2 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 42·0 hours; the measured rainfall amounted to 0·04 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 4th May 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 4th May, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever. †	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unascertained Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. (Fahrenheit)	Lowest. (Fahrenheit)	Mean. Fahrenheit.	Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6893	3551	847	841	1	80	22	49	90	24	39	118	235	684	58	17·5	1·5	65·0	33·0	48·5	9·17	0·23	0·58	33 Towns.
London	4,392,346	2837	1395	321	329	1	39	13	29	36	5	18	63	131	380	13	16·6	1·7	64·8	36·4	51·2	10·67	0·04	0·10	London.
West Ham	249,473	182	61	21	16	–	3	–	1	1	–	1	–	–	8	2	12·7	1·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	50	30	4	13	–	–	–	–	1	–	–	1	5	2	–	13·6	0·5	64·7	33·0	49·0	9·44	0·29	0·74	Croydon.
Brighton	119,604	70	48	13	15	–	–	–	–	1	–	–	1	1	6	–	20·9	0·4	63·8	36·2	48·4	9·11	0·01	0·03	Brighton.
Portsmouth	174,751	84	40	5	16	–	–	–	–	2	1	–	1	3	6	1	11·9	0·9	64·5	38·5	49·2	9·56	0·19	0·48	Portsmouth.
Plymouth	89,096	55	28	5	8	–	4	–	–	2	–	–	–	–	–	–	16·4	3·5	–	–	–	–	–	–	Plymouth.
Bristol	228,189	128	58	14	19	–	1	–	–	–	–	–	–	2	15	–	13·3	0·2	64·0	36·0	48·3	9·06	0·18	0·46	Bristol.
Cardiff	155,637	117	44	8	10	–	2	–	1	–	–	–	1	2	7	1	14·7	1·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	59	25	10	4	–	–	–	–	1	–	1	–	3	1	–	13·4	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	80	34	6	12	–	–	–	1	3	–	–	–	1	8	1	20·7	2·4	62·3	33·5	47·1	8·39	0·42	1·07	Wolverhampton.
Birmingham	496,751	353	161	37	45	–	–	–	5	3	2	1	7	6	21	11	16·9	1·2	–	–	–	–	–	–	Birmingham.
Norwich	107,127	72	39	9	15	–	–	–	–	1	–	–	1	1	3	1	19·0	0·5	65·0	38·2	48·1	8·94	0·07	0·18	Norwich.
Leicester	193,889	125	46	11	15	–	–	–	–	2	2	1	1	5	6	2	12·4	1·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	124	46	10	14	–	–	2	–	–	1	1	1	2	6	–	10·6	0·9	62·6	35·4	47·4	8·56	0·79	2·01	Nottingham.
Derby	100,272	59	28	7	9	–	–	–	–	–	–	1	1	2	4	1	14·6	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	65	43	10	9	–	–	–	2	2	1	–	1	1	5	–	20·9	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,987	467	224	60	43	–	4	1	1	5	–	5	9	11	46	6	23·2	1·7	62·4	40·1	48·5	9·17	0·19	0·48	Liverpool.
Bolton	119,337	88	46	14	5	–	6	–	–	1	–	–	1	1	3	–	20·1	3·1	–	–	–	–	–	–	Bolton.
Manchester	524,865	250	241	59	44	–	11	3	1	6	2	1	6	16	50	1	23·9	2·4	–	–	–	–	–	–	Manchester.
Salford	208,253	155	86	23	14	–	–	2	–	8	2	2	2	2	9	2	21·5	3·5	–	–	–	–	–	–	Salford.
Oldham	141,079	73	63	12	13	–	–	–	–	2	2	–	1	4	8	–	23·3	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	68	51	12	12	–	1	–	1	3	–	1	1	–	3	2	26·7	3·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	75	56	13	15	–	–	–	–	1	1	–	1	2	4	–	22·9	0·8	–	–	–	–	–	–	Blackburn.
Preston	112,038	73	41	7	11	–	2	–	–	4	1	1	–	1	4	1	19·0	3·7	–	–	–	–	–	–	Preston.
Huddersfield	99,482	43	24	5	4	–	–	–	–	–	–	1	–	–	–	–	12·6	0·5	62·0	35·0	48·7	9·28	0·19	0·48	Huddersfield.
Halifax	93,813	42	31	5	9	–	–	–	–	–	–	–	1	2	3	–	17·2	–	–	–	–	–	–	–	Halifax.
Bradford	226,884	106	72	15	20	–	–	–	–	1	–	–	1	3	14	–	16·6	0·2	61·0	39·2	47·9	8·83	0·15	0·38	Bradford.
Leeds	395,546	240	134	38	27	–	–	–	3	–	–	–	1	5	25	1	17·7	0·4	–	–	–	–	–	–	Leeds
Sheffield	342,768	233	121	34	29	–	4	–	2	1	1	2	6	7	14	10	18·4	1·5	–	–	–	–	–	–	Sheffield.
Hull	216,722	148	89	26	18	–	1	–	1	3	1	1	5	5	10	2	21·4	1·7	64·0	36·0	48·3	9·06	0·27	0·69	Hull.
Sunderland	137,705	107	41	5	9	–	–	–	–	–	1	–	–	1	3	–	15·5	0·4	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	76	28	6	8	–	–	–	–	–	1	–	–	2	3	–	15·2	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	149	77	22	11	–	2	1	1	–	–	1	5	8	7	–	19·4	1·3	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2129	2706	2597	2650	2712	2613	2658	2735	2625	2637	2782·3	2837
Males . .	1235	1374	1276	1328	1393	1373	1408	1394	1338	1288	1415·0	1421
Females .	1194	1332	1321	1322	1319	1240	1250	1341	1287	1349	1367·3	1416
TOTAL **Deaths**	1465	1491	1531	1429	1386	1533	2069	1549	1576	1428	1631·3	1395
Males . .	778	803	824	719	729	811	1056	819	805	756	854·8	729
Females .	687	688	707	710	657	722	1013	730	771	672	776·5	666

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.
TOTAL **Births** - -	2736	2737	2787	2671	2681	2821	2650	2466	2731	2380	2677	2691	2837
TOTAL **Deaths** - -	1768	2467	2863	3246	3471	2817	2190	1781	1597	1622	1585	1508	1395
Ages at Death: Under 1 year -	386	452	505	524	618	611	448	390	357	409	410	423	321
1—5 years -	188	250	337	357	395	347	332	282	290	265	261	214	221
5—20 " -	82	99	92	100	101	103	79	88	79	75	85	60	82
20—40 " -	237	278	280	288	320	265	226	222	176	198	190	162	186
40—60 " -	341	521	612	646	669	502	427	326	288	265	264	289	256
60—80 " -	442	700	868	1077	1089	753	533	410	335	339	312	293	275
80 years & upwards	92	167	169	254	279	231	145	63	72	71	63	67	54
Deaths from—													
Small-pox - - - -	3	1	1	1	-	1	-	-	-	-	-	-	1
Measles - - - -	17	27	26	20	23	12	19	23	18	25	39	26	39
Scarlet fever - - -	15	18	10	7	6	4	15	13	11	15	9	9	13
Diphtheria - - -	34	27	29	31	34	27	24	31	23	27	30	27	29
Whooping-cough - -	29	48	42	53	55	56	43	49	44	49	51	44	36
Typhus - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric fever - - -	13	10	3	7	8	4	4	4	6	3	5	5	5
Simple Continued fever -	-	-	1	-	-	-	-	1	-	-	-	-	-
Diarrhœa and Dysentery -	12	10	12	11	16	10	14	14	15	18	7	13	18
Cholera - - - -	-	-	-	1	-	-	-	1	-	-	-	-	-
All the above Diseases	128	141	124	131	143	114	119	136	117	137	141	124	141
Dis. of Respiratory System	480	840	1120	1418	1366	1031	740	497	427	398	389	341	290
Phthisis - - -	157	210	230	218	222	214	181	173	186	164	161	162	144
Dis. of Circulatory System	160	248	269	242	244	184	154	138	127	122	125	120	106
Violence - - - -	81	89	86	57	67	77	59	74	55	51	64	71	63
Inquest Cases - - -	195	239	255	211	222	194	135	145	114	136	135	135	131
Deaths in Public Institutions	480	663	692	739	693	641	536	464	432	424	459	393	350
TEMPERATURE OF THE AIR													
Mean - - - -	22·4°	26·0°	34·0°	36·2°	36·5°	43·7°	48·3°	44·6°	41·5°	47·7°	49·1°	50·9°	51·2°
Mean of Highest readings -	29·5	32·4	40·1	42·1	43·3	52·6	58·2	52·3	48·3	58·1	60·4	59·2	62·5
Mean of Lowest readings -	14·9	19·8	28·5	31·7	31·7	35·9	39·7	39·5	36·0	39·7	40·7	45·8	40·4
Humidity of the Air - -	68	66	84	81	86	77	80	81	84	75	77	88	73
Rain-fall (in inches) - -	0·02	0·00	0·00	0·19	0·34	0·02	0·18	0·71	0·12	0·05	0·13	1·15	0·04
Registered Sunshine (in hours)	16·4	14·5	8·3	5·2	12·3	29·8	21·4	17·5	9·3	29·6	36·0	10·7	42·0
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	56	67	75	68	56	57	58	55	53	47	35	37	34
Scarlet fever - - - -	1667	1658	1658	621	1619	1615	1587	1555	1519	1463	1514	1469	1413
Diphtheria - - - -	500	497	486	463	455	456	455	435	410	435	441	432	457
Enteric fever - - - -	117	111	107	95	80	70	72	73	66	67	67	61	64

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health Sunderland

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTEENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 18th Week of the 10 years 1885–94.*	In the Week ending Saturday, 4th May 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1631·3	1395	321	221	82	186	256	275	54
Small-pox: Vaccinated† -	1·6	1	-	-	1	-	-	-	-
Small-pox: Unvaccinated	1·8	-	-	-	-	-	-	-	-
Small-pox: No Statement	2·6	-	-	-	-	-	-	-	-
Measles - - - -	75·7	39	9	30	-	-	-	-	-
Scarlet Fever - -	18·0	13	1	8	4	-	-	-	-
Typhus - - - -	0·4	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	20·8	31	8	-	2	1	9	17	2
Whooping-cough - -	70·6	36	13	20	3	-	-	-	-
Diphtheria - - -	23·9	29	-	23	5	1	-	-	-
Simple Continued and Ill-defined Fever -	0·6	-	-	-	-	-	-	-	-
Enteric Fever - -	9·5	5	-	-	1	2	2	-	-
Cholera and Chol. Diarr.	0·3	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	16·7	18	14	1	1	-	1	1	-
Remittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections -	8·7	10	6	-	-	2	1	1	-
Erysipelas - - -	4·4	3	2	-	-	-	1	-	-
Pyæmia and Septicæmia	3·0	1	-	-	1	-	-	-	-
Puerperal Fever - -	5·4	4	-	-	-	3	1	-	-
Other Zymotic Diseases	1·9	1	-	-	-	-	-	1	-
Thrush - - - -	1·3	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·5	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk -	1·7	2	2	-	-	-	-	-	-
Alcoholism - - -	6·6	8	-	-	-	2	3	3	-
Rheumatic Fever, Rheumatism of Heart	6·0	4	-	-	2	-	1	-	1
Rheumatism - -	1·9	1	1	-	-	-	-	-	-
Gout - - - -	4·3	5	-	-	-	-	5	-	-
Rickets - - - -	4·9	7	3	4	-	-	-	-	-
Cancer - - - -	60·5	62	-	1	2	4	32	23	-
Tabes Mesenterica -	20·3	16	5	10	1	-	-	-	-
Tubercular Meningitis -	28·1	29	7	13	7	2	-	-	-
Phthisis - - -	164·5	114	4	2	13	67	44	14	-
Scrofula, Tuberculosis -	20·7	20	11	3	4	2	-	-	-
Other Constitutional Diseases - - -	11·9	12	1	1	-	1	5	3	1
Premature Birth - -	44·3	44	44	-	-	-	-	-	-
Atelectasis - - -	3·0	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	8·8	11	11	-	-	-	-	-	-
Old Age - - - -	49·6	43	-	-	-	-	-	21	22
Apoplexy - - -	41·3	27	1	1	-	3	8	13	1
Epilepsy - - -	8·8	2	-	-	1	-	-	1	-
Convulsions - - -	37·1	30	28	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	86·5	85	11	12	5	9	20	23	5

CAUSES OF DEATH.	Corrected Averages for the 18th Week of the 10 years 1885–94.*	In the Week ending Saturday, 4th May 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·1	1	-	-	-	1	-	-	-
Diseases of Circulatory System - - -	139·0	103	4	2	6	18	31	39	6
Croup - - - -	7·4	4	1	3	-	-		-	-
Bronchitis - - -	174·3	145	33	23	2	2	22	48	10
Pneumonia - - -	129·5	114	23	40	3	15	12	15	1
Pleurisy - - -	8·3	4	-	-	-	2	1	1	-
Other Diseases of Respiratory System - -	25·2	23	3	4	1	1	7	7	-
Dentition - - -	13·8	9	2	7	-	-	-	-	-
Quinsy, Sore Throat -	1·8	2	-	1	-	1	-	-	-
Enteritis - - -	8·3	12	8	-	1	2	1	-	-
Peritonitis - - -	7·1	6	-	1	2	-	1	2	-
Diseases of Liver - -	27·4	23	4	-	1	3	7	8	-
Other Diseases of Digestive System -	29·8	36	3	2	-	9	9	10	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	2	-	-	1	-	1	-	-
Diseases of Urinary System - - -	43·5	40	-	1	3	8	15	12	1
Diseases of Generative System - - -	6·1	6	1	-	-	4	-	1	-
Accidents of Childbirth -	4·7	4	-	-	-	3	1	-	-
Diseases of Locomotive System - - -	8·2	5	1	-	4	-	-	-	-
Diseases of Integumentary System - -	4·7	5	1	1	-	1	2	-	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	43·5	1	-	-	-	1	-	-	-
By Vehicles or Horses -		3	-	1	1	1	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		2	-	-	1	-	-	1	
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations - -		1	-	1	-	-	-	-	-
By Burns, Scalds, Explosions - - -		6	1	1	1	3	-	-	-
By Drowning - -		8	1	-	-	4	2	1	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	-	-	1	-
Other or not stated Causes - - - -		13	2	1	1	1	2	5	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	0·6	3	1	-	-	1	1	-	-
Suicide - - - -	9·2	15	-	-	1	6	5	3	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	44·9	33	33	1	-	-	2	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON *	4,211,743	2837	1395	321	329	1	39	13	29	36	-	5	-	18	63	131	380
WEST DISTRICTS	740,735	395	243	45	67	-	1	3	3	9	-	-	-	2	8	24	70
NORTH DISTRICTS	993,884	631	396	67	69	-	7	5	7	7	-	1	-	7	12	25	81
CENTRAL DISTRICTS	247,538	136	87	17	16	-	-	-	2	2	-	1	-	1	2	7	33
EAST DISTRICTS	705,114	627	261	66	61	-	22	1	5	7	-	1	-	2	22	45	75
SOUTH DISTRICTS	1,524,472	1048	463	125	105	-	9	3	12	11	-	2	-	6	19	30	86
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	30	-	11	1	-	1	-	-	-	-	-	-	-	-	30
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	50	29	8	9	-	-	-	-	-	-	-	-	1	1	4	5
St. John Paddington *H* - - G.J.	53637	6	16	1	7	-	-	-	-	-	-	-	-	-	2	3	9
Kensington Town *Ww* - - W.M.	118751	62	53	12	15	-	1	-	-	2	-	-	-	-	2	5	16
Brompton - - - W.M. & C.	47557	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - - W.M.	8586	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	83533	47	23	6	6	-	-	-	-	2	-	-	-	-	-	-	2
Fulham *Ww* - - - W.M. & C.	91639	82	34	4	11	-	-	2	1	1	-	-	-	1	1	5	9
Chelsea Kensal Town - - - C.	21787	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WH/HHH* - - C.	41637	25	15	2	6	-	-	-	-	2	-	-	-	-	-	1	11
Chelsea South *HH* - - - C.	82829	24	9	3	-	-	-	-	-	1	-	-	-	-	-	-	1
May Fair *WH* - - - - G.J.	23733	3	9	1	4	-	-	-	1	-	-	-	-	-	-	1	3
Belgrave *WHHH* - - - C.	54631	28	15	-	2	-	-	-	-	-	-	-	-	-	1	2	6
St. John Westminster *HH* - C.	34106	23	7	1	1	-	-	-	1	-	-	-	-	-	-	-	1
St. Margaret Westminster *H* - C.	21668	3	8	1	-	-	-	-	-	-	-	-	-	-	1	3	3
St. James Westminster *WHHH* N.R. & G.J.	24995	7	7	-	5	-	-	1	-	1	-	-	-	-	-	-	3
St. Anne Soho *HHHHHH* - - N.R.	12317	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	8	16	1	6	-	-	-	-	1	-	-	-	-	-	1	8
Rectory Marylebone *WH* G.J. & W.M.	20024	5	5	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	30	8	2	2	-	-	-	-	-	-	-	-	1	-	-	1
Christchurch Marylebone *HH* - W.M.	33327	22	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HH* - - W.M.	32101	19	13	3	2	-	-	-	-	1	-	-	-	-	-	2	2
Hampstead *WwHHHHH* N.R. & W.M.	68416	33	23	-	6	-	-	1	3	-	-	1	-	-	-	-	10
Regent's Park Pancras *HH* - W.M.	36590	28	14	3	2	-	-	-	-	3	-	-	-	-	1	2	-
Tottenham-court *wHHH* N.R. & W.M.	26321	17	15	1	2	-	-	-	1	-	-	-	-	-	-	1	11
Gray's Inn Lane *HHH* - - N.R.	27455	22	12	3	-	-	-	-	-	-	-	-	-	-	1	2	4
Somers Town *HH* - - - N.R.	32329	23	11	4	2	-	-	-	-	-	-	-	-	2	-	1	3
Camden Town *WH* - - - N.R.	15419	17	8	3	4	-	-	-	-	-	-	-	-	1	1	1	6
Kentish Town *WW* - - - N.R.	95765	60	15	6	1	-	-	-	1	-	-	-	-	-	-	2	4
Upper Holloway *WWWwHHH* - N.R.	90235	63	41	10	10	-	3	-	-	-	-	-	-	-	1	3	14
Islington South-west *H* - - N.R.	105557	64	19	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east - - - N.R.	64158	39	15	5	2	-	-	-	-	-	-	-	-	-	-	1	-
Highbury *HH* - - - - N.R.	59193	29	13	6	4	-	-	-	-	2	-	-	-	1	-	-	-
Stoke Newington *H* - - - N.R.	30936	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - - N.R.	42602	20	12	-	3	-	2	-	-	-	-	-	-	-	1	1	3
Hackney *WwwH* - - E.L. & N.R.	86486	75	37	5	10	-	2	4	2	-	-	-	-	1	5	5	15
South Hackney *wH* - - - E.L.	41759	26	17	5	4	-	-	-	-	-	-	-	-	1	1	3	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	11	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Giles North *H* - - - N.R.	9633	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary-le-Strand *H* - - - N.R.	5706	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	6	6	1	-	-	-	-	1	-	-	-	-	-	-	-	5
Strand Union Workhouse, Edmonton -	†1037	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	12	1	2	-	-	-	-	1	-	-	-	-	-	1	6
St. Andrew Eastern *WH* - - N.R.	15343	3	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-
St. James Clerkenwell - - - N.R.	16803	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	13	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - - - - - N.R.	17155	11	4	2	-	-	-	-	-	1	-	-	-	-	-	1	-
Goswell-street - - - - N.R.	15375	7	3	1	1	-	-	-	-	-	-	1	-	-	-	-	1
City-road *HHHL* - - - N.R.	29177	37	10	4	-	-	-	-	-	-	-	-	-	-	-	2	1
Whitecross-street - - - N.R.	8278	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - - N.R.	4444	1	20	2	4	-	-	-	-	-	-	-	-	1	-	-	19
St. Bride *W* - - - - - N.R.	6594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street *H* - - - - N.R.	3377	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W houses; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establish receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diff Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
ırday, 4th May, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oxton New Town *w* - - - N.R.	29313	22	12	1	5	-	1	-	-	1	-	-	-	-	-	-	3	-
oxton Old Town - - - - N.R.	28354	22	7	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	43	27	8	5	-	4	-	1	1	-	-	-	-	-	-	11	-
ethnal Green North *H* - - E.L.	51520	50	9	1	1	-	-	-	1	-	-	-	-	-	1	1	1	-
ethnal Green South - - - E.L.	33489	34	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ethnal Green East *WHL** - E.L.	44123	40	21	3	5	-	-	-	-	-	-	-	-	-	2	3	8	-
pitalfields - - - E. & N.R.	22456	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *W* - - E.L.	17908	40	5	1	1	-	-	-	-	-	-	-	-	-	-	1	3	-
hitechapel Church *H** E.L. & N.R.	20293	26	18	2	5	-	2	-	-	-	-	1	-	-	4	4	13	-
oodman's Fields - - - E.L.	13800	12	4	1	1	-	-	-	-	-	-	-	-	-	1	3	-	-
t. George's, North - - - E.L.	37738	54	10	6	1	-	1	-	-	-	-	-	-	1	1	2	-	-
t. John, St. George East *W* - E.L.	8057	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
adwell *H* - - - E.L. & N.R.	10246	5	10	3	-	-	1	-	1	-	-	-	-	-	2	2	8	-
atcliff *W* - - - - - E.L.	14928	12	7	4	2	-	1	-	-	-	-	-	-	-	1	2	-	-
imehouse - - - - - E.L.	32202	25	16	5	1	-	3	1	1	1	-	-	-	-	-	1	-	-
ile End Old Town West *H* - E.L.	38650	37	10	4	2	-	2	-	-	-	-	-	-	-	2	3	-	-
ile End Old Town East *WWww* E.L.	68942	52	31	5	12	-	2	-	1	2	-	-	-	-	3	7	9	-
ow *L** - - - - - E.L.	40365	22	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
romley *wwwH* - - - - E.L.	70000	48	34	9	12	-	5	-	-	2	-	-	-	-	1	8	12	-
oplar *WW* - - - - - E.L.	56383	46	22	5	4	-	-	-	-	-	-	-	-	-	4	7	2	-
SOUTH DISTRICTS.																		
hristchurch Southwark *WH* L. & S.	13264	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
t Saviour Southwark - - - S.	13913	8	5	2	2	-	-	-	-	2	-	-	-	-	-	-	-	1
ent-road - - - - S. & L.	21867	17	3	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
orough-road *WH* - - S. & L.	16624	15	11	2	1	-	-	-	-	-	-	-	-	-	-	2	4	1
ondon-road *HL* - - L. & S.	21221	17	6	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-
rinity Newington - - S. & L.	26596	19	10	4	3	-	-	-	-	-	-	-	-	-	2	2	-	-
t. Peter Walworth *W* - S. & L.	61842	48	18	8	3	-	-	-	-	-	-	-	-	-	-	2	2	-
t. Mary Newington - - L. & S.	27866	27	8	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
t. Olave *WH* - - - S.	12723	7	10	3	1	-	-	-	-	-	-	-	-	-	1	1	8	2
eather Market *W* - - S. & L.	30612	21	10	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1
t. James Bermondsey - - S.	54070	35	21	7	5	-	-	-	-	1	-	-	-	-	-	-	-	1
otherhithe *WwH* - - S. & K.	39255	26	14	1	4	-	-	-	1	-	-	1	-	-	1	1	2	-
Waterloo-road 1st *H* - - L. & S.	14031	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	24	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - - L. & S.	18075	6	13	-	2	-	-	-	-	-	-	-	-	-	3	3	10	-
Lambeth Church 2nd *WW* - L. & S.	39097	27	18	7	3	-	1	-	-	1	-	-	-	-	-	1	7	-
Kennington 1st *H* - - S. & L.	50586	39	17	5	4	-	1	-	-	-	-	-	-	-	-	1	-	-
Kennington 2nd - - - S. & L.	39708	19	13	2	3	-	-	-	-	1	-	-	-	-	1	1	-	-
Brixton *w* - - - - - L. & S.	73405	45	19	6	5	-	2	-	1	1	-	1	-	1	-	2	3	1
Norwood *WH* - - - - L.	25657	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea - - - - S.	67244	53	18	4	2	-	3	-	1	-	-	-	-	-	-	1	-	-
West Battersea *WwH* - - S.	83314	60	32	8	10	-	-	-	-	1	-	-	-	-	-	-	9	-
Clapham *H* - - - - - S.	43698	27	8	5	0	-	-	-	-	-	-	-	-	-	1	1	-	-
Wandsworth *WHHL* - - S.	46717	37	12	2	3	-	-	-	1	-	-	-	-	1	1	1	2	-
Putney - - - - - - S.	17771	17	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Streatham *wwww* - - - - L.	48753	32	12	1	4	-	-	1	-	1	-	-	-	-	1	1	2	-
Dulwich - - - - L. & S.	6809	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Camberwell *WwL*L** - - S. & L.	51686	56	57	9	13	-	-	-	1	1	-	-	-	1	-	-	15	-
Peckham *W* - - - - S., L., & K.	83483	69	24	9	2	-	-	-	1	-	-	-	-	1	-	-	-	-
St. George Camberwell - - L. & S.	63366	45	12	4	1	-	-	-	-	1	-	-	-	-	1	1	-	1
Deptford, North - - - - K.	35314	21	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford, Central *w* - - - K.	42007	40	18	4	3	-	-	2	2	-	-	-	-	-	-	1	4	1
Deptford, South - - - - K.	20852	16	6	2	2	-	-	-	1	-	-	-	-	-	1	1	-	-
Greenwich West *H* - - - K.	22007	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *WH* - - - K.	35233	16	15	3	6	-	-	-	-	-	-	-	-	-	-	-	6	1
Eltham *wH* - - - - - K.	5682	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	6	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WH* - - - - K.	30950	26	6	-	4	-	1	-	-	-	-	-	-	-	1	1	3	-
Sydenham *H* - - - - L.	34162	21	5	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Charlton *HH* - - - - K.	14040	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	19606	11	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21242	10	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1
Plumstead, West *H* - - - K.	15869	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	30	12	2	3	-	-	-	1	-	-	-	-	-	-	-	4	-
Banstead Asylum - - - - -	-	-	9	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill Asylum - - - - -	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital Ships and Camp, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch Asylum - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
N.E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKH HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week e Saturday, 4th May, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	999	359	88	105	–	14	3	7	6	2	1	10	15	31
30 : 1	Carshalton *wHH* -	12226	26108	11	6	1	-	-	-	-	-	-	-	-	-	-	-
	Epsom, *part of** *WwH*	10423	12508	11	3	2	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W*	2754	1598	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHBH* -	20851	128699	70	36	6	14	-	-	-	-	1	-	-	1	5	3
2	Mitcham *w* -	11697	23088	16	5	1	4	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* -	3220	25761	25	3	2	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - -	3071	44765	23	11	3	6	-	-	-	-	-	-	-	-	-	2
3	Esher, *part of** *HH*	6601	12059	8	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* -	4535	18252	6	2	-	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	8	8	3	4	-	-	-	-	-	-	-	1	1	4
2	Mortlake *H* - -	2823	16159	16	6	1	3	-	-	-	-	1	-	-	1	1	-
41 : 1	Bromley *HHH* - -	9127	23315	13	7	1	2	-	-	-	-	-	1	-	-	-	-
2	Beckenham *H* - -	6542	21969	13	6	1	-	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of** *WHH*	14307	20372	7	3	-	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *HH* - -	12540	30599	19	8	1	5	-	-	-	-	-	-	-	-	-	-
2	Dartford *Work.*, pt. of*-	—	—	1	1	-	-	-	-				-		-	-	1
124 : 1	Sunbury *w* - -	11054	13671	8	4	-	-	-	1	-	1	-	-	-	1	1	-
2	Staines *WH* - -	13277	13221	4	-	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon *WHH*	6035	12237	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - -	6172	5417	2	1	-	-	-	-	-	-	-	-	-		-	-
3	Hayes *wH* -	14537	12613	10	3	-	2	-	-	-	-	-	-	-	1	1	-
126 : 1	Isleworth *WHH*	6967	23273	16	10	5	3	-	-	-	-	-	-	-	-	-	3
2	Twickenham *HH* -	2415	16027	11	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* -	4318	37777	20	10	1	3	-	-	-	-	-	-	-	1	1	-
	Chiswick - - -	1245	21963	15	4	2	1	-	-	-	-	-	-	-	-	-	-
5	Acton *wH* - - -	6132	30945	30	5	1	1	-	-	-	-	-	-	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	9	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *BH* - -	6994	3844	2	2	-	1	-	-		-	-	-	-	-	-	-
3	Willesden *HHH* -	4383	61265	64	12	3	3	-	-	-	-	1	-	-	1	1	2
4	Hendon *WH* - -	8382	15843	8	5	1	3	-	-	-	-	-	-	-	-	-	3
128 : 1	South Mimms *H*	15599	8474	7	4	1	2	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11773	8	2	-	1	-	-	-	-	-	-	-	1	1	-
3	Finchley *HHH* -	4688	25820	20	2	-	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61097	35	10	2	4	-	-	-	-	1	-	-	1	1	-
2	Tottenham *H* - -	4642	97174	69	17	4	3	-	3	-	-	-	-	-	-	-	-
3	Edmonton *Wwv* -	7489	36351	31	11	4	2	-	-	-	-	-	-	-	-	-	3
4	Enfield *WWHH* -	12639	31803	18	11	4	3	-	-	1	1	-	-	-	-	1	2
5	Waltham Abbey - -	11017	6066	3	2	-	1	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - -	8430	9620	11	2	1	1	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	582	-	1	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - -	9331	7787	7	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-		-	-		-	-	-	-	-	
186 : 1	Stratford *H*- -	1100	42983	42	13	5	4	-	-	-	-	-	-	-	-	-	1
2	Plaistow - - -	1242	58030	54	18	7	2	-	3	-	-	1	-	1	-	-	-
3	Canning Town *H* -	1558	54750	55	14	5	1	-		-	-	-	-	-	-	-	-
4	Forest Gate *w* - -	806	49140	31	9	3	3	-	-		1	-	-	-		-	-
5	East Ham *w* - -	3266	32713	22	9	1	2	-	-	-	1	-	-	-	-	-	-
6	Leyton *WWWwT*	4334	70188	46	27	7	12	-	1	-	2	1	-	-	-	-	7
7	Walthamstow *H L*	6501	57330	47	25	5	4		6	2	1	-	1	-	1	1	-
187 : 1	Chigwell *part of** *H*	11779	12941	12	4	1	2	-	-	-	-	-	-	-	-	-	-
2	Epping *Work* pt. of*	—	—	-	-	-	-				-	-	-	-			-
189 : 1	Romford *part of** *H*	6556	4324	5	4	-	3			-	-	-	-	-	-	-	-
2	Ilford - - -	8493	10913	11	2	-	1	-		-	-	-	-	-	-	-	-
3	Barking Town *H* -	3814	14301	15	3	-	2	-		-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 30 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1763); 37 : 1, the parishes of Warlingham and Farley in Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfi Bedfont, and Knockholt (pop. 3997); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish Theydon Bois (1979); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford, 137 : 2, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 4th May, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	15·1	1·5	1754	409	434	1	53	16	36	42	7	19	73	411
NNER LONDON -	74,672	4,392,346	16·6	1·7	1395	321	329	1	39	13	29	35	5	18	63	380
UTER RING -	368,749	1,656,209	11·3	1·0	359	88	105	–	14	3	7	6	2	1	10	31

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	May	4	167	104	19·8	–	8	2	1	–	2	1
ASGOW - -	695,876	"	4	497	299	22·4	–	6	4	2	14	1	6
BLIN - -	349,594	"	4	263	183	27·3	2	–	–	1	4	–	–
LCUTTA - -	466,460	March	23	–	567	63·4	171	6	–	–	–	163	105†
MBAY - -	821,764	April	9	262	538	34·0	7	24	?	?	?	112	39†
DRAS - -	452,518	March	22	321	275	31·6	–	3	?	?	?	94	34†
RIS - - -	2,424,705	April	27	1167	1032	22·1	–	6	6	6*	13	4	40
USSELS - -	498,400	"	27	234	197	20·6	–	1	2	1*	1	–	12
STERDAM -	451,493	"	27	252	176	20·2	–	–	–	–	1	–	1
TTERDAM -	272,042	"	27	167	126	24·1	1	2	1	1	3	–	–
E HAGUE -	180,455	"	27	101	63	18·1	–	–	2	1	–	–	–
PENHAGEN -	341,000	"	27	248	141	21·6	–	1	2	2	4	1	3
OCKHOLM -	252,937	"	20	122	80	16·0	–	–	–	–	–	1	–
RISTIANIA -	167,588	"	27	41	64	19·9	–	–	1	–	–	–	1
PETERSBURG	954,400	"	13	437	545	29·8	1	13	12	6	2	9	41
OSCOW - -	753,469	"	13	–	544	37·6	1	11	3	15	2	5	30
RLIN - -	1,724,544	April	13	871	614	18·6	–	–	13	11	9	2	17
MBURG - -	608,710	"	20	398	277	23·7	–	–	4	6*	1	–	7
RESDEN - -	323,600	March	30	–	–	–	–	–	–	–	–	–	–
RESLAU - -	367,769	April	27	–	200	28·4	–	–	5	2*	–	–	18
NICH - -	396,000	"	27	–	176	23·1	–	–	2	5*	2	–	15
NNA - -	1,495,764	"	27	886	740	25·7	–	10	10	12*	6	1	33
AGUE - -	343,822	"	27	209	205	30·3	–	–	–	–	1	4	4
DA-PESTH -	566,022	"	20	424	373	34·3	–	–	–	5	1	1	12
IESTH - -	160,825	"	20	88	85	27·5	–	–	–	1*	1	1	2
ME - -	463,786	March	16	–	–	–	–	–	–	–	–	–	–
RIN (10 days)	344,203	April	10	190	214	22·7	–	5	–	2	4	1	4
NICE -	158,159	"	6	–	–	–	–	–	–	–	–	–	–
IRO - -	374,838	March	25	442	298	41·3	4	–	–	–	–	11	77
EXANDRIA -	231,396	"	25	252	124	27·9	1	–	–	2	–	5	27
W YORK -	1,992,715	April	20	–	913	23·7	–	31	10	43	6	4	20
OOKLYN -	1,080,000	"	20	–	382	18·1	–	3	4	21	5	4	2
ILADELPHIA	1,163,864	"	20	–	–	–	–	–	–	–	–	–	–
W ORLEANS -	275,000	"	6	–	142	26·9	1	–	–	3	–	4	3

* Including deaths from croup.
† Including 72 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 4TH MAY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	28	..	29·993	55·6	41·5	14·1	47·3	− 1·3	45·6	1·7	8·7	0·7	94	90·0	37·5	48·62	N. & NNE.	NNE.	1·7	0·0	0·1	249	− 20	0·00	0·0
MONDAY .	29	Greatest Dec. N.	29·993	64·0	36·4	27·6	51·1	+ 2·3	44·8	6·3	16·0	0·0	79	86·8	31·2	48·54	Calm.& SW.	Variable.	0·2	0·0	0·0	118	−148	0·00	0·5
TUESDAY.	30	..	30·052	64·8	42·7	22·1	52·8	+ 3·8	46·4	6·4	15·7	0·0	79	116·1	35·9	48·47	SSW.	SSW. S. & SSE.	0·5	0·0	0·0	184	− 78	0·00	1·5
MAY. WEDNESDAY	1	..	30·046	64·0	42·6	21·4	52·1	+ 2·9	44·2	7·9	15·1	3·9	75	109·1	35·0	48·60	SE. & S.	S. SW.&NW.	4·9	0·0	0·4	349	+ 90	0·04	0·0
THURSDAY	2	First Qr.	30·429	62·5	37·8	24·7	50·3	+ 0·9	37·0	13·3	23·6	0·5	60	114·4	29·8	48·87	SW.& NNW.	N. & SE.	1·5	0·0	0·1	189	− 68	0·00	0·0
FRIDAY .	3	..	30·314	63·4	40·1	23·3	51·6	+ 1·9	40·2	11·4	19·6	5·5	65	117·0	30·7	48·91	SW. & N.	N. & NNE.	14·0	0·0	0·8	403	+148	0·00	0·0
SATURDAY	4	Perigee.	30·291	63·4	41·7	21·7	53·3	+ 3·3	40·4	12·9	21·1	0·7	62	123·7	34·0	49·10	NNE. & NE.	ENE. & NE.	4·8	0·0	0·5	369	+115	0·00	0·0
MEANS .	.	..	30·148	62·5	40·4	22·1	51·2	+ 2·0	42·7	8·6	17·1	1·6	73	108·2	33·4	48·73	SW. SE. & NE.		..	..	..	Sum 1861	Sum + 39	Sum 0·04	0·3
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	28	w. P. till 3h. P.M.; m. P. afterwards.	1·0	14·6	Overcast till afternoon, with showers in early morning; cloudless in evening.
MONDAY .	29	w. P. in morning; v. P. afterwards.	2·8	14·7	Cloudless and misty in morning; light cloud prevalent afterwards; a fine day; hazy till evening.
TUESDAY .	30	m. P. generally	2·4	14·7	Fine; solar halo in afternoon; thin cloud generally prevalent.
MAY. WEDNESDAY	1	v. P. and v. N. till 5h. P.M.; m. P. afterwards.	3·7	14·8	Partially cloudy till 8h. P.M.; afterwards cloudless; solar halo in morning; afternoon showery.
THURSDAY .	2	m. P. in morning; v. P. afterwards.	10·5	14·8	Generally cloudless; a very fine day.
FRIDAY .	3	w. P. in morning; v. P. and v. N. afterwards.	10·4	14·9	Very fine; light cloud prevalent; cold wind in afternoon.
SATURDAY .	4	m. P. till afternoon; s. P. in evening.	11·2	14·9	Cloudy in early morning; afterwards very fine; light cloud prevalent till afternoon; evening cloudless.
			Sum 42·0	Sum 103·4	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·63 in. at the beginning of the week to 30·06 in. by 9h. A.M. on the 30th of April; decreased to 29·98 in. on the 1st of May; increased to 30·44 in. by noon on the 2nd; and decreased to 30·24 in. by the end of the week.

ERRATA.—Report for week ending 27th April 1895:—

Rainfall (col. 25) April 26; for "0·28 in.," read "0·18 in.," and Sum. for week, for

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 19. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MAY 11. [Price 1½*d.*

General Register Office, Somerset House,
May 13th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Apr. 20.	Apr. 27.	May 4.	May. 11.	TOWNS.	Weeks ending Apr. 20.	Apr. 27.	May 4.	May 11.
Birkenhead	22·8	18·4	20·9	15·5	Liverpool - -	24·4	23·7	23·2	23·0
Birmingham	18·1	17·1	16·9	19·5	London - -	18·8	17·9	16·6	16·6
Blackburn -	26·6	23·7	22·9	20·0	Manchester -	29·7	27·6	23·9	22·3
Bolton -	34·5	27·5	20·1	22·7	Newcastle-on-Tyne	19·1	19·9	19·4	21·7
Bradford -	16·1	16·8	16·6	16·6	Norwich - -	21·9	28·7	19·0	15·1
Brighton -	17·9	19·6	20·9	13·5	Nottingham -	16·8	16·3	10·6	14·5
Bristol -	19·9	13·5	13·3	16·5	Oldham - -	17·0	16·6	23·3	19·2
Burnley -	20·9	25·1	26·7	23·6	Plymouth - -	25·2	22·2	16·4	25·8
Cardiff -	16·4	12·7	14·7	14·4	Portsmouth -	18·2	15·5	11·9	14·9
Croydon -	17·2	10·4	13·6	16·8	Preston - -	19·9	29·2	19·0	24·5
Derby -	16·1	13·0	14·6	17·7	Salford - -	26·3	21·5	21·5	18·8
Gateshead -	17·9	18·5	15·2	14·1	Sheffield - -	20·8	17·0	18·4	16·3
Halifax -	21·7	23·9	17·2	23·9	Sunderland -	24·2	19·7	15·5	13·6
Huddersfield	27·8	13·6	12·6	15·2	Swansea - -	22·0	11·3	13·4	12·9
Hull - -	20·2	18·8	21·4	13·5	West Ham - -	17·8	16·5	12·7	17·1
Leeds -	20·8	17·1	17·7	18·1	Wolverhampton -	22·5	27·4	20·7	18·2
Leicester -	17·5	17·2	12·4	17·2					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Cardiff, 1·1 in Manchester, 1·3 in West Ham and in Newcastle-on-Tyne, 2·6 in Bolton, and 3·5 in Plymouth; and from *whooping-cough*, 1·5 in Salford, and 1·6 in Burnley. In no case did the death-rate from *scarlet fever*, from "*fever*", or from *diarrhœa* reach 1·0 per 1000 in any of the thirty-three towns. The 65 deaths from *diphtheria* included 38 in London, 6 in West Ham, 4 in Birmingham, 3 in Wolverhampton, and 3 in Liverpool. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON 2549 BIRTHS and 1398† DEATHS were registered. Allowing for increase of population, the births were 140, and the deaths 213, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—6. 650.—5/95. Wt. 259. T

per 1000 from all causes, which had been 18·8, 17·9, and 16·6 in the preceding three weeks, was again 16·6 last week. During the four weeks ending on Saturday last the death-rate averaged 17·5 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1398 deaths included 34 from measles, 11 from scarlet fever, 38 from diphtheria, 35 from whooping-cough, 8 from enteric fever, one from an ill-defined form of continued fever, 19 from diarrhœa and dysentery, and not one death from small-pox, typhus, or cholera; thus, 146 deaths were referred to these diseases, being 66 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 7. The deaths from *measles*, which had been 39, 26, and 39 in the preceding three weeks, fell again last week to 34, the corrected average being 73; 6 fatal cases belonged to Poplar, 4 to Shoreditch, 4 to Mile End Old Town, and 3 to St. George-in-the-East sanitary areas. The deaths from *scarlet fever*, which had been 9, 9, and 13 in the preceding three weeks, were 11 last week, the corrected average being 16; 2 cases belonged to Kensington and 2 to Islington sanitary areas. The deaths from *diphtheria*, which had been 30, 27, and 29 in the preceding three weeks, rose last week to 38, and exceeded the corrected average by 9; 4 cases belonged to Poplar, 3 to St. George Hanover Square, 3 to Bethnal Green, 3 to Whitechapel, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 51, 44, and 36 in the preceding three weeks, were 35 last week, the corrected average being 64; 6 cases belonged to Lambeth and 4 to St. Pancras sanitary areas. The fatal cases of *enteric fever*, which had been 5 in each of the preceding three weeks, rose last week to 8, which is also the corrected average; 2 cases belonged to Newington sanitary area. The deaths from *diarrhœa*, which had been 7, 13, and 18 in the preceding three weeks, were 19 last week, exceeding the corrected average by 5.

The deaths referred to diseases of the respiratory organs, which had been 389, 341, and 290 in the preceding three weeks, further fell last week to 247, and were 86 below the corrected average.

The deaths attributed directly to *influenza* numbered 22, having been 32, 27, and 34 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all but 3 of which inquests were held. Of these 63 deaths, 7 were cases of suicide, and one of homicide, while the remaining 55 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 6 to drowning, 2 to anæsthetics administered for surgical purposes, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 33 cases of small-pox, 1438 of scarlet fever, 464 of diphtheria, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 6 cases, against 4, 12, and 8; of scarlet fever, 179 cases, against 162, 132, and 107; of diphtheria, 73 cases, against 73, 69, and 79; and of enteric fever, 13 cases, against 7, 6, and 15.

Greater London.

In Greater London 3444 births and 1798 deaths were registered, corresponding to annual rates of 29·7 and 15·5 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles and 13 from diphtheria were registered. Eleven deaths from measles and 10 from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·00 inches, and that of the Thermometer 57°·3, the latter being 6°·3 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 9 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 74·7 hours; no rain was measured during the week.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of April 1895. The supply was in the ratio of 280 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	April. 1894.	April. 1895.	April. 1894.	April. 1895.
Total Supply	804,363	814,476	195,423,634	228,020,760
From Thames	388,486	393,543	99,850,387	114,712,881
From Lea and from other Sources	415,877	420,933	95,573,247	113,307,879
Thames.				
Chelsea	36,821	36,750	11,701,246	12,867,532
West Middlesex	77,630	78,740	19,237,947	20,473,429
Southwark and Vauxhall	116,486	117,663	30,572,786	38,126,120
Grand Junction	58,922	59,611	18,011,937	19,279,114
Lambeth	98,627	100,779	20,326,471	23,966,686
Lea and other Sources.				
New River	157,694	158,399	35,190,000	36,436,000
East London	177,626	181,038	44,660,295	59,491,025
Kent	80,557	81,496	15,722,952	17,380,854

Note.—The Return for April 1895, as compared with that for the corresponding month of 1894, shows an increase of 10,113 services and of 32,597,126 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during April, 1895.

Water-analysis Laboratory, The Yews, Reigate,
8th May, 1895.

Sir,

I have to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of April.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Mills of Glasgow and Dr. Hill of Birmingham.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·5, Tottenham 1·3, Colne Valley 1·5, New River and East London (deep-well) 1·6, West Middlesex 2·3, Southwark and Grand Junction 2·5, East London (river supply) 2·6, Lambeth 2·8, and Chelsea 3·1. The unfiltered river waters contained the following proportions:—Thames at Hampton 3·5, New River Cut 2·0, and the Lea at Angel Road 3·8.

The Thames at Hampton was, on April 19th, turbid and pale yellow in colour. It was of excellent chemical, and fairly good bacterial, quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and improved in chemical quality. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers:—Chelsea 99·33, West Middlesex 99·62, Southwark (No. 4 filter well) 99·23, (No. 8 filter well) 96·83, Grand Junction (general well at Hampton) 98·27, (general well at Kew Bridge) 97·7, (Kew South filter well) 99·13, and Lambeth 98·94.

The New River Cut before entering the subsidence and storage reservoirs was, on April 22nd, of excellent chemical, and fairly good bacterial, quality. By passing through the storage reservoirs it was greatly improved in bacterial quality, and after efficient filtration was delivered in a clear and nearly colourless condition, ranking, as regards chemical quality, with the deep-well waters. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—General filter well 98·59, No. 1 filter well 98·79, and No. 8 filter well 98·99. The water taken from the Lea at Angel Road by the East London Company was, on the 22nd of April, turbid and pale yellow in colour. It was both chemically and bacterially of fairly good quality, but somewhat inferior in both respects to the Thames at Hampton. After storage for 15 days it was greatly improved in bacterial quality, and after efficient filtration the total bacterial improvement was represented by the following percentage numbers:—No. 1 Essex well 98·77, No. 2 Essex well 99·19, and Middlesex well 99·1.

The deep-well waters of the Kent, Colne Valley, and East London Companies, and of the Tottenham Local Board of Health, possessed a high degree of organic purity and were of excellent quality for dietetic purposes; the East London water was, however, very slightly turbid. The Colne Valley Company's supply was softened before delivery, and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Colne Valley, and Tottenham waters were clear and colourless, the East London deep-well water very slightly turbid and colourless, the the New River clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, the gravel water used by the Southwark Campany, the Thames water after preliminary filtration as used at Kew Bridge by the Grand Junction Company, and the supplies of the various Companies collected on the 19th, 20th, 22nd, and 23rd of April, yielded the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw, Stored, and Gravel Waters.		
Thames at Hampton, April 19th	4,160	12·3°
" after storage for 14·7 days (Chelsea Company), April 19th	520	10·7
" " " 6 days (Lambeth Company), April 19th	720	—
West Middlesex Company's water arriving at Barnes, April 20th	500	11·3
Grand Junction Company's water (after preliminary filtration) arriving from Hampton at Kew Bridge, April 20th	180	11·5
Southwark Company's gravel water, April 19th	100	13·2
New River Cut before passing reservoirs, April 22nd	1,980	12·8
" " after storage but before filtration, April 22nd	700	12·2
River Lea at Angel Road, April 22nd	4,880	12·5
" after storage for 15 days (East London Company), April 22nd	1,540	11·5
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general filter well, April 19th	28	10·7
West Middlesex Company's general filter well, April 20th	16	11·0
Southwark Company's No. 4 filter well, April 19th	32	11·2
" " No. 8 filter well, April 19th	132	11·4
Grand Junction Company's general filter well at Hampton, April 19th	72	12·5
" " " " " Kew Bridge, April 20th	96	11·3
" " " south filter well at Kew Bridge, April 20th	36	11·6
Lambeth Company's general filter well, April 19th	44	11·2
Lea.		
New River Company's general well, April 22nd	28	12·3
" " No. 1 well, April 22nd	24	11·9
" " No. 8 well, April 22nd	20	11·8
East London Company's No. 1 Essex well, April 22nd	60	11·5
" " No. 2 Essex well, April 22nd	40	11·5
" " Middlesex well, April 22nd	44	11·5
Deep Well.		
Kent Company's new well at Deptford, April 23rd	6	11·3

This table shows that the water pumped from the gravel and the Thames water submitted to preliminary filtration were, for raw waters, of excellent bacterial quality, whilst, with one exception, the waters delivered by the different Companies had resumed their usual degree of bacterial purity.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "slightly turbid and greyish green in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. Frankland.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	April 19th. Grand Junction Co.'s intake at Hampton.	12·3	28·52	·173	·031	·006	·253	·239	1·7	19·1
	Chelsea - - -	April 23rd. Cab Rank, Horse Guards, Whitehall.	10·8	28·90	·168	·014	0	·220	·234	1·8	19·1
	West Middlesex -	April 23rd. Riding House-street.	9·7	27·54	·119	·018	0	·210	·228	1·7	18·3
	Southwark -	April 23rd. St. George's Church, Borough.	13·5	26·68	·134	·016	0	·203	·219	1·7	18·6
	Grand Junction -	April 23rd. Portman-street, Oxford Street.	11·2	27·74	·134	·012	0	·217	·229	1·7	18·6
	Lambeth - -	April 23rd. St. George's-road, Southwark.	12·5	27·90	·148	·016	0	·217	·233	1·7	18·3
	LEA. (Unfiltered water) -	April 22nd. New River Cut at Green-lanes.	12·8	28·60	·095	·024	·007	·255	·285	1·8	18·6
	New River - -	April 23rd. Cab Rank, Tottenham Court-road.	11·3	28·10	·082	·011	0	·234	·245	1·9	18·9
	(Unfiltered water) -	April 22nd. East London Co.'s intake at Angel-road.	12·5	32·40	·194	·030	·010	·223	·261	2·0	21·1
	East London -	April 23rd. Cab Rank, Sidney-street, E.	11·6	32·44	·132	·021	0	·247	·268	2·0	20·6
	DEEP WELLS. Kent - - -	April 23rd. Police Station, Blackheath-road.	12·4	38·82	·023	·005	0	·491	·496	2·3	25·4
Outer Circle.	Colne Valley - -	April 20th. Bushey.	—	19·18	·070	·017	·038	·511	·559	2·2	8·3
	Tottenham - -	April 17th. Tottenham.	—	41·12	·065	·012	·012	·062	·084	2·8	20·6
	East London - -	April 27th. Chingford Well.	—	41·30	·082	·010	0	·060	·070	2·1	20·0
	Corporation of Birmingham* - - -	April 10th. 3, Court, Northumberland-street.	7·8	26·50	·200	·035	0	·170	·205	1·7	19·4
	Corporation of Glasgow† -	April 16th. Loch Katrine water.	6·1	2·10	·120	·049	0	·005	·054	0·7	0·8
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 23rd of April at the cab rank, Horse Guards, had a temperature of 10°·8 C.; 100,000 lbs. of it contained 28·90 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·168 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·220 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·234 lb. The above weight of water also contained 1·8 lb. of chlorine and 19·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 11th May 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 11th May, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6494	3585	848	860	-	83	31	65	81	31	60	146	256	777	52	17·7	1·7	76·2	34·0	53·4	11·89	0·00	0·00	33 Towns.
London	4,392,346	2549	1398	318	352	-	34	11	38	35	9	19	63	127	398	14	16·6	1·7	75·4	39·0	57·3	14·06	0·00	0·00	London.
West Ham	249,473	145	82	23	16	-	6	1	6	2	2	1	2	2	14	2	17·1	3·8	-	-	-	-	-	-	West Ham.
Croydon	114,923	62	37	6	16	-	-	-	-	-	-	-	1	2	7	-	16·8	-	76·2	39·0	54·3	12·39	0·00	0·00	Croydon.
Brighton	119,604	56	31	5	12	-	1	-	-	2	-	1	2	2	1	-	13·5	1·7	71·6	40·2	54·8	12·67	0·00	0·00	Brighton.
Portsmouth	174,751	93	50	11	12	-	-	-	-	1	1	-	1	2	8	-	14·9	0·6	71·5	39·5	54·2	12·33	0·00	0·00	Portsmouth.
Plymouth	89,096	47	44	14	15	-	6	-	-	-	-	1	-	1	5	-	25·8	4·1	-	-	-	-	-	-	Plymouth.
Bristol	228,139	144	72	22	23	-	-	-	-	2	1	3	3	8	15	-	16·5	1·4	71·0	37·0	52·2	11·22	0·00	0·00	Bristol.
Cardiff	155,637	109	43	10	12	-	3	-	2	2	-	2	6	6	7	1	14·4	3·0	-	-	-	-	-	-	Cardiff.
Swansea	97,008	66	24	6	4	-	-	-	-	-	-	-	1	1	4	-	12·9	-	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	62	30	8	4	-	-	-	3	-	-	-	2	2	4	-	18·2	1·8	70·6	35·2	51·4	10·78	0·00	0·00	Wolverhampton.
Birmingham	496,751	360	186	45	43	-	-	4	4	1	1	2	4	3	57	7	19·5	1·3	-	-	-	-	-	-	Birmingham.
Norwich	107,127	79	31	4	12	-	-	1	1	1	-	-	4	4	6	-	15·1	1·5	70·4	41·4	53·6	12·00	0·00	0·00	Norwich.
Leicester	193,839	111	64	27	15	-	-	1	2	4	-	1	4	7	5	2	17·2	2·2	-	-	-	-	-	-	Leicester.
Nottingham	226,658	138	63	20	13	-	-	1	-	1	1	2	4	4	6	-	14·5	1·2	71·1	37·1	52·7	11·50	0·00	0·00	Nottingham.
Derby	100,272	51	34	5	4	-	-	-	1	-	-	-	3	8	9	.	17·7	0·5	-	-	-	-	-	-	Derby.
Birkenhead	107,469	60	32	8	9	-	-	1	-	1	1	-	-	-	2	-	15·5	1·5	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,967	376	222	38	35	-	6	1	3	3	5	4	13	12	62	8	23·0	2·3	70·9	44·4	55·0	12·78	0·00	0·00	Liverpool.
Bolton	119,337	57	52	13	9	-	6	-	-	2	-	1	1	2	3	2	22·7	3·9	-	-	-	-	-	-	Bolton.
Manchester	524,865	360	224	57	39	-	11	3	1	6	-	6	6	16	38	5	22·3	2·7	-	-	-	-	-	-	Manchester.
Salford	208,253	142	75	25	15	-	-	-	1	6	-	2	4	4	12	2	18·8	2·3	-	-	-	-	-	-	Salford.
Oldham	141,079	81	52	9	18	-	-	-	-	-	-	1	3	3	4	1	19·2	0·4	-	-	-	-	-	-	Oldham.
Burnley	99,591	64	45	16	10	-	-	-	1	3	-	1	-	2	2	-	23·6	2·6	-	-	-	-	-	-	Burnley.
Blackburn	127,615	72	49	10	16	-	-	-	-	-	1	2	1	2	4	-	20·0	1·2	-	-	-	-	-	-	Blackburn.
Preston	112,638	71	53	14	16	-	2	1	-	1	-	2	2	2	6	2	24·5	2·8	-	-	-	-	-	-	Preston.
Huddersfield	99,482	42	29	2	8	-	-	1	-	1	1	-	1	1	1	-	15·2	1·6	69·0	36·0	51·4	10·78	0·00	0·00	Huddersfield.
Halifax	93,813	43	43	5	17	-	-	-	1	-	-	-	1	4	9	-	23·9	0·6	-	-	-	-	-	-	Halifax.
Bradford	226,384	140	72	15	21	-	-	-	-	-	-	4	3	4	9	-	16·6	0·9	69·8	38·0	53·5	11·94	0·00	0·00	Bradford.
Leeds	395,546	247	137	34	27	-	1	2	-	3	1	2	3	6	23	1	18·1	1·2	-	-	-	-	-	-	Leeds
Sheffield	342,768	207	107	27	24	-	2	2	-	2	1	-	3	7	14	3	16·3	1·1	-	-	-	-	-	-	Sheffield.
Hull	216,722	144	56	12	21	-	-	1	1	-	2	-	2	1	16	-	13·5	1·0	71·0	34·0	49·8	9·89	0·00	0·00	Hull.
Sunderland	137,705	110	36	10	7	-	-	-	-	-	2	1	-	1	5	-	13·6	1·1	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	74	26	10	3	-	-	-	-	1	-	-	1	3	2	-	14·1	0·5	-	-	-	-	-	-	Gateshead.
Newcastle	207,021	132	86	19	12	-	5	-	-	1	2	2	2	7	19	2	21·7	2·5	-	-	-	-	-	-	Newcastle.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINETEENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2544	2424	2481	2574	2565	2308	2582	2877	2532	2589	2688·8	2549
Males . .	1318	1244	1268	1308	1264	1163	1292	1459	1290	1322	1363·9	1271
Females .	1226	1180	1218	1266	1301	1145	1290	1418	1242	1267	1324·9	1278
TOTAL **Deaths**	1496	1414	1395	1360	1295	1469	2245	1597	1460	1531	1610·8	1398
Males . .	784	703	731	715	619	781	1138	821	779	784	829·1	717
Females .	712	711	664	645	676	688	1107	776	681	747	781·7	681

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.
TOTAL **Births**	2737	2787	2671	2681	2821	2650	2466	2731	2380	2677	2691	2837	2549
TOTAL **Deaths**	2467	2863	3246	3471	2817	2190	1781	1597	1622	1585	1508	1395	1398
Ages at Death: Under 1 year	452	505	524	618	611	448	390	357	409	410	423	321	318
1—5 years	250	337	357	395	347	332	282	290	265	261	214	221	198
5—20 ,,	99	92	100	101	103	79	88	79	75	85	60	82	84
20—40 ,,	278	280	288	320	265	226	222	176	198	190	162	186	190
40—60 ,,	521	612	646	669	502	427	326	288	265	264	289	256	256
60—80 ,,	700	868	1077	1089	753	533	410	335	339	312	293	275	291
80 years & upwards	167	169	254	279	231	145	63	72	71	63	67	54	61
Deaths from—													
Small-pox	1	1	1	–	1	–	–	–	–	–	–	1	–
Measles	27	26	20	23	12	19	23	18	25	39	26	39	34
Scarlet fever	18	10	7	6	4	15	13	11	15	9	9	13	11
Diphtheria	27	29	31	34	27	24	31	23	27	30	27	29	38
Whooping-cough	48	42	53	55	56	43	49	44	49	51	44	36	35
Typhus	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric fever	10	3	7	8	4	4	4	6	3	5	5	5	8
Simple Continued fever	–	1	–	–	–	–	1	–	–	–	–	–	1
Diarrhœa and Dysentery	10	12	11	16	10	14	14	15	13	7	13	18	19
Cholera	–	–	1	–	–	–	1	–	–	–	–	–	–
All the above Diseases	141	124	131	143	114	119	136	117	137	141	124	141	146
Dis. of Respiratory System	840	1120	1448	1366	1031	740	497	427	398	389	341	290	247
Phthisis	210	230	218	222	214	181	173	186	164	161	162	144	160
Dis. of Circulatory System	248	269	242	244	184	154	138	127	122	125	120	106	107
Violence	89	86	57	67	77	59	74	55	51	64	71	63	63
Inquest Cases	239	255	211	222	194	135	145	114	136	135	135	131	127
Deaths in Public Institutions	663	692	739	693	641	536	464	432	424	459	393	380	398
TEMPERATURE OF THE AIR													
Mean	26·0°	34·0°	36·2°	36·5°	43·7°	48·3°	44·6°	41·5°	47·7°	49·1°	50·9°	51·2°	57·3°
Mean of Highest readings	32·4°	40·1°	42·1°	43·3°	52·6°	58·2°	52·3°	48·3°	58·1°	60·4°	59·2°	62·5°	69·8°
Mean of Lowest readings	19·8°	28·5°	31·7°	31·7°	35·9°	39·7°	39·5°	36·0°	39·7°	40·7°	45·8°	40·4°	44·4°
Humidity of the Air	66	84	81	86	77	80	81	84	75	77	88	73	61
Rain-fall (in inches)	0·00	0·00	0·19	0·34	0·02	0·18	0·71	0·12	0·05	0·13	1·15	0·04	0·00
Registered Sunshine (in hours)	14·5	8·3	5·2	12·3	29·8	21·4	17·5	9·8	29·6	36·0	10·7	42·0	74·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox	67	75	68	56	57	58	55	53	47	35	37	34	33
Scarlet fever	1658	1658	1621	1619	1615	1587	1555	1519	1463	1514	1469	1413	1438
Diphtheria	497	486	463	455	456	455	435	440	435	441	432	457	464
Enteric fever	111	107	95	80	70	72	73	66	67	67	61	64	66

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINETEENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 19th Week of the 10 years 1885–94.*	In the Week ending Saturday, 11th May 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1610·8	1398	318	198	84	190	256	291	61
Small-pox { Vaccinated†	1·6	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	2·7	-	-	-	-	-	-	-	-
Small-pox { No Statement	2·4	-	-	-	-	-	-	-	-
Measles - - - -	72·9	34	15	19	-	-	-	-	-
Scarlet Fever - -	15·6	11	1	7	3	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	33·0	22	1	2	2	5	4	5	3
Whooping-cough - -	61·0	35	12	21	2	-	-	-	-
Diphtheria - - -	29·3	33	7	20	10	-	-	1	-
Simple Continued and Ill-defined Fever -	1·1	1	-	1	-	-	-	-	-
Enteric Fever -	7·9	8	-	1	2	4	1	-	-
Cholera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	13·8	19	12	2	-	-	-	3	2
Remittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-
Venereal Affections -	9·6	15	6	2	-	2	3	2	-
Erysipelas - -	4·2	5	3	-	-	1	-	1	-
Pyæmia and Septicæmia	3·4	1	-	-	-	1	-	-	-
Puerperal Fever - -	5·6	3	-	-	-	3	-	-	-
Other Zymotic Diseases	1·3	1	-	1	-	-	-	-	-
Thrush - - - -	0·8	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·5	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·7	2	2	-	-	-	-	-	-
Alcoholism - - -	8·5	9	-	-	-	7	2	-	-
Rheumatic Fever, Rheumatism of Heart	7·4	10	-	-	2	6	2	-	-
Rheumatism - -	2·7	2	-	-	-	-	-	2	-
Gout - - - -	3·1	3	-	-	-	-	1	1	1
Rickets - - - -	5·8	1	-	1	-	-	-	-	-
Cancer - - - -	58·7	79	-	-	-	7	38	32	2
Tabes Mesenterica -	23·2	15	7	6	-	1	1	-	-
Tubercular Meningitis -	28·5	24	8	13	3	3	-	1	-
Phthisis - - -	154·0	160	2	3	16	73	51	15	-
Scrofula, Tuberculosis -	19·1	26	6	12	2	3	2	1	-
Other Constitutional Diseases - - -	14·4	12	1	-	-	2	5	4	-
Premature Birth - -	42·7	55	55	-	-	-	-	-	-
Atelectasis - - -	3·1	2	2	-	-	-	-	-	-
Congenital Malformations - - - -	8·5	9	8	-	-	-	1	-	-
Old Age - - - -	48·0	40	-	-	-	-	-	21	19
Apoplexy - - -	45·2	37	-	1	1	2	7	20	6
Epilepsy - - -	8·0	16	-	1	1	5	6	2	1
Convulsions - - -	44·2	35	28	7	-	-	-	-	-
Other Diseases of Brain and Nervous System	88·6	62	4	7	5	6	16	21	3

CAUSES OF DEATH.	Corrected Averages for the 19th Week of the 10 years 1885–94.*	In the Week ending Saturday, 11th May 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.
Diseases of Organs of Special Sense - -	2·2	5	-	2	1	1	-	1
Diseases of Circulatory System - - -	128·2	107	3	1	6	18	27	45
Croup - - - -	6·1	-	-	-	-	-	-	-
Bronchitis - - -	168·3	114	25	13	2	2	13	48
Pneumonia - - -	124·9	104	21	39	4	8	19	12
Pleurisy - - - -	8·1	4	-	1	-	-	2	1
Other Diseases of Respiratory System - -	25·3	25	7	1	1	1	6	8
Dentition - - -	13·0	7	6	1	-	-	-	-
Quinsy, Sore Throat -	1·4	1	-	1	-	-	-	-
Enteritis - - -	9·1	11	3	-	2	1	4	1
Peritonitis - - -	6·8	5	1	1	1	-	-	1
Diseases of Liver - -	28·1	17	-	-	-	2	8	7
Other Diseases of Digestive System - -	29·3	19	2	-	3	2	5	7
Diseases of Lymphatic System & of Ductless Glands - - -	1·7	2	-	-	-	-	-	2
Diseases of Urinary System - - -	42·4	46	-	-	1	10	16	16
Diseases of Generative System - - -	6·1	2	-	-	-	-	1	1
Accidents of Childbirth -	4·5	4	-	-	-	4	-	-
Diseases of Locomotive System - - -	6·6	3	-	-	2	-	1	-
Diseases of Integumentary System - -	5·1	7	2	-	-	2	3	-
VIOLENT DEATHS.‡								
(ACCIDENT.)								
By Railways - -	45·8	2	-	-	-	2	-	-
By Vehicles or Horses -		6	-	1	5	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - -		-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		6	-	4	2	-	-	-
By Drowning - -		6	1	1	-	-	3	1
By Suffocation in Bed -		11	11	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		3	-	-	-	2	1	-
Other or not stated Causes - - -		21	7	3	4	2	2	1
(VIOLENCE OTHER THAN ACCIDENTAL.)								
Homicide - -	1·3	1	-	-	-	-	1	-
Suicide - - - -	10·3	7	-	-	1	1	2	2
Execution - - -	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·4	53	49	2	-	1	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. W the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a regist practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, mur manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 11th May, 1895.

ABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,211,743	2549	1398	318	352	-	34	11	38	35	-	8	1	19	63	127	398	14
WEST DISTRICTS	740,735	361	212	49	53	-	2	3	8	3	-	1	-	6	12	18	77	-
NORTH DISTRICTS	993,884	581	314	66	91	-	6	4	3	6	-	1	-	3	8	30	75	-
CENTRAL DISTRICTS	247,338	134	79	19	10	-	2	-	1	3	-	2	-	-	5	8	33	2
EAST DISTRICTS	705,114	537	263	61	64	-	18	1	10	4	-	1	-	3	16	33	91	1
SOUTH DISTRICTS	1,524,472	936	503	123	127	-	6	2	11	19	-	3	1	7	22	38	95	11
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	27	-	7	-	-	1	-	-	-	-	-	-	-	-	27	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	44	21	4	5	-	-	-	1	-	-	-	-	-	2	3	4	-
St. John Paddington *H* - - G.J.	33687	7	11	1	1	-	-	-	1	-	-	1	-	-	1	1	6	-
Kensington Town *Ww* - - W.M.	118751	51	34	4	15	-	1	-	-	1	-	-	-	1	1	1	15	-
Brompton - - - W.M. & C.	47557	8	10	1	2	-	-	-	-	-	-	-	-	-	1	1	5	-
St. Peter Hammersmith - - W.M.	8833	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J.	88853	48	27	11	2	-	-	1	-	-	-	-	-	1	4	7	4	-
Fulham *Ww* - - - W.M. & C.	91639	79	38	14	8	-	1	2	3	1	-	-	-	2	1	1	14	-
Chelsea Kensal Town - - - C.	21787	11	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *WHHHH* - - C.	41637	14	19	4	7	-	-	-	1	-	-	-	-	-	1	2	9	-
Chelsea South *HH* - - - C.	32329	18	8	1	3	-	-	-	-	-	-	-	-	-	1	1	1	-
May Fair *WH* - - - - G.J.	23733	6	11	-	7	-	-	-	-	-	-	-	-	-	-	-	8	-
Belgrave *WHHH* - - - - C.	54331	25	17	5	2	-	-	-	2	-	-	-	-	1	-	1	8	-
St. John Westminster *HH* - - C.	34106	22	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. James Westminster *WHHH* N.R. & G.J.	24995	10	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHHH* - - N.R.	12317	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	16	17	4	3	-	-	-	-	-	-	-	-	-	-	2	6	-
Rectory Marylebone *WH* G.J. & W.M.	20024	10	4	-	2	-	-	-	-	-	-	-	-	-	1	2	1	-
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	30	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *HH* - W.M.	33327	12	11	3	3	-	-	-	-	-	-	1	-	1	-	1	-	-
St. John Marylebone *HH* - - W.M.	32101	10	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	23	23	2	3	-	-	1	4	-	-	-	-	-	-	-	9	-
Regent's Park Pancras *HH* - W.M.	36590	21	7	1	3	-	-	-	-	1	-	-	-	-	1	1	-	-
Tottenham-court *wHHH* N.R. & W.M.	26331	18	13	4	3	-	-	-	-	-	-	-	-	-	-	1	5	-
Gray's Inn Lane *HHH* - - N.R.	27455	8	8	2	1	-	1	-	-	-	-	-	-	-	-	1	2	-
Somers Town *HH* - - - N.R.	32829	21	6	2	2	-	-	-	-	2	-	-	-	-	-	1	-	-
Camden Town *WH* - - - N.R.	15419	14	8	-	5	-	1	-	-	-	-	-	-	-	-	-	6	-
Kentish Town *WW* - - - N.R.	25765	63	24	5	9	-	-	-	-	1	-	-	-	-	-	1	8	-
Upper Holloway *WWWwHHH* - N.R.	90235	54	36	1	15	-	-	-	1	1	-	-	-	1	3	4	19	-
Islington South-west *H* - - N.R.	105557	69	25	9	5	-	-	-	-	-	-	-	-	-	2	2	-	-
Islington South-east - - - N.R.	64153	37	16	3	7	-	1	1	-	-	-	-	-	-	-	1	-	-
Highbury *HH* - - - - N.R.	59193	32	15	7	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Stoke Newington *H* - - - N.R.	30936	13	11	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Stamford Hill - - - - E.L.	17759	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42302	22	11	2	2	-	-	-	1	-	-	-	-	-	-	1	3	-
Hackney *WwwH* - - K.L. & N.R.	96486	65	46	7	12	-	2	2	2	1	-	-	-	-	-	5	15	-
South Hackney *wH* - - - E.L.	41759	31	17	5	6	-	-	-	-	-	-	-	-	-	1	5	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16395	6	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Giles South *WH* - - - N.R.	13454	9	7	2	2	-	-	-	-	-	-	-	-	-	1	1	2	-
St. Giles North *H* - - - N.R.	9833	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	7	-	2	-	-	-	-	-	-	-	-	-	1	2	4	-
St. Mary-le-Strand *H* - - - N.R.	5706	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-
Strand Union Workhouse, Edmonton -	†1037	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	5	10	1	1	-	-	-	-	1	-	-	-	-	-	-	6	-
St. Andrew Eastern *WH* - - N.R.	15343	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	13	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Amwell Clerkenwell - - - N.R.	16383	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - - N.R.	17155	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	31	9	4	1	-	-	-	-	1	-	-	-	-	-	-	1	1
Whitecross-street - - - N.R.	8278	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4935	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	4	5	1	1	-	2	-	-	-	-	-	-	-	1	2	-	1
Cripplegate - - - - - N.R.	4539	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	2	15	3	-	-	-	-	1	1	-	1	-	-	-	-	15	-
St. Bride *W* - - - - N.R.	6594	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Allhallows Barking - - - N.R.	10422	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated thereto, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company: W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT rday, 11th May, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	29098	14	7	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-
xton New Town *w* - - - N.R.	29313	24	9	2	4	-	-	-	-	1	-	-	-	1	-	-	4	-
xton Old Town - - - - N.R.	23354	16	10	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-
ggerston *WH* - - N.R. & E.L.	46244	44	21	2	5	-	2	-	-	-	-	-	-	-	-	-	5	-
thnal Green North *H* - - E.L.	51520	25	6	1	1	-	-	-	1	-	-	-	-	-	-	2	1	-
thnal Green South - - E.L.	33489	33	7	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
thnal Green East *WHL** - E.L.	44123	28	25	5	12	-	-	-	-	-	-	-	-	1	-	1	17	-
talfields - - - E. & N.R.	22456	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
le End New Town *W* - - E.L.	17908	30	7	-	1	-	-	-	-	-	-	-	-	-	-	2	5	-
hitechapel Church *H* E.L. & N.R.	20298	14	27	1	4	-	-	-	4	-	-	-	-	-	4	6	24	-
odman's Fields - - - E.L.	13800	9	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	47	18	10	1	-	3	-	-	-	-	1	-	1	1	1	-	-
John, St. George East *W* - E.L.	8057	6	7	1	5	-	-	-	-	-	-	-	-	-	-	-	6	-
adwell *H* - - - E.L. & N.R.	10246	13	7	3	-	-	1	-	-	1	-	-	-	-	1	1	3	1
teliff *W* - - - - - - E.L.	14928	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - - - E.L.	32202	23	9	3	2	-	-	-	1	1	-	-	-	-	-	2	-	-
le End Old Town West *H* - E.L.	38650	25	10	3	2	-	2	-	-	-	-	-	-	-	1	2	-	-
le End Old Town East *W Wwo* E.L.	68942	42	23	4	5	-	2	-	-	-	-	-	-	-	2	3	9	-
w *L** - - - - - - E.L.	40365	31	10	4	2	-	-	-	1	-	-	-	-	-	-	-	1	-
omley *wwwH* - - - - E.L.	70000	49	34	10	6	-	5	1	-	-	-	-	-	-	4	8	14	-
plar. *WW* - - - - - E.L.	56888	34	18	5	4	-	1	-	3	-	-	-	-	-	3	4	-	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	13	5	1	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Saviour Southwark - - - S.	18913	7	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ent-road - - - - S. & L.	21867	16	9	4	-	-	-	-	-	1	-	-	-	-	1	1	-	1
orough-road *WH* - - S. & L.	16624	12	10	3	3	-	-	-	1	1	-	-	-	-	-	1	2	-
ndon-road *HL* - - L. & S.	21221	11	9	2	3	-	-	-	-	-	-	-	-	1	1	1	-	-
inity Newington - - S. & L.	26596	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peter Walworth *W* - S. & L.	61342	42	24	11	5	-	-	-	-	1	-	1	-	1	-	2	-	-
Mary Newington - - L. & S.	27866	11	10	2	2	-	-	-	-	2	-	1	1	-	-	-	-	-
Olave *WH* - - - S.	12723	15	15	4	2	-	-	-	-	-	-	-	-	-	2	1	7	2
ather Market *W* - - S. & L.	30612	28	11	5	1	-	-	-	-	-	-	-	-	1	2	3	-	-
James Bermondsey - - S.	54070	33	16	3	2	-	-	-	-	2	-	-	-	-	1	1	-	-
therhithe *WwH* - - S. & K.	39255	31	23	5	6	-	2	-	-	-	-	-	-	-	2	3	8	-
aterloo-road 1st *H* - - L. & S.	14031	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
aterloo-road 2nd *H* - - L. & S.	14644	15	3	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
ambeth Church 1st *H* - L. & S.	18075	6	16	2	2	-	-	-	1	1	-	-	-	1	-	1	8	-
ambeth Church 2nd *WW* - L. & S.	39097	57	28	7	10	-	-	-	-	1	-	-	-	-	1	2	20	-
nnington 1st *H* - - S. & L.	50586	25	18	9	4	-	1	-	-	2	-	-	-	-	1	3	-	1
nnington 2nd - - - - S. & L.	39708	12	12	3	4	-	-	-	-	1	-	-	-	-	-	-	-	-
ixton *w* - - - - - L. & S.	73405	37	21	4	8	-	1	-	1	1	-	1	-	-	-	-	1	-
rwood *WH* - - - - - L.	25657	12	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
st Battersea - - - - S.	67244	47	12	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
est Battersea *WwH* - - S.	83314	53	25	5	10	-	-	-	1	1	-	-	-	-	1	1	8	-
apham *H* - - - - - S.	43698	28	6	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-
andsworth *WHHL* - - - S.	46717	27	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ttney - - - - - - S.	17771	7	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
reatham *wwww* - - - - L.	48756	14	9	-	2	-	-	-	1	-	-	-	-	-	1	1	1	-
lwich - - - - L. & S.	6309	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL**L** - - S. & L.	81686	42	41	4	15	-	-	-	-	-	-	-	-	-	2	5	22	1
ckham *W* - - - - S., L., & K.	83488	39	20	5	3	-	-	1	-	1	-	-	-	-	2	2	1	1
George Camberwell - - L. & S.	63366	47	19	5	-	-	-	-	-	2	-	-	-	-	1	2	-	-
eptford, North - - - - K.	35314	27	17	5	3	-	2	-	-	-	-	-	-	-	1	1	-	1
eptford, Central *w* - - - K.	42007	33	14	3	2	-	-	-	4	-	-	-	-	-	-	-	4	-
eptford, South - - - - K.	30852	16	7	2	1	-	-	-	-	-	-	-	-	-	1	1	1	1
eenwich West *H* - - - K.	22007	13	9	2	3	-	-	1	-	-	-	-	-	1	-	-	5	-
eenwich East *WH* - - - K.	35233	19	12	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
tham *wH* - - - - - K.	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1
wisham *WH* - - - - - K.	30950	23	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
dcham *H* - - - - - L.	34162	8	3	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-
arlton *HH* - - - - K.	14040	10	12	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-
oolwich Dockyard - - - K.	19606	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HHHH* - K.	21242	27	9	3	1	-	-	-	-	-	-	-	-	-	-	1	1	1
umstead, West *H* - - - K.	15869	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	36567	31	12	3	4	-	-	-	-	-	-	-	-	1	-	1	3	1
anstead Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
aterham Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ane Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ospital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
arenth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
anwell Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
ldney Hatch Asylum - - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
.E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
avesden Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
laybury Asylum - - - - -	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 11th May, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	895	400	77	120	-	18	2	13	4	3	4	11	17	50
30 : 1	Carshalton *wHH*	12228	26108	9	5	1	3	-	-	-	-	-	-	-	-	-	-
	Epsom, *part of** *WwH*	10423	12508	8	4	-	3	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W*	2754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20351	148699	76	42	8	17	-	-	-	-	-	-	-	1	2	7
2	Mitcham *w*	11697	23038	7	5	-	2	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH*	3220	25761	17	7	-	4	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH*	8071	44765	30	7	2	5	-	1	-	-	-	-	-	-	-	1
3	Esher, *part of** *HH*	6601	12059	10	4	-	3	-	-	-	-	-	-	-	-	-	-
4	Hampton *H*	4535	18252	11	6	-	1	-	-	-	-	-	-	-	-	-	1
40 : 1	Richmond *WH*	2160	25389	12	6	-	3	-	1	-	-	-	-	-	-	-	2
2	Mortlake *H*	2323	16159	9	1	-	1	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH*	9127	23315	7	3	-	2	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H*	6542	21969	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of** *WHH*	14307	20372	12	9	-	3	-	-	-	-	-	-	-	-	-	5
42 : 1	Bexley *HH*	12540	30599	13	7	2	1	-	-	-	-	-	-	-	-	-	-
2	Dartford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w*	11054	13371	10	4	-	1	-	2	-	-	-	-	-	-	-	-
2	Staines *WH*	13277	13221	3	5	1	3	-	-	-	-	-	-	-	1	1	1
125 : 1	Hillingdon *WHH*	6035	12237	12	2	1	1	-	-	-	-	-	-	-	-	-	1
2	Uxbridge	6172	5417	4	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	14537	12613	6	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH*	6967	26373	17	8	1	2	-	-	-	1	-	-	-	-	-	1
2	Twickenham *HH*	2415	16027	9	4	1	1	-	-	-	-	-	-	-	-	-	1
3	Brentford *HHHH*	4318	37777	20	13	3	1	-	-	-	-	-	-	-	-	-	1
	Chiswick	1245	21963	15	5	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wH*	6132	30915	9	3	-	1	-	-	-	-	-	-	-	1	1	-
127 : 1	Harrow *HHH*	13809	15715	10	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6994	3844	3	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4383	61265	45	8	-	2	-	-	-	-	-	-	-	-	-	-
4	Hendon *WH*	8332	15843	10	9	2	5	-	-	-	-	-	-	-	2	2	3
128 : 1	South Mimms *H*	15599	8474	8	3	2	1	-	1	-	-	-	-	-	-	-	-
2	Barnet *WHH*	5441	11778	6	7	-	5	-	-	-	-	-	-	-	1	1	3
3	Finchley *HHH*	4688	25820	10	5	2	2	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH*	3039	61097	34	13	1	5	-	-	-	2	-	-	-	-	1	-
2	Tottenham *H*	4642	97174	62	28	4	1	-	2	-	-	1	-	-	2	5	1
3	Edmonton *Www*	7489	36351	29	12	-	5	-	-	1	-	-	-	2	-	-	3
4	Enfield *WWHH*	12639	31803	16	9	4	2	-	-	-	-	-	1	-	-	-	1
5	Waltham Abbey	11017	6066	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8480	9620	9	1	-	1	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9331	7737	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1100	42983	31	14	4	7	-	-	1	1	-	-	-	2	2	1
2	Plaistow	1242	58030	40	24	9	4	-	5	-	1	-	-	-	-	-	-
3	Canning Town *H*	1558	54750	50	18	6	3	-	1	-	4	-	2	1	-	-	-
4	Forest Gate *w*	806	49140	24	13	2	3	-	-	-	-	2	-	-	-	-	-
5	East Ham *w*	3266	32713	48	17	6	4	-	-	-	2	-	-	-	-	-	-
6	Leyton *WWWwH*	4334	70188	57	33	9	11	-	2	-	1	-	-	-	-	-	15
7	Walthamstow *H L*	6501	57330	34	21	4	3	-	3	-	1	-	-	1	-	1	1
187 : 1	Chigwell *part of** *H*	11779	12941	12	3	1	1	-	-	-	-	-	-	-	1	1	-
2	Epping *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford *part of** *WH*	6556	4324	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford	8493	10913	6	3	-	2	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H*	3814	14391	10	1	-	-	-	-	-	-	1	-	-	-	-	-
	Middlesex Co. Asy.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 30 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1753); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Footscray, and Knockholt (pop. 3907); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford, 137 : 3 Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 11th May, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	15·5	1·6	1798	395	472	-	52	13	51	39	12	23	74	448
NER LONDON -	74,672	4,392,346	16·6	1·7	1398	318	352	-	34	11	38	35	9	19	63	398
UTER RING -	368,749	1,656,209	12·6	1·4	400	77	120	-	18	2	13	4	3	4	11	50

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
NBURGH -	273,535	May	11	160	87	16·6	1	8	-	-	-	1	1
SGOW - -	695,876	"	11	470	246	18·4	1	3	2	-	12	-	1
LIN - -	349,594	"	11	185	184	27·4	1	-	-	-	3	1	2
CUTTA - -	466,460	March	30	-	570	63·7	153	8	-	-	1	198	116†
IBAY - -	821,764	April	16	233	534	33·8	11	23	?	?	?	131	41
DRAS - -	452,518	March	29	329	263	30·2	-	7	?	?	?	80	28†
IS - - -	2,424,705	May	4	1169	940	20·2	-	11	6	11*	13	3	48
SSELS - -	498,400	"	4	237	156	16·3	-	2	-	1*	3	4	18
TERDAM -	451,493	"	4	269	141	16·2	-	-	-	-	7	-	-
TERDAM -	272,042	"	4	175	89	17·0	3	-	-	-	1	-	-
HAGUE -	180,455	"	4	92	70	20·2	-	-	-	1	4	-	-
ENHAGEN -	341,000	"	4	164	115	17·6	-	1	2	-	3	1	5
CKHOLM -	252,937	April	27	117	104	20·9	-	-	-	-	-	-	1
RISTIANIA -	167,588	May	4	51	61	18·9	-	-	1	-	-	2	4
PETERSBURG	954,400	April	20	843	620	33·9	2	8	14	7	4	7	63
SCOW - -	753,469	"	20	-	592	41·0	-	6	3	9	3	6	27
RLIN - -	1,724,544	"	20	860	606	18·3	1	3	7	16	8	-	17
MBURG - -	608,710	"	27	420	223	19·1	-	-	3	5*	1	2	5
SDEN - -	323,600	March	30	-	-	-	-	-	-	-	-	-	-
SLAU - -	367,769	May	4	-	211	30·0	-	2	-	5*	-	1	16
NICH - -	396,000	"	4	-	156	20·5	-	1	-	-	3	-	15
NNA - -	1,495,764	"	4	954	743	25·8	-	21	7	10*	3	-	62
GUE - -	343,822	"	4	-	-	-	-	-	-	-	-	-	-
DA-PESTH -	566,022	April	27	377	359	33·0	-	1	1	4	1	1	14
ESTE - -	160,825	"	27	100	101	32·7	-	-	-	3*	2	-	1
NE - -	463,786	March	16	268	296	33·3	-	1	1	1	1	3‡	6
RIN (10 days)	344,203	April	20	-	-	-	-	-	-	-	-	-	-
ICE -	158,159	"	13	79	91	30·0	-	-	-	2*	-	-	3
RO - -	374,838	"	1	485	335	46·5	7	-	-	1	1	5	111
EXANDRIA -	231,396	"	1	259	136	30·6	1	-	-	-	-	2	40
W YORK -	1,992,715	"	27	-	-	-	-	-	-	-	-	-	-
OOKLYN -	1,080,000	"	27	-	457	21·7	-	11	2	28	3	-	4
ILADELPHIA	1,163,864	"	20	-	505	22·6	1	1	1	23	4	10	7
W ORLEANS -	275,000	"	13	-	139	26·4	-	1	-	-	-	4	3

* Including deaths from croup.
† Including 83 deaths from cholera in Calcutta, and one in Madras.
‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 11TH MAY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	5	In Equator.	30·155	62·7	39·0	23·7	50·0	− 0·3	43·8	6·2	16·5	0·0	79	126·4	31·5	49·40	N. & NNE.	N. & NNW.	4·6	0·0	0·4	362	+109	0·00	0·0
MONDAY	6	..	30·128	70·1	42·2	27·9	58·1	+ 7·5	43·9	14·2	23·9	0·0	59	127·7	34·4	49·76	NNW. & NNE.	ENE. & NE.	7·2	0·0	0·4	339	+ 87	0·00	0·8
TUESDAY	7	..	30·045	67·0	49·2	17·8	57·7	+ 6·9	42·8	14·9	22·5	2·9	58	127·2	43·5	50·06	NE. & ENE.	ENE. & NE.	12·0	0·0	0·7	449	+197	0·00	2·2
WEDNESDAY	8	Full	29·858	68·2	46·0	22·2	57·7	+ 6·7	43·9	13·8	23·4	2·7	60	130·1	38·8	50·50	NNE. & NE.	E.	2·5	0·0	0·2	265	+ 14	0·00	0·0
THURSDAY	9	..	29·847	75·1	43·2	31·9	59·9	+ 8·7	44·5	15·4	25·3	3·3	57	131·8	37·1	51·20	E. & NE.	ESE. SSW. & SW.	1·2	0·0	0·0	148	−103	0·00	1·0
FRIDAY	10	..	29·961	70·3	45·8	24·5	57·1	+ 5·6	42·3	14·8	24·8	3·3	58	129·3	42·9	51·70	SW. WSW. & W.	SW. WSW. & W.	1·5	0·0	0·0	219	− 32	0·00	0·0
SATURDAY	11	..	30·035	75·4	45·2	30·2	60·9	+ 9·2	44·3	16·6	28·2	3·6	55	130·0	37·0	52·11	SW.	W. & S.	0·3	0·0	0·0	137	−113	0·00	0·5
MEANS		..	30·004	69·8	44·4	25·5	57·3	+ 6·3	43·6	13·7	22·5	2·3	61	128·9	37·9	50·68	N. NE. & SW.		..	..	..	Sum 1919	Sum + 159	Sum 0·00	0·6
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	5	m. P. generally	6·2	15·0	Cloudless and very fine till 9h. A.M.; afterwards fine generally with variable amounts of cloud.
MONDAY	6	w. P. in early morning; v. P. afterwards.	12·4	15·1	Cloudless throughout; very fine; brisk wind in afternoon.
TUESDAY	7	w. P. till noon; w. P. and w. N. afterwards.	13·3	15·1	Cloudless throughout; a very fine day.
WEDNESDAY	8	w. P. generally	13·1	15·2	Cloudless and very fine throughout.
THURSDAY	9	s. N. for a short time in afternoon; otherwise w. P. generally.	8·3	15·2	Large amounts of cloud prevalent in afternoon; otherwise very fine; a warm day.
FRIDAY	10	v. P. generally	8·9	15·3	A very fine day with light cloud prevalent till evening; afterwards cloudless; solar halo.
SATURDAY	11	w. P. till noon; w. P. and w. N. afterwards.	12·5	15·3	Cloudless and very fine; hazy in afternoon.
			Sum 74·7	Sum 106·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·24 in. at the beginning of the week to 29·83 in. by 3h. P.M. on the 9th; increased to 30·05 in. by 9h. A.M. on the 11th; and was 30·01 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 20. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MAY 18. [Price 1½*d.*

General Register Office, Somerset House,
May 20th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Apr. 27.	May 4.	May. 11.	May 18.	TOWNS.	Weeks ending Apr. 27.	May 4.	May 11.	May 18.
Birkenhead	18·4	20·9	15·5	18·4	Liverpool - -	23·7	23·2	23·0	23·2
Birmingham	17·1	16·9	19·5	16·9	London - -	17·9	16·6	16·6	16·5
Blackburn -	23·7	22·9	20·0	17·2	Manchester -	27·6	23·9	22·3	25·7
Bolton -	27·5	20·1	22·7	22·7	Newcastle-on-Tyne	19·9	19·4	21·7	18·6
Bradford -	16·8	16·6	16·6	17·5	Norwich - -	28·7	19·0	15·1	12·7
Brighton -	19·6	20·9	13·5	13·1	Nottingham -	16·3	10·6	14·5	16·1
Bristol -	13·5	13·3	16·5	13·9	Oldham - -	16·6	23·3	19·2	22·2
Burnley -	25·1	26·7	23·6	20·9	Plymouth - -	22·2	16·4	25·8	17·0
Cardiff -	12·7	14·7	14·4	15·1	Portsmouth -	15·5	11·9	14·9	14·0
Croydon -	10·4	13·6	16·8	12·3	Preston - -	29·2	19·0	24·5	28·7
Derby -	13·0	14·6	17·7	14·6	Salford - -	21·5	21·5	18·8	26·5
Gateshead -	18·5	15·2	14·1	13·6	Sheffield - -	17·0	18·4	16·3	15·2
Halifax -	23·9	17·2	23·9	16·1	Sunderland -	19·7	15·5	13·6	15·9
Huddersfield	13·6	12·6	15·2	19·9	Swansea - -	11·3	13·4	12·9	16·1
Hull - -	18·8	21·4	13·5	20·5	West Ham - -	16·5	12·7	17·1	15·0
Leeds -	17·1	17·7	18·1	15·7	Wolverhampton -	27·4	20·7	18·2	15·8
Leicester -	17·2	12·4	17·2	15·3					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·2 in Bolton, and 2·3 in Newcastle-on-Tyne; from *whooping-cough*, 1·0 in Birkenhead and in Burnley, 1·3 in Leicester, 1·9 in Preston, 2·0 in Salford, and 2·2 in Gateshead; and from *diarrhœa*, 1·0 in Cardiff, and 1·4 in Preston. In no case did the death-rate from *scarlet fever*, or from "*fever*", reach 1·0 per 1000 in any of the thirty-three towns. The 52 deaths from *diphtheria* included 41 in London, 3 in Leeds, 2 in West Ham, and 2 in Birmingham. One death from *small-pox* was registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2496 BIRTHS and 1389† DEATHS were registered. Allowing for increase of population, the births were 111, and the deaths 239, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—7. 650.—5/95. Wt. 259. U

per 1000 from all causes, which had been 17·9, 16·6, and 16·6 in the preceding three weeks, fell last week to 16·5. During the four weeks ending on Saturday last the death-rate averaged 16·9 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1389 deaths included 38 from measles, 13 from scarlet fever, 41 from diphtheria, 31 from whooping-cough, 8 from enteric fever, 18 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 149 deaths were referred to these diseases, being 64 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 4. The deaths from *measles*, which had been 26, 39, and 34 in the preceding three weeks, rose again last week to 38, but were less than half the corrected average; the 38 fatal cases included 7 belonging to Poplar, 6 to St. George-in-the-East, 4 to Limehouse, and 4 to Battersea sanitary areas. The deaths from *scarlet fever*, which had been 9, 13, and 11 in the preceding three weeks, were 13 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 27, 29, and 38 in the preceding three weeks, further rose last week to 41, exceeding the corrected average by 12; 8 cases belonged to Camberwell, and 4 to Islington sanitary areas. The deaths from *whooping-cough*, which had been 44, 36, and 35 in the preceding three weeks, fell again last week to 31, and were 28 below the corrected average; 4 cases belonged to Poplar sanitary area. The fatal cases of *enteric fever*, which had been 5, 5, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 9; of the 8 fatal cases, no less than 4 (including 3 from houses in Barnfield Road) belonged to Plumstead sanitary area. The deaths from *diarrhœa*, which had been 13, 18, and 19 in the preceding three weeks, were 18 last week, exceeding the corrected average by 3.

The deaths referred to diseases of the respiratory organs, which had been 341, 290, and 247 in the preceding three weeks, further fell last week to 240, and were 89 below the corrected average.

The deaths attributed directly to *influenza* numbered 23, having been 27, 34, and 22 in the preceding three weeks.

Different forms of violence caused 77 deaths, concerning all but one of which inquests were held. Of these 77 deaths, 16 were cases of suicide, and 2 of homicide, while the remaining 59 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 12 to drowning, one to the administration of chloroform for surgical purposes, and 13 (including 12 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 27 cases of small-pox, 1444 of scarlet fever, 486 of diphtheria, and 91 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 4 cases, against 12, 8, and 6; of scarlet fever, 185 cases, against 132, 107, and 179; of diphtheria, 87 cases, against 69, 79, and 73; and of enteric fever, 42 cases, against 6, 15, and 13.

Greater London.

In Greater London 3350 births and 1771 deaths were registered, corresponding to annual rates of 28·9 and 15·3 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 7 from diphtheria, and 7 from whooping-cough were registered. Seven deaths from measles and 3 from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·81 inches, and that of the Thermometer 55°·9, the latter being 3°·1 above the week's average in the 50 years 1841–90. The direction of the wind was North-Westerly, the horizontal movement of the air being 32 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 20·2 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 18th May 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 18th May, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6175	3569	851	837	1	69	19	52	85	27	50	146	258	826	42	17·6	1·5	81·3	33·0	52·6	11·44	0·14	0·36	33 Towns.
London	4,392,346	2496	1389	325	331	–	38	13	41	31	8	18	77	138	426	8	16·5	1·8	81·3	39·6	55·9	13·28	0·19	0·48	London.
West Ham	249,473	146	72	20	13	–	3	1	2	–	1	–	1	2	7	–	15·0	1·5	–	–	–	–	–	–	West Ham.
Croydon	114,923	48	27	7	10	–	–	–	–	1	–	–	1	2	7	–	12·3	0·5	80·2	37·5	54·2	12·33	0·26	0·66	Croydon.
Brighton	119,604	52	30	5	13	–	–	–	–	–	–	–	–	–	7	1	13·1	–	72·6	38·0	54·3	12·39	0·06	0·15	Brighton.
Portsmouth	174,751	79	47	9	15	–	–	–	1	1	2	1	2	3	14	1	14·0	1·5	74·0	41·0	54·7	12·61	0·07	0·18	Portsmouth.
Plymouth	89,096	57	29	7	6	–	1	–	–	1	–	–	–	1	4	–	17·0	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,189	121	61	17	15	–	–	–	–	1	–	1	3	5	10	–	13·9	0·5	70·0	38·0	53·2	11·78	0·00	0·00	Bristol.
Cardiff	155,637	112	45	11	7	–	1	–	–	–	–	3	3	3	1	–	15·1	1·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	57	30	9	5	–	–	–	–	–	1	–	–	–	2	–	16·1	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	62	26	7	10	–	–	–	–	1	–	–	1	2	8	–	15·8	0·6	70·5	37·0	52·3	11·28	0·00	0·00	Wolverhampton.
Birmingham	496,751	329	161	43	35	–	–	–	2	4	3	–	8	8	43	3	16·9	0·9	–	–	–	–	–	–	Birmingham.
Norwich	107,127	55	26	10	5	–	–	–	–	–	–	–	2	2	5	1	12·7	–	75·0	36·2	50·8	10·44	0·60	1·52	Norwich.
Leicester	193,889	105	57	20	19	–	–	–	–	5	–	1	2	5	3	1	15·3	1·6	–	–	–	–	–	–	Leicester.
Nottingham	226,658	125	70	13	18	–	–	–	–	1	2	–	1	3	13	–	16·1	0·7	73·1	38·7	53·0	11·67	0·10	0·25	Nottingham.
Derby	160,272	45	28	7	5	–	–	1	–	–	–	1	–	1	3	–	14·6	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	67	38	6	10	–	–	–	–	2	–	–	–	2	4	–	18·4	1·0	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	347	224	56	46	1	3	–	1	5	1	7	4	5	62	9	23·2	1·9	64·2	38·8	50·0	10·00	0·04	0·10	Liverpool.
Bolton	119,337	77	52	13	7	–	5	–	–	–	–	1	2	3	5	–	22·7	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	336	259	66	44	–	5	1	–	8	3	6	10	22	55	3	25·7	2·3	–	–	–	–	–	–	Manchester.
Salford	208,253	141	106	2	21	–	–	–	–	8	–	1	4	7	17	4	26·5	2·3	–	–	–	–	–	–	Salford.
Oldham	141,079	75	60	9	12	–	2	–	–	2	1	1	–	1	13	–	22·2	2·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	62	40	9	3	–	–	–	–	2	–	–	1	1	6	2	20·9	1·0	–	–	–	–	–	–	Burnley.
Blackburn	127,615	68	42	6	12	–	–	–	–	–	–	1	4	5	5	1	17·2	0·4	–	–	–	–	–	–	Blackburn.
Preston	112,638	81	62	22	14	–	–	1	1	4	1	3	3	3	10	2	28·7	4·6	–	–	–	–	–	–	Preston.
Huddersfield	99,482	28	38	3	10	–	–	–	–	–	–	–	2	2	8	1	19·9	–	71·0	37·0	49·7	9·83	0·02	0·05	Huddersfield.
Halifax	93,813	50	29	6	8	–	–	–	–	1	–	–	–	2	5	–	16·1	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	104	76	15	22	–	–	–	1	–	–	1	2	3	20	–	17·5	0·5	68·4	38·6	52·4	11·33	0·04	0·10	Bradford.
Leeds	395,546	238	119	14	37	–	1	–	3	1	–	–	3	12	20	–	15·7	0·7	–	–	–	–	–	–	Leeds
Sheffield	342,768	201	100	30	23	–	1	–	–	–	1	2	4	7	14	2	15·2	0·6	–	–	–	–	–	–	Sheffield.
Hull	216,722	144	85	30	26	–	–	–	–	1	–	1	2	3	15	1	20·5	0·5	74·0	33·0	50·4	10·22	0·28	0·71	Hull.
Sunderland	137,705	81	42	12	8	–	–	2	–	–	1	–	–	1	6	–	15·9	1·1	–	–	–	–	–	–	Sunderland.
Gateshead	25,871	64	25	6	5	–	–	–	–	4	1	–	1	1	–	1	13·6	2·7	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	122	74	15	22	–	9	–	–	1	1	1	3	3	8	1	18·6	3·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWENTIETH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2391	2690	2483	2364	2648	2468	2374	2600	2445	2241	2607·3	2496
Males . .	1222	1340	1242	1256	1358	1283	1214	1328	1267	1121	1333·1	1246
Females .	1169	1350	1241	1108	1290	1185	1160	1272	1178	1120	1274·2	1250
TOTAL **Deaths**	1554	1379	1536	1469	1231	1466	2235	1587	1508	1463	1627·8	1389
Males . .	811	706	819	754	631	762	1166	883	796	759	853·6	747
Females .	743	673	717	715	600	704	1069	704	707	704	774·2	642

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.
TOTAL **Births** - -	2787	2671	2681	2821	2650	2466	2731	2380	2677	2691	2837	2549	2496
TOTAL **Deaths** - -	2863	3246	3471	2817	2190	1781	1597	1622	1585	1508	1395	1398	1389
Ages at Death: Under 1 year -	505	524	618	611	448	390	357	409	410	423	321	318	325
1—5 years -	337	357	395	347	332	282	290	265	261	214	221	198	219
5—20 " -	92	100	101	108	79	88	79	75	85	60	82	84	84
20—40 " -	280	288	320	265	226	222	176	198	190	162	186	190	172
40—60 " -	612	646	669	502	427	326	288	265	264	289	256	256	258
60—80 " -	868	1077	1039	753	533	410	335	339	312	293	275	291	280
80 years & upwards	169	254	279	231	145	63	72	71	63	67	54	61	51
Deaths from—													
Small-pox - - - - -	1	1	-	1	-	-	-	-	-	-	1	-	-
Measles - - - -	26	20	23	12	19	23	18	25	39	26	39	34	38
Scarlet fever - - -	10	7	6	4	15	13	11	15	9	9	13	11	13
Diphtheria - - -	29	31	34	27	24	31	23	27	30	27	29	38	41
Whooping-cough - -	42	53	55	56	43	49	44	49	51	44	36	35	31
Typhus - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteric fever - - -	3	7	8	4	4	4	6	3	5	5	5	8	8
Simple Continued fever -	1	-	-	-	-	1	-	-	-	-	-	1	-
Diarrhœa and Dysentery -	12	11	16	16	14	14	15	18	7	13	18	19	18
Cholera - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
All the above Diseases	124	131	143	114	119	136	117	137	141	124	141	146	149
Dis. of Respiratory System	1120	1448	1366	1031	740	497	427	398	389	341	290	247	240
Phthisis - - - -	230	218	222	214	181	173	186	164	161	162	144	160	128
Dis. of Circulatory System	269	242	244	184	154	138	127	122	125	120	106	107	127
Violence - - - -	86	57	67	77	59	74	55	51	64	71	63	63	77
Inquest Cases - - -	255	211	222	194	135	145	114	136	135	135	131	127	138
Deaths in Public Institutions	692	739	693	641	536	464	432	424	459	393	380	393	426
TEMPERATURE OF THE AIR													
Mean - - - - -	34°·0	36°·2	36°·5	43°·7	48°·3	44°·6	41°·5	47°·7	49°·1	50°·9	51°·2	57°·3	55°·9
Mean of Highest readings -	40°·1	42°·1	43°·3	52°·6	58°·2	52°·3	48°·3	58°·1	60°·4	59°·2	62°·5	69°·8	65°·4
Mean of Lowest readings -	28°·5	31°·7	31°·7	35°·9	39°·7	39°·5	36°·0	39°·7	40°·7	45°·8	40°·4	44°·4	47°·7
Humidity of the Air - -	84	81	86	77	80	81	84	75	77	88	73	61	68
Rain-fall (in inches) - -	0·00	0·19	0·34	0·02	0·18	0·71	0·12	0·05	0·13	1·15	0·04	0·00	0·19
Registered Sunshine (in hours)	8·3	5·2	12·3	29·8	21·4	17·5	9·8	29·6	36·0	10·7	42·0	74·7	20·2
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	75	68	56	57	58	55	53	47	35	37	34	33	27
Scarlet fever - - - -	1658	1621	1619	1615	1587	1555	1519	1463	1514	1469	1413	1438	1444
Diphtheria - - - -	486	463	455	456	455	435	440	435	441	432	457	464	486
Enteric fever - - - -	107	95	80	70	72	73	66	67	67	61	64	66	91

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. W[illegible] Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTIETH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 20th Week of the 10 years 1885–94.*	In the Week ending Saturday, 18th May 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1627·8	1389	325	219	84	172	258	280	51
Small-pox: Vaccinated†	1·2	–	–	–	–	–	–	–	–
Small-pox: Unvaccinated	0·9	–	–	–	–	–	–	–	–
Small-pox: No Statement	2·1	–	–	–	–	–	–	–	–
Measles	80·9	38	7	27	4	–	–	–	–
Scarlet Fever	14·2	13	1	9	2	1	–	–	–
Typhus	0·2	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–
Influenza	38·4	23	–	–	–	5	8	9	1
Whooping-cough	59·2	31	11	19	1	–	–	–	–
Diphtheria	29·0	41	3	30	7	1	–	–	–
Simple Continued and Ill-defined Fever	0·9	–	–	–	–	–	–	–	–
Enteric Fever	8·9	8	–	1	4	2	1	–	–
Cholera and Chol. Diarr.	0·1	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	15·0	18	8	3	–	2	–	3	2
Intermittent Fever	0·4	–	–	–	–	–	–	–	–
Hydrophobia	0·2	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–	–
Cowpox and Effects of Vaccination	0·3	–	–	–	–	–	–	–	–
Puerperal Affections	8·3	10	8	–	–	–	–	2	–
Erysipelas	5·6	1	–	–	–	–	–	–	1
Pyæmia and Septicæmia	2·8	5	2	–	1	1	1	–	–
Herpes Fever	4·7	6	–	–	–	4	2	–	–
Other Zymotic Diseases	2·2	2	2	–	–	–	–	–	–
Thrush	0·5	2	2	–	–	–	–	–	–
Worms and other Parasitical Diseases	0·3	1	–	–	–	–	–	1	–
Starvation, Want of Breast-milk	0·7	2	2	–	–	–	–	–	–
Alcoholism	7·0	7	–	–	–	3	3	1	–
Rheumatic Fever, Rheumatism of Heart	6·2	8	–	1	1	3	1	2	–
Rheumatism	2·3	1	–	–	–	–	–	1	–
Gout	3·1	3	–	–	–	–	1	2	–
Rickets	4·7	13	6	7	–	–	–	–	–
Cancer	62·1	72	–	1	–	9	32	30	–
Tabes Mesenterica	20·8	21	6	11	2	1	1	–	–
Tubercular Meningitis	29·7	22	7	9	5	–	1	–	–
Phthisis	169·9	128	1	2	10	58	43	7	2
Scrofula, Tuberculosis	18·4	24	9	7	4	3	–	1	–
Other Constitutional Diseases	13·4	8	–	1	–	1	2	4	–
Premature Birth	48·5	49	49	–	–	–	–	–	–
Atelectasis	2·5	1	1	–	–	–	–	–	–
Congenital Malformations	7·4	9	8	1	–	–	–	–	–
Old Age	48·1	47	–	–	–	–	–	23	24
Apoplexy	41·9	37	–	–	–	4	13	16	4
Epilepsy	7·3	8	1	–	1	1	1	4	–
Convulsions	45·3	41	38	2	–	1	–	–	–
Other Diseases of Brain and Nervous System	89·5	72	14	8	3	9	11	23	4

CAUSES OF DEATH.	Corrected Averages for the 20th Week of the 10 years 1885–94.*	In the Week ending Saturday, 18th May 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense	3·0	1	1	–	–	–	–	–	–
Diseases of Circulatory System	122·1	127	2	–	13	13	40	55	4
Croup	8·4	2	–	2	–	–	–	–	–
Bronchitis	163·4	109	29	23	–	1	11	39	6
Pneumonia	124·6	101	26	28	5	14	16	12	–
Pleurisy	6·9	5	–	2	–	–	2	1	–
Other Diseases of Respiratory System	26·0	23	4	4	1	1	6	6	1
Dentition	13·0	9	4	5	–	–	–	–	–
Quinsy, Sore Throat	2·7	3	1	–	–	–	2	–	–
Enteritis	8·1	16	7	2	3	–	4	–	–
Peritonitis	8·4	5	–	–	1	2	2	–	–
Diseases of Liver	27·3	20	1	–	1	3	8	7	–
Other Diseases of Digestive System	31·0	31	8	2	2	3	8	7	1
Diseases of Lymphatic System & of Ductless Glands	2·3	3	–	–	1	–	1	1	–
Diseases of Urinary System	42·7	26	–	–	–	4	8	13	1
Diseases of Generative System	6·1	6	–	–	–	1	4	1	–
Accidents of Childbirth	5·0	2	–	–	–	1	1	–	–
Diseases of Locomotive System	7·0	6	–	2	2	1	1	–	–
Diseases of Integumentary System	4·7	3	1	–	–	–	2	–	–
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways	50·1	4	–	–	1	–	3	–	–
By Vehicles or Horses		11	1	4	1	3	2	–	–
In Ships, Boats, Docks (exclusive of Drowning)		–	–	–	–	–	–	–	–
In Building Operations		2	–	–	–	1	1	–	–
In Conflagrations		–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions		3	1	2	–	–	–	–	–
By Drowning		12	–	–	4	5	1	2	–
By Suffocation in Bed		13	12	–	–	–	1	–	–
By Poisons or Poisonous Vapours		3	1	–	–	–	1	1	–
Other or not stated Causes		11	3	–	1	3	1	3	–
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·8	2	1	–	–	1	–	–	–
Suicide	29·2	16	–	–	2	6	5	3	–
Execution	–	–	–	–	–	–	–	–	–
OTHER CAUSES	48·9	42	36	4	1	–	1	–	–

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA[illegible] during the Week en[illegible]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public [illegible]
LONDON	4,211,743	2496	1389	325	331	-	38	13	41	31	-	8	-	18	77	138	42
WEST DISTRICTS	740,735	361	210	53	53	-	-	2	2	2	-	1	-	6	10	24	6
NORTH DISTRICTS	993,884	544	300	61	74	-	7	3	14	7	-	1	-	2	17	26	9
CENTRAL DISTRICTS	247,538	140	91	14	19	-	-	-	2	-	-	-	-	-	8	16	4
EAST DISTRICTS	705,114	501	263	75	47	-	24	-	5	12	-	-	-	4	16	34	7
SOUTH DISTRICTS	1,524,472	950	493	121	126	-	6	6	18	10	-	6	-	6	26	37	10
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	32	1	12	-	1	2	-	-	-	-	-	-	-	1	3
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	39	18	5	7	-	-	-	-	-	-	-	-	2	1	1	5
St. John Paddington *H* - G.J.	33687	7	17	3	2	-	-	-	-	-	-	-	-	1	-	1	7
Kensington Town *Ww* - W.M.	118751	62	24	7	8	-	-	-	-	-	-	-	-	1	-	3	3
Brompton - W.M. & C.	47557	13	12	1	6	-	-	-	-	-	-	-	-	-	1	1	2
St. Peter Hammersmith - W.M*	8533	7	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Paul Hammersmith *H* W.M. & G.J	88633	48	21	4	6	-	-	-	-	-	-	-	-	-	1	2	3
Fulham *Ww* - W.M. & C.	91639	76	41	15	5	-	-	2	-	-	-	1	-	2	3	5	14
Chelsea Kensal Town - C.	21787	17	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - C.	41637	21	14	-	2	-	-	-	-	-	-	-	-	-	1	2	3
Chelsea South *HH* - C.	32829	14	9	3	1	-	-	-	1	-	-	-	-	-	-	2	2
May Fair *WH* - G.J.	23733	5	11	2	6	-	-	-	-	-	-	-	-	-	1	2	8
Belgrave *WHHH* - C.	54631	16	14	3	5	-	-	-	-	1	-	-	-	-	1	3	4
St. John Westminster *HH* - C.	34106	16	9	2	1	-	-	-	1	-	-	-	-	-	-	1	-
St. Margaret Westminster *H* - C.	21668	7	9	4	2	-	-	-	-	-	-	-	-	-	-	-	4
St. James Westminster *WHHH* N.R. & G.J.	24995	9	4	1	1	-	-	-	-	1	-	-	-	-	-	-	1
St. Anne Soho *HHHHHH* - N.R.	12317	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	21	12	1	2	-	-	-	-	-	-	-	-	-	1	1	6
Rectory Marylebone *WH* G.J. & W.M.	20024	15	6	2	3	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	34	7	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone *HH* - W.M.	33327	13	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HH* - W.M.	32101	9	11	4	4	-	-	-	1	-	-	-	-	-	1	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	17	12	2	5	-	-	-	2	1	-	-	-	-	-	-	3
Regent's Park Pancras *HH* - W.M.	36590	23	12	3	1	-	-	-	-	1	-	-	-	-	-	-	4
Tottenham-court *wHHH* N.R. & W.M.	26321		15	1	2	-	-	-	1	-	-	-	-	-	1	1	11
Gray's Inn Lane *HHH* - N.R.	27455	15	10	4	-	-	2	-	1	-	-	1	-	-	2	2	2
Somers Town *HH* - N.R.	32829	20	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Camden Town *WH* - N.R.	15419	18	15	1	6	-	-	-	-	-	-	-	-	-	2	4	10
Kentish Town *WW* - N.R.	95765	54	21	7	4	-	-	-	-	1	-	-	-	-	1	1	4
Upper Holloway *WWWwHHH* - N.R.	90235	44	43	5	15	-	1	-	1	1	-	-	-	1	2	2	27
Islington South-west *H* - N.R.	105557	62	19	2	2	-	1	1	2	-	-	-	-	-	2	[illegible]	1
Islington South-east - N.R.	64153	36	13	2	2	-	-	-	-	1	-	-	-	-	-	-	-
Highbury *HH* - N.R.	59193	33	12	3	3	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H* - N.R.	30936	12	9	3	1	-	1	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	17759	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42602	15	16	3	6	-	-	-	1	-	-	-	-	-	-	-	5
Hackney *WwwH* - E.L. & N.R.	96486	60	42	5	10	-	2	2	5	2	-	-	-	1	2	5	22
South Hackney *wH* - E.L.	41759	26	12	6	4	-	-	-	-	-	-	-	-	-	2	4	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	12	5	-	2	-	-	-	-	-	-	-	-	-	-	1	2
St. Giles North *H* - N.R.	9633	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	8	-	4	-	-	-	-	-	-	-	-	-	1	2	6
St. Mary-le-Strand *H* - N.R.	5706	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-	5
Strand Union Workhouse, Edmonton	†1037	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	4
St. Andrew Eastern *WH* - N.R.	15343	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	15	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - N.R.	16883	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	17155	11	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Goswell-street - N.R.	15375	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - N.R.	29177	29	12	3	2	-	-	-	-	-	-	-	-	-	-	3	-
Whitecross-street - N.R.	8278	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	3	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Cripplegate - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4441	2	21	2	1	-	-	-	1	-	-	-	-	-	5	6	2
St. Bride *W* - N.R.	6594	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	5	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Broad Street *H* - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the [illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. [illegible] River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

*Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT urday, 18th May, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
horeditch South *HL** E.L. & N.R.	20098	8	10	3	2	-	-	-	-	1	-	-	-	-	1	1	3	-
oxton New Town *w* - - - N.R.	20313	23	9	4	3	-	-	-	-	1	-	-	-	-	2	3	3	-
oxton Old Town - - - - N.R.	23354	16	6	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	42	26	11	5	-	1	-	1	-	-	-	-	-	2	6	8	-
ethnal Green North *H* - - E.L.	51520	33	14	3	1	-	1	-	1	-	-	-	-	-	1	1	2	-
ethnal Green South - - - E.L.	33489	26	5	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
ethnal Green East *WHL** - E.L.	44123	25	8	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
pitalfields - - - E. N.R.	22456	19	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
ile End New Town *W* - - E.L.	17908	35	11	2	3	-	1	-	-	-	-	-	-	-	1	-	9	-
hitechapel Church *H'* E.L. & N.R.	20298	16	20	7	3	-	1	-	-	-	-	-	-	-	3	3	17	-
oodman's Fields - - - E.L.	18800	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t. George's, North - - - E.L.	37738	30	10	3	-	-	5	-	-	1	-	-	-	-	-	-	-	-
t. John, St. George East *W* - E.L.	8057	9	8	1	1	-	-	-	-	1	-	-	-	-	1	1	6	-
adwell *H* - - - - E.L. & N.R.	10246	2	8	2	-	-	1	-	-	-	-	-	-	-	-	-	7	-
atcliff *W* - - - - - E.L.	14928	7	8	3	1	-	2	-	1	-	-	-	-	-	-	3	-	-
imehouse - - - - - E.L.	32202	14	14	4	-	-	2	-	1	2	-	-	-	-	2	3	-	-
ile End Old Town West *H* - E.L.	38650	44	9	4	2	-	-	-	-	-	-	-	-	1	-	1	-	-
ile End Old Town East *WWww* E.L.	68942	42	20	6	6	-	1	-	-	1	-	-	-	-	-	2	4	-
ow *L** - - - - - - E.L.	40365	20	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
romley *wwwH* - - - - E.L.	70000	38	39	8	10	-	5	-	-	1	-	-	-	-	2	5	16	-
oplar. *WW* - - - - - E.L.	56383	33	24	8	5	-	1	-	-	3	-	-	-	2	1	3	-	-
SOUTH DISTRICTS.																		
hristchurch Southwark *WH* L. & S.	18264	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Saviour Southwark - - - S.	18913	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ent-road - - - - S. & L.	21867	13	7	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
orough-road *WH* - - S. & L.	16624	7	10	1	2	-	1	-	-	-	-	-	-	-	-	-	3	-
ondon-road *HL* - - L. & S.	21221	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rinity Newington - - S. & L.	26596	20	7	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1
t. Peter Walworth *W* - S. & L.	61342	52	21	7	4	-	-	-	1	1	-	-	-	-	1	4	1	2
t. Mary Newington - - L. & S.	27866	27	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Olave *WH* - - - - S.	12723	9	16	3	1	-	-	-	-	1	-	-	-	-	4	4	11	-
eather Market *W* - - S. & L.	30612	56	12	5	4	-	-	1	-	-	-	-	-	1	1	1	1	3
t. James Bermondsey - - S.	54070	27	18	6	3	-	-	-	-	2	-	-	-	-	1	1	-	-
otherhithe *WwH* - - S. & K.	39255	13	8	1	1	-	-	1	-	-	-	-	-	-	-	-	3	-
aterloo-road 1st *H* - - L. & S.	14031	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
aterloo-road 2nd *H* - - L. & S.	14644	21	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
ambeth Church 1st *H* - - L. & S.	18075	12	13	6	1	-	-	-	3	1	-	-	-	-	3	3	5	-
ambeth Church 2nd *WW.* - L. & S.	39097	30	16	2	9	-	1	-	-	-	-	-	-	-	-	-	9	-
ennington 1st *H* - - S. & L.	50586	25	12	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-
ennington 2nd *H* - - S. & L.	39708	28	7	2	4	-	-	-	-	-	-	-	-	1	-	-	-	-
rixton *w* - - - - - L. & S.	78405	47	27	4	8	-	-	3	4	-	-	-	-	-	-	-	7	1
orwood *WH* - - - - - L.	25657	11	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
ast Battersea - - - - S.	67244	35	19	9	1	-	3	-	-	-	-	1	-	2	-	-	-	-
est Battersea *WwH* - - - S.	83314	56	31	8	6	-	1	-	-	1	-	-	-	-	2	3	11	-
lapham *H* - - - - - S.	43698	20	12	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
andsworth *WHHL* - - S.	46717	22	8	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
utney - - - - - - S.	17771	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
reatham *www* - - - - L.	48756	32	13	4	5	-	-	-	1	-	-	-	-	-	-	-	2	-
ulwich - - - - - L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
amberwell *WwL*L** - - S. & L.	81686	38	50	9	16	-	-	-	1	-	-	1	-	-	3	3	22	-
eckham *W* - - - S., L., & K.	83488	56	29	8	9	-	-	-	1	1	-	-	-	-	3	4	1	-
t. George Camberwell - - L. & S.	63366	40	17	4	5	-	-	-	-	-	-	-	-	-	1	2	-	-
eptford, North - - - - K.	35314	30	9	3	2	-	-	-	-	1	-	-	-	-	1	2	-	-
eptford, Central *w* - - - K.	42007	32	19	2	1	-	-	1	6	-	-	4	-	-	-	-	12	-
eptford, South - - - - K.	20852	9	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
reenwich West *H* - - - K.	22007	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
reenwich East *WH* - - - K.	35233	30	15	-	6	-	-	-	-	-	-	-	-	2	-	-	11	-
ltham *wH* - - - - - K.	5382	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ee *H* - - - - - - K.	23541	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ewisham *WH* - - - - K.	30950	20	7	2	1	-	-	-	-	-	-	-	-	-	1	1	3	-
ydenham *H* - - - - L.	34162	17	14	4	6	-	-	-	-	1	-	-	-	-	-	-	-	-
harlton *HH* - - - - K.	14040	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Dockyard - - - K.	19606	15	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
oolwich Arsenal *HHHH* - K	21242	9	8	4	3	-	-	-	-	-	-	-	-	-	2	3	-	-
lumstead, West *H* - - - K	15869	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lumstead, East *WH* - - - K	36567	28	12	4	3	-	-	-	-	-	-	-	-	-	1	1	4	-
anstead Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
aterham Asylum - - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
ane Hill Asylum - - - - -	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Hospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
areath Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
anwell Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
olney Hatch Asylum - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-
N.E. Hospital - - - - -	-	-	3	1	-	-	1	2	-	-	-	-	-	-	-	-	3	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
laybury Asylum - - - - -	-	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 18th May, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes
	LONDON—OUTER RING	368,749	1,422,063	854	382	85	113	–	10	3	7	7	3	2	19	29	43	[illegible]
30 : 1	Carshalton *wHH*	12328	26108	12	4	2	1	–	–	–	–	1	–	–	–	–	–	
	Epsom, *part of* WwH*	10423	12598	7	4	–	2	–	–	–	–	–	–	–	2	2	3	
37 : 1	Godstone, *part of* W*	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
38 : 1	Croydon *WwHHH*	20351	128699	60	30	11	8	–	–	–	–	2	–	–	1	3	6	
2	Mitcham *w*	11697	23038	6	8	2	4	–	–	–	–	–	–	–	1	1	–	
39 : 1	Wimbledon *HHH*	3220	25761	13	7	–	4	–	–	–	–	–	–	–	–	–	–	
2	Kingston *WH*	8071	44765	33	13	2	7	–	–	–	–	–	–	–	–	–	3	
3	Esher, *part of* HH*	6601	12059	12	1	–	–	–	–	–	–	–	–	–	–	–	–	
4	Hampton *H*	4535	18252	5	5	1	3	–	–	–	1	–	–	–	–	–	–	
40 : 1	Richmond *WH*	2160	25339	11	4	–	–	–	–	–	–	–	–	–	1	1	–	
2	Mortlake *H*	2823	16159	6	2	2	–	–	–	–	–	1	–	–	–	–	–	
41 : 1	Bromley *HHH*	9127	23815	8	1	–	–	–	–	–	1	–	–	–	–	–	–	
2	Beckenham *H*	6542	21969	9	5	2	–	–	–	1	–	–	–	–	–	–	–	
	Chislhrst, *pt. of* WHH*	14307	20372	7	3	–	2	–	–	–	–	–	–	–	–	–	–	
42 : 1	Bexley *HH*	12540	30599	19	5	–	3	–	–	–	–	–	–	–	–	–	–	
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–			–	–	–	–	–	
124 : 1	Sunbury *w*	11054	13671	7	2	–	1	–	1	–	–	–	–	–	–	–	–	
2	Staines *WH*	13277	13221	7	3	–	2	–	–	–	–	–	–	–	–	–	–	
125 : 1	Hillingdon *WHH*	6035	12237	5	4	2	1	–	–	–	–	–	–	–	–	–	–	
2	Uxbridge	6172	5417	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	Hayes *wH*	14537	12 18	5	–	–	–	–	–	–	–	–	–	–	–	–	–	
126 : 1	Isleworth *WHH*	6967	26273	27	11	1	4	–	1	–	1	–	–	–	–	–	1	
2	Twickenham *HH*	2415	16027	12	6	2	2	–	–	–	–	–	–	–	–	–	1	
3	Brentford *HHHH*	4318	37777	19	8	1	2	–	–	–	–	–	1	–	1	1	1	
	Chiswick	1245	21963	13	9	3	1	–	–	–	–	–	–	–	2	3	–	
5	Acton *wH*	6132	30945	20	7	2	3	–	–	–	–	–	–	1	1	1	–	
127 : 1	Harrow *HHH*	13809	15715	10	7	2	2	–	–	–	–	–	–	–	–	2	–	
2	Edgware *HH*	6994	3844	3	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	Willesden *HHH*	4383	61265	60	15	5	3	–	–	1	–	–	–	–	–	1	1	
4	Hendon *WH*	8382	15843	10	7	2	2	–	–	–	–	–	–	–	–	–	2	
128 : 1	South Mimms *H*	15599	8474	7	2	–	2	–	–	–	–	–	–	–	–	–	–	
2	Barnet *WHH*	5441	11778	4	4	–	2	–	–	–	–	–	–	–	–	–	1	
3	Finchley *HHH*	4688	25820	11	6	1	2	–	–	–	–	1	–	–	1	2	–	
129 : 1	Hornsey *HH*	3039	61097	23	19	2	7	–	–	–	–	1	–	–	–	–	–	
2	Tottenham *H*	4642	97174	60	24	4	5	–	1	–	1	–	–	–	5	6	3	
3	Edmonton *Www*	7489	36351	20	6	–	1	–	–	–	–	–	1	–	1	1	2	
4	Enfield *WWHH*	12639	31803	21	6	–	4	–	–	–	–	1	–	–	–	–	1	
5	Waltham Abbey	11017	6066	–	2	1	–	–	–	–	–	–	–	1	–	–	–	
6	Cheshunt *H*	8480	9620	2	2	1	1	–	–	–	–	–	–	–	–	–	–	
135 : 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
137 : 1	Bushey *H*	9331	7737	2	3	1	1	–	–	–	–	–	–	–	–	–	–	
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
186 : 1	Stratford *H*	1100	42983	23	9	3	2	–	–	–	–	–	1	–	–	–	–	
2	Plaistow	1242	58030	50	25	6	2	–	3	–	1	–	–	–	–	–	–	
3	Canning Town *H*	1558	54750	50	16	3	–	–	–	1	1	–	–	–	1	2	–	
4	Forest Gate *w*	806	49140	20	15	3	4	–	–	–	–	–	–	–	–	–	–	
5	East Ham *w*	3266	32713	27	8	5	2	–	–	–	–	–	–	–	–	–	–	
6	Leyton *WWWwH*	4334	70188	38	32	5	14	–	3	–	1	–	–	–	–	1	12	
7	Walthamstow *HBL*	6501	57330	47	18	8	2		1	–	–	–	–	–	–	–	–	
187 : 1	Chigwell *part of* H*	11779	12341	1	1	–	–	–	–	–	–	–	–	–	1	1	–	
2	Epping *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	
189 : 1	Romford *part of* WH*	6556	4324	3	2	–	–	–	–	–	–	–	–	–	1	1	–	
2	Ilford	8493	10913	13	2	–	–	–	–	–	–	–	–	–	–	–	–	
3	Barking Town *H*	3814	14391	12	1	–	1	–	–	–	–	–	–	–	–	–	–	
	Middlesex Co. Asy.	–	–	–	4	–	3	–	–	–	–	–	–	–	–	–	4	
	Cane Hill Asylum	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 38 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1, Chigwell sub-district, except the parish Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 18th May, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
ATER LONDON	443,421	6,048,555	15·3	1·6	1771	410	444	-	48	16	48	38	11	20	96	469
NNER LONDON -	74,672	4,392,346	16·5	1·8	1389	325	331	-	38	13	41	31	8	18	77	426
UTER RING -	368,749	1,656,209	12·0	1·0	382	85	113	-	10	3	7	7	3	2	19	43

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
NBURGH -	273,535	May	18	158	109	20·8	-	6	-	1	-	3	5
SGOW - -	695,876	"	18	519	301	22·6	1	7	1	2	11	1	10
BLIN - -	349,594	"	18	258	186	27·7	-	-	2	-	1	2	-
CUTTA - -	466,460	April	6	-	-	-	-	-	-	-	-	-	-
MBAY - -	821,764	"	23	219	565	35·8	11	29	?	?	?	135	34
DRAS - -	452,518	"	5	331	268	30·8	-	8	?	?	?	90	26
RIS - - -	2,424,705	May	11	1134	948	20·3	-	10	4	6*	11	3	60
JSSELS - -	498,400	"	11	249	175	18·3	-	1	-	3*	-	1	12
STERDAM -	451,493	"	11	235	165	19·0	-	-	-	-	2	-	1
TTERDAM -	272,042	"	11	174	114	21·8	-	1	-	-	-	-	-
E HAGUE -	180,455	"	11	86	49	14·1	-	-	-	-	2	-	-
PENHAGEN -	341,000	"	11	183	130	19·9	-	2	2	3	7	-	5
CKHOLM -	252,937	"	4	133	104	20·9	-	-	-	2*	-	-	2
RISTIANIA -	167,588	"	11	35	64	19·9	-	-	1	2	1	-	1
PETERSBURG	954,400	April	27	637	579	31·6	2	4	14	8	-	10	58
SCOW - -	753,469	"	27	-	507	35·1	-	7	3	9	3	3	29
RLIN - -	1,724,544	"	27	869	631	19·0	-	7	6	18	6	-	42
MBURG - -	608,710	May	4	361	207	17·7	-	-	2	4*	2	-	8
SDEN - -	323,600	April	20	197	144	23·4	-	1	-	1*	1	-	17
SLAU - -	367,769	May	11	-	183	26·0	-	-	-	3*	1	-	27
NICH - -	396,000	"	11	-	201	26·4	-	1	2	1*	1	-	30
NNA - -	1,495,764	"	11	855	787	27·4	-	15	9	10*	7	-	46
GUE - -	343,822	"	4	253	178	26·3	-	-	1	1	1	3	1
DA-PESTH -	566,022	"	4	404	366	33·6	-	2	2	2	1	1	16
ESTE - -	160,825	"	4	-	-	-	-	-	-	-	-	-	-
NE - -	463,786	March	23	-	-	-	-	-	-	-	-	-	-
RIN (10 days)	344,203	April	20	-	-	-	-	-	-	-	-	-	-
NICE -	158,159	"	20	-	-	-	-	-	-	-	-	-	-
RO - -	374,838	"	8	430	389	54·0	4	-	-	-	-	11	115
EXANDRIA -	231,396	"	8	237	114	25·7	2	-	-	1*	-	3	24
W YORK -	1,992,715	"	27	-	885	22·9	-	19	12	28	17	3	23
OOKLYN -	1,080,000	May	4	-	400	19·0	-	5	5	18	1	1	6
LADELPHIA	1,163,864	April	27	-	463	20·7	-	4	2	24	4	10	4
W ORLEANS -	275,000	"	20	-	126	23·9	-	1	-	3	-	6	3

* Including deaths from croup.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 18TH MAY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	12	..	30·082	81·3	48·7	32·6	65·7	+13·7	50·5	15·2	28·7	0·8	58	139·0	43·8	52·50	SE. & S.	S. & SE.	1·0	0·0	0·0	155	− 95	0·00	1·5
MONDAY .	13	Apogee.	30·105	79·9	57·3	22 6	67·6	+15·3	55·2	12·4	21·9	2·1	65	132·2	52 5	53·10	Variable & Calm.	WSW. & NNW.	1·0	0·0	0·0	134	−116	0·05	0·0
TUESDAY.	14	..	30·089	75·0	55·5	19·5	64·7	+12·1	53·6	11·1	18·7	3·6	67	120·1	48·4	53·83	NNW. & N.	NNW.& NW.	1·8	0·0	0·1	215	− 34	0·00	0·0
WEDNESDAY	15	Last Qr. In Equator.	29·785	63·5	51·8	11·7	56·3	+ 3·5	45·5	10·8	15·4	5·9	67	102 5	47·0	54·43	NW.	NNW. &NW.	6·5	0·0	1·1	452	+203	0·00	1·2
THURSDAY	16	..	29·631	55·2	40·3	14·9	46·8	− 6·3	33·0	13·8	19·6	6·7	59	123·0	34·0	54·70	NNW.	NNW.	11·0	0·0	1·7	550	+301	0·00	3·8
FRIDAY .	17	..	29·532	46·8	39·6	7·2	42·9	−10·4	32·8	10·1	13·4	7·1	67	85·0	31·6	54·41	NNW. &NW.	NW. WNW. & W.	5·0	0·0	1·1	448	+200	0·01	0·0
SATURDAY	18	..	29·426	56·2	41·0	15·2	47·1	− 6·5	44·6	2·5	6·7	0·5	91	107·7	38·2	53·83	WSW. & N.	NNW.	6·2	0·0	0·4	349	+101	0·13	0·0
MEANS . .		..	29·807	65·4	47·7	17·7	55·9	+ 3·1	45·0	10·8	17·8	3·8	68	114·4	42·2	53·83	NNW.		..	..	..	Sum 2303	Sum + 560	Sum 0·19	0·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	12	w. P. generally -	6·1	15·4	A very warm day; fine till evening, cloudy at night; solar halo visible between 9h. A.M. and 3h. P.M.; hazy.
MONDAY .	13	w. P. and s. N. in early morning; v. P. afterwards.	2·5	15·4	Rain in early morning; afterwards fine generally; a very warm day.
TUESDAY .	14	m. P. generally -	4·4	15·5	Fine; partially cloudy and hazy till evening; cloudless at night. A warm day.
WEDNESDAY	15	v. P. throughout -	1·3	15·5	Generally overcast; faint solar halo seen at 9.30h. A.M.
THURSDAY .	16	v. P. and v. N. -	5·6	15·6	Cloudy in forenoon; afterwards fine with variable amounts of cloud; brisk wind throughout.
FRIDAY .	17	v. P. throughout -	0·0	15·6	Overcast; occasional slight rain. Very cold.
SATURDAY .	18	w. P. till 9h. A.M.; v. P. afterwards.	0·3	15·7	Overcast; frequent rain in early morning.
			Sum 20·2	Sum 108·7	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·04 in. at the beginning of the week to 30·13 in. by 9h. A.M. on the 13th; decreased to 29·37 in. by 4h. A.M. on the 18th; increased to 29·45 by 3h. P.M. on the same day; and was 29·41 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 21. 1895. VOL. LVI.] WEEK ENDING SATURDAY, MAY 25. [Price 1½*d.*

General Register Office, Somerset House,
May 27th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 4.	May 11.	May 18.	May 25.		May 4.	May 11.	May 18.	May 25.
Birkenhead	20·9	15·5	18·4	15·5	Liverpool - -	23·2	23·0	23·2	27·3
Birmingham	16·9	19·5	16·9	15·5	London - -	16·6	16·6	16·5	16·3
Blackburn -	22·9	20·0	17·2	17·2	Manchester -	23·9	22·3	25·7	26·0
Bolton -	20·1	22·7	22·7	23·2	Newcastle-on-Tyne	19·4	21·7	18·6	21·4
Bradford -	16·6	16·6	17·5	17·3	Norwich - -	19·0	15·1	12·7	20·0
Brighton -	20·9	13·5	13·1	17·0	Nottingham -	10·6	14·5	16·1	17·9
Bristol -	13·3	16·5	13·9	13·7	Oldham - -	23·3	19·2	22·2	17·7
Burnley -	26·7	23·6	20·9	25·1	Plymouth - -	16·4	25·8	17·0	15·2
Cardiff -	14·7	14·4	15·1	15·1	Portsmouth -	11·9	14·9	14·0	10·1
Croydon -	13·6	16·8	12·3	9·5	Preston - -	19·0	24·5	28·7	16·7
Derby -	14·6	17·7	14·6	16·6	Salford - -	21·5	18·8	26·5	21·8
Gateshead -	15·2	14·1	13·6	12·0	Sheffield - -	18·4	16·3	15·2	14·6
Halifax -	17·2	23·9	16·1	17·2	Sunderland -	15·5	13·6	15·9	16·7
Huddersfield	12·6	15·2	19·9	13·1	Swansea - -	13·4	12·9	16·1	15·1
Hull - -	21·4	13·5	20·5	14·9	West Ham - -	12·7	17·1	15·0	18·6
Leeds -	17·7	18·1	15·7	17·5	Wolverhampton -	20·7	18·2	15·8	17·0
Leicester -	12·4	17·2	15·3	11·8					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Manchester, 1·2 in Plymouth, 1·3 in Cardiff, 1·5 in Newcastle-on-Tyne, 2·3 in West Ham, and 4·8 in Bolton; from *whooping-cough*, 1·0 in Norwich, 1·1 in Liverpool and in Sunderland, 1·3 in Bolton, 1·5 in Salford, and 1·8 in Plymouth; and from *diarrhœa*, 1·0 in Burnley. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 65 deaths from *diphtheria* included 37 in London, 5 in West Ham, 4 in Wolverhampton, 3 in Liverpool, and 3 in Birmingham. No death from *small-pox* was registered in any of the thirty-three towns. A death from *hydrophobia* was registered in Leeds.

LONDON.

In LONDON 2640 BIRTHS and 1371† DEATHS were registered. Allowing for increase of population, the births were 88 above, and the deaths 228 below, the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—8. 650.—5/95. Wt. 259.

average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·6, 16·6, and 16·5 in the preceding three weeks, fell last week to 16·3. During the four weeks ending on Saturday last the death-rate averaged 16·5 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1371 deaths included 32 from measles, 10 from scarlet fever, 37 from diphtheria, 39 from whooping-cough, 9 from enteric fever, 14 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 141 deaths were referred to these diseases, being 77 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 7. The deaths from *measles*, which had been 39, 34, and 39 in the preceding three weeks, fell again last week to 32, and were 48 below the corrected average; 7 cases belonged to Poplar, 4 to St. George-in-the-East, and 4 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 13, 11, and 13 in the preceding three weeks, fell last week to 10, and were 8 below the corrected average; 3 cases belonged to Limehouse sanitary area. The deaths from *diphtheria*, which had been 29, 38, and 41 in the preceding three weeks, fell again last week to 37, but exceeded the corrected average by 9; 5 cases belonged to Rotherhithe, 5 to Greenwich, 3 to Poplar, and 3 to St. Pancras sanitary areas. The deaths from *whooping-cough*, which had been 36, 35, and 31 in the preceding three weeks, rose last week to 39, but were 21 below the corrected average; 3 cases belonged to Limehouse, 3 to Poplar, 3 to Camberwell, and 3 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 5, 8, and 8 in the preceding three weeks, were 9 last week, the corrected average being 8; 3 cases belonged to Plumstead and 2 to Greenwich sanitary areas. The deaths from *diarrhœa*, which had been 18, 19, and 18 in the preceding three weeks, fell last week to 14, the corrected average being 16.

The deaths referred to diseases of the respiratory organs, which had been 290, 247, and 240 in the preceding three weeks, rose last week to 245, but were 67 below the corrected average.

The deaths attributed directly to *influenza* numbered 10, having been 34, 22, and 23 in the preceding three weeks.

Different forms of violence caused 60 deaths, concerning all but 3 of which inquests were held. Of these 60 deaths, 7 were cases of suicide, and one of homicide, while the remaining 52 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 6 to burns and scalds, 3 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 29 cases of small-pox, 1503 of scarlet fever, 492 of diphtheria, and 126 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 7 cases, against 8, 6, and 4; of scarlet fever, 214 cases, against 107, 179, and 185; of diphtheria, 79 cases, against 79, 73, and 87; and of enteric fever, 50 cases, against 15, 13, and 42.

Greater London.

In Greater London 3558 births and 1751 deaths were registered, corresponding to annual rates of 30·7 and 15·1 per 1000 of the estimated population. In the Outer Ring 23 deaths from measles, 9 from diphtheria, and 7 from whooping-cough were registered. Nineteen deaths from measles and 5 from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 52°·3 the latter being 2°·6 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 18 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 22·3 hours; the measured rainfall amounted to 0·19 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 25th May 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 25th May, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6432	3529	875	783	-	84	26	65	95	29	55	132	244	785	60	17·4	1·7	71·1	35·0	50·0	10·00	0·23	0·58	33 Towns.
London	4,392,346	2640	1371	327	316	-	32	10	37	39	9	14	60	122	450	11	16·3	1·7	71·1	41·1	52·3	11·28	0·19	0·48	London.
West Ham	249,473	153	89	29	11	-	11	1	5	1	1	3	2	3	10	2	18·6	4·6	-	-	-	-	-	-	West Ham.
Croydon	114,923	55	21	7	3	-	-	-	2	1	-	-	-	1	2	-	9·5	1·4	69·5	40·0	51·0	10·56	0·01	0·03	Croydon.
Brighton	119,604	52	39	8	13	-	-	-	1	1	-	1	1	1	6	-	17·0	1·3	70·6	43·4	53·1	11·72	0·00	0·00	Brighton.
Portsmouth	174,751	83	34	11	8	-	-	-	-	2	1	-	1	1	5	1	10·1	0·9	67·0	44·0	52·4	11·33	0·00	0·00	Portsmouth.
Plymouth	89,096	57	26	7	9	-	2	-	1	3	-	-	-	-	4	-	15·2	3·5	-	-	-	-	-	-	Plymouth.
Bristol	228,139	122	60	11	25	-	-	-	2	1	-	1	2	5	10	2	13·7	0·9	68·0	35·0	51·0	10·56	1·55	3·94	Bristol.
Cardiff	155,637	89	45	14	6	-	4	-	1	-	-	2	3	4	9	-	15·1	2·3	-	-	-	-	-	-	Cardiff.
Swansea	97,008	64	28	10	7	-	-	-	-	-	-	1	-	2	2	2	15·1	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	51	28	5	7	-	-	-	4	-	-	-	-	1	1	-	17·0	2·4	67·1	38·2	49·5	9·72	0·03	0·08	Wolverhampton.
Birmingham	496,751	340	148	41	37	-	-	-	3	3	1	1	5	4	30	8	15·5	0·8	-	-	-	-	-	-	Birmingham.
Norwich	107,127	56	41	13	9	-	-	1	-	2	1	-	-	1	9	2	20·0	1·9	64·0	38·4	48·8	9·33	0·20	0·51	Norwich.
Leicester	193,839	114	44	16	7	-	-	-	-	-	1	-	-	4	1	3	11·8	0·3	-	-	-	-	-	-	Leicester.
Nottingham	226,658	130	78	22	15	-	-	3	-	1	2	1	2	2	5	-	17·9	1·6	68·7	40·8	48·6	9·22	0·01	0·03	Nottingham.
Derby	100,272	41	32	6	10	-	-	-	-	1	-	1	4	4	7	-	16·6	1·0	-	-	-	-	-	-	Derby.
Birkenhead	107,469	57	32	8	11	-	-	-	-	1	-	-	1	1	1	-	15·5	0·5	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,967	359	264	60	42	-	3	4	3	11	7	7	12	19	69	7	27·3	3·6	69·2	42·1	51·4	10·78	0·26	0·66	Liverpool.
Bolton	119,337	82	53	9	9	-	11	-	-	3	1	-	2	6	8	-	23·2	6·6	-	-	-	-	-	-	Bolton.
Manchester	524,865	317	262	58	59	-	11	-	2	6	-	4	12	18	50	4	26·0	2·3	-	-	-	-	-	-	Manchester.
Salford	208,253	136	87	19	14	-	1	2	-	6	2	2	5	6	16	2	21·8	3·3	-	-	-	-	-	-	Salford.
Oldham	141,079	68	48	14	6	-	-	-	-	1	-	-	-	3	3	2	17·7	0·4	-	-	-	-	-	-	Oldham.
Burnley	99,591	60	48	14	7	-	-	-	2	1	-	2	2	2	2	2	25·1	2·6	-	-	-	-	-	-	Burnley.
Blackburn	127,615	83	42	9	9	-	-	-	-	2	-	-	-	1	7	2	17·2	0·8	-	-	-	-	-	-	Blackburn.
Preston	112,638	62	36	14	13	-	2	-	-	1	-	2	2	2	1	1	16·7	2·3	-	-	-	-	-	-	Preston.
Huddersfield	99,482	39	25	2	9	-	-	1	1	-	-	-	-	-	-	1	13·1	1·0	65·0	38·0	49·3	9·61	0·26	0·66	Huddersfield.
Halifax	93,813	52	31	4	12	-	-	-	-	1	-	-	2	2	5	-	17·2	0·6	-	-	-	-	-	-	Halifax.
Bradford	226,384	125	75	17	19	-	-	1	1	-	-	2	1	5	10	-	17·3	0·9	61·4	42·0	49·2	9·56	0·03	0·08	Bradford.
Leeds	395,546	242	133	29	33	-	-	-	-	1	1	4	5	11	15	2	17·5	0·8	-	-	-	-	-	-	Leeds
Sheffield	342,768	242	96	29	16	-	1	2	-	-	-	2	3	3	13	2	14·6	0·8	-	-	-	-	-	-	Sheffield.
Hull	236,722	168	62	16	14	-	-	1	-	2	1	2	1	2	12	2	14·9	1·4	65·0	39·0	47·5	8·61	0·09	0·23	Hull.
Sunderland	137,705	101	44	15	6	-	-	-	-	3	-	2	3	4	3	2	16·7	1·9	63·0	40·0	46·5	8·06	0·31	0·79	Sunderland.
Gateshead	95,871	58	22	7	6	-	-	-	-	-	-	-	-	-	2	-	12·0	-	-	-	-	-	-	-	Gateshead.
Newcastle	207,021	134	85	24	15	-	6	-	-	1	1	1	1	4	17	-	21·4	2·3	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† Urban District only.

Table 2. LONDON.—Births and Deaths Registered in the Twenty-first Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
Total Births	2209	2431	2571	2278	2402	2443	2681	2508	2242	2414	2551·9	2640
Males	1144	1231	1315	1151	1218	1265	1388	1262	1152	1218	1302·8	1337
Females	1065	1200	1256	1127	1184	1178	1293	1246	1090	1196	1249·1	1303
Total Deaths	1538	1229	1534	1361	1267	1451	2337	1534	1459	1440	1599·0	1371
Males	805	631	793	708	664	742	1166	802	758	764	826·7	709
Females	733	598	741	653	603	709	1171	732	701	676	772·3	662

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.
Total Births	2671	2681	2821	2650	2466	2731	2380	2677	2691	2837	2549	2496	2640
Total Deaths	3246	3471	2817	2190	1781	1597	1622	1585	1508	1395	1398	1389	1371
Ages at Death: Under 1 year	524	618	611	448	390	357	409	410	423	321	318	325	327
1—5 years	357	395	347	332	282	290	265	261	214	221	198	219	192
5—20 "	100	101	108	79	88	79	75	85	60	82	84	84	87
20—40 "	288	320	265	226	222	176	198	190	162	186	190	172	196
40—60 "	646	669	502	427	326	288	265	264	289	256	256	258	253
60—80 "	1077	1089	758	533	410	335	339	312	293	275	291	280	269
80 years & upwards	254	279	231	145	63	72	71	63	67	54	61	51	47
Deaths from—													
Small-pox	1	-	1	-	-	-	-	-	-	1	-	-	-
Measles	20	23	12	19	23	18	25	39	26	39	34	39	32
Scarlet fever	7	6	4	15	13	11	15	9	9	13	11	13	10
Diphtheria	31	34	27	24	31	23	27	30	27	29	38	41	37
Whooping-cough	53	55	56	43	49	44	49	51	44	36	35	31	39
Typhus	-	1	-	-	-	-	-	-	-	-	-	-	-
Enteric fever	7	8	4	4	4	6	3	5	5	5	3	8	9
Simple Continued fever	-	-	-	-	1	-	-	-	-	-	1	-	-
Diarrhœa and Dysentery	11	16	10	14	14	15	18	7	13	18	19	18	14
Cholera	1	-	-	-	1	-	-	-	-	-	-	-	-
All the above Diseases	131	143	114	119	136	117	137	141	124	141	146	150	141
Dis. of Respiratory System	1448	1366	1031	740	497	427	398	389	341	290	247	240	245
Phthisis	218	222	214	181	173	186	164	161	162	144	160	128	172
Dis. of Circulatory System	242	244	184	154	138	127	122	125	120	106	107	127	128
Violence	57	67	77	59	74	55	51	64	71	63	63	77	60
Inquest Cases	211	222	194	135	145	114	136	135	135	131	127	138	122
Deaths in Public Institutions	739	693	641	536	464	432	424	459	393	380	398	425	450
Temperature of the Air	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean	36·2	36·5	43·7	48·3	44·6	41·5	47·7	49·1	50·9	51·2	57·3	55·9	52·3
Mean of Highest readings	42·1	43·3	52·6	58·2	52·3	48·3	58·1	60·4	59·2	62·5	69·8	65·4	62·5
Mean of Lowest readings	31·7	31·7	35·9	39·7	39·5	36·0	39·7	40·7	45·8	40·4	44·4	47·7	44·6
Humidity of the Air	81	86	77	80	81	84	75	77	88	73	61	68	81
Rain-fall (in inches)	0·19	0·34	0·02	0·18	0·71	0·12	0·05	0·13	1·15	0·04	0·00	0·19	0·19
Registered Sunshine (in hours)	5·2	12·3	29·8	21·4	17·5	9·8	29·6	36·0	10·7	42·0	74·7	20·2	22·3
Cases of Infectious Sickness in Hospital at the end of each Week.													
Small-pox	68	56	57	58	55	53	47	35	37	34	33	27	29
Scarlet fever	1621	1619	1615	1587	1555	1519	1463	1514	1469	1413	1438	1446	1503
Diphtheria	463	455	456	455	435	440	435	441	432	457	464	484	492
Enteric fever	95	80	70	72	73	66	67	67	61	64	66	91	126

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

Meteorological Observations. (*See* Table 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIRST Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1885–94.*	In the Week ending Saturday, 25th May 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1599·0	1371	327	192	87	196	253	269	47
Small-pox: Vaccinated† -	1·9	-	-	-	-	-		-	-
Small-pox: Unvaccinated	1·8	-	-	-	-	-	-	-	-
Small-pox: No Statement	3·1	-	-	-	-	-	-	-	-
Measles - - - -	79·9	32	9	23	-	-	-	-	-
Scarlet Fever - -	17·8	10	-	6	4	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	34·7	10	-	-	-	3	2	5	-
Whooping-cough - -	59·9	39	14	21	3	-	1	-	-
Diphtheria - - -	27·8	37	5	26	6	-	-	-	-
Enteric (Typhoid) Continued and Ill-defined Fever -	1·2	-	-	-	-	-	-	-	-
Puerperal Fever - -	8·2	9	-	1	3	5	-	-	-
Cholera and Chol. Diarr.	0·5	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	15·7	14	7	2	1	-		1	2
Intermittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	0·2	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-
Smallpox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-
Cancer - - -	11·0	12	8	-	-	-	4	-	-
Erysipelas - - -	3·5	3	-	1	-	-	1	-	1
Pyæmia and Septicæmia	2·6	1	-	-	-	1	-	-	-
Puerperal Fever - -	4·9	3	-	-	-	3	-	-	-
Other Zymotic Diseases	1·9	1	1	-	-	-	-	-	-
Thrush - - - -	1·4	-	-	-	-	-	-	-	-
Parasites and other Parasitical Diseases - -	0·1	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	0·7	1	1	-	-	-	-	-	-
Alcoholism - - -	7·5	14	-	-	-	4	7	3	-
Rheumatic Fever, Rheumatism of Heart	5·9	2	-	-	-	2	-	-	-
Rheumatism - -	2·4	1	-	-	-	-	-	1	-
Gout - - - -	3·4	4	-	-	-	-	-	4	-
Diabetes - - - -	6·2	7	2	5	-	-	-	-	-
Cancer - - - -	63·2	71	-	-	-	14	27	23	4
Tabes Mesenterica -	19·9	12	6	5	1	-	-	-	-
Tubercular Meningitis -	27·4	28	8	12	7	1	-	-	-
Phthisis - - -	155·5	172	2	5	18	81	53	13	-
Scrofula, Tuberculosis -	20·5	26	8	7	5	3	3	-	-
Other Constitutional Diseases - - -	10·3	7	-	-	-	2	1	3	1
Premature Birth - -	44·5	52	52	-	-	-	-	-	-
Atelectasis - - -	4·0	2	2	-	-	-	-	-	-
Congenital Malformations - - - -	7·3	8	8	-	-	-	-	-	-
Old Age - - - -	51·1	36	-	-	-	-	-	14	22
Apoplexy - - -	42·5	28	-	-	-	2	10	16	-
Palsy - - -	7·6	6	-	-	1	1	1	3	-
Convulsions - - -	43·6	31	28	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	96·7	52	4	7	5	9	10	17	-

CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1885–94.*	In the Week ending Saturday, 25th May 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·8	3	2	-	-	-	-	-	1
Diseases of Circulatory System - - -	124·4	123	4	-	11	12	44	51	6
Croup - - - -	6·9	3	-	2	1	-	-	-	-
Bronchitis - - -	158·1	105	38	10	1	2	11	36	7
Pneumonia - - -	115·3	111	09	01	1	10	16	17	1
Pleurisy - - - -	6·2	5	-	1	2	1	1	-	-
Other Diseases of Respiratory System - -	25·1	21	5	2	1	1	6	6	-
Dentition - - -	13·9	7	5	2	-	-	-	-	
Quinsy, Sore Throat -	2·3	5	-	2	3	-	-	-	
Enteritis - - -	9·6	16	10	1	-	2	1	2	-
Peritonitis - - -	5·9	10	3	1	1	1	1	3	-
Diseases of Liver - -	28·4	23	1	-	-	1	13	8	-
Other Diseases of Digestive System -	26·7	25	4	2	3	7	6	3	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·6	4	-	-	-	1	1	1	1
Diseases of Urinary System - - -	38·4	41	-	-	2	4	11	23	1
Diseases of Generative System - - -	4·9	5	-	-	-	2	1	2	-
Accidents of Childbirth -	3·9	5	-	-	-	3	2	-	-
Diseases of Locomotive System - - -	8·3	8	1	2	1	2	1	1	-
Diseases of Integumentary System - -	5·0	6	2	-	-	-	2	2	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	50·2	3	-	-	-	1	1	1	
By Vehicles or Horses -		9	-	3	4	1	1	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	
In Building Operations -		2	-	-	-	2	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - - -		6	1	3	-	1	-	1	-
By Drowning - -		3	1	-	1	-	1	-	
By Suffocation in Bed -		5	5	-	-	-	-	-	
By Poisons or Poisonous Vapours - - -		2	-	-	-	1	-	1	
Other or not stated Causes - - - -		22	4	4	1	5	5	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·5	1	-	-	-	-	1	-	
Suicide - - - -	9·8	7	-	-	-	2	4	1	-
Execution - - -	-	-	-	-	-	-	-	-	
OTHER CAUSES - -	49·2	48	44	2	-	-	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 3. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR[illegible] during the Week end[illegible]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2640	1371	327	316	-	32	10	37	39	-	9	-	14	60	122	450
WEST DISTRICTS	740,735	353	236	54	65	-	1	1	4	4	-	-	-	4	10	16	91
NORTH DISTRICTS	993,884	621	230	65	63	-	4	6	10	4	-	1	-	1	10	19	84
CENTRAL DISTRICTS	247,538	140	83	18	12	-	-	-	1	4	-	1	-	-	8	10	34
EAST DISTRICTS	705,114	491	375	67	51	-	18	-	4	11	-	1	-	3	11	42	90
SOUTH DISTRICTS	1,524,472	1030	478	123	117	-	9	3	17	16	-	6	-	6	21	34	129
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON	—	-	19	-	8	-	-	-	1	-	-	-	-	-	-	1	19
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	48	22	8	5	-	-	-	-	-	-	-	-	-	2	4	2
St. John Paddington *H* - - G.J.	33687	10	15	1	3	-	-	-	-	-	-	-	-	-	5	5	10
Kensington Town *Ww* - - W.M.	118751	59	44	9	11	-	1	-	1	-	-	-	-	3	-	-	25
Brompton - - - W.M. & C.	47557	7	10	-	3	-	-	-	-	-	-	-	-	-	1	1	1
St. Peter Hammersmith - - W.M.	8533	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88633	43	19	4	7	-	-	-	1	1	-	-	-	-	-	1	4
Fulham *Ww* - - - W.M. & C.	91639	63	28	10	6	-	-	1	-	2	-	-	-	1	1	1	15
Chelsea Kensal Town - - - C.	21787	15	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	16	23	4	5	-	-	-	-	-	-	-	-	-	-	-	10
Chelsea South *HH* - - - C.	32829	16	19	6	4	-	-	-	1	1	-	-	-	-	-	1	2
May Fair *WH* - - - - G.J.	23733	7	11	-	6	-	-	-	-	-	-	-	-	-	-	-	9
Belgrave *WHHH* - - - - C.	54831	25	19	5	8	-	-	-	-	-	-	-	-	-	-	1	8
St. John Westminster *HH* - - C.	34106	19	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	7	9	1	2	-	-	-	1	-	-	-	-	-	1	2	5
St. James Westminster *WHHH* N.R. & G.J.	24995	9	5	-	5	-	-	-	-	-	-	-	-	-	-	-	2
St. Anne Soho *HHHHHH* - - N.R.	12317	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone, *HHHHHHHHH* - - W.M.	37713	15	20	6	2	-	-	-	-	1	-	-	-	1	-	1	7
Rectory Marylebone *WH* G.J. & W.M.	20024	10	3	1	2	-	-	-	-	1	-	-	-	-	-	1	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	33	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *HH* - W.M.	33327	27	10	2	1	-	-	-	-	-	-	-	-	-	2	2	-
St. John Marylebone *HH* - - W.M.	32101	17	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	30	13	1	1	-	-	1	1	-	-	-	-	-	-	-	7
Regent's Park Paneras *HH* - W.M.	36590	15	6	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	14	14	1	1	-	-	-	2	-	-	-	-	-	2	3	10
Gray's inn Lane *HHH* - - N.R.	27455	20	8	2	-	-	-	-	1	-	-	-	-	-	-	-	6
Somers Town *HH* - - - N.R.	32829	28	13	4	4	-	-	-	-	1	-	-	-	-	-	1	2
Camden Town *WH* - - - N.R.	15419	14	6	4	1	-	-	-	-	-	-	-	-	-	-	-	3
Kentish Town *WW* - - - N.R.	95765	61	28	3	11	-	-	-	-	-	-	-	-	-	-	2	7
Upper Holloway *WWWwHHH* - N.R.	90235	64	39	5	10	-	2	-	1	-	-	-	-	-	1	2	20
Islington South-west *H* - - N.R.	105557	79	25	14	6	-	-	-	-	1	-	-	-	-	1	1	-
Islington South-east - - - N.R.	64153	44	11	4	2	-	-	-	-	-	-	-	-	-	1	2	-
Highbury *HH* - - - - N.R.	59193	28	14	4	-	-	1	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - - N.R.	30936	11	6	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	15	10	1	3	-	1	-	-	-	-	-	-	-	1	2	2
Hackney *WwwH* - - E.L. & N.R.	96486	61	40	5	12	-	-	5	4	-	-	-	-	-	1	1	20
South Hackney *w* - - - E.L.	41759	29	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	12	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Giles North *H* - - - N.R.	9633	5	7	1	1	-	-	-	-	1	-	-	-	-	-	1	2
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2
St. Mary-le-Strand *H* - - - N.R.	5706	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Clement Danes *WH* - - N.R.	7194	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Strand Union Workhouse, Edmonton -	†1037	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	3
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	13	3	1	-	-	-	-	-	-	-	-	-	1	-	11
St. Andrew Eastern *WH* - - N.R.	15343	6	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. James Clerkenwell - - - N.R.	16803	10	6	2	1	-	-	-	-	1	-	-	-	-	1	1	-
Amwell Clerkenwell - - - N.R.	16883	15	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - - - - N.R.	17155	13	3	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Goswell-street - - - - N.R.	15375	10	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	30	8	2	1	-	-	-	-	1	-	-	-	-	-	-	2
Whitecross-street - - - N.R.	8278	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H* - - - N.R. & E.L.	8944	2	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Cripplegate - - - - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	1	3	-	1	-	-	-	-	-	-	-	-	-	2	2	3
St. Bride *W* - - - - N.R.	6594	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate Without Barking - - N.R.	10422	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *A*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the [illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R., [illegible] River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.
Not included in the total population of the Central Districts or of London.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT ay, 25th May, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
ditch South *HL** E.L. & N.R.	20098	11	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
on New Town *w* - - - N.R.	29313	15	13	2	7	-	-	-	-	1	-	-	-	-	-	-	6	-
on Old Town - - - - N.R.	28354	25	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
erston *WH* - - N.R. & E.L.	46244	35	16	6	3	-	1	-	-	-	-	-	-	-	1	4	5	-
al Green North *H* - - E.L.	51520	39	15	6	1	-	-	-	-	-	-	-	-	-	1	3	-	-
al Green South - - - E.L.	33489	20	7	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
al Green East *WHL** - - E.L.	44123	29	14	2	5	-	-	-	-	-	-	-	-	-	-	4	7	-
fields - - - E. N.R.	22456	20	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town *W* - - E.L.	17908	17	8	1	3	-	-	-	-	-	-	-	-	-	-	-	5	-
echapel Church *H** E.L. & N.R.	20298	12	32	5	6	-	-	-	-	1	-	-	-	-	4	6	25	-
man's Fields - - - E.L.	13800	14	5	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-
eorge's, North - - - E.L.	37738	31	21	10	1	-	3	-	-	-	-	-	-	-			-	-
ohn, St. George East *W* - E.L.	8057	2	8	-	2	-	1	-	-	-	-	-	-	-	-	-	7	-
well *H* - - - E.L. & N.R.	10246	9	10	3	-	-	-	-	1	2	-	-	-	-	-	-	8	-
ff *W* - - - - - E.L.	14928	13	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
house - - - - - E.L.	32202	24	11	1	1	-	1	-	-	-	-	-	-	-	-	2	-	-
End Old Town West *H* - E.L.	38650	37	9	3	1	-	1	-	1	1	-	-	-	-	-	1	-	-
End Old Town East *WWww* E.L.	68942	37	28	5	10	-	2	-	-	1	-	-	-	2	1	4	11	-
*L** - - - - - E.L.	40865	29	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ley *wwwH* - - - E.L.	70000	44	36	9	8	-	3	-	1	1	-	1	-	-	1	2	16	-
r. *WW* - - - - E.L.	56383	33	18	6	1	-	4	-	1	2	-	-	-	-	2	4	-	-
SOUTH DISTRICTS.																		
stchurch Southwark *WH* L. & S.	18264	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
aviour Southwark - - - S.	18913	6	4	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-
-road - - - - S. & L.	21867	18	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ugh-road *WH* - - S. & L.	16624	19	6	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-
on-road *HL* - - L. & S.	21221	17	8	2	2	-	1	-	-	-	-	-	-	-	1	1	-	-
ty Newington - - S. & L.	26596	17	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
eter Walworth *W* - S. & L.	61342	40	23	7	5	-	-	-	-	2	-	-	-	-	-	3	3	-
Mary Newington - - L. & S.	27866	29	5	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-
lave *WH* - - - S.	12723	15	11	3	2	-	-	-	-	-	-	-	-	-	6	8	17	-
her Market *W* - - S. & L.	30612	27	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ames Bermondsey - - S.	54070	29	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
erhithe *WwH* - - S. & K.	39255	20	17	2	6	-	1	-	1	-	-	-	-	-	1	2	6	-
rloo-road 1st *H* - - L. & S.	14031	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
rloo-road 2nd *H* - - L. & S.	14644	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
peth Church 1st *H* - L. & S.	18075	11	10	2	1	-	1	-	1	1	-	-	-	-	1	2	7	-
peth Church 2nd *WW* - L. & S.	39097	25	27	3	10	-	1	-	-	-	-	-	-	1	-	2	11	-
ington 1st *H* - - S. & L.	50586	46	13	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ington 2nd - - - S. & L.	39708	13	9	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-
on *w* - - - - L. & S.	73405	39	32	9	9	-	1	2	5	2	-	1	-	1	-	-	8	-
ood *WH* - - - - L.	25657	17	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - S.	67244	46	23	7	3	-	2	-	-	-	-	-	-	1	1	4	-	-
Battersea *WwH* - - S.	83314	56	28	6	9	-	-	-	1	-	-	-	-	-	1	-	14	-
am *H* - - - - S.	43698	28	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-	1
dsworth *WHHL* - - S.	46717	26	6	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-
y - - - - - S.	17771		4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
tham *www* - - - L.	48753	36	8	1	2	-	-	1	-	-	-	-	-	-	1	1	2	1
tch - - - L. & S.	6809	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell *WwL*L** - S. & L.	81686	51	43	3	20	-	-	-	-	1	-	-	-	-	-	-	24	-
am *W* - - S., L., & K.	83483	61	26	7	6	-	-	-	1	1	-	-	-	-	1	3	2	1
eorge Camberwell - - L. & S.	63366	50	13	7	1	-	-	-	-	2	-	-	-	-	-	-	-	-
ford, North - - - - K.	35314	21	7	2	1	-	-	-	-	2	-	-	-	-	1	1	-	-
ford, Central *w* - - - K.	42007	33	19	3	2	-	-	-	6	1	-	2	-	-	-	-	7	-
ford, South - - - - K.	30852	11	13	4	2	-	-	-	1	-	-	1	-	-	-	-	-	-
nwich West *H* - - - K.	22007	14	6	1	2	-	-	-	-	-	-	-	-	-	1	1	1	1
nwich East *WH* - - - K.	33333	29	21	2	8	-	-	-	-	-	-	-	-	-	2	2	14	1
am *wH* - - - - - K.	5682	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
tham *WH* - - - - K.	30950	23	8	5	2	-	-	-	-	-	-	-	-	-	-	-	2	1
nham *H* - - - - - L.	34162	29	4	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-
ton *HH* - - - K.	14040	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
wich Dockyard - - - K.	19606	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
wich Arsenal *HHHH* - K	21242	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
stead, West *H* - - - K	15869	6	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
stead, East *WH* - - - K	38567	34	1	6	4	-	-	-	-	-	-	1	-	-	2	2	3	2
tead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tham Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
well Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
y Hatch Asylum - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
hmore Hill Hospital - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
sden Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
bury Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 25th May, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	918	380	102	90	-	23	2	9	7	2	7	13	24	42
30 : 1	Carshalton *wHH* -	12228	26108	14	5	1	2	-	-	-	-	-	-	-	-	-	-
	Epsom, *part of** *WwH*	10423	12508	8	1	-	1	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W*	2754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20851	128699	67	30	8	6	-	-	-	2	1	-	-	1	2	3
2	Mitcham *w* -	11697	23088	11	5	1	3	-	-	-	-	-	-	-	-	1	-
39 : 1	Wimbledon *HHH* -	3229	25761	5	9	2	4	-	-	-	-	-	-	1	1	1	-
2	Kingston *WH* - -	8071	44785	25	18	1	4	-	1	-	1	-	-	-	-	2	2
3	Esher, *part of** *HH* -	6601	12959	7	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* -	4535	18252	13	2	-	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	11	5	1	2	-	-	-	-	-	-	-	-	1	1
2	Mortlake *H* - -	2823	16159	7	4	1	1	-	1	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH* - -	9127	23815	11	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - -	6542	21969	13	6	1	2	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of** *WHH*	14307	20372	10	7	-	3	-	-	-	-	-	-	-	-	-	2
42 : 1	Bexley *HH* -	12540	30590	15	2	-	-	-	-	-	-	-	-	-	1	1	-
2	Dartford *Work.*, pt. of* -	—	—	1	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w* - -	11054	13671	14	5	1	1	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - -	13277	13221	6	2	1	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon *WHH*	6035	12237	10	6	-	3	-	-	1	-	-	-	-	-	-	2
2	Uxbridge - -	6172	5417	1	2	-	2	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - -	14537	16[illegible]8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH*	6967	26273	16	12	2	6	-	1	-	-	-	-	-	-	-	5
2	Twickenham *HH* -	2415	16027	13	4	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* -	4318	37777	21	7	2	3	-	-	-	-	-	-	-	2	3	1
4	Chiswick - - -	1245	21963	10	3	1	1	-	-	-	-	-	-	-	-	-	-
5	Acton *wH* - - -	6132	30945	20	4	2	1	-	-	-	-	1	-	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	7	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - -	6994	3844	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4383	61265	65	16	8	2	-	-	-	-	-	-	-	-	1	1
4	Hendon *WH* - -	8382	15843	9	3	1	2	-	-	-	-	-	-	-	-	-	2
128 : 1	South Mimms *H* -	15599	8474	7	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11778	5	4	-	-	-	-	-	-	-	-	1	-	-	3
3	Finchley *HHH* -	4688	25820	11	2	-	2	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61097	36	12	3	6	-	-	-	-	1	-	-	-	-	-
2	Tottenham *H* - -	4642	97174	58	23	5	3	-	1	-	-	1	-	1	2	3	1
3	Edmonton *Www* -	7489	36851	32	10	2	5	-	-	-	-	-	-	1	1	1	2
4	Enfield *WWHH* - -	12639	31803	22	6	-	1	-	-	-	1	1	-	-	-	-	-
5	Waltham Abbey - -	11017	6066	3	3	1	1	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - -	8480	9620	4	3	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W* -	3306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - -	9331	7737	1	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of* -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Stratford *H* - - -	1100	42983	39	14	7	1	-	1	-	1	-	-	-	-	1	1
2	Plaistow - - -	1242	58030	46	32	13	3	-	7	1	2	1	1	2	1	1	-
3	Canning Town *H* -	1558	54750	34	23	7	-	-	2	-	2	-	-	1	1	1	1
4	Forest Gate *w* - -	806	49140	34	12	-	2	-	1	-	-	-	-	-	-	-	-
5	East Ham *w* - -	3266	32713	34	7	3	-	-	-	-	-	-	-	-	-	-	-
6	Leyton *WWWwH* -	4334	70188	54	28	9	9	-	7	-	-	1	1	-	-	-	11
7	Walthamstow *HHL* -	6501	57330	42	18	5	5	-	1	-	-	-	-	-	2	2	-
187 : 1	Chigwell, *part of** *H* -	11779	12941	11	3	-	-	-	-	-	-	-	-	-	1	1	1
2	Epping *Work.*, pt. of* -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford *part of** *WH*	6556	4324	4	2	1	-	-	-	-	-	-	-	-	-	1	1
2	Ilford - - -	8493	10913	6	2	2	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town *H* -	3814	14301	16	5	4	-	-	-	-	-	-	-	-	-	-	-
	Middlesex Co. Asy. -	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1763); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 25th May, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living.		Deaths from all Causes.	The Deaths registered in the Week include												
						Deaths of		Deaths from										Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TER LONDON	443,421	6,048,555	15·1	1·6	1751	429	406	-	55	12	46	46	11	21	73	492
NER LONDON -	74,672	4,392,346	16·3	1·7	1371	327	316	-	32	10	37	39	9	14	60	450
THE RING -	368,749	1,656,209	12·0	1·6	380	102	90	-	23	2	9	7	2	7	13	42

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the f a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	May	25	121	80	15·3	-	3	2	-	1	1	1
GOW - -	695,876	"	25	433	309	23·2	-	3	2	3	12	1	13
IN - -	349,594	"	25	177	191	28·5	2	-	-	-	3	1	1
UTTA - -	466,460	April	6	-	-	-	-	-	-	-	-	-	-
BAY - -	821,764	"	30	289	570	36·1	16	34	?	?	?	162	40†
RAS - -	452,518	"	12	294	244	28·0	-	9	?	?	?	83	17
S - - -	2,424,705	May	18	1160	991	21·3	1	15	4	13*	9	1	59
SSELS - -	498,400	"	18	263	179	18·7	1	-	2	1*	1	3	16
TERDAM -	451,493	"	18	259	143	16·4	-	-	-	2	1	-	1
ERDAM -	272,042	"	18	205	91	1 ·4	-	1	-	-	1	-	-
HAGUE -	180,455	"	18	78	66	19·0	-	-	-	-	4	-	-
NHAGEN -	341,000	"	8	209	126	19·3	-	2	-	1	5	1	6
KHOLM -	252,937	"	11	132	90	18·0	-	-	-	-	-	-	1
STIANIA -	167,588	"	18	25	60	18·6	-	-	1	-	-	1	5
ETERSBURG	954,400	"	4	578	487	26·6	2	1	10	9	5	14	45
COW - -	753,469	"	4	-	489	33·8	1	5	9	14	2	3	32
IN - -	1,724,544	"	4	859	555	16·7	-	7	11	11	6	1	21
BURG - -	608,710	"	11	-	245	20·9	-	-	2	2*	1	1	7
DEN - -	323,600	April	27	190	120	19·5	-	-	2	2*	2	-	12
LAU - -	367,769	May	18	-	187	26·6	-	1	4	2*	-	-	24
ICH - -	396,000	"	18	-	176	23·1	-	1	-	2*	-	-	24
NA - -	1,495,764	"	18	871	784	27·3	1	13	14	15*	4	4	54
UE - -	343,822	"	11	211	224	33·1	-	3	-	1	2	8	5
A-PESTH -	566,022	"	11	385	341	31·3	-	1	2	4	-	6	14
STE - -	160,825	"	11	82	103	33·3	-	-	1	3*	-	-	2
- -	463,786	March	23	-	-	-	-	-	-	-	-	-	-
N (10 days)	344,203	April	20	-	-	-	-	-	-	-	-	-	-
CE -	158,159	"	27	-	-	-	-	-	-	-	-	-	-
O - -	374,838	"	22	429	398	55·2	5	-	-	1*	-	10	133
ANDRIA -	231,396	"	22	203	129	29·1	1	-	-	2*	1	2	46
YORK -	1,992,715	May	4	-	815	22·9	-	24	13	48	6	3	13
KLYN -	1,080,000	"	11	-	394	18·7	-	6	-	28	3	2	6
ADELPHIA	1,163,864	"	4	-	471	21·1	1	1	1	24	1	10	2
ORLEANS -	275,000	April	27	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup.
† Including 1 death from cholera.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 25TH MAY, 1895.

[*Under the Supr intendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Winds deduced from Anemometers. Oder's. General Direction. A.M.	Winds deduced from Anemometers. Oder's. General Direction. P.M.	Winds deduced from Anemometers. Oder's. Pressure on the Square Foot. Greatest.	Winds deduced from Anemometers. Oder's. Pressure on the Square Foot. Least.	Winds deduced from Anemometers. Oder's. Pressure on the Square Foot. Mean of 24 hourly obs.	Winds deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Winds deduced from Anemometers. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	19	In Equator.	29·488	49·1	45·1	4·0	47·0	− 6·9	44·0	3·0	4·4	1·0	89	59·1	43·7	53·16	NNW.	NW. & NNW.	5·3	0·0	1·0	427	+189	0·00	1·5
MONDAY .	20	..	29·598	48·8	43·0	5·8	45·6	− 8·6	43·2	2·4	4·8	1·0	91	61·7	38·2	52·69	NW. & NNW.	NNW. N & NNE.	2·6	0·0	0·2	230	− 7	0·00	4·5
TUESDAY.	21	..	29·578	63·2	45·0	18·2	53·8	− 0·8	44·7	9·1	16·7	0·0	71	130·0	34·2	52·31	N. & NNE.	NE. & NNE.	1·2	0·0	0·0	122	−115	0·00	0·0
WEDNESDAY	22	..	29·700	68·6	41·1	27·5	55·1	+ 0·1	44·3	10·8	20·7	0·0	67	108·2	35·9	52·12	N.	N. & NNW.	1·3	0·0	0·0	90	−148	0·00	0·0
THURSDAY	23	..	29·763	70·1	44·1	26·0	53·5	− 1·8	51·3	2·2	15·1	0·0	92	124·3	37·7	52·37	Calm & ENE.	E. ENE. & NE.	4·0	0·0	..*	136	−103	0·19	0·0
FRIDAY .	24	New	29·734	66·8	46·0	20·8	55·4	− 0·2	46·4	9·0	16·9	0·0	72	125·8	43·2	52·62	ENE. & E.	E. & ENE.	1·6	0·0	..	217	− 24	0·00	0·0
SATURDAY	25	..	29·834	71·1	48·1	23·0	55·7	0·0	51·0	4·7	20·0	0·0	84	125·6	45·0	53·01	ENE. & NE.	Variable.	0·0	0·0	..	158	− 85	0·00	1·2
MEANS . .		..	29·671	62·5	44·6	17·9	52·3	− 2·6	46·4	5·9	14·1	0·3	81	105·0	39·7	52·61	NNW. & ENE.		..	..	..	Sum 1380	Sum − 293	Sum 0·19	1·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	19	w. P. and w. N. -	0·0	15·7	Overcast; a cold day.
MONDAY .	20	v. P. in afternoon; w. P. at other times.	0·0	15·8	Overcast generally; a little fine rain between noon and 1h. P.M. Cold.
TUESDAY .	21	w. P. in morning; v. P. afterwards.	3·7	15·8	Fine, with few thin clouds between 7h. A.M. and 11h. A.M.; otherwise overcast.
WEDNESDAY	22	w. P. in morning; v. P. afterwards.	3·5	15·9	A fine day; variable amounts of light cloud; foggy in early morning.
THURSDAY .	23	w. P. till noon; s. P. and s. N. afterwards.	3·0	15·9	Heavy rain in afternoon, accompanied by thunder; fine at other times.
FRIDAY .	24	v. P. and v. N. for a short time in morning; otherwise w. P. generally.	5·0	16·0	A shower of rain at 3h. A.M.; afterwards very fine; faint solar halo at 5½h. P.M.; cloudless in evening.
SATURDAY .	25	m. P. generally -	7·1	16·0	Cloudy till 10h. A.M.; afterwards very fine; cloudless after 2h. P.M.
			Sum	Sum	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·41 in. at the beginning of the week to 29·61 in. by noon on the 20th; decreased to 29·55 in. by noon on the 21st; increased to 29·77 in. by 3h. P.M. on the 23rd; decreased to 29·71 in. by 3h. P.M. on the 24th; and increased

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 22. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JUNE 1. [Price 1½*d*.

General Register Office, Somerset House,
June 4th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·2 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending May 11.	May 18.	May 25.	June 1.	TOWNS.	Weeks ending May 11.	May 18.	May 25.	June 1.
Birkenhead	15·5	18·4	15·5	14·6	Liverpool	23·0	23·2	27·3	27·6
Birmingham	19·5	16·9	15·5	17·4	London	16·6	16·5	16·3	15·5
Blackburn	20·0	17·2	17·2	16·8	Manchester	22·3	25·7	26·0	23·8
Bolton	22·7	22·7	23·2	21·4	Newcastle-on-Tyne	21·7	18·6	21·4	17·9
Bradford	16·6	17·5	17·3	13·4	Norwich	15·1	12·7	20·0	14·6
Brighton	13·5	13·1	17·0	20·1	Nottingham	14·5	16·1	17·9	16·8
Bristol	16·5	13·9	13·7	17·4	Oldham	19·2	22·2	17·7	20·0
Burnley	23·6	20·9	25·1	23·0	Plymouth	25·8	17·0	15·2	21·1
Cardiff	14·4	15·1	15·1	11·4	Portsmouth	14·9	14·0	10·1	15·8
Croydon	16·8	12·3	9·5	13·6	Preston	24·5	28·7	16·7	21·8
Derby	17·7	14·6	16·6	9·9	Salford	18·8	26·5	21·8	18·3
Gateshead	14·1	13·6	12·0	19·6	Sheffield	16·3	15·2	14·6	19·2
Halifax	23·9	16·1	17·2	14·5	Sunderland	13·6	15·9	16·7	18·6
Huddersfield	15·2	19·9	13·1	14·2	Swansea	12·9	16·1	15·1	17·2
Hull	13·5	20·5	14·9	12·3	West Ham	17·1	15·0	18·6	14·6
Leeds	18·1	15·7	17·5	17·5	Wolverhampton	18·2	15·8	17·0	28·0
Leicester	17·2	15·3	11·8	13·7					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Manchester, 1·3 in Newcastle-on-Tyne, 1·7 in Bolton, and 2·3 in Plymouth; from *scarlet fever*, 1·0 in Burnley; from *whooping-cough*, 1·0 in Norwich, 1·2 in Wolverhampton and in Blackburn, and 1·6 in Gateshead; and from "*fever*", 1·0 in Derby. The 69 deaths from *diphtheria* included 41 in London, 5 in Wolverhampton, 4 in West Ham, and 3 in Leeds. No death from *small-pox* was registered in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2569 BIRTHS and 1308† DEATHS were registered. Allowing for increase of population, the births were 13 above, and the deaths 224 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·6, 16·5, and 16·3 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—9, 650,—6/95. Wt. 259. Y

preceding three weeks, further fell last week to 15·5. During the four weeks ending on Saturday last the death-rate averaged 16·2 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1308 deaths included 50 from measles, 17 from scarlet fever, 41 from diphtheria, 30 from whooping-cough, 5 from enteric fever, 16 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 159 deaths were referred to these zymotic diseases, being 47 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 6. The deaths from *measles*, which had been 34, 39, and 32 in the preceding three weeks, rose last week to 50, but were 29 below the corrected average; 13 cases belonged to Poplar, 8 to Whitechapel, 5 to Mile End Old Town, and 5 to Battersea sanitary areas. The deaths from *scarlet fever*, which had been 11, 13, and 10 in the preceding three weeks, rose again last week to 17, and exceeded the corrected average by 3; 2 cases belonged to Hackney, 2 to St. George-in-the-East, and 2 to Rotherhithe sanitary areas. The deaths from *diphtheria*, which had been 38, 41, and 37 in the preceding three weeks, rose again to 41 last week, and were 13 above the corrected average; 5 cases belonged to Greenwich, 4 to Kensington, 3 to Poplar, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 35, 31, and 39 in the preceding three weeks, declined last week to 30, and were 23 below the corrected average; 3 cases belonged to Islington, 3 to Poplar, and 3 to St. George Southwark sanitary areas. The fatal cases of *enteric fever*, which had been 8, 8, and 9 in the preceding three weeks, fell to 5 last week, and were 4 below the corrected average; 2 cases belonged to Plumstead sanitary area. The deaths from *diarrhœa*, which had been 19, 18, and 14 in the preceding three weeks, were 16 last week, the corrected average being 17.

The deaths referred to diseases of the respiratory organs, which had been 240 and 245 in the preceding two weeks, declined last week to 194, and were 90 below the corrected average.

The deaths attributed directly to *influenza* numbered 15, having been 22, 23, and 10 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all but one of which inquests were held. Of these 64 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 51 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 7 to drowning, and 14 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 20 cases of small-pox, 1524 of scarlet fever, 508 of diphtheria, and 139 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, one case, against 6, 4, and 7; of scarlet fever, 187 cases, against 179, 185, and 214; of diphtheria, 88 cases, against 73, 87, and 79; and of enteric fever, 20 cases, against 13, 42, and 50.

Greater London.

In Greater London 3444 births and 1695 deaths were registered, corresponding to annual rates of 29·7 and 14·6 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 5 from scarlet fever, and 14 from diphtheria, were registered. Ten deaths from measles and 8 from diphtheria occurred in West Ham district. Two deaths from diphtheria were registered in Hampton and 2 in Bromley sub-districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·90 inches, and that of the Thermometer 61°·0, the latter being 4°·6 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 29 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 49·9 hours; the measured rainfall amounted to 0·08 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 1st June, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6369	3492	810	818	-	91	30	69	82	34	41	147	254	777	47	17·2	1·7	86·2	42·0	58·5	14·72	0·26	0·66	33 Towns.
London	4,392,346	2569	1308	279	318	-	50	17	41	30	5	16	64	123	397	8	15·5	1·9	86·2	44·5	61·0	16·11	0·08	0·20	London.
West Ham	249,473	146	70	13	13	-	4	2	4	-	-	-	8	9	10	2	14·6	2·1	-	-	-	-	-	-	West Ham.
Croydon	114,923	59	30	6	9	-	-	-	-	-	-	1	1	1	4	-	13·6	0·5	85·5	43·0	59·7	15·39	0·11	0·28	Croydon.
Brighton	119,604	57	46	7	14	-	1	-	2	-	1	-	1	1	12	-	20·1	1·7	73·0	42·8	55·5	13·06	0·16	0·41	Brighton.
Portsmouth	174,751	95	53	10	18	-	-	-	1	2	-	-	2	7	7	-	15·8	0·9	71·5	46·0	56·1	13·39	0·06	0·15	Portsmouth.
Plymouth	89,096	31	36	8	9	-	4	-	1	-	1	-	-	-	3	-	21·1	3·5	-	-	-	-	-	-	Plymouth.
Bristol	228,189	143	76	20	18	-	-	-	-	3	-	1	1	8	12	-	17·4	0·9	80·0	44·0	57·7	14·28	0·21	0·53	Bristol.
Cardiff	155,637	120	34	9	5	-	-	-	-	-	1	-	1	1	5	-	11·4	0·3	-	-	-	-	-	-	Cardiff.
Swansea	97,008	68	32	12	3	-	-	-	-	-	-	-	1	1	2	1	17·2	-	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	53	46	8	13	-	-	-	5	2	-	-	1	3	16	-	28·0	4·3	80·8	42·1	58·6	14·78	0·67	1·70	Wolverhampton.
Birmingham	496,751	266	166	52	28	-	1	1	2	7	2	1	10	9	30	6	17·4	1·5	-	-	-	-	-	-	Birmingham.
Norwich	107,127	68	30	8	9	-	-	1	-	2	-	1	-	-	4	-	14·6	1·9	-	-	-	-	-	-	Norwich.
Leicester	193,889	118	51	12	15	-	-	-	1	3	1	1	-	-	14	-	13·7	1·6	-	-	-	-	-	-	Leicester.
Nottingham	226,658	129	73	15	23	-	-	-	-	1	1	3	4	6	14	1	16·8	1·2	81·6	42·0	59·5	15·28	0·15	0·38	Nottingham.
Derby	100,272	57	19	2	6	-	-	-	-	1	2	-	-	-	3	-	9·9	1·6	-	-	-	-	-	-	Derby.
Birkenhead	107,469	65	30	6	6	-	-	-	1	-	1	-	-	1	6	2	14·6	1·0	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,967	394	267	69	57	-	5	1	-	4	5	4	8	13	76	14	27·6	2·0	80·2	48·4	58·5	14·72	0·14	0·36	Liverpool.
Bolton	119,337	79	49	10	12	-	4	1	1	1	-	-	1	2	2	-	21·4	3·1	-	-	-	-	-	-	Bolton.
Manchester	524,865	317	240	58	45	-	12	3	2	9	1	1	9	17	48	1	23·8	2·8	-	-	-	-	-	-	Manchester.
Salford	208,253	136	73	18	15	-	-	-	2	2	3	1	3	5	11	2	18·3	2·0	-	-	-	-	-	-	Salford.
Oldham	141,079	89	54	15	16	-	-	-	1	-	1	1	-	1	13	-	20·0	1·1	-	-	-	-	-	-	Oldham.
Burnley	99,591	73	44	10	12	-	-	2	-	-	-	-	2	5	2	1	23·0	1·0	-	-	-	-	-	-	Burnley.
Blackburn	127,615	72	41	9	6	-	1	-	-		2	-	-	-	1	1	16·8	2·5	-	-	-	-	-	-	Blackburn.
Preston	112,638	62	47	16	9	-	1	-	-	1	-	-	1	1	2	1	21·8	0·9	-	-	-	-	-	-	Preston.
Huddersfield	99,482	48	27	6	12	-	-	-	-	-	-	-	-	1	4	-	14·2	-	81·0	43·0	58·7	14·83	0·91	2·31	Huddersfield.
Halifax	93,813	38	26	8	5	-	-	-	-	-	-	-	1	1	2	2	14·5	-	-	-	-	-	-	-	Halifax.
Bradford	226,384	137	58	9	15	-	-	-	1	-	1	1	3	2	5	-	13·4	0·7	79·0	50·2	59·3	15·17	0·06	0·15	Bradford.
Leeds	395,546	249	133	30	32	-	1	-	3	3	1	1	11	13	19	-	17·5	1·2	-	-	-	-	-	-	Leeds
Sheffield	342,768	222	126	31	30	-	2	1	-	1	3	5	3	5	21	1	19·2	1·8	-	-	-	-	-	-	Sheffield.
Hull	216,722	135	51	14	9	-	-	-	-	1	-	1	5	6	11	3	12·3	0·5	-	-	-	-	-	-	Hull.
Sunderland	137,705	96	49	10	11	-	-	1	-	2	1	1	1	3	6	1	18·6	1·9	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	59	36	12	9	-	-	-	-	3	1	1	-	2	3	-	19·6	2·7	-	-	-	-	-	-	Gateshead.
Newcastle	207,021	119	71	18	16	-	5	-	1	1	-	-	5	7	12	-	17·9	1·8	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2409	2537	2148	2491	2405	2091	2553	2563	2643	2374	2555·6	2569
Males . .	1228	1311	1079	1275	1214	1054	1325	1291	1346	1245	1305·3	1336
Females .	1181	1226	1069	1216	1191	1037	1228	1272	1297	1129	1250·3	1233
TOTAL **Deaths**	1521	1235	1447	1323	1151	1411	2189	1419	1455	1366	1532·1	1308
Males . .	765	634	798	697	607	770	1097	735	785	706	801·4	669
Females .	756	601	649	626	544	641	1092	684	670	660	730·7	639

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.
TOTAL **Births**	2681	2821	2650	2466	2731	2380	2677	2691	2837	2549	2496	2640	2569
TOTAL **Deaths**	3471	2817	2190	1781	1597	1622	1585	1508	1395	1398	1389	1371	1308
Ages at Death: Under 1 year	618	611	448	390	357	409	410	423	321	318	325	327	279
1—5 years	395	347	332	282	290	265	261	214	221	198	219	192	196
5—20 „	101	108	79	88	79	75	85	60	82	84	84	87	87
20—40 „	320	265	226	222	176	198	190	162	186	190	172	196	174
40—60 „	669	502	427	326	288	265	264	289	256	256	258	253	254
60—80 „	1089	753	533	410	335	339	312	293	275	291	280	269	271
80 years & upwards	279	231	145	63	72	71	63	67	54	61	51	47	47
Deaths from—													
Small-pox	–	1	–	–	–	–	–	–	1	–	–	–	–
Measles	23	12	19	23	18	25	39	26	39	34	39	32	50
Scarlet fever	6	4	15	13	11	15	9	9	13	11	13	10	17
Diphtheria	34	27	24	31	23	27	30	27	29	38	41	37	41
Whooping-cough	55	56	43	49	44	49	51	44	36	35	31	39	30
Typhus	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteric fever	8	4	4	4	6	3	5	5	5	8	8	9	5
Simple Continued fever	–	–	–	1	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	16	10	14	14	15	18	7	13	18	19	18	14	16
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–
All the above Diseases	143	114	119	136	117	137	141	124	141	146	150	141	159
Dis. of Respiratory System	1366	1031	740	497	427	398	389	341	290	247	240	245	194
Phthisis	222	214	181	173	186	164	161	162	144	160	128	172	147
Dis. of Circulatory System	244	184	154	138	127	122	125	120	106	107	127	128	114
Violence	67	77	59	74	55	51	64	71	63	68	77	59	64
Inquest Cases	222	194	135	145	114	136	135	135	131	127	138	122	123
Deaths in Public Institutions	693	641	536	464	432	424	459	393	380	398	425	450	397
TEMPERATURE OF THE AIR													
Mean	36°·5	43°·7	48°·3	44°·6	41°·5	47°·7	49°·1	50°·9	51°·2	57°·3	55°·9	52°·3	61°·0
Mean of Highest readings	43°·3	52°·6	58°·2	52°·3	48°·3	58°·1	60°·4	59°·2	62°·5	69°·8	65°·4	62°·5	74°·6
Mean of Lowest readings	31°·7	35°·9	39°·7	39°·5	36°·0	39°·7	40°·7	45°·8	40°·4	44°·4	47°·7	44°·6	48°·5
Humidity of the Air	86	77	80	81	84	75	77	88	73	61	68	81	69
Rain-fall (in inches)	0·34	0·02	0·18	0·71	0·12	0·05	0·13	1·15	0·04	0·00	0·19	0·19	0·08
Registered Sunshine (in hours)	12·3	29·8	21·4	17·5	9·8	29·6	36·0	10·7	42·0	74·7	20·2	22·3	49·9
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox	56	57	58	55	53	47	35	37	34	33	27	29	20
Scarlet fever	1619	1615	1587	1555	1519	1463	1514	1469	1413	1438	1446	1503	1524
Diphtheria	455	456	455	435	440	435	441	432	457	464	484	492	508
Enteric fever	80	70	72	73	66	67	67	61	64	66	91	126	139

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SECOND Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 22nd Week of the 10 years 1885–94.*	In the Week ending Saturday, 1st June 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
L CAUSES - -	1532·1	1308	279	196	87	174	254	271	47
all-pox { Vaccinated† -	1·3	-	-	-	-	-		-	-
Unvaccinated	3·0	-	-	-	-	-	-	-	-
No Statement	1·2	-	-	-	-	-	-	-	-
asles - - - -	78·8	50	10	38	1	1	-	-	-
rlet Fever - -	13·9	17	1	8	6	2	-	-	-
hus - - - -	0·3	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - -	35·6	15	1	-	-	2	4	7	1
ooping-cough - -	53·1	30	13	17	-	-	-	-	-
htheria - - -	27·5	41	2	29	10	-	-	-	-
ple Continued and ll-defined Fever -	0·7	-	-		-	-	-	-	-
teric Fever - -	9·0	5	-	-	-	4	-	1	-
olera and Chol. Diarr.	0·8	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	16·7	16	8	2	-	-	1	4	1
mittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - -	-	-	-	-	-	-	-	-	-
anders - - -	-	-	-	-	-	-	-	-	-
wpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
nereal Affections -	10·3	13	10	1	-	1	1	-	-
ysipelas - - -	3·9	3	1	-	-	1	-	1	-
emia and Septicæmia	2·0	3	-	-	1	1	-	1	-
erpera Fever - -	4·6	4	-	-	-	4	-	-	-
her Zymotic Diseases	1·2	1	-	1	-	-	-	-	-
rush - - - -	0·5	1	1	-	-	-	-	-	-
orms and other Parasitical Diseases - -	0·1	1	-	-	1	-	-	-	-
arvation, Want of Breast-milk - -	1·1	1	1	-	-	-	-	-	-
coholism - - -	8·7	4	-	-	-	3	1	-	-
eumatic Fever, Rheumatism of Heart	7·4	6	-	-	2	1	2	-	1
eumatism - -	2·1	-	-	-	-	-	-	-	-
out - - - -	3·1	3	-	-	-	-	2	1	-
ickets - - -	5·2	6	1	5	-	-	-	-	-
ancer - - - -	60·1	71	-	1	1	5	39	23	2
abes Mesenterica -	22·6	21	8	9	4	-	-	-	-
ubercular Meningitis -	26·6	22	8	10	4	-	-	-	-
hthisis - - -	157·1	147	2	6	15	56	48	20	-
rofula, Tuberculosis -	17·3	21	3	5	5	5	2	1	-
ther Constitutional Diseases - - -	12·1	14	2	2	3	2	-	5	-
remature Birth - -	41·1	41	41	-	-	-	-	-	-
telectasis - - -	2·1	5	5	-	-	-	-	-	-
ongenital Malformations - - -	6·8	4	4	-	-	-	-	-	-
ld Age - - - -	46·4	38	-	-	-	-	-	16	22
Apoplexy - - -	33·8	38	-	-	-	1	13	22	2
Epilepsy - - -	8·5	5	-	-	-	4	1	-	-
Convulsions - - -	40·7	29	27	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	88·3	73	5	8	3	7	19	29	2

CAUSES OF DEATH.	Corrected Averages for the 22nd Week of the 10 years 1885–94.*	In the Week ending Saturday, 1st June 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	1·7	1	1	-	-	-	-	-	-
Diseases of Circulatory System - - -	124·4	114	-	1	5	17	46	41	4
Croup - - - -	5·1	5	2	3	-	-	-	-	-
Bronchitis - - -	138·7	93	25	14	2	3	5	38	6
Pneumonia - - -	108·9	74	17	22	7	10	9	9	-
Pleurisy - - -	6·8	5	2	-	-	2	1	-	-
Other Diseases of Respiratory System - -	24·5	17	5	1	1	1	2	6	1
Dentition - - -	10·3	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	1·8	-	-	-	-	-	-	-	-
Enteritis - - -	9·2	13	7	-	3	3	-	-	-
Peritonitis - - -	5·5	8	-	-	1	4	1	2	-
Diseases of Liver - -	26·0	25	1	-	-	5	12	7	-
Other Diseases of Digestive System -	29·9	36	6	1	1	6	12	9	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	1	-	-	1	-	-	-	-
Diseases of Urinary System - - -	43·4	42	1	1	3	6	14	14	3
Diseases of Generative System - - -	6·2	10	-	-	-	5	3	1	1
Accidents of Childbirth -	4·5	1	-	-	-	-	1	-	-
Diseases of Locomotive System - - -	5·8	6	1	1	2	-	1	1	-
Diseases of Integumentary System - -	3·7	8	4	-	-	-	2	2	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	53·9	2	-	-	-	2	-	-	-
By Vehicles or Horses -		7	1	2	2	-	-	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		2	1	-	-	-	1	-	-
By Drowning - -		7	-	1	1	2	3	-	-
By Suffocation in Bed -		14	14	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	-	-	1	-
Other or not stated Causes - - -		18	6	1	2	3	3	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·8	2	2	-	-	-	-	-	-
Suicide - - - -	10·9	11	-	-	-	4	5	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	47·9	29	24	2	-	1	-	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA[illegible] during the Week en[illegible]

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public.
LONDON	4,211,743	2569	1308	279	318	-	50	17	41	30	-	5	-	16	64	123	39
WEST DISTRICTS	740,735	399	210	37	59	-	1	3	4	5	-	1	-	3	14	28	6
NORTH DISTRICTS	993,884	549	295	62	78	-	7	7	10	6	-	-	-	2	11	21	8
CENTRAL DISTRICTS	247,588	147	70	16	14	-	-	-	3	-	-	-	-	-	7	10	2
EAST DISTRICTS	705,114	522	274	61	59	-	33	-	7	9	-	1	-	3	9	32	8
SOUTH DISTRICTS	1,524,472	952	428	103	99	-	9	4	17	10	-	3	-	8	21	32	11
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	31	-	9	-	-	3	-	-	-	-	-	-	-	-	3
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	39	22	7	6	-	-	-	1	-	-	-	-	-	1	1	3
St. John Paddington *H* - - G.J.	33687	7	13	-	5	-	-	-	1	-	-	1	-	-	1	1	8
Kensington Town *Ww* - - W.M.	113751	51	29	2	12	-	-	1	1	-	-	-	-	1	2	5	15
Brompton - - - W.M. & C.	47557	16	10	3	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Peter Hammersmith - - W.M.	8586	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	56	15	4	5	-	-	-	-	2	-	-	-	-	2	2	1
Fulham *Ww* - - - W.M. & C.	91639	67	33	3	7	-	-	2	1	2	-	-	-	1	2	3	12
Chelsea Kensal Town - - - C.	21787	16	10	5	1	-	-	-	-	-	-	-	-	-	-	3	-
Chelsea North *WHHHHH* - - C.	41637	29	20	4	4	-	-	-	-	-	-	-	-	1	-	1	8
Chelsea South *HH* - - - C.	32829	15	11	2	1	-	-	-	-	-	-	-	-	-	-	1	2
May Fair *WH* - - - - G.J.	23733	11	18	3	7	-	-	-	-	-	-	-	-	-	3	3	11
Belgrave *WHHH* - - - - C.	54631	22	16	1	6	-	1	-	-	1	-	-	-	-	1	2	6
St. John Westminster *HH* - C.	34106	16	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Margaret Westminster *H* - C.	21668	7	3	-	1	-	-	-	-	-	-	-	-	-	1	1	1
St. James Westminster *WHHH* N.R. & G.J.	24995	9	7	1	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Anne Soho *HHHHHH* - - N.R.	12317	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	10	17	1	3	-	-	-	-	-	-	-	-	-	-	2	8
Rectory Marylebone *WH* G.J. & W.M.	20024	6	5	-	3	-	-	-	-	-	-	-	-	-	1	-	2
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	38	8	3	1	-	2	-	-	-	-	-	-	-	-	1	3
Christchurch Marylebone *HH* - W.M.	33327	18	6	2	1	-	-	-	-	-	-	-	1	-	-	2	-
St. John Marylebone *HH* - - W.M.	32101	15	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	28	25	4	8	-	-	-	5	-	-	-	-	-	1	1	9
Regent's Park Pancras *HH* - W.M.	36590	16	6	2	1	-	-	1	-	-	-	-	-	-	2	2	-
Tottenham-court *wHHH* N.R. & W.M.	26321	12	14	1	6	-	-	-	-	-	-	-	-	-	-	1	8
Gray's Inn Lane *HHH* - - N.R.	27455	17	9	1	2	-	-	-	1	1	-	-	-	-	1	1	4
Somers Town *HH* - - - N.R.	32829	27	13	2	1	-	-	-	-	1	-	-	-	-	-	-	2
Camden Town *WH* - - - N.R.	15419	10	9	2	4	-	1	-	-	-	-	-	-	-	-	1	8
Kentish Town *WW* - - - N.R.	95765	49	19	5	5	-	-	-	1	-	-	-	-	-	1	1	3
Upper Holloway *WWWwHHH* - N.R.	90235	51	37	11	14	-	-	-	-	2	-	-	-	-	1	1	13
Islington South-west *H* - - N.R.	105557	61	21	7	4	-	-	-	-	1	-	-	-	-	-	1	-
Islington South-east - - - N.R.	64158	46	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *HH* - - - - N.R.	59196	27	11	3	2	-	1	-	-	-	-	-	-	1	-	-	1
Stoke Newington *H* - - - N.R.	30936	15	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	8	6	1	1	-	-	-	-	-	-	-	-	-	1	1	-
West Hackney *H* - - - N.R.	42602	19	10	3	2	-	-	-	-	-	-	-	-	-	-	-	2
Hackney *WwwH* - - E.L. & N.R.	96486	56	45	9	8	-	3	6	3	1	-	-	-	-	3	6	18
South Hackney *w* - - - E.L.	41759	20	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - - N.R.	16695	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	9	7	3	2	-	-	-	-	-	-	-	-	-	1	1	2
St. Giles North *H* - - - N.R.	9633	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	5	-	1	-	-	-	-	-	-	-	-	-	1	3	1
St. Mary-le-Strand *H* - - - N.R.	5706	1	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Clement Danes *WH* - - N.R.	7194	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Strand Union Workhouse, Edmonton -	†1037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	9	8	2	2	-	-	-	1	-	-	-	-	-	-	-	6
St. Andrew Eastern *WH* - - N.R.	15343	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	15	6	1	3	-	-	-	-	-	-	-	-	-	2	2	-
City-road *HHHL* - - - N.R.	29177	42	5	2	-	-	-	-	-	-	-	-	-	-	1	2	1
Whitecross-street - - - N.R.	8278	6	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Finsbury - - - - N.R.	4985	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	8	1	-	-	-	-	2	-	-	-	-	-	-	-	8
St. Bride *W* - - - - N.R.	6594	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
City of London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

* Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 1st June, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include — Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	13	10	4	2	-	1	-	-	1	-	-	-	-	-	-	1	-
oxton New Town *w* - - - N.R.	29313	26	10	2	2	-	-	-	-	1	-	-	-	-	1	2	2	-
oxton Old Town - - - N.R.	28354	19	8	3	2	-	2	-	1	-	-	-	-	-	1	2	-	-
aggerston *WH* - - N.R. & E.L.	46244	27	13	5	3	-	-	-	-	-	-	-	-	-	-	-	5	-
ethnal Green North *H* - - E.L.	51820	48	16	4	4	-	2	-	-	-	-	-	-	-	1	4	1	-
ethnal Green South - - - E.L.	33489	21	5	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
ethnal Green East *WHL** - E.L.	44123	29	27	4	13	-	-	-	-	-	-	-	-	-	-	-	20	-
pitalfields - - - E. & N.R.	22456	21	3	-	1	-	1	-	-	-	-	-	-	-	-	2	-	-
ile End New Town *W* - - E.L.	17908	17	5	-	2	-	2	-	-	-	-	-	-	-	-	-	1	-
hitechapel Church *H* E.L. & N.R.	20298	12	27	3	4	-	1	-	1	1	-	-	-	-	1	2	22	-
oodman's Fields - - - E.L.	13800	10	4	2	-	-	3	-	-	-	-	-	-	-	-	2	-	-
t. George's, North - - - E.L.	37738	38	10	4	1	-	2	-	1	-	-	-	-	-	2	4	-	-
t. John, St. George East *W* - E.L.	8057	3	8	-	4	-	-	-	-	1	-	-	-	-	1	2	4	-
adwell *H* - - - E.L. & N.R.	16246	3	9	2	-	-	-	-	2	1	-	-	-	1	-	1	6	-
atcliff *W* - - - - - E.L.	14928	12	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
imehouse - - - - - E.L.	32202	18	9	5	-	-	-	-	-	1	-	-	-	1	-	1	-	-
ile End Old Town West *H* - E.L.	38650	39	11	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
ile End Old Town East *WWW* E.L.	68942	55	24	3	6	-	4	-	1	-	-	1	-	-	-	1	3	1
ow *L** - - - - - E.L.	40365	21	7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
romley *wwwH* - - - E.L.	70000	47	36	5	5	-	8	-	-	2	-	-	-	-	1	5	13	-
oplar *WW* - - - - E.L.	56383	43	26	6	3	-	6	-	1	1	-	-	-	-	-	-	2	-
SOUTH DISTRICTS.																		
hristchurch Southwark *WH* L. & S.	18264	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Saviour Southwark - - - S.	18913	10	2	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-
ent-road - - - - S. & L.	21867	23	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1
orough-road *WH* - - S. & L.	16624	15	9	4	-	-	-	-	-	2	-	-	-	-	-	-	6	-
ondon-road *HL* - - L. & S.	21221	9	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
rinity Newington - - S. & L.	26596	22	6	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
t. Peter Walworth *W* - S. & L.	61342	30	19	6	3	-	-	-	-	1	-	-	-	-	2	3	-	-
t. Mary Newington - - L. & S.	27866	21	7	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-
t. Olave *WH* - - - - S.	12723	13	12	3	2	-	-	-	-	-	-	-	-	-	2	2	9	-
eather Market *W* - - S. & L.	30612	16	8	5	1	-	-	-	1	-	-	-	-	1	-	-	1	1
t. James Bermondsey - - S.	54070	37	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
otherhithe *WwH* - - S. & K.	39255	26	9	3	2	-	-	-	-	-	-	-	-	-	-	-	4	1
Waterloo-road 1st *H* - - L. & S.	14031	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	18	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
amberwell Church 1st *H* - L. & S.	18075	11	17	1	2	-	-	-	-	-	-	-	-	-	3	3	15	-
amberwell Church 2nd *WW* - L. & S.	39097	34	20	1	7	-	1	-	-	1	-	-	-	1	1	1	11	-
ennington 1st *H* - - S. & L.	50536	43	18	4	8	-	1	-	-	-	-	-	-	-	1	2	1	-
ennington 2nd - - - S. & L.	39708	17	7	1	3	-	-	-	-	-	-	-	-	2	-	1	-	-
rixton *w* - - - - - L. & S.	73405	52	19	5	4	-	-	3	3	1	-	-	-	-	1	1	6	-
orwood *WH* - - - - L.	25657	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ast Battersea - - - - S.	67244	47	11	3	1	-	3	-	1	-	-	-	-	-	-	1	-	-
West Battersea *WwH* - - S.	83314	44	25	8	6	-	2	-	-	-	-	-	-	1	-	1	8	-
lapham *H* - - - - S.	43698	25	6	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Wandsworth *WHHL* - - - S.	46717	18	10	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
utney - - - - - - S.	17771	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
treatham *www* - - - - L.	48753	26	6	1	2	-	-	-	1	-	-	-	-	-	1	1	1	-
ulwich - - - - L. & S.	6309	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
amberwell *WoL*L** - S. & L.	81686	38	44	4	18	-	-	-	-	-	-	-	-	-	2	2	22	-
eckham *W* - - - S., L., & K.	83483	50	20	7	5	-	-	-	1	-	-	-	-	1	2	3	-	-
t. George Camberwell - - L. & S.	63366	55	18	3	4	-	-	-	-	1	-	-	-	-	1	1	-	-
eptford, North - - - - K.	35314	22	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eptford, Central *w* - - - K.	42007	33	16	2	2	-	-	1	6	2	-	-	-	-	-	-	6	-
eptford, South - - - - K.	30852	15	9	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
reenwich West *H* - - - K.	22007	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
reenwich East *WH* - - - K.	35233	24	15	2	6	-	-	-	1	-	-	-	-	-	-	-	13	-
lham *wH* - - - - - K.	5682	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ee *H* - - - - - - K.	23541	9	7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
ewisham *WH* - - - - K.	30950	19	8	1	4	-	-	-	-	-	-	-	-	1	1	1	2	-
ydenham *H* - - - - L.	34162	24	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
harlton *HH* - - - - K.	14040	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
oolwich Dockyard - - - K.	19606	14	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HHHH* - K.	21242	10	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
lumstead, West *H* - - - K.	15869	8	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
lumstead, East *WH* - - - K.	36567	25	13	3	2	-	-	-	1	-	-	-	-	-	1	1	3	1
anstead Asylum - - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
aterham Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
one Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arenth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
anwell Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
olney Hatch Asylum - - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-
N.E. Hospital - - - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden Asylum - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
laybury Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 1st June, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	875	387	78	100	–	12	5	14	2	1	5	19	25	41	7
30 : 1	Carshalton *wHH*	12228	26108	8	4	–	1	–	–	–	–	–	–	–	2	2	–	–
	Epsom, *part of** *WwH*	10423	12508	6	3	–	1	–	–	–	–	–	–	–	–	1	–	1
37 : 1	Godstone, *part of** *W*	2754	1593	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	65	37	6	12	–	–	–	–	–	–	1	1	1	7	–
2	Mitcham *w*	11697	23088	15	7	2	3	–	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3229	25761	20	6	2	3	–	–	–	–	–	–	–	1	1	–	–
2	Kingston *WH*	3071	44765	25	9	3	3	–	1	–	–	–	–	–	–	–	2	–
3	Esher, *part of** *HH*	6601	12059	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	13	8	1	2	–	–	–	2	–	–	–	–	–	–	1
40 : 1	Richmond *WH*	2160	25339	15	6	1	3	–	–	–	–	–	–	–	1	1	–	–
2	Mortlake *H*	2323	16159	12	3	1	1	–	–	–	–	1	–	–	–	–	–	–
41 : 1	Bromley *HHH*	2127	23815	4	5	–	2	–	–	–	2	–	–	–	1	1	3	–
2	Beckenham *H*	6542	21969	7	2	1	1	–	–	–	–	–	–	–	–	–	1	–
	Chislhrst, *pt. of** *WHH*	14307	20372	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HH*	12540	30599	17	4	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
124 : 1	Sunbury *w*	11054	13671	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	16	5	–	1	–	–	–	–	–	1	–	–	1	3	–
125 : 1	Hillingdon *WHH*	6035	12237	5	6	–	2	–	–	–	–	–	–	–	–	–	3	–
2	Uxbridge	6173	5417	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12638	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	14	4	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Twickenham *HH*	2415	16027	6	4	–	3	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	23	10	3	3	–	–	–	1	–	–	1	2	2	1	–
4	Chiswick	1245	21963	9	9	1	1	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	21	5	1	2	–	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13809	15715	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61235	62	18	5	5	–	–	1	–	–	–	–	–	–	–	1
4	Hendon *WH*	8382	15843	9	7	2	2	–	–	–	–	–	–	–	–	–	2	–
128 : 1	South Mimms *H*	15599	8474	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	7	7	1	2	–	–	1	–	–	–	1	–	–	–	–
3	Finchley *HHH*	4688	25829	20	7	1	2	–	–	–	–	1	–	–	–	–	–	–
129 : 1	Hornsey *HH*	3039	61097	32	10	5	2	–	–	–	–	–	–	–	–	–	–	–
2	Tottenham *H*	4842	97174	60	22	7	7	–	1	–	–	–	–	1	1	4	–	–
3	Edmonton *Www*	7489	36351	25	11	1	6	–	–	1	1	–	–	1	–	–	3	–
4	Enfield *WWHH*	12639	31803	17	5	1	2	–	–	–	–	–	–	–	–	–	1	–
5	Waltham Abbey	11017	6066	2	2	1	–	–	–	–	–	–	–	–	1	1	–	–
6	Chesnunt *H*	8480	9620	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–
136 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9361	7737	9	3	1	1	–	–	–	–	–	–	–	–	–	1	–
2	Watford *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
138 : 1	Stratford *H*	1100	42983	22	6	1	2	–	–	–	–	–	–	–	–	–	1	–
2	Plaistow	1242	58030	47	29	4	6	–	1	–	2	–	–	–	6	7	–	1
3	Canning Town *H*	1558	54750	48	14	3	–	–	2	–	2	–	–	–	2	2	1	1
4	Forest Gate *w*	806	49140	29	13	5	1	–	1	–	–	–	–	–	–	–	–	–
5	East Ham *w*	3266	32713	22	14	4	1	–	–	–	–	–	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	37	30	5	8	–	5	–	2	–	–	–	–	–	7	1
7	Walthamstow *HHL*	6501	57330	51	16	3	1	–	1	–	2	–	–	–	1	1	–	1
139 : 1	Chigwell, *part of** *H*	11779	12941	13	6		1	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
140 : 1	Romford *part of** *WH*	6556	4324	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford	3493	10913	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14391	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Eastern Fever Hospital Midd. County Lun. Asy.	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	2	–
		–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 38 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Sundnam, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 2, Watford, and 139 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 1st June, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from ALL CAUSES.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	14·6	1·7	1695	357	418	-	62	22	55	32	6	21	83	438
INNER LONDON -	74,672	4,392,346	15·5	1·9	1308	279	318	-	50	17	41	30	5	16	64	397
OUTER RING -	368,749	1,656,209	12·2	1·2	387	78	100	-	12	5	14	2	1	5	19	41

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	June 1	143	117	22·3	-	5	-	2	-	1	2
ASGOW - -	695,876	" 1	447	294	22·0	-	2	-	5	16	3	6
BLIN - -	349,594	" 1	223	179	26·7	2	-	1	1	1	1	3
LCUTTA - -	466,460	April 6	-	-	-	-	-	-	-	-	-	-
MBAY - -	821,764	May 7	291	560	35·4	13	28	?	?	?	133	44†
ADRAS - -	452,518	April 19	331	261	29·9	-	9	?	?	?	78	24
RIS - - -	2,424,705	May 25	1105	981	21·0	-	15	8	8*	17	2	57
USSELS - -	498,400	" 25	248	160	16·4	1	1	-	2*	-	2	8
STERDAM -	451,493	" 25	216	131	15·1	-	-	1	1	2	-	-
TTERDAM -	272,042	" 25	206	102	19·5	-	1	1	-	3	-	-
E HAGUE -	180,455	" 25	91	59	16·4	-	-	-	-	2	-	-
PENHAGEN -	341,000	" 25	176	113	17·3	-	-	3	2	4	1	7
OCKHOLM -	252,937	" 18	118	98	19·7	-	-	-	-	-	1	-
RISTIANIA -	167,588	" 25	45	73	22·6	-	-	1	-	1	-	2
PETERSBURG	954,400	" 11	574	541	29·6	2	3	8	13	4	11	42
OSCOW - -	753,469	" 11	-	450	31·1	1	6	6	7	1	3	29
RLIN - -	1,724,544	" 11	847	552	16·6	-	8	11	10	6	-	37
MBURG - -	608,710	" 18	379	244	20·8	-	-	4	2*	1	1	18
RESDEN - -	323,600	" 4	-	124	20·1	-	1	2	1*	1	1	8
RESLAU - -	367,769	" 25	-	188	26·7	-	1	4	3*	-	-	16
NICH - -	396,000	" 25	-	181	23·8	-	-	1	2*	1	-	34
NNA - -	1,495,764	" 25	995	734	25·5	-	24	9	17*	2	1	56
AGUE - -	343,822	" 18	218	196	29·0	-	5	1	1	1	4	1
DA-PESTH -	566,022	" 18	405	350	32·2	1	-	4	4	-	2	22
ESTH - -	160,825	" 18	108	79	25·5	-	-	-	6*	2	-	4
ME - -	463,786	March 23	-	-	-	-	-	-	-	-	-	-
RIN (10 days)	344,208	April 20	-	-	-	-	-	-	-	-	-	-
ICE - -	158,159	May 4	-	-	-	-	-	-	-	-	-	-
RO - -	374,838	April 29	401	371	51·5	5	-	-	-	1	6	121
EXANDRIA -	251,396	" 29	211	134	30·2	-	-	-	-	-	5	38
W YORK -	1,992,715	May 18	-	771	21·7	-	20	13	37	7	2	19
OOKLYN -	1,080,000	" 18	-	355	16·9	-	7	2	17	4	2	7
ILADELPHIA	1,163,864	" 11	-	454	20·3	3	-	5	17	4	4	8
W ORLEANS -	275,000	April 27	-	133	25·2	2	1	-	2	-	4	12

* Including deaths from croup.
† Including one death from cholera.

TABLE D.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 1st JUNE, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	26	Greatest Dec. S.	30·060	72·7	47·0	25·7	59·0	+ 3·1	52·6	6·4	17·3	0·0	79	105·0	44·5	53·60	Variable.	Variable.	1·6	0·0	..*	85	−162	0·00	5·8
MONDAY .	27	..	30·196	73·3	46·2	27·1	59·0	+ 3·0	51·8	7·2	17·6	0·0	77	127·7	40·2	54·20	Calm & NNE.	ENE. & E.	1·3	0·0	..	129	−118	0·00	0·7
TUESDAY.	28	..	30·115	68·8	44·5	24·3	55·3	− 0·7	45·7	9·6	20·7	0·0	70	132·0	39·6	54·55	E. & ESE.	ESE.	1·4	0·0	..	169	− 77	0·00	2·3
WEDNESDAY	29	Perigee.	29·926	78·8	47·0	31·8	61·5	+ 5·3	50·3	11·2	29·2	0·2	67	135·0	39·0	55·11	E. & ENE.	ENE. & E.	2·3	0·0	..	177	− 69	0·00	0·0
THURSDAY	30	..	29·693	86·2	49·3	36·9	70·3	+13·8	51·0	19·3	32·3	1·3	50	143·8	39·7	55·80	E. & ESE.	S.	2·8	0·0	..	191	− 54	0·00	0·0
FRIDAY .	31	First Qr.	29·679	74·3	55·7	18·6	64·0	+ 7·2	51·0	13·0	20·4	4·0	63	134·4	52·0	56·44	SSW. & S.	SSW. & SSE.	5·0	0·0	0·4	284	+ 39	0·05	1·0
JUNE. SATURDAY	1	In Equator.	29·647	67·9	50·1	17·8	57·6	+ 0·4	51·5	6·1	12·1	2·0	80	103·3	49·2	57·20	S. SSE. & SE.	SW.	2·3	0·0	0·1	187	− 57	0·03	3·7
MEANS .		..	29·902	74·6	48·5	23·0	61·0	+ 4·6	50·6	10·4	21·4	1·1	69	126·6	43·5	55·27	E. & SSW.		..	..	..	Sum 1222	Sum − 498	Sum 0·08	1·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	26	w. P. generally -	1·0	16·0	Overcast and foggy in morning; very fine afterwards; cloudless in evening.
MONDAY .	27	w. P. throughout -	7·6	16·1	Cloudy and foggy in morning; cloudless and very fine during the day; overcast and foggy after 11h. P.M.
TUESDAY .	28	w. P. in morning; s. P. afterwards.	10·7	16·1	Overcast and foggy in morning; cloudless and very fine during the day; overcast and foggy after 10h. P.M.
WEDNESDAY	29	w. P. throughout -	9·9	16·1	Overcast and foggy till 9h. A.M.; afterwards cloudless and very fine throughout. A warm day.
THURSDAY .	30	w. P. generally -	13·4	16·2	Cloudless and very fine till noon; light cloud prevalent till evening; afterwards cloudy, with frequent lightning and occasional thunder. A very hot day.
FRIDAY .	31	s. P. and s. N. in morning; w. P. afterwards.	7·1	16·2	Overcast, with showers in morning; afterwards fine generally; variable amounts of cloud; solar halo and parhelia at 6h. P.M.
JUNE. SATURDAY .	1	w. P. in early morning; v. P. and v. N. till afternoon; m. P. in evening.	0·2	16·2	Generally cloudy till afternoon; rain in morning and at 4h. P.M.; very fine in evening.
			Sum 49·9	Sum 112·9	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·93 in. at the beginning of the week to 30·22 in. by 9h. A.M. on the 27th of May; decreased to 29·65 in. by 9h. P.M. on the 30th; and was 29·68 in. by the end of the week.

* Gearing wheel of Osler's clock away for repair until May 30.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 23. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JUNE 8. [Price 1½*d.*

General Register Office, Somerset House,
June 10th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 18.	May 25.	June 1.	June 8.		May 18.	May 25.	June 1.	June 8.
Birkenhead	18·4	15·5	14·6	14·1	Liverpool - -	23·2	27·3	27·6	20·9
Birmingham	16·9	15·5	17·4	14·6	London - -	16·5	16·3	15·5	14·8
Blackburn -	17·2	17·2	16·8	20·0	Manchester -	25·7	26·0	23·8	19·8
Bolton -	22·7	23·2	21·4	21·4	Newcastle-on-Tyne	18·6	21·4	17·9	15·9
Bradford -	17·5	17·3	13·4	11·7	Norwich - -	12·7	20·0	14·6	13·6
Brighton -	13·1	17·0	20·1	13·1	Nottingham -	16·1	17·9	16·8	12·7
Bristol -	13·9	13·7	17·4	13·7	Oldham - -	22·2	17·7	20·0	19·2
Burnley -	20·9	25·1	23·0	25·7	Plymouth - -	17·0	15·2	21·1	18·7
Cardiff -	15·1	15·1	11·4	13·7	Portsmouth -	14·0	10·1	15·8	10·4
Croydon -	12·3	9·5	13·6	11·3	Preston - -	28·7	16·7	21·8	18·1
Derby -	14·6	16·6	9·9	11·4	Salford - -	26·5	21·8	18·3	20·3
Gateshead -	13·6	12·0	19·6	17·4	Sheffield - -	15·2	14·6	19·2	14·8
Halifax -	16·1	17·2	14·5	15·6	Sunderland -	15·9	16·7	18·6	14·8
Huddersfield	19·9	13·1	14·2	14·2	Swansea - -	16·1	15·1	17·2	12·9
Hull - -	20·5	14·9	12·3	16·4	West Ham - -	15·0	18·6	14·6	12·1
Leeds -	15·7	17·5	17·5	13·6	Wolverhampton -	15·8	17·0	28·0	22·5
Leicester -	15·3	11·8	13·7	13·2					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in West Ham, 2·3 in Plymouth, and 3·5 in Bolton; from *whooping-cough*, 1·1 in Gateshead; and from "*fever*", 1·0 in Burnley. The death-rate from *scarlet fever* and from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 51 deaths from *diphtheria* included 33 in London, 4 in Birmingham, 3 in West Ham, and 3 in Wolverhampton, One death from *small-pox* was registered in Bolton and one in Oldham, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2333 BIRTHS and 1247† DEATHS were registered. Allowing for increase of population, the births were 313, and the deaths 244, below the average

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—10. 650.—6/95. Wt. 259. Z

numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·5, 16·3, and 15·5 in the preceding three weeks, further fell last week to 14·8. During the four weeks ending on Saturday last the death-rate averaged 15·8 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1247 deaths included 36 from measles, 17 from scarlet fever, 33 from diphtheria, 22 from whooping-cough, one death from typhus, 8 deaths from enteric fever, 19 from diarrhœa and dysentery, one death from English cholera, and not one from small-pox or any ill-defined form of continued fever; thus, 137 deaths were referred to these diseases, being 70 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 4. The deaths from *measles*, which had been 39, 32, and 50 in the preceding three weeks, fell last week to 36, and were less than half the corrected average; 8 belonged to Battersea, 5 to St. George-in-the-East, and 5 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 13, 10, and 17 in the preceding three weeks, were again 17 last week, the corrected average being 18; 4 belonged to Battersea, 2 to St. George-in-the-East, and 2 to Greenwich sanitary areas. The deaths from *diphtheria*, which had been 41, 37, and 41 in the preceding three weeks, fell to 33 last week, but exceeded the corrected average by 7; 3 belonged to Paddington, 3 to Islington, 3 to Hackney, 3 to Shoreditch, and 3 to St. George-in-the-East sanitary areas. The deaths from *whooping-cough*, which had been 31, 39, and 30 in the preceding three weeks, further fell to 22 last week, and were 24 below the corrected average; 4 belonged to Newington sanitary area. The fatal cases of *enteric fever*, which had been 8, 9, and 5 in the preceding three weeks, rose to 8 last week, the corrected average being 7; 6 belonged to Plumstead sanitary area. The deaths from *diarrhœa*, which had been 18, 14, and 16 in the preceding three weeks, further rose to 19 last week, but were 3 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 240, 245, and 193 in the preceding three weeks, further declined last week to 163, and were 96 below the corrected average.

The deaths attributed directly to *influenza* numbered 5, having been 23, 10, and 15 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning all but 2 of which inquests were held. Of these 55 deaths, 6 were cases of suicide, and one death was a case of homicide, while the remaining 48 deaths were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 5 to drowning, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 23 cases of small-pox, 1589 of scarlet fever, 529 of diphtheria, and 141 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 5 cases, against 4, 7, and 1; of scarlet fever, 179 cases, against 185, 214, and 187; of diphtheria, 86 cases, against 87, 79, and 88; and of enteric fever, 13 cases, against 42, 50, and 20.

Greater London.

In Greater London 3128 births and 1596 deaths were registered, corresponding to annual rates of 27·0 and 13·8 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 2 from scarlet fever, and 16 from diphtheria were registered. Ten deaths from measles and 8 from diphtheria belonged to West Ham district. Two fatal cases of diphtheria were registered in Bromley sub-district.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·99 inches, and that of the Thermometer 60°·7, the latter being 2°·5 above the week's average in the 50 years 1841–90. The direction of the wind was North-Easterly, the horizontal movement of the air being 2 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 53·0 hours; the measured rainfall amounted to 0·02 of an inch.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of May. The supply was in the ratio of 284 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	MAY. 1894.	MAY. 1895.	MAY. 1894.	MAY. 1895.
TOTAL SUPPLY	805,200	815,613	196,123,630	231,824,748
From Thames	388,904	394,111	100,426,906	117,493,442
From Lea and from other Sources	416,296	421,502	95,696,724	114,331,306
THAMES.				
Chelsea	36,792	36,766	11,724,025	13,369,592
West Middlesex	77,713	78,797	19,394,131	22,438,567
Southwark and Vauxhall	116,583	117,830	31,221,488	37,338,489
Grand Junction	58,958	59,669	18,359,595	19,872,954
Lambeth	98,858	101,049	19,727,667	24,473,840
LEA AND OTHER SOURCES.				
New River	157,695	158,433	35,790,000	40,808,000
East London	177,969	181,427	44,089,522	55,013,530
Kent	80,632	81,642	15,817,202	18,509,776

Note.—The Return for May 1895, as compared with that for the corresponding month of 1894, shows an increase of 10,413 services and of 35,701,118 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MAY, 1895.

Water-analysis Laboratory, The Yews, Reigate,
5th June, 1895.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of May.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·5, New River and Tottenham 1·2, East London (deep-well) 1·6, Colne Valley 1·7, Lambeth and East London (river supply) 2·3, Grand Junction 2·4, Southwark 2·5, West Middlesex 2·7, and Chelsea 2·8. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·4, New River Cut 2·3, and the Lea at Angel Road 4·2.

The Thames at Hampton was, on May 15th, turbid and pale yellow in colour. It was of good chemical and bacterial, quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and much improved in chemical quality. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers:—Chelsea 97·75, West Middlesex 99·25, Southwark (No. 4 filter well) 99·44, (No. 8 filter well) 97·56, Grand Junction (general well at Hampton) 97·74, (general well at Kew Bridge) 90·79, (South well at Kew Bridge) 99·25, and Lambeth 98·68.

The New River Cut before entering the subsidence and storage reservoirs was, on May 17th, turbid and very pale yellow in colour. It was of excellent chemical, but inferior bacterial quality. By passing through the storage reservoirs it was greatly improved in bacterial quality, and after

efficient filtration was delivered in a clear and nearly colourless condition, ranking, as regards chemical quality, with the deep-well waters. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—General filter well 99·16, No. 6 filter well 98·93, and No. 9 filter well 98·86. The water taken from the Lea at Angel Road by the East London Company was, on May 17th, turbid and pale yellow in colour. It was both chemically and bacterially of inferior quality, containing more than four times as many bacteria per c.c. as the Thames at Hampton two days earlier. After storage for 15 days it was enormously improved in bacterial quality, and, after efficient filtration the total bacterial improvement was represented by the following percentage numbers:—No. 1 Essex well 98·73, No. 2 Essex well 99·28, and Middlesex well 99·03.

The deep-well waters of the Kent and Colne Valley Companies, and of the Tottenham Local Board of Health were clear and colourless, whilst that of the East London Company was very slightly turbid and colourless. In all other respects these waters were of excellent quality for dietic purposes, and the Colne Valley Company's supply being softened before delivery, was rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Colne Valley, and Tottenham waters were clear and colourless, the East London deep-well water was very slightly turbid and colourless, the New River clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, the gravel water used by the Southwark Company, the Thames water after preliminary filtration as used at their Kew Bridge Works by the Grand Junction Company, and the supplies of the various Companies collected on the 15th, 16th, 17th, 18th, and 25th of May, yielded the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw, Stored, and Gravel Waters.		
Thames at Hampton, May 15th	2,127	18°·1
" after storage for 14·7 days (Chelsea Company), May 16th	240	16·7
" " " 6 days (Lambeth Company), May 16th	180	—
West Middlesex Company's water arriving at Barnes, May 16th	440	16·3
Grand Junction Company's water (after preliminary filtration) arriving from Hampton at Kew Bridge, May 16th	420	16·9
Southwark Company's gravel water, May 15th	160	12·5
New River Cut before passing reservoirs, May 17th	2,620	11·2
" " after storage but before filtration, May 17th	480	14·1
River Lea at Angel Road, May 17th	9,440	10·0
" after storage for 15 days (East London Company), May 17th	940	13·3
Filtered River Waters as supplied.		
Thames.		
Chelsea Company's general filter well, May 16th	48	16·5
West Middlesex Company's general filter well, May 16th	16	16·2
Southwark Company's No. 4 filter well, May 15th	12	18·2
" No. 8 filter well, May 15th	52	18·5
Grand Junction Company's general well at Hampton, May 15th	48	17·9
" " " " Kew Bridge, May 25th	196	14·5
" " " south well at Kew Bridge, May 25th	16	14·8
Lambeth Company's general filter well, May 15th	28	16·5
Lea.		
New River Company's general filter well, May 17th	22	14·2
" " No. 6 well, May 17th	28	14·2
" " No. 9 well, May 17th	30	13·5
East London Company's No. 1 Essex well, May 17th	120	12·7
" " No. 2 Essex well, May 17th	68	13·2
" " Middlesex well, May 17th	92	13·6
Deep Well.		
Kent Company's new well at Deptford, May 17th	6	11·3

This table shows that the water pumped from the gravel and the Thames water submitted to preliminary filtration were, for raw waters, of excellent bacterial quality, whilst, with one or two exceptions, the waters delivered by the different Companies possessed a satisfactory degree of bacterial purity.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very turbid and greenish grey in a two foot tube, the organic elements were "much higher than they have been for a long time past. The water contained a small sediment "consisting principally of vegetable flocculi and a few minute animal organisms. The condition "of the water indicated imperfect filtration."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

E. Frankland.

The Registrar General, &c. &c.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	May 15th. Grand Junction Co.'s intake at Hampton.	18·1	26·96	·233	·024	·008	·188	·219	1·7	17·7
	Chelsea - - -	May 18th. Cab Rank, Horse Guards, Whitehall.	14·8	26·64	·141	·025	0	·183	·208	1·7	17·4
	West Middlesex -	May 18th. Riding House-street.	11·4	25·38	·131	·026	0	·185	·211	1·6	17·1
	Southwark -	May 18th. St. George's Church, Borough.	14·2	25·58	·130	·020	0	·187	·207	1·6	17·4
	Grand Junction -	May 18th. Portman-street, Oxford Street.	14·7	26·96	·122	·018	0	·202	·220	1·7	18·0
	Lambeth - - -	May 18th. St. George's-road, Southwark.	15·7	26·42	·120	·015	0	·190	·205	1·6	18·0
	LEA. (Unfiltered water) -	May 17th. New River Cut at Green-lanes.	11·2	31·32	·123	·014	·006	·166	·185	1·8	18·6
	New River - -	May 18th. Cab Rank, Tottenham Court-road.	13·8	27·12	·057	·014	0	·178	·192	1·8	18·0
	(Unfiltered water) -	May 17th. East London Co.'s intake at Angel-road.	10·0	32·92	·221	·027	·045	·230	·294	2·0	19·4
	East London - -	May 18th. Cab Rank, Sidney-street, E.	13·2	28·96	·113	·020	0	·199	·219	2·0	19·1
	DEEP WELLS. Kent - - -	May 18th. Police Station, Blackheath-road.	13·8	39·96	·024	·008	0	·452	·460	2·5	26·3
Outer Circle.	Colne Valley - -	May 20th. Bushey.	—	18·16	·079	·020	·068	·477	·553	2·4	6·3
	Tottenham - -	May 18th. Tottenham.	—	41·06	·063	·008	·054	·011	·063	2·9	21·2
	East London - -	May 21st. Lee Bridge Well.	—	37·96	·074	·022	·040	0	·055	2·4	19·1
	Corporation of Birmingham* - - -	May 8th. Rear of 15 and 16, St. Mary's Row.	13·9	32·30	·355	·090	0	·260	·350	3·0	20·1
	Corporation of Glasgow† -	May 15th. Loch Katrine water.	9·5	1·60	·176	·071	0	·003	·074	0·8	0·9
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 18th of May at the cab rank, Horse Guards, had a temperature of 14°·8 C.; 100,000 lbs. of it contained 26·64 lbs. of solid matters; the organic substances, constituting a portion of this matter, contained ·141 lb. of carbon and ·025 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·183 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·208 lb. The above weight of water also contained 1·7 lb. of chlorine and 17·4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 2.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 8th June 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 8th June, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5435	3139	715	728	2	72	33	51	51	26	59	130	244	710	50	15·5	1·4	82·7	41·0	57·0	13·89	0·10	0·25	33 Towns.
London	4,392,346	2333	1247	254	312	–	36	17	33	22	9	19	55	120	396	10	14·8	1·6	82·7	43·9	60·7	15·94	0·02	0·05	London.
West Ham	249,473	100	58	16	10	–	5	–	3	1	–	2	1	2	7	1	12·1	2·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	56	25	4	6	–	–	–	–	–	–	–	–	1	6	–	11·3	–	81·0	41·5	58·6	14·78	0·18	0·46	Croydon.
Brighton	119,604	60	30	2	6	–	1	–	1	–	–	–	–	–	8	–	13·1	0·9	77·4	50·4	60·3	15·72	0·01	0·03	Brighton.
Portsmouth	174,751	95	35	7	8	–	–	–	–	2	1	–	3	4	7	–	10·4	0·9	78·0	47·0	59·3	15·17	0·04	0·10	Portsmouth.
Plymouth	89,096	51	32	5	9	–	4	–	–	–	–	1	1	1	1	–	18·7	2·9	–	–	–	–	–	–	Plymouth.
Bristol	228,139	91	60	18	19	–	–	–	1	1	–	3	1	2	23	2	13·7	1·1	77·0	41·0	56·6	13·67	0·00	0·00	Bristol.
Cardiff	155,637	83	41	12	5	–	2	1	1	–	–	–	1	5	8	–	13·7	1·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	58	24	7	5	–	1	–	–	–	1	–	1	2	3	–	12·9	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	50	37	12	7	–	–	–	3	–	–	–	3	5	–	–	22·5	1·8	72·6	45·2	56·1	13·39	0·00	0·00	Wolverhampton.
Birmingham	496,751	257	139	40	32	–	–	2	4	1	1	9	9	7	28	10	14·6	1·8	–	–	–	–	–	–	Birmingham.
Norwich	107,127	50	28	4	8	–	–	–	1	1	–	2	1	1	11	–	13·6	1·9	71·0	46·0	56·3	13·50	0·15	0·38	Norwich.
Leicester	193,839	106	49	12	13	–	–	–	–	1	–	3	2	4	5	2	13·2	1·1	–	–	–	–	–	–	Leicester.
Nottingham	226,658	119	55	8	18	–	–	–	–	–	–	2	5	7	7	–	12·7	0·5	70·9	44·0	56·3	13·50	0·07	0·18	Nottingham.
Derby	100,272	56	22	5	8	–	–	–	–	1	–	–	2	3	3	–	11·4	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	57	29	5	6	–	–	1	–	1	1	1	–	3	6	–	14·1	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	304	202	54	36	–	7	2	1	3	4	2	12	18	37	3	20·9	2·0	67·2	46·0	55·8	13·22	0·01	0·03	Liverpool.
Bolton	119,337	47	49	15	7	1		–	–	2	–	1	2	4	9	–	21·4	5·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	169	199	48	33	–	5	2	–	7	1	3	7	14	41	3	19·8	1·8	–	–	–	–	–	–	Manchester.
Salford	208,253	70	81	17	12	–	1	3	1	2	2	3	1	2	16	2	20·3	3·0	–	–	–	–	–	–	Salford.
Oldham	141,079	50	52	8	11	1	–	–	1	–	–	1	2	2	6	–	19·2	1·1	–	–	–	–	–	–	Oldham.
Burnley	99,591	75	49	19	10	–	–	–	–	1	2	1	2	3	3	–	25·7	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	64	49	13	4	–	–	–	–	1	–	1	2	3	2	–	20·0	0·8	–	–	–	–	–	–	Blackburn.
Preston	112,638	49	39	10	8	–	1	–	–	–	–	–	2	2	8	1	18·1	0·5	–	–	–	–	–	–	Preston.
Huddersfield	99,482	42	27	6	7	–	–	–	–	1	–	1	–	–	–	2	14·2	1·0	79·0	44·0	56·4	13·56	0·06	0·15	Huddersfield.
Halifax	93,813	26	28	3	8	–	–	–	–	–	–	–	1	1	3	–	15·6	–	–	–	–	–	–	–	Halifax.
Bradford	226,384	95	51	15	14	–	–	3	–	1	–	1	1	3	5	–	11·7	1·2	67·0	51·3	57·0	13·89	0·80	2·03	Bradford.
Leeds	395,546	212	103	20	30	–	–	–	–	–	1	2	2	8	16	4	13·6	0·4	–	–	–	–	–	–	Leeds
Sheffield	342,768	197	97	30	25	–	1	1	–	–	–	–	2	3	16	5	14·8	0·3	–	–	–	–	–	–	Sheffield.
Hull	216,722	139	68	20	17	–	–	1	–	–	1	–	2	4	4	5	16·4	0·5	74·0	42·0	54·6	12·56	0·02	0·05	Hull.
Sunderland	137,705	94	39	12	6	–	–	–	–	–	1	–	1	1	6	–	14·8	0·4	68·0	45·0	52·7	11·50	0·00	0·00	Sunderland.
Gateshead	95,871	55	32	5	9	–	–	–	1	2	1	–	3	4	3	–	17·4	2·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	125	63	9	19	–	–	–	–	–	–	1	3	5	16	–	15·9	0·3	–	–	–	–	–	–	Newcastle.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2464	2476	2781	2430	2523	2399	2698	2422	2582	2300	2646·4	2333
Males . .	1259	1287	1422	1225	1299	1231	1370	1223	1324	1147	1349·5	1176
Females .	1205	1189	1359	1205	1224	1168	1328	1199	1258	1153	1296·9	1157
TOTAL **Deaths**	1315	1277	1414	1219	1306	1393	1836	1428	1491	1398	1491·0	1247
Males . .	662	666	752	637	675	733	948	772	806	760	782·2	633
Females .	653	611	662	582	631	660	938	656	685	638	708·8	614

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.
TOTAL **Births** - -	2821	2650	2466	2731	2380	2677	2691	2837	2549	2496	2640	2569	2333
TOTAL **Deaths** - -	2817	2190	1781	1597	1622	1585	1508	1395	1398	1389	1371	1308	1247
Ages at Death: Under 1 year -	611	448	390	357	409	410	423	321	318	325	327	279	254
1—5 years -	347	332	282	290	265	261	214	221	198	219	192	195	190
5—20 „ -	103	79	88	79	75	85	60	82	84	84	87	87	84
20—40 „ -	265	226	222	176	198	190	162	186	190	172	196	175	158
40—60 „ -	502	427	326	288	265	264	289	256	256	258	253	254	249
60—80 „ -	753	533	410	335	339	312	293	275	291	280	269	271	266
80 years & upwards	231	145	63	72	71	63	67	54	61	51	47	47	46
Deaths from—													
Small-pox - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Measles - - - -	12	19	23	18	25	39	26	39	34	39	32	50	36
Scarlet fever - - -	4	15	13	11	15	9	9	13	11	13	10	17	17
Diphtheria - - -	27	24	31	23	27	30	27	29	38	41	37	41	33
Whooping-cough - -	56	43	49	44	49	51	44	36	35	31	39	30	22
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric fever - - -	4	4	4	6	3	5	5	5	8	8	9	5	8
Simple Continued fever -	-	-	1	-	-	-	-	-	1	-	-	-	-
Diarrhœa and Dysentery -	10	14	14	15	18	7	13	18	19	18	14	16	19
Cholera - - - -	-	-	1	-	-	-	-	-	-	-	-	-	1
All the above Diseases	114	119	136	117	137	141	124	141	146	150	141	159	137
Dis. of Respiratory System	1031	740	497	427	398	389	341	290	247	240	245	193	163
Phthisis - - -	214	181	173	186	164	161	162	144	160	128	172	148	162
Dis. of Circulatory System	184	154	138	127	122	125	120	106	107	127	128	114	123
Violence - - - -	77	59	74	55	51	64	71	63	63	77	59	64	55
Inquest Cases - - -	194	135	145	114	136	135	135	131	127	138	122	123	120
Deaths in Public Institutions	641	536	464	432	424	459	393	380	398	425	450	397	396
TEMPERATURE OF THE AIR													
Mean - - - -	43·7°	48·3°	44·6°	41·5°	47·7°	49·1°	50·9°	51·2°	57·3°	55·9°	52·3°	61·0°	60·7°
Mean of Highest readings -	52·6°	58·2°	52·3°	48·3°	58·1°	60·4°	59·2°	62·5°	69·8°	65·4°	62·5°	74·6°	73·0°
Mean of Lowest readings -	35·9°	39·7°	39·5°	36·0°	39·7°	40·7°	45·8°	40·4°	44·4°	47·7°	44·6°	48·5°	49·3°
Humidity of the Air - -	77	80	81	84	75	77	88	73	61	68	81	69	68
Rain-fall (in inches) - -	0·02	0·18	0·71	0·12	0·05	0·13	1·15	0·04	0·00	0·19	0·19	0·08	0·02
Registered Sunshine (in hours)	29·8	21·4	17·5	9·8	29·6	36·0	10·7	42·0	74·7	20·2	22·3	49·9	53·0
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	57	58	55	53	47	35	37	34	33	27	29	22	23
Scarlet fever - - - -	1615	1587	1555	1519	1463	1514	1469	1413	1438	1446	1503	1524	1589
Diphtheria - - - -	456	455	435	440	435	441	432	457	464	484	492	508	529
Enteric fever - - - -	70	72	73	66	67	67	61	64	66	91	126	139	141

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-THIRD Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 23rd Week of the 10 years 1885-94.*	In the Week ending Saturday, 8th June 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1491·0	1247	254	190	84	158	249	266	46
Small-pox { Vaccinated† -	0·8	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	1·6	-	-	-	-	-	-	-	-
Small-pox { No Statement	1·2	-	-	-	-	-	-	-	-
Measles - - - -	82·2	36	5	29	2	-	-	-	-
Scarlet Fever - -	17·5	17	-	13	4	-	-	-	-
Typhus - - - -	0·3	1	-	-	1	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - -	30·0	5	-	-	-	2	1	2	-
Whooping-cough - -	46·1	22	9	10	3	-	-	-	-
Diphtheria - - -	25·8	33	4	23	6	-	-	-	-
Simple Continued and Ill-defined Fever -	1·3	-	-	-	-	-	-	-	-
Enteric Fever -	6·9	8	-	-	3	3	2	-	-
Cholera and Chol. Diarr.	0·9	1	-	-	-	1	-	-	-
Diarrhœa, Dysentery -	22·2	19	12	3	-	-	-	2	2
Remittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	0·1		-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Venereal Affections -	8·7	6	6	-	-	-	-	-	-
Erysipelas - - -	4·3	1	1	-	-	-	-	-	-
Pyæmia and Septicæmia	2·2	-	-	-	-	-	-	-	-
Puerpera Fever - -	6·5	3	-	-	1	2	-	-	-
Other Zymotic Diseases	1·6	2	-	-	-	-	-	2	-
Thrush - - - -	1·4	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·1	1	-	1	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·4	1	1	-	-	-	-	-	-
Alcoholism - - -	7·5	9	-	-	-	3	5	1	-
Rheumatic Fever, Rheumatism of Heart	5·4	2	-	-	-	-	1	1	-
Rheumatism - -	2·5	1	-	-	-	-	-	1	-
Gout - - - -	3·5	5	-	-	-	-	2	3	-
Rickets - - - -	7·3	10	2	8	-	-	-	-	-
Cancer - - - -	65·3	83	-	-	-	4	35	42	2
Tabes Mesenterica -	20·8	15	10	4	1	-	-	-	-
Tubercular Meningitis -	28·3	28	7	14	6	1	-	-	-
Phthisis - - -	156·6	162	-	3	16	70	65	8	-
Scrofula, Tuberculosis -	19·3	20	6	5	4	3	2	-	-
Other Constitutional Diseases - - -	13·7	8	-	-	1	-	2	5	-
Premature Birth - -	40·3	37	37	-	-	-	-	-	-
Atelectasis - - -	2·2	9	9	-	-	-	-	-	-
Congenital Malformations - - - -	7·0	5	5	-	-	-	-	-	-
Old Age - - - -	41·6	48	-	-	-	-	-	26	22
Apoplexy - - -	33·7	41	1	1	1	6	9	23	-
Epilepsy - - -	7·3	6	-	-	1	2	1	2	-
Convulsions - - -	38·0	29	25	3	-	1	-	-	-
Other Diseases of Brain and Nervous System	90·1	60	5	10	3	8	15	15	4

CAUSES OF DEATH.	Corrected Averages for the 23rd Week of the 10 years 1885-94.*	In the Week ending Saturday, 8th June 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.
Diseases of Organs of Special Sense - -	2·3	2	1	-	1	-	-	-
Diseases of Circulatory System - - -	114·3	123	5	2	3	18	41	49
Croup - - - -	6·9	1	-	1	-	-	-	-
Bronchitis - - -	126·3	77	21	17	-	-	8	28
Pneumonia - - -	97·1	73	13	20	2	10	14	10
Pleurisy -	7·6	3	-	-	1	-	1	1
Other Diseases of Respiratory System - -	21·3	10	1	2	-	-	3	4
Dentition - - -	9·9	12	5	7	-	-	-	-
Quinsy, Sore Throat -	2·4	2	-	1	-	-	1	-
Enteritis - - -	9·7	9	5	2	-	1	1	-
Peritonitis - - -	7·8	3	-	-	1	1	1	-
Diseases of Liver - -	27·8	29	3	-	-	-	8	9
Other Diseases of Digestive System -	25·4	26	2	-	4	6	4	6
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	3	-	-	-	1	1	1
Diseases of Urinary System - - -	39·5	42	1	3	5	6	11	15
Diseases of Generative System - - -	5·4	9	1	-	-	4	4	-
Accidents of Childbirth -	3·8	-	-	-	-	-	-	-
Diseases of Locomotive System - - -	6·1	5	1	2	-	-	1	1
Diseases of Integumentary System -	5·8	5	1	-	1	-	1	1
VIOLENT DEATHS. (ACCIDENT.)								
By Railways - -	51·1	8	-	-	-	1	2	-
By Vehicles or Horses -		9	-	3	3	1	-	2
In Ships, Boats, Docks (exclusive of Drowning) - - -		-	-	-	-	-	-	-
In Building Operations -		-	-	-		-	-	-
In Conflagrations - -		-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		2	-	-	1	-	-	1
By Drowning - -		5	-	-	4	1	-	-
By Suffocation in Bed -		11	11	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	1	-	-	-	-
Other or not stated Causes - - - -		17	2	2	4	1	5	2
(VIOLENCE OTHER THAN ACCIDENTAL.)								
Homicide - -	1·7	1	1	-	-	-	-	-
Suicide - - - -	9·3	6	-	-	1	1	1	3
Execution - - -	-	-	-	-	-	-	-	-
OTHER CAUSES - -	43·7	34	31	-	-	-	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 8th June, 1895.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON *	4,211,743	2333	1247	254	312	–	36	17	33	22	1	8	–	19	55	120	396	1
WEST DISTRICTS	740,735	381	203	45	50	–	1	1	4	4	–	–	–	6	6	15	72	–
NORTH DISTRICTS	993,884	514	238	50	66	–	4	6	12	4	–	–	–	3	10	26	81	1
CENTRAL DISTRICTS	247,538	110	92	18	17	–	2	1	1	1	1	–	–	–	5	9	36	–
EAST DISTRICTS	705,114	441	257	43	66	–	19	1	9	3	–	1	–	–	12	36	94	–
SOUTH DISTRICTS	1,524,472	907	403	98	104	–	10	7	7	10	–	7	–	10	22	34	92	8
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	21	–	9	–	–	1	–	–	–	–	–	–	–	–	21	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	46	19	5	6	–	–	–	2	–	–	–	–	–	–	1	2	–
St. John Paddington *H* – – G.J.	33687	10	13	–	2	–	–	–	–	–	–	–	–	–	1	1	6	–
Kensington Town *Ww* – – W.M.	118751	75	26	7	6	–	–	–	–	–	–	–	–	1	–	2	7	–
Brompton – – – W.M. & C.	47557	13	11	–	4	–	–	–	–	–	–	–	–	–	–	–	3	–
St. Peter Hammersmith – – W.M.	8583	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88653	38	14	5	2	–	–	–	–	–	–	–	–	1	1	1	4	–
Fulham *Ww* – – – W.M. & C.	91639	64	43	11	8	–	1	1	2	2	–	–	–	–	1	3	15	–
Chelsea Kensal Town – – – C.	21787	8	7	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Chelsea North *WHHHHH* – – C.	41637	19	15	3	6	–	–	–	–	1	–	–	–	2	–	–	10	–
Chelsea South *HH* – – – C.	32829	17	10	4	3	–	–	–	–	–	–	–	–	1	1	–	4	–
May Fair *WH* – – – – G.J.	23733	5	7	–	5	–	–	–	–	–	–	–	–	1	–	1	6	–
Belgrave *WHHH* – – – C.	54631	18	16	1	1	–	–	–	–	1	–	–	–	–	–	1	11	–
St. John Westminster *HH* – C.	34108	23	9	3	3	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Margaret Westminster *H* – C.	21668	7	7	1	3	–	–	–	–	–	–	–	–	–	2	2	2	–
St. James Westminster *WHHH* N.R. & G.J.	24995	10	4	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–
St. Anne Soho *HHHHHH* – – N.R.	12317	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* – – W.M.	37713	13	15	1	6	–	–	–	–	–	–	–	–	–	1	2	3	–
Rectory Marylebone *WH* G.J. & W.M.	20024	11	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	34	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Christchurch Marylebone *HH* – W.M.	33327	17	9	4	1	–	–	–	–	–	–	–	–	–	1	2	–	–
St. John Marylebone *HH* – – W.M.	32101	14	5	2	2	–	–	–	–	–	–	–	–	–	1	2	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	26	25	3	6	–	–	2	6	–	–	–	–	–	–	–	12	–
Regent's Park Paneras *HH* – W.M.	36590	18	5	2	–	–	–	–	–	1	–	–	–	–	–	–	2	–
Tottenham-court *wHHH* N.R. & W.M.	26321	16	11	3	2	–	–	–	1	–	–	–	–	–	–	–	7	–
Gray's Inn Lane *HHH* – – N.R.	27455	14	6	2	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Somers Town *HH* – – – N.R.	32899	15	7	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Camden Town *WH* – – – N.R.	15419	11	7	–	2	–	–	–	–	–	–	–	–	–	2	4	4	–
Kentish Town *WW* – – – N.R.	95765	43	24	7	4	–	–	–	–	–	–	–	–	–	1	1	8	–
Upper Holloway *WWWwHHH* – N.R.	90235	53	31	6	9	–	–	–	1	–	–	–	–	1	–	2	19	–
Islington South-west *H* – – N.R.	105557	47	23	1	4	–	1	–	–	1	–	–	–	–	1	2	–	–
Islington South-east – – – N.R.	64158	27	15	3	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Highbury *HH* – – – – N.R.	59193	24	17	1	7	–	–	–	–	–	–	–	–	–	–	–	2	–
Stoke Newington *H* – – – N.R.	30936	15	7	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Stamford Hill – – – – E.L.	17759	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* – – – N.R.	42802	24	12	1	5	–	–	–	–	–	–	–	–	–	–	2	1	–
Hackney *WwwH* – – E.L. & N.R.	96486	60	34	8	4	–	2	4	4	–	–	–	–	–	1	6	15	–
South Hackney *w* – – – E.L.	41759	25	8	2	4	–	–	–	–	1	–	–	–	–	1	1	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury – – N.R.	16695	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* – – – N.R.	13454	7	4	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
St. Giles North *H* – – – N.R.	9633	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	7	1	1	–	–	–	1	–	–	–	–	–	–	–	6	–
St. Mary-le-Strand *H* – – – N.R.	5706	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Clement Danes *WH* – – N.R.	7194	–	11	1	–	–	–	–	–	–	–	–	–	–	–	–	6	–
Strand Union Workhouse, Edmonton –	†1037	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	10	11	3	2	–	–	–	–	–	–	–	–	–	–	–	7	–
St. Andrew Eastern *WH* – – N.R.	15343	7	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell – – – N.R.	16803	6	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Amwell Clerkenwell – – – N.R.	16883	6	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Pentonville – – – – N.R.	17155	11	8	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Goswell-street – – – – N.R.	15375	11	4	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
City-road *HHHL* – – – N.R.	29177	24	14	4	3	–	2	–	–	–	–	–	–	–	2	3	1	–
Whitecross-street – – – N.R.	8278	5	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Finsbury – – – – – N.R.	4985	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Holborn Union Workhouse, Mitcham –	†892	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H* – – – N.R. & E.L.	8944	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate – – – – – N.R.	4539	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – – – – N.R.	4444	–	11	1	2	–	–	–	–	1	–	–	–	–	2	2	10	–
St. Bride *W* – – – – – N.R.	6594	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
All hallows Barking – – – N.R.	10422	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Broad Street *H* – – – – N.R.	3377	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone – –	1388	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establish receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di Sub-districts;—G. J. signifies Grand Junction Company: W. M. West Middlesex: C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L. East London; and K., the Kent Company.

See note † on first page of this Return.

* Not included in the total population or the Central Districts or of London.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, 8th June, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South HL* E.L. & N.R.	20098	9	6	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-
ton New Town w - - - N.R.	29813	16	19	3	9	-	-	-	-	-	-	-	-	-	-	1	10	-
ton Old Town - - - N.R.	28354	14	9	-	1	-	1	-	1	-	-	-	-	-	-	2	-	-
gerston WH - - N.R. & E.L.	46244	35	15	6	3	-	-	-	1	-	-	-	-	-	-	2	8	1
nal Green North H - - E.L.	51520	27	6	2	2	-	-	-	1	1	-	-	-	-	1	1	-	-
nal Green South - - - E.L.	33489	16	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
nal Green East WHL* - E.L.	44123	26	19	4	6	-	-	-	1	1	-	-	-	-	-	1	10	-
alfields - - - E. N.R.	22456	11	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
e End New Town W - - E.L.	17908	18	10	1	3	-	-	-	-	-	-	1	-	-	1	2	8	-
itechapel Church H E.L. & N.R.	20298	14	23	4	1	-	3	-	1	-	-	-	-	-	2	2	21	-
dman's Fields - - - E.L.	13800	5	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	41	15	3	2	-	5	-	1	-	-	-	-	-	-	-	-	-
John, St. George East W - E.L.	8057	6	6	-	4	-	-	1	-	-	-	-	-	-	-	-	5	-
dwell H - - - E.L. & N.R.	10246	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	4	-
cliff W - - - - - E.L.	14928	7	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
nehouse - - - - - E.L.	32202	25	10	1	1	-	-	-	-	-	-	-	-	-	2	5	-	-
e End Old Town West H - E.L.	38650	22	6	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
e End Old Town East WWww E.L.	68942	38	28	2	11	-	-	-	-	1	-	-	-	-	1	2	13	-
L* - - - - - E.L.	40365	22	12	1	4	-	-	-	-	-	-	-	-	-	1	3	-	-
mley wwwH - - - - E.L.	70000	39	28	4	6	-	2	-	1	-	-	-	-	-	3	8	11	-
plar. WW - - - - - E.L.	56888	41	21	4	5	-	4	-	1	-	-	-	-	-	1	4	2	-
SOUTH DISTRICTS.																		
ristchurch Southwark WH L. & S.	18264	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Saviour Southwark - - S.	18913	13	4	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-
nt-road - - - - S. & L.	21867	12	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
rough-road WH - - S. & L.	16624	12	5	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
ndon-road HL - - L. & S.	21221	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nity Newington - - S. & L.	26596	20	9	5	2	-	-	-	-	2	-	-	-	-	-	-	-	1
Peter Walworth W - S. & L.	61842	47	14	3	3	-	-	-	1	1	-	-	-	-	1	2	1	-
Mary Newington - - L. & S.	27866	20	7	1	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Olave WH - - - S.	12723	9	16	3	4	-	-	-	-	-	-	-	-	-	3	3	12	-
ather Market W - - S. & L.	30612	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
James Bermondsey - - S.	54070	29	17	5	2	-	-	-	-	-	-	-	-	1	1	3	-	1
therhithe WwH - - S. & K.	39255	21	8	-	5	-	1	-	-	-	-	-	-	-	-	-	3	1
aterloo-road 1st H - - L. & S.	14031	8	3	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
aterloo-road 2nd H - - L. & S.	14644	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mbeth Church 1st H - - L. & S.	18075	11	16	3	2	-	-	-	1	-	-	1	-	-	-	1	12	-
mbeth Church 2nd WW - L. & S.	39097	28	19	2	6	-	-	-	-	1	-	-	-	1	-	1	8	1
nnington 1st H - - S. & L.	50586	49	11	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-
nnington 2nd - - - S. & L.	39708	24	10	4	4	-	-	-	-	-	-	-	-	-	1	1	-	-
ixton w - - - - L. & S.	73405	49	19	4	1	-	-	-	2	-	-	1	-	-	-	1	2	1
rwood WH - - - - L.	25657	11	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
t Battersea - - - S.	67244	50	26	10	3	-	6	1	-	-	-	-	-	1	2	3	-	1
st Battersea WwH - - S.	83314	58	24	5	4	-	2	1	1	-	-	-	-	-	1	1	6	-
pham H - - - - S.	43698	20	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
andsworth WHHL - - - S.	46717	27	14	5	5	-	-	-	-	-	-	-	-	-	1	1	-	-
tney - - - - - - S.	17771	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eatham www - - - - L.	48756	27	8	2	-	-	-	3	1	-	-	-	-	-	1	1	4	-
lwich - - - - L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell WwL*L* - - S. & L.	81686	47	33	7	15	-	-	-	-	-	-	-	-	3	2	2	19	-
ham W - - - S., L., & K.	83493	31	11	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
.George Camberwell - - L. & S.	63366	38	17	5	5	-	-	-	-	1	-	-	-	1	1	1	-	1
ptford, North - - - - K.	35814	15	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ptford, Central w - - - K.	42007	24	14	2	2	-	-	1	1	-	-	3	-	-	1	1	5	-
ptford, South - - - - K.	30852	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich West H - - - K.	22007	14	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
eenwich East WH - - - K.	35233	15	17	1	6	-	-	-	-	-	-	-	-	-	2	3	9	-
tham wH - - - - - K.	5832	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
e H - - - - - - K.	23541	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
wisham WH - - - - K.	30950	26	8	2	4	-	-	-	-	-	-	-	-	-	-	2	2	-
denham H - - - - L.	34162	9	8	-	3	-	-	-	-	-	-	-	-	-	-	1	-	1
ailton HH - - - - K.	74040	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
oolwich Dockyard - - - K.	19606	10	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal HHHH - K.	21242	14	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
umstead, West H - - - K.	13869	10	7	1	1	-	-	-	-	-	-	2	-	1	1	1	-	-
umstead, East WH - - - K.	36567	13	7	2	4	-	-	-	-	-	-	-	-	-	1	1	4	-
nstead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
terham Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
ne Hill Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
ospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arenth Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
anwell Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
dney Hatch Asylum - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
aybury Asylum - - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 8th June, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	795	349	66	90	–	13	2	16	5	2	6	8	15	35
30 : 1	Carshalton *wHH* -	12228	26108	11	4	1	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	4	3	–	1	–	–	–	–	–	–	1	–	–	3
37 : 1	Godstone, *part of** *W* -	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH* -	20851	128699	66	27	5	8	–	–	–	–	–	–	–	–	1	4
2	Mitcham *w* - -	11697	23068	12	3	–	3	–	–	–	–	–	–	–	–	1	–
39 : 1	Wimbledon *HHH* -	3220	25761	12	8	1	2	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH* - -	8071	44765	23	7	2	4	–	–	–	–	–	–	–	2	2	–
3	Esher, *part of** *HH* -	6601	12059	9	3	–	2	–	–	–	–	–	–	–	–	–	–
4	Hampton *H* - -	4565	18252	8	6	–	3	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH* - -	2160	25339	11	3	1	2	–	–	–	–	–	–	–	–	–	1
2	Mortlake *H* - -	2823	16159	4	5	–	1	–	–	–	1	–	–	–	–	–	1
41 : 1	Bromley *HHH* - -	9127	23815	12	6	1	1	–	–	–	2	–	–	1	–	–	1
2	Beckenham *H* - -	6542	21969	11	2	1	1	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	10	4	1	–	–	–	–	–	–	–	–	–	–	2
42 : 1	Bexley *HH* - -	12540	30590	23	6	1	1	–	–	–	–	–	–	–	–	–	–
2	Dartford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w* - -	11054	13671	6	5	–	2	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - -	13277	13221	8	3	1	1	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH* -	6035	12237	4	1	–	1	–	–	–	–	–	–	–	–	–	–
2	Uxbridge - - -	6172	5417	6	4	1	1	–	–	–	–	–	–	–	1	1	–
3	Hayes *wH* - - -	14537	12618	3	3	2	1	–	–	–	–	–	–	1	–	–	–
126 : 1	Isleworth *WHH* -	6967	26278	13	13	4	5	–	–	–	–	–	–	1	–	1	4
2	Twickenham *HH* -	2415	16027	6	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH* -	4318	37777	17	9	1	1	–	–	–	–	1	–	–	1	–	–
4	Chiswick - - -	1245	21963	11	6	1	2	–	–	–	–	–	–	–	–	–	–
5	Aston *wH* - - -	6132	30945	18	7	1	–	–	–	–	–	1	–	–	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	10	7	1	2	–	–	–	–	–	–	–	–	–	1
2	Edgware *HH* - -	6994	3844	3	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* -	4383	61265	47	20	5	5	–	–	–	1	1	–	–	–	–	1
4	Hendon *WH* - -	8382	15843	9	2	–	–	–	–	–	–	–	–	–	1	1	–
128 : 1	South Mimms *H* -	15529	8474	7	3	1	1	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11773	3	2	–	2	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH* -	4688	25820	10	5	1	2	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	30	9	1	2	–	–	–	2	–	–	–	–	–	1
2	Tottenham *H* - -	4642	97174	52	18	3	3	–	2	–	–	–	–	–	1	3	2
3	Edmonton *Www* -	7489	36351	27	9	1	1	–	–	–	–	–	–	–	–	–	2
4	Enfield *WWHH* -	12639	31803	19	7	1	1	–	–	1	–	–	–	–	–	1	1
5	Waltham Abbey -	11017	6066	1	1	–	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8480	9620	9	3	1	1	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W* -	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	4	2	–	1	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*-	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H* - - -	1100	42983	18	13	3	3	–	–	–	–	–	–	1	–	–	1
2	Plaistow - - -	1242	58030	41	16	5	2	–	3	–	1	–	–	–	–	–	–
3	Canning Town *H* -	1558	54750	29	12	5	1	–	2	–	1	–	–	1	1	1	1
4	Forest Gate *w* - -	806	49140	12	12	3	3	–	–	–	–	1	–	–	–	1	–
5	East Ham *w* - -	3266	32713	49	8	2	3	–	–	–	1	–	–	–	–	–	–
6	Leyton *WWWwH* -	4334	70188	37	26	2	4	–	5	1	5	1	1	–	–	–	5
7	Walthamstow *HSL* -	6501	57330	39	17	2	4	–	–	–	–	–	1	–	1	2	1
187 : 1	Chigwell *part of** *H* -	11779	12941	4	5	3	1	–	1	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of* -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	5	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford - - -	8493	10913	9	6	1	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	13	3	–	–	–	–	–	1	–	–	–	–	–	–
	Cane Hill Asylum -	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2
	Homerton Fever Hospital	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Sidcup, and Knockholt (pop. 7097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079).; 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 1, Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 8th June, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
ATER LONDON	443,421	6,048,555	13·8	1·6	1596	320	402	-	49	19	49	27	11	25	63	431
NNER LONDON -	74,672	4,392,346	14·8	1·6	1247	254	312	-	36	17	33	22	9	19	55	396
UTER RING -	368,749	1,656,209	11·0	1·4	349	66	90	-	13	2	16	5	2	6	8	35

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	June	8	157	98	18·7	-	-	1	1	1	-	4
ASGOW - -	695,876	"	8	453	277	20·8	-	4	3	-	6	2	11
BLIN - -	349,594	"	8	159	148	22·1	3	-	-	-	2	2	4
LCUTTA - -	466,460	April	6	-	-	-	-	-	-	-	-	-	-
MBAY - -	821,764	May	14	205	571	36·1	9	29	?	?	?	173	36†
ADRAS - -	452,518	April	26	335	263	30·2	-	4	?	?	?	107	16
RIS - - -	2,424,705	June	1	1093	917	19·7	-	22	2	7*	13	7	52
RUSSELS - -	498,400	"	1	209	158	16·2	-	1	2	2*	1	-	5
MSTERDAM -	451,493	"	1	266	129	14·8	-	-	-	1	2	-	-
OTTERDAM -	272,042	"	1	207	102	19·5	-	-	-	-	3	2	-
HE HAGUE -	180,455	"	1	93	60	17·3	-	-	-	-	-	-	-
OPENHAGEN -	341,000	"	1	205	122	18·7	-	-	1	-	4	1	4
TOCKHOLM -	252,937	May	25	123	95	19·1	-	-	-	-	-	1	2
HRISTIANIA -	167,588	June	1	31	53	15·8	-	-	-	1	-	-	4
T. PETERSBURG	954,400	May	18	584	527	28·8	3	6	19	7	7	9	44
OSCOW - -	753,469	"	18	-	460	31·8	-	5	5	8	1	5	41
ERLIN - -	1,724,544	"	18	879	554	16·7	-	9	14	17	5	-	33
AMBURG - -	608,710	June	1	-	246	21·0	-	-	1	2*	2	-	10
RESDEN - -	323,600	May	11	-	-	-	-	-	-	-	-	-	-
RESLAU - -	367.769	June	1	-	188	26·7	-	2	2	2*	-	1	16
UNICH - -	396,000	"	1	-	156	20·5	-	1	-	1*	1	-	28
IENNA - -	1,495,764	"	1	813	681	23·7	-	23	8	12*	3	-	54
RAGUE - -	343,822	May	25	203	172	25·5	-	1	-	2	3	4	4
UDA-PESTH -	566,022	"	25	422	299	27·5	-	1	1	4	3	-	23
RIESTE - -	160,825	"	25	84	93	30·1	-	-	2	4*	3	-	3
OME - -	463,786	March	23	-	-	-	-	-	-	-	-	-	-
URIN (10 days)	344,203	April	20	-	-	-	-	-	-	-	-	-	-
ENICE -	158,159	May	4	-	-	-	-	-	-	-	-	-	-
AIRO - -	374,838	"	6	409	330	45·8	3	-	-	2*	1	6	98
LEXANDRIA -	231,396	"	6	192	138	31·1	-	-	-	1*	-	5	37
EW YORK -	1,992,715	"	25	-	-	-	-	-	-	-	-	-	-
ROOKLYN -	1,080,000	"	25	-	382	18·1	-	-	2	15	3	3	4
HILADELPHIA	1,163,864	"	25	-	894	17·7	2	5	2	20	5	9	3
EW ORLEANS -	275,000	"	4	-	191	36·2	2	2	-	4	-	9	23

* Including deaths from croup.
† Including 3 deaths from cholera.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 8TH JUNE, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	2	..	29·773	69·0	45·4	23·6	56·4	− 1·3	46·0	10·4	20·7	0·8	68	124·0	39·4	57·32	SW. & SSW.	SSW. & ENE.	0·7	0·0	0·0	157	− 87	0·00	4·3
MONDAY .	3	..	29·938	76·2	43·9	32·3	60·4	+ 2·4	50·1	10·3	27·2	0·6	60	131·8	37·7	57·50	Calm & N.	N. & NNE	1·7	0·0	0·0	121	−124	0·01	0·0
TUESDAY.	4	..	30·056	64·8	55·5	9·3	59·7	+ 1·5	54·6	5·1	7·7	1·4	83	105·0	54·3	57·30	N. & NNE.	NNE. & NE	0·5	0·0	0·0	133	−113	0·01	0·0
WEDNESDAY	5	..	30·130	71·1	52·5	18·6	59·5	+ 1·2	50·6	8·9	21·4	1·7	72	127·9	48·5	57·43	NNE. & NE.	NE. & NNE.	4·2	0·0	0·3	314	+ 67	0·00	0·0
THURSDAY	6	..	30·077	67·9	49·9	18·0	57·6	− 0·7	48·6	9·0	17·6	1·3	72	131·1	45·3	57·50	NNE.	NNE. & N.	5·7	0·0	0·8	414	+165	0·00	3·0
FRIDAY .	7	Full	30·032	79·1	48·8	30·3	65·3	+ 7·1	46·2	19·1	28·0	3·0	50	140·1	44·2	57·81	N. & NNE.	NE. & NNE.	4·6	0·0	0·6	411	+160	0·00	0·0
SATURDAY	8	Greatest Dec. S.	29·949	82·7	48·9	33·8	65·8	+ 7·6	51·0	14·8	26·3	2·1	59	145·2	43·4	58·07	N. & NNE.	NNE. & ESE.	3·5	0·0	0·1	222	− 30	0·00	0·0
MEANS . .		..	29·994	73·0	49·3	23·7	60·7	+ 2·5	49·6	11·1	21·3	1·6	68	129·4	44·7	57·56	NNE.		..	..	..	Sum 1772	Sum + 38	Sum 0·02	1·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	2	m. P. generally	5·6	16·3	Cloudy in afternoon, with shower of rain at 4h. PM. Otherwise very fine. Cloudless at night.
MONDAY .	3	v. P. till noon; v. N. in afternoon; w. P. in evening.	8·8	16·3	Fine generally; cloudless in morning. A few light showers in evening.
TUESDAY .	4	w. P. till 9h. A.M.; m. P. afterwards.	0·6	16·3	Overcast; light showers in morning.
WEDNESDAY.	5	w. P. in morning; v. P. afterwards.	5·4	16·4	Overcast till afternoon, with slight rain between 9h. and 10h. PM.; afterwards very fine. Generally cloudless at night.
THURSDAY .	6	v. P. till noon; v. P. and v. N. afterwards.	6·8	16·4	Fine, with variable amounts of light cloud.
FRIDAY .	7	m. P. in morning; v. P. and v. N. afterwards.	13·1	16·4	A very fine bright day; a few light clouds prevalent during the day; cloudless in evening.
SATURDAY .	8	v. P. in morning; w. P. afterwards.	12·7	16·4	Very fine; light cloud prevalent in small amounts. A warm day.
			Sum 53·0	Sum 114·5	
No. of Col. .		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·68 in. at the beginning of the week to 30·15 in. by 1h. A.M. on the 6th; and decreased to 29·91 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 24. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JUNE 15. [Price 1½*d*.

General Register Office, Somerset House,
June 17th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·4 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending May 25.	June 1.	June 8.	June 15.	TOWNS.	Weeks ending May 25.	June 1.	June 8.	June 15.
Birkenhead	15·5	14·6	14·1	18·0	Liverpool - -	27·3	27·6	20·9	23·8
Birmingham	15·5	17·4	14·6	13·3	London - -	16·3	15·5	14·8	14·4
Blackburn -	17·2	16·8	20·0	19·2	Manchester -	26·0	23·8	19·8	21·3
Bolton -	23·2	21·4	21·4	23·6	Newcastle-on-Tyne	21·4	17·9	15·9	16·9
Bradford -	17·3	13·4	11·7	15·4	Norwich - -	20·0	14·6	13·6	14·1
Brighton -	17·0	20·1	13·1	14·4	Nottingham -	17·9	16·8	12·7	13·1
Bristol -	13·7	17·4	13·7	14·4	Oldham - -	17·7	20·0	19·2	15·9
Burnley -	25·1	23·0	25·7	10·5	Plymouth - -	15·2	21·1	18·7	20·5
Cardiff -	15·1	11·4	13·7	11·7	Portsmouth -	10·1	15·8	10·4	10·7
Croydon -	9·5	13·6	11·3	10·9	Preston - -	16·7	21·8	18·1	14·8
Derby -	16·6	9·9	11·4	17·2	Salford - -	21·8	18·3	20·3	20·5
Gateshead -	12·0	19·6	17·4	15·8	Sheffield - -	14·6	19·2	14·8	15·8
Halifax -	17·2	14·5	15·6	14·5	Sunderland -	16·7	18·6	14·8	11·4
Huddersfield	13·1	14·2	14·2	13·6	Swansea - -	15·1	17·2	12·9	11·8
Hull - -	14·9	12·3	16·4	15·4	West Ham - -	18·6	14·6	12·1	14·4
Leeds -	17·5	17·5	13·6	14·6	Wolverhampton -	17·0	28·0	22·5	15·8
Leicester -	11·8	13·7	13·2	12·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Cardiff, 1·1 in Liverpool, 1·3 in Bolton, 1·5 in Manchester, 2·3 in Plymouth, and 2·9 in West Ham; from *whooping-cough*, 1·0 in Birkenhead and in Huddersfield; from "*fever*", 1·0 in Norwich; and from *diarrhœa*, 1·0 in Birkenhead and in Salford, and 1·2 in Plymouth and in Blackburn. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 73 deaths from *diphtheria* included 45 in London, 6 in Liverpool, 4 in Birmingham, 3 in West Ham, 3 in Manchester, and 3 in Hull. Three deaths from *small-pox* were registered in Derby, one in London, and one in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2678 BIRTHS and 1213† DEATHS were registered. Allowing for increase of population, the births were 77 above, and the deaths 247 below, the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 86721.—11. 650.—6/95. Wt. 259. A A

death-rate per 1000 from all causes, which had been 16·3, 15·5, and 14·8 in the preceding three weeks, further fel last week to 14·4. During the four weeks ending on Saturday last the death-rate averaged 15·3 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1213 deaths included one from small-pox, 71 from measles, 12 from scarlet fever, 45 from diphtheria, 20 from whooping-cough, 5 from enteric fever, 21 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or cholera; thus, 175 deaths were referred to these diseases, being 37 below the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 3; this fatal case belonged to Hammersmith sanitary area. The deaths from *measles*, which had been 32, 50, and 36 in the preceding three weeks, rose again last week to 71, and were within one of the corrected average; 14 belonged to Poplar, 8 to St. Luke, 7 to St. George-in-the-East, and 5 to Whitechapel sanitary areas. The deaths from *scarlet fever*, which had been 10, 17, and 17 in the preceding three weeks, declined to 12 last week, and were 6 below the corrected average; 2 belonged to Hackney, 2 to Bethnal Green, 2 to Mile End Old Town, and 2 to St. George Southwark sanitary areas. The deaths from *diphtheria*, which had been 37, 41, and 33 in the preceding three weeks, rose again to 45 last week, and were 15 above the corrected average; 5 belonged to Fulham, 5 to Lambeth, 4 to Poplar, 4 to Camberwell, and 3 to Rotherhithe sanitary areas. The deaths from *whooping-cough*, which had been 39, 30, and 22 in the preceding three weeks, further fell to 20 last week, and were less than half the corrected average. The deaths from *enteric fever*, which had been 9, 5, and 8 in the preceding three weeks, declined again to 5 last week, the corrected average being 10. The deaths from *diarrhœa*, which had been 14, 16, and 19 in the preceding three weeks, further rose to 21 last week, but were 10 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 245, 193, and 163 in the preceding three weeks, further declined last week to 152, and were 88 below the corrected average.

The deaths attributed directly to *influenza* numbered 5, having been 10, 15, and 5 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning all but 3 of which inquests were held. Of these 55 deaths, 11 were cases of suicide, and one was a case of homicide, while the remaining 43 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 13 to drowning, 4 to poison, and 5 (including 4 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 19 cases of small-pox, 1637 of scarlet fever, 562 of diphtheria, and 147 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 2 cases, against 7, 1, and 5; of scarlet fever, 199 cases, against 214, 187, and 179; of diphtheria, 107 cases, against 79, 88, and 86; and of enteric fever, 12 cases, against 50, 20, and 13.

Greater London.

In Greater London 3742 births and 1580 deaths were registered, corresponding to annual rates of 32·3 and 13·6 per 1000 of the estimated population. In the Outer Ring 21 deaths from measles, 17 from diphtheria, and 7 from diarrhœa were registered. Seventeen deaths from measles and 9 from diphtheria occurred in West Ham district; 4 deaths from measles and 4 from diphtheria occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 58°·7, the latter being 0°·1 above the week's average in the 50 years 1841–90. The direction of the wind was Northerly, the horizontal movement of the air being 19 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 33·7 hours; the measured rainfall amounted to 0·02 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 15th June 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 15th June, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6861	3130	770	679	5	133	28	73	60	23	77	118	224	646	54	15·4	2·0	84·3	34·0	54·3	12·39	0·13	0·33	33 Towns.
London	4,392,346	2678	1213	263	269	1	71	12	45	20	5	21	55	106	349	4	14·4	2·1	84·3	42·2	58·7	14·83	0·02	0·05	London.
West Ham	249,473	200	69	20	12	–	14	–	3	1	–	1	2	3	10	3	14·4	4·0	–	–	–	–	–	–	West Ham.
Croydon	114,923	52	24	6	6	–	–	–	–	–	–	1	–	–	8	–	10·9	0·5	81·5	39·0	56·1	13·39	0·02	0·05	Croydon.
Brighton	119,604	62	33	13	9	–	1	–	–	1	–	2	–	1	4	–	14·4	1·7	72·0	44·0	56·2	13·44	0·22	0·56	Brighton.
Portsmouth	174,751	93	36	11	8	–	–	–	–	1	–	–	1	1	4	–	10·7	0·3	76·0	43·5	56·5	13·61	0·31	0·79	Portsmouth.
Plymouth	89,096	44	35	10	9	–	4	–	–	–	1	2	1	2	–	–	20·5	4·1	–	–	–	–	–	–	Plymouth.
Bristol	228,139	165	63	20	21	–	–	–	–	1	–	3	2	2	8	3	14·4	0·9	75·0	39·0	54·2	12·33	0·01	0·03	Bristol.
Cardiff	155,637	102	35	10	5	–	3	–	2	2	1	1	2	4	3	–	11·7	3·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	42	22	1	9	–	–	1	–	1	–	–	–	–	–	–	11·8	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	62	26	10	6	–	–	–	–	1	–	–	2	4	3	–	15·8	0·6	72·8	37·7	52·2	11·22	0·13	0·33	Wolverhampton.
Birmingham	496,751	332	127	38	24	–	–	2	4	2	1	5	4	3	17	9	13·3	1·5	–	–	–	–	–	–	Birmingham.
Norwich	107,127	67	29	7	8	–	–	–	–	1	2	–	1	3	3	1	14·1	1·5	72·4	37·7	51·7	10·94	0·17	0·43	Norwich.
Leicester	193,839	115	45	13	11	–	1	2	1	1	–	–	1	3	3	3	12·1	1·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	130	57	9	24	–	–	–	–	–	1	2	1	1	16	1	13·1	0·7	77·0	39·3	54·4	12·44	0·24	0·61	Nottingham.
Derby	100,272	61	33	7	7	3	–	–	–	1	–	1	2	4	4	–	17·2	2·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	75	37	17	7	–	–	–	–	2	–	2	2	4	2	1	18·0	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	417	230	63	31	–	11	2	6	7	4	5	7	11	52	11	23·8	3·6	62·4	43·1	51·9	11·06	0·11	0·28	Liverpool.
Bolton	119,337	81	54	14	13	–	3	–	2	1	–	–	–	3	10	–	23·6	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	444	214	46	39	–	15	3	3	5	1	9	6	19	43	3	21·3	3·6	–	–	–	–	–	–	Manchester.
Salford	208,253	177	82	22	15	–	1	2	–	2	2	4	3	3	20	4	20·5	2·8	–	–	–	–	–	–	Salford.
Oldham	141,079	78	43	8	12	1	–	–	1	–	–	–	1	2	7	–	15·9	0·7	–	–	–	–	–	–	Oldham.
Burnley	99,591	75	20	2	6	–	–	1	2	–	–	1	1	1	1	–	10·5	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	78	47	9	8	–	–	–	–	2	–	3	3	6	13	–	19·2	2·0	–	–	–	–	–	–	Blackburn.
Preston	112,638	92	32	12	7	–	–	1	–	2	–	2	1	2	4	2	14·8	2·3	–	–	–	–	–	–	Preston.
Huddersfield	99,482	33	26	6	5	–	–	1	–	2	–	1	1	1	4	–	13·6	2·1	67·0	34·0	52·6	11·44	0·01	0·03	Huddersfield.
Halifax	93,813	48	26	8	6	–	–	1	–	–	–	1	1	2	4	1	14·5	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	138	67	18	17	–	–	–	–	–	1	–	3	6	4	–	15·4	0·2	69·7	42·0	54·7	12·61	0·03	0·08	Bradford.
Leeds	395,546	270	111	31	21	–	–	–	–	2	1	3	7	11	15	–	14·6	0·8	–	–	–	–	–	–	Leeds
Sheffield	342,768	230	104	30	19	–	5	–	1	1	2	2	2	4	14	3	15·8	1·7	–	–	–	–	–	–	Sheffield.
Hull	216,722	130	64	17	19	–	1	–	3	–	–	3	–	1	4	4	15·4	1·7	74·0	34·0	52·2	11·22	0·23	0·58	Hull.
Sunderland	137,705	88	30	8	7	–	–	–	–	–	–	–	1	3	6	–	11·4	–	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	71	29	9	6	–	–	–	–	1	–	–	2	2	2	–	15·8	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	131	67	12	13	–	3	–	–	–	1	2	3	6	9	1	16·9	1·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return. † Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FOURTH Week of each of th Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2375	2287	2513	2399	2396	2477	2485	2803	2474	2486	2601·1	2678
Males	1212	1155	1226	1260	1201	1298	1296	1475	1272	1182	1327·4	1397
Females	1163	1132	1287	1139	1195	1179	1189	1328	1202	1254	1273·7	1281
TOTAL **Deaths**	1284	1182	1390	1167	1247	1375	1865	1402	1581	1336	1459·5	1213
Males	666	623	709	628	635	721	945	769	829	690	761·5	637
Females	618	559	681	539	612	654	920	633	752	646	698·0	576

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.
TOTAL **Births**	2650	2466	2731	2380	2677	2691	2837	2549	2496	2640	2569	2333	2678
TOTAL **Deaths**	2190	1781	1597	1622	1585	1508	1395	1398	1389	1371	1308	1247	1213
Ages at Death: Under 1 year	448	390	357	409	410	423	321	318	325	327	279	254	263
1—5 years	332	282	290	265	261	214	221	198	219	192	195	190	198
5—20 "	79	88	79	75	85	60	82	84	84	87	87	84	73
20—40 "	226	222	176	198	190	162	186	190	172	196	175	158	170
40—60 "	427	326	288	265	264	289	256	256	258	253	254	249	240
60—80 "	538	410	335	339	312	293	275	291	280	269	271	266	232
80 years & upwards	145	63	72	71	63	67	54	61	51	47	47	46	37
Deaths from—													
Small-pox	-	-	-	-	-	-	1	-	-	-	-	-	1
Measles	19	23	18	25	39	26	39	34	39	32	50	36	71
Scarlet fever	15	13	11	15	9	9	13	11	13	10	17	17	12
Diphtheria	24	31	23	27	30	27	29	38	41	37	41	33	45
Whooping-cough	43	49	44	49	51	44	36	35	31	39	30	22	20
Typhus	-	-	-	-	-	-	-	-	-	-	-	1	-
Enteric fever	4	4	6	3	5	5	5	8	8	9	5	8	5
Simple Continued fever	-	1	-	-	-	-	-	1	-	-	-	-	-
Diarrhœa and Dysentery	14	14	15	18	7	13	18	19	18	14	16	19	21
Cholera	-	1	-	-	-	-	-	-	-	-	-	1	-
All the above Diseases	119	136	117	137	141	124	141	146	150	141	159	137	175
Dis. of Respiratory System	740	497	427	398	389	341	290	247	240	245	193	163	152
Phthisis	181	173	186	164	161	162	144	160	128	172	148	162	143
Dis. of Circulatory System	154	138	127	122	125	120	106	107	127	123	114	123	99
Violence	59	74	55	51	64	71	63	63	77	59	64	55	55
Inquest Cases	135	145	114	136	135	135	131	127	138	122	123	121	106
Deaths in Public Institutions	536	464	432	424	459	393	380	393	425	450	397	395	349
TEMPERATURE OF THE AIR													
Mean	48·3°	44·6°	41·5°	47·7°	49·1°	50·9°	51·2°	57·3°	55·9°	52·3°	61·0°	60·7°	58·7°
Mean of Highest readings	58·2°	52·3°	48·3°	53·1°	60·4°	59·2°	62·5°	69·8°	65·4°	62·5°	74·6°	73·0°	70·6°
Mean of Lowest readings	39·7°	39·5°	36·0°	39·7°	40·7°	45·8°	40·4°	44·4°	47·7°	44·6°	48·5°	49·3°	48·0°
Humidity of the Air	80	81	84	75	77	88	73	61	68	81	69	68	61
Rain-fall (in inches)	0·18	0·71	0·12	0·05	0·13	1·15	0·04	0·00	0·19	0·19	0·08	0·02	0·02
Registered Sunshine (in hours)	21·4	17·5	9·8	29·6	36·0	10·7	42·0	74·7	20·2	22·3	49·9	53·0	33·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox	58	55	53	47	35	37	34	33	27	29	22	23	19
Scarlet fever	1587	1555	1519	1463	1514	1469	1413	1433	1446	1503	1524	1589	1637
Diphtheria	455	435	440	435	441	432	457	464	484	492	508	529	562
Enteric fever	72	73	66	67	67	61	64	66	91	126	139	141	147

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FOURTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 24th Week of the 10 years 1885–94.*	In the Week ending Saturday, 15th June 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1459·5	1213	263	198	73	170	240	232	37
Small-pox: Vaccinated†	0·5	1	-	-	-	1	-	-	-
Small-pox: Unvaccinated	1·4	-	-	-	-	-	-	-	-
Small-pox: No Statement	1·2	-	-	-	-	-	-	-	-
Measles	72·2	71	17	51	3	-	-	-	-
Scarlet Fever	17·5	12	-	10	2	-	-	-	-
Typhus	0·2	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	21·3	5	-	-	-	3	-	2	-
Whooping-cough	45·4	20	11	9	-	-	-	-	-
Diphtheria	29·9	45	2	31	12	-	-	-	-
Simple Continued and Ill-defined Fever	1·4	-	-	-	-	-	-	-	-
Enteric Fever	9·6	5	-	1	1	2	1	-	-
Cholera and Chol. Diarr.	1·4	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	31·2	21	19	1	-	-	1	-	-
Intermittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	0·1	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·2	-	-	-	-	-	-	-	-
Cancerous Affections	9·0	5	2	-	-	2	-	1	-
Erysipelas	4·6	5	2	1	-	1	-	1	-
Pyæmia and Septicæmia	1·4	2	-	-	1	1	-	-	-
Puerperal Fever	2·8	5	-	-	-	3	2	-	-
Other Zymotic Diseases	2·1	1	1	-	-	-	-	-	-
Thrush	1·4	1	1	-	-	-	-	-	-
Syphilis and other Parasitical Diseases	0·3	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	1·3	-	-	-	-	-	-	-	-
Alcoholism	8·8	17	-	-	-	6	9	2	-
Rheumatic Fever, Rheumatism of Heart	8·5	7	-	-	2	2	3	-	-
Rheumatism	2·3	-	-	-	-	-	-	-	-
Gout	3·7	2	-	-	-	-	-	1	1
Rickets	5·5	9	2	7	-	-	-	-	-
Cancer	62·2	56	-	-	-	8	22	24	2
Tabes Mesenterica	21·1	21	13	4	2	2	-	-	-
Tubercular Meningitis	26·2	18	5	10	3	-	-	-	-
Phthisis	154·5	143	1	2	8	67	49	16	-
Scrofula, Tuberculosis	18·5	20	8	4	2	4	2	-	-
Other Constitutional Diseases	9·4	16	1	2	1	2	4	6	-
Premature Birth	39·6	39	39	-	-	-	-	-	-
Atelectasis	3·8	6	6	-	-	-	-	-	-
Congenital Malformations	6·2	9	7	2	-	-	-	-	-
Old Age	46·0	34	-	-	-	-	-	16	18
Apoplexy	33·9	32	-	-	1	5	10	14	2
Epilepsy	8·4	3	-	-	1	1	1	-	-
Convulsions	40·2	23	21	1	-	-	1	-	-
Other Diseases of Brain and Nervous System	85·5	71	10	12	4	5	19	18	3

CAUSES OF DEATH.	Corrected Averages for the 24th Week of the 10 years 1885–94.*	In the Week ending Saturday, 15th June 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense	2·2	3	-	2	1	-	-	-	-
Diseases of Circulatory System	103·9	99	3	1	6	8	39	39	3
Croup	6·8	1	-	-	1	-	-	-	-
Bronchitis	118·0	64	18	9	-	-	12	22	3
Pneumonia	83·0	65	13	22	3	5	9	10	-
Pleurisy	5·0	4	-	1	-	2	1	-	-
Other Diseases of Respiratory System	22·3	18	-	1	1	2	3	10	1
Dentition	11·1	6	4	2	-	-	-	-	-
Quinsy, Sore Throat	1·9	5	-	2	2	-	-	1	-
Enteritis	11·3	12	4	3	1	2	-	2	-
Peritonitis	5·7	10	-	-	-	2	5	3	-
Diseases of Liver	26·4	26	5	-	1	2	10	7	1
Other Diseases of Digestive System	26·2	27	6	-	-	6	7	7	1
Diseases of Lymphatic System & of Ductless Glands	1·2	1	-	-	-	-	1	-	-
Diseases of Urinary System	39·9	39	-	-	-	3	15	19	2
Diseases of Generative System	6·7	5	-	-	-	2	2	1	-
Accidents of Childbirth	4·9	7	-	-	-	6	1	-	-
Diseases of Locomotive System	7·9	6	-	1	4	-	-	1	-
Diseases of Integumentary System	5·5	4	1	-	-	1	-	2	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways	49·5	2	-	-	1	1	-	-	
By Vehicles or Horses		4	-	-	1	1	2	-	-
In Ships, Boats, Docks (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		1	-	-	-	1	-	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		2	-	-	2	-	-	-	-
By Drowning		13	1	-	6	3	2	1	
By Suffocation in Bed		5	4	1	-	-	-	-	-
By Poisons or Poisonous Vapours		4	-	1	-	-	1	2	-
Other or not stated Causes		12	5	2	-	3	1	1	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·2	1	-	-	-	1	-	-	-
Suicide	9·0	11	-	-	-	4	5	2	-
Execution	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES	52·1	31	28	2	-	-	-	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2678	1213	263	269	1	71	12	45	20	-	5	-	21	55	106	349
WEST DISTRICTS	740,735	425	200	39	49	-	-	-	8	2	-	1	-	4	4	16	70
NORTH DISTRICTS	993,884	560	220	53	65	-	6	6	10	5	-	1	-	4	12	18	59
CENTRAL DISTRICTS	247,538	163	100	21	23	-	9	-	2	3	-	-	-	1	7	9	34
EAST DISTRICTS	705,114	540	252	65	39	-	41	1	7	7	-	1	-	6	11	32	64
SOUTH DISTRICTS	1,524,472	931	402	84	83	-	15	4	18	3	-	2	-	6	21	31	91
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	20	1	4	1	-	1	-	-	-	-	-	-	-	-	30
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84150	60	17	3	4	-	-	-	-	-	-	-	-	-	1	1	4
St. John Paddington *H* - - G.J.	33037	14	13	2	1	-	-	-	-	-	-	-	-	-	-	1	7
Kensington Town *Ww* - - W.M.	118751	65	23	8	11	-	-	-	-	-	-	-	-	1	-	1	14
Brompton - - - W.M. & C.	47557	9	4	1	1	-	-	-	-	-	-	-	-	1	-	-	1
St. Peter Hammersmith - - W.M.	8733	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J.	88653	51	11	4	1	-	-	-	-	-	-	-	-	1	1	2	3
Fulham *Ww* - - - W.M. & C.	91639	83	41	8	6	-	-	-	8	-	-	1	-	-	2	5	14
Chelsea Kensal Town - - - C.	21787	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	33	22	5	5	-	-	-	-	-	-	-	-	1	-	1	8
Chelsea South *HH* - - - C.	83829	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
May Fair *WH* - - - - G.J.	23733	6	13	1	4	-	-	-	-	1	-	-	-	-	-	1	7
Belgrave *WHHH* - - - - C.	54331	24	19	1	7	-	-	-	-	1	-	-	-	-	-	2	5
St. John Westminster *HH* - C.	34103	18	13	3	2	-	-	-	-	-	-	-	-	-	-	2	1
St. Margaret Westminster *H* - C.	21668	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. James Westminster *WHHH* N.R. & G.J.	24995	12	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHHH* - - N.R.	12317	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	13	9	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Rectory Marylebone *WH* G.J. & W.M.	20024	13	4	1	2	-	-	-	-	1	-	-	-	-	-	1	1
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	34	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *HH* - W.M.	33327	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HH* - - W.M.	32101	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	24	13	3	6	-	-	1	3	-	-	1	-	-	-	-	7
Regent's Park Pancras *HH* - W.M.	36590	19	7	2	3	-	-	-	-	-	-	-	-	1	1	1	2
Tottenham-court *wHHH* N.R. & W.M.	26321	11	8	2	2	-	-	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane *HHH* - - N.R.	27455	15	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Somers Town *HH* - - - N.R.	32829	19	11	4	1	-	-	-	-	-	-	-	-	1	2	3	1
Camden Town *WH* - - - N.R.	15419	10	10	3	5	-	-	-	-	-	-	-	-	-	2	2	5
Kentish Town *WW* - - - N.R.	25765	41	20	5	6	-	-	-	1	-	-	-	-	-	1	1	1
Upper Holloway *WWWwHHH* - N.R.	90235	45	23	4	8	-	-	-	-	-	-	-	-	1	1	2	8
Islington South-west *H* - - N.R.	105557	71	21	8	6	-	2	-	-	2	-	-	-	-	-	-	-
Islington South-east - - - N.R.	64158	45	9	6	3	-	-	-	-	-	-	-	-	-	-	2	-
Highbury *HH* - - - - N.R.	59193	28	12	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - - N.R.	30936	17	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	21	8	2	1	-	-	-	-	-	-	-	-	-	2	2	2
Hackney *WwwH* - - E.L. & N.R.	96486	68	31	4	5	-	1	5	5	2	-	-	-	-	2	3	15
South Hackney *w* - - - E.L.	41759	27	13	4	5	-	3	-	1	-	-	-	-	1	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16395	7	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Giles South *WH* - - N.R.	13454	8	7	-	4	-	-	-	-	-	-	-	-	-	-	-	4
St. Giles North *H* - - N.R.	9633	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	8	-	1	-	-	-	1	-	-	-	-	-	1	1	4
St. Mary-le-Strand *H* - - N.R.	5706	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Strand Union Workhouse, Edmonton	†1037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Andrew Eastern *WH* - - N.R.	15343	12	3	-	1	-	1	-	-	-	-	-	-	-	-	1	-
St. James Clerkenwell - - - N.R.	16803	12	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Amwell Clerkenwell - - - N.R.	16883	12	8	3	2	-	-	-	-	2	-	-	-	-	1	-	-
Pentonville - - - - N.R.	17155	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	15	7	3	-	-	-	-	-	-	-	-	-	-	1	1	-
City-road *HHHL* - - - N.R.	21177	37	16	5	2	-	6	-	1	-	-	-	-	-	1	1	-
Whitecross-street - - - N.R.	8278	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - N.R.	4985	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph *H* - - - N.R. & E.L.	8914	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - - N.R.	4444	1	17	1	6	-	-	-	-	-	-	-	-	-	2	3	17
St. Bride *W* - - - - N.R.	6594	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	3	5	1	1	-	1	-	-	-	-	-	-	-	1	2	-
Broad Street *H* - - - N.R.	3377	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishr receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diffe Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R., River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

* Not included in the total population of the Central Districts or of London.

, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district
ay, 15th June, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
ditch South *HL** E.L. & N.R.	20098	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
on New Town *w* - - - N.R.	29313	14	17	4	6	-	2	-	-	1	-	-	-	1	-	1	5	-
on Old Town - - - N.R.	28354	21	11	5	1	-	3	-	-	-	-	-	-	1	-	1	-	-
erston *WH* - - N.R. & E.L.	46244	34	9	1	4	-	-	-	-	-	-	-	-	-	-	1	4	-
nal Green North *H* - - E.L.	51520	38	7	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
nal Green South - - - E.L.	33489	28	14	4	2	-	2	-	-	1	-	-	-	-	3	5	-	-
nal Green East *WHL** - E.L.	44123	29	19	3	4	-	-	-	1	-	-	1	-	-	2	2	8	-
lfields - - - E. . N.R.	22456	20	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
End New Town *W* - - E.L.	17908	20	11	3	1	-	1	-	-	-	-	-	-	-	-	-	8	-
zchapel Church *H'* E.L. & N.R.	20298	16	25	3	1	-	5	-	1	2	-	-	-	-	1	5	17	-
man's Fields - - - E.L.	13800	10	6	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-
eorge's, North - - - E.L.	37738	41	14	4	-	-	6	-	1	-	-	-	-	-	2	3	-	-
ohn, St. George East *W* - E.L.	8057	7	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
well *H* - - - E.L. & N.R.	10246	4	6	2	-	-	-	-	1	-	-	-	-	2	-	-	6	-
lff *W* - - - - - E.L.	14928	9	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-
house - - - - - E.L.	32202	18	12	2	2	-	1	-	1	1	-	-	-	-	-	2	-	-
End Old Town West *H* - E.L.	38650	38	10	2	1	-	1	1	1	-	-	-	-	-	-	1	-	-
End Old Town East *W Www* E.L.	68942	71	20	7	4	-	2	-	1	-	-	-	-	1	1	3	3	-
*L** - - - - - E.L.	40365	19	8	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-
nley *wwwH* - - - E.L.	70000	53	31	10	6	-	9	-	-	-	-	-	-	-	-	2	8	-
ar. *WW* - - - - E.L.	56383	43	18	5	1	-	4	-	-	1	-	-	-	-	1	4	1	-
South Districts.																		
istchurch Southwark *WH* L. & S.	13264	7	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
aviour Southwark - - - S.	12913	8	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
t-road - - - - S. & L.	21867	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ough-road *WH* - - S. & L.	16624	13	5	2	-	-	1	-	-	-	-	-	-	-	-	-	3	-
ion-road *HL* - - L. & S.	21221	5	8	4	1	-	1	-	-	-	-	-	-	-	-	2	-	-
ity Newington - - S. & L.	26596	21	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eter Walworth *W* - S. & L.	61342	46	10	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Mary Newington - - L. & S.	27866	16	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Olave *WH* - - - S.	12723	10	13	-	1	-	-	-	-	-	-	-	-	-	2	2	11	-
her Market *W* - - S. & L.	30612	26	11	6	-	-	1	-	-	-	-	-	-	-	1	1	-	2
James Bermondsey - - S.	54070	38	14	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
erhithe *WwH* - - S. & K.	39255	26	10	2	4	-	-	-	1	-	-	-	-	-	-	-	3	-
erloo-road 1st *H* - - L. & S.	14031	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
erloo-road 2nd *H* - - L. & S.	14644	24	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
beth Church 1st *H* - - L. & S.	18075	12	18	2	2	-	1	-	1	-	-	-	-	-	2	2	15	-
beth Church 2nd *WW* - L. & S.	39097	28	19	1	3	-	2	-	2	1	-	-	-	-	-	-	7	-
nington 1st *H* - - S. & L.	50586	41	10	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
nington 2nd - - - S. & L.	39708	26	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ton *w* - - - - L. & S.	73405	42	25	6	4	-	1	3	2	1	-	-	-	3	1	1	5	1
wood *WH* - - - - L.	25657	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - S.	67244	35	15	2	4	-	3	-	1	-	-	-	-	-	2	2	-	-
t Battersea *WwH* - - S.	83314	61	24	2	10	-	1	-	-	-	-	-	-	-	1	2	7	-
ham *H* - - - - S.	43698	17	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
dsworth *WHHL* - - S.	46717	64	10	4	3	-	-	-	1	-	-	-	-	-	-	2	1	-
ey - - - - - S.	17771	16	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
tham *www* - - - L.	48756	29	14	1	5	-	-	-	5	-	-	-	-	-	-	-	5	-
vich - - - - L. & S.	6809	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell *WwL*L** - S. & L.	81086	42	30	2	12	-	-	-	-	-	-	-	-	-	3	3	20	-
ham *W* - - - S., L., & K.	83483	49	10	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-
George Camberwell - - L. & S.	63366	49	14	6	4	-	1	-	-	-	-	-	-	-	2	1	-	-
ford, North - - - - K.	35314	26	10	5	1	-	-	-	-	1	-	-	-	-	1	1	-	-
ford, Central *w* - - - K.	42007	36	18	4	-	-	-	1	3	-	-	1	-	-	-	-	5	-
ford, South - - - - - K.	20852	15	8	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
nwich West *H* - - - K.	22007	6	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
nwich East *WH* - - - K.	35233	19	9	2	2	-	-	-	-	-	-	-	-	-	-	1	4	-
am *wH* - - - - - K.	5682	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	13	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
isham *WH* - - - - K.	30950	21	4	1	1	-	1	-	-	-	-	-	-	1	-	-	1	-
nham *H* - - - - - L.	34162	15	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
lton *HH* - - - - K.	14040	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Dockyard - - - K.	19606	13	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
lwich Arsenal *HHHH* - K.	21242	10	8	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
nstead, West *H* - - - K.	15869	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
nstead, East *WH* - - K.	36567	30	6	-	2	-	-	-	-	-	-	-	-	-	2	2	4	-
stead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
rham Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
e Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pital Ships and Camp, Dartford -	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-
enth Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
well Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
cy Hatch Asylum - - - -	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
chmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
esden Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
bury Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 15th June, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	1064	367	92	95	–	21	–	17	3	2	7	13	20	46
30 : 1	Carshalton *wHH* -	12228	26108	9	5	4	–	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WoH*	10423	12508	4	3	1	1	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of* W-*	2754	1598	3	1	–	–	–	–	–	–	–	–	–	–	–	1
38 : 1	Croydon *WoHHH* -	20351	128699	64	29	6	7	–	–	–	–	–	–	1	–	–	9
2	Mitcham *w* -	11697	23088	24	3	–	1	–	–	–	–	–	–	–	1	1	–
39 : 1	Wimbledon *HHH* -	3220	25761	20	6	–	2	–	–	–	–	–	1	–	–	–	1
2	Kingston *WH* - -	8071	44765	35	15	3	4	–	–	–	–	–	–	–	–	–	4
3	Esher, *part of* HH*	6601	12659	3	5	–	2	–	–	–	–	–	–	–	–	–	–
4	Hampton *H* -	4535	18252	13	5	1	1	–	–	–	–	–	–	–	1	1	–
40 : 1	Richmond *WH* -	2160	25389	12	7	2	5	–	–	–	–	–	–	–	–	–	1
2	Mortlake *H* -	2823	16159	11	2	–	–	–	–	–	1	–	–	–	–	–	–
41 : 1	Bromley *HHH* - -	9127	23815	15	3	1	1	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H* - -	6542	21969	19	1	1	–	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of* WHH*	14307	20372	15	4	–	3	–	–	–	–	–	–	–	–	–	1
42 : 1	Bexley *HH* -	12540	30590	24	8	3	3	–	–	–	–	–	–	1	1	1	–
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w* - -	11054	13671	9	5	2	1	–	–	–	–	1	–	–	–	–	–
2	Staines *WH* - -	13277	13221	9	4	–	2	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH* -	6035	12237	6	3	1	1	–	–	–	–	–	–	–	1	1	1
2	Uxbridge - - -	6172	5417	1	2	–	2	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - -	14537	11618	6	3	–	3	–	–	–	–	–	–	–	–	1	–
126 : 1	Isleworth *WHH* -	6967	26273	17	10	1	2	–	–	–	1	–	–	–	–	–	2
2	Twickenham *HH* -	2415	16027	9	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH* -	4318	37777	18	14	2	4	–	–	–	1	1	–	–	–	2	1
4	Chiswick - - -	1245	21963	15	11	3	5	–	–	–	–	–	–	1	–	–	–
5	Acton *wH* - - -	6132	30945	42	7	2	1	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	8		–	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - -	6994	3844	3	2	1	1	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* - -	4383	61265	42	15	7	3	–	–	–	–	–	–	–	–	–	1
4	Hendon *WH* - -	8382	15843	12	5	1	2	–	–	–	–	–	–	–	–	–	3
128 : 1	South Mimms *H* -	15599	8474	7	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11773	5	3	–	2	–	–	–	–	–	–	–	–	–	1
3	Finchley *HHH* -	4688	25820	19	2	–	–	–	–	–	–	–	–	–	1	1	–
129 : 1	Hornsey *HH* - -	3039	61097	49	7	1	2	–	–	–	1	–	–	–	–	–	–
2	Tottenham *H* - -	4642	97174	85	29	16	2	–	4	–	1	–	1	–	1	2	2
3	Edmonton *Wwo* -	7489	36351	31	12	1	4	–	–	–	1	–	–	1	–	1	4
4	Enfield *WWHH* - -	12639	31803	30	2	–	–	–	–	–	1	–	–	–	–	–	–
5	Waltham Abbey - -	11017	6066	2	1	–	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8480	9620	6	2	–	1	–	–	–	–	–	–	–	–	–	1
135 : 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	5	2	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H* - - -	1100	42963	38	8	2	2	–	–	–	–	–	–	–	1	1	–
2	Plaistow - - -	1242	58030	63	20	9	1	–	7	–	–	–	–	1	1	2	–
3	Canning Town *H* -	1558	54750	56	24	4	3	–	6	–	3	–	–	–	–	–	–
4	Forest Gate *w* - -	806	49140	43	7	4	1	–	1		–	1	–	–	–	–	–
5	East Ham *w* - -	3266	32713	37	9	1	–	–	–	–	–	–	–	–	–	1	1
6	Leyton *WWWoH* -	4334	70188	51	36	6	11	–	1	–	6	–	–	–	2	2	12
7	Walthamstow *H L* -	6501	57330	45	17	4	5		2	–	–	–	–	2	2	2	–
187 : 1	Chigwell *part of* H*	11779	12941	14	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of* WH*	6556	4324	2	1	–	1	–	–	–	–	–	–	–	–	–	–
2	Ilford - -	8493	10913	9	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	8	4	1	1	–	–	–	1	–	–	–	1	1	–
	Middlesex County Asy.	–	–	–	1		1	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1679); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 2, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 15th June, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16
ATER LONDON	443,421	6,048,555	13·6	1·9	1580	355	364	1	92	12	62	23	7	23	68	395
NNER LONDON -	74,672	4,392,346	14·4	2·1	1213	263	269	1	71	12	45	20	5	21	55	349
UTER RING -	368,749	1,656,209	11·6	1·6	367	92	95	–	21	–	17	3	2	7	13	46

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	June 15	157	87	16·6	–	4	–	2	2	–	2
ASGOW - -	695,876	„ 15	505	231	17·3	–	5	2	1	6	–	11
BLIN - -	349,594	„ 15	230	155	23·1	–	–	–	1	3	4	–
LCUTTA - -	466,460	April 6	–	–	–	–	–	–	–	–	–	–
MBAY - -	821,764	May 21	228	651	41·2	11	23	?	?	?	193	56†
DRAS - -	452,518	„ 3	312	263	30·2	–	12	?	?	?	90	22
RIS - - -	2,424,705	June 8	1184	858	18·4	1	21	1	4*	12	9	33
USSELS - -	498,400	„ 8	252	190	19·4	–	1	1	1*	1	–	14
STERDAM -	451,493	„ 8	250	147	16·9	–	–	–	2	1	–	–
TTERDAM -	272,042	„ 8	166	81	15·5	–	1	–	–	–	1	–
E HAGUE -	180,455	„ 8	122	51	14·7	–	–	–	2	2	–	–
PENHAGEN -	341,000	„ 8	149	111	17·0	–	–	1	1	8	–	4
OCKHOLM -	252,937	„ 1	168	82	16·5	–	–	–	–	–	1	–
RISTIANIA -	167,588	„ 8	43	54	16·1	–	–	–	2	–	–	5
PETERSBURG	954,400	May 25	624	489	26·7	2	12	11	4	6	15	46
OSCOW - -	753,469	„ 25	–	503	34·8	1	8	10	9	5	5	56
RLIN - -	1,724,544	„ 25	877	529	15·9	–	9	11	9	7	–	59
MBURG - -	608,710	June 8	–	228	19·5	–	–	2	2*	5	1	18
RESDEN - -	323,600	May 11	–	–	–	–	–	–	–	–	–	–
RESLAU - -	367,769	June 8	–	236	33·5	–	1	1	8*	–	1	39
UNICH - -	396,000	„ 8	–	170	22·3	–	3	3	3*	–	1	27
ENNA - -	1,495,764	„ 8	–	–	–	–	–	–	–	–	–	–
AGUE - -	343,822	„ 1	225	167	24·7	–	2	–	1	1	4	7
DA-PESTH -	566,022	„ 1	360	283	26·0	–	–	–	1	–	2	21
IESTE - -	160,825	„ 1	91	74	23·9	–	–	–	3*	1	–	3
ME - -	463,786	March 23	–	–	–	–	–	–	–	–	–	–
RIN (10 days)	344,203	April 20	–	–	–	–	–	–	–	–	–	–
NICE -	158,159	May 4	–	–	–	–	–	–	–	–	–	–
IRO - -	374,838	„ 13	367	351	48·7	6	–	–	–	–	6	115
EXANDRIA -	231,396	„ 13	209	155	34·9	–	–	–	2*	1	8	39
W YORK -	1,992,715	June 1	–	756	21·3	1	27	14	40	10	3	22
OOKLYN -	1,080,000	„ 1	–	405	19·2	–	6	4	21	2	5	7
ILADELPHIA	1,163,864	„ 1	–	405	18·2	1	2	2	22	1	8	4
W ORLEANS -	275,000	May 18	–	196	37·2	8	1	2	1	–	2	38

* Including deaths from croup.
† Including 2 deaths from cholera.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 15TH JUNE, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	9	..	29·785	84·3	51·5	32·8	69·7	+11·5	53·1	16·6	28·3	0·0	56	141·2	46·0	58·57	Calm & NNE.	Variable.	0·2	0·0	0·0	103	−150	0·00	0·0
MONDAY .	10	..	29·753	70·0	56·1	13·9	61·5	+ 3·3	52·9	8·6	15·4	3·0	73	115·1	50·8	59·10	Calm & N.	NNE. & N.	1·6	0·0	0·0	200	− 54	0·00	0·0
TUESDAY.	11	..	29·783	72·3	50·4	21·9	60·8	+ 2·4	45·1	15·7	27·0	7·1	56	125·8	44·2	59·60	NNW. & N.	WNW. & W.	3·0	0·0	0·2	257	+ 3	0·02	0·0
WEDNESDAY	12	..	29·906	64·1	45·1	19·0	53·2	− 5·4	42·4	10·8	20·3	4·6	67	127·0	44·0	59·60	NNW. & NW.	N. NE. & SE.	2·6	0·0	0·2	267	+ 14	0·00	0·0
THURSDAY	13	Apogee.	30·004	66·9	42·2	24·7	55·5	− 3·3	40·7	14·8	23·4	1·0	58	117·9	35·7	59·00	Calm. SW. & NW.	NW. WSW. & SW.	2·5	0·0	0·1	182	− 70	0·00	0·0
FRIDAY .	14	..	29·923	69·2	48·4	20·8	56·7	− 2·2	41·8	14·9	25·6	1·3	57	128·9	44·0	58·72	WSW. & W.	N. NNE. & NE.	1·8	0·0	0·1	218	− 32	0·00	0·0
SATURDAY	15	Last Qr. In Equator.	30·033	67·7	42·6	25·1	53·5	− 5·5	40·4	13·1	26·1	2·7	61	136·0	36·2	58·50	NNE. & N.	N. NE. & S.	1·0	0·0	0·1	197	− 51	0·00	0·0
MEANS . .		..	29·884	70·6	48·0	22·6	58·7	+ 0·1	45·2	13·5	23·7	2·8	61	127·4	43·0	59·01	N.		..	..	..	Sum 1424	Sum − 340	Sum 0·02	0·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	9	v. P. in morning; w. P. and w. N. afterwards.	11·1	16·4	Very fine; generally cloudless during the day; solar halo at 4h. P.M.; very warm.
MONDAY .	10	w. P. in morning; v. P. and w. N. afterwards.	0·0	16·5	Generally cloudy; solar halo occasionally visible during the afternoon.
TUESDAY .	11	v. P. generally -	2·4	16·5	Fine with light cloud till evening; overcast with light showers at night.
WEDNESDAY	12	s. N. and s. P. in morning; v. P. afterwards.	6·3	16·5	Fine; generally cloudy till evening; solar halo at 5½ P.M.; cloudless at night.
THURSDAY .	13	w. P. in early morning; v. P. afterwards.	2·0	16·5	Cloudless in morning; light cloud prevalent till afternoon; overcast afterwards.
FRIDAY .	14	m. P. till 7h. A.M.; v. P. afterwards.	2·5	16·5	Overcast in morning; afterwards very fine, with variable amounts of cloud.
SATURDAY .	15	v. P. generally; w. N. occasionally in afternoon.	·4	16·5	Very fine; cloudless after 7h. P.M.; distant thunder heard at 8h. P.M.
			Sum 33·7	Sum 115·4	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·91 in. at the beginning of the week to 29·71 in. by 4h. A.M. on the 10th; increased to 29·83 in. by 9h. A.M. on the 11th; decreased to 29·73 in. by 7h. P.M. on the same day; increased to 30·06 in. by 9h. A.M. on the 15th; and

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 25. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JUNE 22. [Price 1½*d.*

General Register Office, Somerset House,
June 24th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·2 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending June 1.	June 8.	June 15.	June 22.	TOWNS.	Weeks ending June 1.	June 8.	June 15.	June 22.
Birkenhead	14·6	14·1	18·0	16·5	Liverpool - -	27·6	20·9	23·8	25·1
Birmingham	17·4	14·6	13·3	17·1	London - -	15·5	14·8	14·4	15·1
Blackburn -	16·8	20·0	19·2	12·3	Manchester -	23·8	19·8	21·3	20·4
Bolton -	21·4	21·4	23·6	15·7	Newcastle-on-Tyne	17·9	15·9	16·9	12·8
Bradford -	13·4	11·7	15·4	17·0	Norwich - -	14·6	13·6	14·1	12·7
Brighton -	20·1	13·1	14·4	12·6	Nottingham -	16·8	12·7	13·1	15·2
Bristol -	17·4	13·7	14·4	14·4	Oldham - -	20·0	19·2	15·9	21·4
Burnley -	23·0	25·7	10·5	13·1	Plymouth - -	21·1	18·7	20·5	19·3
Cardiff -	11·4	13·7	11·7	14·4	Portsmouth -	15·8	10·4	10·7	17·9
Croydon -	13·6	11·3	10·9	6·8	Preston - -	21·8	18·1	14·8	18·5
Derby -	9·9	11·4	17·2	14·6	Salford - -	18·3	20·3	20·5	18·3
Gateshead -	19·6	17·4	15·8	14·7	Sheffield - -	19·2	14·8	15·8	16·9
Halifax -	14·5	15·6	14·5	18·9	Sunderland -	18·6	14·8	11·4	17·0
Huddersfield	14·2	14·2	13·6	13·6	Swansea - -	17·2	12·9	11·8	12·9
Hull - -	12·3	16·4	15·4	14·9	West Ham - -	14·6	12·1	14·4	15·5
Leeds -	17·5	13·6	14·6	17·4	Wolverhampton -	28·0	22·5	15·8	14·6
Leicester -	13·7	13·2	12·1	14·5					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Liverpool, 1·3 in Cardiff, 1·4 in Manchester, 2·1 in West Ham, and 2·3 in Plymouth; from *whooping-cough*, 2·2 in Gateshead; and from *diarrhœa*, 1·1 in Leicester, 1·4 in Bradford, 1·7 in Cardiff, and 2·3 in Preston. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 67 deaths from *diphtheria* included 37 in London, 5 in Liverpool, 4 in Wolverhampton, 4 in Birmingham, 3 in West Ham, and 3 in Birkenhead. One death from *small-pox* was registered in Liverpool, and one in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2639 BIRTHS and 1276† DEATHS were registered. Allowing for increase of population, the births were 21 above, and the deaths 176 below, the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

death-rate per 1000 from all causes, which had been 15·5, 14·8, and 14·4 in the preceding three weeks, rose again last week to 15·1. During the four weeks ending on Saturday last the death-rate averaged 15·0 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1276 deaths included 71 from measles, 11 from scarlet fever, 37 from diphtheria, 18 from whooping-cough, 4 from enteric fever, one from an ill-defined form of continued fever, 46 from diarrhœa and dysentery, 2 from choleraic diarrhœa, and not one death from small-pox or from typhus; thus, 190 deaths were referred to these diseases, being 36 below the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 3. The deaths from *measles*, which had been 50, 36, and 71 in the preceding three weeks, were again 71 last week, exceeding the corrected average by 3; 11 cases belonged to St. Luke, 10 to Poplar, 8 to Islington, 7 to Mile End Old Town, and 6 to Whitechapel sanitary areas. The deaths from *scarlet fever*, which had been 17, 17, and 12 in the preceding three weeks, were 11 last week, the corrected average being 17. The deaths from *diphtheria*, which had been 41, 33, and 45 in the preceding three weeks, fell again last week to 37, but exceeded the corrected average by 6; 4 cases belonged to Mile End Old Town, and 3 each to Fulham, Shoreditch, Bermondsey, Battersea, and Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 30, 22, and 20 in the preceding three weeks, further fell last week to 18, the corrected average being 45. The fatal cases of *enteric fever*, which had been 5, 8, and 5 in the preceding three weeks, were 4 last week, the corrected average being 9; 2 cases belonged to Plumstead sanitary area. The deaths from *diarrhœa*, which had been 16, 19, and 21 in the preceding three weeks, rose last week to 46, but were 4 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 193, 163, and 152 in the preceding three weeks, rose last week to 186, but were 31 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 15, 5, and 5 in the preceding three weeks.

Different forms of violence caused 43 deaths, concerning all but 2 of which inquests were held. Of these 43 deaths, 10 were cases of suicide, and one of execution, while the remaining 32 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 2 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 22 cases of small-pox, 1732 of scarlet fever, 593 of diphtheria, and 142 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 8 cases, against 1, 5, and 2; of scarlet fever, 251 cases, against 187, 179, and 199; of diphtheria, 128 cases, against 88, 86, and 107; and of enteric fever, 10 cases, against 20, 13, and 12.

Greater London.

In Greater London 3497 births and 1620 deaths were registered, corresponding to annual rates of 30·1 and 14·0 per 1000 of the estimated population. In the Outer Ring 19 deaths from measles and 15 from diphtheria were registered. Eight deaths from measles occurred in Canning Town sub-district, and 7 from diphtheria in Leyton sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 60°·5, the latter being 0°·8 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 23 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 38·1 hours; the measured rainfall amounted to 0·10 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 22nd June 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 22nd June, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6604	3284	820	697	2	124	23	67	49	24	111	110	208	669	51	16·2	2·0	79·0	36·0	55·2	12·89	0·05	0·13	33 Towns.
London	4,392,346	2639	1276	314	274	–	71	11	37	18	5	46	43	94	360	10	15·1	2·2	79·0	45·0	60·5	15·83	0·10	0·25	London.
West Ham	249,473	148	74	21	13	–	10	–	3	1	1	1	2	2	12	–	15·5	3·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	65	15	4	4	–	–	–	–	–	–	–	1	1	2	–	6·8	–	77·0	39·2	57·5	14·17	0·11	0·28	Croydon.
Brighton	119,604	57	29	8	5	–	–	1	–	1	–	1	1	3	7	–	12·6	1·3	69·8	39·4	56·4	13·56	0·09	0·23	Brighton.
Portsmouth	174,751	90	60	7	19	–	–	–	–	1	2	–	2	3	10	1	17·9	0·9	71·0	41·0	56·5	13·61	0·16	0·41	Portsmouth.
Plymouth	89,096	54	33	7	9	–	4	–	–	–	–	1	2	5	5	–	19·3	2·9	–	–	–	–	–	–	Plymouth.
Bristol	228,139	122	63	16	18	–	–	–	–	2	–	4	1	2	9	–	14·4	1·4	70·0	42·0	54·8	12·67	0·00	0·00	Bristol.
Cardiff	155,637	92	43	17	4	–	4	–	1	1	–	5	2	3	2	1	14·4	3·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	54	24	8	3	–	–	–	–	1	1	–	2	2	–	–	12·9	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	67	24	7	2	–	–	–	4	1	–	–	1	2	7	–	14·6	3·0	70·9	39·8	53·5	11·94	0·00	0·00	Wolverhampton.
Birmingham	496,751	307	163	51	37	–	–	2	4	1	–	9	4	4	34	5	17·1	1·7	–	–	–	–	–	–	Birmingham.
Norwich	107,127	70	26	6	11	–	–	–	–	–	–	–	–	–	4	1	12·7	–	76·4	42·2	55·5	13·06	0·02	0·05	Norwich.
Leicester	193,839	127	54	17	14	–	–	–	–	2	1	4	1	3	11	3	14·5	1·9	–	–	–	–	–	–	Leicester.
Nottingham	226,658	142	66	11	18	–	–	–	–	–	1	4	–	3	9	1	15·2	1·2	70·6	38·3	53·8	12·11	0·04	0·10	Nottingham.
Derby	100,272	78	28	6	9	–	–	1	1	–	–	2	1	1	3	–	14·6	2·1	–	–	–	–	–	–	Derby.
Birkenhead	107,469	80	34	6	5	–	–	–	3	–	1	1	–	1	2	1	16·5	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	380	243	56	41	1	11	3	5	6	5	6	12	14	60	9	25·1	3·8	69·7	45·4	54·6	12·56	0·01	0·03	Liverpool.
Bolton	119,337	75	36	11	8	–	2	–	–	–	–	–	–	1	5	1	15·7	0·9	–	–	–	–	–	–	Bolton.
Manchester	524,865	359	205	50	36	–	14	–	2	2	1	5	4	11	31	1	20·4	2·4	–	–	–	–	–	–	Manchester.
Salford	208,253	151	73	18	15	–	–	1	–	1	–	1	2	4	17	1	18·3	0·8	–	–	–	–	–	–	Salford.
Oldham	141,079	84	58	11	12	1	–	–	–	2	1	–	1	4	8	–	21·4	1·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	70	25	7	6	–	–	–	–	–	–	–	2	2	1	3	13·1	–	–	–	–	–	–	–	Burnley.
Blackburn	127,615	98	30	10	4	–	–	–	–	2	1	1	1	1	1	1	12·3	1·6	–	–	–	–	–	–	Blackburn.
Preston	112,638	71	40	13	8	–	2	–	–	–	–	5	2	3	7	–	18·5	3·2	–	–	–	–	–	–	Preston.
Huddersfield	99,482	34	26	1	5	–	–	–	1	–	–	1	1	1	3	–	13·6	1·0	74·0	36·0	52·2	11·22	0·00	0·00	Huddersfield.
Halifax	93,813	40	34	4	11	–	–	–	–	1	–	–	1	1	5	–	18·9	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	114	74	19	16	–	–	–	1	–	1	6	1	4	7	4	17·0	1·8	64·8	46·2	53·4	11·89	0·02	0·05	Bradford.
Leeds	395,546	262	132	39	31	–	1	1	2	–	–	7	6	12	11	1	17·4	1·5	–	–	–	–	–	–	Leeds
Sheffield	342,768	212	111	38	20	–	3	–	–	–	–	–	3	3	11	4	16·9	0·5	–	–	–	–	–	–	Sheffield.
Hull	216,722	151	62	8	12	–	–	3	1	–	1	–	3	3	10	2	14·9	1·2	76·0	38·0	54·1	12·28	0·10	0·25	Hull.
Sunderland	137,705	100	45	10	8	–	–	–	1	–	2	1	1	4	8	–	17·0	1·5	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	66	27	6	9	–	–	–	–	4	–	–	3	4	3	1	14·7	2·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	145	51	13	10	–	2	–	1	2	–	–	4	7	4	–	12·8	1·3	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2419	2617	2182	2534	2636	2516	2389	2654	2520	2334	2617·5	2639
Males . .	1255	1321	1078	1277	1358	1295	1228	1319	1291	1167	1328·1	1369
Females .	1164	1296	1104	1257	1283	1221	1161	1335	1229	1167	1289·4	1270
TOTAL **Deaths**	1279	1222	1287	1190	1243	1387	1538	1415	1866	1330	1451·9	1276
Males . .	681	657	657	609	659	718	827	733	1015	684	764·1	638
Females .	598	565	630	581	584	669	711	682	851	646	687·8	638

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.
TOTAL **Births** - -	2466	2731	2380	2677	2691	2837	2549	2496	2640	2569	2333	2678	2639
TOTAL **Deaths** - -	1781	1597	1622	1585	1508	1395	1398	1389	1371	1308	1247	1213	1276
Ages at Death: Under 1 year -	390	357	409	410	423	321	318	325	327	279	254	263	314
1—5 years -	282	290	265	261	214	221	198	219	192	195	190	198	212
5—20 " -	88	79	75	85	60	82	84	84	87	87	84	73	82
20—40 " -	222	176	198	190	162	186	190	172	196	175	158	170	176
40—60 " -	326	288	265	264	289	256	256	258	253	254	249	240	218
60—80 " -	410	335	339	312	293	275	291	280	269	271	266	232	229
80 years & upwards	63	72	71	63	67	54	61	51	47	47	46	37	45
Deaths from—													
Small-pox - - - -	-	-	-	-	-	1	-	-	-	-	-	1	-
Measles - - - -	23	18	25	39	26	39	34	39	32	50	36	71	71
Scarlet fever - - -	13	11	15	9	9	13	11	13	10	17	17	12	11
Diphtheria - - -	31	23	27	30	27	29	38	41	37	41	33	45	37
Whooping-cough - -	49	44	49	51	44	36	35	31	39	30	22	20	18
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Enteric fever - - -	4	6	3	5	5	5	8	8	9	5	8	5	4
Simple Continued fever -	1	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa and Dysentery -	14	15	18	7	13	18	19	13	14	16	19	21	46
Cholera - - - -	1	-	-	-	-	-	-	-	-	-	1	-	2
All the above Diseases	136	117	137	141	124	141	146	150	141	159	137	175	190
Dis. of Respiratory System	497	427	398	389	341	290	247	240	245	193	163	152	186
Phthisis - - -	173	186	164	161	162	144	160	128	172	148	162	143	134
Dis. of Circulatory System	138	127	122	125	120	106	107	127	128	114	123	99	111
Violence - - - -	74	55	51	64	71	63	63	77	59	64	55	55	43
Inquest Cases - - -	145	114	136	135	135	131	127	138	122	123	121	107	94
Deaths in Public Institutions	464	432	424	459	393	380	393	425	450	397	395	349	360
TEMPERATURE OF THE AIR													
Mean - - - -	44°·6	41°·5	47°·7	49°·1	50°·9	51°·2	57°·3	55°·9	52°·3	61°·0	60°·7	58°·7	60°·5
Mean of Highest readings -	52·3	48·3	58·1	60·4	59·2	62·5	69·8	65·4	62·5	74·6	73·0	70·6	73·9
Mean of Lowest readings -	39·5	36·0	39·7	40·7	45·8	40·4	44·4	47·7	44·6	48·5	49·3	48·0	48·4
Humidity of the Air - -	81	84	75	77	88	73	61	68	81	69	68	61	64
Rain-fall (in inches) - -	0·71	0·12	0·05	0·13	1·15	0·04	0·00	0·19	0·19	0·08	0·02	0·02	0·10
Registered Sunshine (in hours)	17·5	9·8	29·6	36·0	10·7	42·0	74·7	20·2	22·3	49·9	53·0	38·7	38·1
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	55	53	47	35	37	34	33	27	29	22	23	19	22
Scarlet fever - - - -	1555	1519	1463	1514	1469	1413	1438	1446	1503	1524	1589	1637	1732
Diphtheria - - - -	435	440	435	441	432	457	464	484	492	508	529	562	593
Enteric fever - - - -	73	66	67	67	61	64	66	91	126	139	141	147	142

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIFTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 25th Week of the 10 years 1885-94.*	In the Week ending Saturday, 22nd June 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1451·9	1276	314	212	82	176	218	229	45
Small-pox: Vaccinated†	0·5	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·2	-	-	-	-	-	-	-	-
Small-pox: No Statement	1·5	-	-	-	-	-	-	-	-
Measles	67·7	71	12	58	1	-	-	-	-
Scarlet Fever	16·8	11	-	8	3	-	-	-	-
Typhus	0·2	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	14·7	4	-	1	1	-	-	2	-
Whooping-cough	45·4	18	9	8	1	-	-	-	-
Diphtheria	30·6	37	-	26	10	1	-	-	-
Simple Continued and Ill-defined Fever	0·7	1	-	1	-	-	-	-	-
Enteric Fever	9·3	4	-	-	1	3	-	-	-
Cholera and Chol. Diarr.	1·7	2	1	-	-	-	-	1	-
Diarrhœa, Dysentery	49·9	46	42	3	-	-	-	-	1
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·3	1	1	-	-	-	-	-	-
Cancrum Oris	9·8	4	4	-	-	-	-	-	-
Erysipelas	5·0	1	-	-	-	-	-	-	1
Pyæmia and Septicæmia	2·1	2	-	-	-	1	1	-	-
Puerpera Fever	4·6	2	-	-	-	2	-	-	-
Other Zymotic Diseases	2·1	-	-	-	-	-	-	-	-
Thrush	1·9	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·1	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk	1·4	-	-	-	-	-	-	-	-
Alcoholism	8·4	6	-	-	-	1	4	1	-
Rheumatic Fever, Rheumatism of Heart	6·2	4	-	-	-	2	2	-	-
Rheumatism	1·7	-	-	-	-	-	-	-	-
Gout	3·4	1	-	-	-	-	-	1	-
Rickets	5·2	2	2	-	-	-	-	-	-
Cancer	60·3	76	-	-	-	11	36	28	1
Tabes Mesenterica	21·9	22	12	8	1	1	-	-	-
Tubercular Meningitis	27·8	18	1	12	4	1	-	-	-
Phthisis	150·7	134	2	1	17	61	43	10	-
Scrofula, Tuberculosis	16·8	22	2	7	7	5	1	-	-
Other Constitutional Diseases	10·8	21	1	1	1	7	5	6	-
Premature Birth	41·8	50	50	-	-	-	-	-	-
Telectasis	3·5	2	2	-	-	-	-	-	-
Congenital Malformations	6·8	2	2	-	-	-	-	-	-
Old Age	46·1	42	-	-	-	-	-	29	13
Apoplexy	40·3	33	-	-	1	-	12	19	6
Epilepsy	8·2	5	-	-	1	-	3	1	-
Convulsions	43·7	43	38	7	1	-	-	-	-
Other Diseases of Brain and Nervous System	80·7	62	8	15	5	7	5	19	3

CAUSES OF DEATH.	Corrected Averages for the 25th Week of the 10 years 1885-94.*	In the Week ending Saturday, 22nd June 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense	2·2	-	-	-	-	-	-	-	-
Diseases of Circulatory System	115·8	111	3	-	7	21	34	42	4
Croup	4·5	4	-	3	1	-	-	-	-
Bronchitis	101·8	79	26	14	1	1	10	20	7
Pneumonia	85·1	82	23	16	5	15	12	11	-
Pleurisy	6·1	5	-	1	-	2	-	2	-
Other Diseases of Respiratory System	19·4	16	4	3	-	-	3	5	1
Dentition	10·3	9	7	2	-	-	-	-	-
Quinsy, Sore Throat	1·0	-	-	-	-	-	-	-	-
Enteritis	11·4	17	9	3	1	1	2	-	1
Peritonitis	8·3	6	-	1	2	-	-	3	-
Diseases of Liver	25·8	20	-	-	-	4	12	4	-
Other Diseases of Digestive System	27·7	30	7	4	3	2	6	5	3
Diseases of Lymphatic System & of Ductless Glands	3·0	2	-	-	-	-	2	-	-
Diseases of Urinary System	39·8	34	-	1	1	7	11	12	2
Diseases of Generative System	7·0	5	-	-	-	-	4	1	-
Accidents of Childbirth	6·4	3	-	-	-	3	-	-	-
Diseases of Locomotive System	7·0	4	-	1	-	2	-	-	1
Diseases of Integumentary System	5·7	5	1	-	-	1	1	1	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways	49·4	-	-	-	-	-	-	-	-
By Vehicles or Horses		5	-	-	-	3	2	-	-
In Ships, Boats, Docks (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		1	-	-	-	-	-	1	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		1	-	1	-	-	-	-	-
By Drowning		2	-	-	1	-	1	-	-
By Suffocation in Bed		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours		1	-	-	-	1	-	-	-
Other or not stated Causes		16	4	3	2	3	3	1	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·7	-	-	-	-	-	-	-	-
Suicide	9·2	10	-	-	3	5	2	-	-
Execution	-	1	-	-	-	1	-	-	-
OTHER CAUSES	47·5	41	33	3	-	1	-	4	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.* -POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - -	4,211,743	2630	1276	314	274	-	71	11	37	18	-	4	1	46	43	94	360
WEST DISTRICTS - - - -	740,735	395	183	53	43	-	1	2	5	1	-	-	-	9	9	16	51
NORTH DISTRICTS - - - -	993,884	572	273	57	48	-	11	3	8	4	-	1	-	10	12	20	73
CENTRAL DISTRICTS - - -	247,538	141	91	26	16	-	13	-	1	1	-	-	-	4	2	5	39
EAST DISTRICTS - - - -	705,114	509	291	81	51	-	37	-	8	8	-	-	-	13	5	31	76
SOUTH DISTRICTS - - - -	1,524,472	1022	425	97	107	-	9	5	15	4	-	3	1	10	15	22	93
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON * - - - -	-	-	28	-	9	-	-	1	-	-	-	-	-	-	-	-	28
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	58	16	4	4	-	-	-	-	-	-	-	-	-	1	2	1
St. John Paddington *H* - - G.J.	33687	6	10	3	5	-	-	-	-	-	-	-	-	-	1	1	3
Kensington Town *Ww* - - W.M.	118751	60	30	13	8	-	-	-	-	-	-	-	-	4	-	2	7
Brompton - - - W.M. & C.	47557	10	6	-	-	-	-	-	-	-	-	-	-	1	-	-	3
St. Peter Hammersmith - - W.M.	8886	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88683	55	24	10		-	-	1	-	-	-	-	-	-	1	2	2
Fulham *Ww* - - - W.M. & C.	91639	79	29	5	3	-	1	1	3	1	-	-	-	-	1	2	6
Chelsea Kensal Town - - - C.	21787	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	16	15	2	3	-	-	-	-	-	-	-	-	1	-	-	8
Chelsea South *HH* - - C.	32829	19	9	3	1	-	-	-	1	-	-	-	-	2	1	2	4
May Fair *WH* - - - - G.J.	23733	4	9	-	5	-	-	-	-	-	-	-	-	-	-	-	4
Belgrave *WHHH*- - - - C.	54681	24	19	5	5	-	-	-	1	-	-	-	-	3	4	6	
St. John Westminster *HH* - C.	34103	23	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	7	4	1	-	-	-	-	-	-	-	-	-	1	1	1	4
St. James Westminster *WHHH* N.R. & G.J.	24995	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Anne Soho *HHHHHH* - - N.R.	12317	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	8	15	1	3	-	-	-	-	-	-	-	-	-	-	2	7
Rectory Marylebone *WH* G.J. & W.M.	20024	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	27	4	2	1	-	-	-	-	-	-	-	-	2	-	-	1
Christchurch Marylebone *HH* - W.M.	33327	15	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *HH* - - W.M.	32101	18	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	39	13	2	4	-	-	1	1	-	-	1	-	-	2	2	5
Regent's Park Pancras *HH* - W.M.	36590	18	6	2	2	-	-	-	-	-	-	-	-	1	1	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	7	15	2	-	-	-	-	1	-	-	-	-	-	1	1	10
Gray's Inn Lane *HHH* - - N.R.	27455	17	3	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Somers Town *HH* - - - N.R.	32829	19	10	3	2	-	-	-	1	-	-	-	-	-	2	2	1
Camden Town *WH* - - - N.R.	15419	11	9	2	4	-	-	-	-	-	-	-	-	-	1	2	6
Kentish Town *WW* - - - N.R.	95765	45	17	1	7	-	-	-	-	-	-	-	-	-	-	-	8
Upper Holloway *WWWwHHH* - N.R.	90235	57	40	7	8	-	2	-	-	-	-	-	-	1	1	2	17
Islington South-west *H* - - N.R.	105557	74	25	8	3	-	2	-	-	1	-	-	-	2	2	4	-
Islington South-east - - - N.R.	64158	48	17	4	1	-	3	-	-	-	-	-	-	1	1	1	-
Highbury *HH* - - - - N.R.	59193	36	8	2	3	-	1	-	-	1	-	-	-	-	-	-	-
Stoke Newington *H* - - - N.R.	30936	15	4	1	3	-	-	-	-	-	-	-	-	1	-	-	-
Stamford Hill - - - - E.L.	17759	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	23	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Hackney *WwwH* - - E.L. & N.R.	96486	70	33	7	5	-	3	2	5	2	-	-	-	1	-	1	16
South Hackney *w* - - - E.L.	41759	18	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	10	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-
St. Giles North *H* - - - N.R.	9633	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	8	-	-	-	-	-	-	-	-	-	-	-	1	2	4
St. Mary-le-Strand *H* - - - N.R.	5706	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	2	6	1	-	-	-	-	-	-	-	-	-	-	1	1	6
Strand Union Workhouse, Edmonton -	†1037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	11	9	1	2	-	-	-	-	-	-	-	-	-	-	-	8
St. Andrew Eastern *WH* - - N.R.	15343	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	17	6	4	2	-	-	-	-	-	-	-	-	-	-	1	-
Goswell-street - - - - N.R.	15375	11	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
City-road *HHHL* - - - N.R.	29177	33	21	7	1	-	9	-	-	1	-	-	-	1	-	-	5
Whitecross-street - - - N.R.	8278	9	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph *H* - - - N.R. & E.L.	8944	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	11	1	2	-	-	-	1	-	-	-	-	-	-	-	11
St. Bride *W* - - - - N.R.	6594	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W honed; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diff Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

* Not included in the total population or the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT rday, 22nd June, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	20098	8	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
xton New Town *w* - - - N.R.	29813	17	20	4	6	-	-	-	1	-	-	-	-	1	-	1	6	-
xton Old Town - - - - N.R.	28854	17	12	4	1	-	2	-	1	-	-	-	-	2	1	1	-	-
ggerston *WH* - - N.R. & E.L.	46244	33	15	4	5	-	2	-	1	-	-	-	-	3	-	2	6	-
hnal Green North *H* - - E.L.	51520	35	13	7	1	-	1	-	-	1	-	-	-	1	1	3	-	-
hnal Green South - - - E.L.	33489	41	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green East *WHL** - E.L.	44123	33	11	2	2	-	-	-	-	-	-	-	-	1	-	2	4	-
alfields - - - E. N.R.	22456	19	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
e End New Town *W* - - E.L.	17908	27	10	1	3	-	-	-	-	-	-	-	-	-	-	2	8	-
itechapel Church *H* E.L. & N.R.	20298	23	30	3	3	-	6	-	-	-	-	-	-	1	-	2	20	-
dman's Fields - - - E.L.	6800	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	3778	22	11	6	1	-	3	-	-	1	-	-	-	-	1	1	-	-
John, St. George East *W* - E.L.	8057	3	8	1	3	-	1	-	-	-	-	-	-	1	-	-	7	1
dwell *H* - - - E.L. & N.R.	10246	9	14	7	-	-	1	-	2	-	-	-	-	1	-	-	11	-
cliff *W* - - - - - E.L.	14928	12	7	2	1	-	-	-	-	1	-	-	-	1	-	1	-	-
ehouse - - - - - - E.L.	32202	18	14	3	2	-	3	-	-	-	-	-	-	-	1	2	-	-
e End Old Town West *H* - E.L.	38650	21	13	5	-	-	4	-	1	1	-	-	-	-	-	-	-	-
e End Old Town East *WWww* E.L.	68942	39	32	11	5	-	3	-	2	2	-	-	-	1	-	-	6	-
*L** - - - - - E.L.	40365	37	7	2	1	-	2	-	-	-	-	-	-	-	-	1	-	-
mley *wwwH* - - - - E.L.	70000	52	42	10	11	-	6	-	-	1	-	-	-	-	1	9	8	-
lar. *WW* - - - - - E.L.	56383	38	16	3	4	-	2	-	-	1	-	-	-	-	-	3	-	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	10	4	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Saviour Southwark - - S.	13913	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
t-road - - - - S. & L.	21897	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ough-road *WH* - - S. & L.	16924	15	9	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1
don-road *HL* - - L. & S.	21221	9	5	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
nity Newington - - S. & L.	26596	20	8	1	-	-	-	-	-	-	-	-	-	-	2	2	-	1
Peter Walworth *W* - S. & L.	61842	44	12	3	5	-	-	-	-	1	-	-	-	-	-	1	3	-
Mary Newington - - L. & S.	27866	17	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Olave *WH* - - - S.	12723	6	12	1	2	-	-	-	-	-	-	-	-	-	2	2	9	-
ther Market *W* - - S. & L.	30612	27	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
James Bermondsey - - S.	54070	36	13	-	3	-	1	-	1	-	-	-	-	-	1	2	-	-
herhithe *WwH* - - S. & K.	38255	27	12	2	5	-	1	-	-	-	-	-	-	-	-	1	4	1
terloo-road 1st *H* - - L. & S.	14031	16	7	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
terloo-road 2nd *H* - - L. & S.	14644	20	5	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
abeth Church 1st *H* - - L. & S.	18075	6	14	2	2	-	-	-	-	-	-	-	-	-	1	1	8	-
abeth Church 2nd *WW*.- L. & S.	39097	29	20	4	7	-	1	-	-	-	-	-	-	1	-	-	10	-
nington 1st *H* - - S. & L.	50586	39	13	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-
nington 2nd - - - S. & L.	39708	26	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ton *w* - - - - L. & S.	73405	35	15	2	5	-	-	2	1	-	-	-	1	1	-	-	3	2
wood *WH* - - - - L.	25657	17	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - S.	67244	63	10	2	2	-	1	-	1	-	-	-	-	-	1	1	-	-
t Battersea *WwH* - - - S.	83314	54	36	8	12	-	-	-	-	-	-	-	-	1	1	1	8	-
ham *H* - - - - - S.	43698	27	6	1	3	-	-	-	-	-	-	-	-	-	1	1	1	-
ndsworth *WHHL* - - - S.	46717	42	10	2	1	-	-	-	-	-	-	-	-	1	1	1	1	-
ney - - - - - - S.	17771	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
atham *www* - - - - L.	48756	27	15	1	5	-	-	2	6	-	-	-	-	-	1	1	9	-
wich - - - - L. & S.	6809	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell *WwL*L**- - S. & L.	81686	53	32	3	11	-	-	-	-	-	-	-	-	-	-	1	14	1
ham *W* - - - S., L., & K.	83488	47	19	7	3	-	1	-	1	1	-	-	-	1	-	-	-	-
eorge Camberwell - - L. & S.	63366	55	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
tford, North - - - - K.	35814	22	10	5	1	-	-	-	-	1	-	-	-	-	1	1	-	-
tford, Central *w* - - - K.	42007	34	14	4	1	-	-	1	3	-	-	2	-	-	-	-	5	-
tford, South - - - - K.	30852	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich West *H* - - - K.	22007	13	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich East *WH* - - - K.	35233	29	14	4	4	-	-	-	-	-	-	-	-	1	-	-	8	-
am *wH* - - - - - K.	5082	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	5	6	1	5	-	-	-	-	-	-	-	-	-	1	1	-	-
ham *WH* - - - - K.	30950	18	8	2	3	-	-	-	-	-	-	-	-	1	-	1	3	-
nham *H* - - - - - L.	34162	21	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
lton *HH* - - - - K.	14040	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
lwich Dockyard - - - K.	19606	19	7	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-
lwich Arsenal *HHHH* - K.	21242	13	7	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-
nstead, West *H* - - - K.	15869	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nstead, East *WH* - - - K.	36567	26	18	10	1	-	1	-	-	-	-	1	-	1	-	-	1	1
stead Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
rham Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
e Hill Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
pital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
enth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
well Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
ey Hatch Asylum - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
chmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
esden Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
bury Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 22nd June, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes
	LONDON—OUTER RING	368,740	1,422,063	858	344	83	84	–	19	1	15	5	5	4	18	24	39	
30 : 1	Carshalton *wHH*	12228	26108	6	5	1	3	–	–	–	–	–	–	–	–	–	–	
	Epsom, *part of** *WwH*	10423	12508	7	4	1	2	–	–	–	–	–	–	–	–	–	–	
37 : 1	Godstone, *part of** *W*	2754	1593	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
38 : 1	Croydon *WwHHH*	20851	128699	72	20	5	7	–	–	–	–	–		–	1	1	2	
2	Mitcham *w*	11697	23038	13	3	–	2	–	–	–	–	–	–	–	–	–	–	
39 : 1	Wimbledon *HHH*	3220	25761	18	6	3	–	–	–	–	1	–	–	–	–	–	–	
2	Kingston *WH*	8071	44765	14	6	2	1	–	2	–	–	–	–	–	–	–	–	
3	Esher, *part of** *HH*	6601	12059	9	3	1	1	–	–	–	–	–	–	–	–	–	–	
4	Hampton *H*	4535	18252	12	1	–	–	–	–	–	–	–	–	–	–	–	–	
40 : 1	Richmond *WH*	2160	25389	8	4	1	–	–	–	–	–	–	–	–	–	1	–	
2	Mortlake *H*	2823	16159	5	2	–	–	–	–	–	–	–	–	–	2	2	–	
41 : 1	Bromley *HHH*	9127	23815	14	1	–	1	–	–	–	–	–	–	–	–	–	–	
2	Beckenham *H*	6542	21969	15	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Chislhrst, *pt. of** *WHH*	14307	20372	9	6	–	–	–	–	–	–	–	–	–	–	–	2	
42 : 1	Bexley *HH*	12540	30590	13	7	–	3	–	–	–	1	–	–	–	1	1	–	
2	Dartford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
124 : 1	Sunbury *w*	11054	13671	6	6	2	2	–	–	–	–	1	1	–	–	–	–	
2	Staines *WH*	13277	13221	13	2	1	–	–	–	–	–	–	–	–	–	–	–	
125 : 1	Hillingdon *WHH*	6035	12237	7	4	–	3	–	–	–	–	–	–	–	1	1	1	
2	Uxbridge	6172	5417	4	2	–	–	–	–	–	–	–	–	–	–	–	–	
3	Hayes *wH*	14537	12618	6	4	2	1	–	1	–	–	–	1	–	1	1	–	
126 : 1	Isleworth *WHH*	6967	26273	12	9	3	3	–	–	1	–	–	–	–	–	–	1	
2	Twickenham *HH*	2415	16027	6	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Brentford *HHHH*	4318	37777	19	6	–	2	–	–	–	–	–	–	–	–	–	1	
4	Chiswick	1245	21963	14	3	2	1	–	–	–	–	–	–	–	–	–	–	
5	Acton *wH*	6132	30945	22	13	4	2	–	–	–	–	–	–	–	–	–	–	
127 : 1	Harrow *HHH*	13809	15715	9	3	–	3	–	–	–	–	–	–	–	–	–	–	
2	Edgware *HH*	6994	3844	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Willesden *HHH*	4383	61265	42	12	3	2	–	–	–	1	–	–	–	1	1	1	
4	Hendon *WH*	8382	15843	12	4	2	–	–	–	–	–	–	–	–	–	2	–	
128 : 1	South Mimms *H*	15599	8474	7	3	1	1	–	–	–	–	–	–	–	–	1	–	
2	Barnet *WHH*	5441	11778	5	5	–	1	–	–	–	–	–	–	–	2	2	1	
3	Finchley *HHH*	4688	25820	18	1	1	–	–	–	–	–	–	–	–	–	–	–	
129 : 1	Hornsey *HH*	3039	61097	31	12	3	3	–	–	–	2	–	–	–	–	–	–	
2	Tottenham *H*	4642	97174	63	24	7	7	–	2	–	–	1	–	–	4	4	4	
3	Edmonton *Www*	7489	36851	25	9	1	2	–	1	–	–	–	–	–	–	–	4	
4	Enfield *WWHH*	12639	31803	18	5	–	2	–	–	–	–	–	–	–	1	1	1	
5	Waltham Abbey	11017	6066	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Cheshunt *H*	8480	9620	5	2	2	–	–	–	–	–	–	–	–	–	–	–	
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
137 : 1	Bushey *H*	9331	7737	9	3	1	2	–	–	–	–	–	–	–	–	–	–	
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
186 : 1	Stratford *H*	1100	42983	39	12	3	–	–	–	–	–	–	1	–	–	–	1	
2	Plaistow	1242	58030	46	15	3	–	–	2	–	2	–	–	–	–	–	–	
3	Canning Town *H*	1558	54750	41	32	11	5	–	8	–	1	1	–	–	1	1	2	
4	Forest Gate *w*	806	49140	22	6	4	1	–	–	–	–	–	–	1	–	–	–	
5	East Ham *w*	3266	32713	31	8	1	3	–	–	–	–	–	1	1	–	1	1	
6	Leyton *WWWwH*	4334	70188	36	36	4	10	–	1	–	7	–	–	2	1	2	11	
7	Walthamstow *HEL*	6501	57330	43	16	3	5	–	2	–	–	–	–	–	–	–	–	
187 : 1	Chigwell *part of** *H*	11779	12941	5		–	–	–	–	–	–	–	–	–	1	1	–	
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
189 : 1	Romford *part of** *WH*	6556	4324	–	2	–	–	–	–	–	–	–	1	–	1	1	–	
2	Ilford	8493	10913	6	3	2	1	–	–	–	–	–	–	–	–	–	–	
3	Barking Town *H*	3814	14301	9	5	3	–	–	–	–	–	2	–	–	–	–	–	
	Middlesex County Asy.	–	–	–	6	–	2	–	–	–	–	–	–	–	–	–	6	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 1, Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 22nd June, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
EATER LONDON	443,421	6,048,555	14·0	2·0	1620	397	358	-	90	12	52	23	10	50	61	399
INNER LONDON -	74,672	4,392,346	15·1	2·2	1276	314	274	-	71	11	37	18	5	46	43	360
OUTER RING -	368,749	1,656,209	10·8	1·5	344	83	84	-	19	1	15	5	5	4	18	39

OTE.—The area of Greater London is 443,421 acres, This area is equal to 692·845 square miles, which is equivalent to the a of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
DINBURGH -	273,535	June 22	172	102	19·4	-	2	2	2	1	-	3
LASGOW - -	695,876	" 22	473	259	19·4	1	4	4	2	14	2	14
UBLIN - -	349,594	" 22	194	135	20·1	6	1	3	1	1	1	3
ALCUTTA - -	466,460	April 27	-	354	39·5	65	3	-	-	-	145	63†
OMBAY - -	821,764	May 28	258	600	38·0	17	20	?	?	?	187	34
ADRAS - -	452,518	" 17	342	293	33·6	1	12	?	?	?	124	19†
ARIS - - -	2,424,705	June 15	1009	876	18·8	1	20	6	5*	11	4	57
RUSSELS - -	498,400	" 15	240	154	15·8	-	2	-	-	-	3	20
MSTERDAM -	451,493	" 15	239	142	16·6	-	-	-	-	2	2	-
OTTERDAM -	272,042	" 15	195	1 4	19·9	1	2	-	-	-	-	-
HE HAGUE -	180,455	" 15	116	55	15·8	-	-	-	-	1	-	-
OPENHAGEN -	341,000	" 15	231	126	19·3	-	1	1	-	5	3	8
TOCKHOLM -	252,937	" 8	142	117	23·5	-	-	2	-	-	1	3
HRISTIANIA -	167,588	" 15	39	53	15·8	-	-	-	-	-	-	12
T. PETERSBURG	954,400	" 1	463	481	26·3	1	7	14	9	5	14	40
IOSCOW - -	753,469	" 1	-	452	31·3	-	3	8	11	-	2	69
ERLIN - -	1,724,544	" 1	934	625	18·8	-	10	21	12	8	-	55
AMBURG - -	608,710	" 15	-	-	-	-	-	-	-	-	-	-
RESDEN - -	323,600	May 11	-	-	-	-	-	-	-	-	-	-
RESLAU - -	367,769	June 15	-	198	28·1	-	1	-	5*	-	-	45
UNICH - -	396,000	" 15	-	176	23·1	-	5	1	4*	1	-	26
IENNA - -	1,495,764	" 15	-	-	-	-	-	-	-	-	-	-
RAGUE - -	343,822	" 8	232	178	26·3	-	-	-	-	2	2	8
UDA-PESTH -	566,022	" 8	460	284	26·1	1	1	1	3	-	-	27
RIESTE - -	160,825	" 8	81	81	26·2	-	-	2	3*	2	-	7
OME - -	463,786	March 30	211	224	25·2	-	1	1	-	-	2‡	6
URIN (10 days)	344,203	May 20	223	179	19·0	-	4	2	4	-	1	16
ENICE -	158,159	" 11	-	-	-	-	-	-	-	-	-	-
AIRO - -	374,838	" 20	366	319	44·3	3	-	-	-	1	4	112
LEXANDRIA -	231,396	" 20	165	154	34·7	1	-	-	1*	2	7	42
EW YORK -	1,992,715	June 8	-	935	26·3	-	49	17	42	8	5	41
ROOKLYN -	1,080,000	" 8	-	463	21·9	-	9	1	21	5	-	28
HILADELPHIA	1,163,864	" 8	-	632	28·3	-	6	2	28	5	15	22
EW ORLEANS -	275,000	May 25	-	167	31·7	-	-	-	2	-	5	40

* Including deaths from croup.
† Including 36 deaths from cholera in Calcutta and one in Madras.
‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 22ND JUNE, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	16	..	29·866	74·0	45·0	29·0	58·9	− 0·1	41·5	17·4	30·4	5·3	53	124·0	38·3	58·50	WSW. & NNW.	SSW. & SW.	2·3	0·0	0·1	224	− 21	0·00	0·0
MONDAY .	17	..	29·750	69·0	46·2	22·8	57·3	− 1·8	46·6	10·7	21·0	4·4	68	121·0	38·8	58·37	SW. & N.	E. & ESE.	1·7	0·0	0·1	180	− 62	0·00	0·0
TUESDAY.	18	..	29·516	75·8	45·4	30·4	60·5	+ 1·3	47·7	12·8	26·7	2·9	63	129·2	39·2	58·40	SE. NE. & N.	WSW. ESE. & E.	0·2	0·0	0·0	124	−116	0·00	0·0
WEDNESDAY	19	..	29·556	68·0	51·7	16·3	57·2	− 2·3	53·0	4·2	14·2	0·9	86	115·9	47·5	58·34	N.	N. & E.	0·0	0·0	0·0	115	−123	0·09	0·0
THURSDAY	20	..	29·853	75·0	46·3	28·7	60·5	+ 0·6	43·8	16·7	30·1	0·4	54	130·9	40·7	58·52	SW. & NW.	W. & SW.	2·7	0·0	0·1	231	− 6	0·00	0·0
FRIDAY .	21	..	30·126	76·7	47·2	29·5	62·9	+ 2·6	45·0	17·9	27·0	6·7	52	142·8	40·0	58·67	SW.	SW. SSW. & S.	1·5	0·0	0·0	224	− 13	0·00	0·0
SATURDAY	22	Greatest Dec. N. New	30·174	79·0	57·2	21·8	66·2	+ 5·5	56·4	9·8	22·1	4·0	71	133·7	54·2	58·81	S. SSW. & SW.	SW. & WSW.	0·5	0·0	0·0	197	− 41	0·01	0·0
MEANS . .		..	29·834	73·9	48·4	25·5	60·5	+ 0·8	47·7	12·8	24·5	3·5	64	128·2	42·7	58·52	SW.		..	..	..	Sum 1295	Sum − 382	Sum 0·10	0·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. June.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	16	w. P. in morning; v. P. in afternoon; v. N. and w. P. in evening.	9·1	16·5	Very fine, with light cloud prevalent during the day; cloudless in morning, and again at night.
MONDAY .	17	v. P. generally -	4·7	16·6	Very fine; nearly cloudless generally.
TUESDAY .	18	v. P. generally -	4·1	16·6	Fine; light cloud prevalent; cloudless in early morning.
WEDNESDAY	19	v. P. and v. N. in morning; v. P. afterwards.	·1	16·6	Rain in morning; generally overcast till afternoon; fine after 3h. P.M.
THURSDAY .	20	v. P. generally -	7·3	16·6	Very fine; small amounts of light cloud till evening; afterwards cloudless.
FRIDAY .	21	w. P. generally -	11·5	16·6	Very fine; cloudless in morning; variable amounts of cloud till evening. Night cloudy.
SATURDAY .	22	w. P. in morning; v. P. afterwards.	1·3	16·6	Overcast till noon; afterwards very fine; cloudless at night; light showers shortly after 7h. A.M.
			Sum 38·1	Sum 116·1	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 29·45 in. by 10h. P.M. on the 18th; and increased to 30·20 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 26. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JUNE 29. [Price 1½*d.*

General Register Office, Somerset House,
July 1*st*, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending June 8.	June 15.	June 22.	June 29.	TOWNS.	Weeks ending June 8.	June 15.	June 22.	June 29.
Birkenhead	14·1	18·0	16·5	18·4	Liverpool - -	20·9	23·8	25·1	25·7
Birmingham	14·6	13·3	17·1	16·2	London - -	14·8	14·4	15·1	16·9
Blackburn -	20·0	19·2	12·3	17·6	Manchester -	19·8	21·3	20·4	19·0
Bolton -	21·4	23·6	15·7	19·2	Newcastle-on-Tyne	15·9	16·9	12·8	17·1
Bradford -	11·7	15·4	17·0	13·8	Norwich - -	13·6	14·1	12·7	16·5
Brighton -	13·1	14·4	12·6	9·6	Nottingham -	12·7	13·1	15·2	12·4
Bristol -	13·7	14·4	14·4	15·3	Oldham - -	19·2	15·9	21·4	15·2
Burnley -	25·7	10·5	13·1	19·4	Plymouth - -	18·7	20·5	19·3	14·0
Cardiff -	13·7	11·7	14·4	16·4	Portsmouth -	10·4	10·7	17·9	11·6
Croydon -	11·3	10·9	6·8	13·2	Preston - -	18·1	14·8	18·5	11·6
Derby -	11·4	17·2	14·6	9·9	Salford - -	20·3	20·5	18·3	21·0
Gateshead -	17·4	15·8	14·7	22·8	Sheffield - -	14·8	15·8	16·9	14·3
Halifax -	15·6	14·5	18·9	13·3	Sunderland -	14·8	11·4	17·0	21·2
Huddersfield	14·2	13·6	13·6	11·5	Swansea - -	12·9	11·8	12·9	16·7
Hull - -	16·4	15·4	14·9	15·9	West Ham - -	12·1	14·4	15·5	15·0
Leeds -	13·6	14·6	17·4	15·3	Wolverhampton -	22·5	15·8	14·6	17·6
Leicester -	13·2	12·1	14·5	11·6					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in London, 1·3 in Bolton and in Manchester, 1·5 in Newcastle-on-Tyne, 1·7 in Cardiff, 1·8 in Plymouth, and 2·9 in West Ham; from *scarlet fever*, 1·0 in Burnley; from "*fever*", 1·0 in Huddersfield; and from *diarrhœa*, 1·0 in Cardiff, 1·1 in London, 1·4 in Croydon and in Preston, 2·3 in Salford, and 3·0 in Leicester. The death-rate from *whooping-cough* did not reach 1·0 per 1000 in any of the thirty-three towns. The 55 deaths from *diphtheria* included 38 in London, 3 in Liverpool, 2 in West Ham, 2 in Portsmouth, and 2 in Birmingham. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2488 BIRTHS and 1429† DEATHS were registered. Allowing for increase of population, the births were 113, and the deaths 13, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

per 1000 from all causes, which had been 14·8, 14·4, and 15·1 in the preceding three weeks, further rose last week to 16·9. During the four weeks ending on Saturday last the death-rate averaged 15·3 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1429 deaths included one from small-pox, 84 from measles, 18 from scarlet fever, 38 from diphtheria, 29 from whooping-cough, 7 from enteric fever, 92 from diarrhœa and dysentery, 3 from cholera and choleraic diarrhœa, and not one death from typhus or any ill-defined form of continued fever; thus, 272 deaths were referred to these diseases, being 36 above the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 4; the fatal case belonged to St. Giles sanitary area. The deaths from *measles*, which had been 36, 71, and 71 in the preceding three weeks, rose last week to 84, exceeding the corrected average by 21; 10 cases belonged to Islington, 8 to St. George-in-the-East, 7 to Shoreditch, 7 to Mile End Old Town, 7 to Poplar, 6 to Hackney, 6 to Bethnal Green, and 6 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 17, 12, and 11 in the preceding three weeks, rose again last week to 18, the corrected average being 16; 3 cases belonged to Hackney, 2 to Pancras, 2 to Clerkenwell, and 2 to Poplar sanitary areas. The deaths from *diphtheria*, which had been 33, 45, and 37 in the preceding three weeks, were 38 last week, exceeding the corrected average by 8; 4 cases belonged to Bethnal Green, 4 to Poplar, and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 22, 20, and 18 in the preceding three weeks, rose again last week to 29, but were 16 below the corrected average; 4 cases belonged to St. George Southwark sanitary area. The fatal cases of *enteric fever*, which had been 8, 5, and 4 in the preceding three weeks, were 7 last week, the corrected average being 9. The deaths from *diarrhœa*, which had been 19, 21, and 46 in the preceding three weeks, further rose last week to 92, exceeding the corrected average by 27.

The deaths referred to diseases of the respiratory organs, which had been 163, 152, and 186 in the preceding three weeks, fell again last week to 160, and were 45 below the corrected average.

The deaths attributed directly to *influenza* numbered 12, having been 5, 5, and 4 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all but one of which inquests were held. Of these 64 deaths, 9 were cases of suicide, while the remaining 55 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 11 to drowning, and 7 (including 6 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 34 cases of small-pox, 1894 of scarlet fever, 633 of diphtheria, and 147 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 25 cases, against 5, 2, and 8; of scarlet fever, 319 cases, against 179, 199, and 251; of diphtheria, 115 cases, against 86, 107, and 128; and of enteric fever, 21 cases, against 13, 12, and 10.

Greater London.

In Greater London 3343 births and 1821 deaths were registered, corresponding to annual rates of 28·8 and 15·7 per 1000 of the estimated population. In the Outer Ring 22 deaths from measles and 16 from diphtheria were recorded. Nineteen deaths from measles and 9 from diphtheria occurred in West Ham district, and 4 deaths from diphtheria in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 65°·8, the latter being 4°·6 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 19 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 37·8 hours; the measured rainfall amounted to 0·02 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 29th June 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 29th June, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6166	3394	958	723	1	140	32	55	59	29	177	154	257	748	38	16·7	2·4	83·8	40·0	61·5	16·39	0·71	1·80	33 Towns.
London	4,892,346	2488	1429	425	275	1	84	18	38	29	7	92	64	123	422	6	16·9	3·2	83·8	49·3	65·8	18·78	0·02	0·05	London.
West Ham	249,473	164	72	23	8	–	14	–	2	2	1	2	3	4	11	1	15·0	4·4	–	–	–	–	–	–	West Ham.
Croydon	114,923	55	29	7	11	–	–	–	–	–	1	3	1	4	1	–	13·2	1·8	83·0	47·0	63·8	17·67	0·01	0·03	Croydon.
Brighton	119,604	55	22	4	9	–	–	1	–	–	–	–	1	3	4	–	9·6	0·4	73·2	47·6	58·9	14·94	0·10	0·25	Brighton.
Portsmouth	174,751	72	39	9	15	–	–	–	2	–	1	–	1	2	5	–	11·6	0·9	78·5	52·0	61·9	16·61	0·09	0·23	Portsmouth.
Plymouth	89,096	47	24	4	9	–	3	–	–	–	–	–	–	1	2	–	14·0	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,189	133	67	15	20	–	–	–	–	1	–	4	3	4	7	–	15·3	1·1	80·0	50·0	62·0	16·67	0·10	0·25	Bristol.
Cardiff	155,637	108	49	12	9	–	5	–	1	–	–	3	1	1	5	–	16·4	3·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	68	31	8	7	–	–	–	–	–	1	–	2	1	4	–	16·7	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	46	29	7	10	–	–	–	–	–	–	1	3	3	5	–	17·6	0·6	76·2	45·9	62·3	16·83	0·61	1·55	Wolverhampton.
Birmingham	496,751	301	154	46	39	–	–	2	2	4	–	9	8	6	44	9	16·2	1·8	–	–	–	–	–	–	Birmingham.
Norwich	107,127	51	34	10	10	–	–	–	–	1	1	–	–	–	4	–	16·5	1·0	79·0	44·0	60·1	15·61	0·50	1·27	Norwich.
Leicester	193,839	104	43	17	8	–	1	–	–	–	–	11	2	3	4	–	11·6	3·2	–	–	–	–	–	–	Leicester.
Nottingham	226,658	97	54	10	18	–	–	1	–	1	–	–	4	4	13	2	12·4	0·5	82·3	44·8	61·0	16·11	0·21	0·53	Nottingham.
Derby	100,272	54	19	5	3	–	–	–	–	1	–	–	–	2	2	–	9·9	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	72	38	10	11	–	–	1	1	–	1	1	1	2	8	–	18·4	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	351	248	78	40	–	8	3	3	6	7	7	17	24	54	5	25·7	3·5	78·4	52·5	61·3	16·28	0·72	1·83	Liverpool.
Bolton	119,337	93	44	11	6	–	3	–	–	1	–	2	–	–	4	1	19·2	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	328	191	44	34	–	13	–	1	6	3	8	9	14	50	–	19·0	3·1	–	–	–	–	–	–	Manchester.
Salford	208,253	139	84	37	14	–	1	1	1	1	–	9	4	7	12	1	21·0	3·3	–	–	–	–	–	–	Salford.
Oldham	141,079	52	41	6	8	–	–	–	–	1	–	1	2	2	4	–	15·2	0·7	–	–	–	–	–	–	Oldham.
Burnley	99,591	54	37	8	7	–	–	2	–	1	1	–	–	–	1	–	19·4	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	84	43	15	8	–	–	2	1	2	–	1	1	1	3	1	17·6	2·5	–	–	–	–	–	–	Blackburn.
Preston	112,638	87	25	8	6	–	1	–	–	–	–	3	1	2	2	3	11·6	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	43	22	4	6	–	–	–	–	–	2	–	–	1	1	–	11·5	1·0	83·0	46·0	60·4	15·78	3·18	8·08	Huddersfield.
Halifax	93,813	37	24	3	10	–	–	–	1	1	–	–	1	2	4	–	13·3	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	123	60	15	16	–	–	–	–	1	–	2	2	5	8	1	13·8	0·7	73·2	55·0	61·2	16·22	1·75	4·44	Bradford.
Leeds	395,546	254	116	29	29	–	1	–	–	–	1	7	3	9	13	1	15·3	1·2	–	–	–	–	–	–	Leeds
Sheffield	342,768	217	94	26	29	–	–	1	–	–	2	4	3	6	14	–	14·3	1·1	–	–	–	–	–	–	Sheffield.
Hull	216,722	151	66	18	14	–	–	–	1	–	–	2	1	1	5	6	15·9	0·7	79·0	40·0	59·3	15·17	1·26	3·20	Hull.
Sunderland	137,705	78	56	14	11	–	–	–	–	–	–	2	4	4	12	–	21·2	0·8	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	62	42	10	13	–	–	–	1	–	–	1	5	5	7	–	22·8	1·1	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	98	68	20	10	–	6	–	–	–	–	2	7	11	13	1	17·1	2·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2483	2437	2735	2289	2467	2359	2458	2489	2469	2458	2601·0	2488
Males . .	1288	1246	1402	1128	1265	1196	1240	1272	1260	1226	1321·7	1291
Females .	1195	1191	1333	1161	1202	1163	1218	1217	1209	1232	1279·3	1197
TOTAL **Deaths**	1366	1258	1338	1238	1265	1346	1363	1377	1331	1282	1442·1	1429
Males . .	729	659	700	636	699	666	749	708	978	609	752·8	732
Females .	637	599	638	602	566	680	614	669	353	673	689·3	697

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.
TOTAL **Births** - -	2731	2380	2677	2691	2837	2549	2496	2640	2569	2333	2678	2639	2488
TOTAL **Deaths** - -	1597	1622	1585	1508	1395	1398	1389	1371	1308	1247	1213	1276	1429
Ages at Death: Under 1 year -	357	409	410	423	321	318	325	327	279	254	263	314	425
1—5 years -	290	265	261	214	221	198	219	192	195	190	198	212	231
5—20 " -	79	75	85	60	82	84	84	87	87	84	73	82	81
20—40 " -	176	193	190	162	186	190	172	196	175	158	170	176	185
40—60 " -	288	265	264	289	256	256	258	253	254	249	240	218	232
60—80 " -	335	339	312	293	275	291	280	269	271	266	232	229	226
80 years & upwards	72	71	63	67	54	61	51	47	47	46	37	45	49
Deaths from—													
Small-pox - - - -	-	-	-	-	1	-	-	-	-	-	1	-	1
Measles - - - -	18	25	39	26	39	34	39	32	50	36	71	71	84
Scarlet fever - - -	11	15	9	9	13	11	13	10	17	17	12	11	18
Diphtheria - - -	23	27	30	27	29	38	41	37	41	33	45	37	38
Whooping-cough - -	44	49	51	44	36	35	31	39	30	22	20	18	29
Typhus - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric fever - - -	6	3	5	5	5	8	8	9	5	8	5	4	7
Simple Continued fever -	-	-	-	-	-	1	-	-	-	-	-	1	-
Diarrhœa and Dysentery -	15	18	7	13	18	19	18	14	16	19	21	46	92
Cholera - - - -	-	-	-	-	-	-	-	-	-	1	-	2	3
All the above Diseases	117	137	141	124	141	146	150	141	159	137	175	190	272
Dis. of Respiratory System	427	398	389	341	290	247	240	245	193	163	152	186	160
Phthisis - - -	186	164	161	162	144	160	128	172	148	162	143	134	147
Dis. of Circulatory System	127	122	125	120	106	107	127	123	114	123	99	111	97
Violence - - - -	55	51	64	71	63	63	77	59	64	55	55	43	64
Inquest Cases - - -	114	136	135	135	131	127	138	122	123	121	107	94	123
Deaths in Public Institutions	432	424	459	393	380	398	425	450	397	395	349	360	422
TEMPERATURE OF THE AIR													
Mean - - - -	41°·5	47°·7	49°·1	50°·9	51°·2	57°·3	55°·9	52°·3	61°·0	60°·7	58°·7	60°·5	65°·8
Mean of Highest readings -	48·3	53·1	60·4	59·2	62·5	69·8	65·4	62·5	74·6	73·0	70·6	73·9	79·8
Mean of Lowest readings -	36·0	39·7	40·7	45·8	40·4	44·4	47·7	44·6	48·5	49·3	48·0	48·4	53·3
Humidity of the Air - -	84	75	77	88	73	61	68	81	69	68	61	64	61
Rain-fall (in inches) - -	0·12	0·05	0·13	1·15	0·04	0·00	0·19	0·19	0·08	0·02	0·02	0·10	0·02
Registered Sunshine (in hours)	9·8	29·6	36·0	10·7	42·0	74·7	20·2	22·3	49·9	53·0	33·7	38·1	37·8
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	53	47	35	37	34	33	27	29	22	23	19	22	34
Scarlet fever - - - -	1519	1463	1514	1469	1413	1438	1446	1503	1524	1589	1637	1732	1894
Diphtheria - - - -	440	435	441	432	457	464	484	492	508	529	562	593	633
Enteric fever - - - -	66	67	67	61	64	66	91	126	139	141	147	142	147

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SIXTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 26th Week of the 10 years 1885-94.*	In the Week ending Saturday, 29th June 1895.* Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1442·1	1429	425	231	81	185	232	226	40
Small-pox: Vaccinated† -	1·1	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·3	1	-	-	-	1	-	-	-
Small-pox: No Statement	1·2	-	-	-	-	-	-	-	-
Measles - - - -	62·5	81	21	56	4	-	-	-	-
Scarlet Fever - -	16·3	18	1	14	2	1	-	-	-
Typhus - - - -	0·4	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	8·0	12	-	-	2	2	4	4	-
Whooping-cough - -	45·0	29	18	11	-	-	-	-	-
Diphtheria - - -	29·7	38	4	23	9	1	1	-	-
Simple Continued and Ill-defined Fever -	1·4	-	-	-	-	-	-	-	-
Enteric Fever - -	9·4	7	-	-	2	4	1	-	-
Cholera and Chol. Diarr.	2·0	3	3	-	-	-	-	-	-
Diarrhœa, Dysentery -	65·3	92	63	19	1	1	-	2	1
Intermittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Cancerous Affections - -	7·9	11	9	1	-	-	1	-	-
Erysipelas - - -	4·1	2	-	-	-	1	1	-	-
Pyæmia and Septicæmia	3·4	2	-	-	-	1	1	-	-
Herpera Fever - -	3·3	6	-	-	-	6	-	-	-
Other Zymotic Diseases	1·5	1	1	-	-	-	-	-	-
Thrush - - - -	2·2	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·3	1	-	1	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·8	2	1	-	-	1	-	-	-
Alcoholism - - -	6·9	15	-	-	-	7	6	2	-
Rheumatic Fever, Rheumatism of Heart	6·5	5	-	-	3	1	1	-	-
Rheumatism - -	1·5	1	-	-	-	-	-	-	1
Gout - - - -	3·2	4	-	-	-	-	1	3	-
Ulcers - - - -	3·3	12	3	9	-	-	-	-	-
Cancer - - - -	58·7	75	-	1	1	9	30	31	3
Disease Mesenterica - -	29·0	31	19	6	4	2	-	-	-
Tubercular Meningitis -	25·5	27	9	11	6	1	-	-	-
Phthisis - - -	148·8	147	3	4	14	71	43	12	-
Scrofula, Tuberculosis -	21·5	24	8	6	4	4	1	1	-
Other Constitutional Diseases - - -	10·1	15	3	1	1	5	2	2	1
Premature Birth - -	38·7	46	43	-	-	-	-	-	-
Atelectasis - - -	2·3	7	7	-	-	-	-	-	-
Congenital Malformations - - -	6·8	7	7	-	-	-	-	-	-
Old Age - - - -	46·4	34	-	-	-	-	-	16	18
Apoplexy - - -	39·4	31	-	-	-	1	11	20	2
Epilepsy - - -	7·5	4	1	-	-	1	1	1	-
Convulsions - - -	42·3	43	38	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	36·7	74	16	9	4	6	11	25	3

CAUSES OF DEATH.	Corrected Averages for the 26th Week of the 10 years 1885-94.*	In the Week ending Saturday, 29th June 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·4	5	1	1	1	1	1	-	-
Diseases of Circulatory System - - -	105·9	97	3	-	5	13	40	31	5
Croup - - - -	5·4	2	1	1	-	-	-	-	-
Bronchitis - - -	94·2	81	24	17	1	-	10	21	8
Pneumonia - - -	78·5	57	14	16	1	8	10	8	-
Pleurisy - - -	6·3	5	-	1	-	1	2	1	-
Other Diseases of Respiratory System - -	20·6	15	3	5	1	-	3	3	-
Dentition - - -	11·1	8	5	3	-	-	-	-	-
Quinsy, Sore Throat -	1·9	-	-	-	-	-	-	-	-
Enteritis - - -	17·1	25	18	1	1	3	1	1	-
Peritonitis - - -	7·7	1	-	-	-	-	-	1	-
Diseases of Liver - -	25·9	21	3	-	-	3	9	4	2
Other Diseases of Digestive System -	30·7	25	10	-	-	3	4	8	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	4	-	-	1	1	1	1	-
Diseases of Urinary System - - -	41·2	35	-	-	2	5	11	17	-
Diseases of Generative System - - -	5·0	4	-	-	-	1	2	1	-
Accidents of Childbirth -	4·3	6	-	-	-	6	-	-	-
Diseases of Locomotive System - - -	7·1	3	-	-	-	-	1	2	-
Diseases of Integumentary System - -	4·2	6	2	-	-	1	1	1	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	49·8	-	-	-	-	-	-	-	-
By Vehicles or Horses -		10	-	1	3	1	4	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	1	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		4	-	1	1	1	1	-	-
By Drowning - -		11	-	-	5	3	3	-	-
By Suffocation in Bed -		7	6	-	-	1	-	-	-
By Poisons or Poisonous Vapours - - -		5	-	-	-	-	5	-	-
Other or not stated Causes - - - -		17	3	2	1	2	5	1	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·7	-	-	-	-	-	-	-	-
Suicide - - - -	9·1	9	-	-	-	4	2	3	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·0	46	41	2	-	-	-	2	1

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2488	1429	425	275	1	84	18	38	29	–	7	–	92	64	123	422
WEST DISTRICTS	740,735	491	225	69	50	–	3	2	6	3	–	1	–	14	9	20	68
NORTH DISTRICTS	993,884	540	332	90	61	–	16	10	11	5	–	3	–	27	14	22	93
CENTRAL DISTRICTS	247,538	119	89	23	13	–	8	2	1	3	–	–	–	7	7	9	37
EAST DISTRICTS	705,114	491	315	100	56	–	41	–	6	4	–	1	–	19	10	29	104
SOUTH DISTRICTS	1,524,472	937	448	13	89	–	13	3	14	14	–	2	–	25	24	43	100
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	20	–	6	1	–	1	–	–	–	–	–	–	–	–	20
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	51	28	7	6	–	1	–	–	–	–	–	–	1	–	–	4
St. John Paddington *H* G.J.	33687	8	10	–	3	–	–	–	–	–	–	–	–	1	–	–	6
Kensington Town *Ww* W.M.	118751	62	41	14	12	–	–	–	–	–	–	–	–	3	3	5	15
Brompton W.M. & C.	47557	21	11	4	1	–	–	–	–	–	–	–	–	1	–	–	2
St. Peter Hammersmith W.M.	8583	4	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
St. Paul Hammersmith *H* W.M. & G.J.	88633	53	26	10	7	–	1	–	1	1	–	–	–	2	1	5	2
Fulham *Ww* W.M. & C.	91639	84	39	12	10	–	–	2	5	1	–	1	–	2	1	3	13
Chelsea Kensal Town C.	21787	4	5	3	–	–	–	–	–	1	–	–	–	1	–	–	–
Chelsea North *WHHHH* C.	41637	24	12	5	1	–	1	–	–	–	–	–	–	–	–	1	6
Chelsea South *HH* C.	32829	17	7	1	–	–	–	–	–	–	–	–	–	–	–	1	3
May Fair *WH* G.J.	23733	2	10	1	3	–	–	–	–	–	–	–	–	–	1	1	7
Belgrave *WHHH* C.	54631	33	18	3	4	–	–	–	–	–	–	–	–	1	1	1	9
St. John Westminster *HH* C.	34106	18	11	5	2	–	–	–	–	–	–	–	–	1	1	2	1
St. Margarets Westminster *H* C.	21668	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. James Westminster *WHHH* N.R. & G.J.	24995	10	3	2	–	–	–	–	–	–	–	–	–	1	1	1	–
St. Anne Soho *HHHHHH* N.R.	12317	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* W.M.	37713	12	16	1	5	–	–	–	–	–	–	1	–	–	1	1	9
Rectory Marylebone *WH* G.J. & W.M.	20024	8	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–
St. Mary Mareyb. *HHHH* G.J. & W.M.	19239	21	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Christchurch Marylebone *HH* W.M.	38327	14	10	6	–	–	–	–	–	–	–	–	–	3	–	1	–
St. John Marylebone *HH* W.M.	32101	25	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	23	22	4	5	–	–	1	3	1	–	1	–	1	1	1	9
Regent's Park Paneras *HH* W.M.	36590	15	5	2	–	–	–	–	–	–	–	–	–	–	2	2	–
Tottenham-court *wHHH* N.R. & W.M.	26321	16	15	1	3	–	–	–	–	–	–	–	–	–	1	1	14
Gray's Inn Lane *HHH* N.R.	27455	17	10	3	1	–	–	–	1	–	–	–	–	2	1	1	4
Somers Town *HH* N.R.	32829	13	10	4	–	–	–	–	–	–	–	–	–	1	–	–	1
Camden Town *WH* N.R.	15419	9	12	2	4	–	–	–	–	–	–	–	–	–	2	2	9
Kentish Town *WW* N.R.	95765	43	30	7	6	–	–	1	1	2	–	–	–	1	–	1	4
Upper Holloway *WWWwHHH* N.R.	90235	53	46	13	10	–	3	–	–	1	–	–	–	4	1	4	15
Islington South-west *H* N.R.	105557	71	27	9	3	–	3	–	–	–	–	–	–	2	4	4	–
Islington South-east N.R.	64158	46	17	8	4	–	3	–	–	–	–	–	–	1	–	2	–
Highbury *HH* N.R.	59193	24	12	5	5	–	1	–	–	–	–	–	–	1	–	–	–
Stoke Newington *H* N.R.	30936	19	10	–	2	–	–	–	–	–	–	–	–	1	–	–	–
Stamford Hill E.L.	17759	7	7	3	3	–	–	–	–	–	–	1	–	1	–	–	–
West Hackney *H* N.R.	42602	20	13	7	1	–	2	–	1	–	–	–	–	2	–	–	2
Hackney *WwwH* K., L. & N.R.	96486	65	48	10	5	–	4	8	4	–	–	–	–	2	1	1	25
South Hackney *w* E.L.	41759	19	11	4	1	–	–	–	–	1	–	–	–	5	–	–	1
CENTRAL DISTRICTS.																	
St. George Bloomsbury N.R.	16695	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* N.R.	13454	9	6	1	–	–	–	–	–	2	–	–	–	–	1	1	5
St. Giles North *H* N.R.	9633	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	9	2	1	–	–	–	–	–	–	–	–	–	2	2	6
St. Mary-le-Strand *H* N.R.	5706	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Clement Danes *WH* N.R.	7194	6	6	–	1	–	–	–	–	–	–	–	–	–	1	1	5
Strand Union Workhouse, Edmonton	†1037	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
St. Geo.-the-Martyr *HHHHHH* N.R.	17921	8	12	4	–	–	–	–	1	–	–	–	–	–	–	–	10
St. Andrew Eastern *WH* N.R.	15343	6	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell N.R.	16803	12	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Amwell Clerkenwell N.R.	16883	7	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Pentonville N.R.	17155	7	7	2	–	–	–	–	–	1	–	–	–	–	1	1	–
Goswell-street N.R.	15375	15	5	1	–	–	–	2	–	–	–	–	–	–	–	–	–
City-road *HHHL* N.R.	29177	25	19	8	3	–	5	–	–	–	–	–	–	4	–	1	3
Whitecross-street N.R.	8378	2	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–
Finsbury N.R.	4985	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	†892	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Botolph *H* N.R. & E.L.	8944	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cripplegate N.R.	4539	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–
St. Sepulchre *H* N.R.	4444	–	4	1	1	–	–	–	–	–	–	–	–	–	1	1	3
St. Bride *W* N.R.	6594	–	3	–	2	–	–	–	–	–	–	–	–	–	–	1	–
Allhallows Barking N.R.	10422	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Broad Street *H* N.R.	3377	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone	†388	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*— house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the d Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. I River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

* Not included in the total population or the Central Districts or of London.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 29th June, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	20098	11	10	2	-	-	1	-	-	1	-	-	-	1	-	-	5	-
tton New Town *w* - - - N.R.	29313	18	10	1	5	-	2	-	-	-	-	-	-	-	-	2	5	-
tton Old Town - - - - N.R.	28354	20	10	6	-	-	1	-	-	-	-	-	-	3	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	24	29	10	6	-	3	-	-	-	-	-	-	2	1	3	8	-
hnal Green North *H* - - E.L.	51520	44	20	8	2	-	3	-	2	-	-	-	-	2	-	2	-	-
hnal Green South - - - E.L.	33489	28	9	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
hnal Green East *WHL** - E.L.	44123	19	26	5	10	-	-	-	-	-	-	-	-	2	-	-	17	-
alfields - - - E. N.R.	22456	15	5	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
e End New Town *W* - - E.L.	17908	16	17	3	3	-	2	-	-	-	-	1	-	1	-	2	11	-
itechapel Church *H* E.L. & N.R.	10298	16	29	7	3	-	2	-	1	-	-	-	-	-	3	5	21	-
odman's Fields - - - E.L.	13800	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	42	12	7	-	-	6	-	-	-	-	-	-	1	-	-	-	-
John, St. George East *W* - E.L.	8357	6	9	1	1	-	2	-	-	-	-	-	-	-	-	-	7	-
dwell *H* - - - E.L. & N.R.	10246	3	10	6	-	-	2	-	-	-	-	-	-	1	-	1	4	-
cliff *W* - - - - - E.L.	14928	7	6	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-
ehouse - - - - - E.L.	32202	17	4	3	-	-	2	-	-	-	-	-	-	-	-	2	-	-
e End Old Town West *H* - E.L.	38650	35	16	7	2	-	3	-	-	-	-	-	-	1	-	-	3	-
e End Old Town East *H Www* E.L.	68942	53	28	8	10	-	4	-	-	-	-	-	-	1	2	3	9	-
*L** - - - - - E.L.	40365	18	11	4	3	-	1	-	-	-	-	-	-	1	-	-	1	-
mley *wwwH* - - - - E.L.	70000	51	33	10	6	-	5	-	2	1	-	-	-	-	-	1	12	-
lar. *WW* - - - - - E.L.	56883	37	18	4	4	-	2	-	1	2	-	-	-	-	3	6	2	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	13264	8	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Saviour Southwark - - - S.	18913	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
nt-road - - - - S. & L.	21867	17	11	7	-	-	-	-	-	3	-	-	-	2	1	1	-	-
rough-road *WH* - - S. & L.	16624	10	9	4	1	-	-	-	-	1	-	-	-	1	1	3	5	-
ndon-road *HL* - - L. & S.	21221	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
nity Newington - - S. & L.	26596	16	8	3	1	-	-	-	1	-	-	-	-	2	-	1	-	-
Peter Walworth *W* - S. & L.	61342	54	16	10	2	-	-	-	-	-	-	-	-	3	-	-	1	-
Mary Newington - - L. & S.	27866	18	11	6	1	-	-	-	-	2	-	-	-	-	1	2	-	-
Olave *WH* - - - - S.	12723	8	15	2	1	-	-	-	-	-	-	-	-	-	5	5	12	1
ather Market *W* - - S. & L.	30612	22	10	7	-	-	1	-	-	-	-	-	-	1	-	2	-	1
James Bermondsey - - S.	54070	38	13	7	1	-	-	-	-	1	-	-	-	-	-	1	-	-
herhithe *WwH* - - S. & K.	32255	18	9	1	1	-	-	-	-	-	-	-	-	1	-	-	3	-
terloo-road 1st *H* - - L. & S.	14031	1	7	5	-	-	3	-	-	-	-	-	-	1	1	1	1	-
terloo-road 2nd *H* - - L. & S.	14644	19	5	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-
mbeth Church 1st *H* - L. & S.	18075	16	15	2	2	-	1	-	2	-	-	-	-	1	1	1	8	-
mbeth Church 2nd *WW* - L. & S.	39097	33	28	7	2	-	2	-	-	2	-	-	-	1	-	3	12	-
nnington 1st *H* - - S. & L.	50586	33	4	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-
nnington 2nd	- - - S. & L.	39708	18	10	1	2	-	-	-	-	-	-	-	-	-	1	-	1
xton *w* - - - - - L. & S.	73405	36	17	4	4	-	-	1	3	-	-	-	-	1	-	1	4	-
rwood *WH* - - - - L.	26657	13	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
t Battersea - - - S.	67244	41	18	7	2	-	4	-	-	-	-	-	-	3	1	3	-	-
st Battersea *WwH* - - S.	83314	57	28	14	3	-	1	-	-	1	-	-	-	1	1	2	6	-
pham *H* - - - - S.	43698	24	12	4	3	-	-	-	-	-	-	-	-	-	1	2	2	-
ndsworth *WHHL* - - - S.	46717	67	10	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
ney - - - - - - S.	17771	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eatham *www* - - - - L.	48756	21	12	1	5	-	-	-	5	-	-	-	-	-	-	-	5	-
lwich - - - L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nberwell *WwL*L** - - S. & L.	81686	48	29	5	9	-	-	-	-	1	-	-	-	1	2	2	19	-
kham *W* - - - S., L., & K.	88488	50	27	7	10	-	-	-	-	-	-	-	-	2	3	4	-	1
George Camberwell - - L. & S.	63366	46	23	8	3	-	-	-	1	-	-	-	-	1	-	3	-	-
ptford, North - - - - K.	35314	32	9	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
ptford, Central *w* - - - K.	42007	34	10	3	1	-	-	2	-	-	-	1	-	-	-	-	3	-
ptford, South - - - - K.	30852	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
enwich West *H* - - - K.	22007	7	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
enwich East *WH* - - - K.	35233	17	18	2	9	-	-	-	-	-	-	-	-	-	2	2	10	-
ham *wH* - - - - - K.	5082	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30950	12	5	1	1	-	-	-	-	-	-	-	-	1	1	1	3	-
denham *H* - - - - - L.	34162	14	10	1	4	-	-	-	-	1	-	-	-	-	-	-	-	1
ulton *HH* - - - - K.	14040	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
olwich Dockyard - - - K.	19606	5	6	1	2	-	-	-	-	-	-	-	-	-	2	1	-	-
olwich Arsenal *HH HH* - K.	21242	13	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
mstead, West *H* - - - K.	15869	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mstead, East *WH* - - - K.	36587	26	6	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-
nstead Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
terham Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
ne Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
spital Ships and Camp, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
renth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
nwell Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
iney Hatch Asylum - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
aybury Asylum - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 29th June, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	855	392	104	90	–	22	3	16	7	4	17	16	30	46
30 : 1	Carshalton *wHH* -	12228	26108	23	1	–	–	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	8	5	1	1	–	–	–	–	–	1	–	–	–	–
37 : 1	Godstone, *part of** *W* -	2751	1593	1	1	–	–	–	–	–	–	–	–	–		–	–
38 : 1	Croydon *WwHHH*	20351	128699	63	32	7	13	–	–	–	–	–	1	3	1	4	3
2	Mitcham *w* -	11697	23088	15	2	1	1	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH* -	3229	25761	15	6	–	2	–	–	–	–	–	–	–	–	1	–
2	Kingston *WH* - -	8071	44765	27	10	3	1	–	–	–	–	–	–	–	1	1	1
3	Esher, *part of** *HH*	6601	12059	4	3	1	2	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4545	18252	10	4	2	2	–	–	–	–	–	–	2	–	–	–
40 : 1	Richmond *WH* - -	2160	25389	8	5	–	1	–	–	1	–	–	–	–	1	1	–
2	Mortlake *H* - -	2323	16159	7	3	1	–		–	–	–	–	–	1	–	–	–
41 : 1	Bromley *HHH* - -	9127	23815	18	3	2	1	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H* - -	6542	21969	11	4	1	2	–	–	–	–	–	–	–	–	–	–
	Chislhrst, pt. of* *WHH*	14307	20372	7	3	–	1	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HH* -	12540	30590	15	5	1	1	–	–	–	–	–	–	–	–	–	–
2	Dartford *Work.*, pt. of*-	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3
124 : 1	Sunbury *w* - -	11054	13671	5	6	2	2	–	–	–	–	2	–	–	–	–	–
2	Staines *WH* - -	13277	13221	9	4	–	2	–	–	–	–	–	–	–	–	–	1
125 : 1	Hillingdon *WHH* -	6035	12237	5	2	–	1	–	–	–	–	–	–	–	–	–	2
2	Uxbridge - - -	6173	5417	1	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - -	14537	12618	6	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH* -	6967	26273	15	8	–	4	–	–	1	–	–	–	–	–	–	3
2	Twickenham *HH* -	2415	16027	8	4	1	2	–	–	–	–	–	–	1	–	–	1
3	Brentford *HHHH* -	4318	37777	17	13	5	5	–	–	–	–	–	–	–	–	–	1
4	Chiswick - - -	1245	21963	19	9	5	1	–	–	–	–	–	–	3	–	–	–
5	Acton *wH* - - -	6132	30945	17	10	5	2	–	–	–	–	–	–	2		–	
127 : 1	Harrow *HHH* - -	13809	15715	7	1	–	–	–	–	–	–	–	–	–	–	–	1
2	Edgware *HH* - -	6994	3844	2	4	–	–	–	–	–	1	–	–	–	2	2	–
3	Willesden *HHH* -	4383	61265	42	23	6	4	–	1	–	–	1	–	–	1	3	1
4	Hendon *WH* - -	8382	15843	6	4	–	–	–	–	–	–	–	–	–	–	–	1
128 : 1	South Mimms *H* -	15599	8474	3	4	1	–	–	–	–	–	–	–	–	1	2	–
2	Barnet *WHH* -	5441	11773	6	3	1	1	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH* -	4688	25820	12	6	–	2	–	–	–	–	1	–	–	–	–	1
129 : 1	Hornsey *HH* - -	3039	61097	31	10	3	3	–	–	–	1	–	–	–	–	–	–
2	Tottenham *H* - -	4642	97174	63	31	10	7	–	–	–	1	–	–	2	1	4	2
3	Edmonton *Www* -	7489	36351	26	16	1	6	–	–	–	–	–	–	–	–	2	3
4	Enfield *WWHH* -	12639	31803	29	9	1	2	–	–	1	2	–	–	1	1	2	1
5	Waltham Abbey - -	11017	6066	3	1	–	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8480	9620	4	1	–	–	–	–	–	–	–	–	–	1	1	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–		–
137 : 1	Bushey *H* - - -	2331	7737	3	–	–	–	–	–	–	–	–	–	–		–	–
2	Watford *Work.*, pt. of*-	—	—	–	1	–	–		–	–	–	–	–	–	–		1
186 : 1	Stratford *H*- - -	1100	42983	32	13	4	1	–	1	–	–	–	–	–	–	–	3
2	Plaistow - - -	1242	58030	43	16	6	1	–	4	–	1	1	–	–	–	–	–
3	Canning Town *H* -	1558	54750	48	21	8	2	–	6	–	1	–	–	1	3	4	3
4	Forest Gate *w* - -	806	49140	38	17	4	2	–	2	–	–	1	1	–		–	–
5	East Ham *w* - -	3266	32713	22	13	4	3	–	–	–	3	–	–	–	–	–	–
6	Leyton *WWWwH* -	4334	70188	41	25	7	6	–	4	–	4	1	1	1	–	–	10
7	Walthamstow *HL*	6501	57330	47	14	7	1		2	–	–	–	–	–	2	2	2
187 : 1	Chigwell *part of** *H*	11779	12941	5	1	–	–	–	–	–	–	–	–	–	1	1	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–			–
189 : 1	Romford *part of** *WH*	6556	4324	1	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford - - -	8493	10913	6	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	8	7	2	–	–	2	1	–	–	–	–	–	–	–
	Western Fever Hosp. -	-	-	–	1	–	–	–	–	–	1	–	–	–	–	–	1
	Middlesex County Asy.	-	-	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—39 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 29th June, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.
ATER LONDON	443,421	6,048,555	15·7	2·9	1821	529	365	1	106	21	54	36	11	109	80	468
NER LONDON -	74,672	4,392,346	16·9	3·2	1429	425	275	1	84	18	38	29	7	92	64	422
TER RING -	368,749	1,656,209	12·3	2·2	392	104	90	–	22	3	16	7	4	17	16	46

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the f a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	June 29	153	92	17·5	–	–	1	–	2	1	3
GOW - -	695,876	„ 29	498	278	20·8	–	6	–	3	6	2	29
LIN - -	349,594	„ 29	196	150	22·4	–	–	–	–	3	1	5
UTTA - -	466,460	May 4	–	374	41·8	72	3	–	–	1	130	79†
BAY - -	821,764	June 4	319	556	35·2	2	16	?	?	?	187	28†
RAS - -	452,518	May 24	318	272	31·2	–	2	?	?	?	113	25
S - - -	2,424,705	June 22	1078	865	18·5	–	17	9	3*	14	3	55
SSELS - -	498,400	„ 22	222	186	19·0	–	2	–	4*	–	–	19
TERDAM -	451,493	„ 22	272	142	16·3	–	–	–	–	1	1	–
TERDAM -	272,042	„ 22	205	89	17·0	–	–	–	–	2	–	–
HAGUE -	180,455	„ 22	82	52	15·0	–	–	–	–	1	–	–
NHAGEN -	341,000	„ 22	212	132	20·2	–	1	1	–	3	5	9
KHOLM -	252,937	„ 15	136	99	19·9	–	–	–	–	1	–	15
STIANIA -	167,588	„ 22	45	74	22·0	–	2	1	–	1	1	9
ETERSBURG	954,400	„ 8	510	522	28·5	–	7	13	11	5	15	56
COW - -	753,469	„ 15	–	472	32·7	–	1	7	12	2	7	76
LIN - -	1,724,544	„ 8	768	602	18·1	–	12	14	14	4	3	81
BURG - -	608,710	„ 15	–	254	21·7	–	1	1	3*	–	–	33
DEN - -	323,600	May 11	–	–	–	–	–	–	–	–	–	–
LAU - -	367,769	June 22	–	220	31·3	–	4	1	2*	2	1	40
ICH - -	396,000	„ 22	–	180	23·6	–	1	3	2*	2	–	42
NA - -	1,495,764	„ 15	886	659	22·9	–	29	8	9*	2	2	68
UE - -	343,822	„ 15	207	184	27·2	–	1	2	1	–	5	5
A-PESTH -	566,022	„ 15	382	249	22·9	1	3	1	1	1	2	23
STE - -	160,825	„ 15	71	84	27·2	–	–	–	4*	1	–	1
- -	463,786	April 6	–	–	–	–	–	–	–	–	–	–
N (11 days)	344,203	May 31	223	194	18·7	–	4	1	1	–	3	10
CE -	158,159	„ 11	67	65	21·4	–	–	–	2*	1	1	–
O - -	374,838	„ 27	338	388	53·8	7	1	–	1*	1	5	133
ANDRIA -	231,396	„ 27	187	187	42·1	–	–	–	1*	–	7	60
YORK -	1,992,715	June 15	–	657	18·4	–	33	8	39	9	5	20
KLYN -	1,080,000	„ 15	–	300	14·2	–	12	1	16	4	1	9
ADELPHIA	1,163,864	„ 15	–	352	15·8	2	3	1	21	3	11	11
ORLEANS -	275,000	„ 1	–	172	32·6	1	–	–	2	–	7	38

* Including deaths from croup.
† Including 45 deaths from cholera in Calcutta and one in Bombay.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 29TH JUNE, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	23	..	30·221	83·8	55·9	27·9	68·8	+ 7·8	57·1	11·7	27·0	1·1	66	123·0	51·3	59·28	SW. & WSW.	NW. NNW. & N.	0·9	0·0	0·0	197	− 42	0·00	0·0
MONDAY .	24	..	30·261	76·8	52·4	24·4	63·0	+ 1·8	57·1	5·9	16·5	1·7	81	124·7	47·5	59·68	NNW. N. & NNE.	NE. & E.	1·0	0·0	0·0	154	− 87	0·00	0·0
TUESDAY.	25	Perigee.	30·191	81·3	49·3	32·0	64·9	+ 3·6	44·3	20·6	36·4	0·0	47	137·0	43·2	60·21	E. NE. & N.	N. NE. & E.	0·5	0·0	0·0	122	−121	0·00	0·0
WEDNESDAY	26	..	29·940	83·8	51·2	32·6	68·5	+ 7·1	51·3	17·2	28·2	5·4	54	142·0	46·2	60·50	WSW. & S.	SW.	0·7	0·0	0·0	147	− 99	0·00	0·5
THURSDAY	27	..	29·757	80·2	55·0	25·2	67·4	+ 6·0	47·2	20·2	28·9	6·6	48	128·8	49·6	60·83	WSW. & SW.	WSW. & W.	2·0	0·0	0·1	250	+ 2	0·00	1·5
FRIDAY .	28	In Equator.	29·734	77·9	51·9	26·0	64·5	+ 3·2	49·9	14·6	26·2	2·2	59	144·8	44·9	61·32	WSW. & SW.	SW.	2·7	0·0	0·2	266	+ 16	0·00	1·2
SATURDAY	29	First Qr.	29·525	74·8	57·1	17·7	63·7	+ 2·5	54·7	9·0	18·4	3·4	73	124·0	53·0	61·55	S. & SW.	SW.	2·5	0·0	0·1	256	+ 5	0·02	3·8
MEANS . .		..	29·947	79·8	53·3	26·5	65·8	+ 4·6	51·7	14·2	25·9	2·9	61	132·0	48·0	60·48	SW. & NE.		..	..	..	Sum 1392	Sum − 326	Sum 0·02	1·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
JUNE.					
SUNDAY .	23	m. P. till noon; w. P. afterwards.	5·2	16·6	Very fine till afternoon; generally cloudless in evening. Sultry.
MONDAY .	24	m. P. till afternoon; v. P. in evening.	0·5	16·6	Generally cloudy till evening; cloudless at night; gloomy between 11h. and noon.
TUESDAY .	25	v. P. throughout -	12·6	16·6	Very fine; cloudless in morning; few light clouds prevalent during the day.
WEDNESDAY	26	m. P. in morning; v. P. and w. N. afterwards.	5·5	16·5	Fine generally; thin cloud prevalent. Solar halo at 11h. A.M.; thunder in afternoon; lightning after 11h. P.M.
THURSDAY .	27	w. P. in morning; v. P. afterwards.	5·8	16·5	Fine; generally cloudless till evening; cloudless at night.
FRIDAY .	28	s. P. in morning; v. P. afterwards.	6·8	16·5	Cloudless till 7h. A.M.; light cloud prevalent till 2h. P.M.; afterwards overcast with occasional light showers.
SATURDAY .	29	m. P. generally; s. N. for a short time in afternoon.	1·4	16·5	Generally cloudy; occasional showers.
			Sum 37·8	Sum 115·8	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·20 in. at the beginning of the week to 30·28 in. by 9h. A.M. on the 24th; decreased to 29·48 in. by 7h. P.M. on the 29th; and was 29·51 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 27. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JULY 6. [Price 1½*d.*

General Register Office, Somerset House,
July 8th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 15.	June 22.	June 29.	July 6.		June 15.	June 22.	June 29.	July 6.
Birkenhead	18·0	16·5	18·4	19·4	Liverpool - -	23·8	25·1	25·7	24·4
Birmingham	13·3	17·1	16·2	16·2	London - -	14·4	15·1	16·9	18·0
Blackburn -	19·2	12·3	17·6	20·4	Manchester -	21·3	20·4	19·0	18·7
Bolton -	23·6	15·7	19·2	17·9	Newcastle-on-Tyne	16·9	12·8	17·1	20·1
Bradford -	15·4	17·0	13·8	21·4	Norwich - -	14·1	12·7	16·5	13·6
Brighton -	14·4	12·6	9·6	10·0	Nottingham -	13·1	15·2	12·4	10·6
Bristol -	14·4	14·4	15·3	11·0	Oldham - -	15·9	21·4	15·2	15·9
Burnley -	10·5	13·1	19·4	17·8	Plymouth - -	20·5	19·3	14·0	14·6
Cardiff -	11·7	14·4	16·4	16·4	Portsmouth -	10·7	17·9	11·6	12·2
Croydon -	10·9	6·8	13·2	9·1	Preston - -	14·8	18·5	11·6	18·1
Derby -	17·2	14·6	9·9	14·0	Salford - -	20·5	18·3	21·0	21·8
Gateshead -	15·8	14·7	22·8	13·6	Sheffield - -	15·8	16·9	14·3	17·0
Halifax -	14·5	18·9	13·3	13·9	Sunderland -	11·4	17·0	21·2	17·0
Huddersfield	13·6	13·6	11·5	15·2	Swansea - -	11·8	12·9	16·7	12·4
Hull - -	15·4	14·9	15·9	18·3	West Ham - -	14·4	15·5	15·0	16·3
Leeds -	14·6	17·4	15·3	19·6	Wolverhampton -	15·8	14·6	17·6	19·5
Leicester -	12·1	14·5	11·6	15·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Newcastle-on-Tyne, 1·2 in Plymouth, 1·5 in Manchester, 1·6 in Blackburn, and 2·9 in West Ham; from *whooping-cough*, 1·0 in Norwich, in Derby, and in Burnley, 1·1 in Sunderland, 1·2 in Plymouth, and 1·3 in Bolton; and from *diarrhœa*, 2·0 in London, 2·3 in Cardiff and in Salford, 3·4 in Leeds, 4·3 in Wolverhampton, and 5·1 in Leicester. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 71 deaths from *diphtheria* included 53 in London, 4 in West Ham, 3 in Salford, and 3 in Leeds. Four deaths from *small-pox* were registered in Oldham, 3 in London, and one in Liverpool, but not one in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

London.

In London 2651 births and 1519* deaths were registered. Allowing for increase of population, the births were 90 above, and the deaths 14 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·4, 15·1, and 16·9 in the preceding three weeks, further rose last week to 18·0. During the four weeks ending on Saturday last the death-rate averaged 16·1 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1519 deaths included 3 from small-pox, 73 from measles, 12 from scarlet fever, 53 from diphtheria, 25 from whooping-cough, 5 from enteric fever, 169 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from typhus or from any ill-defined form of continued fever; thus, 344 deaths were referred to these diseases, being 53 above the corrected average weekly number.

Three deaths from *small-pox* were registered, the corrected average being 2; 2 cases had been removed to the Hospital Ship "Castalia" from the Workhouse in Constance Road, Camberwell, and one case from the Strand Union Workhouse at Edmonton. The deaths from *measles*, which had been 71, 71, and 84 in the preceding three weeks, fell again last week to 73, but exceeded the corrected average by 8; 12 cases belonged to Islington, 10 to Mile End Old Town, and 6 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 12, 11, and 18 in the preceding three weeks, fell again last week to 12, being 6 below the corrected average; 2 cases belonged to Paddington, 2 to Poplar, and 2 to Battersea sanitary areas. The deaths from *diphtheria*, which had been 45, 37, and 38 in the preceding three weeks, rose last week to 53, which is higher than the number in any week since last December, and 23 in excess of the corrected average; 6 cases belonged to Greenwich, 5 to Mile End Old Town, 4 to Hammersmith, 4 to Bethnal Green, 4 to Newington, and 4 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 20, 18, and 29 in the preceding three weeks, fell again last week to 25, and were 22 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 4, and 7 in the preceding three weeks, were 5 last week, the corrected average being 9. The deaths from *diarrhœa*, which had been 21, 46, and 92 in the preceding three weeks, further rose last week to 169, exceeding the corrected average by 53; 22 cases belonged to Islington, 12 to St. Luke, and 10 to Mile End Old Town sanitary areas.

The deaths referred to diseases of the respiratory organs, which had been 152, 186, and 160 in the preceding three weeks, were again 160 last week, and were 38 below the corrected average.

The deaths attributed directly to *influenza* numbered 5, having been 5, 4, and 12 in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning all but 3 of which inquests were held. Of these 72 deaths, 11 were cases of suicide, one of homicide, and one of execution, while the remaining 59 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 10 to drowning, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 42 cases of small-pox, 2044 of scarlet fever, 633 of diphtheria, and 146 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 17 cases, against 2, 8, and 25; of scarlet fever, 311 cases, against 199, 251, and 319; of diphtheria, 99 cases, against 107, 128, and 115; and of enteric fever, 17 cases, against 12, 10, and 21.

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

Deaths belonging to the several Sanitary Areas of Registration London registered in the 13 weeks ending on 29th June, 1895.

Sanitary Areas.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and undefined Fever.	Diarrhœa.			
REGISTRATION LONDON	17,869	3	563	166	439	445	1	78	2	314	1,945	4,395	130
West.													
Paddington	427	–	2	2	8	1	–	5	–	7	39	97	130
Kensington	566	–	4	7	17	5	–	–	–	21	61	141	148
Hammersmith	348	1	2	3	5	9	–	2	–	7	41	88	125
Fulham	432	–	3	4	15	13	–	1	–	10	53	135	137
Chelsea	390	–	1	2	10	9	–	–	–	10	50	101	156
St. George Hanover Square	271	–	1	1	7	7	–	–	–	4	33	51	135
St. Margt & St. John Westr.	226	–	–	2	5	5	–	–	–	3	30	47	145
St. James Westminster	74	–	–	1	–	4	–	–	–	–	10	14	106
North.													
St. Marylebone	576	–	2	3	5	8	–	4	–	11	71	113	99
Hampstead	201	–	1	2	3	3	–	2	–	1	21	35	97
St. Pancras	935	–	7	9	18	27	–	2	–	14	126	217	126
Islington	1,208	–	39	13	18	24	–	1	–	22	122	312	127
Stoke Newington	97	–	3	–	1	2	–	–	–	3	9	14	77
Hackney	779	–	28	14	13	17	–	1	–	15	78	174	112
Central.													
St. Giles	193	1	1	1	6	6	–	–	–	2	40	38	135
St. Martin-in-the-Fields	57	–	–	–	1	3	–	–	–	1	9	12	279
Strand	133	–	–	1	3	–	–	–	–	1	20	21	139
Holborn	158	–	4	–	3	2	–	–	–	1	20	21	108
Clerkenwell	302	–	4	4	5	12	1	3	–	5	40	76	141
St. Luke	253	–	27	–	5	6	–	1	–	7	19	77	154
City of London	161	–	6	2	3	1	–	3	–	1	15	20	132
East.													
Shoreditch	624	–	50	4	15	23	–	–	–	22	66	173	163
Bethnal Green	539	–	17	7	19	6	–	1	–	11	60	120	97
Whitechapel	381	–	36	3	14	6	–	2	–	6	52	96	106
St. George-in-the-East	320	–	41	7	9	8	–	3	–	6	24	85	148
Limehouse	343	–	31	7	12	16	–	–	–	5	27	95	193
Mile End Old Town	517	–	47	4	18	15	–	2	–	8	36	146	141
Poplar	887	–	96	7	33	22	–	4	–	6	75	231	161
South.													
St. Saviour	133	–	–	–	3	9	–	–	–	4	19	32	175
St. George-the-Mar. Southwk.	321	–	6	2	1	16	–	–	–	6	44	89	167
Newington	623	–	2	4	12	30	–	4	1	12	63	191	173
St. Olave	58	–	–	–	–	1	–	–	–	1	6	22	168
Bermondsey	378	–	3	2	9	9	–	1	–	6	43	126	162
Rotherhithe	183	1	6	4	17	2	–	1	–	3	18	36	114
Lambeth	1,193	–	33	9	20	42	–	2	1	25	126	281	119
Battersea	647	–	39	8	19	16	–	2	–	12	67	181	134
Wandsworth	529	–	8	3	12	3	–	2	–	5	60	115	97
Camberwell	968	–	3	9	41	25	–	3	–	16	102	228	117
Greenwich	704	–	5	8	26	20	–	3	–	6	64	160	117
Lee	123	–	–	2	–	1	–	–	–	–	16	27	115
Lewisham (excluding Penge)	226	–	4	–	–	9	–	1	–	4	21	53	103
Woolwich	173	–	–	3	3	1	–	3	–	2	19	49	148
Plumstead	212	–	1	2	5	1	–	19	–	2	30	55	120

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 409 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 469 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Greater London.

In Greater London 3542 births and 1877 deaths were registered, corresponding to annual rates of 30·5 and 16·2 per 1000 of the estimated population. In the Outer Ring 21 deaths from measles, 13 from diphtheria, and 32 from diarrhœa were registered. Ten deaths from measles occurred in Canning Town sub-district, and 5 in Leyton sub-district; 7 deaths from diphtheria and 14 from diarrhœa occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·81 inches, and that of the Thermometer 61°·8, the latter being equal to the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 32·5 hours; the measured rainfall amounted to 0·30 of an inch.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of June. The supply was in the ratio of 295 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JUNE. 1894.	JUNE. 1895.	JUNE. 1894.	JUNE. 1895
TOTAL SUPPLY . . .	806,327	816,517	203,786,540	240,490,973
From Thames	389,724	394,821	103,642,650	123,565,852
From Lea and from other Sources . .	416,603	421,696	100,143,890	116,925,121
THAMES.				
Chelsea	36,811	36,811	12,355,675	13,833,407
West Middlesex	78,003	78,983	19,831,139	23,721,806
Southwark and Vauxhall . . .	116,729	118,014	32,318,740	39,059,969
Grand Junction	59,039	59,732	18,748,423	20,961,390
Lambeth	99,142	101,281	20,388,673	25,989,280
LEA AND OTHER SOURCES.				
New River	157,909	158,627	37,671,000	41,851,000
East London	177,969	181,427	46,251,772	55,198,412
Kent	80,725	81,642	16,221,118	19,875,709

Note.—The Return for June 1895, as compared with that for the corresponding month of 1894, shows an increase of 10,190 services and an increase of 36,704,433 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE, 1895.

Water-analysis Laboratory, The Yews, Reigate,
3rd July, 1895.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of June.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·5, New River 1·1, Tottenham 1·2, East London (deep-well) 1·5, East London (river supply) 1·6, Chelsea and Grand Junction 1·9, West Middlesex and Southwark 2·0, Colne Valley 2·1, and Lambeth 2·2. The unfiltered river waters contained the following proportions:—Thames at Hampton 3·7, New River Cut 2·2, and the Lea at Angel Road 3·6.

The Thames at Hampton was, on June 1st, turbid and pale yellow in colour. It was of excellent chemical, but only of mediocre bacterial, purity. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and of excellent chemical quality for dietetic purposes. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers:—Chelsea 99·75, West Middlesex 99·62, Southwark (No. 4 well) 98·6, (No. 8 well) 96·31, Grand Junction (general well at Hampton) 97·58, (general well at Kew Bridge) 96·56, (South filter well) 99·75, and Lambeth 99·36.

The New River Cut before entering the subsidence and storage reservoirs was, on June 6th, turbid and very pale yellow in colour. It was of excellent chemical, but inferior bacterial, quality. By passing through the storage reservoirs it was greatly improved in bacterial quality, and, after efficient filtration, was delivered in a clear and nearly colourless condition. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—

General filter well 99·58, No. 1 filter well 99·79, and No. 7 filter well 97·71. Both chemically and bacterially it was of excellent quality for dietetic purposes, ranking in this respect with the deep-well waters. The water taken from the Lea by the East London Company at Angel Road on June 5th, was, turbid and pale yellow in colour. It was of almost exactly the same chemical quality as the Thames at Hampton four days previously, but bacterially of greatly inferior quality. After storage for 15 days it was enormously improved in bacterial quality, and, after efficient filtration the total bacterial improvement was represented by the following percentage numbers:—No. 1 Essex well 99·57, No. 2 Essex well 99·86, and Middlesex well 99·04.

The deep-well waters of the Kent and East London Companies and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes, except that the Tottenham and East London waters were very slightly turbid. The Colne Valley Company's water was clear and colourless, but contained, for deep-well water, rather an excessive quantity of organic matter of vegetable origin; the water was softened before delivery, and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent and Colne Valley waters were clear and colourless, the Tottenham and East London (deep-well) waters very slightly turbid and colourless, the New River and East London (river supply) clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, the gravel water used by the Southwark Company, the Thames water after storage for 14·7 days and six days by the Chelsea and Lambeth Companies respectively, and the supplies of the various Companies collected on the 1st, 4th, 5th, and 6th of June, yielded the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, June 1st	3,140	18°·9
" after storage for 14·7 days (Chelsea Company), June 4th	880	17·7
" " " 6 days (Lambeth Company), June 4th	340	—
West Middlesex unfiltered water supplying filters 1–5, June 4th	260	17·8
Southwark Company's gravel water, June 4th	370	14·5
New River Cut before passing reservoirs, June 5th	1,920	16·6
" " after " " but before filtration, June 5th	400	16·5
Lea at Angel Road, June 5th	8,320	17·5
" after storage for 15 days (East London Company), June 5th	940	18·2
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general filter well, June 4th	8	17·7
West Middlesex Company's general filter well, June 4th	12	17·9
Southwark Company's No. 4 filter well, June 1st	44	19·2
" " No. 8 filter well, June 1st	116	19·5
Grand Junction Company's general well at Hampton, June 1st	76	18·8
" " " " Kew Bridge, June 4th	108	17·9
" " " south well at Kew Bridge, June 4th	8	18·0
Lambeth Company's general well, June 4th	20	17·5
Lea.		
New River Company's general filter well, June 5th	8	17·0
" " No. 1 " " June 5th	4	16·8
" " No. 7 " " June 5th	44	18·0
East London Company's No. 1 Essex well, June 5th	36	17·4
" " No. 2 " " June 5th	12	17·5
" " Middlesex well, June 5th	80	17·5
Deep Well.		
Kent, June 6th	12	11·3
East London at Lea Bridge, June 6th	20	11·4

This table shows that the water pumped from the gravel, and the Thames and Lea waters after storage, were of excellent bacterial quality, whilst, with two exceptions, the waters delivered by the different Companies possessed a very satisfactory degree of bacterial purity.

Dr. Hill, F.I.C., Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and pale green in a two-foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "yellow brown in colour, and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c. E. Frankland.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	June 1st. Grand Junction Co.'s intake at Hampton.	18·9	23·80	·192	·026	·009	·198	·231	1·7	19·1
	Chelsea - - -	June 6th. Cab Rank, Horse Guards, Whitehall.	16·6	25·92	·096	·015	0	·170	·185	1·7	17·7
	West Middlesex -	June 6th. Riding House-street.	14·2	25·86	·103	·013	0	·180	·193	1·7	17·7
	Southwark -	June 6th. St. George's Church, Borough.	17·7	27·38	·107	·013	0	·187	·200	1·7	19·1
	Grand Junction -	June 6th. Portman-street, Oxford Street.	17·6	26·80	·104	·011	0	·184	·195	1·7	18·3
	Lambeth - -	June 6th. St. George's-road, Southwark.	17·4	27·60	·119	·015	0	·208	·223	1·8	19·1
	LEA. (Unfiltered water) -	June 5th. New River Cut at Green-lanes.	16·6	28·92	·111	·020	·013	·186	·217	1·7	20·0
	New River - -	June 6th. Cab Rank, Tottenham Court-road.	17·4	30·26	·053	·009	0	·212	·221	1·8	18·6
	(Unfiltered water) -	June 5th. East London Co.'s intake at Angel-road.	17·5	29·00	·182	·031	·006	·167	·213	1·8	20·0
	East London -	June 6th. Cab Rank, Sidney-street, E.	17·5	29·36	·081	·014	0	·195	·209	1·9	19·4
	DEEP WELLS. Kent - - -	June 6th. Police Station, Blackheath-road.	12·8	36·30	·024	·006	0	·406	·412	2·3	26·6
Outer Circle.	Colne Valley - -	June 19th. Bushey.	—	20·60	·105	·017	·084	·480	·566	2·3	8·9
	Tottenham - -	June 20th. Tottenham.	—	40·92	·065	·007	·062	trace	·059	2·9	22·1
	East London - -	June 18th. Lee Bridge Well.	—	38·58	·075	·019	·042	trace	·054	2·5	20·6
	Corporation of Birmingham* - - -	June 13th. 1, Court, York Street, Harborne.	15·5	32·40	·130	·040	0	·190	·230	2·2	26·0
	Corporation of Glasgow† -	June 15th. Loch Katrine water.	13·05	3·00	·212	·016	0	·006	·022	0·8	1·0
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 6th of June at the cab rank, Horse Guards, had a temperature of 16°·6 C.; 100,000 lbs. of it contained 25·92 lbs. of solid matters; the organic substances, constituting a portion of this matter, contained ·096 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·170 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·185 lb. The above weight of water also contained 1·7 lb. of chlorine and 17·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 6th July, 1895. Births.	Deaths.	The Deaths registered in the week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6420	3564	1195	646	8	131	31	71	62	25	337	148	262	708	58	17·5	3·3	75·0	42·0	57·9	14·39	0·68	1·73	33 Towns.
London	4,392,346	2651	1519	548	258	3	73	12	53	25	5	169	72	144	415	15	18·0	4·0	75·0	50·1	61·8	16·56	0·30	0·76	London.
West Ham	249,473	137	78	21	8	–	14	1	4	–	–	5	3	4	14	4	16·3	5·0	–	–	–	–	–	–	West Ham.
Croydon	114,923	46	20	5	10	–	–	–	1	–	1	1	–	–	7	–	9·1	1·4	73·2	47·0	59·2	15·11	0·40	1·02	Croydon.
Brighton	119,604	54	23	5	9	–	–	–	–	–	–	–	–	–	2	–	10·0	–	70·4	53·6	59·1	15·06	0·12	0·30	Brighton.
Portsmouth	174,751	108	41	10	13	–	–	–	–	2	–	1	1	3	8	–	12·2	0·9	71·0	50·0	58·8	14·89	0·56	1·42	Portsmouth.
Plymouth	59,096	57	25	6	8	–	2	–	–	2	–	2	–	1	–	–	14·6	3·5	–	–	–	–	–	–	Plymouth.
Bristol	228,139	113	48	8	11	–	1	2	–	2	1	2	1	2	12	–	11·0	1·8	70·0	45·0	56·4	13·56	1·08	2·74	Bristol.
Cardiff	155,637	120	49	15	5	–	2	–	–	–	–	7	3	5	5	–	16·4	3·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	65	23	5	3	–	1	–	–	1	1	2	–	–	2	–	12·4	2·7	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	35	32	13	3	–	–	–	–	1	–	7	–	–	3	1	19·5	4·9	68·8	45·8	55·2	12·89	0·29	0·74	Wolverhampton.
Birmingham	496,751	320	154	51	27	–	–	–	–	2	–	15	14	9	32	7	16·2	1·8	–	–	–	–	–	–	Birmingham.
Norwich	107,127	62	28	5	11	–	–	–	–	2	1	1	2	3	3	1	13·6	1·9	–	–	–	–	–	–	Norwich.
Leicester	193,839	118	59	24	11	–	1	–	–	3	–	19	1	3	7	2	15·9	6·2	–	–	–	–	–	–	Leicester.
Nottingham	226,658	136	46	11	13	–	–	2	–	–	–	5	2	2	4	–	10·6	1·6	69·1	44·5	56·8	13·78	0·66	1·68	Nottingham.
Derby	100,272	54	27	11	3	–	–	–	–	2	–	2	1	2	2	1	14·0	2·1	–	–	–	–	–	–	Derby.
Birkenhead	107,469	49	40	13	9	–	–	–	2	–	–	3	1	4	3	1	19·4	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	355	236	71	36	1	6	8	2	4	3	18	14	17	49	8	24·4	4·3	70·8	49·9	57·2	14·00	0·33	0·84	Liverpool.
Bolton	119,337	96	41	14	4	–	2	–	1	3	–	3	–	1	1	–	17·9	3·9	–	–	–	–	–	–	Bolton.
Manchester	524,865	339	188	46	31	–	15	–	1	3	2	4	7	19	39	2	18·7	2·5	–	–	–	–	–	–	Manchester.
Salford	208,253	145	87	33	18	–	1	1	3	–	2	9	3	3	13	3	21·8	4·0	–	–	–	–	–	–	Salford.
Oldham	141,079	71	43	6	11	4	1	–	–	–	–	2	–	1	4	1	15·9	2·6	–	–	–	–	–	–	Oldham.
Burnley	99,591	71	34	8	8	–	–	1	–	2	–	3	1	1	3	1	17·8	3·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	77	50	14	9	–	4	–	–	1	–	2	1	1	4	–	20·4	2·9	–	–	–	–	–	–	Blackburn.
Preston	112,638	85	39	12	8	–	1	–	–	2	1	3	1	1	6	2	18·1	3·2	–	–	–	–	–	–	Preston.
Huddersfield	99,482	46	29	8	6	–	–	–	–	–	–	–	1	1	2	1	15·2	–	73·0	46·0	57·1	13·94	1·47	3·73	Huddersfield.
Halifax	93,813	41	25	7	4	–	–	–	–	–	–	–	1	2	–	–	13·9	–	–	–	–	–	–	–	Halifax.
Bradford	226,384	129	93	37	20	–	–	1	–	–	1	8	1	7	10	1	21·4	2·3	67·0	51·5	57·2	14·00	1·98	5·03	Bradford.
Leeds	395,546	237	149	66	23	–	2	2	3	–	2	26	11	13	20	1	19·6	4·6	–	–	–	–	–	–	Leeds
Sheffield	342,768	196	112	42	25	–	1	–	–	1	3	6	2	3	8	1	17·0	1·7	–	–	–	–	–	–	Sheffield.
Hull	236,722	112	76	27	15	–	–	–	1	–	1	5	–	–	10	2	18·3	1·7	75·0	42·0	58·1	14·50	0·30	0·76	Hull.
Sunderland	137,705	88	45	15	7	–	–	1	–	3	1	4	1	2	1	1	17·0	3·4	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	75	25	11	4	–	–	–	–	1	–	–	1	1	1	–	13·6	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	132	80	27	15	–	4	–	–	–	–	3	2	7	18	2	20·1	1·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2420	2458	2562	2348	2507	2480	2453	2564	2220	2254	2561·1	2651
Males	1199	1208	1265	1206	1285	1300	1209	1315	1096	1158	1292·0	1342
Females	1221	1250	1297	1142	1222	1180	1244	1249	1124	1096	1269·1	1309
TOTAL **Deaths**	1412	1540	1610	1211	1350	1481	1352	1405	1347	1314	1532·7	1519
Males	756	812	866	627	720	792	743	726	969	696	813·4	802
Females	656	728	744	584	630	689	609	679	378	618	719·3	717

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.
TOTAL **Births**	2380	2677	2691	2837	2549	2496	2640	2569	2333	2678	2639	2488	2651
TOTAL **Deaths**	1622	1585	1508	1395	1398	1389	1371	1308	1247	1213	1276	1429	1519
Ages at Death: Under 1 year	409	410	423	321	318	325	327	279	254	263	314	425	548
1—5 years	265	261	214	221	198	219	192	195	190	198	212	231	222
5—20 „	75	85	60	82	84	84	87	87	84	73	82	81	82
20—40 „	198	190	162	186	190	172	196	175	158	170	176	185	169
40—60 „	265	264	289	256	256	258	253	254	249	240	218	232	240
60—80 „	339	312	293	275	291	280	269	271	266	232	229	226	212
80 years & upwards	71	63	67	54	61	51	47	47	46	37	45	49	46
Deaths from—													
Small-pox	-	-	-	1	-	-	-	-	-	1	-	1	3
Measles	25	39	26	39	34	39	32	50	36	71	71	84	73
Scarlet fever	15	9	9	13	11	13	10	17	17	12	11	18	12
Diphtheria	27	30	27	29	38	41	37	41	33	45	37	38	53
Whooping-cough	49	51	44	36	35	31	39	30	22	20	18	29	25
Typhus	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric fever	3	5	5	5	8	8	9	5	8	5	4	7	5
Simple Continued fever	-	-	-	-	1	-	-	-	-	-	1	-	-
Diarrhœa and Dysentery	18	7	13	18	19	18	14	16	19	21	46	92	169
Cholera	-	-	-	-	-	-	-	-	1	-	2	3	4
All the above Diseases	137	141	124	141	146	150	141	159	137	175	190	272	344
Dis. of Respiratory System	398	389	341	290	247	240	245	193	163	152	186	160	160
Phthisis	164	161	162	144	160	128	172	148	162	143	134	147	119
Dis. of Circulatory System	122	125	120	106	107	127	128	114	123	99	111	97	110
Violence	51	64	71	63	63	77	59	64	55	55	43	64	72
Inquest Cases	136	135	135	131	127	138	122	123	121	107	94	123	144
Deaths in Public Institutions	424	459	393	380	398	425	450	397	395	349	360	422	415
TEMPERATURE OF THE AIR													
Mean	47·7°	49·1°	50·9°	51·2°	57·3°	55·9°	52·3°	61·0°	60·7°	58·7°	60·5°	65·8°	61·8°
Mean of Highest readings	58·1°	60·4°	59·2°	62·5°	69·8°	65·4°	62·5°	74·6°	73·0°	70·6°	73·9°	79·8°	71·8°
Mean of Lowest readings	39·7°	40·7°	45·8°	40·4°	44·4°	47·7°	44·6°	48·5°	49·3°	48·0°	48·4°	53·3°	53·8°
Humidity of the Air	75	77	88	73	61	68	81	69	68	61	64	61	65
Rain-fall (in inches)	0·05	0·13	1·15	0·04	0·00	0·19	0·19	0·08	0·02	0·02	0·10	0·02	0·30
Registered Sunshine (in hours)	29·6	36·0	10·7	42·0	74·7	20·2	22·3	49·9	53·0	33·7	38·1	37·8	32·5
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox	47	35	37	34	33	27	29	22	23	19	22	34	42
Scarlet fever	1463	1514	1469	1413	1438	1446	1503	1524	1589	1637	1732	1894	2044
Diphtheria	435	441	432	457	464	484	492	508	529	562	593	633	633
Enteric fever	67	67	61	64	66	91	126	139	141	147	142	147	146

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cano Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SEVENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 27th Week of the 10 years 1885–94.*	In the Week ending Saturday, 6th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
L CAUSES - -	1532·7	1519	548	222	82	169	240	212	46
all-pox { Vaccinated† -	1·2	2	-	-	-	-	-	2	-
Unvaccinated	0·7	-	-	-	-	-	-	-	-
No Statement	0·5	1	-	-	-	1	-	-	-
asles - - - -	64·9	73	22	47	3	1	-	-	-
rlet Fever - -	17·5	12	-	8	3	1	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
ansing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - -	6·9	5	-	-	-	-	3	2	-
ooping-cough - -	46·6	25	17	8	-	-	-	-	-
phtheria - - -	29·1	53	2	35	15	-	1	-	-
ple Continued and l-defined Fever -	0·6	-	-	-	-	-	-	-	-
eric Fever -	8·7	5	-	-	-	2	3	-	-
lera and Chol. Diarr.	5·1	4	3	-	-	-	-	1	-
rrhœa, Dysentery -	115·8	169	139	22	3	-	3	1	1
ittent Fever - -	0·3	-	-	-	-	-	-	-	-
drophobia - -	-	-	-	-	-	-	-	-	-
nders - - -	0·1	-	-	-	-	-	-	-	-
rpox and Effects of accination - -	0·1	-	-	-	-	-	-	-	-
reral Affections -	9·2	9	5	2	1	-	1	-	-
sipelas - -	3·9	1	1	-	-	-	-	-	-
mia and Septicæmia	2·1	2	-	-	-	1	1	-	-
rpera Fever - -	5·0	4	-	-	-	4	-	-	-
r Zymotic Diseases	2·2	1	1	-	-	-	-	-	-
ash - - - -	1·2	1	1	-	-	-	-	-	-
rms and other Parasitical Diseases - -	0·3	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	2·4	2	2	-	-	-	-	-	-
holism - - -	7·2	7	-	-	-	2	4	1	-
umatic Fever, umatism of Heart	5·6	7	-	-	2	3	1	1	-
umatism - -	2·1	-	-	-	-	-	-	-	-
- - - - -	2·6	2	-	-	-	-	-	2	-
cts - - - -	6·5	12	5	7	-	-	-	-	-
cer - - - -	64·5	69	-	-	1	6	28	29	5
e Mesenterica -	31·9	31	21	8	2	-	-	-	-
ercular Meningitis -	25·6	23	13	8	6	1	-	-	-
hisis - - -	141·6	119	3	6	7	58	42	3	-
fula, Tuberculosis -	21·0	11	-	3	4	2	2	-	-
r Constitutional eases - - -	10·9	12	1	-	2	2	2	5	-
natural Birth - -	37·9	49	49	-	-	-	-	-	-
ectacia - - -	3·5	5	5	-	-	-	-	-	-
enital Malformations - - - -	5·7	8	8	-	-	-	-	-	-
Age - - - -	43·7	41	-	-	-	-	-	22	19
plexy - - - -	39·6	35	2	-	-	1	12	16	4
epsy - - -	7·2	12	-	-	1	4	4	3	-
ysions - - -	52·2	49	45	4	-	-	-	-	-
r Diseases of Brain d Nervous System	86·3	73	10	7	1	13	16	23	3

CAUSES OF DEATH.	Corrected Averages for the 27th Week of the 10 years 1885–94.*	In the Week ending Saturday, 6th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·2	1	1	-	-	-	-	-	-
Diseases of Circulatory System - - -	109·4	110	6	2	4	19	43	30	6
Croup - - - -	6·3	1	1	-	-	-	-	-	-
Bronchitis - - -	91·3	72	31	3	-	1	8	21	3
Pneumonia - - -	75·5	72	12	17	3	10	14	15	1
Pleurisy - - -	4·4	4	-	1	1	1	1	-	-
Other Diseases of Respiratory System - -	20·2	11	5	1	1	-	2	2	-
Dentition - - -	13·9	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	1·9	4	2	1	1	-	-	-	-
Enteritis - - -	23·7	69	49	14	1	2	1	2	-
Peritonitis - -	7·8	3	1	1	-	-	-	-	-
Diseases of Liver - -	30·2	20	1	-	-	3	11	4	1
Other Diseases of Digestive System -	35·0	26	6	1	3	7	2	7	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	3	1	-	-	1	1	-	-
Diseases of Urinary System - - -	37·4	29	-	-	1	4	10	14	-
Diseases of Generative System - - -	5·4	9	-	-	1	3	4	1	-
Accidents of Childbirth -	5·3	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	6·3	5	1	1	1	-	2	-	-
Diseases of Integumentary System - -	6·4	5	4	1	-	-	-	-	-
VIOLENT DEATHS.									
(ACCIDENT.)									
By Railways - -	54·9	2	-	-	-	-	2	-	
By Vehicles or Horses -		4	-	-	3	1	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		2	-	-		1	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		5	-	1	1	-	3	-	-
By Drowning - -		10	-	-	6	3	1	-	-
By Suffocation in Bed -		11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		2	-	-	-	-	1	1	
Other or not stated Causes - - -		23	4	4	4	2	4	3	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·2	1	1	-	-	-	-	-	-
Suicide - - - -	9·0	11	-	-	-	5	5	1	-
Execution - - -	-	1	-	-	-	-	1	-	
OTHER CAUSES - -	62·6	54	51	2	-	-	-	-	1

he numbers in this column are the av[illegible] for the ten years 1885–94, raised by 5·0 per cent for increase of population.
hose cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When edical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered oroner, the case is returned under the heading "no statement."
he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, laughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON *	4,211,743	2651	1519	548	258	3	73	12	53	25	-	5	-	169	72	144	415
WEST DISTRICTS	740,735	423	237	77	53	-	2	2	8	2	-	1	-	28	14	25	74
NORTH DISTRICTS	993,884	608	318	127	45	-	21	3	9	5	-	-	-	44	11	21	79
CENTRAL DISTRICTS	247,538	143	115	50	12	-	5	-	3	1	-	-	-	19	8	17	43
EAST DISTRICTS	705,114	527	326	129	48	-	30	-	11	6	-	2	-	38	17	40	74
SOUTH DISTRICTS	1,524,472	950	486	165	89	-	15	4	22	11	-	2	-	40	22	41	106
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	37	-	11	3	-	3	-	-	-	-	-	-	-	-	27
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	60	32	9	8	-	-	-	-	1	-	-	-	3	3	5	3
St. John Paddington *H* - - G.J.	33857	5	20	3	6	-	-	-	-	-	-	-	-	2	5	5	9
Kensington Town *Ww* - - W.M.	118751	69	47	12	16	-	-	-	1	-	-	-	-	2	2	5	19
Brompton - - - W.M. & C.	47557	9	4	1	-	-	-	-	-	-	-	-	-	1	-	-	2
St. Peter Hammersmith - - W.M*	8536	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88853	62	26	10	7	-	-	-	3	1	-	-	-	2	2	4	5
Fulham *Ww* - - - - W.M. & C.	91650	82	44	20	5	-	1	2	3	-	-	1	-	7	1	4	11
Chelsea Kensal Town - - - C.	21787	13	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North *WHHHH* - - C.	41637	17	15	4	3	-	-	-	-	-	-	-	-	2	-	1	10
Chelsea South *HH* - - - C.	32829	13	9	5	-	-	-	-	1	-	-	-	-	1	-	-	6
May Fair *WH* - - - - G.J.	23733	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Belgrave *WHHH* - - - - C.	54831	24	8	1	2	-	-	-	-	-	-	-	-	1	-	-	4
St. John Westminster *HH* - C.	34106	23	9	4	-	-	-	-	-	-	-	-	-	4	-	-	-
St. Margarets Westminster *H* - C.	21668	10	4	2	1	-	1	-	-	-	-	-	-	1	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	5	5	4	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Anne Soho *HHHHHH* - - N.R.	12317	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.M.	37713	21	20	7	4	-	-	-	-	-	-	-	-	1	-	1	6
Rectory Marylebone *WH* G.J. & W.M.	20024	14	7	5	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	28	6	2	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *HH* - W.M.	33327	21	9	5	-	-	-	-	-	-	-	-	-	3	1	1	-
St. John Marylebone *HH* - - W.M.	32101	22	11	7	2	-	-	-	-	-	-	-	-	2	-	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	38	15	2	-	-	-	-	4	1	-	-	-	-	-	-	8
Regent's Park Paneras *HH* - W.M.	36590	20	6	1	1	-	1	-	-	2	-	-	-	-	-	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	6	16	6	2	-	-	-	-	-	-	-	-	1	2	2	11
Gray's Inn Lane *HHH* - - N.R.	27455	12	14	5	1	-	1	-	-	-	-	-	-	3	1	1	6
Somers Town *HH* - - - N.R.	32929	16	9	3	-	-	-	-	-	-	-	-	-	3	-	-	4
Camden Town *WH* - - - N.R.	15419	16	6	2	2	-	-	-	-	-	-	-	-	-	1	1	4
Kentish Town *WW* - - - N.R.	95765	62	20	7	2	-	1	-	-	-	-	-	-	-	2	4	2
Upper Holloway *WWWwHHH* - N.R.	90235	65	40	10	14	-	2	-	-	-	-	-	-	8	1	2	19
Islington South-west *H* - - N.R.	105557	70	26	18	1	-	1	1	-	1	-	-	-	6	-	-	1
Islington South-east - - - N.R.	64158	37	26	8	4	-	9	-	-	-	-	-	-	3	-	-	-
Highbury *HH* - - - - N.R.	59193	36	16	11	1	-	1	-	-	1	-	-	-	5	-	-	-
Stoke Newington *H* - - - N.R.	30936	17	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Stamford Hill - - - - E.L.	17759	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	31	11	3	2	-	1	-	1	-	-	-	-	-	1	3	3
Hackney *WwwH* - - E.L. & N.R.	96486	44	38	13	5	-	2	2	3	-	-	-	-	3	2	3	12
South Hackney *w* - - - E.L.	41759	27	18	11	1	-	2	-	-	-	-	-	-	5	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	5	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Giles South *WH* - - - N.R.	13454	9	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Giles North *H* - - - N.R.	9633	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	5	-	-	-	-	-	-	-	-	-	-	-	-	1	4
St. Mary-le-Strand *H* - - - N.R.	5706	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	2	10	1	2	-	-	-	1	-	-	-	-	-	1	1	9
Strand Union Workhouse, Edmonton -	†1037	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	13	12	6	3	-	-	-	2	-	-	-	-	2	1	1	9
St. Andrew Eastern *WH* - - N.R.	15343	8	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. James Clerkenwell - - - N.R.	16803	12	5	4	-	-	1	-	-	1	-	-	-	-	2	3	-
Amwell Clerkenwell - - - N.R.	16883	7	6	6	-	-	-	-	-	-	-	-	-	2	-	-	-
Pentonville - - - - - N.R.	17155	9	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Goswell-street - - - - N.R.	15375	15	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	23	23	13	1	-	2	-	-	-	-	-	-	11	-	-	1
Whitecross-street - - - N.R.	8278	6	7	5	-	-	2	-	-	-	-	-	-	1	-	1	-
Finsbury - - - - - N.R.	4985	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Cripplegate - - - - - N.R.	4539	-	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre *H* - - - N.R.	4444	2	20	1	3	-	-	-	-	-	-	-	-	-	2	5	18
St. Bride *W* - - - - N.R.	6594	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	8377	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
City of London Asylum, Stone - -	†888	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The table letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi[illegible] Sub-districts; G. J. signifies Grand Junction Company: W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. [illegible] River: E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

* Not included in the total population of the Central Districts or of London.

, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district
ay, 6th July, 1895.

Registration Sub-districts.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
East Districts.																		
ditch South *HL** E.L. & N.R.	20098	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
n New Town *w* - - - N.R.	29313	22	10	5	4	-	-	-	-	-	-	-	-	1	-	-	3	-
n Old Town - - - - N.R.	28354	25	16	10	-	-	1	-	1	-	-	-	-	5	2	4	-	-
rston *WH* - - N.R. & E.L.	46244	41	15	8	2	-	1	-	-	-	-	1	-	3	-	-	6	-
al Green North *H* - - E.L.	51520	33	19	6	1	-	1	-	2	1	-	1	-	1	1	3	-	-
al Green South - - - E.L.	33489	22	9	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-
al Green East *WHL** E.L.	44123	34	15	4	5	-	-	-	-	-	-	-	-	1	-	-	6	-
fields - - - E. N.R.	22456	16	6	5	1	-	-	-	-	-	-	-	-	2	1	1	-	-
End New Town *W* - - E.L.	17908	16	9	4	3	-	-	-	-	-	-	-	-	1	1	1	2	-
chapel Church *H* E.L. & N.R.	20298	25	33	7	3	-	2	-	3	-	-	-	-	2	1	2	26	-
nan's Fields - - - E.L.	13800	8	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.L.	37738	39	23	13	1	-	2	-	-	-	-	-	-	4	2	3	-	-
hn, St. George East *W* - E.L.	8057	4	7	1	-	-	2	-	-	-	-	-	-	-	-	2	2	-
vell *H* - - - E.L. & N.R.	10246	8	10	2	-	-	1	-	1	-	-	-	-	1	1	2	5	-
ff *W* - - - - - - E.L.	14928	10	10	4	2	-	-	-	-	-	-	-	-	2	-	1	-	-
nouse - - - - - - E.L.	32202	24	15	4	2	-	3	-	-	1	-	-	-	2	1	1	-	-
End Old Town West *H* - E.L.	38650	48	13	8	1	-	1	-	1	1	-	-	-	2	-	1	-	-
End Old Town East *WWww* E.L.	68942	46	40	21	8	-	8	-	1	-	-	-	-	8	-	1	3	-
L* - - - - - - E.L.	40365	19	15	6	1	-	1	-	1	-	-	-	-	1	1	2	1	-
ley' *wwwH* - - - - E.L.	70000	44	30	7	8	-	4	-	-	1	-	-	-	2	3	6	17	-
r. *WW* - - - - - E.L.	56383	36	24	7	5	-	2	-	-	2	-	-	-	-	3	8	3	-
South Districts.																		
tchurch Southwark *WH* L. & S.	18264	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
viour Southwark - - - S.	13913	8	7	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
road - - - - S. & L.	21867	19	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
igh-road *WH* - - S. & L.	16624	11	9	4	2	-	1	-	-	-	-	-	-	-	-	1	2	1
on-road *HL* - - L. & S.	21221	18	13	6	3	-	-	-	-	1	-	-	-	4	-	2	-	-
y Newington - - S. & L.	26596	27	10	5	2	-	-	-	-	-	-	-	-	3	-	1	-	2
ster Walworth *W* - S. & L.	61842	40	30	15	3	-	-	-	1	2	-	-	-	4	-	-	3	-
ary Newington - - L. & S.	27866	26	6	3	1	-	-	-	2	-	-	-	-	1	-	-	-	-
ave *WH* - - - - S.	12723	8	13	4	3	-	-	-	-	-	-	-	-	-	-	-	9	2
ter Market *W* - - S. & L.	30612	18	10	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
mes Bermondsey - - S.	54070	30	12	4	-	-	1	-	-	-	-	-	-	1	-	-	-	2
rhithe *WwH* - - S. & K.	39255	19	12	2	1	-	1	-	1	-	-	-	-	-	1	1	3	-
loo-road 1st *H* - - L. & S.	14031	8	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
loo-road 2nd *H* - - L. & S.	14644	12	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
eth Church 1st *H* - L. & S.	18075	15	22	5	1	-	-	-	1	-	-	-	-	3	5	6	16	-
eth Church 2nd *WW* - L. & S.	39097	36	35	12	9	-	4	-	-	1	-	-	-	3	2	5	15	1
ngton 1st *H* - - S. & L.	50586	28	20	7	3	-	-	-	1	-	-	-	-	2	1	2	-	-
ngton 2nd - - - S. & L.	39708	24	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
n *w* - - - - - L. & S.	73405	42	14	5	2	-	-	1	2	-	-	-	-	2	-	-	3	1
ood *WH* - - - - - L.	25657	6	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Battersea - - - - S.	67244	55	19	9	2	-	2	-	1	1	-	-	-	1	-	2	-	-
Battersea *WwH* - - S.	83314	56	34	14	6	-	1	-	1	1	-	-	-	3	1	2	7	1
am *H* - - - - S.	43698	16	7	1	6	-	-	-	-	-	-	-	-	-	-	1	-	-
sworth *WHHL* - - - S.	46717	25	11	2	-	-	7	-	1	-	-	-	-	1	1	1	-	1
7 - - - - - - S.	17771	7	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ham *www* - - - - L.	48756	28	12	1	4	-	-	2	1	-	-	-	-	-	-	-	3	-
ch - - - - L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell *WwL*L** - - S. & L.	51686	43	33	6	11	-	-	-	2	-	-	-	-	2	-	1	21	1
am *W* - - - S., L., & K.	83483	47	24	11	4	-	-	-	-	1	-	1	-	2	2	4	1	1
orge Camberwell - - L. & S.	63366	47	16	8	-	-	1	-	1	1	-	-	-	4	1	2	-	1
ord, North - - - - K.	35314	20	8	5	1	-	-	-	-	-	-	-	-	-	2	2	-	-
ord, Central *w* - - - K.	42007	21	17	6	1	-	-	-	5	-	-	-	-	-	1	2	5	-
ord, South - - - - K.	30852	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
wich West *H* - - - K.	22007	15	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
wich East *WH* - - - K.	35233	24	15	1	4	-	-	-	1	-	-	-	-	-	1	1	8	-
n *wH* - - - - - K.	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
ham *WH* - - - - K.	30950	20	8	1	4	-	-	-	-	2	-	-	-	-	-	-	4	-
ham *H* - - - - L.	34162	14	5	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
on *HH* - - - - K.	14040	11	5	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-
wich Dockyard - - - K.	19606	14	4	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-
wich Arsenal *HH/H* - K.	21242	23	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
tead, West *H* - - - K.	15869	12	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
tead, East *WH* - - - K.	36587	35	10	3	3	-	-	-	-	-	-	-	-	1	-	-	2	-
ead Asylum - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
nam Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tal Ships and Camp, Dartford - -	-	-	3	-	2	3	-	-	-	-	-	-	-	-	-	-	3	-
th Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
ell Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
y Hatch Asylum - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Hospital - - - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
mmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
den Asylum - - - - -	-	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	8	-
ary Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORK HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week Saturday, 6th July, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING	368,749	1,422,063	891	358	109	85	–	21	1	13	5	1	32	19	28	5
30 : 1	Carshalton *wHH*	12228	26108	10	4	–	2	–	–	–	–	–	–	–	–	–	
	Epsom, *part of** *WwH*	10423	12508	7	4	1	–	–	–	–	–	–	–	–	–	2	
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	
38 : 1	Croydon *WwHHH*	20851	128699	54	22	6	11	–	–	–	1	1	1	1	–	–	
2	Mitcham *w*	11697	23088	14	2	–	1	–	–	–	–	–	–	–	–	–	
39 : 1	Wimbledon *HHH*	3220	25761	22	3	1	2	–	–	–	–	–	–	–	–	1	
2	Kingston *WH*	8071	44765	25	8	–	1	–	–	–	–	–	–	–	1	1	
3	Esher, *part of** *HH*	6601	12059	15	–	–	–	–	–	–	–	–	–	–	–	–	
4	Hampton *H*	4545	18252	8	8	2	3	–	–	–	–	–	–	1	–	–	
40 : 1	Richmond *WH*	2160	25389	19	6	4	1	–	–	–	–	–	–	2	–	–	
2	Mortlake *H*	2823	16159	8	3	–	2	–	–	–	–	–	–	–	1	2	
41 : 1	Bromley *HHH*	9127	23815	9	5	–	5	–	–	–	–	–	–	–	–	–	
2	Beckenham *H*	6542	21969	8	6	–	1	–	–	–	–	–	–	–	–	–	
	Chislhrst, *pt. of** *WHH*	14307	20372	16	3	–	1	–	–	–	–	–	–	–	–	–	1
42 : 1	Bexley *HH*	12540	30590	21	8	3	3	–	–	–	–	–	–	1	2	2	1
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	
124 : 1	Sunbury *w*	11054	13671	16	8	2	2	–	–	–	–	1	–	–	2	2	
2	Staines *WH*	13277	13221	6	2	1	–	–	–	–	–	–	–	–	–	–	
125 : 1	Hillingdon *WHH*	6035	12237	10	3	1	1	–	–	–	–	–	–	–	–	–	
2	Uxbridge	6172	5417	2	2	–	1	–	–	–	–	–	–	–	–	–	
3	Hayes *wH*	14537	17618	10	–	–	–	–	–	–	–	–	–	–	–	–	
126 : 1	Isleworth *WHH*	6967	26273	21	7	–	4	–	–	–	–	–	–	–	–	–	5
2	Twickenham *HH*	2415	16027	5	1	–	1	–	–	–	–	–	–	–	–	–	
3	Brentford *HHHH*	4818	37777	23	11	4	2	–	–	–	–	–	–	–	–	–	1
4	Chiswick	1245	21963	18	10	5	1	–	–	–	–	–	–	2	1	1	
5	Acton *wH*	6132	30945	15	5	1	–	–	–	–	1	–	–	1	–	–	1
127 : 1	Harrow *HHH*	13809	15715	8	4	–	2	–	–	–	–	–	–	–	–	–	1
2	Edgware *HH*	6994	3844	–	2	–	–	–	–	–	1	–	–	–	–	–	
3	Willesden *HHH*	4383	61265	30	20	7	7	–	1	–	2	–	–	1	1	1	1
4	Hendon *WH*	8382	15843	14	3	1	1	–	–	–	–	–	–	–	–	–	1
128 : 1	South Mimms *H*	15599	8474	6	1	–	1	–	–	–	–	–	–	–	–	–	
2	Barnet *WHH*	5441	11778	1	3	–	1	–	–	–	–	–	–	–	–	1	
3	Finchley *HHH*	4688	25820	9	6	2	–	–	–	–	–	2	–	–	–	–	
129 : 1	Hornsey *HH*	3039	61097	21	8	3	3	–	2	–	–	–	–	–	–	–	
2	Tottenham *H*	4642	97174	53	16	7	5	–	–	–	–	–	–	2	2	3	2
3	Edmonton *Ww*	7489	36351	19	10	2	1	–	–	–	–	1	–	–	–	2	2
4	Enfield *WWHH*	12639	31803	25	4	1	–	–	–	–	1	–	–	–	1	1	
5	Waltham Abbey	11017	6066	2	–	–	–	–	–	–	–	–	–	–	–	–	
6	Cheshunt *H*	8480	9620	9	–	–	–	–	–	–	–	–	–	–	–	–	
135 : 1	Hatfield, *part of** *W*	3306	582	3	1	–	1	–	–	–	–	–	–	–	–	–	
137 : 1	Bushey *H*	9331	7737	9	1	1	–	–	–	–	–	–	–	–	–	–	
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	
186 : 1	Stratford *H*	1100	42983	16	8	4	–	–	–	–	–	–	–	1	–	1	2
2	Plaistow	1242	55030	52	22	6	2	–	1	1	3	–	–	2	1	1	
3	Canning Town *H*	1558	54750	39	25	7	1	–	10	–	–	–	–	1	–	–	
4	Forest Gate *w*	806	49140	30	11	4	1	–	2	–	1	–	–	1	1	1	
5	East Ham *w*	3266	32713	38	8	3	2	–	–	–	2	–	–	2	–	–	
6	Leyton *WWWwH*	4334	70188	48	45	15	11	–	5	–	1	–	–	4	2	2	20
7	Walthamstow *HHL*	6501	57330	45	9	4	–	–	–	–	–	–	–	3	1	1	2
187 : 1	Chigwell *part of** *H*	11779	12941	10	3	2	–	–	–	–	–	–	–	2	–	–	
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	
189 : 1	Romford *part of** *WH*	6556	4324	8	8	3	–	–	–	–	–	–	–	1	3	3	
2	Ilford	8493	10913	20	4	2	1	–	–	–	–	–	–	1	–	–	
3	Barking Town *H*	3814	14301	9	5	4	–	–	–	–	–	–	–	3	–	–	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1763); 37 : 1, the parishes of Warlingham and Farley in Godstone district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parts Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 127 : 3, Watford, and 187 : 2, Epping sub-districts.

BLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 6th July, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TER LONDON	443,421	6,048,555	16·2	3·6	1877	657	343	3	94	13	66	30	6	201	91	468
ER LONDON -	74,672	4,392,346	18·0	4·0	1519	548	258	3	73	12	53	25	5	169	72	415
TER RING -	368,749	1,656,209	11·3	2·3	358	109	85	–	21	1	13	5	1	32	19	53

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	July 6	165	90	17·2	–	1	1	–	1	1	3
GOW - -	695,876	„ 6	445	285	21·4	1	7	4	2	5	1	43
LIN - -	349,594	„ 6	169	167	24·9	–	–	2	1	1	1	6
UTTA - -	466,460	May 11	–	365	40·8	62	4	–	–	2	151	66†
BAY - -	821,764	June 11	412	546	34·6	4	20	?	?	?	192	26
RAS - -	452,518	„ 7	–	–	–	–	–	–	–	–	–	–
S - - -	2,424,705	„ 29	1142	845	18·1	–	27	4	1*	9	8	60
SSELS - -	498,400	„ 29	229	163	16·7	–	1	1	–	–	2	18
TERDAM -	451,493	„ 29	263	109	12·8	–	–	1	–	2	2	–
TERDAM -	272,042	„ 29	173	93	17·8	1	3	1	–	–	–	1
HAGUE -	180,455	„ 29	102	50	14·4	–	–	–	–	1	–	–
ENHAGEN -	341,000	„ 29	161	128	19·6	–	–	2	–	4	1	13
KHOLM -	252,937	„ 22	158	105	21·1	–	1	–	–	–	–	7
STIANIA -	167,588	„ 29	31	54	16·1	–	–	–	–	–	–	9
PETERSBURG	954,400	„ 15	638	467	25·5	1	8	14	11	4	15	45
COW - -	753,469	„ 22	–	598	41·4	1	6	5	13	3	5	177
LIN - -	1,724,544	„ 15	851	585	17·6	–	7	17	22	6	2	96
BURG - -	608,710	„ 22	382	236	20·2	–	–	1	–	–	–	34
SDEN - -	323,600	May 25	234	114	18·5	–	1	–	1*	1	–	10
SLAU - -	367,769	June 29	–	192	27·3	–	–	2	1*	1	–	40
NICH - -	396,000	„ 29	–	163	21·5	–	4	–	2*	–	–	33
NNA - -	1,495,764	„ 22	724	675	23·5	–	17	8	15*	2	1	98
GUE - -	343,822	„ 22	264	176	26·0	–	1	–	1	–	3	4
DA-PESTH -	566,022	„ 22	387	272	25·0	1	–	–	4	–	1	26
ESTE - -	160,825	„ 22	98	74	23·9	–	–	–	5*	–	–	5
H - -	463,786	April 6	189	184	20·7	–	2	1	–	1	2‡	7
IN (10 days)	344,203	June 10	223	177	18·8	–	8	2	3	3	1	13
ICE -	158,159	„ 1	90	72	23·7	–	–	–	1*	–	1	15
RO - -	374,838	„ 3	338	346	48·0	3	–	–	–	1	7	117
XANDRIA -	231,396	„ 3	155	196	44·2	1	–	–	2*	–	7	73
W YORK -	1,992,715	„ 22	–	710	19·9	–	41	12	38	4	8	44
OKLYN -	1,080,000	„ 22	–	337	16·0	–	3	–	13	2	2	29
LADELPHIA	1,163,864	„ 22	–	359	16·1	1	3	1	22	1	9	24
W ORLEANS -	275,000	„ 8	–	212	40·2	2	1	1	–	1	18	55

* Including deaths from croup.
† Including 30 deaths from cholera.
‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 6TH JULY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	30	..	29·580	74·0	56·0	18·0	63·5	+ 1·6	50·6	12·9	18·2	2·3	63	138·4	52·3	61·71	SW.	SSW. & SSE.	2·6	0·0	0·2	281	+ 29	0·02	1·5
JULY. MONDAY	1	..	29·482	73·3	55·9	17·4	62·9	+ 1·6	52·5	10·4	18·9	1·7	69	132·9	53·0	61·74	S.	SSW. & SSE.	5·7	0·0	0·3	304	+ 52	0·11	4·5
TUESDAY	2	..	29·521	71·2	54·4	16·8	61·5	+ 0·1	50·5	11·0	18·2	2·4	67	132·2	52·1	61·77	SSW. SW. & WSW.	WSW. & SW.	12·0	0·0	1·3	515	+264	0·13	1·2
WEDNESDAY	3	..	29·901	70·8	53·4	17·4	61·2	− 0·5	49·6	11·6	21·1	2·4	66	132·2	49·4	61·70	SW. & WSW.	W. & NW.	6·1	0·0	1·0	474	+224	0·00	3·8
THURSDAY	4	..	30·015	70·0	53·5	16·5	60·2	− 1·7	49·3	10·9	19·8	2·4	67	118·1	48·8	61·59	NNW. & N.	N. & NW.	1·3	0·0	0·0	172	− 76	0·04	0·0
FRIDAY	5	Greatest Dec. S.	30·079	68·1	53·1	15·0	60·3	− 1·8	48·6	11·7	16·0	2·6	65	124·8	48·2	61·46	NNW. N. & NNE.	NNE. SE. & S.	1·0	0·0	0·0	154	− 91	0·00	0·0
SATURDAY	6	Full	30·070	75·0	50·1	24·9	63·0	+ 0·8	46·9	16·1	23·6	0·2	56	131·7	43·0	61·30	SW. & NNW.	Variable & Calm.	0·6	0·0	0·0	132	−110	0·00	1·0
MEANS		..	29·807	71·8	53·8	18·0	61·8	− 0·0	49·7	12·1	19·4	2·0	65	130·0	49·5	61·61	SW. & NW.		..	..	..	Sum 2032	Sum + 292	Sum 0·30	1·7
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	30	w. P. throughout	3·0	16·5	Generally cloudy; fine and bright for a short time in afternoon; showery after 10h. P.M.
JULY. MONDAY	1	w. P. till noon; v. P. and v. N. afterwards.	7·4	16·5	Fine generally; occasional light showers; lightning in evening.
TUESDAY	2	v. P. and v. N. till 6h P.M.; w. P. afterwards.	8·2	16·5	Overcast and showery in morning; afterwards fine; cloudless at night.
WEDNESDAY	3	w. P. in early morning; v. P. afterwards.	7·1	16·4	Fine; partially cloudy; slight shower at 7¾h. P.M.
THURSDAY	4	m. P. till afternoon; s. N. and v. P. afterwards.	0·3	16·4	Overcast generally; gloom accompanied by heavy rain at about 5h. P.M.
FRIDAY	5	m. P. generally	1·6	16·4	Overcast generally; variable amounts of cloud in afternoon.
SATURDAY	6	v. P. till afternoon; w. P. in evening.	4·9	16·4	Very fine; cloudless at night.
			Sum 27·5	Sum 115·1	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·51 in. at the beginning of the week to 29·59 in. by noon on the 30th of June; decreased to 29·35 in. by 5h. A.M. on the 2nd of July; increased to 30·08 in. by 9h. P.M. on the 5th, decreased to 30·06 in. by 3h. P.M. on the 6th;

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 28. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JULY 13. [Price 1½*d.*

General Register Office, Somerset House,
July 15th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 22.	June 29.	July 6.	July 13.		June 22.	June 29.	July 6.	July 13.
Birkenhead	16·5	18·4	19·4	19·4	Liverpool - -	25·1	25·7	24·4	30·2
Birmingham	17·1	16·2	16·2	18·1	London - -	15·1	16·9	18·0	21·0
Blackburn -	12·3	17·6	20·4	18·4	Manchester -	20·4	19·0	18·7	20·7
Bolton -	15·7	19·2	17·9	17·0	Newcastle-on-Tyne	12·8	17·1	20·1	15·6
Bradford -	17·0	13·8	21·4	18·4	Norwich - -	12·7	16·5	13·6	20·9
Brighton -	12·6	9·6	10·0	10·5	Nottingham -	15·2	12·4	10·6	16·6
Bristol -	14·4	15·3	11·0	14·4	Oldham - -	21·4	15·2	15·9	17·0
Burnley -	13·1	19·4	17·8	18·8	Plymouth - -	19·3	14·0	14·6	18·7
Cardiff -	14·4	16·4	16·4	12·4	Portsmouth -	17·9	11·6	12·2	13·7
Croydon -	6·8	13·2	9·1	14·1	Preston - -	18·5	11·6	18·1	26·4
Derby -	14·6	9·9	14·0	14·0	Salford - -	18·3	21·0	21·8	26·0
Gateshead -	14·7	22·8	13·6	15·2	Sheffield - -	16·9	14·3	17·0	17·0
Halifax -	18·9	13·3	13·9	11·7	Sunderland -	17·0	21·2	17·0	18·6
Huddersfield	13·6	11·5	15·2	8·9	Swansea - -	12·9	16·7	12·4	10·2
Hull - -	14·9	15·9	18·3	18·5	West Ham - -	15·5	15·0	16·3	20·9
Leeds -	17·4	15·3	19·6	21·0	Wolverhampton -	14·6	17·6	19·5	27·4
Leicester -	14·5	11·6	15·9	22·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·5 in Manchester, and 2·5 in West Ham; from *whooping-cough*, 1·5 in Birkenhead and in Oldham, and 2·1 in Burnley; from "*fever*", 1·1 in Sunderland; and from *diarrhœa*, 2·1 in Burnley, 2·2 in Bolton and in Hull, 2·3 in Nottingham, 2·4 in Liverpool, 2·7 in West Ham, 2·8 in Birmingham, 2·9 in Norwich, 3·2 in London, 3·5 in Sheffield, 4·3 in Wolverhampton, 4·6 in Bradford, 4·8 in Salford, 5·3 in Leeds, 6·5 in Preston, and 7·5 in Leicester. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 72 deaths from *diphtheria* included 50 in London, 5 in West Ham, and 4 in Liverpool. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2586 BIRTHS and 1768† DEATHS were registered. Allowing for increase of population, the births were 44 below, and the deaths 122 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·1, 16·9, and 18·0 in the preceding three weeks, further rose last week to 21·0. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 87969.—2. 650.—7/95. Wt. 259. E E

ending on Saturday last the death-rate averaged 17·8 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1768 deaths included one from small-pox, 75 from measles, 20 from scarlet fever, 50 from diphtheria, 19 from whooping-cough, 11 from enteric fever, 270 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from typhus or from any ill-defined form of continued fever; thus, 450 deaths were referred to these diseases, being 69 above the corrected average weekly number.

One death from *small-pox* were registered, the corrected average being 2; the death last week was of a person who had been removed to the Hospital Ship "Castalia" from the Workhouse, Constance Road, Camberwell. The deaths from *measles*, which had been 71, 84, and 73 in the preceding three weeks, were 75 last week, exceeding the corrected average by 15; 10 cases belonged to St. Luke, 7 to Poplar, 6 to Islington, 6 to St. George-in-the-East, and 6 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 11, 18, and 12 in the preceding three weeks, rose last week to 20, the corrected average being 18; 2 cases belonged to Hackney, 2 to Shoreditch, 2 to Poplar, and 2 to Greenwich sanitary areas. The deaths from *diphtheria*, which had been 37, 38, and 53 in the preceding three weeks, fell again last week to 50, but were 20 in excess of the corrected average; 6 cases belonged to Fulham, 6 to Camberwell, 4 to Mile End Old Town, 4 to Poplar, and 4 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 18, 29, and 25 in the preceding three weeks, further fell last week to 19, and were 31 below the corrected average; 5 cases belonged to Lambeth sanitary area. The fatal cases of *enteric fever*, which had been 4, 7, and 5 in the preceding three weeks, rose last week to 11, a higher number than that in any week since February last, and exceeding the corrected average by one. The deaths from *diarrhœa*, which had been 46, 92, and 169 in the preceding three weeks, further rose last week to 270, exceeding the corrected average by 70. In addition to the 270 deaths directly referred to diarrhœa, 44 of the registered deaths were described as from *gastro-enteritis*, and these are included among the 71 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 186, 160, and 160 in the preceding three weeks, rose again last week to 187, but were 5 below the corrected average.

The deaths attributed directly to *influenza* numbered 7, having been 4, 12, and 5 in the preceding three weeks.

Different forms of violence caused 74 deaths, concerning all but 2 of which inquests were held. Of these 74 deaths, 16 were cases of suicide, and 3 of homicide, while the remaining 55 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 10 to drowning, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 72 cases of small-pox, 2241 of scarlet fever, 637 of diphtheria, and 143 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 36 cases, against 8, 25, and 17; of scarlet fever, 342 cases, against 251, 319, and 311; of diphtheria, 132 cases, against 128, 115, and 99; and of enteric fever, 14 cases, against 10, 21, and 17.

Greater London.

In Greater London 3558 births and 2229 deaths were registered, corresponding to annual rates of 307 and 19·2 per 1000 of the estimated population. In the Outer Ring 17 deaths from measles, 22 from diphtheria, and 57 from diarrhœa were recorded. Fourteen deaths from measles occurred in West Ham district; 9 deaths from diphtheria in West Ham district, 3 in Kingston district, 3 in Edmonton district, and 3 in Willesden sub-district; and 20 deaths from diarrhœa in West Ham district, and 14 in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 65°·6, the latter being 3·3 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 25 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 59·7 hours; the measured rainfall amounted to 0·13 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 13th July, 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 13th July, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6395	4033	1476	684	1	126	37	72	54	23	564	167	293	764	53	19·9	4·3	83·8	44·4	59·9	15·50	0·26	0·66	33 Towns.
London	4,392,346	2586	1768	680	284	1	75	20	50	19	11	270	74	139	449	7	21·0	5·3	83·8	49·2	65·6	18·67	0·13	0·33	London.
West Ham	249,473	174	100	34	13	-	12	2	5	2	-	13	2	6	12	4	20·9	7·1	-	-	-	-	-	-	West Ham.
Croydon	114,923	50	31	9	5	-	-	-	-	1	-	3	2	4	5	-	14·1	1·8	81·5	46·0	62·2	16·78	0·33	0·84	Croydon.
Brighton	119,604	63	24	8	7	-	-	-	-	-	-	1	-	1	3	1	10·5	0·4	71·0	47·8	58·9	14·94	0·08	0·20	Brighton.
Portsmouth	174,751	79	46	9	13	-	-	-	-	-	-	3	-	2	7	-	13·7	0·9	73·0	49·5	60·7	15·94	0·08	0·20	Portsmouth.
Plymouth	89,096	51	32	10	5	-	1	-	-	-	1	3	1	5	-	-	18·7	2·9	-	-	-	-	-	-	Plymouth.
Bristol	228,139	149	63	12	28	-	-	-	-	-	1	4	4	8	17	1	14·4	1·1	75·0	49·0	59·2	15·11	0·01	0·03	Bristol.
Cardiff	155,637	102	37	14	2	-	1	-	1	1	1	3	-	1	5	-	12·4	2·3	-	-	-	-	-	-	Cardiff.
Swansea	97,068	47	19	6	5	-	1	-	-	-	-	-	1	1	3	-	10·2	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	62	45	22	2	-	1	1	1	-	-	7	3	5	5	-	27·4	6·1	77·8	44·4	58·4	14·67	0·22	0·56	Wolverhampton.
Birmingham	496,751	318	172	68	28	-	-	4	-	-	-	27	11	10	28	6	18·1	3·3	-	-	-	-	-	-	Birmingham.
Norwich	107,127	71	43	16	7	-	-	-	1	2	-	6	1	3	3	-	20·9	4·4	-	-	-	-	-	-	Norwich.
Leicester	193,839	124	82	44	11	-	1	-	-	-	-	28	4	5	6	2	22·1	7·8	-	-	-	-	-	-	Leicester.
Nottingham	226,658	133	72	26	17	-	-	3	1	-	-	10	1	1	17	-	16·6	3·2	78·8	46·0	59·5	15·28	0·36	0·91	Nottingham.
Derby	100,272	50	27	8	8	-	-	-	-	-	-	1	1	1	4	1	14·0	0·5	-	-	-	-	-	-	Derby.
Birkenhead	107,469	68	40	16	5	-	-	1	1	3	-	4	1	3	5	1	19·4	4·4	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,987	370	222	97	38	-	7	2	4	8	2	23	21	28	65	6	30·2	4·8	77·1	50·9	58·0	14·44	0·40	1·02	Liverpool.
Bolton	119,337	64	39	14	6	-	1	-	1	-	2	5	-	-	4	-	17·0	3·9	-	-	-	-	-	-	Bolton.
Manchester	524,865	331	208	55	42	-	15	1	-	4	-	10	11	21	34	4	20·7	3·0	-	-	-	-	-	-	Manchester.
Salford	208,253	152	104	38	12	-	1	3	2	1	-	19	3	4	20	5	26·0	6·5	-	-	-	-	-	-	Salford.
Oldham	141,079	88	46	10	11	-	1	-	1	4	-	1	-	-	7	-	17·0	2·6	-	-	-	-	-	-	Oldham.
Burnley	99,591	50	36	13	6	-	-	-	1	4	-	4	3	3	2	-	18·8	4·7	-	-	-	-	-	-	Burnley.
Blackburn	127,615	66	45	10	9	-	2	-	-	1	-	2	1	1	5	1	18·4	2·0	-	-	-	-	-	-	Blackburn.
Preston	112,638	88	57	22	17	-	1	-	-	1	1	14	2	2	5	1	26·4	7·9	-	-	-	-	-	-	Preston.
Huddersfield	99,482	42	17	3	5	-	1	-	-	-	-	-	4	4	1	-	8·9	0·5	78·0	49·0	58·0	14·44	0·37	0·94	Huddersfield.
Halifax	93,813	35	21	2	8	-	-	-	-	-	-	-	-	1	1	-	11·7	-	-	-	-	-	-	-	Halifax.
Bradford	226,384	129	80	35	14	-	-	-	-	1	1	20	3	4	9	2	18·4	5·1	69·6	51·0	58·6	14·78	0·38	0·97	Bradford.
Leeds	395,546	228	159	62	31	-	1	-	-	-	-	40	5	9	16	1	21·0	5·4	-	-	-	-	-	-	Leeds
Sheffield	342,768	227	112	54	17	-	1	-	1	-	-	23	4	10	7	2	17·0	3·8	-	-	-	-	-	-	Sheffield.
Hull	216,722	133	77	31	10	-	2	-	-	1	-	9	2	2	6	5	18·5	2·9	82·0	45·0	59·7	15·39	0·54	1·37	Hull.
Sunderland	137,705	80	49	16	5	-	-	-	-	-	3	5	1	2	4	1	18·6	3·0	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	65	28	10	6	-	-	-	-	-	-	2	-	3	2	-	15·2	1·1	-	-	-	-	-	-	Gateshead.
Newcastle	207,021	120	62	22	7	-	1	-	2	1	-	4	1	4	7	2	15·6	2·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return. † Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2411	2626	2577	2520	2306	2472	2488	2545	2607	2371	2630·4	2586
Males . .	1267	1384	1318	1280	1186	1281	1263	1268	1339	1207	1349·7	1345
Females .	1144	1242	1259	1240	1120	1191	1225	1282	1268	1164	1280·7	1241
TOTAL **Deaths**	1616	1680	1774	1288	1605	1471	1378	1546	1887	1356	1646·0	1768
Males . .	848	878	914	660	839	747	748	814	1006	715	862·1	921
Females .	768	802	860	628	766	724	625	732	881	641	783·9	847

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.
TOTAL **Births** - -	2677	2691	2887	2549	2496	2640	2569	2333	2678	2639	2488	2651	2586
TOTAL **Deaths** - -	1585	1508	1395	1398	1389	1371	1308	1247	1213	1276	1429	1519	1768
Ages at Death: Under 1 year -	410	423	321	318	325	327	279	254	263	314	425	548	680
1—5 years -	261	214	221	198	219	192	195	190	198	212	231	222	281
5—20 " -	85	60	82	84	84	87	87	84	73	82	81	82	95
20—40 " -	190	162	186	190	172	196	175	158	170	176	185	169	188
40—60 " -	264	289	256	256	258	253	254	249	240	218	232	240	240
60—80 " -	312	293	275	291	280	269	271	266	232	229	226	212	235
80 years & upwards	63	67	54	61	51	47	47	46	37	45	49	46	49
Deaths from—													
Small-pox - - - -	-	-	1	-	-	-	-	-	1	-	1	3	1
Measles - - - -	39	26	39	34	39	32	50	36	71	71	84	73	75
Scarlet fever - - -	9	9	13	11	13	10	17	17	12	11	18	12	20
Diphtheria - - -	30	27	29	38	41	37	41	33	45	37	38	53	50
Whooping-cough - -	51	44	36	35	31	39	30	22	20	18	29	25	19
Typhus - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric fever - - -	5	5	5	8	8	9	5	8	5	4	7	5	11
Simple Continued fever -	-	-	-	1	-	-	-	-	-	1	-	-	-
Diarrhœa and Dysentery -	7	13	18	19	18	14	16	19	21	46	92	169	270
Cholera - - - -	-	-	-	-	-	-	-	1	-	2	3	4	4
All the above Diseases	141	124	141	146	150	141	159	137	175	190	272	344	450
Dis. of Respiratory System	389	341	290	247	240	245	193	168	152	186	160	160	187
Phthisis - - -	161	162	144	160	128	172	148	162	143	134	147	119	130
Dis. of Circulatory System	125	120	106	107	127	128	114	123	99	111	97	110	107
Violence - - - -	64	71	63	63	77	59	64	55	55	43	64	72	74
Inquest Cases - - -	135	135	131	127	138	122	123	121	107	94	123	144	139
Deaths in Public Institutions	459	393	380	398	425	450	397	395	349	360	422	415	449
TEMPERATURE OF THE AIR													
Mean - - - -	49·1°	50·9°	51·2°	57·3°	55·9°	52·3°	61·0°	60·7°	58·7°	60·5°	65·8°	61·8°	78·7°
Mean of Highest readings -	60·4	59·2	62·5	69·8	65·4	62·5	74·6	73·0	70·6	73·9	79·8	71·8	53·7
Mean of Lowest readings -	40·7	45·8	40·4	44·4	47·7	44·6	48·5	49·3	48·0	48·4	53·3	53·8	25·0
Humidity of the Air - -	77	88	73	61	68	81	69	68	61	64	61	65	55
Rain-fall (in inches) - -	0·13	1·15	0·04	0·00	0·19	0·19	0·08	0·02	0·02	0·10	0·02	0·30	0·13
Registered Sunshine (in hours)	36·0	10·7	42·0	74·7	20·2	22·3	49·9	53·0	33·7	38·1	37·8	32·5	59·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	35	37	34	33	27	29	22	23	19	22	34	42	72
Scarlet fever - - - -	1514	1469	1413	1433	1446	1503	1524	1589	1637	1732	1894	2044	2241
Diphtheria - - - -	441	432	457	464	484	492	508	529	562	593	633	633	637
Enteric fever - - - -	67	61	64	66	91	126	139	141	147	142	147	146	143

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-EIGHTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 28th Week of the 10 years 1885-94.*	In the Week ending Saturday, 13th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
L CAUSES - -	1646·0	1768	680	281	95	188	240	235	49
all-pox: Vaccinated† -	0·7	1	-	-	-	-	-	1	-
all-pox: Unvaccinated	0·4	-	-	-	-	-	-	-	-
all-pox: No Statement	0·8	-	-	-	-	-	-	-	-
asles - - - -	59·8	75	22	50	2	1	-	-	-
arlet Fever - -	18·3	20	-	14	5	1	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
luenza - - -	5·4	7	-	1	2	1	-	2	1
hooping-cough - -	50·4	19	11	8	-	-	-	-	-
phtheria - - -	29·8	50	-	34	16	-	-	-	-
ple Continued and ll-defined Fever -	1·5	-	-	-	-	-	-	-	-
teric Fever - -	10·0	11	-	-	3	6	1	1	-
olera and Chol. Diarr.	8·9	4	1	3	-	-	-	-	-
arrhœa, Dysentery -	200·3	270	211	47	2	1	4	5	-
mittent Fever - -	0·1	-	-	-	-	-	-	-	-
drophobia - -	-	-	-	-	-	-	-	-	-
anders - - -	-	-	-	-	-	-	-	-	-
wpox and Effects of Vaccination - -	0·1	1	1	-	-	-	-	-	-
ncreal Affections - -	11·4	15	11	2	-	-	1	-	1
ysipelas - - -	4·2	2	1	-	-	1	-	-	-
emia and Septicæmia	3·4	2	1	-	-	1	-	-	-
erpera Fever - -	4·0	2	-	-	-	2	-	-	-
her Zymotic Diseases	2·1	3	-	-	-	1	2	-	-
rush - - - -	1·9	2	2	-	-	-	-	-	-
orms and other Parasitical Diseases - -	0·1	1	-	-	-	-	-	1	-
rvation, Want of Breast-milk - -	3·0	3	3	-	-	-	-	-	-
oholism - - -	7·3	8	-	-	-	5	2	1	-
eumatic Fever, eumatism of Heart	6·9	6	-	1	-	3	2	-	-
eumatism - -	2·4	3	-	-	-	-	1	2	-
ut - - - -	3·8	2	-	-	-	-	-	2	-
bets - - - -	4·3	18	11	7	-	-	-	-	-
ncer - - - -	63·9	68	-	-	1	5	33	28	1
bes Mesenterica -	41·3	46	32	8	2	4	-	-	-
bercular Meningitis -	26·6	31	10	17	1	3	-	-	-
thisis - - -	138·0	130	4	2	12	59	42	11	-
rofula, Tuberculosis -	24·4	21	10	2	2	4	3	-	-
her Constitutional Diseases - - -	12·3	9	1	2	-	1	1	4	-
emature Birth - -	42·0	57	57	-	-	-	-	-	-
electasis - - -	3·0	7	7	-	-	-	-	-	-
ngenital Malformations - - - -	7·6	11	10	-	1	-	-	-	-
d Age - - - -	42·8	39	-	-	-	-	-	20	19
oplexy - - -	59·8	53	1	1	-	2	17	29	3
ilepsy - - -	7·2	6	-	-	-	3	3	-	-
nvulsions - - -	49·7	35	15	1	-	-	-	-	-
her Diseases of Brain and Nervous System	86·0	82	9	15	3	6	20	26	3

CAUSES OF DEATH.	Corrected Averages for the 28th Week of the 10 years 1885-94.*	In the Week ending Saturday, 13th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·0	4	2	-	2	-	-	-	-
Diseases of Circulatory System - - -	111·9	107	5	4	8	20	27	35	8
Croup - - - -	7·5	1	-	1	-	-	-	-	-
Bronchitis - - -	87·9	66	28	8	2	1	7	17	3
Pneumonia - - -	72·5	96	30	29	5	5	12	13	2
Pleurisy - - - -	5·5	5	-	2	1	1	-	1	-
Other Diseases of Respiratory System - -	18·3	19	5	3	4	1	2	4	-
Dentition - - -	13·4	5	3	2	-	-	-	-	-
Quinsy, Sore Throat -	2·3	1	-	-	-	1	-	-	-
Enteritis - - -	27·6	71	59	8	-	2	1	1	-
Peritonitis - - -	6·6	5	1	-	1	-	1	2	-
Diseases of Liver - -	30·1	25	3	-	-	4	11	6	1
Other Diseases of Digestive System -	32·6	39	15	1	6	2	8	5	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	4	-	1	2	1	-	-	-
Diseases of Urinary System - - -	34·8	40	-	-	3	7	20	9	1
Diseases of Generative System - - -	5·5	9	-	-	-	5	2	1	1
Accidents of Childbirth -	4·[illegible]	5	-	-	-	5	-	-	-
Diseases of Locomotive System - - -	5·0	4	-	1	-	2	1	-	-
Diseases of Integumentary System - -	4·2	4	1	-	-	3	-	-	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	55·0	1	-	-	-	1	-	-	
By Vehicles or Horses -		7	-	1	3	1	-	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	-	-	1	
In Building Operations -		-	-	-		-	-	-	-
In Conflagrations - -		1	-	-	-	-	-	1	-
By Burns, Scalds, Explosions - - -		3	-	2	-	-	-	1	-
By Drowning - -		10	-	-	5	4	1	-	
By Suffocation in Bed -		11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	1	-	-	-	
Other or not stated Causes - - - -		10	2	3	-	6	6	1	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·8	3	2	-	-	-	1	-	
Suicide - - - -	11·4	16	-	-	-	6	7	2	1
Execution - - -	-	-	-	-	-	-	-	-	
OTHER CAUSES - -	77·9	63	62	-	-	-	1	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2586	1768	680	284	1	75	20	50	19	–	11	–	270	74	139	449
WEST DISTRICTS	740,735	395	276	91	59	–	5	3	10	3	–	2	–	34	10	21	76
NORTH DISTRICTS	993,884	551	394	152	62	–	10	4	13	5	–	2	–	57	16	32	111
CENTRAL DISTRICTS	247,538	158	129	51	12	–	13	–	3	3	–	1	–	23	4	5	33
EAST DISTRICTS	705,114	518	377	166	40	–	26	2	7	3	–	2	–	69	17	44	85
SOUTH DISTRICTS	1,524,472	964	563	220	101	–	21	5	17	5	–	4	–	86	27	37	110
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	29	–	10	1	–	6	–	–	–	–	–	1	–	–	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	51	31	12	5	–	2	–	–	1	–	–	–	6	2	3	7
St. John Paddington *H* – G.J.	33687	9	15	1	3	–	1	–	–	–	–	–	–	1	–	–	8
Kensington Town *Ww* – W.M.	118751	54	57	15	21	–	–	–	2	–	–	–	–	8	–	1	21
Brompton – W.M. & C.	47557	13	9	1	3	–	–	–	–	–	–	–	–	–	–	–	3
St. Peter Hammersmith – W.M.	8538	4	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88653	74	40	20	3	–	–	–	1	1	–	1	–	4	1	3	4
Fulham *Ww* – W.M. & C	91639	61	53	20	4	–	2	2	7	1	–	1	–	9	2	3	13
Chelsea Kensal Town – C.	21787	20	5	4	–	–	–	–	–	–	–	–	–	1	–	–	–
Chelsea North *WHHHH* – C.	41637	28	6	1	3	–	–	–	–	–	–	–	–	1	–	–	3
Chelsea South *HH* – C.	33829	14	8	3	1	–	–	–	–	–	–	–	–	–	–	1	2
May Fair *WH* – G.J.	23733	6	8	1	4	–	–	–	–	–	–	–	–	1	2	2	5
Belgrave *WHHH* – C.	54631	18	19	7	3	–	–	–	–	–	–	–	–	1	1	5	6
St. John Westminster *HH* – C.	34106	19	12	4	2	–	–	1	–	–	–	–	–	–	1	2	1
St. Margaret Westminster *H* – C.	21668	8	3	–	2	–	–	–	–	–	–	–	–	1	–	–	–
St. James Westminster *WHHH* N.R. & G.J.	24995	15	5	1	3	–	–	–	–	–	–	–	–	1	1	1	1
St. Anne Soho *HHHHHH* – N.R.	12317	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* – W.M.	37713	16	14	4	1	–	–	–	–	–	–	–	–	2	–	1	8
Rectory Marylebone *WH* G.J. & W.M.	20024	6	5	2	1	–	–	–	–	–	–	–	–	–	–	–	1
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	32	12	6	1	–	–	–	1	1	–	–	–	2	–	–	2
Christchurch Marylebone *HH* – W.M.	33327	13	11	5	4	–	–	–	–	–	–	–	–	1	1	2	–
St. John Marylebone *HH* – W.M.	32101	16	14	6	1	–	–	–	1	–	–	–	–	–	–	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	36	24	5	5	–	–	–	7	1	–	–	–	1	–	–	11
Regent's Park Pancras *HH* – W.M.	36590	23	9	5	–	–	–	–	–	1	–	–	–	2	–	1	–
Tottenham-court *wHHH* N.R. & W.M.	26321	14	20	3	2	–	–	–	–	–	–	–	–	2	1	1	13
Gray's Inn Lane *HHH* – N.R.	27455	17	14	7	–	–	–	–	–	–	–	–	–	4	2	2	7
Somers Town *HH* – N.R.	32829	18	15	6	–	–	–	–	–	1	–	–	–	3	1	1	7
Camden Town *WH* – N.R.	15419	12	13	5	4	–	–	–	1	–	–	–	–	1	2	3	9
Kentish Town *WW* – N.R.	95763	59	20	10	3	–	–	–	–	–	–	–	–	2	–	–	5
Upper Holloway *WWWwHHH* – N.R.	90235	42	69	25	19	–	1	–	–	–	–	–	–	10	3	6	30
Islington South-west *H* – N.R.	105557	67	41	22	8	–	4	1	–	1	–	–	–	10	–	3	1
Islington South-east – N.R.	64158	37	25	13	2	–	1	–	–	–	–	–	–	2	1	2	–
Highbury *HH* – N.R.	59193	35	14	2	4	–	–	–	–	–	–	–	–	1	1	1	–
Stoke Newington *H* – N.R.	30936	14	5	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Stamford Hill – E.L.	17759	6	6	2	–	–	–	–	–	–	–	–	–	–	2	4	–
West Hackney *H* – N.R.	42602	22	9	3	1	–	–	–	–	–	–	–	–	1	2	2	3
Hackney *WwwH* – E.L. & N.R.	96486	48	41	12	4	–	2	3	3	–	–	2	–	8	–	1	14
South Hackney *w* – E.L.	41759	18	13	8	1	–	–	–	–	–	–	–	–	5	–	2	–
CENTRAL DISTRICTS.																	
St. George Bloomsbury – N.R.	16695	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
St. Giles South *WH* – N.R.	13454	11	9	3	2	–	–	–	–	–	–	–	–	–	–	–	2
St. Giles North *H* – N.R.	9633	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	10	1	1	–	–	–	–	–	–	–	–	1	1	1	5
St. Mary-le-Strand *H* – N.R.	5706	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Clement Danes *WH* – N.R.	7194	4	9	1	1	–	–	–	1	–	–	–	–	2	1	–	6
Strand Union Workhouse, Edmonton –	†1037	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	12	14	4	2	–	1	–	–	–	–	–	–	2	–	2	6
St. Andrew Eastern *WH* – N.R.	15343	7	9	6	–	–	1	–	–	–	–	–	–	2	–	–	–
St. James Clerkenwell – N.R.	16803	9	5	3	–	–	–	–	–	1	–	–	–	1	–	–	–
Amwell Clerkenwell – N.R.	16883	14	4	3	1	–	–	–	–	–	–	–	–	1	–	–	–
Pentonville – N.R.	17155	12	5	4	–	–	–	–	–	–	–	–	–	2	–	–	–
Goswell-street – N.R.	15375	13	8	6	1	–	1	–	–	–	–	–	–	2	–	–	–
City-road *HHHL* – N.R.	29177	35	24	12	–	–	9	–	–	2	–	1	–	4	1	1	–
Whitecross-street – N.R.	8278	7	5	1	1	–	1	–	–	–	–	–	–	2	–	–	–
Finsbury – N.R.	4985	4	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Holborn Union Workhouse, Mitcham –	†892	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2
St. Botolph *H* – N.R. & E.L.	8944	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate – N.R.	4539	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – N.R.	4444	1	15	3	1	–	–	–	2	–	–	–	–	2	1	1	13
St. Bride *W* – N.R.	6594	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Allhallows Barking – N.R.	10422	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Broad Street *H* – N.R.	3377	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone –	†388	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R[illegible] River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
y, 13th July, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unascertained Causes of Death.
EAST DISTRICTS.																		
itch South *HL** E.L. & N.R.	20098	12	11	5	1	-	1	-	-	-	-	-	-	2	1	2	-	-
n New Town *w* - - - N.R.	29313	23	19	14	2	-	-	-	-	-	-	-	-	8	-	2	2	-
n Old Town - - - - N.R.	28354	25	21	13	-	-	-	1	-	-	-	-	-	3	1	3	-	-
rston *WH* - - N.R. & E.L.	46244	29	23	11	2	-	1	-	-	-	-	-	-	9	-	2	5	-
l Green North *H* - - E.L.	51520	43	22	12	1	-	4	-	-	1	-	-	-	9	1	1	-	-
l Green South - - - E.L.	33489	20	12	9	-	-	-	-	-	-	-	-	-	3	-	-	-	-
l Green East *WHL** - E.L.	44123	22	11	3	3	-	-	-	-	-	-	-	-	3	1	2	4	-
ields - - - E. N.R.	22456	11	8	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-
nd New Town *W* - - E.L.	17908	30	16	8	-	-	-	-	-	-	-	-	-	1	-	1	6	-
chapel Church *H* E.L. & N.R.	20298	10	33	7	2	-	2	-	3	-	-	1	-	4	3	5	27	-
an's Fields - - - E.L.	13800	8	5	-	1	-	-	1	-	1	-	-	-	-	1	2	-	-
orge's, North - - - E.L.	37738	29	22	13	-	-	4	-	-	-	-	-	-	3	-	2	-	-
n, St. George East *W* - E.L.	8057	6	7	3	-	-	2	-	-	-	-	-	-	1	-	-	2	-
ell *H* - - - E.L. & N.R.	10246	4	14	3	1	-	-	-	1	-	-	1	-	-	-	2	12	-
W - - - - - E.L.	14928	13	6	3	-	-	1	-	-	-	-	-	-	-	2	2	-	-
ouse - - - - - E.L.	32202	19	11	4	1	-	2	-	-	-	-	-	-	2	-	3	-	-
nd Old Town West *H* - E.L.	38650	37	15	10	-	-	-	-	-	-	-	-	-	4	1	3	-	-
nd Old Town East *WWww* E.L.	68942	45	38	15	10	-	-	-	1	1	-	-	-	10	2	2	8	-
* - - - - - E.L.	40365	39	13	6	3	-	1	-	1	-	-	-	-	3	-	-	-	-
ey *wwwH* - - - - E.L.	70000	57	48	17	8	-	4	-	-	-	-	-	-	2	1	4	18	-
WW - - - - - E.L.	56883	36	22	8	3	-	3	-	1	-	-	-	-	2	3	5	1	-
SOUTH DISTRICTS.																		
church Southwark *WH* L. & S.	13264	11	9	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-
vious Southwark - - - S.	12913	6	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1
road - - - - S. & L.	21867	13	9	5	-	-	2	-	-	-	-	-	-	2	-	1	-	-
gh-road *WH* - - S. & L.	16624	13	15	10	-	-	1	-	-	-	-	-	-	4	-	1	5	1
n-road *HL* - - L. & S.	21221	16	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Newington - - S. & L.	26596	16	7	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ter Walworth *W* - S. & L.	61342	35	21	10	3	-	-	-	1	-	-	-	-	3	2	2	-	-
ry Newington - - L. & S.	27866	21	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
ve *WH* - - - - S.	12723	9	22	3	4	-	-	-	-	-	-	-	-	3	5	5	16	-
er Market *W* - - S. & L.	30612	18	20	6	2	-	4	-	-	-	-	-	-	3	2	2	1	-
mes Bermondsey - - S.	54070	34	6	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-
hithe *WwH* - - S. & K.	39255	20	20	4	4	-	-	-	-	-	-	-	-	3	1	1	9	-
oo-road 1st *H* - - L. & S.	14031	9	15	8	1	-	2	-	-	1	-	-	-	3	1	1	2	-
oo-road 2nd *H* - - L. & S.	14644	21	6	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-
th Church 1st *H* - L. & S.	18075	14	16	4	1	-	-	-	1	-	-	-	-	1	3	3	11	-
th Church 2nd *WW* - L. & S.	39097	35	42	24	6	-	3	-	1	3	-	-	-	9	-	2	12	-
gton 1st *H* - - S. & L.	50586	29	21	8	3	-	1	-	-	1	-	-	-	9	-	1	-	-
gton 2nd } - - - S. & L.	39708	21	9	4	-	-	-	-	1	-	-	-	-	2	-	-	-	1
w - - - - L. & S.	73405	39	27	8	6	-	-	-	4	-	-	1	-	1	1	2	5	-
d *WH* - - - - L.	25657	13	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
attersea - - - S.	67244	47	15	8	1	-	1	-	-	-	-	-	-	2	1	2	-	-
attersea *WwH* - - S.	83314	55	33	16	4	-	2	-	-	-	-	-	-	6	1	1	6	-
m *H* - - - - S.	43698	35	14	4	4	-	1	-	1	-	-	-	-	4	-	1	1	-
worth *WHHL* - - - S.	46717	28	9	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
- - - - - - S.	17771	10	5	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-
am *www* - - - - L.	48756	27	13	2	6	-	-	1	3	-	-	-	-	2	-	-	4	-
h - - - L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rwell *WoL*L** - - S. & L.	81686	43	32	5	13	-	2	-	1	-	-	-	-	1	-	-	14	-
m *W* - - - S., L., & K.	83483	53	25	14	5	-	-	-	-	-	-	-	-	5	-	-	-	-
rge Camberwell - - L. & S.	63366	56	22	13	1	-	1	-	1	-	-	-	-	5	1	1	-	-
d, North - - - - K.	35314	25	12	6	3	-	-	-	-	-	-	-	-	2	3	2	-	-
rd, Central *w* - - - K.	42007	25	22	8	3	-	-	3	2	-	-	-	-	4	-	-	6	-
rd, South - - - - K.	30852	12	5	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
vich West *H* - - - K.	22007	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
vich East *WH* - - - K.	35223	20	14	3	4	-	-	-	-	-	-	-	-	-	1	1	8	-
wH - - - - - K.	5082	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - - - - - K.	23541	9	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
am *WH* - - - - K.	30950	23	12	5	1	-	-	-	1	-	-	-	-	4	-	-	3	-
am *H* - - - - L.	34162	23	7	3	2	-	-	-	-	-	-	1	-	-	-	1	1	-
n *HH* - - - - K.	14040	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ich Dockyard - - - K.	19606	10	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1
ich Arsenal *HH HL* - K.	21242	17	6	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
ead, West *H* - - - K.	15869	9	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
ead, East *WH* - - - K.	36567	26	11	2	3	-	-	-	-	-	-	1	-	1	-	-	3	1
ad Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
am Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ill Asylum - - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
l Ships and Camp, Dartford -	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
h Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
ll Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
llatch Asylum - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ospital - - - - -	-	-	6	-	-	-	-	6	-	-	-	-	-	-	-	-	6	-
more Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lon Asylum - - - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
y Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 13th July, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	972	461	160	82	–	17	2	22	6	3	57	13	28	45
30 : 1	Carshalton *wHH*	12228	26108	8	1	1	–	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	10	8	–	3	–	1	–	–	–	–	–	–	–	3
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–		–	–	–	–	–	–		–	–
38 : 1	Croydon *WwHHH*	20851	128699	66	32	9	7	–	–	–	–	1	–	3	2	4	3
2	Mitcham *w*	11697	23088	8	5	1	2	–	–	–	–	–	–	1	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	17	5	1	2	–	–	–	1	–	–	1	–	–	–
2	Kingston *WH*	8071	44765	27	7	1	3	–	–	–	–	–	–	–	–	–	–
3	Esher, *part of** *HH*	6601	12059	2	4	1	1	–	–	–	1	–	–	–	–	–	–
4	Hampton *H*	4545	18252	7	7	3	1	–	–	–	1	–	–	–	–	1	–
40 : 1	Richmond *WH*	2160	25389	11	7	–	4	–	–	–	–	–	–	–	–	–	–
2	Mortlake *H*	2823	16159	9	4	2	1	–	–	–	–	–	–	–	–	1	–
41 : 1	Bromley *HHH*	9127	23815	19	4	2	2	–	–	–	–	–	–	–	–	–	1
2	Beckenham *H*	6542	21969	13	3	2	–	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	10	3	1	–	–	–	–	–	–	–	–	–	–	1
42 : 1	Bexley *HH*	12540	30590	17	11	1	3	–	–	–	–	–	–	1	1	1	–
2	Dartford *Work.*, pt. of*–	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	7	4	2	1	–	–	–	1	–	–	–	–	–	–
2	Staines *WH*	13277	13221	14	6	4	1	–	–	–	–	–	–	–	–	–	2
125 : 1	Hillingdon *WHH*	6035	12237	4	4	2	1	–	–	–	–	–	–	–	–	–	1
2	Uxbridge	6172	5417	3	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	13618	5	2	–	1	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	11	3	1	–	–	–	–	–	–	–	1	–	–	–
2	Twickenham *HH*	2415	16027	9	3	–	2	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	27	16	4	5	–	1	–	2	–	–	2	–	–	2
4	Chiswick	1245	21963	16	5	3	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	25	11	5	1	–	–	–	–	–	–	4	–	–	–
127 : 1	Harrow *HHH*	13809	15715	11	1	–	1	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	48	18	6	2	–	–	–	3	–	–	3	–	1	3
4	Hendon *WH*	8382	15843	14	4	1	1	–	–	–	–	–	–	–	–	–	–
128 : 1	South Mimms *H*	15599	8474	5	5	1	2	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	6	5	1	1	–	–	–	–	1	–	–	–	–	1
3	Finchley *HHH*	4688	25820	8	7	–	2	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH*	3039	61097	32	16	3	3	–	1	–	1	–	1	–	1	1	–
2	Tottenham *H*	4642	97174	66	35	17	5	–	–	–	–	1	–	8	2	5	1
3	Edmonton *Wwo*	7489	36351	21	11	8	–	–	–	–	–	1	–	5	1	2	1
4	Enfield *WWHH*	12639	31803	21	5	2	–	–	–	–	1	–	–	1	1	1	2
5	Waltham Abbey	11017	6066	4	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	8	2	–	–	–	–	–	1	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–		–
137 : 1	Bushey *H*	9331	7737	4	3	1	1	–	–	–	–	–	–	1	–	1	–
2	Watford *Work.*, pt. of*–	—	—	–	–	–	–		–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	35	24	14	2	–	1	–	–	1	–	6	1	1	1
2	Plaistow	1242	58030	50	28	10	3		4	1	1	–	–	3	–	2	–
3	Canning Town *H*	1558	54750	60	28	8	2	–	5	–	3	1	–	2	1	3	2
4	Forest Gate *w*	806	49140	29	11	2	1	–	1	1	1	–	–	1	–	–	–
5	East Ham *w*	3266	32713	45	11	6	1	–	1	–	1	–	–	1	–	–	–
6	Leyton *WWWwH*	4334	70188	58	42	15	9	–	2	–	3	–	–	6	–	–	1
7	Walthamstow *HL*	6501	57330	56	23	8	2		–	–	–	–	2	1	1	1	[illegible]
187 : 1	Chigwell *part of** *H*	11779	12941	12	9	3	1		–	–	–	–	–	3	–	–	[illegible]
2	Epping *Work.*, pt. of*	—	—	–	–	–	–				–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	1	2	1	–		–	–	–	–	–	1	1	1	[illegible]
2	Ilford	8493	10913	12	2	2	–	–	–	–	–	–	–	–	–	–	[illegible]
3	Barking Town *H*	3814	14301	21	10	5	1		–	–	1	–	–	2	1	2	[illegible]
4	Cane Hill Asylum	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as fo
30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone
district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Ch
Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the pa
Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in

LE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 13th July, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living.		Deaths from all Causes.	The Deaths registered in the Week include											
						Deaths of		Deaths from									Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TER LONDON	443,421	6,048,555	19·2	4·8	2229	840	366	1	92	22	72	25	14	327	87	494
NE LONDON -	74,672	4,392,346	21·0	5·3	1768	680	284	1	75	20	50	19	11	270	74	449
HE RING -	368,749	1,656,209	14·5	3·4	461	160	82	–	17	2	22	6	3	57	13	45

.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	July	13	154	87	16·6	–	2	3	–	1	2	4
GOW - -	695,876	„	13	459	287	21·5	–	5	2	1	10	4	40
IN - -	349,594	„	13	218	134	20·0	2	–	–	1	–	3	10
TTA - -	466,460	May	18	–	–	–	–	–	–	–	–	–	–
AY - -	821,764	June	18	396	349	28·4	4	5	?	?	?	124	29†
AS - -	452,518	„	7	364	258	29·6	–	9	–	–	–	112	21
- - -	2,424,705	July	6	–	–	–	–	–	–	–	–	–	–
SELS - -	507,985	„	6	239	178	18·2	–	–	–	2*	1	1	20
ERDAM -	451,493	„	6	295	127	14·6	–	–	–	2	–	1	–
ERDAM -	272,042	„	6	175	80	15·3	–	–	–	–	–	–	1
HAGUE -	180,455	„	6	80	61	17·6	–	1	–	1	1	–	1
NHAGEN -	341,000	„	6	184	115	17·6	–	2	–	2	3	5	15
KHOLM -	259,304	June	29	115	83	16·6	–	–	–	–	–	–	4
STIANIA -	174,717	July	6	33	54	16·1	–	–	–	–	1	–	16
TERSBURG	954,400	June	22	535	498	27·2	1	6	18	9	7	19	59
OW - -	753,469	„	29	–	806	55·8	–	1	7	5	6	5	389
IN - -	1,724,544	„	22	924	659	19·8	–	10	17	16	6	2	116
URG - -	608,710	„	29	392	260	22·2	–	–	–	2*	3	2	48
DEN - -	320,600	„	1	–	115	18·7	–	–	3	3*	–	1	11
LAU - -	367,769	July	6	–	224	31·8	–	2	5	1*	–	–	73
ICH - -	396,000	„	6	–	177	23·2	–	2	–	4*	–	–	53
NA - -	1,495,764	June	29	1021	631	22·9	–	14	10	7*	2	1	89
UE - -	351,478	„	29	232	166	24·6	–	1	2	1	1	5	1
-PESTH -	566,022	„	29	433	265	24·3	1	2	–	1	1	2	28
STE - -	160,825	„	29	70	61	19·7	–	–	1	2*	1	–	4
- -	464,579	April	13	194	171	19·2	–	4	–	2	1	–	8
N (10 days)	344,203	June	20	201	172	18·2	–	6	–	2	2	1	8
CE -	158,159	„	8	82	74	24·4	–	–	–	–	–	1	4
O - -	374,838	„	10	373	346	48·0	2	–	–	1*	2	7	124
ANDRIA -	251,396	„	10	180	179	40·3	–	–	–	1*	2	3	52
YORK -	1,860,700	„	29	–	798	22·4	–	25	5	27	16	5	121
OKLYN -	1,100,000	„	29	–	442	21·0	–	10	3	25	6	4	88
ADELPHIA	1,163,864	„	29	–	432	19·4	–	6	3	18	4	3	68
ORLEANS -	275,000	„	15	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including one death from cholera.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 13TH JULY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).
JULY.			in.	°	°	°	°	°	°	°	°	°	
SUNDAY	7	..	30·037	83·0	49·2	33·8	66·7	+ 4·6	51·6	15·1	29·4	5·7	58
MONDAY	8	..	29·949	83·8	51·9	31·9	68·4	+ 6·4	47·3	21·1	32·3	3·4	47
TUESDAY	9	..	29·833	80·2	55·0	25·2	67·2	+ 5·2	51·7	15·5	25·8	4·6	58
WEDNESDAY	10	..	29·778	80·0	56·5	23·5	66·7	+ 4·6	48·3	18·4	30·9	4·7	52
THURSDAY	11	Apogee.	29·650	78·2	58·1	20·1	66·3	+ 4·0	51·3	15·0	24·1	2·1	59
FRIDAY	12	..	29·539	66·8	54·7	12·1	60·1	− 2·5	44·3	15·8	21·2	7·6	56
SATURDAY	13	In Equator.	29·659	78·8	50·2	28·6	63·8	+ 0·9	47·1	16·7	32·0	4·6	55
MEANS		..	29·778	78·7	53·7	25·0	65·6	+ 3·3	48·8	16·8	28·0	4·7	55
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14

1895. Month and Day.		Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	7	137·0	42·0	61·18	SE. Calm. & SW.	SW. SSW. & S.	0·9	0·0	0·0	129	−110	0·00	3·0
MONDAY	8	144·9	46·0	61·21	SSW.	SSW. & SW.	1·0	0·0	0·0	187	− 50	0·00	0·0
TUESDAY	9	135·0	48·0	61·61	SW. & WSW.	SW. & WSW.	4·9	0·0	0·2	313	+ 79	0·00	0·5
WEDNESDAY	10	142·6	53·0	62·00	SW. WSW. & W.	WSW. & SW.	1·5	0·0	0·1	279	+ 47	0·00	1·5
THURSDAY	11	140·0	55·9	62·40	SW.	SW.	4·5	0·0	0·3	259	+ 29	0·01	0·0
FRIDAY	12	120·0	49·3	62·71	SW. WSW. & NW.	NW.	7·0	0·0	1·1	499	+270	0·12	0·0
SATURDAY	13	138·6	44·8	62·98	W.	W. WSW. & SW.	3·3	0·0	0·3	364	+135	0·00	0·0
MEANS		136·9	48·4	62·01	SW.		..	..	..	Sum 2030	Sum + 400	Sum 0·13	·7
No. of Column		15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	7	w. P. generally	7·9	16·3	Very fine; variable amounts of light cloud in afternoon; otherwise cloudless.
MONDAY	8	w. P. generally	13·4	16·3	Very fine; generally cloudless; very warm.
TUESDAY	9	m. P. generally	6·9	16·3	Fine; thin cloud generally during the day; solar halo at noon.
WEDNESDAY	10	v. P. till afternoon; v. N. and m. P. afterwards.	7·5	16·3	Cloudy in morning and again at night; cloudless and very fine during the day.
THURSDAY	11	m. P. till noon; with s. N. for a short time at 6h. A.M.; w. P. and w. N. in afternoon and evening.	6·3	16·2	Very fine between 11h. A.M. and 6h. P.M., otherwise cloudy; rain after 11h. P.M.
FRIDAY	12	v. P. generally	6·4	16·2	Cloudy in morning, with frequent showers till 4h. A.M.; afterwards fine; cloudless at night.
SATURDAY	13	s. P. generally in morning; v. P. and v. N. afterwards.	11·3	16·2	Very fine till 3h. P.M.; cloudless till noon; night cloudy.
			Sum 59·7	Sum 113·8	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·08 in. at the beginning of the week to 29·37 in. by 6h. A.M. on the 12th; increased to 29·72 in. by 3h. A.M. on the 7th; and decreased to 29·59 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 29. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JULY 20. [Price 1½*d.*

General Register Office, Somerset House,
July 22nd, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending June 29.	July 6.	July 13.	July 20.	TOWNS.	Weeks ending June 29.	July 6.	July 13.	July 20.
Birkenhead	18·4	19·4	19·4	18·4	Liverpool	25·7	24·4	30·2	30·3
Birmingham	16·2	16·2	18·1	17·7	London	16·9	18·0	21·0	23·7
Blackburn	17·6	20·4	18·4	16·3	Manchester	19·0	18·7	20·7	23·7
Bolton	19·2	17·9	17·0	22·7	Newcastle-on-Tyne	17·1	20·1	15·6	19·6
Bradford	13·8	21·4	18·4	22·1	Norwich	16·5	13·6	20·9	26·8
Brighton	9·6	10·0	10·5	10·5	Nottingham	12·4	10·6	16·6	15·0
Bristol	15·3	11·0	14·4	12·3	Oldham	15·2	15·9	17·0	16·3
Burnley	19·4	17·8	18·8	16·2	Plymouth	14·0	14·6	18·7	19·3
Cardiff	16·4	16·4	12·4	15·4	Portsmouth	11·6	12·2	13·7	14·0
Croydon	13·2	9·1	14·1	10·9	Preston	11·6	18·1	26·4	25·9
Derby	9·9	14·0	14·0	17·2	Salford	21·0	21·8	26·0	27·5
Gateshead	22·8	13·6	15·2	18·5	Sheffield	14·3	17·0	17·0	24·8
Halifax	13·3	13·9	11·7	11·7	Sunderland	21·2	17·0	18·6	20·1
Huddersfield	11·5	15·2	8·9	12·1	Swansea	16·7	12·4	10·2	12·4
Hull	15·9	18·3	18·5	20·5	West Ham	15·0	16·3	20·9	22·8
Leeds	15·3	19·6	21·0	26·2	Wolverhampton	17·6	19·5	27·4	24·3
Leicester	11·6	15·9	22·1	19·6					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Plymouth, 1·4 in Manchester, 1·5 in Newcastle-on-Tyne, and 2·9 in West Ham; from *whooping-cough*, 1·0 in Birkenhead, 1·1 in Gateshead, and 1·7 in Liverpool; and from *diarrhœa*, 3·0 in Newcastle-on-Tyne, 3·5 in Birmingham, 3·9 in Birkenhead, 4·2 in Derby, 4·4 in London, in Nottingham, and in West Ham, 4·9 in Wolverhampton, 5·3 in Sheffield and in Sunderland, 5·4 in Liverpool, 5·7 in Bolton, 5·8 in Bradford, 6·0 in Salford, 7·3 in Leicester, 7·5 in Leeds, and 7·9 in Preston. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 67 deaths from *diphtheria* included 39 in London, 5 in West Ham, 5 in Birmingham, and 3 in Cardiff. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON 2557 BIRTHS and 1996† DEATHS were registered. Allowing for increase of population, the births were 86 below, and the deaths 309 above, the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 87969.—3. 650.—7/95. Wt. 259. F F

average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·9, 18·0, and 21·0 in the preceding three weeks, further rose last week to 23·7. During the four weeks ending on Saturday last the death-rate averaged 19·9 per 1000, being 1·1 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1996 deaths included 82 from measles, 23 from scarlet fever, 39 from diphtheria, 28 from whooping-cough, 5 from enteric fever, one from an ill-defined form of continued fever, 373 from diarrhœa and dysentery, 12 from cholera and choleraic diarrhœa, and not one death from small-pox or from typhus; thus, 563 deaths were referred to these diseases, being 145 above the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 2. The deaths from *measles*, which had been 84, 73, and 75 in the preceding three weeks, rose again last week to 82, exceeding the corrected average by 26; 10 cases belonged to Poplar, 8 to St. Luke, 7 to Islington, and 7 to Limehouse sanitary areas. The deaths from *scarlet fever*, which had been 18, 12, and 20 in the preceding three weeks, further rose last week to 23, exceeding the corrected average by 4; 4 cases belonged to Islington sanitary area. The deaths from *diphtheria*, which had been 38, 53, and 50 in the preceding three weeks, further fell last week to 39, but were 10 in excess of the corrected average; 5 cases belonged to Camberwell, 4 to Lambeth, 4 to Bethnal Green, and 4 to St. Pancras sanitary areas. The deaths from *whooping-cough*, which had been 29, 25, and 19 in the preceding three weeks, rose again last week to 28, but were 20 below the corrected average; 5 cases belonged to Lambeth and 4 to Newington sanitary areas. The fatal cases of *enteric fever*, which had been 7, 5, and 11 in the preceding three weeks, fell again last week to 5, the corrected average being 7; 3 of the 5 cases belonged to Shoreditch sanitary area. The deaths from *diarrhœa*, which had been 92, 169, and 270 in the preceding three weeks, further rose last week to 373, exceeding the corrected average by 125. In addition to the 373 deaths directly referred to diarrhœa, 78 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 114 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 160, 160, and 187 in the preceding three weeks, further rose last week to 193, and were 14 above the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 12, 5, and 7 in the preceding three weeks.

Different forms of violence caused 71 deaths, concerning all but 4 of which inquests were held. Of these 71 deaths, 10 were cases of suicide, and 4 of homicide, while the remaining 57 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 7 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 89 cases of small-pox, 2267 of scarlet fever, 638 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 23 cases, against 25, 17, and 33; of scarlet fever, 220 cases, against 319, 311, and 342; of diphtheria, 93 cases, against 115, 99, and 132; and of enteric fever, 14 cases, against 21, 17, and 14.

Greater London.

In Greater London 3440 births and 2478 deaths were registered, corresponding to annual rates of 29·7 and 21·4 per 1000 of the estimated population. In the Outer Ring 22 deaths from measles, 20 from diphtheria, and 98 from diarrhœa were registered. Eight deaths from measles occurred in Plaistow sub-district, 3 in Stratford sub-district, and 3 in Chiswick sub-district; 9 deaths from diphtheria occurred in West Ham district; 39 deaths from diarrhœa occurred in West Ham district, and 24 in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 62°·8, the latter being 0·2 below the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 33 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 30·1 hours; the measured rainfall amounted to 0·46 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 20th July, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 20th July, 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Death in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6267	4446	1852	677	–	138	39	67	72	23	798	137	280	733	54	21·9	5·6	82·0	46·1	59·0	15·00	0·93	2·36	33 Towns.
London	4,392,346	2557	1996	880	300	–	82	23	39	28	6	373	71	163	433	12	23·7	6·5	82·0	51·1	62·8	17·11	0·46	1·17	London.
West Ham	249,473	169	109	53	13	–	14	–	5	–	–	21	2	3	13	2	22·8	8·4	–	–	–	–	–	–	West Ham.
Croydon	114,923	57	24	8	7	–	–	1	–	1	–	1	2	2	3	–	10·9	1·4	81·5	49·0	61·4	16·33	0·69	1·75	Croydon.
Brighton	119,604	55	24	8	5	–	–	–	–	–	1	2	1	2	6	2	10·5	1·3	72·4	52·2	61·1	16·17	0·71	1·80	Brighton.
Portsmouth	174,751	84	47	12	14	–	–	–	–	–	–	3	6	6	4	–	14·0	0·9	71·0	53·0	60·5	15·83	1·21	3·07	Portsmouth.
Plymouth	59,096	49	33	11	8	–	2	–	–	–	–	2	–	–	–	–	19·3	2·3	–	–	–	–	–	–	Plymouth.
Bristol	228,189	135	54	10	23	–	–	–	1	–	–	2	1	3	11	–	12·3	0·7	70·0	52·0	57·9	14·39	1·78	4·52	Bristol.
Cardiff	155,037	98	46	18	5	–	1	–	3	–	1	5	2	3	3	–	15·4	3·4	–	–	–	–	–	–	Cardiff.
Swansea	97,008	65	23	8	5	–	1	–	1	–	–	1	1	1	3	–	12·4	1·6	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	51	40	20	5	–	1	1	–	1	–	8	3	6	3	–	24·3	6·7	71·2	46·5	57·3	14·06	0·95	2·41	Wolverhampton.
Birmingham	496,751	291	169	59	32	–	–	1	5	1	4	33	6	5	28	5	17·7	4·6	–	–	–	–	–	–	Birmingham.
Norwich	107,127	60	55	19	12	–	–	–	1	1	1	2	1	5	6	2	26·8	2·4	78·2	48·0	60·6	15·89	0·25	0·63	Norwich.
Leicester	193,839	122	73	44	9	–	2	–	1	2	–	27	–	1	6	1	19·6	8·6	–	–	–	–	–	–	Leicester.
Nottingham	226,658	119	65	29	10	–	–	1	1	–	2	19	1	3	5	–	15·0	5·3	73·1	46·1	58·5	14·72	1·49	3·78	Nottingham.
Derby	100,272	61	33	10	9	–	–	1	–	–	–	8	–	5	4	–	17·2	4·7	–	–	–	–	–	–	Derby.
Birkenhead	107,469	56	38	18	4	–	–	–	–	2	1	8	–	–	3	1	18·4	5·3	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	349	293	116	26	–	5	4	1	16	5	52	15	18	49	10	30·3	8·6	69·2	51·3	57·3	14·06	0·89	2·26	Liverpool.
Bolton	119,337	77	52	22	7	–	–	–	–	1	–	13	2	2	6	–	22·7	6·1	–	–	–	–	–	–	Bolton.
Manchester	524,865	342	239	61	37	–	14	4	2	5	–	18	3	12	46	4	23·7	4·3	–	–	–	–	–	–	Manchester.
Salford	208,253	149	110	51	10	–	2	–	2	–	–	24	1	3	16	2	27·5	7·0	–	–	–	–	–	–	Salford.
Oldham	141,079	72	44	8	9	–	2	–	–	2	–	1	3	5	5	–	16·3	1·8	–	–	–	–	–	–	Oldham.
Burnley	99,591	66	31	11	3	–	–	–	1	1	–	1	–	2	–	1	16·2	1·6	–	–	–	–	–	–	Burnley.
Blackburn	127,615	76	40	10	10	–	2	–	–	–	–	1	–	–	1	1	16·3	1·2	–	–	–	–	–	–	Blackburn.
Preston	112,628	75	56	25	8	–	1	–	–	1	–	17	–	–	4	1	25·9	8·8	–	–	–	–	–	–	Preston.
Huddersfield	99,482	35	23	5	5	–	–	–	–	–	–	–	–	1	1	–	12·1	–	73·0	50·0	57·1	13·94	1·00	2·54	Huddersfield.
Halifax	93,833	41	21	7	2	–	–	1	1	–	–	–	–	1	2	–	11·7	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,381	104	96	41	20	–	–	–	1	1	–	25	–	1	9	–	22·1	6·2	67·3	53·2	57·5	14·17	0·92	2·34	Bradford.
Leeds	395,546	227	119	97	23	–	1	1	–	5	1	57	4	12	14	1	26·2	8·6	–	–	–	–	–	–	Leeds
Sheffield	342,768	248	163	73	26	–	1	–	1	–	–	35	3	3	20	5	24·8	5·6	–	–	–	–	–	–	Sheffield.
Hull	216,722	119	85	35	9	–	–	1	1	2	1	8	4	4	12	4	20·5	3·1	–	–	–	–	–	–	Hull.
Sunderland	137,705	93	53	23	11	–	1	–	–	–	–	14	3	4	8	–	20·1	5·7	72·0	48·0	56·5	13·61	0·76	1·93	Sunderland.
Gateshead	95,871	62	34	19	3	–	–	–	–	2	–	5	–	–	1	–	18·5	3·8	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	103	78	41	7	–	6	–	–	–	–	12	2	4	8	–	19·6	4·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2423	2572	2724	2385	2627	2346	2504	2541	2498	2423	2643·1	2557
Males . .	1297	1338	1401	1242	1341	1230	1293	1337	1280	1262	1374·3	1307
Females .	1126	1234	1323	1143	1286	1116	1211	1204	1218	1161	1268·8	1250
TOTAL **Deaths**	1636	1716	1977	1297	1556	1522	1462	1554	1855	1405	1686·6	1996
Males . .	849	895	1050	681	816	805	782	788	1000	744	887·7	1037
Females .	787	821	927	616	740	717	680	766	855	661	798·9	959

* The numbers in this column are the average weekly numbers in the corresponding weeks of th ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.
TOTAL **Births**	2691	2837	2549	2496	2640	2569	2333	2678	2639	2488	2651	2586	2557
TOTAL **Deaths**	1508	1395	1398	1389	1371	1308	1247	1213	1276	1429	1519	1768	1996
Ages at Death: Under 1 year	428	321	318	325	327	279	254	263	314	425	548	680	880
1—5 years	214	221	198	219	192	195	190	198	212	231	222	281	310
5—20 ,,	60	82	84	84	87	87	84	73	82	81	82	95	104
20—40 ,,	162	186	190	172	196	175	158	170	176	185	169	188	165
40—60 ,,	289	256	256	258	253	254	249	240	218	232	240	240	237
60—80 ,,	293	275	291	280	269	271	266	232	229	226	212	235	251
80 years & upwards	67	54	61	51	47	47	46	37	45	49	46	49	49
Deaths from—													
Small-pox	–	1	–	–	–	–	–	1	–	1	3	1	–
Measles	26	39	34	39	32	50	36	71	71	84	73	75	82
Scarlet fever	9	13	11	13	10	17	17	12	11	18	12	20	23
Diphtheria	27	29	38	41	37	41	33	45	37	38	53	50	39
Whooping-cough	44	36	35	31	39	50	22	20	18	29	25	19	28
Typhus	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric fever	5	5	8	8	9	5	8	5	4	7	5	11	5
Simple Continued fever	–	–	1	–	–	–	–	–	1	–	–	–	1
Diarrhœa and Dysentery	13	18	19	18	14	16	19	21	46	92	169	270	373
Cholera	–	–	–	–	–	–	1	–	2	3	4	4	12
All the above Diseases	124	141	146	150	141	159	137	175	190	272	344	450	563
Dis. of Respiratory System	341	290	247	240	245	193	163	152	183	160	160	187	193
Phthisis	162	144	160	128	172	148	162	143	134	147	119	130	131
Dis. of Circulatory System	120	106	107	127	128	114	123	99	111	97	110	107	126
Violence	71	63	63	77	59	64	55	55	43	64	72	74	71
Inquest Cases	135	131	127	138	122	123	121	107	94	123	144	139	163
Deaths in Public Institutions	393	380	398	425	450	397	395	349	360	422	415	449	433
TEMPERATURE OF THE AIR													
Mean	50°·9	51°·2	57°·3	55°·9	52°·3	61°·0	60°·7	58°·7	60°·5	65°·8	61°·8	65°·6	62°·8
Mean of Highest readings	59°·2	62°·5	69°·8	65°·4	62°·5	74°·6	73°·0	70°·6	73°·9	79°·8	71°·8	78°·7	73°·3
Mean of Lowest readings	45°·8	40°·4	44°·4	47°·7	44°·6	48°·5	49°·3	48°·0	48°·4	53°·3	53°·8	53°·7	54°·0
Humidity of the Air	88	73	61	68	81	69	68	61	64	61	65	55	67
Rain-fall (in inches)	1·15	0·04	0·00	0·19	0·19	0·08	0·02	0·02	0·10	0·02	0·30	0·13	0·46
Registered Sunshine (in hours)	10·7	42·0	74·7	20·2	22·3	49·9	53·0	33·7	38·1	37·8	32·5	59·7	30·1
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox	37	34	33	27	29	22	23	19	22	34	42	71	89
Scarlet fever	1469	1413	1438	1446	1503	1524	1589	1637	1732	1894	2044	2241	2267
Diphtheria	432	457	464	484	492	508	529	562	593	633	633	637	638
Enteric fever	61	64	66	91	126	139	141	147	142	147	146	143	123

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-NINTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 29th Week of the 10 years 1885-94.*	In the Week ending Saturday, 20th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1686·6	1996	880	310	104	165	237	251	49
Small-pox: Vaccinated† -	0·7	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	1·1	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·5	-	-	-	-	-	-	-	-
Measles - - - -	55·9	82	21	53	3	-	-	-	-
Scarlet Fever - -	18·6	23	-	16	7	-	-	-	-
Diphtheria - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	0·1	-	-	-	-	-	-	-	-
Typhus - - - -	3·1	4	-	-	-	1	1	-	2
Whooping-cough - -	47·8	28	10	15	3	-	-	-	-
Enteric - - -	29·1	39	2	22	15	-	-	-	-
Cholera Continued and Undefined Fever -	0·6	1	-	-	1	-	-	-	-
Puerperal Fever -	7·4	5	-	-	3	2	-	-	-
Diarrhœa and Chol. Diarr.	8·3	12	8	3	-	-	1	-	-
Diarrhœa, Dysentery -	247·8	373	308	2	-	-	3	7	3
Intermittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	0·2	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Small-pox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Cerebral Affections -	14·7	13	10	1	-	-	2	-	-
Erysipelas - - -	4·1	3	-	-	-	-	2	1	-
Pyæmia and Septicæmia	2·2	-	-	-	-	-	-	-	-
Puerpera Fever - -	4·4	5	-	-	-	5	-	-	-
Other Zymotic Diseases	1·7	-	-	-	-	-	-	-	-
Cancer - - - -	2·8	1	1	-	-	-	-	-	-
Parasites and other Parasitical Diseases - -	0·7	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·3	4	3	-	-	1	-	-	-
Alcoholism - - -	7·6	6	-	-	-	3	1	2	-
Rheumatic Fever, Rheumatism of Heart	6·1	6	-	-	2	2	2	-	-
Rheumatism - -	1·6	2	-	-	-	-	-	2	-
Gout - - - - -	2·4	4	-	-	-	-	2	2	-
Dropsy - - - -	5·5	12	7	5	-	-	-	-	-
Cancer - - - -	62·8	81	-	-	1	7	36	31	6
Tabes Mesenterica -	45·0	50	41	5	4	-	-	-	-
Cerebro-spinal Meningitis -	27·5	23	12	12	2	-	-	-	-
Apoplexy - - -	144·2	131	3	2	15	57	42	12	-
Phthisis, Tuberculosis -	25·4	22	8	6	6	2	-	-	-
Other Constitutional Diseases - - -	9·1	15	1	1	2	6	3	2	-
Premature Birth - -	48·3	69	69	-	-	-	-	-	-
Atelectasis - - -	3·8	5	5	-	-	-	-	-	-
Congenital Malformations - - - -	8·2	11	11	-	-	-	-	-	-
Old Age - - - -	35·9	30	-	-	-	-	-	14	16
Apoplexy - - -	36·9	33	2	-	-	2	11	13	5
Dropsy - - -	7·3	5	-	-	1	2	1	1	-
Convulsions - - -	51·9	51	44	6	-	-	-	-	1
Other Diseases of Brain and Nervous System	89·8	81	20	14	1	7	15	22	2

CAUSES OF DEATH.	Corrected Averages for the 29th Week of the 10 years 1885-94.*	In the Week ending Saturday, 20th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·6	5	1	-	3	1	-	-	-
Diseases of Circulatory System - - -	107·3	126	5	2	9	14	32	62	2
Croup - - - -	6·9	1	-	1	-	-	-	-	-
Bronchitis - - -	81·1	81	30	15	2	2	11	18	3
Pneumonia - - -	68·8	86	29	27	2	11	7	8	2
Pleurisy - - - -	4·5	5	1	-	1	-	1	2	-
Other Diseases of Respiratory System - -	17·8	20	5	6	-	1	3	4	1
Dentition - - -	12·9	13	8	5	-	-	-	-	-
Quinsy, Sore Throat -	1·7	2	1	1	-	-	-	-	-
Enteritis - - -	29·9	114	80	20	2	3	5	4	-
Peritonitis - - -	7·8	6	-	-	3	1	-	2	-
Diseases of Liver - -	29·3	24	4	-	-	2	11	6	1
Other Diseases of Digestive System -	34·9	53	22	3	2	5	10	11	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	2	-	-	-	1	1	-	-
Diseases of Urinary System - - -	42·6	38	1	-	1	7	17	11	1
Diseases of Generative System - - -	5·6	6	-	-	-	5	1	-	-
Accidents of Childbirth -	2·8	6	-	-	1	4	1	-	-
Diseases of Locomotive System - - -	7·6	2	-	-	1	1	-	-	-
Diseases of Integumentary System -	5·3	5	1	-	1	-	1	2	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - -	46·6	2	-	-	1	-	1	-	-
By Vehicles or Horses -		7	-	4	-	-	1	1	1
In Ships, Boats, Docks (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		2	-	-	-	1	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		7	-	3	3	-	-	1	-
By Drowning - -		7	-	1	3	1	1	1	-
By Suffocation in Bed -		5	5	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		5	-	1	-	2	2	-	-
Other or not stated Causes - - -		21	5	3	3	3	1	4	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·7	4	4	-	-	-	-	-	-
Suicide - - - -	7·9	10	-	-	-	3	5	2	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	33·8	97	92	-	-	-	1	3	1

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
LONDON *	4,211,743	2557	1996	880	300	-	82	23	39	28	-	5	1	373	71	163	43
WEST DISTRICTS	740,735	393	287	113	55	-	5	2	8	6	-	-	-	53	12	22	7
NORTH DISTRICTS	993,884	604	389	167	53	-	10	4	7	3	-	2	1	79	10	32	8
CENTRAL DISTRICTS	247,538	123	142	55	21	-	12	-	1	2	-	-	-	24	5	19	4
EAST DISTRICTS	705,114	491	455	222	55	-	36	1	8	4	-	3	-	92	10	38	9
SOUTH DISTRICTS	1,524,472	946	697	323	112	-	19	10	15	13	-	-	-	125	33	51	11
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	23	-	4	-	-	6	-	-	-	-	-	-	1	1	2
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	47	38	14	5	-	1	-	-	1	-	-	-	11	3	3	5
St. John Paddington *H* - - G.J.	33687	9	15	5	1	-	-	-	-	3	-	-	-	1	3	4	7
Kensington Town *Ww* - - W.M.	118751	56	53	20	12	-	-	-	1	-	-	-	-	13	-	2	7
Brompton - - - W.M. & C.	47557	9	7	-	4	-	-	-	-	-	-	-	-	1	-	-	1
St. Peter Hammersmith - - W.M*	8838	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	43	23	13	6	-	3	1	4	2	-	-	-	9	2	2	4
Fulham *Ww* - - - W.M. & C	91639	84	48	20	7	-	-	1	-	-	-	-	-	8	1	2	15
Chelsea Kensal Town - - - C.	21787	13	13	10	-	-	1	-	-	-	-	-	-	4	1	1	-
Chelsea North *WHHHH* - - C.	41637	18	14	4	2	-	-	-	1	-	-	-	-	-	-	1	7
Chelsea South *HH* - - - C.	38829	17	14	7	2	-	-	-	-	-	-	-	-	1	-	-	4
May Fair *WH* - - - - G.J.	23733	3	12	1	3	-	-	-	2	-	-	-	-	-	1	1	10
Belgrave *WHHH* - - - - C.	54631	32	25	4	7	-	-	-	-	-	-	-	-	1	1	6	10
St. John Westminster *HH* - C.	34106	25	12	9	2	-	-	-	-	-	-	-	-	3	-	-	-
St. Margaret Westminster *H* - C.	21638	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHHH* - - N.R.	12317	12	5	4	1	-	-	-	-	-	-	-	-	1	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	13	16	4	2	-	-	-	-	-	-	-	-	1	-	-	8
Rectory Marylebone *WH* G.J. & W.M.	20024	6	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	29	11	4	1	-	-	-	-	-	-	-	-	2	-	1	5
Christchurch Marylebone *HH* - W.M.	33327	14	9	-	1	-	1	-	1	-	-	-	-	-	-	1	-
St. John Marylebone *H* - - W.M.	32101	17	11	5	1	-	-	-	-	-	-	-	-	3	-	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	35	17	4	5	-	-	-	3	-	-	-	-	-	2	3	6
Regent's Park Pancras *HH* - W.M.	36590	29	11	7	1	-	-	-	-	-	-	-	-	1	-	2	1
Tottenham-court *wHHH* N.R. & W.M*	26321	10	16	2	4	-	-	-	-	-	-	-	-	2	1	3	9
Gray's Inn Lane *HHH* - - N.R.	27455	23	19	12	1	-	-	-	1	-	-	-	-	6	1	2	1
Somers Town *HH* - - - N.R.	32829	16	16	10	1	-	-	-	-	1	-	-	-	2	-	2	3
Camden Town *WH* - - - N.R.	15419	8	8	5	2	-	-	-	-	-	-	-	-	2	1	1	4
Kentish Town *WW* - - - N.R.	25765	59	41	24	2	-	1	-	1	-	-	-	-	13	-	1	3
Upper Holloway *WWWwHHH* - N.R.	90235	47	55	21	8	-	3	-	-	-	-	-	-	10	1	4	21
Islington South-west *H* - - N.R.	105557	72	20	8	4	-	1	-	-	-	-	-	1	3	3	4	-
Islington South-east - - - N.R.	64153	35	18	5	2	-	2	1	-	-	-	-	-	3	1	3	-
Highbury *HH* - - - - N.R.	59193	44	11	3	2	-	1	-	-	-	-	-	-	2	-	1	-
Stoke Newington *H* - - - N.R.	30936	22	9	3	3	-	-	-	-	-	-	-	-	4	-	-	-
Stamford Hill - - - - E.L.	17759	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
West Hackney *H* - - - N.R.	42602	35	23	12	-	-	-	-	-	1	-	1	-	9	-	-	5
Hackney *WwwH* - - E.L. & N.R.	96486	59	50	24	8	-	1	3	1	-	-	1	-	11	-	2	13
South Hackney *w* - - - E.L.	41759	28	22	12	4	-	-	-	-	1	-	-	-	3	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	3	8	5	2	-	-	-	-	-	-	-	-	1	-	1	-
St. Giles South *WH* - - - N.R.	13454	6	7	3	1	-	-	-	-	-	-	-	-	1	-	-	2
St. Giles North *H* - - - N.R.	9633	5	6	4	-	-	-	-	-	-	-	-	-	2	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	6	1	3	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary-le-Strand *H* - - N.R.	5706	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	2	7	3	1	-	-	-	-	-	-	-	-	1	1	1	5
Strand Union Workhouse, Edmonton -	†1037	-	2	1	1	-	-	-	-	-	-	-	-	1	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	11	4	2	-	-	-	-	-	-	-	-	1	-	-	3
St. Andrew Eastern *WH* - - N.R.	15343	14	7	3	-	-	1	-	-	-	-	-	-	3	1	1	-
St. James Clerkenwell - - - N.R.	16803	4	8	2	1	-	1	-	-	-	-	-	-	1	-	1	-
Amwell Clerkenwell - - - N.R.	16883	14	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	7	11	5	-	-	-	-	-	1	-	-	-	3	-	2	-
Goswell-street - - - - N.R.	15375	10	7	4	-	-	1	-	-	-	-	-	-	2	-	1	-
City-road *HHHL* - - - N.R.	29177	34	23	13	2	-	6	-	-	-	-	-	-	4	1	6	8
Whitecross-street - - - - N.R.	8278	7	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	-	3	2	1	-	-	-	-	-	-	-	-	1	-	1	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	1	23	2	8	-	-	-	1	1	-	-	-	3	2	5	12
St. Bride *W* - - - - N.R.	6594	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*— house; *H*—Hospital; *L*—Lunatic Asylum; *L*w—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establ receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, 20th July, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Undertified Causes of Death.
EAST DISTRICTS.																		
editch South *HL** E.L. & N.R.	20098	8	8	5	1	-	-	-	-	-	-	-	-	3	-	2	1	-
ton New Town *w* - - - N.R.	29313	23	22	12	4	-	1	-	-	-	-	-	-	7	-	3	6	-
ton Old Town - - - - N.R.	28354	18	16	13	-	-	1	-	-	-	-	-	-	6	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	38	23	11	2	-	-	-	-	-	-	2	-	7	-	-	7	-
nal Green North *H* - - E.L.	51520	35	20	14	1	-	2	-	-	-	-	-	-	10	-	2	-	-
nal Green South - - - E.L.	33489	32	18	8	-	-	-	-	2	-	-	-	-	5	-	-	-	-
nal Green East *WHL** - E.L.	44123	29	35	12	7	-	2	-	1	1	-	-	-	5	1	2	15	-
alfields - - - E. N.R.	22456	15	8	6	-	-	1	-	-	-	-	-	-	1	-	1	-	-
End New Town *W* - - E.L.	17908	24	18	6	4	-	2	-	-	-	-	-	-	-	-	1	7	-
tchapel Church *H* E.L. & N.R.	20298	11	29	13	1	-	2	-	-	-	-	-	-	8	1	3	19	-
dman's Fields - - - E.L.	13800	7	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
George's, North - - - E.L.	37738	30	22	12	-	-	3	-	1	2	-	-	-	5	-	1	-	-
John, St. George East *W* - E.L.	8957	5	16	2	1	-	1	-	-	-	-	-	-	1	-	1	6	-
lwell *H* - - - E.L. & N.R.	10246	4	16	12	-	-	-	-	1	-	-	-	-	-	-	-	8	-
lliff *W* - - - - - E.L.	14928	6	10	4	1	-	1	-	-	-	-	-	-	3	-	-	-	-
chouse - - - - - E.L.	32202	16	18	9	2	-	5	-	1	1	-	-	-	3	-	4	-	-
End Old Town West *H* - E.L.	38650	38	23	13	2	-	2	-	-	-	-	-	-	4	-	1	1	-
End Old Town East *WWwo* E.L.	68942	34	4	18	14	-	2	1	1	-	-	-	-	5	1	4	11	-
*L** - - - - E.L.	40365	26	16	9	1	-	-	-	-	-	-	1	-	4	-	-	2	-
nley *wwwH* - - - E.L.	70000	54	62	23	10	-	9	-	1	-	-	-	-	10	2	4	15	-
ar. *WW* - - - - E.L.	56383	38	33	14	3	-	2	-	-	-	-	-	-	5	4	8	-	-
SOUTH DISTRICTS.																		
lstchurch Southwark *WH* L. & S.	18264	5	5	3	-	-	1	-	-	-	-	-	-	-	2	3	-	-
Saviour Southwark - - S.	18913	7	8	2	1	-	-	-	-	-	-	-	-	2	3	4	-	-
t-road - - - - S. & L.	21867	15	13	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-
ough-road *WH* - - S. & L.	16624	1	11	7	-	-	1	-	-	1	-	-	-	1	-	-	6	-
don-road *HL* - - L. & S.	21221	10	11	8	1	-	-	-	-	1	-	-	-	7	-	-	-	-
ity Newington - - S. & L.	26596	18	14	10	2	-	-	-	-	1	-	-	-	3	-	-	-	-
Peter Walworth *W* - S. & L.	61342	33	23	12	2	-	-	-	-	1	-	-	-	4	3	3	-	-
Mary Newington - - L. & S.	27866	27	14	8	2	-	1	-	-	-	-	-	-	2	-	1	-	-
Olave *WH* - - - - S.	12723	7	21	5	1	-	-	-	-	-	-	-	-	-	6	7	17	-
ther Market *W* - - S. & L.	30612	26	18	9	2	-	1	-	-	1	-	-	-	3	-	-	1	1
James Bermondsey - - S.	54070	32	15	6	3	-	1	-	-	-	-	-	-	3	-	2	-	-
nerhithe *WwH* - - S. & K.	39255	20	19	7	3	-	-	-	1	-	-	-	-	4	-	1	1	-
terloo-road 1st *H* - - L. & S.	14031	9	11	7	-	-	-	-	-	-	-	-	-	2	-	-	2	-
terloo-road 2nd *H* - - L. & S.	14644	13	8	5	1	-	-	-	-	-	-	-	-	1	-	1	2	-
beth Church 1st *H* - - L. & S.	18075	11	25	9	3	-	2	-	1	2	-	-	-	5	2	3	10	-
beth Church 2nd *WW*.- L. & S.	39097	36	36	15	8	-	3	-	1	2	-	-	-	9	-	1	11	-
nington 1st *H* - - S. & L.	50586	48	21	12	2	-	-	-	-	1	-	-	-	2	-	1	-	-
nington 2nd - - - S. & L.	39708	18	20	8	2	-	-	-	-	-	-	-	-	4	4	3	-	-
ton *w* - - - - - L. & S.	73405	41	26	5	9	-	-	4	2	-	-	-	-	2	1	-	5	2
wood *WH* - - - - - L.	25657	15	8	3	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Battersea - - - - S.	67244	41	30	23	2	-	4	-	-	-	-	-	-	10	-	-	-	-
t Battersea *WwH* - - S.	83314	61	37	19	9	-	-	1	-	-	-	-	-	8	2	2	8	-
ham *H* - - - - - S.	43698	16	14	5	3	-	-	-	-	-	-	-	-	5	-	1	1	-
ndsworth *WHHL* - - - S.	46717	36	18	14	1	-	-	-	-	-	-	-	-	5	1	3	-	-
ney - - - - - - S.	17771	2	4	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-
atham *www* - - - - L.	48756	31	20	5	2	-	-	5	4	-	-	-	-	1	1	2	8	-
wich - - - - L. & S.	6809	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell *WwL*L** - - S. & L.	81686	42	39	9	12	-	2	-	-	1	-	-	-	2	2	2	22	-
ham *W* - - - S., L., & K.	83483	50	31	21	3	-	-	-	2	-	-	-	-	5	-	2	2	2
George Camberwell - - L. & S.	63366	37	38	24	3	-	1	-	3	-	-	-	-	12	-	-	-	-
tford, North - - - - K.	35314	26	14	11	-	-	-	-	1	-	-	-	-	4	-	-	-	1
tford, Central *w* - - - K.	42007	28	21	14	1	-	-	-	-	-	-	-	-	6	1	1	-	1
tford, South - - - - K.	30852	13	8	5	2	-	-	-	-	-	-	-	-	2	-	1	-	1
nwich West *H* - - - K.	22007	14	14	6	2	-	-	-	-	1	-	-	-	2	2	2	4	-
nwich East *WH* - - - K.	35233	22	19	7	5	-	-	-	-	-	-	-	-	2	-	-	11	-
am *wH* - - - - - K.	5682	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	11	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
lsham *WH* - - - - K.	30950	20	21	5	4	-	1	-	-	-	-	-	-	3	2	2	4	-
enham *H* - - - - L.	34162	23	8	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-
lton *HH* - - - - K.	14040	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
lwich Dockyard - - - K.	19606	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Arsenal *HHHH* - K.	21242	17	7	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-
nstead, West *H* - - - K.	15869	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nstead, East *WH* - - - K.	36567	24	9	3	-	-	-	-	-	-	-	-	-	1	-	1	2	-
stead Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
erham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e Hill Asylum - - - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
pital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
enth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
ey Hatch Asylum - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	3	-
. Hospital - - - - -	-	-	6	-	-	-	-	6	-	-	-	-	-	-	-	-	6	-
chmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vesden Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rbury Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 20th July, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	883	482	208	85	–	22	5	20	6	1	98	16	19	47
30 : 1	Carshalton *wHH*	12228	26108	7	4	1	2	–	–	–	–	–	–	1	–	–	–
	Epsom, *part of* WwH*	10423	12508	10	3	–	1	–	–	–	–	–	–	1	–	–	1
37 : 1	Godstone, *part of* W*	2754	1593	1	–	–	–		–	–	–	–	–	–		–	–
38 : 1	Croydon *WwHHH*	20851	128699	68	30	9	9	–	–	1	–	1	–	2	2	2	4
2	Mitcham *w*	11607	23088	4	1	1	–	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	19	6	1	1	–	–	–	2	–	–	–	1	–	1
2	Kingston *WH*	8071	44765	17	13	4	7	–	–	–	–	–	–	–	–	–	4
3	Esher, *part of* HH*	6601	12059	3	2	–	1	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4565	18252	9	6	2	3	–	–	–	–	–	–	1	–	1	–
40 : 1	Richmond *WH*	2160	25389	17	6	1	2	–	–	1	–	–	–	–	–	–	–
2	Mortlake *H*	2323	16159	7	1	–	1	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	14	4	–	1	–	–	–	1	–	–	–	–	–	1
2	Beckenham *H*	6542	21969	7	3	–	1	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of* WHH*	14307	20372	7	7	–	3	–	–	–	–	–	–	1	–	–	3
42 : 1	Bexley *HH*	12540	30590	23	11	4	4	–	–	–	–	–	–	1	1	1	–
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	8	2	–	1	–	–	–	1	–	–	–	–	–	–
2	Staines *WH*	13277	13221	7	6	1	2	–	–	–	–	–	–	1	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	6	6	2	3	–	–	–	1	–	–	–	–	–	2
2	Uxbridge	6172	5417	3	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12618	11	2	1	1	–	–	–	–	–	–	1	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	10	10	4	3	–	–	–	–	–	–	1	–	1	2
2	Twickenham *HH*	2415	16027	13	7	2	3	–	–	–	–	–	–	2	1	1	1
3	Brentford *HHHH*	4318	37777	18	7	2	1	–	–	–	1	–	–	2	–	–	1
4	Chiswick	1245	21963	10	10	5	–	–	3	–	–	–	–	5	–	–	–
5	Acton *wH*	6132	30945	25	14	7	1	–	1	1	1	–	–	2	1	–	–
127 : 1	Harrow *HHH*	13809	15715	8	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3344	1	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	43	22	12	–	–	–	–	–	–	–	6	1	1	–
4	Hendon *WH*	8382	15843	11	6	2	3	–	–	–	–	–	–	–	–	–	3
128 : 1	South Mimms *H*	15599	8474	4	2	1	1	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11773	1	2	–	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	19	9	5	1	–	–	–	–	1	–	–	–	–	1
129 : 1	Hornsey *HH*	3039	61097	31	12	3	2	–	–	–	–	–	–	5	–	–	–
2	Tottenham *H*	4612	97174	63	32	23	1	–	1	–	–	–	–	15	1	2	–
3	Edmonton *Www*	7489	36351	24	20	9	3	–	–	–	1	2	–	4	–	–	4
4	Enfield *WWHH*	12639	31803	12	8	–	2	–	–	–	–	–	1	–	1	1	2
5	Waltham Abbey	11017	6066	2	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	8	3	1	1	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of * W*	3306	532	1	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	3	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–		–	–	–	–	–	–	–	–	
186 : 1	Stratford *H*	1100	42983	30	31	17	2	–	3	–	2	–	–	4	2	3	3
2	Plaistow	1242	55030	43	28	12	2	–	8	–	1	–	–	5	–	–	–
3	Canning Town *H*	1558	54750	54	23	14	1	–	2	–	1	–	–	7	–	–	1
4	Forest Gate *w*	806	49140	27	18	10	3	–	1	–	1	–	–	3	–	–	–
5	East Ham *w*	3266	32713	33	13	4	1	–	–	1	2	–	–	1	–	–	–
6	Leyton *WWWwH*	4334	70183	48	33	13	6	–	–	1	1	1	–	12	–	1	11
7	Walthamstow *HHL*	6501	57330	41	27	17	3	–	–	–	1	–	–	7	2	2	1
187 : 1	Chigwell *part of * H*	11779	12941	6	3	–	1		–	–	2	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–		–		–	–	–	–	–	–	–
189 : 1	Romford *part of* HH*	6556	4324	6	5	1	–		1	–	1	–	–	–	–	–	1
2	Ilford	8493	10913	7	12	9	1	–	–	–	–	1	–	4	1	1	–
3	Barking Town *H*	3814	14301	14	10	7	–	–	1	–	–	–	–	4	2	2	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1753); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parishes of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 20th July, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	21·4	6·1	2478	1088	385	–	104	28	59	34	7	471	87	480
NER LONDON -	74,672	4,392,346	23·7	6·5	1996	880	300	–	82	23	39	28	6	373	71	433
UTER RING -	368,749	1,656,209	15·2	4·8	482	208	85	–	22	5	20	6	1	98	16	47

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the f a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
NBURGH -	273,535	July 20	153	81	15·4	–	1	2	–	2	1	3
SGOW - -	695,876	„ 20	449	259	19·4	–	4	2	1	6	1	33
LIN - -	349,594	„ 20	160	168	25·1	2	–	–	–	3	–	16
CUTTA - -	466,460	June 1	–	288	32·2	24	–	–	–	–	118	49†
BAY - -	821,764	„ 25	329	421	26·6	6	5	?	?	?	87	28
DRAS - -	452,518	„ 14	364	311	35·7	–	8	?	?	?	113	23
IS - - -	2,424,705	July 13	1070	884	19·0	–	23	1	7*	14	7	80
SSELS - -	507,985	„ 13	239	169	17·3	–	–	1	2*	1	2	20
TERDAM -	451,493	„ 13	263	135	15·5	–	–	–	3	–	1	1
TERDAM -	272,042	„ 13	198	63	12·0	–	1	–	–	–	–	–
HAGUE -	180,455	„ 13	95	74	21·3	–	–	–	–	3	–	–
ENHAGEN -	341,000	„ 13	149	114	17·4	–	–	–	–	6	1	8
CKHOLM -	259,304	„ 6	149	110	22·1	–	–	–	1*	–	–	10
ISTIANIA -	174,717	„ 13	66	68	20·2	–	1	1	1	–	–	20
'ETERSBURG	954,400	June 29	652	487	26·6	–	5	15	5	5	15	123
COW - -	753,469	July 6	–	866	59·9	–	6	3	12	–	5	482
LIN - -	1,724,544	June 29	888	638	19·2	–	10	16	13	5	4	147
BURG - -	608,710	July 6	463	286	24·4	–	–	2	1*	6	2	54
SDEN - -	320,600	June 29	157	115	18·5	–	–	1	3*	1	–	16
SLAU - -	367,769	July 13	–	260	37·0	–	2	5	3*	–	1	77
NICH - -	396,000	„ 13	–	170	22·3	–	7	–	1*	–	–	53
NNA - -	1,495,764	„ 13	852	627	21·8	–	15	12	7*	4	1	90
GUE - -	351,478	„ 6	204	176	26·0	–	–	1	3	5	1	10
A-PESTH -	566,022	„ 6	378	296	27·2	1	2	–	2	–	1	43
ESTE - -	160,825	„ 6	112	93	30·1	–	–	2	4*	1	–	11
N - -	464,579	April 20	277	158	17·7	–	–	–	–	1	2‡	10
IN (10 days)	344,203	June 30	202	179	19·0	–	1	–	–	3	3	30
ICE -	158,159	„ 15	–	–	–	–	–	–	–	–	–	–
RO - -	374,838	„ 17	329	318	44·1	4	–	–	–	1	10	111
XANDRIA -	231,396	„ 17	166	171	38·5	1	–	–	4*	3	4	54
W YORK -	1,860,700	July 6	–	954	26·7	–	25	6	42	13	1	260
OKLYN -	1,100,000	„ 6	–	519	24·6	–	4	3	15	6	3	181
LADELPHIA	1,163 864	„ 6	–	487	21·8	1	3	1	22	–	7	125
W ORLEANS -	275,000	„ 15	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 31 deaths from cholera.
‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 20TH JULY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	14	Last Qr.	29·643	72·2	55·4	16·8	62·1	− 1·0	46·1	16·0	26·2	6·6	56	134·6	50·0	62·73	WSW. & WNW.	WNW. & W.	6·5	0·0	0·8	463	+234	0·00	0·0
MONDAY	15	..	29·807	69·8	51·1	18·7	60·4	− 2·8	45·5	14·9	20·0	3·0	58	109·8	46·0	62·80	W.	W. & WSW.	2·2	0·0	0·2	324	+ 94	0·00	0·0
TUESDAY	16	..	29·790	72·3	52·6	19·7	61·9	− 1·3	49·8	12·1	21·3	1·2	65	124·7	50·9	62·76	SW. & SSW.	SW. & SSW.	1·9	0·0	0·1	234	+ 4	0·01	0·5
WEDNESDAY	17	..	29·648	82·0	52·5	29·5	67·6	+ 4·5	52·7	14·9	26·4	0·0	59	143·2	50·0	62 72	S. & SSW.	SSE. & SW.	1·3	0·0	0·0	185	−146	0·01	1·5
THURSDAY	18	..	29·614	76·8	57·6	19·2	66·6	+ 3·6	56·2	10·4	20·1	1·6	70	135·2	54·8	62·80	SW. & SSW.	S. & E.	2·0	0·0	0·1	217	− 14	0·19	6 5
FRIDAY	19	..	29·545	72·0	54·6	17·4	62·2	− 0·8	52·2	10·0	20·7	1·7	70	133·2	52·1	63·06	S. & SW.	SW. & SSW.	8·0	0·0	0·7	429	+197	0·01	7·5
SATURDAY	20	Greatest Dec. N.	29·350	68·0	54·4	13·6	59·1	− 3·9	57·0	2·1	9·0	0·0	93	113·6	52·2	63·20	S. & SSE.	SSW. SW. & WSW.	12·5	0·0	0·8	427	+195	0·24	6·0
MEANS		..	29·628	73·3	54·0	19·3	62·8	− 0·2	51·4	11·5	20·5	2·0	67	127·8	50·9	62·87	SW.		..	..	..	Sum 2279	Sum + 564	Sum 0·46	3·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	14	m. P. in morning and evening; v. P. and v. N. in afternoon.	7·4	16·1	Cloudy in early morning; fine during the day; cloudless at night.
MONDAY	15	w. P. in early morning; v. P. afterwards.	2·8	16·1	Generally cloudy till 8h. P.M.; afterwards fine.
TUESDAY	16	v. P. generally	0·0	16·1	Slight rain between 7h. A.M. and 8h. A.M. Generally cloudy till 7h. P.M.; afterwards fine.
WEDNESDAY	17	s. P. in morning; w. P. in afternoon; v. P. in evening.	6·7	16·0	Very fine till 5½h. P.M.; generally cloudy since; showers of rain at 6½h. P.M. and 7½h. P.M.
THURSDAY	18	m. P. generally till afternoon; s. P. and s. N. in evening.	4·1	16·0	Generally cloudy in early morning; fine during the day; continuous heavy rain from 8h. P.M.
FRIDAY	19	v. P. and v. N. throughout.	8·1	16·0	Cloudy till 8h. A.M., with shower of rain at 5h. A.M.; afterwards very fine; cloudless after 9h. P.M.
SATURDAY	20	v. P. and s. N. till noon; m. P. afterwards.	1·0	15·9	Overcast generally; frequent rain.
			Sum 30·1	Sum 112·2	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·59 in. at the beginning of the week to 29·82 in. by 9h. A.M. on the 16th; decreased to 29·36 in. by 4h. A.M. on the 19th; increased to 29·63 in. by 9h. P.M. on the same day; decreased to 29·26 in. by 3h. P.M. on the 20th; and increased to 29·48 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1895. VOL. LVI.] WEEK ENDING SATURDAY, JULY 27. [Price 1½*d.*

General Register Office, Somerset House,
July 29th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·5 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 6.	July 13.	July 20.	July 27.		July 6.	July 13.	July 20.	July 27.
Birkenhead	19·4	19·4	18·4	28·6	Liverpool	24·4	30·2	30·3	30·0
Birmingham	16·2	18·1	17·7	20·3	London	18·0	21·0	23·7	23·0
Blackburn	20·4	18·4	16·3	22·1	Manchester	18·7	20·7	23·7	25·0
Bolton	17·9	17·0	22·7	20·1	Newcastle-on-Tyne	20·1	15·6	19·6	16·9
Bradford	21·4	18·4	22·1	21·4	Norwich	13·6	20·9	26·8	25·8
Brighton	10·0	10·5	10·5	11·8	Nottingham	10·6	16·6	15·0	17·7
Bristol	11·0	14·4	12·3	13·7	Oldham	15·9	17·0	16·3	15·9
Burnley	17·8	18·8	16·2	20·9	Plymouth	14·6	18·7	19·3	20·5
Cardiff	16·4	12·4	15·4	18·4	Portsmouth	12·2	13·7	14·0	17·0
Croydon	9·1	14·1	10·9	14·5	Preston	18·1	26·4	25·9	31·5
Derby	14·0	14·0	17·2	18·2	Salford	21·8	26·0	27·5	29·5
Gateshead	13·6	15·2	18·5	15·2	Sheffield	17·0	17·0	24·8	21·1
Halifax	13·9	11·7	11·7	16·1	Sunderland	17·0	18·6	20·1	22·3
Huddersfield	15·2	8·9	12·1	13·6	Swansea	12·4	10·2	12·4	16·7
Hull	18·3	18·5	20·5	25·7	West Ham	16·3	20·9	22·8	30·1
Leeds	19·6	21·0	26·2	24·0	Wolverhampton	19·5	27·4	24·3	27·4
Leicester	15·9	22·1	19·6	23·7					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Newcastle-on-Tyne, 1·1 in London, 1·2 in Plymouth, in Blackburn, and in Liverpool, 1·3 in Manchester, and 4·0 in West Ham; from *scarlet fever* 1·0 in Salford; from *whooping-cough*, 1·0 in Cardiff; from "*fever*" 1·0 in Burnley; and from *diarrhœa*, 4·5 in Sunderland, 4·7 in London and in Derby, 4·8 in Salford, 4·9 in Birkenhead, 5·1 in Nottingham, 5·2 in Birmingham, 5·6 in West Ham, 6·0 in Hull, 6·1 in Liverpool and in Leeds, 6·4 in Bradford, 6·8 in Norwich, 7·3 in Sheffield, and 10·2 in Leicester and in Preston. The 77 deaths from *diphtheria* included 48 in London, 4 in West Ham, and 4 in Wolverhampton. One death from *small-pox* was registered in London, and 2 in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2575 BIRTHS and 1940† DEATHS were registered. Allowing for increase of population, the births were 68 below, and the deaths 247 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·0, 21·0, and 23·7 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

preceding three weeks, fell again last week to 23·0. During the four weeks ending on Saturday last the death-rate averaged 21·4 per 1000, being 1·9 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1940 deaths included one from small-pox, 94 from measles, 14 from scarlet fever, 48 from diphtheria, 22 from whooping-cough, 9 from enteric fever, 397 from diarrhœa and dysentery, 15 from cholera and choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 600 deaths were referred to these diseases, being 165 above the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 2; the fatal case belonged to St. Pancras sanitary area. The deaths from *measles*, which had been 73, 75, and 82 in the preceding three weeks, further rose last week to 94, exceeding the corrected average by 40; 11 belonged to St. Luke, 11 to Poplar, 10 to St. George-in-the-East, 7 to Hackney, and 7 to Limehouse sanitary areas. The deaths from *scarlet fever*, which had been 12, 20, and 23 in the preceding three weeks, fell again last week to 14, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 53, 50, and 39 in the preceding three weeks, rose again last week to 48, exceeding the corrected average by 14; 7 belonged to Camberwell, 6 to Greenwich, 4 to Lambeth, and 4 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 25, 19, and 28 in the preceding three weeks, fell again last week to 22, and were less than half the corrected average. The fatal cases of *enteric fever*, which had been 5, 11, and 5 in the preceding three weeks, rose again last week to 9, the corrected average being 10; 2 belonged to Paddington and 2 to Plumstead sanitary areas. The deaths from *diarrhœa*, which had been 169, 270, and 373 in the preceding three weeks, further rose last week to 397, and exceeded the corrected average by 137. In addition to the 397 deaths directly referred to diarrhœa, 73 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 117 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 160, 187, and 193 in the preceding three weeks, fell again last week to 185, but were 8 above the corrected average.

The deaths attributed directly to *influenza* numbered 2, having been 5, 7, and 4 in the preceding three weeks.

Different forms of violence caused 69 deaths, concerning all but one of which inquests were held. Of these 69 deaths, 14 were cases of suicide, and 2 of homicide, while the remaining 53 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 7 to drowning, 10 (including 9 of infants under one year of age) to suffocation in bed, and 4 to the effects of anæsthetics.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 193 cases of small-pox, 2347 of scarlet fever, 681 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 114 cases, against 17, 36, and 23; of scarlet fever, 249 cases, against 311, 342, and 220; of diphtheria, 112 cases, against 99, 132, and 93; and of enteric fever, 14 cases, against 17, 14, and 14.

Greater London.

In Greater London 3515 births and 2570 deaths were registered, corresponding to annual rates of 30·3 and 22·2 per 1000 of the estimated population. In the Outer Ring 26 deaths from measles, 15 from diphtheria, and 130 from diarrhœa were registered. Twenty deaths from measles, 7 from diphtheria, and 44 from diarrhœa occurred in West Ham district. Of the remaining deaths from diarrhœa, 28 occurred in Edmonton district, 15 in Brentford district, 13 in Willesden sub-district, 9 in Barking Town sub-district, and 8 in Croydon sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·60 inches, and that of the Thermometer 62°·6, the latter being equal to the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 35 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·8 hours; the measured rainfall amounted to 1·66 inches.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE X.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 27th July, 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 27th July, 1895. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths from All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6356	4572	2000	712	3	156	39	77	55	22	903	152	296	731	50	22·5	6·2	77·5	46·6	59·4	15·22	2·00	5·08	33 Towns.
London	4,892,346	2575	1940	892	280	1	94	14	48	22	9	397	69	146	384	13	23·0	6·9	77·5	51·3	62·6	17·00	1·66	4·22	London.
West Ham	249,473	186	144	68	14	–	19	1	4	–	2	27	2	6	10	3	30·1	11·1	–	–	–	–	–	–	West Ham.
Croydon	114,923	62	32	11	5	–	–	1	–	–	–	8	–	1	2	–	14·5	4·1	76·0	50·3	61·4	16·33	1·21	3·07	Croydon.
Brighton	119,604	61	27	8	7	–	1	–	1	–	–	2	1	2	6	1	11·8	1·7	69·6	51·6	60·4	15·78	1·46	3·71	Brighton.
Portsmouth	174,751	100	57	24	13	–	–	–	1	1	–	7	3	5	8	–	17·0	2·7	70·0	53·0	60·3	15·72	1·06	2·69	Portsmouth.
Plymouth	89,096	48	35	8	18	–	2	–	–	–	–	2	2	3	6	–	20·5	2·3	–	–	–	–	–	–	Plymouth.
Bristol	228,189	132	60	10	24	–	–	1	1	–	–	2	1	3	15	–	13·7	0·9	71·0	51·0	59·4	15·22	1·88	4·78	Bristol.
Cardiff	155,637	87	55	31	6	–	2	–	1	3	1	10	5	6	4	–	18·4	5·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	66	31	12	9	–	1	–	1	1	1	1	–	–	2	1	16·7	2·7	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	63	45	25	8	–	–	1	4	–	–	4	–	–	6	–	27·4	5·5	73·0	46·6	58·9	14·94	1·10	2·79	Wolverhampton.
Birmingham	496,751	307	193	90	23	–	–	5	2	–	–	50	5	6	30	6	20·3	6·0	–	–	–	–	–	–	Birmingham.
Norwich	107,127	81	53	32	10	–	–	1	–	–	–	14	1	1	7	2	25·8	7·3	75·8	50·0	61·8	16·56	1·21	3·07	Norwich.
Leicester	193,839	93	88	47	14	–	1	1	1	1	–	38	1	3	10	–	23·7	11·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	132	77	34	13	–	–	1	–	1	–	22	2	3	12	–	17·7	5·5	74·8	51·0	60·0	15·56	1·07	2·72	Nottingham.
Derby	100,272	59	35	19	3	–	–	–	–	1	–	9	1	3	3	–	18·2	5·2	–	–	–	–	–	–	Derby.
Birkenhead	107,469	66	59	28	13	–	–	–	–	–	–	10	2	8	9	–	28·6	4·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	323	290	112	32	–	12	2	2	7	3	59	11	11	46	8	30·0	8·8	66·0	50·4	58·6	14·78	2·14	5·44	Liverpool.
Bolton	119,337	86	46	14	12	–	–	–	–	1	2	3	2	3	9	–	20·1	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	317	252	75	40	–	13	4	1	4	–	23	10	16	48	2	25·0	4·5	–	–	–	–	–	–	Manchester.
Salford	208,253	143	118	52	13	–	2	4	2	4	–	19	2	6	15	3	29·5	7·8	–	–	–	–	–	–	Salford.
Oldham	141,079	82	43	15	10	2	1	1	1	–	–	3	–	–	5	–	15·9	3·0	–	–	–	–	–	–	Oldham.
Burnley	99,591	57	40	14	3	–	–	–	1	1	2	4	–	–	1	1	20·9	4·2	–	–	–	–	–	–	Burnley.
Blackburn	127,615	76	54	22	8	–	3	–	–	2	–	3	2	3	8	1	22·1	3·3	–	–	–	–	–	–	Blackburn.
Preston	112,638	53	68	36	14	–	–	–	–	–	–	22	2	2	4	1	31·5	10·2	–	–	–	–	–	–	Preston.
Huddersfield	99,482	35	26	6	4	–	–	–	1	–	–	–	1	4	4	1	13·6	0·5	73·0	48·0	58·0	14·44	3·46	8·79	Huddersfield.
Halifax	93,813	44	29	5	11	–	–	–	–	–	–	–	2	4	4	–	16·1	–	–	–	–	–	–	–	Halifax.
Bradford	226,384	119	93	45	18	–	–	–	1	–	–	28	3	9	14	–	21·4	6·7	69·1	52·6	57·2	14·00	3·07	7·80	Bradford.
Leeds	395,546	239	182	88	29	–	1	2	2	–	–	46	9	17	14	2	24·0	6·7	–	–	–	–	–	–	Leeds
Sheffield	342,768	215	139	68	16	–	–	–	1	3	–	48	–	2	9	4	21·1	7·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	172	107	48	15	–	–	–	–	1	–	25	7	8	14	1	25·7	6·3	–	–	–	–	–	–	Hull.
Sunderland	137,705	90	59	26	10	–	–	–	–	2	1	12	1	1	5	–	22·3	5·7	67·0	49·0	54·0	12·22	4·54	11·53	Sunderland.
Gateshead	95,871	65	28	9	7	–	–	–	1	–	–	3	1	2	2	–	15·2	2·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	122	67	26	10	–	4	–	–	–	1	2	4	12	15	–	16·9	1·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTIETH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2459	2701	2579	2353	2376	2512	2424	2720	2497	2419	2642·8	2575
Males . .	1260	1366	1347	1171	1174	1283	1211	1389	1275	1249	1343·1	1316
Females .	1199	1335	1232	1182	1202	1229	1213	1331	1222	1170	1299·7	1259
TOTAL **Deaths**	1750	1746	2007	1308	1553	1418	1662	1431	1729	1437	1693·0	1940
Males . .	924	925	1043	681	836	754	898	751	894	726	889·9	1004
Females .	826	821	964	627	717	664	764	680	835	711	803·1	936

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.
TOTAL **Births** - -	2837	2549	2496	2640	2569	2333	2678	2639	2488	2651	2586	2557	2575
TOTAL **Deaths** - -	1395	1398	1389	1371	1308	1247	1213	1276	1429	1519	1763	1996	1940
Ages at Death: Under 1 year -	321	318	325	327	279	254	263	314	425	548	680	880	892
1—5 years -	221	198	219	192	195	190	198	212	231	222	281	310	286
5—20 " -	82	84	84	87	87	84	73	82	81	82	95	104	91
20—40 " -	186	190	172	196	175	158	170	176	185	169	188	165	184
40—60 " -	256	256	258	253	254	249	240	218	232	240	240	237	207
60—80 " -	275	291	280	269	271	266	232	229	226	212	235	251	242
80 years & upwards	54	61	51	47	47	46	37	45	49	46	49	49	38
Deaths from—													
Small-pox - - - -	1	-	-	-	-	-	1	-	1	3	1	-	1
Measles - - - -	39	34	39	32	50	36	71	71	84	73	75	82	94
Scarlet fever - - -	13	11	13	10	17	17	12	11	18	12	20	23	14
Diphtheria - - -	29	38	41	37	41	33	45	37	38	53	50	39	48
Whooping-cough - -	36	35	31	39	30	22	20	18	29	25	19	28	22
Typhus - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric fever - - -	5	3	8	9	5	8	5	4	7	5	11	5	9
Simple Continued fever -	-	1	-	-	-	-	-	1	-	-	-	1	-
Diarrhœa and Dysentery -	18	19	18	14	16	19	21	46	92	169	270	373	397
Cholera - - - -	-	-	-	-	-	1	-	2	3	4	4	12	15
All the above Diseases	141	146	150	141	159	137	175	190	272	344	450	563	600
Dis. of Respiratory System	290	247	240	245	193	163	152	186	160	160	187	193	185
Phthisis - -	144	160	128	172	148	162	143	134	147	119	130	131	112
Dis. of Circulatory System	106	107	127	128	114	123	99	111	97	110	107	126	92
Violence - - - -	63	68	77	59	64	55	55	43	64	72	74	71	69
Inquest Cases - - -	131	127	138	122	123	121	107	94	123	144	139	163	146
Deaths in Public Institutions	380	398	425	450	397	395	349	360	422	415	449	433	383
TEMPERATURE OF THE AIR													
Mean - - - - -	51°·2	57°·3	55°·9	52°·3	61°·0	60°·7	58°·7	60°·5	65°·8	61°·8	65°·6	62°·8	62°·6
Mean of Highest readings -	62·5	69·8	65·4	62·5	74·6	73·0	70·6	73·9	79·8	71·8	78·7	73·3	71·7
Mean of Lowest readings -	40·4	44·4	47·7	44·6	48·5	49·3	48·0	48·4	53·3	53·8	53·7	54·0	55·9
Humidity of the Air - -	73	61	68	81	69	68	61	64	61	65	55	67	81
Rain-fall (in inches) - -	0·04	0·00	0·19	0·19	0·08	0·02	0·02	0·10	0·02	0·30	0·13	0·46	1·66
Registered Sunshine (in hours)	42·0	74·7	20·2	22·3	49·9	53·0	33·7	38·1	37·8	32·5	59·7	30·1	17·8
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	34	33	27	29	22	23	19	22	34	42	71	89	199
Scarlet fever - - - -	1413	1438	1446	1503	1524	1589	1637	1732	1894	2044	2241	2267	2347
Diphtheria - - - -	457	464	484	492	508	529	562	593	633	633	637	638	681
Enteric fever - - - -	64	66	91	126	139	141	147	142	147	146	143	123	121

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTIETH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 30th Week of the 10 years 1885–94.*	In the Week ending Saturday, 27th July 1895.* Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
. CAUSES - -	1693·0	1940	892	286	91	184	207	242	38
all-pox { Vaccinated† -	1·2	-	-	-	-	-	-	-	-
all-pox { Unvaccinated	0·6	-	-	-	-	-	-	-	-
all-pox { No Statement	0·3	1	-	-	-	-	1	-	-
asles - - - -	53·9	94	23	69	2	-	-	-	-
arlet Fever - -	19·8	14	-	7	7	-	-	-	-
hus - - - -	0·1	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - -	2·7	2	1	-	-	-	1	-	-
ooping-cough - -	46·1	22	10	9	2	1	-	-	-
htheria - - -	34·0	48	4	27	16	-	1	-	-
ple Continued and ll-defined Fever -	0·6	-	-	-	-	-	-	-	-
eric Fever - -	10·2	9	-	1	1	5	2	-	-
lera and Chol. Diarr.	7·6	15	9	5	-	-	1	-	-
rrhœa, Dysentery -	260·4	397	335	47	-	-	4	8	3
mittent Fever - -	0·3	-	-	-	-	-	-	-	-
ropbobia - -	0·2	-	-	-	-	-	-	-	-
nders - - -	0·1	-	-	-	-	-	-	-	-
rpox and Effects of accination - -	0·5	-	-	-	-	-	-	-	-
reral Affections -	13·1	15	10	1	-	2	2	-	-
sipelas - - -	3·9	3	2	-	-	-	-	1	-
emia and Septicæmia	2·0	3	1	1	-	-	1	-	-
rpera Fever - -	4·3	4	-	-	-	4	-	-	-
er Zymotic Diseases	2·3	2	1	1	-	-	-	-	-
ush - - - -	2·7	2	2	-	-	-	-	-	-
rms and other Parasitical Diseases - -	0·6	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	2·8	1	-	1	-	-	-	-	-
oholism - - -	6·3	8	-	-	-	5	2	1	-
umatic Fever, eumatism of Heart	6·1	5	-	-	2	2	-	1	-
umatism - -	1·6	-	-	-	-	-	-	-	-
it - - - -	3·2	6	-	-	-	-	-	4	2
ncer - - - -	67·5	74	-	1	-	12	28	32	1
ncer Mesenteric -	47·4	49	41	7	-	1	-	-	-
ercular Meningitis -	30·6	33	16	13	4	-	-	-	-
thisis - - -	142·5	112	2	3	16	56	30	5	-
rofula, Tuberculosis -	22·4	24	10	4	3	4	1	2	-
er Constitutional Diseases - - -	10·8	11	1	-	2	2	1	5	-
maturity Birth - -	45·0	52	52	-	-	-	-	-	-
lectasis - - -	3·0	3	3	-	-	-	-	-	-
ngenital Malformations - - - -	6·0	10	10	-	-	-	-	-	-
Age - - - -	41·1	27	-	-	-	-	-	16	11
oplexy - - -	36·5	44	-	-	-	4	16	20	4
lepsy - - -	7·6	6	-	-	-	4	1	1	-
nvulsions - - -	56·0	61	58	3	-	-	-	-	-
er Diseases of Brain and Nervous System	88·2	87	16	8	3	11	16	32	1

CAUSES OF DEATH.	Corrected Averages for the 30th Week of the 10 years 1885–94.*	In the Week ending Saturday, 27th July 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·0	2	1	-	1	-	-	-	-
Diseases of Circulatory System - - -	99·0	92	2	1	4	12	29	42	2
Croup - - - -	6·1	2	-	1	1	-	-	-	-
Bronchitis - - -	84·8	73	29	16	2	1	5	16	4
Pneumonia - - -	65·1	96	37	23	5	8	13	9	1
Pleurisy - - - -	5·1	3	-	1	-	-	2	-	-
Other Diseases of Respiratory System - -	16·1	11	2	2	-	1	1	4	1
Dentition - - -	13·1	8	4	4	-	-	-	-	-
Quinsy, Sore Throat -	2·8	1	-	-	1	-	-	-	-
Enteritis - - -	30·8	117	90	16	-	3	1	6	1
Peritonitis - - -	7·7	7	3	-	3	1	-	-	-
Diseases of Liver - -	28·4	23	2	-	-	1	8	11	1
Other Diseases of Digestive System -	37·3	38	13	2	1	7	9	2	4
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	33·8	44	-	-	1	12	16	14	1
Diseases of Generative System - - -	5·5	5	-	-	1	2	-	2	-
Accidents of Childbirth -	3·9	4	-	-	-	2	2	-	-
Diseases of Locomotive System - - -	6·5	5	-	-	1	3	-	1	-
Diseases of Integumentary System - -	4·7	4	4	-	-	-	-	-	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	48·4	-	-	-	-	-	-	-	-
By Vehicles or Horses -		9	1	1	4	3	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		1	-	-	-	-	1	-	-
By Drowning - -		7	-	-	4	2	1	-	-
By Suffocation in Bed -		10	9	-	-	1	-	-	-
By Poisons or Poisonous Vapours - - -		5	1	-	-	2	2	-	-
Other or not stated Causes - - - -		20	3	3	1	4	4	5	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·6	2	1	-	1	-	-	-	-
Suicide - - - -	9·5	14	-	-	2	5	5	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	80·6	82	78	3	-	-	-	-	1

The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered titioner, the case is returned under the heading "no statement."
The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, slaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2575	1940	892	280	1	94	14	48	22	-	9	-	397	69	146	384
WEST DISTRICTS	740,735	396	281	129	50	-	5	3	3	4	-	2	-	60	10	22	57
NORTH DISTRICTS	993,884	593	375	176	65	-	14	3	10	6	-	1	-	75	14	23	75
CENTRAL DISTRICTS	247,538	113	123	51	9	-	14	1	2	2	-	1	-	23	10	15	32
EAST DISTRICTS	705,114	499	433	214	45	-	37	-	11	-	-	1	-	96	12	48	81
SOUTH DISTRICTS	1,524,472	974	702	322	102	-	24	6	22	10	-	4	-	143	23	38	118
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	21	-	9	1	-	1	-	-	-	-	-	-	-	-	21
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	52	36	17	7	-	1	-	-	1	-	1	-	11	1	1	1
St. John Paddington *H* G.J.	33687	11	14	5	5	-	-	-	-	-	-	1	-	2	-	1	7
Kensington Town *Ww* W.M.	118751	48	53	29	13	-	-	-	2	-	-	-	-	11	2	3	13
Brompton W.M. & C.	47557	14	9	1	1	-	-	-	-	-	-	-	-	-	-	1	2
St. Peter Hammersmith W.M.	8386	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	54	40	17	7	-	-	1	-	-	-	-	-	13	1	4	4
Fulham *Ww* W.M. & C.	91639	80	44	18	5	-	3	2	1	2	-	-	-	10	1	6	9
Chelsea Kensal Town C.	21787	15	7	5	-	-	-	-	-	-	-	-	-	4	-	-	-
Chelsea North *WHHHHH* C.	41637	27	15	4	3	-	-	-	-	-	-	-	-	2	-	-	9
Chelsea South *HH* C.	32829	20	20	10	3	-	-	-	-	1	-	-	-	-	2	3	2
May Fair *WH* G.J.	23733	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-	4
Belgrave *WHHH* C.	54631	30	13	3	3	-	-	-	-	-	-	-	-	1	1	1	4
St. John Westminster *HH* C.	34106	13	11	9	-	-	1	-	-	-	-	-	-	4	-	-	-
St. Margaret Westminster *H* C.	21668	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	10	5	3	-	-	-	-	-	-	-	-	-	1	2	2	-
St. Anne Soho *HHHHHH* N.R.	12317	4	5	3	-	-	-	-	-	-	-	-	-	1	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* W.M.	37713	22	6	1	3	-	-	-	-	1	-	-	-	-	1	1	4
Rectory Marylebone *WH* G.J. & W.M.	20024	4	8	2	4	-	-	-	-	-	-	-	-	1	-	1	1
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	27	7	5	1	-	-	-	-	-	-	-	-	2	-	-	3
Christchurch Marylebone *HH* W.M.	33327	10	11	7	1	-	-	-	1	-	-	-	-	1	-	1	-
St. John Marylebone *HH* W.M.	32101	17	12	7	4	-	-	-	1	-	-	-	-	3	-	2	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	29	17	4	4	-	-	1	2	-	-	-	-	2	-	-	7
Regent's Park Pancras *HH* W.M.	36590	14	13	6	1	-	2	-	-	2	-	-	-	-	1	1	1
Tottenham-court *wHHH* N.R. & W.M.	26321	14	13	3	-	-	-	-	-	-	-	-	-	-	1	1	8
Gray's Inn Lane *HHH* N.R.	27455	21	13	8	1	-	1	-	-	-	-	-	-	1	-	-	3
Somers Town *HH* N.R.	32829	17	10	7	-	-	-	-	-	1	-	-	-	4	1	1	2
Camden Town *WH* N.R.	15419	17	12	5	4	-	-	-	-	-	-	-	-	3	1	-	5
Kentish Town *WW* N.R.	25765	57	32	17	6	-	-	-	1	-	-	-	-	13	2	2	-
Upper Holloway *WWWwHHH* N.R.	90235	53	46	15	10	-	1	-	1	-	-	-	-	10	-	2	19
Islington South-west *H* N.R.	105557	61	39	24	6	-	3	-	1	-	-	-	-	12	-	2	-
Islington South-east N.R.	64158	44	14	4	1	-	-	-	-	-	-	-	-	1	2	2	-
Highbury *HH* N.R.	59193	41	14	3	3	-	-	-	1	-	-	-	-	-	1	1	-
Stoke Newington *H* N.R.	30936	14	10	4	3	-	-	-	-	1	-	-	-	1	1	1	-
Stamford Hill E.L.	17759	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
West Hackney *H* N.R.	42902	27	17	11	1	-	1	-	1	-	1	-	-	6	-	-	4
Hackney *WwwH* E.L. & N.R.	96486	59	59	24	10	-	6	2	2	-	-	-	-	10	3	4	18
South Hackney *w* E.L.	41759	34	20	17	2	-	-	-	-	-	-	-	-	4	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury N.R.	16695	5	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Giles South *WH* N.R.	13454	10	5	2	-	-	-	-	-	-	-	-	-	1	-	1	1
St. Giles North *H* N.R.	9633	4	4	3	-	-	-	-	-	-	-	-	-	1	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	7	2	-	-	-	-	-	-	-	-	-	-	3	3	4
St. Mary-le-Strand *H* N.R.	5706	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* N.R.	7194	3	8	4	1	-	-	-	-	-	-	1	-	1	-	1	5
Strand Union Workhouse, Edmonton	†1037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr *HHHHHH* N.R.	17921	7	13	4	2	-	-	-	2	-	-	-	-	1	-	-	7
St. Andrew Eastern *WH* N.R.	15343	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. James Clerkenwell N.R.	16503	11	8	4	1	-	1	-	-	-	-	-	-	1	1	2	-
Amwell Clerkenwell N.R.	16883	7	9	4	-	-	-	-	-	-	-	-	-	3	-	2	-
Pentonville N.R.	17155	11	9	8	-	-	-	-	-	2	-	-	-	2	-	-	-
Goswell-street N.R.	15375	7	8	4	1	-	1	-	-	-	-	-	-	2	1	1	-
City-road *HHHL* N.R.	29177	21	21	5	3	-	9	-	-	-	-	-	-	5	1	1	-
Whitecross-street N.R.	8378	4	6	2	-	-	2	1	-	-	-	-	-	1	1	1	-
Finsbury N.R.	4985	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* N.R. & E.L.	8944	3	3	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Cripplegate N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* N.R.	4444	8	15	3	1	-	1	-	-	-	-	-	-	2	2	2	14
St. Bride *W* N.R.	6594	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking N.R.	10422	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*— house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT ay, 27th July, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
dditch South *HL** E.L. & N.R.	20098	10	13	6	-	-	2	-	-	-	-	-	-	3	1	2	4	-
on New Town *w* - - - N.R.	29318	22	22	9	7	-	-	-	1	-	-	-	-	3	-	1	8	1
on Old Town - - - N.R.	28354	17	10	4	1	-	-	-	-	-	-	-	-	2	-	-	-	-
erston *WH* - - N.R. & E.L.	46244	35	30	17	3	-	-	-	-	-	-	1	-	9	1	2	4	-
nal Green North *H* - - E.L.	51520	32	17	12	1	-	-	-	-	-	-	-	-	7	-	3	-	-
nal Green South - - E.L.	33489	28	22	13	2	-	-	-	-	-	-	-	-	7	1	3	-	-
nal Green East *WHL** - E.L.	44123	25	25	14	3	-	-	-	-	-	-	-	-	7	-	2	6	-
lfields - - - E. . N.R.	22456	17	11	5	2	-	-	-	-	-	-	-	-	1	2	4	-	-
End New Town *W* - - E.L.	17908	15	12	4	1	-	-	-	-	-	-	-	-	2	-	1	7	-
echapel Church *H'* E.L. & N.R.	20298	20	23	6	2	-	1	-	3	-	-	-	-	1	3	4	16	-
man's Fields - - - E.L.	13800	7	10	6	-	-	2	-	-	-	-	-	-	-	1	4	-	-
eorge's, North - - - E.L.	37738	38	22	14	-	-	3	-	-	-	-	-	-	5	-	5	-	-
ohn, St. George East *W* - E.L.	8357	3	9	2	-	-	6	-	-	-	-	-	-	-	-	-	4	-
well *H* - - - E.L. & N.R.	10246	9	19	10	1	-	1	-	-	-	-	-	-	3	1	2	10	-
liff *W* - - - - - E.L.	14928	9	10	3	1	-	-	-	1	-	-	-	-	1	-	2	-	-
house - - - - - E.L.	32202	23	20	5	1	-	5	-	-	-	-	-	-	3	-	2	-	-
End Old Town West *H* - E.L.	38650	28	12	5	1	-	1	-	2	-	-	-	-	5	-	1	-	-
End Old Town East *W Wwww* E.L.	68942	37	46	18	7	-	4	-	1	-	-	-	-	13	1	3	8	-
*L** - - - - - - E.L.	40365	28	29	21	1	-	3	-	-	-	-	-	-	5	-	-	1	-
nley *wwwH* - - - - E.L.	70000	60	52	25	9	-	4	-	3	-	-	-	-	12	1	6	13	-
ar. *WW* - - - - - E.L.	56383	36	24	15	2	-	5	-	-	-	-	-	-	7	-	1	-	-
SOUTH DISTRICTS.																		
istchurch Southwark *WH* L. & S.	18264	5	6	5	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Saviour Southwark - - S.	13913	12	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
t-road - - - - S. & L.	21867	14	12	9	1	-	-	-	-	1	-	-	-	2	1	1	-	-
ough-road *WH* - - S. & L.	16624	14	9	4	1	-	-	-	-	-	-	-	-	1	2	4	2	-
don-road *HL* - - L. & S.	21221	17	11	7	-	-	-	-	-	-	-	1	-	4	-	1	-	-
ity Newington - - S. & L.	26596	22	12	7	3	-	-	-	-	-	-	-	-	1	-	-	-	1
Peter Walworth *W* - S. & L.	61342	41	20	14	-	-	-	1	-	1	-	-	-	3	-	-	-	-
Mary Newington - - L. & S.	27866	25	11	8	1	-	1	-	-	-	-	-	-	1	-	1	-	-
Olave *WH* - - - - S.	12723	3	22	4	2	-	-	-	-	-	-	-	-	-	4	4	17	-
her Market *W* - - S. & L.	30612	20	18	8	1	-	3	-	-	-	-	-	-	5	-	1	-	-
ames Bermondsey - - S.	54070	16	23	8	4	-	1	-	1	-	-	-	-	7	-	1	-	1
erhithe *WwH* - - S. & K.	39255	25	28	5	7	-	2	-	-	-	-	-	-	1	-	1	16	-
erloo-road 1st *H* - - L. & S.	14031	8	9	4	1	-	-	-	-	-	-	-	-	1	1	1	4	-
erloo-road 2nd *H* - - L. & S.	14644	24	6	3	1	-	-	-	-	-	-	-	-	3	-	-	1	1
beth Church 1st *H* - - L. & S.	18075	13	31	13	1	-	6	-	2	-	-	-	-	3	1	2	17	-
beth Church 2nd *WW* - L. & S.	39097	28	29	9	5	-	1	-	2	2	-	-	-	8	-	1	9	-
nington 1st *H* - - S. & L.	50586	41	22	10	6	-	-	-	-	-	-	-	-	5	2	2	-	-
nington 2nd - - - S. & L.	39708	28	13	7	3	-	-	-	-	-	-	-	-	6	-	-	-	1
ton *w* - - - - L. & S.	73405	42	23	7	7	-	-	1	2	-	-	-	-	5	-	-	3	1
wood *WH* - - - - L.	25657	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Battersea - - - - S.	67244	43	30	18	1	-	3	-	-	-	-	-	-	9	-	3	-	-
Battersea *WwH* - - S.	33314	42	48	20	10	-	2	-	-	-	-	-	-	9	3	3	10	-
ham *H* - - - - S.	43693	18	16	8	-	-	-	-	-	-	-	-	-	6	-	-	1	-
dsworth *WHHL* - - S.	46717	39	17	10	4	-	-	-	-	-	-	-	-	3	1	2	2	-
ey - - - - - - S.	17771	10	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
atham *www* - - - - L.	48756	26	17	6	1	-	-	1	5	-	-	-	-	3	-	-	5	1
wich - - - - L. & S.	6809	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell *WwL** *L* - - S. & L.	81686	46	39	11	12	-	1	-	1	-	-	-	-	7	-	1	14	-
ham *W* - - - S., L., & K.	83488	61	37	23	2	-	-	-	1	1	-	-	-	11	2	3	1	1
George Camberwell - - L. & S.	63366	44	38	22	1	-	2	-	2	1	-	1	-	10	2	2	-	-
tford, North - - - - K.	35314	24	15	8	2	-	-	1	1	-	-	-	-	3	-	-	-	1
tford, Central *w* - - - K.	42007	29	22	12	-	-	-	1	2	1	-	1	-	7	-	3	-	-
tford, South - - - - K.	30852	16	14	6	1	-	-	-	1	-	-	-	-	3	1	1	-	-
enwich West *H* - - - K.	22007	18	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
enwich East *WH* - - - K.	35233	14	17	7	5	-	1	-	1	-	-	-	-	1	1	1	6	-
ham *wH* - - - - - K.	5682	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	8	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
isham *WH* - - - - K.	30950	20	16	7	3	-	-	-	-	1	-	-	-	5	-	-	2	-
enham *H* - - - - L.	34162	23	6	3	2	-	-	-	-	-	-	-	-	2	-	-	-	-
lton *HH* - - - - K.	14040	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
lwich Dockyard - - - K.	19606	10	12	7	3	-	-	1	-	-	-	-	-	1	-	-	-	1
lwich Arsenal *HH H* - K.	21242	10	5	1	1	-	-	-	-	-	-	-	-	1	1	1	-	1
nstead, West *H* - - - K.	15869	10	5	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-
nstead, East *WH* - - - K.	36567	24	14	5	4	-	-	-	1	2	-	-	-	1	-	-	4	-
stead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
pital Ships and Camp, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
enth Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
well Asylum - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
ey Hatch Asylum - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
chmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vsden Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
rbury Asylum - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 27th July, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	940	630	291	99	-	26	5	15	6	6	130	19	32	39
30 : 1	Carshalton *wHH*	12228	26108	14	4	3	-	-	-	-	-	-	-	1	-	-	-
	Epsom, *part of** *WwH*	10423	12508	7	4	1	1	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W*	2754	1598	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20351	128699	74	36	12	5	-	-	1	-	-	-	8	-	1	1
2	Mitcham *w*	11697	23088	20	9	4	1	-	-	-	-	-	-	1	-	-	1
39 : 1	Wimbledon *HHH*	3220	25761	14	8	-	2	-	-	-	1	-	-	-	1	1	1
2	Kingston *WH*	8071	44765	17	7	2	2	-	-	-	-	-	-	1	-	-	1
3	Esher, *part of** *HH*	6601	12059	12	2	1	1	-	-	-	-	-	-	-	-	-	-
4	Hampton *H*	4565	18252	9	6	1	4	-	-	-	-	-	-	-	1	1	-
40 : 1	Richmond *WH*	2160	25339	10	10	3	3	-	-	-	-	-	-	1	1	1	2
2	Mortlake *H*	2823	16159	10	9	3	2	-	-	-	-	-	-	-	-	1	-
41 : 1	Bromley *HHH*	9127	23815	13	2	-	1	-	-	-	-	-	-	-	-	1	-
2	Beckenham *H*	6542	21969	9	3	1	2	-	-	-	-	-	-	-	-	-	-
	Chislhrst, pt. of* *WHH*	14307	20372	7	8	3	1	-	-	-	-	-	-	1	-	1	1
42 : 1	Bexley *HH*	12540	30590	10	14	5	4	-	-	-	-	-	-	2	-	-	-
2	Dartford *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w*	11054	13871	6	9	6	-	-	1	-	1	2	-	1	-	-	-
2	Staines *WH*	13277	18221	13	1	1	-	-	-	-	-	-	-	1	-	-	-
125 : 1	Hillingdon *WHH*	6035	12237	9	3	-	1	-	-	-	-	-	-	-	-	-	1
2	Uxbridge	6172	5417	3	3	1	1	-	-	-	-	-	-	-	1	1	-
3	Hayes *wH*	14537	15618	2	9	3	3	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH*	6967	26273	26	12	4	2	-	-	-	-	-	1	2	1	1	1
2	Twickenham *HH*	2415	16027	9	6	3	1	-	-	-	-	-	-	4	-	-	-
3	Brentford *HHHH*	4318	37777	18	9	1	4	-	-	-	1	-	-	1	-	-	-
4	Chiswick	1245	21963	13	11	5	2	-	1	-	-	-	1	4	-	-	-
5	Acton *wH*	6133	30945	24	17	10	3	-	1	-	1	-	-	4	-	-	-
127 : 1	Harrow *HHH*	13809	15715	12	4	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6994	3844	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4383	61265	44	31	18	2	-	-	-	-	-	-	13	2	2	-
4	Hendon *WH*	8382	15843	9	8	3	2	-	-	-	-	-	-	-	-	-	1
128 : 1	South Mimms *H*	15599	8474	4	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH*	5441	11778	6	3	2	-	-	-	1	-	-	-	-	-	-	-
3	Finchley *HHH*	4688	25820	17	10	4	1	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH*	3039	61097	35	11	8	1	-	-	1	1	-	-	2	-	-	-
2	Tottenham *H*	4842	97174	63	53	30	4	-	3	-	1	-	1	14	3	4	2
3	Edmonton *Www*	7439	36351	33	18	8	7	-	-	-	1	-	-	6	-	2	5
4	Enfield *WWHH*	12639	31803	18	9	6	1	-	-	-	-	-	-	4	-	-	-
5	Waltham Abbey	11017	6066	2	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8430	9620	8	5	5	-	-	-	-	-	-	-	2	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-		-
137 : 1	Bushey *H*	9331	7737	5	3	1	2	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-		
186 : 1	Stratford *H*	1100	42983	43	28	10	3	-	3	-	-	-	1	4	-	1	1
2	Plaistow	1242	58030	57	59	32	3	-	6	-	2	-	-	9	-	1	-
3	Canning Town *H*	1558	54750	53	43	19	3	-	8	1	1	-	-	8	2	3	1
4	Forest Gate *w*	806	49140	33	15	7	1	-	1	-	1	-	1	6	-	1	-
5	East Ham *w*	3266	32713	31	23	16	1	-	-	-	-	1	-	4	3	5	-
6	Leyton *WWWwH*	4334	70188	45	48	18	11	-	2	-	2	2	-	8	1	2	14
7	Walthamstow *w L*	6501	57330	45	22	11	3		-	-	1	-	-	5	1	1	-
187 : 1	Chigwell *part of** *H*	11779	12941	11	5	1	2	-	-	-	-	-	-	1	-	1	-
2	Epping *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-		-
189 : 1	Romford *part of** *WH*	6553	4324	1	6	4	-	-	-	-	-	-	-	3	-	-	1
2	Ilford	8493	10913	5	5	-	1	-	-	-	1	-	-	-	-	-	-
3	Barking Town *H*	3314	14301	10	17	12	3	-	-	-	-	1	-	9	-	-	-
	N.W. Fever Hosp.	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
	Homerton Fev. Hosp.	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1
	Middlesex Co. Asylum	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Cane Hill Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2332); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 27th July, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from ALL CAUSES.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
EATER LONDON	443,421	6,048,555	22·2	6·7	2570	1183	379	1	120	19	63	28	15	527	83	423
INNER LONDON -	74,672	4,392,346	23·0	6·9	1940	892	280	1	94	14	48	22	9	397	69	384
OUTER RING -	368,749	1,656,209	19·8	5·9	630	291	99	–	26	5	15	6	6	130	19	39

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	July 27	130	86	16·4	–	3	–	2	1	–	5
ASGOW - -	695,876	„ 27	411	249	18·7	–	3	2	1	4	2	34
BLIN - -	349,594	„ 27	211	160	23·9	–	–	–	–	3	1	24
LCUTTA - -	466,460	June 8	–	214	23·9	10	1	–	–	–	91	25†
MBAY - -	821,764	July 2	321	435	27·5	7	4	?	?	?	109	33†
ADRAS - -	452,518	June 21	384	306	35·1	–	6	?	?	?	125	27
RIS - - -	2,424,705	July 20	1072	880	18·9	1	31	2	6*	10	8	95
USSELS - -	507,985	„ 20	238	184	18·8	–	1	–	1*	–	–	31
STERDAM -	451,493	„ 20	237	115	13·2	–	1	–	–	–	1	1
TTERDAM -	272,042	„ 20	197	95	18·2	–	–	–	–	2	–	–
E HAGUE -	180,455	„ 20	105	66	19·0	–	–	1	–	–	–	–
PENHAGEN -	341,000	„ 20	164	108	16·5	–	–	1	1	4	1	9
OCKHOLM -	259,304	„ 13	131	116	23·3	–	–	–	1*	–	–	13
RISTIANIA -	174,717	„ 20	62	54	16·1	–	–	–	–	–	–	16
PETERSBURG	954,400	„ 6	541	467	25·5	–	9	11	6	8	10	122
OSCOW - -	753,469	„ 13	–	823	57·0	–	14	6	4	1	7	438
RLIN - -	1,724,544	„ 6	887	759	22·8	–	11	19	10	4	2	239
MBURG - -	608,710	„ 13	377	224	19·1	–	–	1	4*	2	1	45
RESDEN - -	320,600	„ 6	–	157	25·3	–	1	1	1*	2	1	22
RESLAU - -	367,769	„ 20	–	194	27·5	–	1	6	2*	–	–	58
UNICH - -	396,000	„ 20	–	192	25·2	–	1	1	3*	1	–	57
ENNA - -	1,495,764	„ 20	821	648	22·3	–	18	9	6*	2	2	107
AGUE - -	351,478	„ 13	177	174	25·7	–	–	1	3	2	1	7
DA-PESTH -	566,022	„ 13	407	256	23·5	1	1	–	3	–	1	50
IESTE - -	160,825	„ 13	89	74	23·9	1	–	1	5*	3	–	9
ME - -	464,579	May 4	204	136	15·3	–	3	1	1	2	2‡	6
RIN (10 days)	344,203	July 10	217	173	18·3	–	2	–	2	5	3	24
NICE -	158,159	June 29	78	75	24·7	–	–	–	1*	1	2	11
IRO - -	374,838	„ 24	359	347	48·1	2	–	–	–	–	3	139
EXANDRIA -	231,396	„ 24	167	200	45·0	–	–	–	1*	1	6	73
W YORK -	1,860,700	July 13	–	1058	29·6	–	29	4	19	17	3	320
OOKLYN -	1,100,000	„ 13	–	592	28·1	–	3	2	20	4	3	195
ILADELPHIA	1,163,864	„ 13	–	583	26·1	–	2	1	22	3	5	178
W ORLEANS -	275,000	„ 15	–	185	35·1	–	–	–	1	–	14	30

* Including deaths from croup.
† Including 5 deaths from cholera in Calcutta and one in Bombay.
‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 27TH JULY, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	21	..	29·299	65·2	54·0	11·2	57·2	− 5·8	55·7	1·5	7·9	0·0	95	107·3	52·3	63·11	SSW. S. & SSE.	SW.	3·4	0·0	0·1	265	+ 33	0·99	8·0
MONDAY	22	New	29·560	72·0	54·0	18·0	60·9	− 2·0	52·9	8·0	19·4	0·8	75	135·3	51·9	62·71	SW. & WSW.	NW. & WSW.	2·5	0·0	0·1	275	+ 42	0·00	0·0
TUESDAY	23	Perigee	29·739	72·0	51·3	20·7	61·6	− 1·2	50·1	11·5	20·2	1·0	66	126·0	48·6	62·30	WSW. & SW.	WSW. & SSW.	2·0	0·0	0·2	286	+ 53	0·03	3·2
WEDNESDAY	24	..	29·597	72·5	54·7	17·8	63·6	+ 1·0	59·6	4·0	11·2	0·6	87	115·0	54·7	62·32	SSE. & SW.	SW. & SSW.	7·0	0·0	1·0	473	+239	0·44	5·8
THURSDAY	25	..	29·762	69·4	61·0	8·4	64·3	+ 1·9	61·6	2·7	6·1	1·1	91	100·1	58·0	62·34	SW. & SSW.	SSW.	3·0	0·0	0·4	378	+144	0·14	0·2
FRIDAY	26	In Equator.	29·662	77·5	60·4	17·1	67·4	+ ·1	61·8	5·6	13·9	0·4	82	129·1	58·3	62·59	SW. & SE.	SSE. & SSW.	1·5	0·0	0·0	200	− 35	0·00	0·8
SATURDAY	27	..	29·556	73·3	56·0	17·3	63·1	+ 0·8	52·7	10·4	19·8	1·9	69	128·7	54·0	62·74	SSW.	SSW.	5·5	0·0	0·3	335	+100	0·06	0·8
MEANS		..	29·596	71·7	55·9	15·8	62·6	0·0	56·3	6·2	14·1	0·8	81	120·2	54·0	62·59	SW.		..	..	..	Sum 2212	Sum + 576	Sum 1·66	2·7
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	21	m. P. in early morning; v. P. and v. N. afterwards.	0·8	15·9	Overcast generally till 8h. P.M.; with frequent heavy rain; brief thunderstorms at 2h. P.M. and 5½h. P.M.; night fine and clear.
MONDAY	22	Loss of register till 10h. A.M.; w. P. and v. N. afterwards.	4·8	15·8	Cloudy; fine generally; heavy shower at 3½h. P.M., accompanied by lightning and thunder.
TUESDAY	23	w. P. till 1h. P.M.; v. P. afterwards.	6·4	15·8	Generally cloudy in morning and again at night; fine during the day.
WEDNESDAY	24	s. P. and s. N. in early morning; w. P. afterwards.	1·0	15·7	Overcast generally; heavy rain till 3h. A.M. Fine and bright after 11h. P.M.
THURSDAY	25	w. P. generally; s. P. and s. N. at 9h. A.M.	0·2	15·7	Overcast generally; occasional rain between 7h. A.M. and 9h. A.M.
FRIDAY	26	m. P. generally; s. P. and s. N. between 3h. A.M. and 4h. A.M.	1·5	15·7	Fine generally; with variable amounts of cloud; rain between 3h. A.M. and 5h. A.M. Lightning at night.
SATURDAY	27	m. P. till afternoon; s. P. in evening.	3·1	15·6	Cloudy generally; fine between 3h. P.M and 10h. P.M; overcast with heavy rain after 11h. P.M.
			Sum 17·8	Sum 110·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·48 in. at the beginning of the week to 29·77 in. by noon on the 21st; increased to 29·76 in. by 9h. P.M. on the 23rd; decreased to 29·50 in. by 5h. A.M. on the 24th; increased to 29·79 in. by 9h. P.M. on the 25th; and

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 31. 1895. VOL. LVI.] WEEK ENDING SATURDAY, AUGUST 3. [Price 1½*d.*

General Register Office, Somerset House,
August 6th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 13.	July 20.	July 27.	Aug. 3.		July 13.	July 20.	July 27.	Aug. 3.
Birkenhead	19·4	18·4	28·6	13·1	Liverpool - -	30·2	30·3	30·0	30·0
Birmingham	18·1	17·7	20·3	19·9	London - -	21·0	23·7	23·0	21·4
Blackburn -	18·4	16·3	22·1	14·7	Manchester -	20·7	23·7	25·0	23·6
Bolton -	17·0	22·7	20·1	23·6	Newcastle-on-Tyne	15·6	19·6	16·9	18·6
Bradford -	18·4	22·1	21·4	16·4	Norwich - -	20·9	26·8	25·8	26·8
Brighton -	10·5	10·5	11·8	11·8	Nottingham -	16·6	15·0	17·7	19·6
Bristol -	14·4	12·3	13·7	16·2	Oldham - -	17·0	16·3	15·9	14·4
Burnley -	18·8	16·2	20·9	17·8	Plymouth - -	18·7	19·3	20·5	17·6
Cardiff -	12·4	15·4	18·4	18·8	Portsmouth -	13·7	14·0	17·0	15·5
Croydon -	14·1	10·9	14·5	15·9	Preston - -	26·4	25·9	31·5	22·2
Derby -	14·0	17·2	18·2	13·5	Salford - -	26·0	27·5	29·5	25·3
Gateshead -	15·2	18·5	15·2	16·3	Sheffield - -	17·0	24·8	21·1	21·6
Halifax -	11·7	11·7	16·1	10·0	Sunderland -	18·6	20·1	22·3	15·9
Huddersfield	8·9	12·1	13·6	10·5	Swansea - -	10·2	12·4	16·7	18·8
Hull - -	18·5	20·5	25·7	19·7	West Ham - -	20·9	22·8	30·1	24·0
Leeds -	21·0	26·2	24·0	20·3	Wolverhampton -	27·4	24·3	27·4	28·0
Leicester -	22·1	19·6	23·7	21·0					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·4 in Manchester, 2·0 in Blackburn, and 3·3 in West Ham; from *scarlet fever*, 1·0 in Huddersfield; from *whooping-cough*, 1·2 in Blackburn; and from *diarrhœa*, 3·4 in Cardiff and in Birkenhead, 3·6 in Wolverhampton, in Derby, and in Hull, 4·1 in Bradford, 4·4 in London and in Bolton, 4·5 in Leeds, 4·6 in Preston, 4·7 in Burnley, 5·2 in West Ham, 5·6 in Birmingham, 5·8 in Nottingham, 5·9 in Liverpool, 6·2 in Sheffield, 6·3 in Salford, 6·8 in Norwich, and 10·0 in Leicester. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 76 deaths from *diphtheria* included 57 in London, 3 in West Ham, 3 in Cardiff, 2 in Bristol, and 2 in Birmingham. Two deaths from *small-pox* were registered in Oldham and one in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2624 BIRTHS and 1806† DEATHS were registered. Allowing for increase of population, the births were 55 below, and the deaths 132 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·0, 23·7, and 23·0 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

preceding three weeks, further fell last week to 21·4. During the four weeks ending on Saturday last the death-rate averaged 22·3 per 1000, being 2·8 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1806 deaths included one from small-pox, 67 from measles, 24 from scarlet fever, 57 from diphtheria, 17 from whooping-cough, 12 from enteric fever, one from an ill-defined form of continued fever, 373 from diarrhœa and dysentery, 9 from cholera and choleraic diarrhœa, and not one death from typhus; thus, 561 deaths were referred to these diseases, being 156 above the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being also one; the fatal case belonged to Strand sanitary area. The deaths from *measles*, which had been 75, 82, and 94 in the preceding three weeks, fell again last week to 67, but exceeded the corrected average by 20; 10 cases belonged to St. Luke, 7 to St. Pancras, 6 to Islington, and 6 to Mile End Old Town sanitary areas. The deaths from *scarlet fever*, which had been 20, 23, and 14 in the preceding three weeks, rose again last week to 24, the corrected average being 22. The deaths from *diphtheria*, which had been 50, 39, and 48 in the preceding three weeks, further rose last week to 57, exceeding the corrected average by 23; 6 cases belonged to Camberwell, 5 to Bethnal Green, 5 to Greenwich, 4 to Kensington, 4 to Chelsea, and 4 to Islington sanitary areas. The deaths from *whooping-cough*, which had been 19, 28, and 22 in the preceding three weeks, further fell last week to 17, being 24 below the corrected average; five cases belonged to Lambeth and 3 to Shoreditch sanitary areas. The fatal cases of *enteric fever*, which had been 11, 5, and 9 in the preceding three weeks, further rose last week to 12, the corrected average being 11. The deaths from *diarrhœa*, which had been 270, 373, and 397 in the preceding three weeks, fell again last week to 373, but exceeded the corrected average by 133. In addition to the 373 deaths directly referred to diarrhœa, 74 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 102 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 187, 193, and 185 in the preceding three weeks, further fell last week to 171, and were 13 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 7, 4, and 2 in the preceding three weeks.

The death of a brushmaker, aged 32, at Guy's Hospital, was certified after inquest as due to *anthrax*.

Different forms of violence caused 58 deaths, concerning all but 2 of which inquests were held. Of these 58 deaths, 13 were cases of suicide, while the remaining 45 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 6 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 237 cases of small-pox, 2423 of scarlet fever, 686 of diphtheria, and 108 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 60 cases, against 36, 23, and 115; of scarlet fever, 247 cases, against 352, 220, and 249; of diphtheria, 81 cases, against 132, 93, and 115; and of enteric fever, 14 cases, against 14, 14, and 15.

Greater London.

In Greater London 3575 births and 2361 deaths were registered, corresponding to annual rates of 30·8 and 20·4 per 1000 of the estimated population. In the Outer Ring 29 deaths from measles, 11 from diphtheria, and 135 from diarrhœa were registered. Seventeen deaths from measles, 5 from diphtheria, and 48 from diarrhœa occurred in West Ham district; 5 deaths from measles and 32 from diarrhœa occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 59°·0, the latter being 3°·3 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 19 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·0 hours; the measured rainfall amounted to 1·23 inches.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 3rd August, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 3rd Aug., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns *	10,591,530	6663	4207	1792	630	3	115	47	76	53	33	854	133	251	737	54	20·7	5·8	72·1	42·8	57·2	14·00	0·57	1·45	33 Towns.
London * *	4,392,346	2624	1806	772	262	1	67	24	57	17	13	373	58	121	436	12	21·4	6·6	72·1	48·3	59·0	15·00	1·23	3·12	London.
West Ham * *	249,473	166	115	60	11	-	16	1	3	-	-	25	3	4	6	2	24·0	9·4	-	-	-	-	-	-	West Ham.
Croydon * *	114,923	66	35	15	11	-	-	-	-	-	-	5	-	2	4	-	15·9	2·3	72·0	45·3	57·5	14·17	1·04	2·64	Croydon.
Brighton * *	119,604	51	27	8	7	-	-	-	1	-	-	4	1	3	4	-	11·8	2·2	68·0	51·0	59·0	15·00	0·26	0·66	Brighton.
Portsmouth *	174,751	103	52	21	9	-	-	-	-	1	-	8	1	1	7	-	15·5	2·7	67·5	47·5	57·4	14·11	1·07	2·72	Portsmouth
Plymouth * *	89,096	54	30	9	9	-	1	-	-	-	-	3	1	4	1	-	17·6	2·3	-	-	-	-	-	-	Plymouth.
Bristol * *	228,139	150	71	23	17	-	-	-	2	1	1	11	2	7	13	-	16·2	3·4	67·0	48·0	56·4	13·56	0·35	0·89	Bristol.
Cardiff * *	155,637	95	56	27	5	-	-	-	3	1	-	10	-	-	3	-	18·8	4·7	-	-	-	-	-	-	Cardiff.
Swansea * *	97,008	66	35	13	4	-	1	-	1	-	1	-	5	5	8	-	18·8	1·6	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	72	46	23	7	-	-	1	-	1	1	6	1	2	3	-	28·0	5·5	69·4	42·8	56·2	13·44	0·27	0·69	Wolverhampton.
Birmingham *	496,751	304	190	90	29	-	-	2	2	2	-	53	7	4	32	11	19·9	6·2	-	-	-	-	-	-	Birmingham.
Norwich * *	107,127	76	55	20	12	-	-	-	1	1	-	14	-	3	6	-	26·8	7·8	67·8	44·4	56·1	13·39	1·06	2·69	Norwich.
Leicester * *	193,839	117	78	55	8	-	-	-	-	1	-	37	-	2	5	2	21·0	10·2	-	-	-	-	-	-	Leicester.
Nottingham *	226,638	130	85	40	18	-	-	-	1	-	-	25	1	1	9	-	19·6	6·0	68·5	49·8	56·7	13·72	0·15	0·38	Nottingham.
Derby * * *	100,272	51	26	13	6	-	-	-	-	-	-	7	1	1	3	-	13·5	3·6	-	-	-	-	-	-	Derby.
Birkenhead *	107,469	71	27	14	4	-	-	1	-	1	-	7	2	3	4	-	13·1	4·4	-	-	-	-	-	-	Birkenhead.
Liverpool † *	503,967	372	220	116	31	-	5	1	-	8	6	37	20	23	60	3	30·0	8·0	65·4	50·2	55·7	13·17	0·29	0·74	Liverpool.
Bolton * *	119,337	95	54	27	7	-	-	-	1	1	2	10	1	2	4	1	23·6	6·1	-	-	-	-	-	-	Bolton.
Manchester *	524,865	336	238	71	33	-	14	8	-	1	-	25	4	13	45	5	23·6	4·8	-	-	-	-	-	-	Manchester.
Salford * *	208,253	144	101	46	15	-	2	1	-	1	-	25	1	2	12	-	25·3	7·3	-	-	-	-	-	-	Salford.
Oldham * *	141,079	86	39	15	7	2	-	-	-	1	-	5	-	-	4	-	14·4	3·0	-	-	-	-	-	-	Oldham.
Burnley * *	99,591	79	34	17	2	-	-	1	-	-	1	9	1	2	-	-	17·8	5·8	-	-	-	-	-	-	Burnley.
Blackburn * *	127,615	101	36	17	1	-	5	-	-	3	-	3	1	1	2	1	14·7	4·5	-	-	-	-	-	-	Blackburn.
Preston * *	112,638	81	48	23	8	-	-	-	-	1	1	10	1	1	3	2	22·2	5·6	-	-	-	-	-	-	Preston.
Huddersfield *	99,482	57	20	5	3	-	-	2	-	-	1	-	1	1	4	-	10·5	1·6	68·0	47·0	56·3	13·50	0·09	0·23	Huddersfield.
Halifax * *	93,813	44	18	3	9	-	-	-	-	1	-	-	1	1	1	-	10·0	0·6	-	-	-	-	-	-	Halifax.
Bradford * *	226,384	125	71	20	20	-	-	-	1	-	-	18	2	5	4	3	16·4	4·4	68·0	51·0	57·2	14·00	0·10	0·25	Bradford.
Leeds * * *	395,546	278	154	64	26	-	1	3	-	2	3	34	6	16	16	2	20·3	5·7	-	-	-	-	-	-	Leeds
Sheffield * *	342,768	238	142	77	16	-	2	-	1	1	2	41	2	2	10	7	21·6	7·1	-	-	-	-	-	-	Sheffield.
Hull * *	216,722	147	82	34	11	-	-	-	1	3	-	15	1	5	7	2	19·7	4·6	70·0	48·0	58·3	14·61	0·89	2·26	Hull.
Sunderland *	137,705	91	42	17	5	-	-	-	-	1	1	7	3	4	6	-	15·9	3·4	-	-	-	-	-	-	Sunderland.
Gateshead * *	95,871	72	30	8	7	-	-	1	-	1	-	-	-	4	3	-	16·3	1·1	-	-	-	-	-	-	Gateshead.
Newcastle * *	207,021	121	74	29	10	-	1	1	1	2	-	7	5	6	12	1	18·6	3·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return. † Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2164	2336	2317	2580	2481	2557	2317	2376	2570	2695	2569·2	2624
Males . .	1109	1181	1173	1306	1216	1338	1199	1258	1359	1379	1321·2	1376
Females .	1055	1155	1144	1224	1265	1219	1118	1118	1211	1316	1248·0	1248
TOTAL **Deaths**	1720	1620	1759	1309	1532	1683	1646	1409	1715	1464	1673·6	1806
Males . .	935	836	938	663	825	881	883	734	913	775	884·8	915
Females .	785	784	821	646	707	802	763	675	802	689	788·8	891

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.
TOTAL **Births** - -	2549	2496	2640	2569	2333	2678	2639	2488	2651	2586	2557	2575	2624
TOTAL **Deaths** - -	1398	1389	1371	1308	1247	1213	1276	1429	1519	1768	1996	1939	1806
Ages at Death: Under 1 year -	318	325	327	279	254	263	314	425	548	680	880	892	772
1—5 years -	198	219	192	195	190	198	212	231	222	281	310	286	308
5—20 „ -	84	84	87	87	84	73	82	81	82	95	104	90	87
20—40 „ -	190	172	196	175	158	170	176	185	169	188	165	184	166
40—60 „ -	256	258	253	254	249	240	218	232	240	240	237	207	211
60—80 „ -	291	280	269	271	266	232	229	226	212	235	251	242	207
80 years & upwards	61	51	47	47	46	37	45	49	46	49	49	38	55
Deaths from—													
Small-pox - - - -	-	-	-	-	-	1	-	1	3	1	-	1	1
Measles - - - -	34	39	32	50	36	71	71	84	73	75	82	94	67
Scarlet fever - - -	11	13	10	17	17	12	11	18	12	20	23	14	24
Diphtheria - - -	38	41	37	41	33	45	37	38	53	50	39	48	57
Whooping-cough - -	35	31	39	30	22	20	18	29	25	19	28	22	17
Typhus - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric fever - - -	8	8	9	5	8	5	4	7	5	11	5	9	12
Simple Continued fever -	1	-	-	-	-	-	1	-	-	-	1	-	1
Diarrhœa and Dysentery -	19	18	14	16	19	21	46	92	169	270	373	397	373
Cholera - - - -	-	-	-	-	1	-	2	3	4	4	12	15	9
All the above Diseases	146	150	141	159	137	175	190	272	344	450	563	600	561
Dis. of Respiratory System	247	240	245	193	163	152	186	160	160	187	193	185	171
Phthisis - - - -	160	128	172	148	162	143	134	147	119	130	131	111	127
Dis. of Circulatory System	107	127	128	114	123	99	111	97	110	107	126	92	108
Violence - - - -	68	77	59	64	55	55	43	64	72	74	71	69	58
Inquest Cases - - -	127	138	122	123	121	107	94	123	144	139	163	147	121
Deaths in Public Institutions	398	425	450	397	395	349	360	422	415	449	433	384	436
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	57·3	55·9	52·3	61·0	60·7	58·7	60·5	65·8	61·8	65·6	62·8	62·6	59·0
Mean of Highest readings -	69·8	65·4	62·5	74·6	73·0	70·6	73·9	79·8	71·8	78·7	73·3	71·7	67·2
Mean of Lowest readings -	44·4	47·7	44·6	48·5	49·3	48·0	48·4	53·3	53·8	53·7	54·0	55·9	53·1
Humidity of the Air - -	61	68	81	69	68	61	64	61	65	55	67	81	82
Rain-fall (in inches) - -	0·00	0·19	0·19	0·08	0·02	0·02	0·10	0·02	0·30	0·13	0·46	1·66	1·23
Registered Sunshine (in hours)	74·7	20·2	22·3	49·9	53·0	33·7	38·1	37·8	32·5	59·7	30·1	17·8	12·0
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	33	27	29	22	23	19	22	34	42	71	89	199	237
Scarlet fever - - - -	1438	1446	1503	1524	1589	1637	1732	1894	2044	2241	2267	2347	2423
Diphtheria - - - -	464	484	492	508	529	562	593	633	633	637	638	681	686
Enteric fever - - - -	66	91	126	139	141	147	142	147	146	143	123	121	108

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIRST Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 31st Week of the 10 years 1885–94.*	In the Week ending Saturday, 3rd August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1673·6	1806	772	308	87	166	211	207	55
Small-pox { Vaccinated† -	0·4	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·3	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·5	1	-	-	-	-	1	-	-
Measles - - - -	47·3	67	15	49	3	-	-	-	-
Scarlet Fever - -	21·8	24	4	15	4	1	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	2·1	4	1	-	-	1	-	2	-
Whooping-cough - -	40·7	17	11	6	-	-	-	-	-
Diphtheria - - -	34·1	57	7	38	12	-	-	-	-
Simple Continued and Ill-defined Fever -	1·1	1	-	-	-	-	-	1	-
Enteric Fever - -	10·8	12	-	1	5	3	3	-	-
Cholera and Chol. Diarr.	7·7	9	7	2	-	-	-	-	-
Diarrhœa, Dysentery -	210·2	373	304	53	3	1	-	7	2
Remittent Fever - -	0·4	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Venereal Affections -	11·1	10	9	-	-	-	1	-	-
Erysipelas - - -	4·2	2	-	-	-	1	-	1	-
Pyæmia and Septicæmia	1·6	1	-	-	-	-	-	-	1
Puerpera Fever - -	4·2	4	-	-	-	4	-	-	-
Other Zymotic Diseases	1·3	6	2	1	-	2	1	-	-
Thrush - - - -	3·7	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	-	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	3·9	6	6	-	-	-	-	-	-
Alcoholism - - -	7·4	8	-	-	-	5	2	1	-
Rheumatic Fever, Rheumatism of Heart	5·2	4	-	1	1	-	1	1	-
Rheumatism - -	1·9	1	-	-	-	-	-	1	-
Gout - - - -	2·4	-	-	-	-	-	-	-	-
Rickets - - - -	6·3	8	6	2	-	-	-	-	-
Cancer - - - -	62·4	65	-	1	1	6	29	26	2
Tabes Mesenterica -	47·0	37	23	9	4	1	-	-	-
Tubercular Meningitis -	31·1	27	9	13	3	2	-	-	-
Phthisis - - -	144·3	127	3	7	9	50	46	12	-
Scrofula, Tuberculosis -	24·7	19	10	3	2	2		2	-
Other Constitutional Diseases - - -	9·0	6	-	1	1	1	-	2	1
Premature Birth - -	46·1	52	52	-	-	-	-	-	-
Atelectasis - - -	3·8	5	5	-	-	-	-	-	-
Congenital Malformations - - - -	7·5	9	8	-	1	-	-	-	-
Old Age - - - -	38·7	41	-	-	-	-	-	18	23
Apoplexy - - -	40·3	31	1	-	1	1	12	12	4
Epilepsy - - -	7·9	10	-	-	1	3	1	5	-
Convulsions - - -	53·0	41	34	7	-	-	-	-	-
Other Diseases of Brain and Nervous System	82·1	77	18	13	5	10	9	17	5

CAUSES OF DEATH.	Corrected Averages for the 31st Week of the 10 years 1885–94.*	In the Week ending Saturday, 3rd August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·3	4	2	1	1	-	-	-	-
Diseases of Circulatory System - - -	101·5	108	1	2	10	17	32	36	10
Croup - - - -	6·8	-	-	-	-	-	-	-	-
Bronchitis - - -	91·2	75	21	16	-	3	8	24	3
Pneumonia - - -	60·5	78	20	29	2	9	13	5	-
Pleurisy - - - -	5·2	6	-	1	-	2	2	1	-
Other Diseases of Respiratory System - -	18·0	12	4	4	-	1	2	1	-
Dentition - - -	10·9	10	8	2	-	-	-	-	-
Quinsy, Sore Throat -	2·0	-	-	-	-	-	-	-	-
Enteritis - - -	30·2	102	72	14	2	4	6	3	1
Peritonitis - - -	7·0	4	-	2	-	1	1	-	-
Diseases of Liver - -	27·4	18	4	-	1	1	7	5	-
Other Diseases of Digestive System -	35·7	31	11	2	1	3	8	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·8	3	-	1	-	1	-	1	-
Diseases of Urinary System - - -	29·4	30	1	1	2	6	9	11	-
Diseases of Generative System - - -	5·3	4	-	-	-	3	1	-	-
Accidents of Childbirth -	4·9	5	-	-	1	4	-	-	-
Diseases of Locomotive System - - -	7·8	6	-	1	1	1	3	-	-
Diseases of Integumentary System - -	5·7	8	5	1	-	-	1	-	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	52·2	2	-	-	1	1	-	-	-
By Vehicles or Horses -		6	-	-	2	2	-	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		3	1	1	-	-	-	1	-
By Drowning - -		6	-	-	3	1	2	-	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		-	-	-	-	-	-	-	-
Other or not stated Causes - - - -		19	3	1	2	7	3	2	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·8	-	-	-	-	-	-	-	-
Suicide - - - -	9·5	13	-	-	2	4	6	1	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	35·3	32	75	4	-	1	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2624	1806	772	262	1	67	24	57	17	-	12	1	373	53	121	436
WEST DISTRICTS	740,735	378	237	113	50	-	1	3	8	3	-	1	1	53	14	23	65
NORTH DISTRICTS	993,884	578	331	163	61	-	19	6	13	2	-	4	-	79	10	17	98
CENTRAL DISTRICTS	247,538	115	114	42	15	-	13	-	1	-	-	1	-	13	2	9	42
EAST DISTRICTS	705,114	542	338	161	46	-	22	2	13	4	-	1	-	76	10	33	93
SOUTH DISTRICTS	1,524,472	1011	625	289	82	1	11	11	22	8	-	5	-	152	21	86	105
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	31	-	8	-	1	2	-	-	-	-	-	-	1	1	31
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	39	39	19	9	-	-	-	1	1	-	1	-	9	1	3	2
St. John Paddington *H* - G.J.	33387	6	10	-	3	-	-	-	-	-	-	-	-	-	3	5	5
Kensington Town *Ww* - W.M.	118751	53	52	22	10	-	-	-	1	-	-	-	-	11	1	3	11
Brompton - W.M. & C.	47557	11	14	1	2	-	-	-	1	-	-	-	-	1	-	1	6
St. Peter Hammersmith - W.M.	8833	1	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Paul Hammersmith *H* W.M. & G.J.	88653	55	27	14	3	-	-	1	-	1	-	-	-	5	5	7	5
Fulham *Ww* - W.M. & C.	91639	74	56	31	6	-	1	2	2	1	-	-	-	14	-	1	15
Chelsea Kensal Town - C.	21787	10	12	5	2	-	-	-	1	-	-	-	-	4	-	-	-
Chelsea North *WHHHH* - C.	41637	20	19	8	4	-	-	-	-	-	-	-	-	2	1	1	7
Chelsea South *HH* - C.	33829	30	11	2	3	-	-	-	1	-	-	-	-	2	2	2	3
May Fair *WH* - G.J.	23733	6	8	-	2	-	-	-	-	-	-	-	-	1	-	-	5
Belgrave *WHHH* - C.	54631	28	18	2	4	-	-	-	1	-	-	-	1	2	1	1	5
St. John Westminster *HH* - C.	34108	19	8	4	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Margaret Westminster *H* - C.	21668	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHHH* - N.R.	12317	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	11	15	4	1	-	-	1	-	-	-	-	-	2	1	1	4
Rectory Marylebone *WH* G.J. & W.M.	20024	11	4	1	3	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	21	9	6	1	-	-	-	-	-	-	-	-	4	-	-	3
Christchurch Marylebone *HH* - W.M.	33327	13	12	6	-	-	-	-	-	-	-	-	-	3	-	-	-
St. John Marylebone *HH* - W.M.	32101	15	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	24	20	8	1	-	1	2	6	-	-	-	-	1	-	-	9
Regent's Park Pancras *HH* - W.M.	36590	22	15	6	3	-	3	-	-	-	-	-	-	-	-	1	-
Tottenham-court *wHHH* N.R. & W.M.	24321	12	15	10	3	-	-	-	-	-	-	-	-	2	-	-	10
Gray's Inn Lane *HHH* - N.R.	27455	13	14	5	3	-	-	-	-	-	-	-	-	4	-	-	4
Somers Town *HH* - N.R.	32829	22	12	5	3	-	-	-	-	-	-	-	-	5	2	2	4
Camden Town *WH* - N.R.	15419	15	15	1	6	-	4	-	-	-	-	-	-	1	2	2	10
Kentish Town *WW* - N.R.	95765	65	35	20	6	-	-	-	-	-	-	-	-	12	-	1	6
Upper Holloway *WWWwHHH* - N.R.	90235	55	49	16	11	-	1	-	2	1	-	1	-	6	1	1	22
Islington South-west *H* - N.R.	105557	71	34	16	2	-	4	1	-	-	-	-	-	12	1	3	1
Islington South-east - N.R.	64158	42	26	13	3	-	1	1	1	-	-	-	-	6	1	2	-
Highbury *HH* - N.R.	58193	22	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - N.R.	30936	17	5	4	1	-	-	-	-	-	-	-	-	2	-	1	-
Stamford Hill - E.L.	17759	9	4	3	-	-	-	-	-	-	-	-	-	1	1	1	-
West Hackney *H* - N.R.	42602	26	21	10	2	-	2	-	-	-	-	-	-	6	-	1	2
Hackney *WwwH* - E.L. & N.R.	96436	65	48	18	9	-	2	1	3	1	-	3	-	8	1	1	21
South Hackney *w* - E.L.	41759	27	14	12	-	-	1	-	1	-	-	-	-	3	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	10	4	2	1	-	-	-	-	-	-	-	-	1	-	1	1
St. Giles North *H* - N.R.	9633	6	4	2	-	-	-	-	-	-	-	-	-	1	-	2	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	6	1	-	-	-	-	-	-	-	1	-	1	-	-	4
St. Mary-le-Strand *H* - N.R.	5706	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	4	7	3	2	-	-	-	-	-	-	-	-	-	-	-	7
Strand Union Workhouse, Edmonton -	†1037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	7	18	6	3	-	-	-	-	-	-	-	-	3	-	1	12
St. Andrew Eastern *WH* - N.R.	15343	7	8	4	-	-	2	-	-	-	-	-	-	1	-	-	-
St. James Clerkenwell - N.R.	16803	10	4	4	-	-	-	-	-	-	-	-	-	2	-	-	-
Amwell Clerkenwell - N.R.	16883	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	17155	11	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.	15375	8	4	1	-	-	1	-	-	-	-	-	-	1	-	-	-
City-road *HHHL* - N.R.	29177	17	19	10	1	-	7	-	-	-	-	-	-	3	1	4	3
Whitecross-street - N.R.	8373	5	4	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4985	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4444	1	13	-	2	-	-	-	-	1	-	-	-	-	1	1	10
St. Bride *W* - N.R.	6594	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. I River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.
† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 3rd August, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	20098	9	3	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
xton New Town *w* - - - N.R.	29313	16	10	4	2	-	-	-	-	-	-	-	-	2	-	-	1	-
xton Old Town - - - N.R.	28354	22	16	11	-	-	-	-	1	3	-	-	-	3	1	2	-	-
ggerston *WH* - - N.R. & E.L.	46244	32	27	12	5	-	-	-	1	-	-	-	-	7	-	3	13	-
thnal Green North *H* - - E.L.	51520	43	19	10	-	-	4	-	1	-	-	-	-	7	-	-	-	-
thnal Green South - - - E.L.	33489	36	14	7	1	-	-	1	-	-	-	-	-	7	-	1	-	-
thnal Green East *WHL** - E.L.	44123	33	40	12	10	-	1	1	1	-	-	-	-	7	-	-	20	-
talfields - - - E. N.R.	22456	17	10	7	2	-	-	-	-	-	-	-	-	1	-	1	-	-
e End New Town *W* - - E.L.	17908	15	8	2	2	-	1	-	-	-	-	-	-	-	-	-	6	-
itechapel Church *H** E.L. & N.R.	20298	16	34	9	2	-	-	-	2	-	-	-	-	4	5	9	22	-
odman's Fields - - - E.L.	13800	7	9	3	-	-	1	-	3	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	33	15	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
John, St. George East *W* - E.L.	8057	7	5	2	-	-	2	-	1	-	-	-	-	3	-	-	3	-
dwell *H* - - - E.L. & N.R.	10246	9	19	12	1	-	1	-	-	-	-	-	-	1	-	3	13	-
elliff *W* - - - - - E.L.	14928	9	5	2	-	-	1	-	-	-	-	-	-	2	-	-	-	-
ehouse - - - - - E.L.	32202	22	9	4	3	-	2	-	-	-	-	-	-	3	-	1	-	-
e End Old Town West *H* - E.L.	38650	34	16	7	3	-	-	-	1	-	-	-	-	8	-	-	-	-
e End Old Town East *WWww* E.L.	68942	67	32	12	6	-	6	-	1	-	-	-	-	4	1	1	3	-
*L** - - - - - E.L.	40365	25	10	4	3	-	-	-	-	-	-	-	-	1	-	-	1	-
mley *wwwH* - - - - E.L.	70000	58	44	16	5	-	1	-	1	1	-	1	-	9	-	7	12	-
lar. *WW* - - - - - E.L.	56383	32	23	16	1	-	1	-	-	-	-	-	-	7	2	4	1	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	9	4	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Saviour Southwark - - S.	13913	5	7	5	-	-	-	-	-	-	-	-	-	3	1	1	-	1
t-road - - - - S. & L.	21867	19	12	5	2	-	-	-	-	-	-	-	-	5	-	2	-	-
rough-road *WH* - - S. & L.	16624	12	14	4	-	-	-	-	-	-	-	-	-	1	-	-	7	-
don-road *HL* - - L. & S.	21221	16	11	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1
nity Newington - - S. & L.	26598	21	11	5	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Peter Walworth *W* - S. & L.	61842	48	26	20	2	-	-	1	-	-	-	-	-	10	1	2	1	-
Mary Newington - - L. & S.	27866	30	10	4	-	-	-	-	1	-	-	-	-	1	2	2	-	-
Olave *WH* - - - - S.	12723	11	18	4	1	-	-	-	-	-	-	-	-	4	1	3	13	-
ther Market *W* - - S. & L.	30612	23	18	7	2	-	4	-	-	-	-	-	-	5	-	-	1	2
James Bermondsey - - S.	54070	42	7	4	-	-	1	-	1	-	-	-	-	3	-	-	-	-
herhithe *WwH* - - S. & K.	39255	21	11	4	3	1	-	-	-	-	-	-	-	2	-	-	4	-
terloo-road 1st *H* - - L. & S.	14031	15	12	7	1	-	-	-	-	-	-	-	-	3	1	1	4	-
terloo-road 2nd *H* - - L. & S.	14644	19	7	3	2	-	-	-	-	-	-	-	-	3	1	1	-	-
abeth Church 1st *H* - - L. & S.	18075	12	23	12	-	-	1	-	2	1	-	2	-	4	1	2	12	-
abeth Church 2nd *WW* - L. & S.	39097	28	28	12	4	-	-	-	-	3	-	-	-	6	-	1	7	-
nington 1st *H* - - S. & L.	50586	39	37	12	2	-	-	-	-	1	-	-	-	5	-	1	-	-
nington 2nd - - - S. & L.	39708	24	16	8	4	-	-	-	-	-	-	-	-	7	-	-	-	1
ton *w* - - - - L. & S.	78405	31	23	10	4	-	-	7	1	-	-	-	-	6	-	1	8	-
wood *WH* - - - - L.	25657	15	10	4	4	-	-	-	-	-	-	-	-	1	-	-	-	1
Battersea - - - S.	67244	53	37	24	2	-	2	-	1	1	-	1	-	13	2	1	-	2
t Battersea *WwH* - - S.	83314	57	45	19	8	-	1	-	-	-	-	-	-	8	1	4	15	-
ham *H* - - - - S.	43698	22	9	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
nsworth *WHHL* - - S.	46717	33	20	13	3	-	1	-	-	1	-	-	-	8	-	-	-	-
ney - - - - - S.	17771	8	4	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-
atham *www* - - - L.	48756	35	20	7	4	-	-	2	4	-	-	-	-	5	-	-	5	-
wish - - - L. & S.	6309	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nberwell *WwL*L** - - S. & L.	81686	48	29	9	9	-	-	-	-	-	-	-	-	8	-	1	7	-
ham *W* - - - S., L., & K.	83483	52	33	17	3	-	1	-	3	1	-	1	-	4	1	1	-	-
George Camberwell - - L. & S.	63366	42	22	12	1	-	-	-	1	-	-	-	-	6	-	1	-	-
tford, North - - - - K.	35314	25	10	7	-	-	-	-	1	-	-	-	-	3	-	-	-	-
tford, Central *w* - - - K.	42007	22	20	5	2	-	-	1	5	-	-	-	-	3	1	1	4	-
tford, South - - - - K.	30852	15	8	3	1	-	-	-	1	-	-	-	-	2	-	-	-	-
enwich West *H* - - - K.	22007	15	3	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
enwich East *WH* - - - K.	35233	18	27	9	6	-	-	-	-	-	-	-	-	3	2	2	12	1
ham *wH* - - - - - K.	5682	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	12	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1
ham *WH* - - - - K.	30950	17	8	3	2	-	-	-	-	-	-	-	-	2	1	1	2	-
enham *H* - - - - - L.	34162	26	8	4	2	-	-	-	-	-	-	-	-	5	-	-	-	-
lton *HH* - - - - K.	14040	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Dockyard - - - K.	19606	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Arsenal *HHHH* - K.	21242	13	9	6	-	-	-	-	1	-	-	1	-	3	-	-	-	-
nstead, West *H* - - - E.	15869	10	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
nstead, East *WH* - - - E.	36567	24	11	3	2	-	-	-	-	-	-	-	-	2	1	1	2	-
stead Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
rham Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
e Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
pital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
enth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
well Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ey Hatch Asylum - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital - - - - -	-	-	3	-	-	-	1	2	-	-	-	-	-	-	-	-	3	-
ehmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eden Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
bury Asylum - - - - -	-	-	8	-	5	-	-	-	-	-	-	-	-	-	1	1	8	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week end Saturday, 3rd August, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	951	555	268	94	–	29	3	11	2	4	135	19	27	35
30 : 1	Carshalton *wHH* -	12228	26108	12	5	3	1	–	–	–	–	–	–	2	1	1	–
	Epsom, *part of** *WwH*	10423	12508	5	2	–	1	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W* -	2754	1598	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH* -	20851	128699	77	43	20	11	–	–	–	–	–	–	7	–	2	4
2	Mitcham *w* -	11697	23088	15	6	3	–	–	–	–	1	–	–	1	1	1	–
39 : 1	Wimbledon *HHH* -	3220	25761	15	6	3	–	–	–	–	–	–	–	2	–	–	–
2	Kingston *WH* - -	8071	44765	24	13	5	3	–	–	–	–	–	–	1	1	1	2
3	Esher, *part of** *HH*	6601	12059	5	4	2	1	–	–	–	–	–	–	1	–	–	–
4	Hampton *H* - -	4535	18252	13	4	1	–	–	–	–	1	–	–	1	–	1	–
40 : 1	Richmond *WH* - -	2160	25389	18	9	1	5	–	–	–	–	–	–	–	–	1	1
2	Mortlake *H* - -	2823	16159	13	6	2	–	–	–	–	–	–	–	–	3	4	–
41 : 1	Bromley *HHH* - -	9127	23815	10	5	2	–	–	–	–	1	–	–	1	1	1	1
2	Beckenham *H* - -	6542	21969	11	8	2	1	–	1	–	–	–	–	1	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	15	2	2	–	–	–	–	–	–	–	1	–	–	–
42 : 1	Bexley *HH* - -	12540	30590	16	7	3	2	–	–	–	–	–	–	2	1	1	–
2	Dartford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w* - -	11054	13671	11	2	2	–	–	–	–	–	–	–	1	–	–	–
2	Staines *WH* - -	13277	13221	9	5	1	3	–	–	–	–	–	–	2	–	–	2
125 : 1	Hillingdon *WHH*	6035	12237	4	1	1	–	–	–	–	–	–	–	1	–	–	–
2	Uxbridge - -	6172	5417	2	3	1	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - -	14537	13618	8	4	1	–	–	–	–	–	–	–	–	1	1	–
126 : 1	Isleworth *WHH*	6967	26273	11	12	6	4	–	–	–	–	–	–	3	–	–	3
2	Twickenham *HH*	2415	16027	9	6	1	1	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	20	17	7	3	–	–	–	–	–	–	4	–	1	–
4	Chiswick - -	1245	21933	15	8	4	1	–	1	–	–	–	–	3	–	–	–
5	Acton *wH* - -	6132	30945	12	13	8	3	–	–	–	–	–	–	5	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	13	6	2	1	–	–	–	–	–	–	2	1	1	1
2	Edgware *HH* - -	6994	3844	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* -	4383	61265	43	26	17	4	–	1	–	1	–	–	6	–	–	2
4	Hendon *WH* - -	8332	15843	13	9	4	2	–	–	–	–	–	–	–	1	1	1
128 : 1	South Mimms *H*	15599	8474	5	2	–	1	–	–	–	–	–	–	–	1	1	–
2	Barnet *WHH* - -	5441	11778	4	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH* -	4688	25820	13	6	2	–	–	–	–	–	–	1	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	33	29	10	4	–	1	–	1	–	1	7	–	–	–
2	Tottenham *H* - -	4642	97174	76	41	22	4	–	3	–	–	1	–	12	3	3	–
3	Edmonton *Www* -	7439	36351	39	25	15	5	–	1	1	–	–	–	10	–	–	4
4	Enfield *WWHH*- -	12639	31803	20	8	3	3	–	–	1	–	–	–	2	–	–	2
5	Waltham Abbey - -	11017	6066	2	2	–	2	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - -	8430	9620	4	2	2	–	–	–	–	–	–	–	1	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	9	1	–	–	–	–	–	–	–	–	–	1	1	–
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*- -	1100	42983	33	23	12	4	–	1	–	1	–	–	4	2	2	2
2	Plaistow - - -	1242	58030	54	35	13	1	–	7	–	1	–	–	8	1	1	–
3	Canning Town *H* -	1558	54750	43	41	26	1	–	8	1	–	–	–	9	–	1	–
4	Forest Gate *w* - -	806	49140	36	11	9	2	–	–	–	–	–	–	4	–	–	–
5	East Ham *w* - -	3266	32713	25	24	15	2	–	–	–	–	1	1	9	–	–	–
6	Leyton *WWWwH*	4334	70183	57	26	8	8	–	–	–	2	–	–	3	–	–	1
7	Walthamstow *H & L*	6501	57330	58	35	19	6	–	1	–	–	–	1	11	–	–	1
187 : 1	Chigwell *part of** *H*	11779	12941	6	5	1	1	–	–	–	1	–	–	1	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	3	2	–	1	–	1	–	–	–	–	–	–	1	–
2	Ilford - - -	8493	10913	4	6	4	1	–	–	–	–	–	–	5	–	–	–
3	Barking Town *H* -	3814	14391	8	5	2	–	–	3	–	–	–	–	2	–	–	–
	Homerton Fev. Hosp. -	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1
	Middlesex Co. Asylum	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the pari Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 3rd August, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	20·4	6·3	2361	1040	356	1	96	27	68	19	17	508	77	471
NNER LONDON -	74,672	4,392,346	21·4	6·6	1806	772	262	1	67	24	57	17	13	373	58	436
UTER RING -	368,749	1,656,209	17·5	5·8	555	268	94	–	29	3	11	2	4	135	19	35

OTE.—The area of Greater London is 443,421 acres, This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
NBURGH -	273,535	August	3	124	72	13·7	–	–	1	–	–	1	4
ASGOW - -	695,876	„	3	465	229	17·2	–	2	1	1	5	–	28
BLIN - -	349,594	„	3	249	172	25·7	3	–	2	–	2	1	17
LCUTTA - -	466,460	June	15	–	175	19·5	10	–	–	–	–	70	24†
MBAY - -	821,764	July	9	327	408	25·8	2	12	?	?	?	110	25†
DRAS - -	452,518	June	28	319	297	34·1	–	5	?	?	?	110	34†
RIS - - -	2,424,705	July	27	1132	1015	21·8	–	41	11	10*	13	2	184
USSELS - -	507,985	„	27	252	172	17·6	–	2	–	–	1	2	30
STERDAM -	451,493	„	27	253	138	15·9	–	–	–	–	–	–	–
TTERDAM -	272,042	„	27	171	96	18·3	–	3	–	–	–	–	–
E HAGUE -	180,455	„	27	86	71	20·4	–	–	–	–	3	–	1
PENHAGEN -	341,000	„	27	203	91	13·9	–	–	1	1	7	1	15
OCKHOLM -	259,304	„	20	151	94	18·9	–	–	1	–	–	–	25
RISTIANIA -	174,717	„	27	26	60	17·8	–	–	–	–	–	–	12
PETERSBURG	954,400	„	13	654	525	28·7	–	7	10	6	5	12	138
SCOW - -	753,469	„	20	–	732	50·7	–	12	2	5	1	5	375
RLIN - -	1,724,544	„	13	902	755	22·7	–	8	15	19	8	–	270
MBURG - -	608,710	„	20	–	224	19·1	–	–	6	–	1	2	36
ESDEN - -	320,600	„	13	–	–	–	–	–	–	–	–	–	–
ESLAU - -	367,769	„	27	–	281	39·8	–	1	9	1*	2	–	88
NICH - -	396,000	„	27	–	203	26·7	–	–	–	–	–	–	67
NNA - -	1,495,764	„	27	929	625	21·7	–	10	5	9*	3	6	109
AGUE - -	351,478	„	20	171	155	22·9	–	1	–	1	3	4	5
DA-PESTH -	566,022	„	20	420	274	25·2	1	1	1	2	–	3	49
IESTE - -	160,825	„	20	–	–	–	–	–	–	–	–	–	–
ME - -	464,579	May	11	180	142	15·9	–	–	–	1	–	2‡	9
RIN (10 days)	344,203	July	20	–	–	–	–	–	–	–	–	–	–
NICE -	158,159	„	6	99	69	22·7	–	–	–	–	1	1	11
RO - -	374,838	„	1	405	346	48·0	5	–	–	–	–	8	131
EXANDRIA -	231,396	„	1	176	184	41·5	–	–	–	–	2	6	67
W YORK -	1,860,700	„	20	–	1012	28·3	–	17	3	27	17	10	265
OOKLYN -	1,100,000	„	20	–	545	25·8	–	4	3	13	3	6	165
ILADELPHIA	1,163,864	„	20	–	478	21·4	–	5	–	18	4	8	92
W ORLEANS -	275,000	June	22	–	167	31·7	4	1	–	4	–	22	20

* Including deaths from croup.
† Including 12 deaths from cholera in Calcutta, one in Bombay, and 2 in Madras.
‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 3RD AUGUST, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	28	First Qr.	29·466	59·7	52·5	7·2	55·6	− 6·7	55·4	0·2	1·7	0·0	99	70·0	52·2	63·00	NNE.	N. & NNW.	0·7	0·0	0·0	196	− 40	0·86	2·2
MONDAY .	29	..	29·770	69·0	55·2	13·8	60·4	− 1·9	51·0	9·4	18·7	0·8	71	109·8	52·9	62·88	NW. SW. & NNW.	WNW. NNW & WSW.	0·4	0·0	0·0	160	− 77	0·00	0·0
TUESDAY.	30	..	29·837	64·2	54·3	9·9	58·6	− 3·7	50·5	8·1	12·8	4·6	75	92·2	51·9	62·39	N. & SE.	Calm & S.	0·0	0·0	0·0	87	−152	0·00	0·0
WEDNESDAY	31	..	29·852	71·1	54·7	16·4	61·0	− 1·3	53·5	7·5	18·7	1·4	76	134·1	50·0	62·13	NNE.	NNE.	1·7	0·0	0·0	224	− 18	0·00	0·0
AUGUST. THURSDAY	1	Greatest Dec. S.	29·799	71·1	48·3	22·8	59·5	− 2·7	51·2	8·3	19·0	0·4	74	123·8	43·6	61·95	NNE. & NE.	SE. E. & S.	0·3	0·0	0·0	110	−134	0·00	2·2
FRIDAY .	2	..	29·509	72·1	54·4	17·7	60·6	− 1·5	57·6	3·0	13·8	0·0	90	135·9	52·0	61·89	S. & SSW.	SSW. & SW.	3·4	0·0	0·2	289	+ 42	0·04	7·8
SATURDAY	3	..	29·351	62·9	52·5	10·4	57·0	− 5·1	53·5	3·5	7·4	0·4	88	109·5	49·8	61·90	SSW.	SSW. S. & SSE.	3·8	0·0	0·2	300	+ 50	0·33	1·2
MEANS . .		..	29·655	67·2	53·1	14·0	59·0	− 3·3	53·2	5·7	13·2	1·1	82	110·8	50·3	62·31	NNE. & SSW.		..	..	..	Sum 1366	Sum − 329	Sum 1·23	1·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	28	m. N. till 5h. A.M.; v. P. afterwards.	0·0	15·6	Overcast. Heavy rain in morning; occasional showers afterwards.
MONDAY .	29	Loss of register in morning; s. P. afterwards.	0·6	15·5	Overcast in morning; broken clouds in afternoon; overcast afterwards.
TUESDAY .	30	s. P. in morning; m. P. afterwards.	0·0	15·5	Overcast with slight exceptions.
WEDNESDAY AUGUST.	31	m. P. in morning; v. P. afterwards.	2·2	15·4	Overcast in morning; fine and partially cloudy afterwards.
THURSDAY .	1	m. P. generally.	4·8	15·3	Fine with little cloud in morning; bright solar halo at 2h. P.M.; cloudy after 3h. P.M.; slight rain at 11h. 30m. P.M.
FRIDAY .	2	v. P. generally; m. N. occasionally in evening.	4·3	15·3	Overcast in morning; partially cloudy afterwards. Showery at times.
SATURDAY .	3	m. P. in morning; v. P. and v. N. afterwards.	0·1	15·2	Overcast generally. Occasional showers during the day; heavy rain after 11h. P.M.
			Sum 12·0	Sum 107·8	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·53 in. at the beginning of the week to 29·43 in. by noon on the 28th of July; increased to 29·89 in. by 9h. P.M. on the 31st; and decreased to 29·18 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1895. VOL. LVI.] WEEK ENDING SATURDAY, AUGUST 10. [Price 1½*d.*

General Register Office, Somerset House,
August 12th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·8 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending July 20.	July 27.	Aug. 3.	Aug. 10.	TOWNS.	Weeks ending July 20.	July 27.	Aug. 3.	Aug. 10.
Birkenhead	18·4	28·6	13·1	18·4	Liverpool - -	30·3	30·0	30·0	30·5
Birmingham	17·7	20·3	19·9	20·3	London - -	23·7	23·0	21·4	19·0
Blackburn -	16·3	22·1	14·7	22·1	Manchester -	23·7	25·0	23·6	27·1
Bolton -	22·7	20·1	23·6	25·3	Newcastle-on-Tyne	19·6	16·9	18·6	18·1
Bradford -	22·1	21·4	16·4	18·2	Norwich - -	26·8	25·8	26·8	23·9
Brighton -	10·5	11·8	11·8	15·3	Nottingham -	15·0	17·7	19·6	21·9
Bristol -	12·3	13·7	16·2	14·6	Oldham - -	16·3	15·9	14·4	22·2
Burnley -	16·2	20·9	17·8	25·7	Plymouth - -	19·3	20·5	17·6	18·1
Cardiff -	15·4	18·4	18·8	21·1	Portsmouth -	14·0	17·0	15·5	15·5
Croydon -	10·9	14·5	15·9	13·6	Preston - -	25·9	31·5	22·2	33·8
Derby -	17·2	18·2	13·5	16·6	Salford - -	27·5	29·5	25·3	26·8
Gateshead -	18·5	15·2	16·3	16·9	Sheffield - -	24·8	21·1	21·6	23·1
Halifax -	11·7	16·1	10·0	15·6	Sunderland -	20·1	22·3	15·9	23·9
Huddersfield	12·1	13·6	10·5	14·2	Swansea - -	12·4	16·7	18·8	19·4
Hull - -	20·5	25·3	19·7	20·9	West Ham - -	22·8	30·1	24·0	21·3
Leeds -	26·2	24·0	20·3	20·4	Wolverhampton -	24·3	27·4	28·0	31·0
Leicester -	19·6	23·7	21·0	24·2					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Manchester, 2·1 in West Ham, and 2·9 in Blackburn; from *whooping-cough*, 1·1 in Oldham; and from *diarrhœa*, 3·0 in Portsmouth, in Manchester, and in Sunderland, 3·6 in Derby, 3·7 in Blackburn, 3·8 in West Ham, 3·9 in Birmingham, 4·0 in Salford, 4·4 in Brighton, 4·5 in Leeds, 4·7 in Cardiff, 4·8 in Nottingham, 5·1 in Bradford, 6·1 in Liverpool, 6·3 in Hull, 6·7 in Sheffield, 7·0 in Leicester, 7·4 in Bolton, 9·7 in Wolverhampton and in Norwich, and 12·5 in Preston. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 76 deaths from *diphtheria* included 55 in London, 4 in West Ham, and 3 in Liverpool. Three deaths from *small-pox* were registered in London, 2 in Oldham, and one in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2340 BIRTHS and 1601† DEATHS were registered. Allowing for increase of population, the births were 273, and the deaths 26, below the average

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 87969.—6. 650.—8/95. Wt. 259.

numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·7, 23·0, and 21·4 in the preceding three weeks, further fell last week to 19·0. During the four weeks ending on Saturday last the death-rate averaged 21·8 per 1000, being 1·9 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1601 deaths included 3 from small-pox, 70 from measles, 15 from scarlet fever, 55 from diphtheria, 20 from whooping-cough, 9 from enteric fever, 224 from diarrhœa and dysentery, 5 from cholera and choleraic diarrhœa, and not one death from typhus or from any ill-defined form of continued fever; thus, 401 deaths were referred to these diseases, being 37 above the corrected average weekly number.

Three deaths from *small-pox* were registered, the corrected average being 2·5; 2 cases belonged to Whitechapel and one to Shoreditch sanitary areas. Two deaths were referred to *varicella*. The deaths from *measles*, which had been 82, 94, and 67 in the preceding three weeks, rose again last week to 70, exceeding the corrected average by 25; 9 cases belonged to St. Luke, 6 to Poplar, 5 to Limehouse, and 5 to Mile End Old Town sanitary areas. The deaths from *scarlet fever*, which had been 23, 14, and 24 in the preceding three weeks, fell again last week to 15, the corrected average being 17; 3 cases belonged to Chelsea sanitary area. The deaths from *diphtheria*, which had been 39, 48, and 57 in the preceding three weeks, were 55 last week, exceeding the corrected average by 23; 7 cases belonged to Poplar, 5 to Pancras, 5 to Greenwich, 4 to Mile End Old Town, and 4 to Islington sanitary areas. The deaths from *whooping-cough*, which had been 28, 22, and 17 in the preceding three weeks, rose again last week to 20, but were 16 below the corrected average; 5 cases belonged to Lambeth sanitary area. The fatal cases of *enteric fever*, which had been 5, 9, and 12 in the preceding three weeks, fell again last week to 9, the corrected average being 12. The deaths from *diarrhœa*, which had been 373, 397, and 373 in the preceding three weeks, further fell last week to 224, but exceeded the corrected average by 11. In addition to the 224 deaths directly referred to *diarrhœa*, 49 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 70 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 193, 185, and 171 in the preceding three weeks, further fell last week to 159, and were 23 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 4, 2, and 4 in the preceding three weeks.

Different forms of violence caused 49 deaths, concerning all but one of which inquests were held. Of these 49 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 41 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 7 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 273 cases of small-pox, 2511 of scarlet fever, 689 of diphtheria, and 106 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 54 cases, against 23, 115, and 60; of scarlet fever, 281 cases, against 220, 249, and 247; of diphtheria, 82 cases, against 93, 115, and 81; and of enteric fever, 16 cases, against 14, 15, and 14.

Greater London.

In Greater London 3211 births and 2077 deaths were registered, corresponding to annual rates of 27·7 and 17·9 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles, 7 from diphtheria, and 107 from diarrhœa were registered. Thirteen deaths from measles, 5 from diphtheria, and 42 from diarrhœa occurred in West Ham district.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·48 inches, and that of the Thermometer 60°·3, the latter being 2°·1 below the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 13 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 29·7 hours; the measured rainfall amounted to 1·09 inches.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of July. The supply was in the ratio of 284 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JULY, 1894.	JULY. 1895.	JULY. 1894.	JULY. 1895.
TOTAL SUPPLY	807,250	818,023	216,653,007	232,572,139
From Thames	390,066	395,309	110,982,911	124,727,621
From Lea and from other Sources . .	417,184	422,714	105,670,096	107,844,518
THAMES.				
Chelsea	36,824	36,843	13,405,757	14,014,709
West Middlesex	78,008	79,020	21,402,653	23,094,234
Southwark and Vauxhall	116,834	118,127	33,947,345	38,891,805
Grand Junction	59,092	59,786	19,555,924	20,527,710
Lambeth	99,308	101,533	22,671,232	28,199,163
LEA AND OTHER SOURCES.				
New River	158,011	158,890	39,800,000	43,121,000
East London	178,339	182,045	49,147,661	45,760,497
Kent	80,834	81,779	16,722,435	18,963,021

Note.—The Return for July 1895, as compared with that for the corresponding month of 1894, shows an increase of 10,773 services and of 15,919,132 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE, 1895.

Water-analysis Laboratory, The Yews, Reigate,
19th July, 1895.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of July.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·6, New River and East London (deep-well) 1·1, Tottenham 1·2, Colne Valley 1·4, East London (river supply) 1·6, Southwark 1·8, Chelsea, West Middlesex, and Lambeth 1·9, and Grand Junction 2·0. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·0, New River Cut 2·1, and the Lea at Angel Road 3·2.

The Thames at Hampton was, on July 1st, turbid and pale yellow in colour. It was of excellent chemical and good bacterial quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and of excellent chemical and (with one exception) bacterial quality for dietetic purposes. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers:—Chelsea 93·94, West Middlesex 97·88, Southwark (No. 4 well) 99·7, Grand Junction (general filter well at Hampton) 76·37, (general filter well at Kew Bridge and South filter well) 96·67, and Lambeth 97·88.

The New River Cut before entering the subsidence and storage reservoirs was, on July 3rd, turbid and very pale yellow in colour. It was of excellent chemical, and good bacterial quality. By passing through the storage reservoirs it was greatly improved bacterially, and, after efficient filtration, was of excellent chemical and bacterial quality for dietetic purposes. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—General filter well and No. 1 filter well 99·35, and No. 7 filter well 95·16. The water taken from the Lea by the East London Company at Angel Road on July 3rd, was turbid and pale yellow in colour. It was of excellent chemical but inferior bacterial quality and did not exhibit

much improvement, bacterially, after storage for 15 days. After efficient filtration, it was of excellent chemical and bacterial quality for dietetic purposes, the total bacterial improvement being represented by the following percentage numbers:—No. 1 Essex well and No. 11 filter bed 99·24, No. 2 Essex well 99·43, and No. 12 filter bed 99·62.

The deep-well waters of the Kent, Colne Valley, and East London Companies and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes and the Colne Valley Company's water being softened before delivery was thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Colne Valley, Tottenham, and East London (deep-well) waters were clear and colourless, the New River and East London (river supply) clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, the Thames water after preliminary filtration used by the Grand Junction Company, and the supplies of the various Companies collected on the 1st, 2nd, 3rd, and 4th of July, yielded the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, July 1st	1,320	18·7
" after storage for 14·7 days (Chelsea Company), July 1st	300	19·4
West Middlesex Company's water (supplying filters 1–5), July 2nd	880	18·7
Grand Junction Company's water arriving at Kew from Hampton, July 2nd	140	19·5
" " " passing on to No. 3 filter at Kew Bridge, July 2nd.	340	19·8
New River Cut before passing reservoirs, July 3rd	1,240	16·7
" " after " " but before filtration, July 3rd	460	17·1
Lea at Angel Road, July 3rd	2,100	17·4
" after storage for 15 days (East London Company), July 3rd	1,720	17·9
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general well, July 1st	80	19·4
West Middlesex Company's general well, July 2nd	28	19·2
Southwark Company's No. 4 well, July 1st	4	18·9
Grand Junction Company's general filter well at Hampton, July 1st	312	19·3
" " " " Kew Bridge, July 2nd	44	19·5
" " " south " " July 2nd	44	19·7
Lambeth Company's general well, July 1st	28	19·3
Lea.		
New River Company's general filter well, July 3rd	8	16·9
" " No. 1 " " July 3rd	8	16·9
" " No. 7 " " July 3rd	60	18·9
East London Company's No. 1 Essex well, July 3rd	16	17·7
" " No. 2 " " July 3rd	12	16·3
" " No. 11 bed, July 3rd	16	17·7
" " No. 12 " " July 3rd	8	18·3
Deep Wells.		
Kent Company's New Well at Deptford, July 4th	44	11·3
East London at Lea Bridge, July 3rd	4	11·3

Dr. Hill, F.I.C., Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and pale green in a two-foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a "little suspended matter."

I am, &c.

The Registrar General, &c. &c. E. Frankland.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	July 1st. Grand Junction Co.'s intake at Hampton.	° 18·7	27·40	·195	·040	·008	·144	·190	1·6	18·0
	Chelsea - - -	July 4th. Cab Rank, Victoria-street.	18·6	24·80	·095	·016	0	·134	·150	1·7	17·1
	West Middlesex -	July 4th. Riding House-street.	16·1	24·90	·099	·014	0	·153	·167	1·7	17·1
	Southwark -	July 4th. Bricklayer's Arms, Old Kent-road.	18·5	24·70	·095	·013	0	·151	·164	1·6	17·1
	Grand Junction -	July 4th. Portland-street, Oxford-street.	19·5	24·56	·099	·016	0	·143	·159	1·7	17·1
	Lambeth - -	July 4th. St. George's-road, Southwark.	19·4	25·74	·100	·012	0	·126	·138	1·7	17·7
	LEA. (Unfiltered water) -	July 3rd. New River Cut at Green-lanes.	16·7	32·20	·098	·025	·006	·178	·208	1·8	17·7
	New River - -	July 4th. Cab Rank, Tottenham Court-road.	17·7	28·22	·055	·008	0	·153	·161	1·8	18·9
	(Unfiltered water) -	July 3rd. East London Co.'s intake at Angel-road.	17·4	27·60	·155	·031	·007	·114	·151	1·9	18·3
	East London -	July 4th. Cab Rank, Sidney-street, E.	17·5	27·20	·081	·012	0	·131	·143	2·0	16·9
	DEEP WELLS. Kent - - -	July 4th. Police Station, Blackheath-road.	13·2	38·64	·026	·007	0	·459	·466	2·3	25·7
Outer Circle.	Colne Valley - -	July 6th. Bushey.	—	16·26	·064	·016	·024	·466	·502	2·1	5·7
	Tottenham - -	July 8th. Tottenham.	—	41·06	·057	·015	·064	·038	·106	2·9	22·1
	East London - -	July 9th. Lea Bridge Well.	—	38·32	·053	·014	·062	·043	·108	2·6	20·6
	Corporation of Birmingham* - - -	July 3rd. 3, Court, Bromsgrove-street.	17·8	33·00	·240	·035	·001	·100	·135	2·0	27·2
	Corporation of Glasgow† -	July 15th. Loch Katrine water.	14·4	2·64	·217	·017	0	·006	·023	·74	1·27
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 4th of July at the cab rank, Victoria-street, had a temperature of 18°·6 C.; 100,000 lbs. of it contained 24·80 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·095 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·134 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·150 lb. The above weight of water also contained 1·7 lb. of chlorine and 17·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 10th August, 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 10th Aug., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5816	4225	1718	675	6	109	39	76	65	46	736	126	244	696	46	20·8	5·3	75·8	43·0	57·6	14·22	1·10	2·79	33 Towns.
London	4,892,346	2340	1601	616	252	3	70	15	55	20	9	224	49	118	384	7	19·0	4·7	75·8	48·2	60·3	15·72	1·09	2·77	London.
West Ham	249,473	143	102	49	10	–	10	–	4	1	–	18	5	5	7	2	21·3	6·9	–	–	–	–	–	–	West Ham.
Croydon	114,923	42	30	13	9	–	–	–	–	1	–	5	–	2	1	–	13·6	2·7	73·6	47·5	58·8	14·89	0·74	1·88	Croydon.
Brighton	119,004	62	35	15	8	–	2	–	–	–	–	10	2	2	5	1	15·3	5·2	68·2	49·2	58·8	14·89	1·19	3·02	Brighton.
Portsmouth	174,751	91	52	24	11	–	–	–	–	1	1	10	3	3	9	1	15·5	3·6	70·0	51·0	58·4	14·67	1·40	3·56	Portsmouth.
Plymouth	89,096	48	31	11	5	–	–	–	–	–	–	1	–	–	3	1	18·1	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,139	84	64	17	16	–	–	–	1	–	1	5	1	3	14	1	14·6	1·6	68·0	44·0	55·8	13·22	1·43	3·63	Bristol.
Cardiff	155,637	97	63	30	11	–	1	–	1	2	–	14	3	6	4	–	21·1	6·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	52	36	15	3	–	2	–	–	–	1	5	1	4	2	–	19·4	4·3	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	43	51	28	5	–	1	–	1	–	1	16	–	–	5	–	31·0	11·5	70·2	44·3	55·0	12·78	0·89	2·26	Wolverhampton.
Birmingham	496,751	279	193	79	33	–	–	1	2	3	5	37	6	5	26	3	20·3	5·0	–	–	–	–	–	–	Birmingham.
Norwich	107,127	47	49	26	5	–	–	2	2	2	–	20	2	4	6	–	23·9	12·7	73·2	46·6	59·1	15·06	1·37	3·48	Norwich.
Leicester	193,839	101	90	49	14	–	–	–	–	3	1	26	1	5	6	1	24·2	8·1	–	–	–	–	–	–	Leicester.
Nottingham	226,658	121	95	46	20	–	–	2	–	–	2	21	1	4	8	1	21·9	5·8	71·6	43·0	56·6	13·67	0·38	0·97	Nottingham.
Derby	100,272	65	32	16	7	–	–	–	–	–	1	7	–	–	2	–	16·6	4·2	–	–	–	–	–	–	Derby.
Birkenhead	107,469	62	38	15	7	–	–	–	–	1	1	6	4	5	4	2	18·4	3·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	315	225	117	37	1	1	3	3	9	5	59	14	17	43	10	30·5	8·4	69·3	50·8	57·5	14·17	0·32	0·81	Liverpool.
Bolton	119,337	64	58	25	8	–	–	2	–	2	1	17	1	2	4	–	25·3	9·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	265	273	91	49	–	12	7	1	4	2	30	12	16	62	2	27·1	5·6	–	–	–	–	–	–	Manchester.
Salford	208,253	133	107	50	12	–	1	1	2	1	2	16	5	5	12	2	26·8	5·8	–	–	–	–	–	–	Salford.
Oldham	141,079	76	60	15	15	2	–	1	–	3	1	5	3	3	7	–	22·2	4·4	–	–	–	–	–	–	Oldham.
Burnley	99,591	66	49	25	6	–	–	–	–	–	–	4	1	1	–	–	25·7	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	86	54	16	7	–	7	–	–	2	1	9	1	3	6	1	22·1	7·8	–	–	–	–	–	–	Blackburn.
Preston	112,638	79	73	38	5	–	1	–	–	–	1	27	1	1	4	–	33·8	13·4	–	–	–	–	–	–	Preston.
Huddersfield	99,482	39	27	3	8	–	–	–	–	–	–	1	–	–	–	–	14·2	0·5	73·0	47·0	57·7	14·28	0·60	1·52	Huddersfield.
Halifax	93,813	46	28	9	5	–	–	1	–	–	1	–	2	3	5	–	15·6	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	99	79	31	11	–	–	1	–	2	–	22	2	4	13	–	18·2	5·8	67·6	52·0	57·0	13·89	1·89	4·80	Bradford.
Leeds	395,546	224	155	68	32	–	–	2	1	3	4	34	2	8	13	2	20·4	5·8	–	–	–	–	–	–	Leeds.
Sheffield	342,768	207	152	74	19	–	–	–	2	–	2	44	1	2	16	5	23·1	7·3	–	–	–	–	–	–	Sheffield.
Hull	216,722	161	87	45	22	–	–	1	–	1	–	26	–	2	5	2	20·9	6·7	–	–	–	–	–	–	Hull.
Sunderland	137,705	93	63	21	7	–	–	–	–	1	2	8	1	3	8	–	23·9	4·2	71·0	47·0	55·8	13·22	1·89	4·80	Sunderland.
Gateshead	95,871	62	31	14	3	–	–	–	–	1	1		–	3	3	–	16·9	3·8	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	124	72	27	13	–	1	–	1	2	–	4	2	5	9	2	18·1	2·0	–	–	–	–	–	–	Newcastle.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2885	2655	2634	2228	2180	2175	2721	2755	2320	2200	2612·5	2340
Males . .	1505	1367	1351	1165	1129	1098	1410	1413	1184	1078	1340·4	1216
Females .	1380	1288	1283	1063	1051	1077	1311	1342	1136	1122	1272·1	1124
TOTAL **Deaths**	1472	1505	1885	1476	1366	1594	1627	1421	1617	1450	1626·7	1601
Males . .	766	793	980	773	710	833	849	730	822	747	844·6	870
Females .	706	712	905	703	656	761	778	691	795	703	782·1	781

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.
TOTAL **Births** - -	2496	2640	2569	2333	2678	2639	2488	2651	2586	2557	2575	2624	2340
TOTAL **Deaths** - -	1389	1371	1308	1247	1213	1276	1429	1519	1768	1996	1939	1806	1601
Ages at Death: Under 1 year -	325	327	279	254	263	314	425	548	680	880	892	772	616
1—5 years -	209	192	195	190	198	212	231	222	281	310	286	308	272
5—20 " -	84	87	87	84	73	82	81	82	95	104	90	87	79
20—40 " -	172	196	175	158	170	176	185	169	188	165	184	166	167
40—60 " -	258	253	254	249	240	218	232	240	240	237	207	211	215
60—80 " -	280	269	271	266	232	229	226	212	235	251	242	207	222
80 years & upwards	51	47	47	46	37	45	49	46	49	49	38	55	30
Deaths from—													
Small-pox - - - -	-	-	-	-	1	-	1	3	1	-	1	1	3
Measles - - - -	39	32	50	36	71	71	84	73	75	82	94	67	70
Scarlet fever - - -	13	10	17	17	12	11	18	12	20	23	14	24	15
Diphtheria - - -	41	37	41	33	45	37	38	53	50	39	48	57	55
Whooping-cough - -	31	39	30	22	20	18	29	25	19	28	22	17	20
Typhus - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric fever - - -	8	9	5	8	5	4	7	5	11	5	9	12	9
Simple Continued fever -	-	-	-	-	-	1	-	-	-	1	-	1	-
Diarrhœa and Dysentery -	18	14	16	19	21	46	92	169	270	373	397	373	224
Cholera - - - -	-	-	-	1	-	2	3	4	4	12	15	9	5
All the above Diseases	150	141	159	137	175	190	272	344	450	563	600	561	401
Dis. of Respiratory System	240	245	193	163	152	186	160	160	187	193	185	171	159
Phthisis - - -	128	172	148	162	143	134	147	119	130	131	111	127	135
Dis. of Circulatory System	127	128	114	123	99	111	97	110	107	126	92	108	100
Violence - - -	77	59	64	55	55	43	64	72	74	71	69	53	49
Inquest Cases - - -	138	122	123	121	107	94	123	144	139	163	147	121	118
Deaths in Public Institutions	425	450	397	395	349	360	422	415	449	433	384	436	384
TEMPERATURE OF THE AIR													
Mean - - - -	55·9°	52·3°	61·0°	60·7°	58·7°	60·5°	65·8°	61·8°	65·6°	62·8°	62·6°	59·0°	60·3°
Mean of Highest readings -	65·4°	62·5°	74·6°	73·0°	70·6°	73·9°	79·8°	71·8°	78·7°	73·3°	71·7°	67·2°	71·3°
Mean of Lowest readings -	47·7°	44·6°	48·5°	49·3°	48·0°	48·4°	53·3°	53·8°	53·7°	54·0°	55·9°	53·1°	52·7°
Humidity of the Air - -	68	81	69	68	61	64	61	65	55	67	81	82	78
Rain-fall (in inches) - -	0·19	0·19	0·08	0·02	0·02	0·10	0·02	0·30	0·13	0·46	1·66	1·23	1·09
Registered Sunshine (in hours)	20·2	22·3	49·9	53·0	33·7	38·1	37·8	32·5	59·7	30·1	17·8	12·0	29·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	27	29	22	23	19	22	34	42	71	89	199	237	273
Scarlet fever - - - -	1446	1503	1524	1589	1637	1732	1894	2044	2241	2267	2347	2423	2511
Diphtheria - - - -	484	492	508	529	562	593	633	633	637	638	681	686	689
Enteric fever - - - -	91	126	139	141	147	142	147	146	143	123	121	108	106

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

Table 4. LONDON.—Deaths Registered at several groups of Ages from different Causes in the Thirty-second Week of the Year 1895.

Causes of Death.	Corrected Averages for the 32nd Week of the 10 years 1885–94.*	In the Week ending Saturday, 10th August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1626·7	1601	16	272	79	167	215	222	39
Small-pox: Vaccinated†	0·5	2	-	-	-	2	-	-	-
Small-pox: Unvaccinated	0·9	1	-	-	-	1	-	-	-
Small-pox: No Statement	1·1	-	-	-	-	-	-	-	-
Measles	44·5	70	19	48	3	-	-	-	-
Scarlet Fever	17·1	15	-	12	3	-	-	-	-
Typhus	0·6	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	3·1	4	1	-	-	-	1	2	-
Whooping-cough	35·9	20	11	9	-	-	-	-	-
Diphtheria	32·3	55	3	34	6	-	-	-	-
Simple Continued and Ill-defined Fever	0·8	-	-	-	-	-	-	-	-
Enteric Fever	11·7	9	-	2	3	3	-	1	-
Cholera and Chol. Diarr.	6·1	5	3	2	-	-	-	-	-
Diarrhœa, Dysentery	212·7	224	177	33	1	-	2	10	1
Remittent Fever	0·4	-	-	-	-	-	-	-	-
Hydrophobia	0·2	-	-	-	-	-	-	-	-
Glanders	-		-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·3	-	-	-	-		-	-	-
Venereal Affections	12·1	7	4	2	-	-	1	-	-
Erysipelas	3·3	7	4	-	-	-	2	1	-
Pyæmia and Septicæmia	2·3	-	-	-	-	-	-	-	-
Puerperal Fever	3·9	5	-	-	-	4	1	-	-
Other Zymotic Diseases	1·5	2	1	1	-	-	-	-	-
Thrush	2·3	3	3	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·3	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	2·2	2	2	-	-	-	-	-	-
Alcoholism	7·8	15	-	-	-	6	8	1	-
Rheumatic Fever, Rheumatism of Heart	6·8	2	-	-	2	-	-	-	-
Rheumatism	1·8	1	-	-	-	-	-	-	1
Gout	2·7	-	-	-	-	-	-	-	-
Rickets	4·9	3	2	1	-	-	-	-	-
Cancer	62·7	67	-	-	2	10	24	28	3
Tabes Mesenterica	45·4	47	33	11	-	3	-	-	-
Tubercular Meningitis	28·7	34	13	19	2	-	-	-	-
Phthisis	144·4	135	4	5	15	61	36	14	-
Scrofula, Tuberculosis	23·1	20	6	9	1	2	2	-	-
Other Constitutional Diseases	11·2	16	-	1	2	4	6	3	-
Premature Birth	43·7	41	41	-	-	-	-	-	-
Atelectasis	2·6	7	7	-	-	-	-	-	-
Congenital Malformations	7·3	7	7	-	-	-	-	-	-
Old Age	43·6	30	-	-	-	-	-	19	11
Apoplexy	37·8	29	-	-	1	4	9	14	1
Epilepsy	6·5	5	1	-	-	2	2	-	-
Convulsions	51·2	46	42	3	-	1	-	-	-
Other Diseases of Brain and Nervous System	39·1	73	15	9	4	6	16	18	5

Causes of Death.	Corrected Averages for the 32nd Week of the 10 years 1885–94.*	In the Week ending Saturday, 10th August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.
Diseases of Organs of Special Sense	2·6	2	-	1	-	-	1	-
Diseases of Circulatory System	110·3	100	7	3	3	14	34	37
Croup	6·1	2	1	1	-	-	-	-
Bronchitis	87·3	65	21	19	1	1	4	17
Pneumonia	66·9	66	23	22	1	4	10	6
Pleurisy	4·1	7	-	1	2	3	1	-
Other Diseases of Respiratory System	17·9	19	7	2	1	1	4	5
Dentition	10·9	6	5	1	-	-	-	-
Quinsy, Sore Throat	1·4	1	-	1	-	-	-	-
Enteritis	26·6	70	49	12	2	2	3	2
Peritonitis	7·8	4	-	1	2	1	-	-
Diseases of Liver	30·5	26	5	-	-	4	8	9
Other Diseases of Digestive System	34·6	30	13	1	1	4	3	8
Diseases of Lymphatic System & of Ductless Glands	1·8	2	1	-	-	1	-	-
Diseases of Urinary System	39·4	46	-	-	-	7	19	18
Diseases of Generative System	4·9	5	-	-	-	2	1	2
Accidents of Childbirth	5·0	7	-	-	-	6	1	-
Diseases of Locomotive System	6·2	6	-	-	1	1	2	2
Diseases of Integumentary System	4·5	3	2	-	-	1	-	-
VIOLENT DEATHS.‡								
(Accident.)								
By Railways	51·4	-	-	-	-	-	-	-
By Vehicles or Horses		6	-	1	2	1	2	-
In Ships, Boats, Docks (exclusive of Drowning)		1	-	-	-	-	1	-
In Building Operations		1	-	-		-	1	-
In Conflagrations		-	-	-	-	-	-	-
By Burns, Scalds, Explosions		1	-	1	-	-	-	-
By Drowning		7	-	-	3	2	2	-
By Suffocation in Bed		9	9	-	-	-	-	-
By Poisons or Poisonous Vapours		5	-	1	1	-	2	-
Other or not stated Causes		11	3	-	2	2	2	-
(Violence other than Accidental.)								
Homicide	1·5	2	2	-	-	-	-	-
Suicide	8·4	6	-	-	1	1	2	-
Execution	-	-	-	-	-	-	-	-
Other Causes	79·2	76	69	1	1	-	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a regi practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, m manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 10th August, 1895.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON - -	4,211,743	2340	1601	616	252	3	70	15	55	20	-	9	-	224	49	118	384	7
WEST DISTRICTS - - - -	740,735	350	250	90	61	-	5	2	5	3	-	-	-	33	5	12	66	1
NORTH DISTRICTS - - - -	993,884	509	343	137	49	-	10	4	19	2	-	2	-	43	6	20	82	-
CENTRAL DISTRICTS - - -	247,538	135	80	24	5	-	12	1	-	1	-	-	-	7	6	9	32	-
EAST DISTRICTS - - - -	705,114	430	339	135	45	-	23	4	16	3	-	1	-	43	12	39	74	-
SOUTH DISTRICTS - - -	1,524,472	916	561	230	85	-	15	2	15	11	-	6	-	90	20	38	102	6
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON * - - - -	—	-	28	-	7	3	-	2	-	-	-	-	-	-	-	-	28	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	51	28	14	9	-	-	-	-	1	-	-	-	3	-	-	3	1
St. John Paddington *H* - - G.J.	33687	12	6	1	2	-	-	-	-	-	-	-	-	-	1	2	3	-
Kensington Town *Ww* - - W.M.	118751	51	50	10	16	-	1	-	-	1	-	-	-	7	1	2	23	-
Brompton - - - W.M. & C.	47557	10	6	3	1	-	-	-	1	-	-	-	-	2	-	1	-	-
St. Peter Hammersmith - - W.M*	8583	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	32	28	11	10	-	-	-	1	-	-	-	-	7	-	-	2	-
Fulham *Ww* - - - W.M. & C	91639	76	48	22	4	-	3	-	3	-	-	-	-	5	-	1	11	-
Chelsea Kensal Town - - - C.	21787	12	9	6	-	-	-	2	-	-	-	-	-	3	-	1	-	-
Chelsea North *WHHHH* - - C.	41637	21	12	4	4	-	-	-	-	-	-	-	-	2	-	-	4	-
Chelsea South *HH* - - - C.	32829	18	13	8	2	-	-	-	-	-	-	-	-	3	-	-	4	-
May Fair *WH* - - - - G.J.	23733	6	10	1	3	-	-	-	-	-	-	-	-	-	1	1	7	-
Belgrave *WHHH* - - - - C.	54831	24	17	3	5	-	-	-	-	-	-	-	-	2	1	2	8	-
St. John Westminster *HH* - C.	34106	22	13	5	1	-	1	-	-	1	-	-	-	2	1	1	-	-
St. Margaret Westminster *H* - C.	21668	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24993	10	6	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Anne Soho *HHHHHH* - - N.R.	12317	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	11	9	4	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Rectory Marylebone *WH* G.J. & W.M.	20024	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	31	8	4	2	-	-	-	-	-	-	-	-	2	-	1	2	-
Christchurch Marylebone *HH* - W.M.	33327	17	12	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-
St. John Marylebone *H* - - W.M.	32101	23	10	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	36	25	7	6	-	-	-	5	-	-	-	-	2	-	1	8	-
Regent's Park Pancras *HH* - W.M.	36590	11	13	3	2	-	-	-	-	1	-	-	-	-	-	-	2	-
Tottenham-court *wHHH* N.R. & W.M.	26321	13	19	4	1	-	-	1	1	-	-	1	-	3	1	1	12	-
Gray's Inn Lane *HHH* - - N.R.	27455	15	8	2	3	-	-	-	-	-	-	-	-	1	-	2	2	-
Somers Town *HH* - - - N.R.	32829	14	8	5	-	-	-	-	-	-	-	-	-	4	1	1	2	-
Camden Town *WH* - - - N.R.	15419	11	14	5	-	-	2	-	-	-	-	-	-	3	-	-	5	-
Kentish Town *WW* - - - N.R.	95765	41	33	22	4	-	1	-	-	-	-	-	-	6	-	1	1	-
Upper Holloway *WWWwHHH* - N.R.	90235	50	40	10	10	-	2	-	1	-	-	-	-	4	1	2	20	-
Islington South-west *H* - - N.R.	105557	61	31	14	3	-	1	-	1	-	-	-	-	2	-	2	-	-
Islington South-east - - - N.R.	64153	26	16	7	1	-	1	-	-	1	-	1	-	1	-	2	-	-
Highbury *HH* - - - - N.R.	59193	27	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H* - - - N.R.	30936	14	9	1	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Stamford Hill - - - - E.L.	17759	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42802	15	10	6	2	-	-	-	-	-	-	-	-	4	-	-	1	-
Hackney *WwwH* - - E.L. & N.R.	96486	60	58	27	6	-	2	3	10	-	-	-	-	9	1	2	24	-
South Hackney *w* - - - E.L.	41759	18	6	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	19	6	1	3	-	-	-	-	-	-	-	-	1	-	-	2	-
St. Giles North *H* - - - N.R.	9633	3	3	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Mary-le-Strand *H* - - - N.R.	5706	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Clement Danes *WH* - - N.R.	7194	1	4	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
Strand Union Workhouse, Edmonton -	†1037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	6	9	5	-	-	-	-	-	-	-	-	-	-	-	-	6	-
St. Andrew Eastern *WH* - - N.R.	15343	2	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	7	6	1	-	-	2	-	-	1	-	-	-	3	-	1	-	-
Amwell Clerkenwell - - - N.R.	16888	5	6	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Pentonville - - - - - N.R.	17155	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	40	12	3	-	-	6	-	-	-	-	-	-	1	1	1	2	-
Whitecross-street - - - N.R.	3273	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	13	-	-	-	-	-	-	-	-	-	-	-	3	4	13	-
St. Bride *W* - - - - N.R.	6594	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT urday, 10th August, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	9	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Hoxton New Town *w* - - - N.R.	29313	15	16	6	5	-	1	-	-	-	-	-	-	4	-	-	4	-
Hoxton Old Town - - - - N.R.	28354	17	8	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Haggerston *WH* - - N.R. & E.L.	46244	29	12	6	2	-	-	-	-	-	-	-	-	3	2	2	4	-
Bethnal Green North *H* - - E.L.	51520	39	25	13	4	-	3	1	-	-	-	-	-	3	-	2	-	-
Bethnal Green South - - - E.L	33489	21	19	9	1	-	-	-	2	-	-	-	-	2	1	4	-	-
Bethnal Green East *WHL** - E.L.	44123	22	11	2	2	-	1	-	1	-	-	-	-	-	-	-	3	-
Spitalfields - - - E. N.R.	22456	16	11	6	2	-	2	-	-	1	-	-	-	1	-	3	-	-
Mile End New Town *W* - - E.L.	17908	13	11	4	1	-	-	-	1	-	-	-	-	1	-	-	4	-
Whitechapel Church *H* E.L. & N.R.	20298	21	25	5	-	-	2	-	6	1	-	1	-	1	3	3	19	-
Goodman's Fields - - - E.L.	13800	13	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.L.	37738	29	14	7	1	-	-	-	-	-	-	-	-	5	-	2	-	-
St. John, St. George East *W* - E.L.	8957	4	7	2	1	-	2	-	-	-	-	-	-	2	-	1	3	-
Shadwell *H* - - - E.L. & N.R.	10246	3	18	8	2	-	4	-	-	-	-	-	-	-	1	3	10	-
Ratcliff *W* - - - - - E.L.	14928	3	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Limehouse - - - - E.L.	32202	26	19	10	3	-	2	-	-	-	-	-	-	3	2	4	-	-
Mile End Old Town West *H* - E.L.	38650	27	11	5	3	-	-	-	1	1	-	-	-	1	-	2	-	-
Mile End Old Town East *W Wwo* E.L.	68942	35	39	9	8	-	5	1	2	-	-	-	-	3	-	3	7	-
Bow *L** - - - - - E.L.	40365	24	15	7	1	-	1	-	-	-	-	-	-	3	1	1	3	-
Bromley *wwwH* - - - - E.L.	70000	33	40	17	6	-	4	1	1	-	-	-	-	7	1	2	14	-
Poplar *WW* - - - - - E.L.	56383	31	25	14	1	-	-	-	2	-	-	-	-	3	1	4	2	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	18264	8	7	2	1	-	1	-	-	-	-	-	-	2	-	-	1	-
St Saviour Southwark - - - S.	18913	14	10	5	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Kent-road - - - - - S. & L.	21887	12	12	4	1	-	1	-	-	1	-	-	-	2	-	1	-	-
Borough-road *WH* - - S. & L.	16624	13	4	1	-	-	-	-	-	-	-	-	-	1	-	-	3	-
London-road *HL* - - L. & S.	21221	8	4	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Trinity Newington - - S. & L.	26596	24	10	4	-	-	1	-	-	-	-	-	-	2	-	1	-	-
St. Peter Walworth *W* - S. & L.	61342	40	29	18	5	-	-	-	1	1	-	-	-	6	-	2	3	-
St. Mary Newington - - L. & S.	27866	22	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	12723	8	21	4	4	-	-	-	-	-	-	-	-	2	2	3	13	-
Leather Market *W* - - S. & L.	30612	27	10	5	-	-	2	-	-	-	-	-	-	1	-	-	-	-
St. James Bermondsey - - S.	54070	45	18	8	3	-	2	-	1	1	-	-	-	6	-	-	-	-
Rotherhithe *WwH* - - S. & K.	39255	20	15	5	3	-	1	-	1	-	-	-	-	2	1	2	5	-
Waterloo-road 1st *H* - - L. & S.	14031	7	8	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Waterloo-road 2nd *H* - - L. & S.	14644	22	5	2	-	-	1	-	1	1	-	-	-	-	1	1	-	-
Lambeth Church 1st *H* - - L. & S.	18075	9	27	8	4	-	1	-	-	1	-	1	-	4	3	3	18	-
Lambeth Church 2nd *WW* - L. & S.	39097	30	16	7	4	-	-	-	1	-	-	-	-	2	-	-	6	1
Kennington 1st *H* - - S. & L.	50586	36	12	7	1	-	-	-	-	2	-	-	-	3	1	1	-	-
Kennington 2nd - - - S. & L.	39708	15	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - - L. & S.	73405	35	22	6	3	-	1	1	-	1	-	1	-	6	-	1	3	1
Norwood *WH* - - - - L.	25657	10	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea - - - - S.	67244	41	25	13	3	-	2	-	-	-	-	-	-	5	-	2	-	-
West Battersea *WwH* - - - S.	83314	51	26	12	3	-	1	-	1	1	-	-	-	4	2	3	3	-
Clapham *H* - - - - - S.	43698	17	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Wandsworth *WHHL* - - - S.	46717	38	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - - - S.	17771	8	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Streatham *www* - - - - L.	48756	22	10	6	2	-	-	-	2	-	-	-	-	2	-	-	1	1
Dulwich - - - - L. & S.	6809	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - - S. & L.	81686	26	41	9	12	-	-	-	1	-	-	-	-	2	-	2	20	-
Peckham *W* - - - - S., L., & K.	83488	46	30	16	4	-	-	-	-	-	-	-	-	5	1	2	-	-
St. George Camberwell - - L. & S.	63366	37	22	9	4	-	-	-	-	-	-	1	-	3	1	2	-	-
Deptford, North - - - - K.	35314	28	14	10	-	-	1	-	2	-	-	-	-	3	1	-	-	-
Deptford, Central *w* - - - K.	42007	33	17	6	1	-	-	1	4	-	-	2	-	4	1	1	5	-
Deptford, South - - - - K.	30852	10	11	4	2	-	-	-	-	1	-	1	-	1	-	-	-	-
Greenwich West *H* - - - K.	22007	18	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - - K.	35233	20	22	5	5	-	-	-	-	1	-	-	-	1	2	3	9	-
Eltham *wH* - - - - - K.	5682	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	11	7	2	3	-	-	-	-	-	-	-	-	1	1	2	-	1
Lewisham *WH* - - - - K.	30950	24	6	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Sydenham *H* - - - - - L.	34162	15	11	6	3	-	-	-	-	-	-	-	-	4	-	-	1	-
Charlton *HH* - - - - K.	14040	11	4	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Woolwich Dockyard - - - K.	19606	3	5	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1
Woolwich Arsenal *HHHH* - K.	21242	12	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead, West *H* - - - K.	15869	10	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Plumstead, East *WH* - - - K.	36567	22	17	8	3	-	-	-	-	-	-	-	-	6	-	-	3	-
Banstead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Caterham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Hospital Ships and Camp, Dartford -	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	3	-
Darenth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch Asylum - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 10th August, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	871	476	234	76	–	18	5	7	5	3	107	14	20	26	9
30 : 1	Carshalton *wHH*	12228	26108	16	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–		–	–	–	–	–	–		–	–	–
38 : 1	Croydon *WwHHH*	20851	128899	53	34	15	11	–	–	–	–	1	–	6	–	3	1	–
2	Mitcham *w*	11697	23088	10	2	2	–	–	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	12	3	2	1	–	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	8071	44765	28	13	6	3	–	–	–	–	–	–	–	1	2	–	–
3	Esher, *part of** *HH*	6601	12059	8	4	1	1	–	–	–	–	–	–	–	2	2	–	–
4	Hampton *H*	4565	18252	4	3	1	–	–	–	–	–	–	–	1	1	1	–	–
40 : 1	Richmond *WH*	2160	25389	14	14	5	3	–	–	1	–	–	–	1	–	1	1	–
2	Mortlake *H*	2323	16159	9	2	1	1	–	–	–	–	–	–	1	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6542	21969	14	5	2	1	–	–	–	–	–	–	–	–	–	–	1
	Chislhrst, *pt. of** *WHH*	14307	20372	13	8	3	2	–	–	–	–	–	–	2	–	–	3	–
42 : 1	Bexley *HH*	12540	30590	18	8	1	2	–	–	–	–	–	–	3	–	–	–	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–	–	1	1	1	–
124 : 1	Sunbury *w*	11054	13671	8	5	4	2	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	6	6	2	2	–	–	–	–	–	–	1	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	5	5	2	2	–	–	–	–	–	–	–	–	–	–	1
2	Uxbridge	6172	5417	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14587	12618	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	28273	12	10	5	1	–	–	1	–	–	–	5	–	–	1	–
2	Twickenham *HH*	2415	16027	6	4	3	–	–	–	–	–	–	–	3	–	–	–	–
3	Brentford *HHHH*	4318	37777	18	11	4	4	–	–	–	–	–	–	3	1	1	–	–
4	Chiswick	1245	21963	8	9	5	1	–	–	1	–	–	–	3	–	–	–	–
5	Aston *wH*	6132	30945	24	16	9	1	–	2	–	–	–	–	2	–	–	1	–
127 : 1	Harrow *HHH*	13809	15715	16	3	1	1	–	–	–	–	–	–	–	–	–	1	–
2	Edgware *HH*	6994	3844	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61365	45	24	13	3	–	–	–	–	1	1	5	–	–	–	–
4	Hendon *WH*	8382	15843	5	6	5	1	–	–	–	–	–	–	2	–	–	–	–
128 : 1	South Mimms *H*	15599	3474	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	6	5	1	2	–	–	–	–	–	–	–	–	–	1	–
3	Finchley *HHH*	4688	25820	13	2	–	2	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH*	3039	61097	33	15	7	3	–	1	–	–	–	–	3	–	1	1	
2	Tottenham *H*	4642	97174	68	27	18	2	–	–	1	–	1	–	5	–	–	1	
3	Edmonton *Www*	7439	36351	35	16	6	3	–	–	–	–	–	–	4	2	2	4	
4	Enfield *WWHH*	12639	31803	29	12	10	–	–	1	–	–	–	–	5	1	1	–	
5	Waltham Abbey	11017	6066	6	1	–	–	–	–	–	–	–	–	–	–	–	–	
6	Cheshunt *H*	8480	9620	6	6	5	1	–	–	–	–	–	–	3	–	–	–	
135 : 1	Hatfield, *part of** *W*	3806	582	1	2	1	1	–	–	–	–	–	–	–	–	–	–	
137 : 1	Bushey *H*	9331	7737	6	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
186 : 1	Stratford *H*	1100	42983	32	23	10	–	–	1	–	3	–	–	1	1	1	2	
2	Plaistow	1242	58030	49	38	19	3	–	5	–	–	1	–	7	3	3	–	
3	Canning Town *H*	1558	54750	37	23	11	3	–	4	–	–	–	–	5	1	1	–	
4	Forest Gate *w*	806	49140	25	13	8	2	–	–	–	–	–	–	5	–	–	–	
5	East Ham *w*	3266	32713	44	21	15	2	–	1	1	–	–	–	10	–	–	–	
6	Leyton *WWWwH*	4334	70188	33	29	11	5	–	1	–	2	1	2	5	–	–	7	
7	Walthamstow *HHL*	6501	57330	46	22	15	–		1	–	–	–	–	9	–	–	1	
187 : 1	Chigwell *part of** *H*	11779	12941	1	4	1	1	–	–	–	1	–	–	1	–	–	–	
2	Epping *Work.* pt. of*	—	—	1	–	–	–	–	–		–	–	–			–	–	
189 : 1	Romford *part of** *WH*	6556	4324	4	6	–	3	–	–	–	1	–		1	–	–	–	
2	Ilford	8493	10913	10	4	1	–	–	–	–	–	–	–	1	–	–	–	
3	Barking Town *H*	3814	14301	12	5	3	–	–	1	–	–	–	–	4	–	–	–	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1736); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1979); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 10th August, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	17·9	4·7	2077	850	328	3	88	20	62	25	12	331	63	410
INNER LONDON	74,672	4,392,346	19·0	4·7	1601	616	252	3	70	15	55	20	9	224	49	384
OUTER RING	368,749	1,656,209	15·0	4·6	476	234	76	–	18	5	7	5	3	107	14	26

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	273,535	August 10	145	84	16·0	–	–	1	1	1	1	8
GLASGOW	695,876	„ 10	427	233	17·5	–	5	3	–	5	2	34
DUBLIN	349,594	„ 10	172	149	22·2	–	–	–	–	1	3	23
CALCUTTA	466,460	June 22	–	200	22·3	9	–	–	–	–	70	35†
BOMBAY	821,764	July 16	264	437	27·6	5	5	?	?	?	92	35
MADRAS	452,518	„ 5	341	279	32·0	–	1	?	?	?	112	28†
PARIS	2,424,705	August 3	1133	868	18·6	–	28	2	4*	7	9	147
BRUSSELS	507,985	„ 3	238	150	15·4	–	–	–	1*	1	–	28
AMSTERDAM	451,493	„ 3	290	139	16·0	–	–	–	1	–	1	1
ROTTERDAM	272,042	„ 3	159	83	15·8	–	2	–	–	–	–	3
THE HAGUE	180,455	„ 3	97	49	14·1	–	–	1	–	2	1	–
COPENHAGEN	341,000	„ 3	203	101	15·4	–	–	2	2	3	1	16
STOCKHOLM	259,304	July 27	113	76	15·2	–	–	1	–	–	–	24
CHRISTIANIA	174,717	August 3	27	77	22·9	–	–	1	1	1	–	24
ST. PETERSBURG	954,400	July 20	488	506	27·6	1	6	6	6	9	19	117
MOSCOW	753,469	„ 27	–	710	49·1	–	7	5	3	1	13	287
BERLIN	1,724,544	„ 20	843	778	23·4	–	11	16	15	3	2	279
HAMBURG	608,710	„ 27	–	218	18·6	–	–	2	1*	5	4	35
DRESDEN	320,600	August 3	–	210	18·0	–	–	3	1*	1	1	25
BRESLAU	367,769	July 13	–	–	–	–	–	–	–	–	–	–
MUNICH	396,000	August 3	–	310	44·1	–	3	6	6*	–	2	110
VIENNA	1,495,764	„ 3	842	688	23·9	–	15	7	9*	10	2	173
PRAGUE	351,478	July 27	195	165	24·4	–	2	–	1	–	2	10
BUDA-PESTH	566,022	„ 27	430	282	25·9	–	2	1	3	–	1	81
TRIESTE	160,825	„ 20	103	78	25·2	–	–	4	4*	2	–	1
ROME	464,579	May 18	224	140	15·7	–	6	–	1	–	3‡	4
TURIN (10 days)	344,203	„ 25	189	171	19·2	–	5	–	1	1	–	7
VENICE	158,159	July 20	–	–	–	–	–	–	–	–	–	–
		„ 13	87	67	22·1	–	–	–	2*	2	1	13
		„ 20	90	66	21·8	–	–	–	–	1	–	9
CAIRO	374,838	„ 8	384	384	53·3	6	–	–	–	–	5	154
ALEXANDRIA	231,396	„ 8	183	178	40·1	1	–	–	1*	–	7	53
NEW YORK	1,860,700	„ 27	–	1042	29·1	–	18	5	28	16	7	268
BROOKLYN	1,100,000	„ 27	–	583	27·6	–	3	1	15	10	5	188
PHILADELPHIA	1,163,864	„ 27	–	593	26·6	–	3	3	24	3	7	143
NEW ORLEANS	275,000	June 29	–	185	35·1	–	–	–	1	–	14	30

* Including deaths from croup.
† Including 18 deaths from cholera in Calcutta, and one in Madras.
‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 10TH AUGUST, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Great-est.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Great-est.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
AUGUST.																									
SUNDAY .	4	..	29·195	68·2	51·4	16·8	58·1	− 4·1	50·1	8·0	19·2	0·4	75	135·8	50·5	61·90	WSW.	SW. & WSW.	2·7	0·0	0·1	274	+ 21	0·09	3·8
MONDAY .	5	Full	29·312	68·2	48·2	20·0	58·2	− 4·1	49·3	8·9	15·8	0·4	73	128·9	47·2	61·60	SW. & WSW.	SW. SSW. & S.	3·5	0·0	0·4	355	+ 99	0·07	0·8
TUESDAY.	6	..	29·410	68·8	54·1	14·7	58·5	− 3·9	52·6	5·9	17·3	1·1	81	123·6	50·0	61·25	SW. & W.	WSW. & SW.	5·6	0·0	0·7	431	+173	0·13	2·5
WEDNESDAY	7	Apogee.	29·636	70·2	51·2	19·0	58·6	− 3·9	51·8	6·8	18·7	0·0	78	124·0	47·9	61·08	SW. & WSW.	WSW. & SW.	2·7	0·0	0·1	267	+ 8	0·21	0·7
THURSDAY	8	...	29·685	73·9	51·4	22·5	60·8	− 1·7	51·5	9·3	22·1	0·0	71	137·3	48·7	61·00	SW.	SW. SSW. & ESE.	2·3	0·0	0·1	188	− 71	0·21	1·0
FRIDAY .	9	In Equator.	29·590	73·7	55·2	18·5	63·0	+ 0·5	57·3	5·7	14·8	0·0	82	131·2	55·8	61·00	S. & SW.	SW. & SSW.	3·3	0·0	0·5	341	+ 83	0·04	1·0
SATURDAY	10	..	29·552	75·8	57·5	18·3	64·9	+ 2·4	60·0	4·9	16·3	1·3	84	127·0	55·1	61·30	SSW.	S. & SE.	8·5	0·0	0·1	171	− 85	0·34	4·0
MEANS . .		..	29·483	71·3	52·7	18·5	60·3	− 2·1	53·2	7·1	17·7	0·5	78	129·7	50·7	61·30	SW.		..	..	..	Sum 2027	Sum + 228	Sum 1·09	2·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	4	m. P. till afternoon; w. P. and s. N. afterwards.	6·5	15·2	Fine generally; variable amounts of cloud; showery in early morning and in afternoon; distant thunder at 5h. P.M.
MONDAY .	5	w. P. generally, with s. N. for a short time in afternoon.	3·4	15·1	Generally cloudy; heavy showers of rain in afternoon; occasional rain at night.
TUESDAY .	6	w. P. in early morning; v. P. and v. N. afterwards.	1·8	15·1	Variable; showery in early morning; sharp thunderstorm at 3h. P.M.
WEDNESDAY	7	m. P. till 10h. A.M; v. P. and v. N. afterwards.	4·9	15·0	Heavy rain shortly before noon; otherwise very fine.
THURSDAY	8	m. P. till afternoon; v. P. in evening.	6·6	15·0	Very fine till 8h. P.M.; afterwards overcast; heavy rain after 8h. P.M.
FRIDAY	9	m. P. generally.	4·2	14·9	Overcast till noon; with heavy rain till 3½h. A.M. very fine during the afternoon; cloudy after 7h. P.M.
SATURDAY .	10	m. P. till noon; v. P. and s. N. afterwards.	2·3	14·9	Generally cloudy till evening; violent thunderstorm at 10h. P.M., afterwards fine and clear.
			Sum 29·7	Sum 105·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·18 in. at the beginning of the week to 29·36 in. by 10h. A.M. on the 5th; decreased to 29·18 in. by 4h. A.M. on the 6th; increased to 29·72 in. by 10h. A.M. on the 8th; decreased to 29·55 in. by 5h. A.M. on the 9th; increased to 29·64 in. by 2h. A.M. on the 10th; and decreased to 29·42 in. by the end of the week.

ERRATUM.—On the last page of the Return for the week ending 27th July, third line from

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1895. VOL. LVI.] WEEK ENDING SATURDAY, AUGUST 17. [Price 1½*d.*

General Register Office, Somerset House,
August 19th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Towns.	Weeks ending July 27.	Aug. 3.	Aug. 10.	Aug. 17.
Birkenhead	28·6	13·1	18·4	10·7	Liverpool - -	30·0	30·0	30·5	27·7
Birmingham	20·3	19·9	20·3	19·7	London - -	23·0	21·4	19·0	17·3
Blackburn -	22·1	14·7	22·1	20·4	Manchester -	25·0	23·6	27·1	25·5
Bolton -	20·1	23·6	25·3	25·3	Newcastle-on-Tyne	16·9	18·6	18·1	16·9
Bradford -	21·4	16·4	18·2	19·6	Norwich - -	25·8	26·8	23·9	16·5
Brighton -	11·8	11·8	15·3	14·4	Nottingham -	17·7	19·6	21·9	22·8
Bristol -	13·7	16·2	14·6	13·3	Oldham - -	15·9	14·4	22·2	19·6
Burnley -	20·9	17·8	25·7	24·1	Plymouth - -	20·5	17·6	18·1	14·0
Cardiff -	18·4	18·8	21·1	15·4	Portsmouth -	17·0	15·5	15·5	16·4
Croydon -	14·5	15·9	13·6	9·1	Preston - -	31·5	22·2	33·8	31·0
Derby -	18·2	13·5	16·6	16·6	Salford - -	29·5	25·3	26·8	26·0
Gateshead -	15·2	16·3	16·9	19·0	Sheffield - -	21·1	21·6	23·1	22·5
Halifax -	16·1	10·0	15·6	13·9	Sunderland -	22·3	15·9	23·9	22·0
Huddersfield	13·6	10·5	14·2	13·6	Swansea - -	16·7	18·8	19·4	14·0
Hull - -	25·3	19·7	20·9	23·1	West Ham - -	30·1	24·0	21·3	18·2
Leeds -	24·0	20·3	20·4	18·5	Wolverhampton -	27·4	28·0	31·0	29·2
Leicester -	23·7	21·0	24·2	18·8					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Manchester and in Salford, 1·6 in Swansea, 2·5 in West Ham, and 3·7 in Blackburn; from *whooping-cough*, 1·1 in Liverpool, and 1·5 in Salford; and from *diarrhœa*, 3·0 in Cardiff, 3·1 in Birmingham, 3·4 in Sunderland, 3·9 in Manchester and in Liverpool, 4·2 in Burnley, 4·5 in Leeds, 4·8 in Leicester, in Nottingham, in Salford, and in Bradford, 4·9 in Norwich, 5·5 in Wolverhampton, 6·4 in Sheffield, 7·0 in Bolton, 8·7 in Hull, and 10·2 in Preston. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 82 deaths from *diphtheria* included 50 in London, 5 in West Ham, and 3 in Birmingham. Two deaths from *small-pox* were registered in Oldham and one in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2646 BIRTHS and 1459† DEATHS were registered. Allowing for increase of population, the births were 36, and the deaths 146, below the average numbers in the corresponding weeks of the last ten years. The annual death-

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 87969.—7. 650.—8/95. Wt. 259. K K

rate per 1000 from all causes, which had been 23·0, 21·4, and 19·0 in the preceding three weeks, further fell last week to 17·3. During the four weeks ending on Saturday last the death-rate averaged 20·2 per 1000, being 0·8 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1459 deaths included one from small-pox, 62 from measles, 21 from scarlet fever, 50 from diphtheria, 10 from whooping-cough, 15 from enteric fever, 163 from diarrhœa and dysentery, one from infantile cholera, and not one death from typhus or from any ill-defined form of continued fever; thus, 323 deaths were referred to these diseases, being 26 below the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being also one; the fatal case belonged to St. Martin-in-the-Fields sanitary area. The deaths from *measles*, which had been 94, 67, and 70 in the preceding three weeks, fell again last week to 62, but exceeded the corrected average by 23; 9 cases belonged to St. Pancras sanitary area. The deaths from *scarlet fever*, which had been 14, 24, and 15 in the preceding three weeks, rose again last week to 21, the corrected average being 22; 4 cases belonged to Poplar sanitary area. The deaths from *diphtheria*, which had been 48, 57, and 55 in the preceding three weeks, further fell last week to 50, but exceeded the corrected average by 19; 6 cases belonged to Islington, 6 to Poplar, 4 to Paddington, and 4 to Kensington sanitary areas. The deaths from *whooping-cough*, which had been 22, 17, and 20 in the preceding three weeks, fell again last week to 10, and were less than one-third of the corrected average. The fatal cases of *enteric fever*, which had been 9, 12, and 9 in the preceding three weeks, rose again last week to 15, exceeding the corrected average by 3; 2 cases belonged to Hammersmith and 2 to Hackney sanitary areas. The deaths from *diarrhœa*, which had been 397, 373, and 224 in the preceding three weeks, further fell last week to 163, and were 38 below the corrected average. In addition to the 163 deaths directly referred to *diarrhœa*, 40 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 68 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 185, 171, and 159 in the preceding three weeks, further fell last week to 137, and were 40 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 2, 4, and 4 in the preceding three weeks.

Different forms of violence caused 67 deaths, concerning all but one of which inquests were held. Of these 67 deaths, 11 were cases of suicide, while the remaining 56 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 14 to drowning, one to the effects of chloroform administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 336 cases of small-pox, 2522 of scarlet fever, 663 of diphtheria, and 104 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 79 cases, against 115, 60, and 54; of scarlet fever, 357 cases, against 249, 247, and 281; of diphtheria, 74 cases, against 115, 81, and 82; and of enteric fever, 13 cases, against 15, 14, and 16.

Greater London.

In Greater London 3554 births and 1891 deaths were registered, corresponding to annual rates of 30·6 and 16·3 per 1000 of the estimated population. In the Outer Ring 20 deaths from measles, 19 from diphtheria, and 74 from diarrhœa were registered. Thirteen deaths from measles, 7 from diphtheria, and 27 from diarrhœa belonged to West Ham district; 5 deaths from diphtheria belonged to Edmonton district and 3 to Brentford district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·80 inches, and that of the Thermometer 61°·7, the latter being 0°·5 below the week's average in the 50 years 1841–90. The direction of the wind was Southerly, the horizontal movement of the air being 3 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 32·9 hours; the measured rainfall amounted to 0·35 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 17th August, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 17th Aug., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6518	3884	1427	682	3	115	38	82	48	33	610	146	266	686	57	19·1	4·6	79·0	46·0	59·7	15·39	0·73	1·85	33 Towns.
London	4,392,346	2646	1459	400	294	1	62	21	50	10	15	163	67	137	407	15	17·3	3·8	77·8	52·0	61·7	16·50	0·35	0·89	London.
West Ham	249,473	159	87	34	5	–	12	1	5	–	1	13	–	2	3	–	18·2	6·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	59	20	5	6	–	–	–	–	–	1	4	3	5	7	–	9·1	2·3	75·5	48·0	59·5	15·28	0·92	2·34	Croydon.
Brighton	119,004	64	33	8	9	–	–	–	1	1	–	4	3	4	4	–	14·4	2·6	70·8	53·2	60·7	15·94	0·13	0·33	Brighton.
Portsmouth	174,751	108	55	24	9	–	–	–	–	3	–	9	2	4	7	1	16·4	3·6	71·5	54·0	60·9	16·06	0·71	1·80	Portsmouth.
Plymouth	89,096	70	24	8	9	–	–	–	–	–	–	1	–	3	1	1	14·0	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,189	138	58	11	18	–	–	1	2	–	–	7	–	3	16	–	13·3	2·3	74·0	51·0	58·8	14·89	1·70	4·32	Bristol.
Cardiff	155,637	90	46	25	2	–	1	–	2	–	–	9	2	3	4	–	15·4	4·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	61	26	12	2	–	3	–	–	–	–	–	2	2	1	–	14·0	1·6	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	69	48	24	7	–	–	1	1	–	–	9	–	–	3	2	29·2	6·7	74·2	47·5	57·8	14·33	0·39	0·99	Wolverhampton.
Birmingham	496,751	288	188	66	38	–	–	2	3	2	2	30	4	4	23	6	19·7	4·1	–	–	–	–	–	–	Birmingham.
Norwich	107,127	74	34	16	5	–	–	–	1	1	–	10	1	4	4	–	16·5	5·8	74·0	48·2	59·3	15·17	1·76	4·47	Norwich.
Leicester	183,889	87	70	36	11	–	–	–	–	1	–	18	6	8	10	1	18·8	5·1	–	–	–	–	–	–	Leicester.
Nottingham	226,658	123	99	48	25	–	–	–	1	–	1	21	5	7	12	–	22·8	5·3	75·0	49·0	60·2	15·67	0·32	0·81	Nottingham.
Derby	100,272	57	32	11	7	–	–	–	1	1	–	3	–	1	5	–	16·6	2·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	82	22	8	5	–	–	1	1	–	–	2	2	3	1	1	10·7	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	357	208	88	38	–	6	4	2	11	4	38	13	16	43	9	27·7	6·7	75·2	51·7	59·2	15·11	0·47	1·19	Liverpool.
Bolton	119,337	68	58	30	7	–	1	–	1	1	2	16	–	1	5	–	25·3	9·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	375	257	95	33	–	10	3	1	4	–	39	9	14	51	4	25·5	5·7	–	–	–	–	–	–	Manchester.
Salford	208,253	136	104	42	11	–	4	2	1	6	1	19	4	6	9	3	26·0	8·3	–	–	–	–	–	–	Salford.
Oldham	141,079	85	53	20	13	2	2	–	1	–	–	5	2	3	7	1	19·6	3·7	–	–	–	–	–	–	Oldham.
Burnley	99,591	59	46	21	9	–	–	–	2	–	–	8	1	1	3	1	24·1	5·2	–	–	–	–	–	–	Burnley.
Blackburn	127,615	70	50	13	10	–	9	–	–	1	–	5	–	–	–	–	20·4	6·1	–	–	–	–	–	–	Blackburn.
Preston	112,638	71	67	41	5	–	1	–	–	–	–	22	3	3	2	2	31·0	10·6	–	–	–	–	–	–	Preston.
Huddersfield	89,482	45	26	6	3	–	–	1	–	–	–	3	–	1	1	1	13·6	2·1	79·0	50·0	59·8	15·44	0·64	1·63	Huddersfield.
Halifax	83,813	36	25	5	4	–	–	–	2	–	–	1	1	2	3	1	13·9	1·7	–	–	–	–	–	–	Halifax.
Bradford	226,384	144	85	33	12	–	–	–	1	2	2	21	2	6	7	1	19·6	6·0	67·2	53·0	59·0	15·00	1·13	2·87	Bradford.
Leeds	395,546	224	140	61	21	–	–	–	–	–	–	34	6	11	8	–	18·5	4·5	–	–	–	–	–	–	Leeds.
Sheffield	342,768	247	148	68	26	–	3	–	2	3	2	42	–	2	13	4	22·5	7·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	151	96	50	13	–	–	–	–	1	1	36	3	3	5	1	23·1	9·1	75·0	46·0	60·0	15·56	0·20	0·51	Hull.
Sunderland	137,705	95	58	22	10	–	–	1	–	–	–	9	2	2	7	1	22·0	3·8	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	59	35	18	3	–	–	–	–	–	–	5	1	–	–	1	19·0	2·7	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	121	67	18	12	–	1	–	1	–	1	4	2	5	14	–	16·9	1·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2535	2528	2465	2604	2715	2527	2330	2486	2560	2665	2682·3	2646
Males . .	1285	1272	1268	1333	1392	1239	1163	1291	1329	1356	1364·4	1340
Females .	1250	1256	1197	1271	1323	1288	1167	1195	1231	1309	1317·9	1306
TOTAL **Deaths**	1473	1420	1713	1330	1382	1751	1445	1407	1855	1428	1604·6	1459
Males . .	725	712	920	721	711	954	769	697	935	741	832·1	770
Females . .	748	708	793	609	671	797	676	710	920	687	772·5	689

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.
TOTAL **Births** - -	2640	2569	2333	2678	2639	2488	2651	2586	2557	2575	2624	2340	2646
TOTAL **Deaths** - -	1371	1308	1247	1213	1276	1429	1519	1768	1996	1939	1806	1601	1459
Ages at Death: Under 1 year -	327	279	254	263	314	425	548	680	880	892	772	616	460
1—5 years -	192	195	190	198	212	231	222	281	310	286	308	272	232
5—20 „ -	87	87	84	73	82	81	82	95	104	90	87	79	88
20—40 „ -	196	175	158	170	176	185	169	188	165	184	166	167	159
40—60 „ -	253	254	249	240	218	232	240	240	237	207	211	215	226
60—80 „ -	269	271	266	232	229	226	212	235	251	242	207	222	241
80 years & upwards	47	47	46	37	45	49	46	49	49	38	55	30	53
Deaths from—													
Small-pox - - - -	–	–	–	1	–	1	3	1	–	1	1	3	1
Measles - - - -	32	50	36	71	71	84	73	75	82	94	67	70	62
Scarlet fever - - -	10	17	17	12	11	18	12	20	23	14	24	15	21
Diphtheria - - -	37	41	33	45	37	38	53	50	39	48	57	55	50
Whooping-cough - -	39	30	22	20	18	29	25	19	28	22	17	20	10
Typhus - - - -	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteric fever - - -	9	5	8	5	4	7	5	11	5	9	12	9	15
Simple Continued fever -	–	–	–	–	1	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery -	14	16	19	21	46	92	169	270	373	397	373	224	163
Cholera - - - -	–	–	1	–	2	3	4	4	12	15	9	5	1
All the above Diseases	141	159	137	175	190	272	344	450	563	600	561	401	323
Dis. of Respiratory System	245	193	163	152	186	160	160	187	193	185	171	159	137
Phthisis - - - -	172	148	162	143	134	147	119	130	131	111	127	136	126
Dis. of Circulatory System	123	114	123	99	111	97	110	107	126	92	108	100	114
Violence - - - -	59	64	55	55	43	64	72	74	71	69	53	49	67
Inquest Cases - - -	122	123	121	107	94	123	144	139	163	147	121	118	137
Deaths in Public Institutions	450	397	395	349	360	422	415	449	433	384	436	383	407
TEMPERATURE OF THE AIR													
Mean - - - -	52·3°	61·0°	60·7°	58·7°	60·5°	65·8°	61·8°	65·6°	62·8°	62·6°	59·0°	60·3°	61·7°
Mean of Highest readings -	62·5	74·6	73·0	70·6	73·9	79·8	71·8	78·7	73·3	71·7	67·2	71·3	71·4
Mean of Lowest readings -	44·6	48·5	49·3	48·0	48·4	53·3	53·8	53·7	54·0	55·9	53·1	52·7	53·9
Humidity of the Air - -	81	69	68	61	64	61	65	55	67	81	82	78	78
Rain-fall (in inches) - -	0·19	0·08	0·02	0·02	0·10	0·02	0·30	0·13	0·46	1·66	1·23	1·09	0·35
Registered Sunshine (in hours)	22·3	49·9	53·0	33·7	38·1	37·8	32·5	59·7	30·1	17·8	12·0	29·7	32·9
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.													
Small-pox - - - -	29	22	23	19	22	34	42	71	89	199	237	273	336
Scarlet fever - - - -	1503	1524	1589	1637	1732	1894	2044	2241	2267	2347	2423	2511	2522
Diphtheria - - - -	492	508	529	562	593	633	633	637	638	681	686	689	663
Enteric fever - - - -	126	139	141	147	142	147	146	143	123	121	108	106	104

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-THIRD Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 33rd Week of the 10 years 1885–94.*	In the Week ending Saturday, 17th August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1604·6	1459	460	232	88	159	226	241	53
Small-pox { Vaccinated† -	-	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·2	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·9	1	-	-	-	1	-	-	-
Measles - - - -	39·3	62	7	53	2	-	-	-	-
Scarlet Fever - -	22·1	21	2	14	4	-	1	-	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	2·5	4	-	1	-	-	3	-	-
Whooping-cough - -	34·3	10	5	4	-	1	-	-	-
Diphtheria - - -	31·3	50	4	23	17	1	-	-	-
Simple Continued and Ill-defined Fever -	0·5	-	-	-	-	-	-	-	-
Enteric Fever - -	12·0	15	-	1	5	9	-	-	-
Cholera and Chol. Diarr.	7·5	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	200·6	163	124	23	-	1	3	9	3
Remittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - -	0·2	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	2	2	-	-	-	-	-	-
Venereal Affections -	13·4	11	6	-	-	2	1	1	1
Erysipelas - - -	5·3	5	2	-	-	1	1	-	1
Pyæmia and Septicæmia	2·6	2	-	-	1	-	1	-	-
Puerperal Fever - -	7·0	6	-	-	-	6	-	-	-
Other Zymotic Diseases	0·9	-	-	-	-	-	-	-	-
Thrush - - - -	3·1	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·5	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·6	1	1	-	-	-	-	-	-
Alcoholism - - -	7·9	10	-	-	-	2	6	2	-
Rheumatic Fever, Rheumatism of Heart	7·8	5	-	-	-	4	1	-	-
Rheumatism - -	2·1	2	-	-	-	1	-	1	-
Gout - - - -	2·2	1	-	-	-	-	1	-	-
Rickets - - - -	4·7	8	2	6	-	-	-	-	-
Cancer - - - -	62·9	66	-	-	-	4	29	30	3
Tabes Mesenterica -	41·2	84	25	8	-	1	-	-	-
Tubercular Meningitis -	28·4	20	8	6	5	1	-	-	-
Phthisis - - -	143·3	126	4	6	6	62	40	8	-
Scrofula, Tuberculosis -	21·	13	4	2	3	-	2	2	-
Other Constitutional Diseases - - -	8·9	10	1	-	1	2	3	3	-
Premature Birth - -	47·4	36	36	-	-	-	-	-	-
Atelectasis - - -	3·4	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	6·0	5	5	-	-	-	-	-	-
Old Age - - - -	41·8	39	-	-	-	-	2	19	18
Apoplexy - - -	37·4	33	1	-	-	1	6	23	2
Epilepsy - - -	7·4	7	-	-	-	3	2	2	-
Convulsions - - -	52·2	32	32	-	-	-	-	-	-
Other Diseases of Brain and Nervous System	82·5	69	5	9	8	13	15	15	4

CAUSES OF DEATH.	Corrected Averages for the 33rd Week of the 10 years 1885–94.*	In the Week ending Saturday, 17th August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	1·7	3	1	-	1	1	-	-	-
Diseases of Circulatory System - - -	103·8	114	5	-	6	12	41	46	4
Croup - - - -	5·9	2	1	1	-	-	-	-	-
Bronchitis - - -	83·7	66	15	15	1	5	6	18	6
Pneumonia - - -	66·2	51	12	20	2	2	7	7	1
Pleurisy - - - -	4·4	2	1	1	-	-	-	-	-
Other Diseases of Respiratory System - -	16·5	16	5	3	1	2	3	2	-
Dentition - - -	12·6	6	3	3	-	-	-	-	-
Quinsy, Sore Throat -	1·6	1	-	1	-	-	-	-	-
Enteritis - - -	28·6	63	48	9	4	2	4	1	-
Peritonitis - - -	7·4	5	1	-	3	1	-	-	-
Diseases of Liver - -	32·3	24	1	-	-	-	9	12	2
Other Diseases of Digestive System - -	33·4	34	12	1	2	4	3	9	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	4	-	1	-	1	-	2	-
Diseases of Urinary System - - -	38·4	40	-	-	2	3	16	15	4
Diseases of Generative System - - -	6·4	4	1	-	-	-	1	2	-
Accidents of Childbirth -	4·1	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	6·4	4	-	2	2	-	-	-	-
Diseases of Integumentary System - -	5·7	7	2	1	-	-	2	1	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	53·4	-	-	-	-	-	-	-	-
By Vehicles or Horses -		6	-	1	2	1	1	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-		-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		1	-	-	-	-	1	-	-
By Drowning - -		14	1	-	7	3	1	2	-
By Suffocation in Bed -		10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		6	-	1	-	1	3	1	-
Other or not stated Causes - - -		19	3	4	2	1	5	4	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	-	-	-	-	-	-	-	-
Suicide - - - -	8·3	11	-	-	1	2	5	3	-
Execution - - -	0·4	-	-	-	-	-	-	-	-
OTHER CAUSES - -	77·6	66	53	7	-	-	1	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.* — POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARL
during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON *	4,211,743	2646	1459	460	294	1	62	21	50	10	-	15	-	163	67	137	407
WEST DISTRICTS	740,735	364	218	64	57	-	2	1	6	3	-	2	-	30	11	22	53
NORTH DISTRICTS	993,884	619	311	109	60	-	18	4	20	2	-	5	-	44	12	27	101
CENTRAL DISTRICTS	247,538	113	94	31	8	-	11	-	2	-	-	3	-	8	6	13	35
EAST DISTRICTS	705,114	525	288	86	52	-	16	5	14	2	-	2	-	25	16	35	85
SOUTH DISTRICTS	1,524,472	1025	493	169	103	-	15	9	8	3	-	3	-	54	22	40	98
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	35	1	9	1	-	2	-	-	-	-	-	2	-	-	35
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	49	25	8	7	-	-	-	3	1	-	-	-	-	1	3	4
St. John Paddington *H* - G.J.	33687	9	14	1	6	-	-	-	-	-	-	-	-	1	3	4	3
Kensington Town *Ww* - W.M.	118751	54	34	9	10	-	-	1	-	-	-	-	-	7	1	2	9
Brompton - W.M. & C.	47557	14	9	1	2	-	-	-	1	-	-	-	-	1	2	2	1
St. Peter Hammersmith - W.M.	8333	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	58	23	13	2	-	-	-	-	-	-	2	-	4	-	1	4
Fulham *Ww* - W.M. & C	91639	62	32	15	6	-	-	-	1	2	-	-	-	9	1	2	5
Chelsea Kensal Town - C.	21787	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - C.	41637	15	24	3	10	-	-	-	1	-	-	-	-	2	-	-	11
Chelsea South *HH* - C.	32829	18	12	3	1	-	-	-	-	-	-	-	-	2	2	3	4
May Fair *WH* - G.J.	23733	3	6	1	4	-	-	-	-	-	-	-	-	-	-	-	6
Belgrave *WHHH* - C.	54631	23	8	1	3	-	-	-	-	-	-	-	-	-	1	1	1
St. John Westminster *HH* - C.	34106	23	14	3	4	-	2	-	-	-	-	-	-	1	-	3	-
St. Margaret Westminster *H* - C.	21668	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	12	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
St. Anne Soho *HHHHHH* - N.R.	12317	3	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	21	16	3	4	-	-	-	-	-	-	1	-	1	-	1	6
Rectory Marylebone *WH* G.J. & W.M.	20024	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	37	8	6	-	-	-	-	-	-	-	-	-	2	-	1	3
Christchurch Marylebone *HH* - W.M.	33327	17	9	3	1	-	-	-	1	-	-	-	-	1	1	2	-
St. John Marylebone *HH* - W.M.	32101	19	8	6	1	-	1	-	-	-	-	-	-	3	1	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	27	21	6	1	-	-	1	9	-	-	-	-	2	3	3	13
Regent's Park Pancras *HH* - W.M.	86590	16	14	6	1	-	-	-	-	-	-	-	-	4	-	1	3
Tottenham-court *wHHH* N.R. & W.M.	26321	11	11	3	1	-	-	-	2	-	-	1	-	1	-	-	9
Gray's Inn Lane *HHH* - N.R.	27455	18	13	5	2	-	-	-	-	-	-	1	-	2	-	1	3
Somers Town *HH* - N.R.	32829	30	9	5	1	-	-	-	-	-	-	-	-	2	2	2	1
Camden Town *WH* - N.R.	15419	16	18	1	5	-	6	-	-	-	-	-	-	2	1	4	14
Kentish Town *WW* - N.R.	95765	56	23	8	2	-	3	-	-	-	-	-	-	1	1	3	7
Upper Holloway *WWWwHHH* - N.R.	90235	58	34	4	15	-	-	-	-	-	-	-	-	3	-	-	19
Islington South-west *H* - N.R.	105557	85	23	9	2	-	3	-	1	1	-	-	-	3	-	-	-
Islington South-east - N.R.	64158	37	17	8	1	-	-	-	1	1	-	-	-	1	-	1	-
Highbury *HH* - N.R.	59193	25	9	1	4	-	1	-	-	-	-	-	-	1	1	1	-
Stoke Newington *H* - N.R.	30936	18	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	17759	4	9	3	2	-	-	-	-	-	-	-	-	1	2	3	-
West Hackney *H* - N.R.	42802	21	15	6	3	-	-	-	-	-	-	-	-	2	-	-	3
Hackney *WwwH* - E.L. & N.R.	90486	65	44	14	6	-	2	3	5	-	-	2	-	8	-	-	18
South Hackney *w* - E.L.	41759	27	18	9	5	-	2	-	-	-	-	-	-	4	-	3	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16395	6	4	1	1	-	-	-	-	-	-	1	-	1	-	-	-
St. Giles South *WH* - N.R.	13454	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Giles North *H* - N.R.	9633	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	7	1	-	-	-	-	1	-	-	1	-	-	2	4	4
St. Mary-le-Strand *H* - N.R.	5706	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	4
Strand Union Workhouse, Edmonton -	†1037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	6	5	3	1	-	-	-	-	-	-	-	-	1	-	-	2
St. Andrew Eastern *WH* - N.R.	15343	9	6	3	-	-	2	-	-	-	-	-	-	1	-	1	-
St. James Clerkenwell - N.R.	16803	9	6	2	-	-	2	-	-	-	-	-	-	-	-	1	-
Amwell Clerkenwell - N.R.	16883	6	3	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Pentonville - N.R.	17155	14	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Goswell-street - N.R.	15375	7	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
City-road *HHHL* - N.R.	29177	21	13	10	-	-	3	-	-	-	-	-	-	2	-	-	-
Whitecross-street - N.R.	8278	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4985	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	3	3	1	-	-	-	-	-	-	-	1	-	1	-	-	1
Cripplegate - N.R.	4539	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4441	-	21	4	2	-	-	-	-	1	-	-	-	1	4	4	22
St. Bride *W* - N.R.	6594	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Aldhallows Barking - N.R.	10422	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—
house; *H*—Hospital; *L*—Lunatic Asylum; *L*ᵉ—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis
receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the
Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R
River; E. L., East London; and K., the Kent Company

* See note † on first page of this Return.
† Not included in the total population of the Central Districts or of London.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT turday, 17th August, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	9	8	4	-	-	-	-	-	-	-	-	-	2	1	1	2	-
Hoxton New Town *w* - - - N.R.	29313	26	11	5	5	-	-	-	-	-	-	-	-	1	1	1	5	-
Hoxton Old Town - - - N.R.	28354	23	4	2	1	-	1	-	-	-	-	-	-	2	-	-	-	-
Haggerston *WH* - - N.R. & E.L.	46244	40	20	5	3	-	-	1	-	-	-	-	-	-	1	1	14	-
Bethnal Green North *H* - - E.L.	51520	46	8	3	1	-	-	-	2	-	-	-	-	1	-	1	-	-
Bethnal Green South - - E.L.	33489	25	8	3	1	-	1	-	-	-	-	-	-	2	-	-	-	-
Bethnal Green East *WHL** - E.L.	44123	23	22	4	7	-	-	-	-	-	-	-	-	1	-	-	12	-
Spitalfields - - - E. N.R.	22456	22	8	3	1	-	-	-	-	-	-	-	-	1	-	3	-	-
Mile End New Town *W* - - E.L.	17908	10	7	3	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Whitechapel Church *H'* E.L. & N.R.	20298	20	24	2	4	-	2	-	2	-	-	1	-	-	4	4	19	-
Goodman's Fields - - - E.L.	13800	4	6	2	2	-	-	-	2	-	-	-	-	-	1	2	-	-
St. George's, North - - - E.L.	37738	33	16	6	2	-	-	-	1	-	-	-	-	-	-	3	-	-
St. John, St. George East *W* - E.L.	8057	5	7	-	3	-	2	-	-	-	-	-	-	-	-	-	5	-
Shadwell *H* - - - E.L. & N.R.	10246	4	9	6	1	-	-	-	-	1	-	-	-	1	-	1	7	-
Ratcliff *W* - - - - - E.L.	14928	8	5	3	1	-	-	-	-	-	-	-	-	2	1	1	-	-
Limehouse - - - - - E.L.	32202	25	12	-	3	-	-	-	-	-	-	-	-	-	2	4	-	-
Mile End Old Town West *H* - E.L.	38650	33	11	5	1	-	2	1	-	1	-	-	-	1	-	1	-	-
Mile End Old Town East *WWww* E.L.	68942	46	34	14	4	-	4	-	2	-	-	-	-	6	2	5	5	-
Bow *L** - - - - - E.L.	40365	29	12	3	2	-	-	-	1	-	-	1	-	1	-	-	-	-
Bromley *wwwH* - - - E.L.	70000	62	33	8	4	-	1	2	2	-	-	-	-	2	2	5	10	-
Poplar *WW* - - - - - E.L.	56383	32	23	5	5	-	3	1	2	-	-	-	-	2	1	2	1	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13264	12	6	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-
St Saviour Southwark - - S.	13913	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Kent-road - - - - S. & L.	21867	20	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Borough-road *WH* - - S. & L.	16624	19	6	1	1	-	-	-	-	-	-	-	-	1	-	3	4	-
London-road *HL* - - L. & S.	21221	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington - - S. & L.	26596	18	5	2	-	-	1	-	1	-	-	-	-	2	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	39	22	10	3	-	2	-	1	1	-	-	-	3	-	1	-	-
St. Mary Newington - - L. & S.	27866	16	7	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-
St. Olave *WH* - - - S.	12723	5	16	4	4	-	1	-	-	-	-	-	-	1	2	2	11	-
Leather Market *W* - - S. & L.	30612	20	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. James Bermondsey - - S.	54070	38	12	2	4	-	1	1	-	-	-	-	-	1	-	-	-	-
Rotherhithe *WwH* - - S. & K.	39255	29	15	4	3	-	2	-	-	-	-	-	-	4	-	-	3	1
Waterloo-road 1st *H* - - L. & S.	14031	12	6	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Waterloo-road 2nd *H* - - L. & S.	14644	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18075	13	20	2	2	-	2	-	-	-	-	-	-	-	1	2	11	-
Lambeth Church 2nd *WW* - L. & S.	39097	30	20	6	5	-	1	-	-	1	-	-	-	1	1	1	6	-
Kennington 1st *H* - - S. & L.	50586	23	15	6	2	-	-	-	-	-	-	-	-	1	2	2	-	-
Kennington 2nd - - - S. & L.	39708	18	9	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Brixton *w* - - - - L. & S.	73405	44	19	6	5	-	-	1	-	-	-	-	-	4	-	-	1	-
Norwood *WH* - - - - L.	25657	15	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea - - - S.	67244	56	20	12	4	-	-	-	-	-	-	-	-	4	2	3	-	-
West Battersea *WwH* - - S.	83314	58	37	8	15	-	-	2	1	-	-	-	-	1	2	3	14	-
Clapham *H* - - - - S.	43698	26	11	3	4	-	1	-	-	-	-	-	-	1	1	1	-	-
Wandsworth *WHHL* - - S.	46717	28	14	8	2	-	-	-	-	-	-	1	-	-	-	3	-	-
Putney - - - - - - S.	17771	10	8	1	1	-	-	-	-	-	-	-	-	-	2	3	-	-
Streatham *www* - - - - L.	48756	30	14	4	5	-	-	1	2	-	-	-	-	1	1	1	5	1
Dulwich - - - L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - - S. & L.	81686	61	37	12	10	-	-	-	-	-	-	1	-	3	1	3	17	-
Peckham *W* - - - S., L., & K.	83483	62	26	12	8	-	1	-	-	-	-	-	-	3	-	-	-	-
St. George Camberwell - - L. & S.	63366	52	13	6	-	-	-	-	-	-	-	-	-	1	2	2	-	1
Deptford, North - - - - K.	35314	22	5	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Deptford, Central *w* - - - K.	42007	37	14	4	-	-	-	2	2	1	-	1	-	2	-	-	5	-
Deptford, South - - - - K.	30852	14	9	1	3	-	-	1	-	-	-	-	-	1	-	-	-	-
Greenwich West *H* - - - K.	22007	16	12	6	5	-	-	-	-	-	-	-	-	3	1	1	1	-
Greenwich East *WH* - - - K.	35233	19	20	6	4	-	-	1	-	-	-	-	-	2	2	2	10	1
Eltham *wW* - - - - - K.	5682	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	10	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1
Lewisham *WH* - - - - K.	30950	19	11	4	3	-	-	-	-	-	-	-	-	2	-	-	3	1
Sydenham *H* - - - - - L.	34162	27	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *HH* - - - - K.	14040	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	19606	16	4	2	-	-	-	-	-	-	-	-	-	1	1	1	-	1
Woolwich Arsenal *HH'H* - K.	21242	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, West *H* - - - K.	15869	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	25	14	6	5	-	-	-	-	-	-	-	-	5	-	-	5	1
Banstead Asylum - - - - -	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-
Caterham Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manwell Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch Asylum - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
N.E. Hospital - - - - -	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Winnimore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - - -	-	-	6	-	4	-	-	-	-	-	-	-	-	2	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOU HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week en Saturday, 17th August, 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	908	432	174	79	–	20	6	19	4	2	74	11	23	31
30 : 1	Carshalton *wHH*	12228	26108	11	5	2	1	–	–	–	–	–	–	–	1	1	–
	Epsom, *part of** *WwH*	10423	12508	4	5	–	3	–	–	–	–	–	–	–	–	–	3
37 : 1	Godstone, *part of** *W*	2754	1593	1	1	1	–	–	–	–	–	–	–	–	–	1	–
38 : 1	Croydon *WwHHH*	20851	138699	73	24	6	8	–	–	–	–	–	1	4	3	5	8
2	Mitcham *w*	11697	23088	12	4	2	–	–	–	–	–	–	–	1	–	1	–
39 : 1	Wimbledon *HHH*	3229	25761	20	7	4	1	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	8071	44765	16	13	5	5	–	–	–	1	–	–	2	–	1	2
3	Esher, *part of** *HH*	6601	12059	11	2	–	2	–	–	–	–	–	–	–	–	–	1
4	Hampton *H*	4545	18252	3	5	3	1	–	1	–	–	–	–	1	–	–	–
40 : 1	Richmond *WH*	2160	25389	7	4	1	–	–	–	–	–	–	–	–	–	–	–
2	Mortlake *H*	2823	16159	4	2	2	–	–	–	–	1	–	–	–	–	–	1
41 : 1	Bromley *HHH*	9127	23815	15	5	2	1	–	–	–	–	–	–	1	–	–	–
2	Beckenham *H*	6542	21969	11	5	–	2	–	–	–	–	2	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14397	20372	14	4	2	–	–	–	–	–	–	–	–	–	1	–
42 : 1	Bexley *HH*	12540	30599	23	9	6	1	–	–	–	–	–	–	3	–	–	–
2	Dartford *Work.*, pt. of*	–	—	–	–	–	–	–	–	–	–	–	–		–	–	–
124 : 1	Sunbury *w*	11054	13871	4	5	1	3	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	3	4	3	1	–	–	–	–	–	–	1	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	6	4	2	1	–	–	–	1	–	–	1	–	–	1
2	Uxbridge	6172	5417	3	2	–	–	–	–	–	–	–	–	–	–	1	–
3	Hayes *wH*	14537	12618	2	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	23273	20	9	5	2	–	–	–	–	–	–	4	–	–	–
2	Twickenham *HH*	2415	16027	8	2	1	–	–	–	–	1	–	–	1	–	–	–
3	Brentford *HHHH*	4318	37777	23	9	1	3	–	1	–	–	–	–	1	–	–	–
4	Chiswick	1245	21933	22	8	2	2	–	2	–	1	–	–	–	–	–	–
5	Acton *wH*	6132	30915	24	9	5	1	–	–	–	1	–	–	4	–	–	–
127 : 1	Harrow *HHH*	13809	15715	6	–		–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	–	1		–	–	–		–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	53	23	12	2	–	–	3	–	–	–	2	–	1	3
4	Hendon *WH*	8382	15813	10	8	5	2	–	–	–	1	–	–	2	–	–	–
128 : 1	South Mimms *H*	15539	8474	5	3	–	2	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5411	11773	11	1		–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	7	4	1	–	–	–	–	–	1	–	–	–	–	–
129 : 1	Hornsey *HH*	3039	61097	35	10	2	1	–	1	–	1	–	–	3	2	2	–
2	Tottenham *H*	4612	97174	75	34	18	2	–	1	1	3	1	–	7	–	–	–
3	Edmonton *Www*	7439	36351	17	14	5	5	–	–	1	–	–	–	2	–	1	4
4	Enfield *WWHH*	12639	31803	17	12	6	2	–	–	–	–	–	–	4	1	2	–
5	Waltham Abbey	11017	6066	6	2	–	2	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8430	9620	8	2	1	1	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	–	3	–	–	–	1	–	–	–	–	–	1	1	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	42	15	6	–	–	1	–	2	–	–	4	–	1	–
2	Plaistow	1242	58030	83	29	10	4	–	2	1	2	–	1	2	–	1	–
3	Canning Town *H*	1558	54750	52	30	11	–	–	8	–	–	–	–	3	–	–	1
4	Forest Gate *w*	806	49149	27	11	7	1	–	–	–	1	–	–	4	–	–	–
5	East Ham *w*	3263	32713	20	19	11	2	–	–	–	1	–	–	4	–	–	–
6	Leyton *WWWwH*	4334	70188	59	23	11	5	–	1	–	–	–	–	6	–	–	2
7	Walthamstow *HcL*	6501	57330	51	22	8	6		–	–	–	–	–	4	1	1	–
187 : 1	Chigwell *part of** *H*	11779	12941	6	8	2	3	–	–	–	–	–	–	1	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	4	1	–	–	–	–	–	–	–	–	–	–	–	1
2	Ilford	8493	10913	8	2	1	1	–	–	–	–	–	–	1	–	–	–
3	Barking Town *H*	3814	14391	9	4	1	–	–	–	–	–	–	–	1	2	2	–
	N.W. Fever Hospital	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1
	Homerton Fever Hosp.	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	2
	Colney Hatch	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 17th August, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from ALL CAUSES.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	16·3	3·9	1891	634	373	1	82	27	69	14	17	237	78	438
INNER LONDON	74,672	4,392,346	17·3	3·8	1459	460	294	1	62	21	50	10	15	163	67	407
OUTER RING	368,749	1,656,209	13·6	3·9	432	174	79	–	20	6	19	4	2	74	11	31

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	273,535	August 17	135	90	17·2	–	–	1	–	1	–	7
GLASGOW	695,876	" 17	440	206	15·4	–	4	5	2	9	4	31
DUBLIN	349,594	" 17	165	161	24·0	1	–	2	–	1	1	16
CALCUTTA	466,460	June 29	–	199	22·2	12		–	1	–	85	25†
BOMBAY	821,764	July 23	360	487	30·8	2	8	?	?	?	122	37†
MADRAS	452,518	" 12	392	281	32·2	–	1	?	?	?	103	30
PARIS	2,424,705	August 10	1124	894	19·3	1	17	2	5*	12	5	135
BRUSSELS	507,985	" 10	208	160	16·4	–	2	2	–	1	–	21
AMSTERDAM	451,493	" 10	274	117	13·5	–	–	–	–	–	1	–
ROTTERDAM	272,042	" 10	160	92	17·6	–	–	–	1	–	–	–
THE HAGUE	180,455	" 10	111	73	21·0	–	–	–	–	–	–	–
COPENHAGEN	341,000	" 10	193	113	17·3	–	–	4	–	6	–	16
STOCKHOLM	259,304	" 3	119	87	17·4	–	–	–	–	–	1	24
CHRISTIANIA	174,717	" 10	41	50	14·9	–	–	–	1	–	–	9
ST. PETERSBURG	954,400	July 27	613	508	27·8	–	11	6	9	6	13	101
MOSCOW	753,469	August 3	–	598	41·4	–	9	4	3	7	15	264
BERLIN	1,724,544	July 27	885	866	26·0	–	9	22	23	6	1	315
HAMBURG	608,710	August 10	–	225	19·2	–	–	2	3*	6	3	36
DRESDEN	320,600	July 13	–	–	–	–	–	–	–	–	–	–
BRESLAU	367,769	August 10	–	214	30·4	–	–	4	7*	–	1	65
MUNICH	396,000	" 10	–	219	28·8	–	1	–	3*	1	–	107
VIENNA	1,495,764	" 10	890	614	21·3	–	9	10	8*	9	2	143
PRAGUE	351,478	" 3	204	167	24·7	–	4	–	1	–	3	4
BUDA-PESTH	566,022	" 3	431	299	27·5	–	2	2	4	1	2	89
PESTH	160,825	July 27	113	89	28·8	–	–	1	4*	2	–	–
ROME	464,579	June 1	197	145	16·3	–	12	–	–	–	3‡	6
		" 8	205	152	17·1	1	10	–	1	–	5‡	12
VIENNA (10 days)	344,203	July 20	213	198	21·0	–	–	–	–	2	3	31
NICE	158,159	" 27	71	65	21·4	–	–	–	–	–	1	17
CAIRO	374,838	" 15	386	370	51·3	–	1	–	3*	–	9	145
ALEXANDRIA	231,396	" 15	180	177	39·9	–	–	–	4*	–	5	68
NEW YORK	1,850,700	August 3	–	–	–	–	–	–	–	–	–	–
BROOKLYN	1,100,000	" 3	–	500	23·7	–	9	–	11	8	4	143
PHILADELPHIA	1,163,864	" 3	–	–	–	–	–	–	–	–	–	–
NEW ORLEANS	275,000	July 6	–	144	27·3	–	–	–	3	–	12	17

* Including deaths from croup.
† Including 9 deaths from cholera in Calcutta, and one in Bombay.
‡ Including 2 deaths from malarial fever in each week.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 17TH AUGUST, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	11	..	29·437	69·8	54·8	15·0	61·3	− 1·2	54·2	7·1	10·4	0·9	78	129·7	52·0	61·76	WSW.	SSW.	8·9	0·0	1·1	442	+189	0·06	3·0
MONDAY .	12	..	29·646	69·7	52·5	17·2	60·1	− 2·4	53·7	6·4	13·7	1·0	79	137·0	50·1	61·98	SSW.	S.	3·5	0·0	0·4	350	+101	0·07	0·0
TUESDAY.	13	Last Qr.	29·541	64·0	53·0	11·0	57·0	− 5·4	55·7	1·3	5·3	0·2	95	99·2	49·5	61·82	S. SE. & ESE.	W. & SW.	2·5	0·0	0·3	277	+ 32	0·21	0·0
WEDNESDAY	14	..	29·828	71·0	52·0	19·0	61·0	− 1·3	52·8	8·2	17·8	0·4	74	130·0	48·7	61·76	SSW. SW. & WSW.	WSW. & W.	3·0	0·0	0·4	335	+ 94	0·01	0·0
THURSDAY	15	..	30·039	74·8	52·2	22·6	61·7	− 0·4	54·6	7·1	20·1	0·4	78	125·2	46·8	61·50	WSW. &SW.	NNW. & S.	0·1	0·0	0·0	121	−117	0·00	1·0
FRIDAY .	16	Greatest Dec. N.	30·050	73·0	57·5	15·5	65·1	+ 3·1	57·6	7·5	14·1	0·8	77	104·1	56·2	61·56	Calm & S.	SE.	0·0	0·0	0·0	90	−144	0·00	0·0
SATURDAY	17	..	30·041	77·8	55·0	22·8	65·9	+ 4·1	55·0	10·9	22·3	0·0	68	135·0	51·8	61·62	SE.	SE. & ESE.	0·7	0·0	0·0	121	−110	0·00	0·0
MEANS . .		..	29·797	71·4	53·9	17·6	61·7	− 0·5	54·8	6·9	14·8	0·5	78	122·9	50·7	61·71	SW. & SE.		..	..	..	Sum 1736	Sum + 45	Sum 0·35	0·6
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	11	w. P. generally . .	10·1	14·8	A very fine day, with the exception of a heavy shower of rain at 10½h. A.M.
MONDAY .	12	w. P. till 9h. A.M; s. P. and v. N. till 2h. P.M.; v. P. afterwards.	8·4	14·7	Very fine generally; cloudless in morning till 7h. A.M. Heavy shower between 9h. A.M. and 10h. A.M. Variable amounts of light cloud during the day.
TUESDAY .	13	m. P. till 7h. A.M.; v. N. and v. P. till 4h. P.M.; m. P. afterwards.	0·1	14·7	Overcast till 7h. P.M., with frequent rain. Afterwards cloudless and very fine.
WEDNESDAY	14	m. P. generally .	4·6	14·6	Fine, but generally cloudy till evening; cloudless at night. Slight rain at 8h. P.M.
THURSDAY .	15	v. P. throughout .	0·7	14·6	Fine during the day, with variable amounts of cloud. Cloudless in morning and at night.
FRIDAY .	16	w. P. generally .	0·0	14·5	Cloudy throughout. Distant thunder shortly after noon.
SATURDAY .	17	w. P. generally .	9·0	14·4	Generally cloudy in early morning; very fine with little cloud after 10h. A.M. Solar halo between 10h. A.M. and 11h. A.M.
			Sum 32·9	Sum 102·3	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·42 in. at the beginning of the week to 29·41 in. by 10h. A.M. on the 11th; increased to 29·68 in. by 9h. P.M. on the 12th; decreased to 29·47 in. by 3h. P.M. on the 13th; increased to 30·07 in. by 9h. A.M. on the 17th; and was 30·03 in. at the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1895. VOL. LVI.] WEEK ENDING SATURDAY, AUGUST 24. [Price 1½*d.*

General Register Office, Somerset House,
August 26th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Towns.	Weeks ending Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
Birkenhead	13·1	18·4	10·7	18·4	Liverpool - -	30·0	30·5	27·7	28·2
Birmingham	19·9	20·3	19·7	16·0	London - -	21·4	19·0	17·3	17·0
Blackburn -	14·7	22·1	20·4	35·6	Manchester -	23·6	27·1	25·5	30·4
Bolton -	23·6	25·3	25·3	26·7	Newcastle-on-Tyne	18·6	18·1	16·9	20·7
Bradford -	16·4	18·2	19·6	22·8	Norwich - -	26·8	23·9	16·5	25·8
Brighton -	11·8	15·3	14·4	19·6	Nottingham -	19·6	21·9	22·8	17·9
Bristol -	16·2	14·6	13·3	15·5	Oldham - -	14·4	22·2	19·6	22·2
Burnley -	17·8	25·7	24·1	23·6	Plymouth - -	17·6	18·1	14·0	12·9
Cardiff -	18·8	21·1	15·4	18·1	Portsmouth -	15·5	15·5	16·4	19·4
Croydon -	15·9	13·6	9·1	11·8	Preston - -	22·2	33·8	31·0	23·1
Derby -	13·5	16·6	16·6	21·3	Salford - -	25·3	26·8	26·0	29·0
Gateshead -	16·3	16·9	19·0	17·4	Sheffield - -	21·6	23·1	22·5	23·6
Halifax -	10·0	15·6	13·9	16·1	Sunderland -	15·9	23·9	22·0	26·5
Huddersfield	10·5	14·2	13·6	18·3	Swansea - -	18·8	19·4	14·0	12·4
Hull - -	19·7	20·9	23·1	33·2	West Ham - -	24·0	21·3	18·2	16·3
Leeds -	20·3	20·4	18·5	17·5	Wolverhampton -	28·0	31·0	29·2	25·5
Leicester -	21·0	24·2	18·8	15·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Cardiff, 1·1 in Oldham, 1·5 in West Ham, 1·8 in Salford, and 9·4 in Blackburn; from *whooping-cough*, 1·0 in Liverpool, 1·1 in Gateshead, 1·2 in Blackburn, and 1·5 in Birkenhead; and from *diarrhœa*, 3·7 in Huddersfield and in Bradford, 3·8 in Sunderland, 4·0 in Liverpool, 4·4 in Birkenhead and in Leeds, 5·1 in Portsmouth, 5·4 in Norwich, 5·5 in Nottingham, 5·6 in Manchester, 5·7 in Blackburn, 6·7 in Leicester, 7·5 in Sheffield, 7·8 in Derby, 7·9 in Wolverhampton and in Preston, 8·8 in Salford, 9·6 in Bolton, and 13·0 in Hull. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 47 deaths from *diphtheria* included 24 in London, and 3 in Liverpool. Six deaths from *small-pox* were registered in London and 2 in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2448 BIRTHS and 1430† DEATHS were registered. Allowing for increase of population, the births were 143, and the deaths 94, below the average numbers in the corresponding weeks of the last ten years. The annual death-

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

rate per 1000 from all causes, which had been 21·4, 19·0, and 17·3 in the preceding three weeks, further fell last week to 17·0. During the four weeks ending on Saturday last the death-rate averaged 18·7 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1430 deaths included 6 from small-pox, 55 from measles, 27 from scarlet fever, 24 from diphtheria, 21 from whooping-cough, 10 from enteric fever, 112 from diarrhœa and dysentery, 2 from cholera, and not one death from typhus or from any ill-defined form of continued fever; thus, 257 deaths were referred to these diseases, being 61 below the corrected average weekly number.

The deaths from *small-pox* which had been 1, 3, and 1 in the preceding three weeks, rose last week to 6, the corrected average being 1; the 6 fatal cases belonged respectively to St. Giles, Bethnal Green, Newington, Wandsworth, Camberwell, and Plumstead sanitary areas. The deaths from *measles*, which had been 67, 70, and 62 in the preceding three weeks, further fell last week to 55, but exceeded the corrected average by 17; 5 cases belonged to Whitechapel, 5 to St. George-in-the-East, 4 to Mile End Old Town, and 4 to Islington sanitary areas. The deaths from *scarlet fever*, which had been 24, 15, and 21 in the preceding three weeks, further rose last week to 27, exceeding the corrected average by 5; 3 cases belonged to Islington and 3 to Greenwich sanitary areas. The deaths from *diphtheria*, which had been 57, 55, and 50 in the preceding three weeks, further fell last week to 24, and were 7 below the corrected average; 2 cases belonged to St. Pancras, 2 to Islington, 2 to Bethnal Green, 2 to Whitechapel, 2 to St. George-in-the-East, 2 to Poplar, 2 to Battersea, and 2 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 17, 20, and 10 in the preceding three weeks, rose again last week to 21, but were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 12, 9, and 15 in the preceding three weeks, fell again last week to 10, the corrected average being 12. The deaths from *diarrhœa*, which had been 373, 224, and 163 in the preceding three weeks, further fell last week to 112, and were 62 below the corrected average. In addition to the 112 deaths directly referred to *diarrhœa*, 32 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 51 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 171, 159, and 137 in the preceding three weeks, rose again last week to 170, the corrected average being 17·1.

The deaths attributed directly to *influenza* numbered 2, having been 4 in each of the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all but 3 of which inquests were held. Of these 51 deaths, 10 were cases of suicide, while the remaining 41 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 9 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 357 cases of small-pox, 2507 of scarlet fever, 666 of diphtheria, and 114 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 65 cases, against 60, 54, and 79; of scarlet fever, 307 cases, against 247, 276, and 357; of diphtheria, 80 cases, against 81, 82, and 74; and of enteric fever, 26 cases, against 14, 16, and 13.

Greater London.

In Greater London 3345 births and 1876 deaths were registered, corresponding to annual rates of 28·8 and 16·2 per 1000 of the estimated population. In the Outer Ring 15 deaths from measles, 7 from "fever", and 57 from diarrhœa were registered. Seven deaths from measles occurred in West Ham district, 4 in Tottenham sub-district, and 3 in Barking Town sub-district; 4 deaths from "fever" occurred in West Ham district; 17 deaths from diarrhœa occurred in Edmonton district, and 17 in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 66°·2, the latter being 5°·0 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 13 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 56·7 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox Scarlet Fever, Diphtheria, or Enteric Fever respectively but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 24th August, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 24th Aug., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6224	4045	1480	700	8	115	46	47	64	40	657	143	258	760	31	19·9	4·8	82·2	46·4	62·7	17·06	0·32	0·81	33 Towns.
London	4,392,346	2448	1430	426	279	6	55	27	24	21	10	112	51	102	423	10	17·0	3·0	82·2	51·6	66·2	19·00	0·19	0·48	London.
West Ham	249,473	157	78	38	12	–	7	2	2	2	3	6	1	2	6	2	16·3	4·6	–	–	–	–	–	–	West Ham.
Croydon	114,923	56	26	8	7	–	–	–	–	–	–	3	–	–	7	–	11·8	1·4	79·8	50·0	64·1	17·83	0·30	0·76	Croydon.
Brighton	119,604	59	45	11	13	–	–	–	–	–	–	6	4	4	9	–	19·6	2·6	75·0	53·2	63·4	17·44	0·04	0·10	Brighton.
Portsmouth	174,751	83	65	32	13	–	–	–	–	3	2	17	–	1	8	–	19·4	6·6	74·5	53·0	63·0	17·22	0·12	0·30	Portsmouth.
Plymouth	89,096	48	22	7	10	–	–	–	–	–	–	3	1	3	1	–	12·9	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,139	115	68	19	17	–	–	–	–	–	–	5	2	8	19	–	15·5	1·1	74·0	50·0	60·2	15·67	0·82	2·08	Bristol.
Cardiff	155,637	121	54	23	10	–	3	–	1	–	–	5	3	3	8	–	18·1	3·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	48	23	8	7	–	1	–	1	–	–	1	1	2	3	–	12·4	1·6	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	48	42	18	5	–	1	–	2	1	–	13	1	3	5	–	25·5	10·3	76·0	46·4	61·0	16·11	0·00	0·00	Wolverhampton.
Birmingham	496,751	298	152	51	33	–	1	4	1	–	3	28	6	5	26	2	16·0	3·9	–	–	–	–	–	–	Birmingham.
Norwich	107,127	62	53	21	13	–	–	–	–	1	1	11	3	4	7	–	25·8	6·3	80·4	49·8	63·9	17·72	0·17	0·43	Norwich.
Leicester	193,889	130	59	32	6	–	–	1	1	1	–	25	–	1	4	–	15·9	7·5	–	–	–	–	–	–	Leicester.
Nottingham	226,658	125	78	32	14	–	–	1	–	–	2	24	4	5	11	–	17·9	6·2	77·9	49·0	63·3	17·39	0·24	0·61	Nottingham.
Derby	100,272	53	41	21	7	–	–	–	–	–	–	15	1	2	1	–	21·3	7·8	–	–	–	–	–	–	Derby.
Birkenhead	107,469	56	38	15	6	–	–	–	1	3	1	9	–	2	3	2	18·4	6·8	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	369	273	103	25	–	4	2	3	10	3	39	14	21	47	3	28·2	6·3	75·0	49·6	60·6	15·89	1·28	3·25	Liverpool.
Bolton	119,337	68	61	27	6	–	–	–	–	–	1	22	2	3	3	–	26·7	10·0	–	–	–	–	–	–	Bolton.
Manchester	524,865	342	306	128	44	–	8	5	–	3	2	56	13	21	55	2	30·4	7·4	–	–	–	–	–	–	Manchester.
Salford	208,253	167	116	50	13	–	7	1	–	2	2	35	–	1	17	2	29·0	11·8	–	–	–	–	–	–	Salford.
Oldham	141,079	89	60	22	8	2	3	–	1	1	–	7	2	4	5	–	22·2	5·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	42	45	20	3	–	–	1	1	1	–	5	3	4	5	–	23·6	4·2	–	–	–	–	–	–	Burnley.
Blackburn	127,615	93	87	31	8	–	23	–	–	3	–	14	3	4	5	4	35·6	16·3	–	–	–	–	–	–	Blackburn.
Preston	112,638	78	50	23	8	–	–	–	–	1	–	17	2	2	3	–	23·1	8·3	–	–	–	–	–	–	Preston.
Huddersfield	99,482	53	35	10	5	–	–	–	2	–	1	7	2	2	1	–	18·3	5·2	78·0	51·0	61·4	16·33	0·10	0·25	Huddersfield.
Halifax	93,813	44	29	5	9	–	–	–	–	–	1	2	–	–	4	–	16·1	1·7	–	–	–	–	–	–	Halifax.
Bradford	226,384	162	99	32	19	–	–	1	1	4	2	16	6	9	11	–	22·8	5·5	72·6	56·2	62·7	17·06	0·24	0·61	Bradford.
Leeds	395,546	237	133	55	27	–	–	–	1	3	2	33	1	8	7	1	17·5	5·1	–	–	–	–	–	–	Leeds.
Sheffield	342,768	213	155	75	18	–	2	–	2	1	–	49	3	5	15	2	23·6	8·2	–	–	–	–	–	–	Sheffield.
Hull	216,722	141	138	75	21	–	–	–	1	–	1	54	6	10	8	–	33·2	13·5	79·0	50·0	63·0	17·22	0·37	0·94	Hull.
Sunderland	137,705	90	70	23	15	–	–	–	–	–	1	10	–	3	8	1	26·5	4·2	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	74	32	14	4	–	–	–	–	2	–	3	3	4	2	–	17·4	2·7	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	115	82	25	15	–	–	1	2	1	2	5	5	10	23	–	20·7	2·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2413	2421	2521	2401	2358	2487	2501	2495	2571	2378	2590·6	2448
Males . .	1226	1249	1231	1189	1218	1266	1234	1237	1306	1201	1304·2	1235
Females .	1187	1172	1290	1212	1140	1221	1267	1258	1265	1177	1286·4	1213
TOTAL **Deaths**	1371	1458	1490	1438	1240	1629	1403	1406	1718	1284	1523·7	1430
Males . .	692	745	781	763	674	794	735	736	901	633	786·7	705
Females .	679	713	709	675	566	835	668	670	817	651	737·0	725

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
TOTAL **Births** - -	2569	2333	2678	2639	2488	2651	2586	2557	2575	2624	2340	2646	2448
TOTAL **Deaths** - -	1308	1247	1213	1276	1429	1519	1768	1996	1939	1806	1601	1459	1430
Ages at Death: Under 1 year -	279	254	263	314	425	548	680	880	892	772	616	460	426
1—5 years -	195	190	198	212	231	222	281	310	286	308	272	232	224
5—20 „ -	87	84	73	82	81	82	95	104	90	87	79	88	77
20—40 „ -	175	158	170	176	185	169	188	165	184	166	167	159	167
40—60 „ -	254	249	240	218	232	240	240	237	207	211	215	226	257
60—80 „ -	271	266	232	229	226	212	235	251	242	207	222	241	227
80 years & upwards	47	46	37	45	49	46	49	49	38	55	30	53	52
Deaths from—													
Small-pox - - - -	-	-	1	-	1	3	1	-	1	1	3	1	6
Measles - - - -	50	36	71	71	84	73	75	82	94	67	70	62	55
Scarlet fever - - -	17	17	12	11	18	12	20	23	14	24	15	21	27
Diphtheria - - -	41	33	45	37	38	53	50	39	48	57	55	50	24
Whooping-cough - -	30	22	20	18	29	25	19	28	22	17	20	10	21
Typhus - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Enteric fever - - -	5	8	5	4	7	5	11	5	9	12	9	15	10
Simple Continued fever -	-	-	-	1	-	-	-	1	-	1	-	-	-
Diarrhœa and Dysentery -	16	19	21	46	92	169	270	373	397	373	224	163	112
Cholera - - - -	-	1	-	2	3	4	4	12	15	9	5	1	2
All the above Diseases	159	137	175	190	272	344	450	563	600	561	401	323	257
Dis. of Respiratory System	193	163	152	186	160	160	187	193	185	171	159	137	170
Phthisis - - - -	148	162	143	134	147	119	130	131	111	127	136	126	148
Dis. of Circulatory System	114	123	99	111	97	110	107	126	92	108	100	114	86
Violence - - - -	64	55	55	43	64	72	74	71	69	58	49	67	51
Inquest Cases - - -	123	121	107	94	123	144	139	163	147	121	118	137	102
Deaths in Public Institutions	397	395	349	360	422	415	449	433	384	436	383	407	423
TEMPERATURE OF THE AIR													
Mean - - - -	61·0°	60·7°	58·7°	60·5°	65·8°	61·8°	65·6°	62·8°	62·6°	59·0°	60·3°	61·7°	66·2°
Mean of Highest readings -	74·6°	73·0°	70·6°	73·9°	79·8°	71·8°	78·7°	73·3°	71·7°	67·2°	71·3°	71·4°	73·4°
Mean of Lowest readings -	48·5°	49·3°	48·0°	48·4°	53·3°	53·8°	53·7°	54·0°	55·9°	53·1°	52·7°	53·9°	55·9°
Humidity of the Air - -	69	68	61	64	61	65	55	67	81	82	78	78	71
Rain-fall (in inches) - -	0·08	0·02	0·02	0·10	0·02	0·30	0·13	0·46	1·66	1·23	1·09	0·35	0·19
Registered Sunshine (in hours)	49·9	53·0	33·7	38·1	37·8	32·5	59·7	30·1	17·8	12·0	29·7	32·9	56·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	22	23	19	22	34	42	71	89	199	237	273	336	357
Scarlet fever - - - -	1524	1589	1637	1732	1894	2044	2241	2267	2347	2423	2511	2529	2507
Diphtheria - - - -	508	529	562	593	633	633	637	638	681	686	689	657	666
Enteric fever - - - -	139	141	147	142	147	146	143	123	121	108	106	103	114

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FOURTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 34th Week of the 10 years 1885-94.*	In the Week ending Saturday, 24th August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1523·7	1430	426	224	77	167	257	227	52
Small-pox: Vaccinated†	-	3	-	-	-	2	1	-	-
Small-pox: Unvaccinated	0·6	3	-	1	2	-	-	-	-
Small-pox: No Statement	0·4	-	-	-	-	-	-	-	-
Measles	38·0	55	22	33	-	-	-	-	-
Scarlet Fever	21·8	27	1	16	9	-	1	-	-
Typhus	0·1	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	2·8	2	1	-	-	-	1	-	-
Whooping-cough	33·5	21	12	9	-	-	-	-	-
Diphtheria	31·1	24	-	15	8	1	-	-	-
Simple Continued and Ill-defined Fever	0·5	-	-	-	-	-	-	-	-
Enteric Fever	12·1	10	1	1	2	5	1	-	-
Cholera and Chol. Diarr.	6·2	2	1	-	-	-	1	-	-
Diarrhœa, Dysentery	173·9	112	79	10	3	1	-	6	3
Remittent Fever	0·1	1	-	-	-	1	-	-	-
Hydrophobia	0·2	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	-	1	1	-	-	-	-	-	-
Venereal Affections	11·4	5	3	1	-	-	-	1	-
Erysipelas	5·5	4	-	-	-	-	1	2	1
Pyæmia and Septicæmia	1·9	1	-	-	-	-	1	-	-
Puerperal Fever	5·2	1	-	-	-	1	-	-	-
Other Zymotic Diseases	1·5	-	-	-	-	-	-	-	-
Thrush	2·6	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	1·9	2	2	-	-	-	-	-	-
Alcoholism	9·0	13	-	-	-	7	6	-	-
Rheumatic Fever, Rheumatism of Heart	8·4	7	-	-	-	4	3	-	-
Rheumatism	1·5	-	-	-	-	-	-	-	-
Gout	3·4	1	-	-	-	-	-	1	-
Rickets	5·0	5	2	3	-	-	-	-	-
Cancer	61·2	77	-	-	-	4	3	33	2
Tabes Mesenterica	43·9	29	18	8	1	2	-	-	-
Tubercular Meningitis	24·8	31	13	15	4	1	1	-	-
Phthisis	145·8	148	1	7	9	65	55	11	-
Scrofula, Tuberculosis	18·5	22	7	6	4	5	2	-	-
Other Constitutional Diseases	9·4	7	1	1	-	1	-	3	1
Premature Birth	43·4	43	43	-	-	-	-	-	-
Atelectasis	1·6	4	4	-	-	-	-	-	-
Congenital Malformations	6·9	5	4	-	1	-	-	-	-
Old Age	40·1	43	-	-	-	-	-	25	18
Apoplexy	40·2	32	-	-	2	3	12	12	3
Epilepsy	6·9	7	-	-	1	1	4	1	-
Convulsions	45·5	44	41	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	72·9	84	11	14	5	3	18	20	8

CAUSES OF DEATH.	Corrected Averages for the 34th Week of the 10 years 1885-94.*	In the Week ending Saturday, 24th August 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense	3·3	1	-	1	-	-	-	-	-
Diseases of Circulatory System	103·3	83	3	-	6	15	24	32	6
Croup	6·3	3	-	1	1	-	-	-	-
Bronchitis	85·0	64	22	12	-	1	7	21	2
Pneumonia	59·9	90	29	32	4	3	12	9	1
Pleurisy	4·6	5	1	-	-	3	1	-	-
Other Diseases of Respiratory System	15·0	9	2	1	1	2	1	2	-
Dentition	10·7	6	3	3	-	-	-	-	-
Quinsy, Sore Throat	2·1	1	-	1	-	-	-	-	-
Enteritis	28·1	51	35	6	1	2	5	1	1
Peritonitis	8·1	8	1	-	2	2	1	2	-
Diseases of Liver	30·1	30	-	1	-	3	16	9	1
Other Diseases of Digestive System	31·9	30	3	2	3	5	8	8	1
Diseases of Lymphatic System & of Ductless Glands	1·6	2	-	-	-	2	-	-	-
Diseases of Urinary System	37·4	45	-	-	2	6	20	15	2
Diseases of Generative System	6·4	3	-	-	-	-	3	-	-
Accidents of Childbirth	5·6	4	-	-	-	2	2	-	-
Diseases of Locomotive System	5·2	2	-	-	-	-	1	1	-
Diseases of Integumentary System	6·0	2	-	-	-	-	1	-	1
VIOLENT DEATHS. (ACCIDENT.)									
By Railways	47·1	2	-	-	-	-	-	1	1
By Vehicles or Horses		4	-	3	1	-	-	-	-
In Ships, Boats, Docks (exclusive of Drowning)		1	-	-	-	-	1	-	-
In Building Operations		1	-	-	-	1	-	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		3	1	2	-	-	-	-	-
By Drowning		9	1	-	5	2	1	-	-
By Suffocation in Bed		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours		-	-	-	-	-	-	-	-
Other or not stated Causes		15	2	3	-	4	2	4	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·4	-	-	-	-	-	-	-	-
Suicide	6·8	10	-	-	-	4	3	3	-
Execution	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES	74·5	59	49	3	-	-	2	5	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON *	4,211,743	2448	1430	426	279	6	55	27	24	21	-	10	-	112	51	102	423
WEST DISTRICTS	740,735	345	228	68	56	-	6	2	2	3	-	1	-	17	7	18	77
NORTH DISTRICTS	993,384	543	278	66	66	-	8	6	8	3	-	4	-	21	13	19	79
CENTRAL DISTRICTS	247,538	125	104	25	10	-	8	1	1	1	-	1	-	5	6	15	29
EAST DISTRICTS	705,114	526	283	86	44	-	23	4	5	5	-	1	-	18	12	24	89
SOUTH DISTRICTS	1,524,472	909	501	181	91	-	10	10	8	9	-	3	-	49	13	28	113
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	36	-	12	6	-	4	-	-	-	-	-	2	-	-	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	83	29	11	8	-	-	-	1	-	-	-	-	5	-	-	5
St. John Paddington *H* - - G.J.	33687	11	10	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Kensington Town *Ww* - - W.M.	118751	48	36	7	17	-	-	-	-	-	-	-	-	1	2	3	20
Brompton - - - W.M. & C.	47557	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Peter Hammersmith - - W.M*	8833	8	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3
St. Paul Hammersmith *H* W.M. & G.J	38653	45	23	9	2	-	1	1	-	-	-	-	-	-	-	-	-
Fulham *Ww* - - - W.M. & C	91639	60	40	14	5	-	3	1	1	2	-	1	-	8	-	3	7
Chelsea Kensal Town - - - C.	21787	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	16	23	7	4	-	-	-	-	-	-	-	-	-	1	4	17
Chelsea South *HH* - - - C.	32829	15	13	7	2	-	1	-	-	-	-	-	-	-	-	2	2
May Fair *WH* - - - - G.J.	23733	3	8	1	5	-	-	-	-	-	-	-	-	-	-	-	8
Belgrave *WHHH* - - - - C.	54631	26	15	4	4	-	-	-	-	1	-	-	-	-	1	1	5
St. John Westminster *HH* - C.	34106	20	13	6	2	-	1	-	-	-	-	-	-	2	-	1	1
St. Margaret Westminster *H* - C.	21668	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	10	3	-	-	-	-	-	-	-	-	-	-	-	1	2	2
St. Anne Soho *HHHHHH* - - N.R.	12317	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	13	17	4	4	-	1	-	-	-	-	-	-	1	2	2	9
Rectory Marylebone *WH* G.J. & W.M.	20024	5	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	40	3	1	1	-	-	-	-	-	-	-	-	2	-	1	-
Christchurch Marylebone *HH* - W.M.	33327	17	8	4	-	-	-	-	-	1	-	1	-	1	-	-	-
St. John Marylebone *HH* - - W.M.	32101	12	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	28	29	3	7	-	-	2	4	-	-	-	-	2	-	-	11
Regent's Park Pancras *HH* - W.M.	36590	19	9	2	3	-	-	-	-	-	-	-	-	-	1	3	1
Tottenham-court *wHHH* N.R. & W.M.	26321	17	14	-	2	-	-	-	-	-	-	-	-	-	-	-	12
Gray's Inn Lane *HHH* - - N.R.	27455	8	6	3	1	-	-	-	-	-	-	-	-	3	-	-	2
Somers Town *HH* - - - N.R.	32829	15	11	3	2	-	-	-	1	-	-	-	-	1	-	-	3
Camden Town *WH* - - - N.R.	15419	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Kentish Town *WW* - - - N.R.	95765	47	25	5	5	-	2	-	-	-	-	-	-	2	1	2	5
Upper Holloway *WWWwHHH* - N.R.	90235	44	32	5	12	-	-	-	-	-	-	-	-	3	1	1	15
Islington South-west *H* - - N.R.	105557	60	20	4	3	-	3	-	1	-	-	-	-	-	1	1	-
Islington South-east - - - N.R.	64158	39	16	8	5	-	-	1	-	-	-	1	-	1	-	1	-
Highbury *HH* - - - N.R.	59193	28	15	5	3	-	1	-	-	-	-	-	-	1	-	-	1
Stoke Newington *H* - - - N.R.	30936	16	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	3	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
West Hackney *H* - - - N.R.	42602	24	7	2	3	-	-	-	-	-	-	-	-	-	1	-	2
Hackney *WwwH* - - K.L. & N.R.	96486	67	38	11	8	-	1	3	2	-	-	2	-	2	4	4	14
South Hackney *w* - - - E.L.	41759	26	13	8	1	-	-	-	-	1	-	-	-	2	2	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Giles North *H* - - - N.R.	9633	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	6	2	-	-	-	-	-	-	-	-	-	-	1	1	4
St. Mary-le-Strand *H* - - - N.R.	5706	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	2	11	1	1	-	-	-	-	-	-	1	-	-	1	3	6
Strand Union Workhouse, Edmonton -	†1037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	7	12	1	1	-	2	-	-	-	-	-	-	-	1	3	6
St. Andrew Eastern *WH* - - N.R.	15343	8	9	2	1	-	2	-	-	-	-	-	-	1	-	1	-
St. James Clerkenwell - - - N.R.	16803	8	5	1	-	-	-	1	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - - - N.R.	16883	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - N.R.	17155	16	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Goswell-street - - - - N.R.	15375	10	4	3	-	-	-	-	-	1	-	-	-	1	-	-	-
City-road *HHHL* - - - N.R.	29177	18	13	4	-	-	3	-	-	-	-	-	-	3	1	2	1
Whitecross-street - - - N.R.	8378	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Holborn Union Workhouse, Mitcham -	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H* - - - N.R. & E.L.	8944	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	3	10	1	-	-	-	-	1	-	-	-	-	-	-	-	9
St. Bride *W* - - - - N.R.	6594	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	4	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT rday, 24th August, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	20098	15	12	2	3	-	3	1	-	-	-	-	-	-	-	-	3	-
ton New Town *w* - - - N.R.	29313	12	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
ton Old Town - - - - N.R.	28354	18	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
gerston *WH* - - N.R. & E.L.	46244	43	19	11	-	-	-	-	-	-	-	-	-	2	1	1	6	-
hnal Green North *H* - - E.L.	51820	40	11	4	2	-	1	-	2	-	-	-	-	2	-	1	-	-
hnal Green South - - - E.L.	33489	28	11	4	2	-	-	-	-	-	-	-	-	1	1	3	-	-
hnal Green East *WHL** - E.L.	44123	27	25	9	4	-	2	1	-	1	-	-	-	1	2	6	7	-
elfields - - - E. N.R.	22456	22	4	1	-	-	2	-	-	-	-	-	-	1	-	2	-	-
e End New Town *W* - - E.L.	17908	20	8	1	-	-	-	-	-	-	-	-	-	1	-	-	5	-
itechapel Church *H* E.L. & N.R.	50298	16	27	5	2	-	3	-	2	-	-	1	-	1	4	4	21	-
dman's Fields - - - E.L.	13869	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	30	10	4	2	-	3	-	-	-	-	-	-	1	-	-	-	-
John, St. George East *W* - E.L.	8957	2	10	-	4	-	2	-	-	-	-	-	-	-	-	-	7	-
dwell *H* - - - E.L. & N.R.	10246	3	8	4	-	-	-	-	-	1	-	-	-	-	-	1	6	-
liff *W* - - - - - E.L.	14928	11	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ehouse - - - - - E.L.	32202	29	16	10	-	-	2	-	-	-	-	-	-	-	2	2	1	-
End Old Town West *H* - E.L.	38650	36	5	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
End Old Town East *WWww* E.L.	68942	55	31	8	9	-	3	-	-	-	-	-	-	3	-	1	9	-
*L** - - - - - E.L.	40365	34	11	1	2	-	-	-	-	1	-	-	-	-	1	2	-	-
mley *wwwH* - - - - E.L.	70000	45	37	8	4	-	-	-	1	1	-	-	-	1	1	1	22	-
lar *WW* - - - - - E.L.	56888	33	15	4	6	-	2	1	-	1	-	-	-	3	-	-	1	-
SOUTH DISTRICTS.																		
lstchurch Southwark *WH* L. & S.	13264	5	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Saviour Southwark - - S.	13913	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
t-road - - - - S. & L.	21867	19	6	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
ough-road *WH* - - S. & L.	16624	12	11	3	1	-	-	-	-	-	-	-	-	-	-	-	5	-
don-road *HL* - - L. & S.	21221	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ity Newington - - S. & L.	26596	18	11	6	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Peter Walworth *W* - S. & L.	61342	40	16	6	4	-	1	-	-	-	-	-	-	1	-	1	1	-
Mary Newington - - L. & S.	27866	20	7	2	2	-	-	-	1	-	-	-	-	1	-	1	-	-
Olave *WH* - - - - S.	12723	4	13	3	2	-	1	-	-	-	-	-	-	1	-	-	10	-
ther Market *W* - - S. & L.	30612	20	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
James Bermondsey - - S.	54070	43	11	7	-	-	-	-	-	1	-	-	-	1	-	2	-	-
erhithe *WwH* - - S. & K.	39255	25	16	3	4	-	-	-	-	-	-	-	-	4	-	-	5	-
erloo-road 1st *H* - - L. & S.	14031	8	6	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-
erloo-road 2nd *H* - - L. & S.	14644	20	4	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-
beth Church 1st *H* - L. & S.	18075	15	19	6	2	-	-	-	-	-	-	-	-	-	2	2	11	-
beth Church 2nd *WW* - L. & S.	39097	30	19	4	4	-	-	-	-	-	-	-	-	-	-	2	12	1
nington 1st *H* - - S. & L.	50586	32	20	6	3	-	1	-	-	2	-	1	-	2	-	1	-	1
nington 2nd - - - S. & L.	39708	22	7	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
ton *w* - - - - L. & S.	73405	50	27	15	4	-	-	-	3	-	-	-	-	3	-	1	3	1
wood *WH* - - - - L.	25657	15	5	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - S.	67244	55	22	10	4	-	-	-	-	-	-	-	-	1	2	2	-	1
Battersea *WwH* - - S.	83314	55	39	16	5	-	1	1	-	-	-	-	-	5	-	2	13	-
ham *H* - - - - S.	43698	20	12	4	3	-	1	-	-	-	-	-	-	-	-	1	-	-
dsworth *WHHL* - - S.	46717	29	11	3	2	-	-	-	-	-	-	-	-	1	-	-	3	-
ey - - - - - S.	17771	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tham *wwww* - - - L.	48756	17	17	3	6	-	-	3	2	-	-	-	-	3	-	-	5	-
ich - - - - L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell *WwL*L** - S. & L.	81686	39	35	10	8	-	2	-	1	1	-	1	-	3	-	-	18	-
ham *W* - - S., L., & K.	83488	48	15	5	2	-	-	-	-	1	-	-	-	3	-	-	-	-
eorge Camberwell - - L. & S.	63366	43	18	4	6	-	-	2	-	-	-	-	-	2	-	-	-	-
ford, North - - - - K.	35314	30	18	8	3	-	-	-	-	1	-	-	-	1	1	1	-	1
ford, Central *w* - - - K.	42007	31	17	5	4	-	-	4	1	-	-	1	-	2	1	2	5	-
ford, South - - - - K.	30852	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
nwich West *H* - - - K.	22007	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich East *WH* - - - K.	35233	14	26	7	5	-	-	-	-	2	-	-	-	3	-	1	15	-
am *wH* - - - - - K.	5682	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	4	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
ham *WH* - - - - K.	30950	12	4	4	-	-	-	-	-	-	-	-	-	2	-	-	4	-
ham *H* - - - - - L.	34162	17	5	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-
ton *HH* - - - - K.	14040	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
wich Dockyard - - - K.	19606	7	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
wich Arsenal *HH III* - K.	21242	13	9	6	-	-	-	-	-	-	-	-	-	-	1	3	-	-
stead, West *H* - - - K.	15369	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, East *WH* - - - K.	36567	24	11	3	3	-	1	-	-	-	-	-	-	2	2	2	1	2
tead Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
tham Asylum - - - - -	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	5	-
Hill Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ital Ships and Camp, Dartford -	-	-	6	-	-	6	-	-	-	-	-	-	-	-	-	-	6	-
nth Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
well Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
y Hatch Asylum - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital - - - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
bmore Hill Hospital - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
sden Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
bury Asylum - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	2	-	-	7	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHO HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week e Saturday, 24th August, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	897	446	173	99	–	15	3	5	5	7	57	17	23	40
30 : 1	Carshalton *wHH* -	12228	26108	9	4	1	2	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	7	–	–	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W*	2754	1593	2	1	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH* -	20851	128699	69	31	11	8	–	–	–	–	–	–	4	–	2	6
2	Mitcham *w* - -	11697	23088	5	4	2	1	–	–	–	–	–	–	1	–	–	–
39 : 1	Wimbledon *HHH* -	3220	25761	17	3	2	–	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH* - -	8071	44765	29	15	4	6	–	–	–	–	–	–	1	1	1	2
3	Esher, *part of** *HH* -	6601	12059	5	4	1	2	–	–	–	–	–	–	–	–	–	–
4	Hampton *H* - -	4535	18252	6	7	2	–	–	–	–	1	–	–	–	1	1	–
40 : 1	Richmond *WH* - -	2160	25389	10	6	3	1	–	–	–	–	–	–	1	1	1	1
2	Mortlake *H* - -	2823	16159	7	3	3	–	–	–	–	–	–	–	2	1	1	–
41 : 1	Bromley *HHH* - -	9127	23815	15	8	3	3	–	–	–	–	–	–	2	–	–	1
2	Beckenham *H* - -	6542	21969	13	4	2	1	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	14	6	3	2	–	–	–	–	–	–	1	–	–	1
42 : 1	Bexley *HH* - -	12540	30590	22	4	3	–	–	–	–	–	–	–	2	–	–	–
2	Dartford *Work.*, pt. of*-	—	—	1	1	–	–	–	–	–	–	–	–	–	–	–	1
124 : 1	Sunbury *w* - -	11054	13671	15	11	2	1	–	–	–	1	–	–	–	1	2	–
2	Staines *WH* - -	13277	13221	7	4	–	3	–	–	–	–	–	–	–	–	–	1
125 : 1	Hillingdon *WHH* -	6035	12237	6	4	–	2	–	–	–	–	–	–	–	–	–	1
2	Uxbridge - -	6172	5417	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - -	14537	17618	3	1	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH* -	6967	26273	16	11	2	2	–	–	–	–	–	–	2	1	1	2
2	Twickenham *HH* -	2415	16027	10	4	1	2	–	–	–	–	–	–	–	1	–	–
3	Brentford *HHHH* -	4318	37777	18	7	3	–	–	–	–	–	–	–	1	1	1	–
4	Chiswick - - -	1245	21963	6	8	4	3	–	–	–	–	–	–	1	–	–	–
5	Acton *wH* - - -	6132	30945	21	12	3	4	–	1	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	11	3	1	1	–	–	–	–	–	–	–	2	2	–
2	Edgware *HH* - -	6994	3844	3	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* -	4333	61265	52	17	6	3	–	–	–	1	–	–	1	1	–	1
4	Hendon *WH* - -	8332	15843	13	5	2	1	–	–	–	–	–	–	3	–	1	2
128 : 1	South Mimms *H*	15599	8474	5	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11773	3	3	2	1	–	–	–	–	1	–	–	–	–	1
3	Finchley *HHH* -	4688	25829	10	3	–	1	–	–	–	–	–	–	–	1	1	–
129 : 1	Hornsey *HH* - -	3039	61097	35	17	7	2	–	–	–	–	1	–	2	–		–
2	Tottenham *H* - -	4842	97174	62	30	8	8	–	4	–	–	–	1	4	2	4	1
3	Edmonton *Www* -	7489	36351	34	23	13	6	–	–	–	–	1	1	3	–	–	1
4	Enfield *WWHH* -	12639	31803	25	12	7	3	–	–	–	–	–	–	5	–	1	–
5	Waltham Abbey - -	11017	6066	3	1	1	–	–	–	–	–	–	–	1	–	–	–
6	Cheshunt *H* -	8430	9620	6	3	2	–	–	–	–	–	–	–	2	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	2	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	3	1	–	1	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*- -	1100	42983	24	17	9	2	–	–	1	–	1	1	1	1	1	1
2	Plaistow - - -	1242	58030	53	21	11	3	–	4	–	1	1		1	–	–	–
3	Canning Town *H* -	1558	54750	51	24	16	2	–	2	1	–	–	–	4	–	1	1
4	Forest Gate *w* - -	806	49140	29	12	2	2	–	1	–	1	–	2	–	–	–	–
5	East Ham *w* - -	3266	32713	23	12	5	2	–	–	–	–	–	–	2	–	–	–
6	Leyton *WWWwH*	4334	70188	46	33	12	12	–	–	–	–	–	–	6	2	2	6
7	Walthamstow *HHL*	6501	57330	42	18	5	2	–	–	1	–	–	1	3	–	–	1
187 : 1	Chigwell *part of** *H*	11779	12941	9	4	2	1	–	–	–	–	–	–	1	–	–	–
2	Epping *Work.*, pt. of* -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6553	4324	1	2	1	–	–	–	–	–	–	–	–	–	–	–
2	Ilford - - -	8493	10913	7	2	2	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14301	6	10	4	–	–	3	–	–	–	1	1	–	–	–
	Cane Hill Asylum -	–	–	–	2	–	–	–	–	–	–		–	–	–	–	2
	Middlesex County Asy.	–		–	7	–	3	–	–	–	–		–	–	–	–	7

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30 : 2, Epsom sub-district, except the parishes of Ashtead and Headley (pop. 1763); 37 : 1, the parishes of Warlingham and Farley in Godstone district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cadnam, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the pari Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 4 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 24th August, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TER LONDON	443,421	6,048,555	16·2	3·0	1876	599	378	6	70	30	29	26	17	169	68	463
NER LONDON -	74,672	4,392,346	17·0	3·0	1430	426	279	6	55	27	24	21	10	112	51	423
THE RING -	368,749	1,656,209	14·0	2·9	446	173	99	–	15	3	5	5	7	57	17	40

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	August 24	151	103	19·6	–	–	–	–	3	–	10
GOW - -	695,876	" 24	425	201	15·1	–	1	6	–	6	4	17
N - -	349,594	" 24	187	140	20·9	–	–	1	–	1	–	9
TTA - -	466,460	July 6	–	–	–	–	–	–	–	–	–	–
AY - -	821,764	" 30	290	493	31·2	4	4	?	?	?	124	38
AS - -	452,518	" 19	422	295	33·8	–	1	?	?	?	96	38†
- - -	2,424,705	August 17	1125	772	16·5	1	24	8	7*	10	4	107
ELS - -	507,985	" 17	241	162	16·6	–	1	2	–	–	3	22
ERDAM -	451,493	" 17	286	117	13·5	–	–	1	3	1	2	2
ERDAM -	272,042	" 17	171	72	13·7	–	–	–	–	1	–	–
HAGUE -	180,455	" 17	95	70	20·2	–	–	–	1	3	–	–
NHAGEN -	341,000	" 17	231	96	14·7	–	–	–	–	8	1	12
KHOLM -	259,304	" 10	129	92	18·4	–	–	1	–	–	–	29
TIANIA -	174,717	" 17	46	63	18·7	–	–	1	–	–	1	10
TERSBURG	954,400	" 3	565	465	25·4	–	4	8	7	5	26	106
		" 10	510	463	25·3	1	2	11	7	9	22	93
OW - -	753,469	" 10	–	553	38·3	–	6	4	5	1	10	212
N - -	1,724,544	" 3	915	948	28·4	–	9	18	13	7	2	373
URG - -	608,710	" 17	–	212	18·1	–	–	6	3*	6	–	34
DEN - -	320,600	July 13	216	136	24·2	–	2	–	5*	2	1	42
AU - -	367,769	" 20	193	135	21·7	–	3	–	3*	2	1	35
CH - -	396,000	August 17	–	214	30·3	–	5	8	1*	1	–	68
A - -	1,495,764	" 17	928	646	22·5	–	8	4	11*	10	4	127
E - -	351,478	" 17	202	148	21·9	–	3	–	2	1	–	10
-PESTH -	566,022	" 10	393	328	30·1	–	–	2	1	–	2	103
TE - -	160,825	" 3	96	75	24·2	–	–	–	–	2	–	8
- -	464,579	June 15	172	135	15·2	–	12	1	–	1	–	8
(11 days)	344,203	" 22	192	134	15·0	–	6	–	–	–	3‡	10
		" 31	238	217	20·9	–	1	–	1	–	6	34
E -	158,159	August 3	111	106	34·9	–	–	–	–	–	2	25
- -	374,838	July 22	428	411	57·0	–	3	–	–	1	7	163
NDRIA -	231,396	" 22	192	206	46·4	1	–	–	1*	–	9	77
YORK -	1,860,700	August 3	–	893	25·0	–	13	1	29	14	8	181
LYN -	1,100,000	" 10	–	500	23·7	–	3	–	11	11	5	121
DELPHIA	1,163,864	" 3	–	437	19·6	1	2	1	10	7	6	86
ORLEANS -	275,000	July 13	–	152	28·4	2	–	–	3	–	9	13

* Including deaths from croup.
† Including one death from cholera.
‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 24TH AUGUST, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	18	..	29·959	79·0	53·0	26·0	66·0	+ 4·4	52·4	13·6	22·4	0·0	62	136·0	48·8	61·94	ESE. & Calm.	SE.	1·1	0·0	0·0	120	−108	0·00	0·0
MONDAY	19	..	29·901	82·2	51·6	30·6	67·4	+ 6·0	53·5	13·9	27·0	0·2	1	140·2	50·6	62·30	Calm & SW.	SW. & SSW.	1·0	0·0	0·0	142	− 84	0·00	0·0
TUESDAY	20	New Perigee.	29·927	78·4	59·1	19·3	66·9	+ 5·6	59·7	7·2	17·3	1·9	78	135·2	56·5	62·50	SW.	WSW. & SW.	0·7	0·0	0·0	168	− 57	0·00	0·0
WEDNESDAY	21	..	29·877	81·8	55·5	26·3	68·1	+ 7·0	59·0	9·1	20·1	0·0	73	135·8	52·2	62·90	SW.	SSW. & SSE.	0·9	0·0	0·0	159	− 66	0·00	0·0
THURSDAY	22	In Equator.	29·702	81·3	62·3	19·0	69·8	+ 8·8	64·7	5·1	13·9	1·3	84	137·3	59·1	63·30	Variable and Calm.	S. & SSW.	2·5	0·0	0·1	182	− 44	0·19	0·2
FRIDAY	23	..	29·737	75·4	56·4	19·0	64·8	+ 3·9	55·2	9·6	18·4	1·1	71	137·0	54·5	63·62	SW. & SSW.	SSW.	4·0	0·0	0·5	318	+ 91	0·00	2·3
SATURDAY	24	..	29·846	70·4	53·3	17·1	60·4	− 0·4	49·5	10·9	18·7	1·2	67	127·0	50·0	63·81	SSW. SW. & WSW.	W. WNW. & NW.	2·0	0·0	0·2	294	+ 65	0·00	4·5
MEANS		..	29·850	78·4	55·9	22·5	66·2	+ 5·0	56·3	9·9	19·7	0·8	71	135·5	53·1	62·91	SW.		..	..	..	Sum 1383	Sum − 203	Sum 0·19	1·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	18	m. P. throughout	10·9	14·4	Very fine; light cloud prevalent during the day; cloudless at night.
MONDAY	19	v. P. generally	10·5	14·3	A very fine day; generally cloudless.
TUESDAY	20	s. P. in morning; v. P. afterwards.	5·3	14·3	Very fine; cloudless in morning and at night. Variable clouds during the day.
WEDNESDAY	21	m. P. generally	12·2	14·2	A very fine day. A few light clouds prevalent between 9h. A.M. and 5h. P.M.; otherwise cloudless.
THURSDAY	22	ss. N. and ss. P. between 8h. A.M. and 11h. A.M., and again between 8h. P.M. and 9h. P.M.; w. P. at other times.	3·5	14·1	Fine in early morning, with frequent lightning shortly before daybreak. Thunder showers between 8h. A.M. and 10h. A.M. Very fine and partially cloudy till evening. Thunderstorm between 8h. P.M. and 9h. P.M.; fine afterwards.
FRIDAY	23	m. P. generally	8·9	14·1	Generally cloudy till 8h. A.M. Very fine with variable amounts of cloud till 8h. P.M. Cloudless afterwards.
SATURDAY	24	m. P. in morning; v. P. afterwards.	5·4	14·0	A very fine day; cloudless till 8½h. A.M.; variable amounts of cloud till 7h. P.M.; cloudless afterwards.
			Sum	Sum	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·03 in. at the beginning of the week to 29·89 in. by 3h. P.M. on the 19th; increased to 29·95 in. by 10h. A.M. on the 20th; decreased to 29·67 in. by 6h. P.M. on the 22nd; and increased to 29·99 in. by the end of the week.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 35. 1895. VOL. LVI.] WEEK ENDING SATURDAY, AUGUST 31. [Price 1½*d.*

General Register Office, Somerset House,
September 2nd, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.		Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
Birkenhead	18·4	10·7	18·4	18·0	Liverpool - -	30·5	27·7	28·2	29·3
Birmingham	20·3	19·7	16·0	17·1	London - -	19·0	17·3	17·0	15·9
Blackburn -	22·1	20·4	35·6	27·8	Manchester -	27·1	25·5	30·4	25·1
Bolton -	25·3	25·3	26·7	34·1	Newcastle-on-Tyne	18·1	16·9	20·7	22·7
Bradford -	18·2	19·6	22·8	23·5	Norwich - -	23·9	16·5	25·8	23·4
Brighton -	15·3	14·4	19·6	22·2	Nottingham -	21·9	22·8	17·9	18·4
Bristol -	14·6	13·3	15·5	14·2	Oldham - -	22·2	19·6	22·2	25·1
Burnley -	25·7	24·1	23·6	35·6	Plymouth - -	18·1	14·0	12·9	21·7
Cardiff -	21·1	15·4	18·1	20·4	Portsmouth -	15·5	16·4	19·4	23·6
Croydon -	13·6	9·1	11·8	17·2	Preston - -	33·8	31·0	23·1	23·6
Derby -	16·6	16·6	21·3	19·2	Salford - -	26·8	26·0	29·0	29·5
Gateshead -	16·9	19·0	17·4	23·9	Sheffield - -	23·1	22·5	23·6	25·1
Halifax -	15·6	13·9	16·1	15·0	Sunderland -	23·9	22·0	26·5	31·0
Huddersfield	14·2	13·6	18·3	19·4	Swansea - -	19·4	14·0	12·4	17·7
Hull - -	20·9	23·1	33·2	31·3	West Ham - -	21·3	18·2	16·3	15·9
Leeds -	20·4	18·5	17·5	19·6	Wolverhampton -	31·0	29·2	25·5	18·8
Leicester -	24·2	18·8	15·9	16·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in West Ham and 4·1 in Blackburn; from *whooping-cough*, 1·4 in Bradford; and from *diarrhœa*, 3·1 in Birmingham, 3·2 in Croydon, 3·4 in Cardiff, 3·9 in Brighton, 4·6 in Nottingham and in Liverpool, 4·7 in Leeds, 4·8 in Oldham, 4·9 in Wolverhampton and in Manchester, 5·0 in Halifax, 5·1 in Bradford, 5·9 in Leicester, 6·0 in Gateshead, 6·8 in Derby, 6·9 in Preston, 7·0 in Salford and in Sheffield, 7·2 in Portsmouth, 8·6 in Blackburn, 9·2 in Norwich, 11·7 in Sunderland, 13·0 in Hull, 13·5 in Bolton, and 13·6 in Burnley. In no case did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000 in any of the thirty-three towns. The 56 deaths from *diphtheria* included 40 in London, 4 in Birmingham, and 3 in Liverpool. Four deaths from *small-pox* were registered in London, one in Oldham, and one in Preston, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2617 BIRTHS and 1336† DEATHS were registered. Allowing for increase of population, the births were 27, and the deaths 98, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·0, 17·3, and 17·0 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

preceding three weeks, further fell last week to 15·9. During the four weeks ending on Saturday last the death-rate averaged 17·3 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1336 deaths included 4 from small-pox, 56 from measles, 21 from scarlet fever, 40 from diphtheria, 22 from whooping-cough, one from typhus, 10 from enteric fever, 122 from diarrhœa and dysentery, 2 from cholera, and not one death from any ill-defined form of continued fever; thus, 278 deaths were referred to these diseases, being 11 above the corrected average weekly number.

The deaths from *small-pox* which had been 3, 1, and 6 in the preceding three weeks, were 4 last week, the corrected average being 1; the 4 cases belonged respectively to Bethnal Green, Whitechapel, Mile End Old Town, and Poplar sanitary areas. The deaths from *measles*, which had been 70, 62, and 55 in the preceding three weeks, were 56 last week, exceeding the corrected average by 26; 7 cases belonged to St. Pancras and 5 to Hackney sanitary areas. The deaths from *scarlet fever*, which had been 15, 21, and 27 in the preceding three weeks, fell again last week to 21, the corrected average being 22; 3 cases belonged to Limehouse and 3 to Camberwell sanitary areas. The deaths from *diphtheria*, which had been 55, 50, and 24 in the preceding three weeks, rose again last week to 40, exceeding the corrected average by 11; 4 cases belonged to Shoreditch, 4 to Mile End Old Town, 4 to Camberwell, 4 to Greenwich, 3 to Paddington, 3 to St. Pancras, 3 to Bethnal Green, and 3 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 20, 10, and 21 in the preceding three weeks, were 22 last week, the corrected average being 31; 4 cases belonged to Poplar sanitary area. The fatal cases of *enteric fever*, which had been 9, 15, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 11; 2 cases belonged to Kensington sanitary area. The death of a pupil teacher, aged 17 years, at the Convent, Hassett Road, Hackney, was certified as due to "*typhus fever*." The deaths from *diarrhœa*, which had been 224, 163, and 112 in the preceding three weeks, rose again last week to 122, but were 14 below the corrected average. In addition to the 122 deaths directly referred to *diarrhœa*, 31 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 47 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 159, 137, and 170 in the preceding three weeks, fell again last week to 102, and were 51 below the corrected average.

The deaths attributed directly to *influenza* numbered 3, having been 4, 4, and 2 in the preceding three weeks.

Different forms of violence caused 68 deaths, concerning all but 4 of which inquests were held. Of these 68 deaths, 10 were cases of suicide, while the remaining 58 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 11 to drowning, one to the effects of chloroform administered for surgical purposes, and 8 (including 7 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 341 cases of small-pox, 2512 of scarlet fever, 671 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 36 cases, against 54, 79, and 65; of scarlet fever, 264 cases, against 276, 357, and 306; of diphtheria, 86 cases, against 82, 74, and 81; and of enteric fever, 21 cases, against 16, 13, and 26.

Greater London.

In Greater London 3558 births and 1756 deaths were registered, corresponding to annual rates of 30·7 and 15·1 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 5 from scarlet fever, 14 from diphtheria, 7 from "fever", and 55 from diarrhœa were registered. Six deaths from measles, 6 from diphtheria, 3 from "fever", and 15 from diarrhœa occurred in West Ham district; 3 deaths from scarlet fever and 2 from diphtheria occurred in Willesden sub-district; and 3 deaths from diphtheria occurred in Mortlake sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 61°·8, the latter being 1°·3 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 45 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 51·5 hours; the measured rainfall amounted to 0·15 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2. 96 CITIES AND TOWNS: BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 31st August, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 31st Aug., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6321	4042	1600	632	6	99	43	56	65	40	762	141	251	694	44	19·9	5·3	76·8	39·0	58·8	14·89	0·46	1·17	33 Towns.
London	4,392,346	2617	1336	422	248	4	56	21	40	22	11	122	68	118	375	4	15·9	3·3	76·8	45·7	61·8	16·56	0·15	0·38	London.
West Ham	249,473	137	76	31	16	–	6	1	1	–	2	9	6	7	8	3	15·9	4·0	–	–	–	–	–	–	West Ham.
Croydon	114,923	68	38	19	8	–	–	–	–	1	–	7	1	5	6	–	17·2	3·6	73·5	42·5	59·6	15·33	0·19	0·48	Croydon.
Brighton	119,604	49	51	13	15	–	–	–	1	–	–	9	–	3	13	2	22·2	4·4	69·8	49·2	60·8	16·00	0·31	0·79	Brighton.
Portsmouth	174,751	85	79	37	13	–	–	–	–	2	–	24	5	7	10	–	23·6	7·8	70·5	49·0	60·4	15·78	0·27	0·69	Portsmouth.
Plymouth	89,096	43	37	12	12	–	–	–	–	1	–	1	1	2	1	–	21·7	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,139	135	62	25	11	–	–	–	–	–	1	9	2	5	15	2	14·2	2·3	69·0	43·0	58·1	14·50	0·43	1·09	Bristol.
Cardiff	155,637	94	61	26	12	–	1	–	–	1	1	10	2	5	12	1	20·4	4·4	–	–	–	–	–	–	Cardiff.
Swansea	97,008	72	33	11	6	–	–	–	–	–	–	1	2	4	5	–	17·7	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	55	31	13	5	–	1	1	–	–	–	8	–	–	4	–	18·8	6·1	70·6	39·0	56·3	13·50	0·56	1·42	Wolverhampton.
Birmingham	496,751	291	163	62	31	–	–	5	4	2	1	30	6	6	35	2	17·1	4·4	–	–	–	–	–	–	Birmingham.
Norwich	107,127	66	48	29	5	–	–	1	–	1	–	19	1	3	5	1	23·4	10·2	–	–	–	–	–	–	Norwich.
Leicester	193,839	106	60	34	7	–	–	1	1	1	3	22	2	2	7	1	16·1	7·5	–	–	–	–	–	–	Leicester.
Nottingham	226,658	151	80	44	10	–	–	–	–	–	1	20	1	2	10	2	18·4	4·8	71·4	41·4	58·0	14·44	0·54	1·37	Nottingham.
Derby	100,272	59	37	17	5	–	–	–	–	1	–	13	–	5	3	–	19·2	7·3	–	–	–	–	–	–	Derby.
Birkenhead	107,469	62	37	19	1	–	–	–	1	–	2	6	2	2	1	–	18·0	4·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	378	283	104	44	–	5	5	3	9	1	44	10	15	45	4	29·3	6·9	69·4	51·0	58·4	14·67	0·55	1·40	Liverpool.
Bolton	119,337	67	78	43	4	–	2	–	–	1	1	31	–	–	2	–	34·1	15·3	–	–	–	–	–	–	Bolton.
Manchester	524,865	360	253	103	23	–	8	1	–	2	4	49	6	12	39	1	25·1	6·4	–	–	–	–	–	–	Manchester.
Salford	208,253	139	118	53	16	–	3	–	–	3	–	28	3	4	12	3	29·5	8·5	–	–	–	–	–	–	Salford.
Oldham	141,079	71	68	26	13	1	2	1	–	–	–	13	1	1	3	1	25·1	6·3	–	–	–	–	–	–	Oldham.
Burnley	99,591	57	68	40	7	–	–	–	2	1	1	26	1	3	–	1	35·6	15·7	–	–	–	–	–	–	Burnley.
Blackburn	127,615	72	68	26	11	–	10	–	–	1	–	21	3	3	2	3	27·8	13·1	–	–	–	–	–	–	Blackburn.
Preston	112,638	67	51	28	7	1	–	–	–	–	–	15	–	–	7	–	23·6	7·4	–	–	–	–	–	–	Preston.
Huddersfield	99,482	37	37	8	9	–	2	–	–	–	–	5	1	2	5	2	19·4	3·7	71·0	44·0	57·3	14·06	0·63	1·60	Huddersfield.
Halifax	93,813	47	27	8	4	–	–	–	1	1	–	9	–	–	2	1	15·0	6·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	115	102	42	11	–	–	–	–	6	–	22	6	9	5	–	23·5	6·4	68·0	51·2	58·2	14·56	0·66	1·68	Bradford.
Leeds	395,546	202	149	70	18	–	2	2	–	2	2	36	1	5	15	1	19·6	5·8	–	–	–	–	–	–	Leeds.
Sheffield	342,768	232	165	74	22	–	1	1	–	1	3	46	1	4	21	5	25·1	7·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	131	130	66	22	–	–	1	–	–	1	54	3	6	12	2	31·3	13·5	73·0	41·0	58·3	14·61	0·78	1·98	Hull.
Sunderland	137,705	83	82	42	3	–	–	–	–	3	4	31	1	2	6	–	31·0	14·4	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	58	44	20	4	–	–	1	–	1	1	11	3	3	–	2	23·9	7·6	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	115	90	33	9	–	–	1	2	2	–	11	2	6	8	–	22·7	4·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2538	2332	2297	2508	2425	2614	2555	2462	2616	2704	2643·9	2617
Males . .	1307	1212	1177	1255	1240	1274	1261	1270	1325	1428	1345·5	1328
Females .	1231	1120	1120	1253	1185	1340	1294	1192	1291	1276	1298·4	1289
TOTAL **Deaths**	1238	1328	1339	1342	1263	1659	1299	1356	1566	1198	1434·1	1336
Males . .	663	684	710	683	660	883	679	689	821	622	748·7	692
Females .	575	644	629	659	603	776	620	667	745	576	685·4	644

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
TOTAL **Births**	2333	2678	2639	2488	2651	2586	2557	2575	2624	2340	2646	2448	2617
TOTAL **Deaths**	1247	1213	1276	1429	1519	1768	1996	1939	1806	1601	1459	1430	1336
Ages at Death: Under 1 year	254	263	314	425	548	680	880	892	772	616	460	426	422
1—5 years	190	198	212	231	222	281	310	286	308	272	232	224	190
5—20 „	84	73	82	81	82	95	104	90	87	79	88	77	113
20—40 „	158	170	176	185	169	188	165	184	166	167	159	167	164
40—60 „	249	240	218	232	240	240	237	207	211	215	226	257	199
60—80 „	266	232	229	226	212	235	251	242	207	222	241	227	206
80 years & upwards	46	37	45	49	46	49	49	38	55	30	53	52	42
Deaths from—													
Small-pox	–	1	–	1	3	1	–	1	1	3	1	6	4
Measles	36	71	71	84	73	75	82	94	67	70	62	55	56
Scarlet fever	17	12	11	18	12	20	23	14	24	15	21	27	21
Diphtheria	33	45	37	38	53	50	39	48	57	55	50	24	40
Whooping-cough	22	20	18	29	25	19	28	22	17	20	10	21	22
Typhus	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteric fever	8	5	4	7	5	11	5	9	12	9	15	10	10
Simple Continued fever	–	–	1	–	–	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	19	21	46	92	169	270	373	397	373	224	163	112	122
Cholera	1	–	2	3	4	4	12	15	9	5	1	2	2
All the above Diseases	137	175	190	272	344	450	563	600	561	401	323	257	278
Dis. of Respiratory System	163	152	186	160	160	187	193	185	171	159	137	170	102
Phthisis	162	143	134	147	119	130	131	111	127	136	126	148	136
Dis. of Circulatory System	123	99	111	97	110	107	126	92	108	100	114	86	98
Violence	55	55	43	64	72	74	71	69	58	49	67	51	68
Inquest Cases	121	107	94	123	144	139	163	147	121	118	137	102	118
Deaths in Public Institutions	395	349	360	422	415	449	433	384	436	383	407	423	375
TEMPERATURE OF THE AIR													
Mean	60°·7	58°·7	60°·5	65°·8	61°·8	65°·6	62°·8	62°·6	59°·0	60°·3	61°·7	66°·2	61°·8
Mean of Highest readings	73·0	70·6	73·9	79·8	71·8	78·7	73·3	71·7	67·2	71·3	71·4	78·4	72·6
Mean of Lowest readings	49·3	48·0	48·4	53·3	53·8	53·7	54·0	55·9	53·1	52·7	53·9	55·9	53·3
Humidity of the Air	68	61	64	61	65	55	67	81	82	78	78	71	75
Rain-fall (in inches)	0·02	0·02	0·10	0·02	0·30	0·13	0·46	1·66	1·23	1·09	0·35	0·19	0·15
Registered Sunshine (in hours)	53·0	33·7	38·1	37·8	32·5	59·7	30·1	17·8	12·0	29·7	32·9	56·7	51·5
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox	23	19	22	34	42	71	89	199	237	273	336	357	341
Scarlet fever	1589	1637	1732	1894	2044	2241	2267	2347	2423	2511	2529	2507	2512
Diphtheria	529	562	593	633	633	637	638	681	686	689	657	666	671
Enteric fever	141	147	142	147	146	143	123	121	108	106	103	114	123

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIFTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 35th Week of the 10 years 1885–94.*	In the Week ending Saturday, 31st August 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1434·1	1336	422	190	113	164	199	206	42
Small-pox: Vaccinated†	0·3	2	-	-	-	-	1	1	-
Small-pox: Unvaccinated	0·6	2	1	1	-	-	-	-	-
Small-pox: No Statement	0·3	-	-	-	-	-	-	-	-
Measles	30·3	56	17	34	5	-	-	-	-
Scarlet Fever	22·0	21	-	13	7	1	-	-	-
Typhus	0·1	1	-	-	1	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	2·6	3	-	1	-	1	1	-	-
Whooping-cough	30·7	22	14	7	1	-	-	-	-
Diphtheria	29·0	40	2	26	11	1	-	-	-
Simple Continued and Ill-defined Fever	0·4	-	-	-	-	-	-	-	-
Enteric Fever	11·4	10	-	-	4	4	1	1	-
Cholera and Chol. Diarr.	5·9	2	1	-	-	1	-	-	-
Diarrhœa, Dysentery	136·2	122	2	17	1	2	1	8	1
Intermittent Fever	0·3	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·1	-	-	-	-	-	-	-	-
Syncereal Affections	11·1	10	5	1	-	-	1	3	-
Erysipelas	5·0	2	-	1	-	1	-	-	-
Pyæmia and Septicæmia	2·4	1	-	-	-	-	1	-	-
Puerperal Fever	4·9	5	-	-	-	5	-	-	-
Other Zymotic Diseases	1·3	1	1	-	-	-	-	-	-
Thrush	2·2	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	2·2	2	2	-	-	-	-	-	-
Alcoholism	8·1	6	-	-	-	2	4	-	-
Rheumatic Fever, Rheumatism of Heart	7·4	3	-	-	2	-	-	1	-
Rheumatism	1·6	-	-	-	-	-	-	-	-
Gout	2·8	1	-	-	-	-	-	1	-
Stokes	3·7	5	2	3	-	-	-	-	-
Cancer	62·9	64	-	-	-	7	32	24	1
Tabes Mesenterica	39·3	33	23	7	2	1	-	-	-
Tubercular Meningitis	24·9	25	9	9	7	-	-	-	-
Phthisis	145·9	136	2	2	17	58	49	8	-
Scrofula, Tuberculosis	21·0	28	11	6	6	4	1	-	-
Other Constitutional Diseases	9·6	12	-	1	2	1	3	5	-
Premature Birth	40·9	34	34	-	-	-	-	-	-
Atelectasis	3·4	2	2	-	-	-	-	-	-
Congenital Malformations	6·6	10	10	-	-	-	-	-	-
Old Age	40·0	31	-	-	-	-	-	11	20
Apoplexy	36·4	30	-	-	-	2	10	15	3
Epilepsy	5·8	8	1	-	-	2	3	1	1
Convulsions	44·7	35	32	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	74·5	70	10	9	7	9	12	20	3

CAUSES OF DEATH.	Corrected Averages for the 35th Week of the 10 years 1885–94.*	In the Week ending Saturday, 31st August 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense	2·0	2	1	-	-	1	-	-	-
Diseases of Circulatory System	100·6	98	2	1	6	21	21	45	2
Croup	5·5	-	-	-	-	-	-	-	-
Bronchitis	74·4	40	19	6	1	-	3	9	2
Pneumonia	53·9	46	14	16	2	8	5	5	1
Pleurisy	4·0	2	-	-	1	-	1	-	-
Other Diseases of Respiratory System	15·0	14	2	3	1	1	3	4	-
Dentition	8·7	7	5	2	-	-	-	-	-
Quinsy, Sore Throat	1·9	-	-	-	-	-	-	-	-
Enteritis	28·1	47	29	12	3	-	1	2	-
Peritonitis	7·4	6	-	-	3	1	-	2	-
Diseases of Liver	27·4	16	-	-	1	4	7	4	-
Other Diseases of Digestive System	31·2	42	8	2	4	4	13	10	1
Diseases of Lymphatic System & of Ductless Glands	2·1	1	1	-	-	-	-	-	-
Diseases of Urinary System	40·5	34	-	-	2	7	10	12	3
Diseases of Generative System	5·6	5	1	-	-	1	2	1	-
Accidents of Childbirth	4·4	5	-	-	-	5	-	-	-
Diseases of Locomotive System	6·8	3	-	-	2	-	-	1	-
Diseases of Integumentary System	5·7	6	2	-	-	-	1	2	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways		1	-	-	-	1	-	-	-
By Vehicles or Horses		6	-	-	3	3	-	-	-
In Ships, Boats, Docks (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		1	-	-	-	-	1	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	47·0	6	2	2	1	-	-	-	1
By Drowning		11	1	-	7	-	3	-	-
By Suffocation in Bed		8	7	-	1	-	-	-	-
By Poisons or Poisonous Vapours		5	-	1	-	2	1	1	-
Other or not stated Causes		20	3	2	2	2	4	6	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	0·8	-	-	-	-	-	-	-	-
Suicide	7·7	10	-	-	-	6	2	2	-
Execution	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES	72·2	57	52	2	-	-	1	1	1

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON *	4,211,743	2617	1336	422	248	4	56	21	40	22	1	10	-	122	68	118	375
WEST DISTRICTS	740,735	372	210	66	41	-	4	3	6	4	-	2	-	21	9	24	52
NORTH DISTRICTS	993,884	610	286	77	61	-	15	4	13	5	1	3	-	22	16	25	83
CENTRAL DISTRICTS	247,538	134	85	31	11	-	4	-	1	-	-	1	-	7	5	8	44
EAST DISTRICTS	705,114	518	247	81	47	-	15	1	8	9	-	1	-	16	17	31	74
SOUTH DISTRICTS	1,524,472	988	478	166	76	-	18	10	12	4	-	3	-	56	20	29	92
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	30	1	12	4	-	3	-	-	-	-	-	-	1	1	30
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	42	21	11	4	-	-	1	-	1	-	-	-	2	-	3	1
St. John Paddington *H* - - G.J.	33687	9	7	-	-	-	-	-	2	-	-	-	-	-	-	-	4
Kensington Town *Ww* - - W.M.	118751	51	25	5	5	-	1	-	-	1	-	1	-	1	-	3	7
Brompton - - - W.M. & C.	47557	10	8	2	2	-	-	-	-	-	-	-	-	2	-	3	-
St. Peter Hammersmith - - W.M.	8536	1	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	66	26	10	5	-	-	-	1	-	-	-	-	2	4	5	2
Fulham *Ww* - - - W.M. & C	91639	71	42	16	5	-	3	2	3	-	-	1	-	6	2	3	11
Chelsea Kensal Town - - - C.	21787	17	5	2	-	-	-	-	-	1	-	-	-	-	1	2	-
Chelsea North *WHHHHH* - - C.	41637	16	15	2	5	-	-	-	-	-	-	-	-	1	-	1	8
Chelsea South *HH* - - - C.	32829	22	20	8	4	-	-	-	-	-	-	-	-	5	1	2	3
May Fair *WH* - - - - G.J.	23733	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	3
Belgrave *WHHH* - - - - C.	54831	20	19	4	6	-	-	-	-	-	-	-	-	1	-	1	10
St. John Westminster *HH* - C.	34103	11	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Margaret Westminster *H* - C.	21668	11	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. James Westminster *WHHH* N.R. & G.J.	24995	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHHH* - - N.R.	12317	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.M.	37713	17	18	2	3	-	-	-	-	-	-	-	-	1	4	6	12
Rectory Marylebone *WH* G.J. & W.M.	20024	6	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *HH* - W.M.	33327	14	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *H* - - W.M.	32101	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	23	20	6	3	-	-	2	4	-	-	-	-	2	-	1	6
Regent's Park Pancras *HH* - W.M.	36590	21	5	3	1	-	-	-	-	-	-	-	-	1	1	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	19	12	2	5	-	-	-	1	-	-	-	-	-	2	2	5
Gray's Inn Lane *HHH* - - N.R.	27455	16	9	3	2	-	-	-	-	1	-	-	-	1	2	2	2
Somers Town *HH* - - - N.R.	32829	17	11	4	1	-	-	1	-	-	-	-	-	2	1	1	5
Camden Town *WH* - - - N.R.	15419	13	11	3	1	-	2	-	-	-	-	-	-	-	-	1	4
Kentish Town *WW* - - - N.R.	95765	55	17	5	5	-	5	-	-	-	-	-	-	-	-	-	-
Upper Holloway *WWWwHHH* - N.R.	90235	63	43	10	11	-	-	-	-	2	-	1	-	4	1	3	21
Islington South-west *H* - - N.R.	105557	56	21	11	4	-	1	-	-	-	-	-	-	1	-	-	-
Islington South-east - - - N.R.	64158	52	12	1	4	-	1	-	1	-	-	-	-	1	-	-	-
Highbury *HH* - - - - N.R.	59193	34	13	5	3	-	-	-	-	-	-	-	-	1	3	4	-
Stoke Newington *H* - - - N.R.	30936	19	4	3	1	-	-	-	-	-	-	-	-	2	-	-	-
Stamford Hill - - - - E.L.	17759	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	24	11	3	2	-	1	-	-	2	-	-	-	-	-	-	2
Hackney *WwwH* - - E.L. & N.R.	96486	68	46	8	7	-	4	1	7	-	1	2	-	4	1	2	24
South Hackney *w* - - - E.L.	41759	44	6	2	1	-	1	-	-	-	-	-	-	1	1	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - N.R.	13454	10	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Giles North *H* - - - N.R.	9633	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	5	1	1	-	1	-	-	-	-	-	-	-	-	-	5
St. Mary-le-Strand *H* - - N.R.	5706	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Clement Danes *WH* - - N.R.	7194	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	5
Strand Union Workhouse, Edmonton -	†1037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	14	7	1	-	1	-	-	-	-	-	-	1	-	1	12
St. Andrew Eastern *WH* - - N.R.	15343	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. James Clerkenwell - - - N.R.	16803	8	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Amwell Clerkenwell - - - N.R.	16883	13	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - - - - N.R.	17155	14	5	2	1	-	1	-	-	-	-	-	-	1	2	1	-
Goswell-street - - - - N.R.	15375	11	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
City-road *HHHL* - - - N.R.	29177	26	9	3	-	-	1	-	-	-	-	-	-	2	-	-	3
Whitecross-street - - - N.R.	8378	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	1	19	4	3	-	-	-	1	-	-	1	-	1	1	3	16
St. Bride *W* - - - - N.R.	6594	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Wo house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishm receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diffe Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N River; E. L., East London; and K., the Kent Company

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, 31st August, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	13	5	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-
Hoxton New Town *w* - - - N.R.	29313	18	11	3	6	-	-	-	1	-	-	-	-	-	-	1	5	-
Hoxton Old Town - - - N.R.	28354	18	8	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Haggerston *WH* - - N.R. & E.L.	46244	36	23	11	2	-	1	-	1	1	-	-	-	2	-	1	8	1
Bethnal Green North *H* - - E.L.	51520	44	11	3	-	-	1	-	2	-	-	-	-	-	-	1	-	-
Bethnal Green South - - E.L.	33489	20	7	3	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Bethnal Green East *WHL** - E.L.	44123	36	14	3	2	-	-	-	1	1	-	-	-	2	2	2	4	-
Spitalfields - - - E. & N.R.	22456	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W* - - E.L.	17908	18	12	2	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Whitechapel Church *H** E.L. & N.R.	20298	16	25	2	7	-	2	-	1	-	-	-	-	-	3	5	20	-
Goodman's Fields - - - E.L.	13300	4	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George's, North - - - E.L.	37738	28	17	10	1	-	-	-	-	-	-	1	-	3	-	2	-	-
St. John, St. George East *W* - E.L.	8957	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Shadwell *H* - - - E.L. & N.R.	10246	7	6	2	1	-	-	-	-	-	-	-	-	1	2	2	3	-
Ratcliff *W* - - - - - E.L.	14923	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - - E.L.	32202	23	6	4	-	-	-	-	-	2	-	-	-	1	-	-	-	-
Mile End Old Town West *H* - E.L.	38650	45	7	5	-	-	1	-	-	-	-	-	-	1	-	1	1	-
Mile End Old Town East *WWww* E.L.	68942	48	24	2	8	-	2	-	-	1	-	-	-	4	2	3	7	-
Bow *L** - - - - - E.L.	40365	25	6	2	2	-	1	-	-	1	-	-	-	-	-	1	-	-
Bromley *wwwH* - - - - E.L.	70000	43	38	14	7	-	2	1	-	2	-	-	-	1	5	7	16	-
Poplar. *WW* - - - - - E.L.	56383	40	13	5	4	-	-	-	1	1	-	-	-	1	1	2	2	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	18264	4	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark - - - S.	13913	8	5	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Kent-road - - - - S. & L.	21867	15	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - - S. & L.	16624	15	7	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
London-road *HL* - - L. & S.	21221	13	7	3	-	-	-	-	-	1	-	-	-	-	-	-	4	-
Trinity Newington - - S. & L.	26596	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	44	14	3	3	-	1	-	-	-	-	-	-	2	-	-	-	-
St. Mary Newington - - L. & S.	27866	16	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave *WH* - - - - S.	12723	10	15	7	2	-	1	-	-	-	-	-	-	2	1	2	-	-
Leather Market *W* - - S. & L.	30612	23	9	3	2	-	1	-	-	-	-	-	-	1	-	-	9	-
St. James Bermondsey - - S.	54070	41	12	5	2	-	-	-	-	-	-	-	-	1	-	1	1	-
Rotherhithe *WwH* - - S. & K.	39255	25	18	3	3	-	-	-	1	1	-	1	-	2	2	2	5	-
Waterloo-road 1st *H* - - L. & S.	14031	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2nd *H* - - L. & S.	14644	15	6	3	1	-	1	-	-	-	-	-	-	2	-	-	-	-
Lambeth Church 1st *H* - - L. & S.	18075	6	11	2	2	-	-	-	-	-	-	-	-	-	-	-	9	-
Lambeth Church 2nd *WW* - L. & S.	39097	30	21	6	4	-	1	-	-	-	-	-	-	2	1	2	10	-
Kennington 1st *H* - - S. & L.	50586	35	13	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Kennington 2nd - - - S. & L.	39708	26	9	4	2	-	1	-	1	-	-	-	-	1	-	-	-	-
Brixton *w* - - - - L. & S.	73405	45	29	11	4	-	1	4	1	-	-	-	-	3	1	1	5	-
Norwood *WH* - - - - L.	25657	16	6	4	-	-	-	-	-	-	-	-	-	3	-	-	-	-
East Battersea - - - - S.	67244	46	18	12	-	-	-	-	2	-	-	-	-	3	2	4	-	-
West Battersea *WwH* - - S.	83314	56	27	7	2	-	3	-	-	-	-	-	-	-	3	4	10	-
Clapham *H* - - - - - S.	43698	25	10	4	4	-	-	-	-	1	-	-	-	3	-	-	-	-
Wandsworth *WHHL* - - - S.	46717	26	12	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Putney - - - - - - S.	17771	5	8	3	1	-	-	-	-	-	-	-	-	3	3	3	-	-
Streatham *www* - - - - L.	48756	21	14	4	5	-	-	3	-	-	-	-	-	2	1	1	3	-
Dulwich - - - - L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - S. & L.	81686	42	37	11	8	-	1	-	3	-	-	-	-	4	-	-	16	-
Peckham *W* - - - S., L., & K.	83433	63	29	8	5	-	-	-	1	-	-	-	-	3	-	2	3	-
St. George Camberwell - - L. & S.	63366	45	28	11	3	-	2	2	-	-	-	-	-	3	1	1	-	-
Deptford, North - - - - K.	35314	32	8	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Deptford, Central *w* - - - K.	42007	36	12	3	1	-	1	1	1	-	-	-	-	1	-	-	2	-
Deptford, South - - - - K.	30852	10	5	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *H* - - - K.	22007	8	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich East *WH* - - - K.	35233	33	12	3	4	-	-	-	1	1	-	-	-	2	-	-	6	-
Eltham *wH* - - - - - K.	5682	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	9	5	1	3	-	-	-	-	-	-	-	-	1	1	1	-	-
Lewisham *WH* - - - - K.	30950	19	12	3	3	-	-	-	-	-	-	1	-	2	-	-	2	2
Sydenham *H* - - - - L.	34162	13	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Charlton *HH* - - - - K.	14040	8	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Woolwich Dockyard - - - K.	19606	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Woolwich Arsenal *HH HH* K.	21242	16	7	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Plumstead, West *H* - - - K.	15869	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	30	14	4	1	-	-	-	-	-	-	-	-	3	1	1	5	-
Banstead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hospital Ships and Camp, Dartford - -	-	-	4	1	1	4	-	-	-	-	-	-	-	-	-	-	4	-
Darenth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch Asylum - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	1	1	6	-
N.E. Hospital - - - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Claybury Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week endin Saturday, 31st August, 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	941	420	148	93	–	10	5	14	4	7	55	16	27	39	11
30 : 1	Carshalton *wHH* -	12228	26108	15	6	1	3	-	-	-	-	-	-	1	1	1	-	-
	Epsom, *part of** *WwH*	10423	12508	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W* -	2754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH* -	20851	128699	82	47	20	13	-	-	-	-	1	-	7	1	5	8	-
2	Mitcham *w* - -	11697	23088	10	3	1	-	-	-	-	-	-	1	-	-	-	-	-
39 : 1	Wimbledon *HHH* -	3220	25761	13	9	6	-	-	-	-	1	-	-	2	-	-	1	-
2	Kingston *WH* - -	8071	44765	29	9	4	3	-	-	-	-	-	-	2	-	-	-	-
3	Esher, *part of** *HH* -	6601	12059	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* - -	4535	18252	10	5	1	1	-	-	1	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	8	4	2	-	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake *H* - -	2823	16159	16	6	1	1	-	-	-	3	-	-	-	1	1	1	-
41 : 1	Bromley *HHH* - -	9127	23815	14	10	2	3	-	-	-	-	-	-	2	-	-	-	1
2	Beckenham *H* - -	6542	21969	12	4	-	1	-	-	-	-	-	-	-	-	-	-	2
	Chislhrst, *pt. of** *WHH*	14307	20372	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *HH* -	12540	30590	20	5	3	1	-	-	-	-	-	-	1	-	-	-	-
2	Dartford *Work.*, pt. of*-	—	—	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w* - -	11051	13871	5	4	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - -	13277	13221	9	4	-	1	-	-	-	-	-	1	-	-	-	1	-
125 : 1	Hillingdon *WHH*	6035	12237	7	6	-	4	-	-	-	-	1	-	-	-	-	-	-
2	Uxbridge - -	6172	5417	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - -	14537	11618	10	4	-	1	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH*	6967	26273	16	7	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Twickenham *HH*	2415	16027	11	5	2	1	-	-	-	-	-	-	1	1	1	-	-
3	Brentford *HHHH*	4318	37777	24	10	3	2	-	-	-	-	-	-	2	1	-	1	-
4	Chiswick - -	1245	21963	20	6	1	2	-	-	-	-	-	-	-	-	-	-	1
5	Aston *wH* - -	6132	30945	16	5	2	-	-	-	-	-	-	-	1	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	10	3	2	-	-	-	-	-	1	-	1	-	-	-	-
2	Edgware *HH* -	6994	3344	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* -	4383	61265	52	21	6	1	-	-	3	2	-	-	2	1	2	5	1
4	Hendon *WH* -	8382	15843	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-
128 : 1	South Mimms *H*	15599	8474	6	4	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Barnet *WHH* - -	5441	11778	14	1	-	-	-	-	-	-	-	-	1	-	-	-	-
3	Finchley *HHH* -	4688	25820	14	7	3	1	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61097	21	9	4	3	-	1	-	-	-	-	3	-		-	-
2	Tottenham *H* - -	4642	97174	74	33	12	6	-	1	-	-	-	1	2	-	3	2	1
3	Edmonton *Wwo*	7489	36351	23	10	3	4	-	-	-	1	-	-	2	-	-	4	-
4	Enfield *WWHH* -	12639	31803	22	3	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	6066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* -	8430	9620	9	7	3	1	-	-	-	1	-	-	5	-	-	-	1
135 : 1	Hatfield, *part of** *W*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - -	9331	7737	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*- -	1100	42983	25	14	4	6	-	-	-	1	-	-	1	1	2	-	1
2	Plaistow - - -	1242	58030	42	14	8	1	-	3	-	-	-	-	2	2	2	-	-
3	Canning Town *H* -	1558	54750	46	25	11	2	-	3	-	-	-	-	3	3	3	2	1
4	Forest Gate *w* - -	806	49140	24	17	8	4	-	-	1	-	-	1	2	-	-	-	-
5	East Ham *wH* - -	3266	32713	36	15	5	3	-	-	-	1	-	1	4	1	2	-	-
6	Leyton *WWWwH*	4334	70188	61	31	8	7	-		-	3	-	1	2	2	3	8	1
7	Walthamstow *HHL*	6501	57330	42	18	5	4	-	-	-	1	-	-	1	1	1	-	-
187 : 1	Chigwell *part of** *H*	11779	12941	6	2	1	1	-	-	-	-	-	1	-	-	-	-	-
2	Epping *Work.*, pt. of* -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford *part of** *WH*	6553	4324	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - -	8493	10913	11	2	2	-	-	-	-	-	-	-	1	-	-	-	-
3	Barking Town *H* -	3314	14301	13	9	4	1	-	1	-	-	1	-	4	-	-	-	-
	Middlesex County Asy.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1753); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 31st August, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	15·1	3·2	1756	570	341	4	66	26	54	26	18	177	84	414
INNER LONDON -	74,672	4,392,346	15·9	3·3	1336	422	248	4	56	21	40	22	11	122	68	375
OUTER RING -	368,749	1,656,209	13·2	3·0	420	148	93	-	10	5	14	4	7	55	16	39

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	August 31	-	-	-	-	-	-	-	-	-	-
GLASGOW - -	695,876	" 31	-	-	-	-	-	-	-	-	-	-
DUBLIN - -	349,594	" 31	211	158	23·6	-	-	-	-	3	5	12
CALCUTTA - -	466,460	July 6	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	August 6	326	472	29·8	4	5	?	?	?	124	45
MADRAS - -	452,518	July 26	388	304	34·9	-	7	?	?	?	114	43†
PARIS - - -	2,424,705	August 24	1207	969	20·8	-	30	5	4*	1	8	157
BRUSSELS - -	507,985	" 24	234	154	15·8	-	-	2	1*	1	3	27
AMSTERDAM -	451,493	" 24	246	122	14·0	-	-	-	1	1	1	-
ROTTERDAM -	272,042	" 24	191	99	18·9	-	1	-	-	1	-	-
THE HAGUE -	180,455	" 24	80	60	17·3	-	-	-	-	-	-	-
COPENHAGEN -	341,000	" 24	177	120	18·3	-	-	-	-	10	2	17
STOCKHOLM -	259,304	" 17	121	68	13·6	-	-	-	-	-	2	5
CHRISTIANIA -	174,717	" 24	27	64	19·0	-	1	-	-	1	-	19
ST. PETERSBURG	954,400	" 17	511	423	23·1	-	5	7	6	10	14	98
MOSCOW - -	753,469	" 17	-	532	36·8	-	6	8	13	2	10	202
BERLIN - -	1,724,544	" 10	873	849	25·5	-	6	13	7	6	2	343
HAMBURG - -	608,710	" 24	-	-	-	-	-	-	-	-	-	-
DRESDEN - -	320,600	July 27	210	143	23·0	-	4	2	1*	-	-	36
BRESLAU - -	367,769	August 24	-	203	28·8	-	-	8	4*	1	1	45
MUNICH - -	396,000	" 24	-	238	31·2	-	1	1	2*	-	-	106
VIENNA - -	1,495,764	" 24	803	560	19·5	-	6	3	6*	4	2	122
PRAGUE - -	351,478	" 17	205	149	22·0	-	2	1	1	-	1	5
BUDA-PESTH -	566,022	" 17	408	254	23·3	-	-	2	1	-	2	60
TRIESTE - -	160,825	" 10	103	86	27·8	-	-	1	4*	1	-	19
ROME - -	464,579	July 13	187	167	18·7	-	11	-	-	-	1	27
TURIN (10 days)	344,203	August 10	192	144	15·3	-	2	1	2	4	3	16
VENICE -	158,159	" 10	87	53	17·5	-	-	-	-	-	3	8
CAIRO - -	374,838	July 29	344	445	61·7	1	-	-	-	-	7	168
ALEXANDRIA -	231,396	" 29	184	176	39·7	-	-	-	5*	1	5	72
NEW YORK - -	1,860,700	August 10	-	897	25·1	-	15	3	28	23	5	169
BROOKLYN -	1,100,000	" 17	-	520	24·6	-	2	-	15	8	4	108
PHILADELPHIA	1,163,864	" 10	-	477	21·4	-	1	-	20	6		75
NEW ORLEANS -	275,000	July 27	-	141	26·8	1	-	-	2	2		9

* Including deaths from croup.
† Including one death from cholera.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 31st AUGUST, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	25	..	30·112	69·4	45·7	23·7	57·0	− 3·8	47·6	9·4	22·0	1·9	71	123·9	41·3	63·70	NW. & SW.	WSW. & SSW.	1·5	0·0	0·2	244	+ 12	0·00	6·5
MONDAY .	26	..	29·896	68·7	55·2	13·5	60·5	− 0·3	57·9	2·6	8·8	1·3	91	108·1	53·0	63·30	SSW.	SW. & SSW.	5·8	0·0	0·5	381	+146	0·15	6·2
TUESDAY.	27	First Qr.	29·648	71·8	56·0	15·8	62·5	+ 1·8	56·9	5·6	13·0	3·0	82	120·4	50·0	63·05	SSW.	SSW. SW. & WSW.	11·0	0·0	1·2	507	+269	0·00	5·3
WEDNESDAY	28	..	30·024	74·3	53·1	21·2	63·2	+ 2·6	54·1	9·1	18·7	0·6	72	135·1	46·7	62·87	SW. & WSW.	SW. & SSW.	2·7	0·0	0·2	306	+ 65	0·00	0·0
THURSDAY	29	Greatest Dec. S.	29·987	76·8	57·1	19·7	65·6	+ 5·3	56·5	9·1	18·0	1·5	73	138·0	53·2	62·80	SW.	SW. & SSW.	3·4	0·0	0·4	350	+106	0·00	0·0
FRIDAY .	30	..	29·932	75·6	55·0	20·6	64·6	+ 4·5	52·0	12·6	20·9	1·7	64	138·5	50·0	62·90	SW. & WSW.	W. & WSW.	7·3	0·0	0·8	426	+179	0·00	0·0
SATURDAY	31	..	30·026	71·9	50·7	21·2	59·0	− 0·9	50·5	8·5	20·0	0·0	73	133·1	45·4	62·94	WSW.	W. & SW.	1·3	0·0	0·1	231	− 19	0·00	1·0
MEANS . .		..	29·946	72·6	53·3	19·4	61·8	+ 1·3	53·6	8·1	17·3	1·4	75	128·2	48·5	63·08	SW.		..	..	..	Sum 2445	Sum + 758	Sum 0·15	2·7
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.
SUNDAY .	25	m. P. generally .	6·3	13·9
MONDAY .	26	v. P. and v. N. in morning; m. P. afterwards.	0·5	13·9
TUESDAY .	27	w. P. in morning; v. P. afterwards.	5·3	13·8
WEDNESDAY	28	m. P. throughout .	9·8	13·8
THURSDAY .	29	w. P. till 9h. A.M.; v. P. afterwards.	11·6	13·7
FRIDAY .	30	w. P. till noon; v. P. afterwards.	10·3	13·7
SATURDAY .	31	m. P. generally .	7·7	13·6
			Sum 51·5	Sum 96·4
No. of Col.		27	28	29

GENERAL REMARKS.

SUNDAY . 25	Cloudless till 8h. A.M. Very fine with variable amounts of cloud during the day; generally cloudy at night.
MONDAY . 26	Overcast till afternoon; continuous rain between 5h. A.M. and 9h. A.M.; occasional slight rain till 3h. P.M.; afterwards fine.
TUESDAY . 27	Generally cloudy till noon; afterwards fine; cloudless at night.
WEDNESDAY 28	Very fine; cloudless in morning; few light clouds during the day; cloudless after 7h. P.M.
THURSDAY . 29	Very fine; cloudless generally. A few scattered light clouds during the day.
FRIDAY . 30	Very fine. A few clouds between 9h. A.M. and 3h. P.M.; cloudless otherwise.
SATURDAY . 31	Very fine; a little cloud during the day; hazy in afternoon.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·99 in. at the beginning of the week to 30·13 in. by noon on the 25th; decreased to 29·59 in. by 3h. P.M. on the 27th; increased to 30·07 in. by 9h. P.M. on the 28th; decreased to 29·90 in. by 5h. A.M. on the 30th; increased to 30·06 in. by 8h. A.M. on the 31st; and was 30·00 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36. 1895. VOL. LVI.] WEEK ENDING SATURDAY, SEPTEMBER 7. [Price 1½*d.*

General Register Office, Somerset House,
September 9th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.		Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
Birkenhead	10·7	18·4	18·0	21·8	Liverpool - -	27·7	28·2	29·3	24·7
Birmingham	19·7	16·0	17·1	16·6	London - -	17·3	17·0	15·9	16·1
Blackburn -	20·4	35·6	27·8	34·7	Manchester -	25·5	30·4	25·1	27·2
Bolton -	25·3	26·7	34·1	25·3	Newcastle-on-Tyne	16·9	20·7	22·7	22·9
Bradford -	19·6	22·8	23·5	25·8	Norwich - -	16·5	25·8	23·4	21·9
Brighton -	14·4	19·6	22·2	16·6	Nottingham -	22·8	17·9	18·4	20·0
Bristol -	13·3	15·5	14·2	15·3	Oldham - -	19·6	22·2	25·1	19·2
Burnley -	24·1	23·6	35·6	30·9	Plymouth - -	14·0	12·9	21·7	11·1
Cardiff -	15·4	18·1	20·4	16·1	Portsmouth -	16·4	19·4	23·6	22·1
Croydon -	9·1	11·8	17·2	13·2	Preston - -	31·0	23·1	23·6	33·8
Derby -	16·6	21·3	19·2	16·1	Salford - -	26·0	29·0	29·5	25·3
Gateshead -	19·0	17·4	23·9	20·7	Sheffield - -	22·5	23·6	25·1	26·3
Halifax -	13·9	16·1	15·0	20·0	Sunderland -	22·0	26·5	31·0	40·5
Huddersfield	13·6	18·3	19·4	17·3	Swansea - -	14·0	12·4	17·7	12·4
Hull - -	23·1	33·2	31·3	35·6	West Ham - -	18·2	16·3	15·9	12·5
Leeds -	18·5	17·5	19·6	21·5	Wolverhampton -	29·2	25·5	18·8	37·1
Leicester -	18·8	15·9	16·1	17·5					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in West Ham and in Salford, and 4·5 in Blackburn; from *whooping-cough*, 1·1 in Gateshead, 1·4 in Bradford, 2·2 in Bolton, and 3·0 in Wolverhampton; from "*fever*," 1·1 in Sunderland; and from *diarrhœa*, 3·0 in Cardiff, 3·5 in Newcastle-on-Tyne, 3·9 in Brighton and in Halifax, 4·1 in Oldham, 4·2 in Derby, 4·4 in Liverpool, 4·5 in Leeds, 4·8 in Portsmouth and in Leicester, 4·9 in Norwich and in Gateshead, 5·3 in Birkenhead, 6·1 in Bolton, 6·2 in Nottingham, 6·3 in Manchester, 6·9 in Bradford, 7·3 in Salford, 7·6 in Sheffield, 7·9 in Wolverhampton, 9·4 in Blackburn, 11·5 in Burnley, 13·3 in Sunderland, 13·4 in Preston, and 16·8 in Hull. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 62 deaths from *diphtheria* included 38 in London, 4 in Birmingham, 4 in Leeds, 3 in

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

A 87969.—10. 650.—9/95. Wt. 259. N N

West Ham, 3 in Wolverhampton, and 3 in Liverpool. Five deaths from *small-pox* were registered in London, one in Manchester, and one in Oldham, but not one in any other of the thirty-three towns. A death from *hydrophobia* was registered in Preston.

London.

In London 2486 births and 1358* deaths were registered. Allowing for increase of population, the births were 137, and the deaths 35, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·3, 17·0, and 15·9 in the preceding three weeks, rose again last week to 16·1. During the four weeks ending on Saturday last the death-rate averaged 16·6 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1358 deaths included 5 from small-pox, 40 from measles, 20 from scarlet fever, 38 from diphtheria, 17 from whooping-cough, 21 from enteric fever, 129 from diarrhœa and dysentery, one from infantile cholera, and not one death from typhus, or any ill-defined form of continued fever; thus, 271 deaths were referred to these diseases, being 19 above the corrected average weekly number.

The deaths from *small-pox*, which had been 1, 6, and 4 in the preceding three weeks, were 5 last week, the corrected average being one; 2 belonged to Camberwell, one to Islington, one to Whitechapel, and one to Plumstead sanitary areas. The deaths from *measles*, which had been 62, 55, and 56 in the preceding three weeks, fell last week to 40, but were 17 in excess of the corrected average; 6, all of which occurred in Kentish Town sub-district, belonged to St. Pancras sanitary area. The deaths from *scarlet fever*, which had been 21, 27, and 21 in the preceding three weeks, were 20 last week, the corrected average being 25. The deaths from *diphtheria*, which had been 50, 24, and 40 in the preceding three weeks, fell again last week to 38, but exceeded the corrected average by 9; 4 belonged to St. George in-the-East, 4 to Lambeth, 3 to St. Pancras, 3 to Mile End Old Town, 3 to Bermondsey, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 10, 21, and 22 in the preceding three weeks, fell again last week to 17, being less than half of the corrected average. The fatal cases of *enteric fever*, which had been 15, 10, and 10 in the preceding three weeks, rose again last week to 21, the corrected average being 14; 4 belonged to Poplar and 4 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 163, 112, and 122 in the preceding three weeks, further rose last week to 129, exceeding the corrected average by 9. In addition to the 129 deaths directly referred to *diarrhœa*, 34 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 49 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 137, 170, and 102 in the preceding three weeks, rose again last week to 134, but were 21 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having been 4, 2, and 3 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all but 4 of which inquests were held. Of these 48 deaths, 11 were cases of suicide, and one of homicide, while the remaining 36 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 5 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 328 cases of small-pox, 2600

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

of scarlet fever, 662 of diphtheria, and 118 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 25 cases, against 79, 65, and 36; of scarlet fever, 336 cases, against 357, 306, and 264; of diphtheria, 78 cases, against 74, 81, and 86; and of enteric fever, 19 cases, against 13, 26, and 21.

Greater London.

In Greater London 3395 births and 1763 deaths were registered, corresponding to annual rates of 29·3 and 15·2 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 3 from scarlet fever, 14 from diphtheria, and 43 from diarrhœa were registered. Five of the deaths from measles, the 3 deaths from scarlet fever, 9 of the deaths from diphtheria, and 8 from diarrhœa occurred in West Ham district; 7 deaths from diarrhœa occurred in Bromley district, 7 in Edmonton district, 5 in Willesden sub-district, and 4 in Bexley sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·87 inches, and that of the Thermometer 65°·1, the latter being 5°·8 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 32 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 54·3 hours; the measured rainfall amounted to 0·82 of an inch.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of August. The supply was in the ratio of 265 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	August. 1894.	August. 1895.	August. 1894.	August. 1895.
Total Supply	808,234	819,247	201,932,606	216,891,923
From Thames	390,459	395,902	103,455,750	116,340,508
From Lea and from other Sources	417,775	423,345	98,476,856	100,551,415
Thames.				
Chelsea	36,828	36,878	12,190,138	12,684,760
West Middlesex	78,008	79,020	19,293,854	20,831,299
Southwark and Vauxhall	116,942	118,232	33,091,125	38,628,138
Grand Junction	59,181	59,843	18,430,723	18,621,017
Lambeth	99,500	101,929	20,449,910	25,575,294
Lea and other Sources.				
New River	158,081	159,042	37,975,000	39,345,000
East London	178,748	182,454	44,500,027	43,828,978
Kent	80,946	81,849	16,001,829	17,377,437

Note.—The Return for August 1895, as compared with that for the corresponding month of 1894, shows an increase of 11,013 services and of 14,959,317 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during August, 1895.

Water-analysis Laboratory, The Yews, Reigate,
4th September, 1895.

Sir,

I have to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of August.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	August 12th. Grand Junction Co.'s intake at Hampton.	18·5	26·40	·220	·037	·017	·132	·183	1·8	16·9
	Chelsea - - -	August 15th. Cab Rank, Horse Guards, Whitehall.	17·7	23·60	·105	·016	0	·141	·157	1·8	16·6
	West Middlesex -	August 15th. Cab Rank, Riding House-street.	16·0	23·52	·119	·014	0	·139	·153	1·9	16·6
	Southwark -	August 15th. Cab Rank, St. George's Church, Borough.	18·7	24·64	·115	·013	0	·152	·165	1·8	17·7
	Grand Junction -	August 15th. Cab Rank, Portman-street, Oxford-street.	19·5	24·38	·106	·013	0	·152	·165	1·8	17·4
	Lambeth - -	August 15th. Cab Rank, St. George's-road, Southwark.	18·5	24·72	·112	·013	0	·153	·166	1·9	17·4
	LEA. (Unfiltered water) -	August 14th. New River Cut at Green-lanes.	16·3	30·76	·112	·017	·008	·169	·192	1·8	18·9
	New River - -	August 15th. Cab Rank, Tottenham Court-road.	17·4	28·64	·054	·010	0	·159	·169	1·8	19·7
	(Unfiltered water) -	August 14th. East London Co.'s intake at Angel-road.	17·5	29·50	·224	·040	·021	·097	·154	1·9	19·1
	East London -	August 15th. Cab Rank, Sidney-street, E.	17·5	28·42	·095	·012	0	·148	·160	2·0	18·3
	DEEP WELLS. Kent - - -	August 15th. Police Station, Blackheath-road.	13·2	38·06	·021	·006	0	·468	·574	2·2	26·3
Outer Circle.	Colne Valley - -	August 8th. Bushey.	—	18·88	·065	·011	·036	·508	·549	2·3	7·9
	Tottenham - -	August 19th. Tottenham.	—	44·28	·088	·017	·070	·022	·097	3·1	22·1
	East London - -	August 28th. Lea Bridge Road.	—	39·80	·076	·015	·062	·007	·073	2·6	21·8
	Corporation of Birmingham* - - -	August 12th. Bradgade Place, St. Vincent-street.	15·0	32·80	·155	·030	·001	·250	·281	3·1	21·9
	Corporation of Glasgow† -	August 15th. Loch Katrine water.	14·1	2·86	·165	·034	0	·005	·039	·7	1·27
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters, The Table is to be read thus:—the Chelsea Company's water, collected on the 15th of August at the cab rank, Horse Guards, had a temperature of 17°·7 C.; 100,000 lbs. of it contained 23·60 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·105 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·141 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·157 lb. The above weight of water also contained 1·8 lb. of chlorine and 16·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·5, New River 1·1, Colne Valley 1·3, East London (deep-well) 1·5, East London (river supply) and Tottenham 1·8, Grand Junction 2·0, Chelsea and Lambeth 2·1, Southwark 2·2, and West Middlesex 2·3. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·4, New River Cut 2·2, and the Lea at Angel Road 4·5.

The Thames at Hampton was, on August 12th, turbid and pale yellow in colour. It was of good bacterial, but rather bad chemical quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered. It was of excellent chemical and (with one exception) bacterial quality for dietetic purposes. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers:—Chelsea 97·09, West Middlesex 99·27, Southwark (No. 4 filter) 99·27, (No. 8 filter) 74·18, Grand Junction (general filter well at Hampton) 95·27, (general filter well at Kew Bridge) 97·45, (South filter well at Kew Bridge) 97·82, and Lambeth 97·82.

The New River Cut, before entering the subsidence and storage reservoirs, was, on August 14th, turbid and very pale yellow in colour. It was, for unfiltered water, of excellent chemical and good bacterial quality. By passing through the storage reservoirs it was greatly improved bacterially, and, after efficient filtration, was of excellent chemical and bacterial quality for dietetic purposes. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—General filter well 97·27, No. 1 well 99·55, and No. 9 well 99·09. The water taken from the Lea by the East London Company at Angel Road on August 14th, was turbid and pale yellow in colour. It was chemically of nearly the same quality as the Thames at Hampton, but bacterially much inferior. After storage* it was greatly improved bacterially, and, after efficient filtration, was of excellent chemical and bacterial quality for dietetic purposes, the total bacterial improvement being represented by the following percentage numbers:—No. 1 Essex well 99·63, No. 2 Essex well 98·26, and Middlesex well 99·71.

The deep-well waters of the Kent, Colne Valley, and East London Companies and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes, but the Tottenham and East London samples were slightly turbid when drawn. The Colne Valley Company's water had been softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Colne Valley, and New River Companies' waters were clear and colourless, the East London (river supply) clear and nearly colourless, the Tottenham, East London (deep-well) waters slightly turbid and colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, and the supplies delivered by the various Companies and collected on the 12th, 13th, 14th, and 15th of August, yielded the results contained in the following table:—

Description.	— Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, August 12th	1,100	18°·5
" after storage for 14·7 days (Chelsea Company), August 12th	560	18·0
" " 6 " (Lambeth Co.), passing on to filter No. 5, August 12th.	620	18·3
West Middlesex Company's water (supplying filters 1–5), August 13th	180	17·8
Grand Junction Company's water arriving at Kew from Hampton, August 13th.	160	18·8
" " " at Kew, passing on to filters 2, 3, and 4, August 13th.	460	19·0
New River Cut before passing reservoirs, August 14th	880	16·3
" " after " " just before filtration, August 14th	260	16·7
River Lea at Angel Road, August 14th	5,520	17·5
" after storage for 15 days (East London Company), August 14th	1,100	17·2
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general filter well, August 12th	32	18·6
West Middlesex Company's general filter well, August 13th	8	17·7
Southwark Company's No. 4 filter well, August 12th	8	17·6
" " No. 8 " " August 12th	284	17·7
Grand Junction Company's general filter well at Hampton, August 12th	52	18·5
" " " " Kew Bridge, August 13th	28	18·4
" " " south " " August 13th	24	18·8
Lambeth Company's general filter well, August 12th	24	18·3
Lea.		
New River Company's general filter well, August 14th	24	16·3
" " No. 1 " " August 14th	4	16·3
" " No. 9 " " August 14th	8	—
East London No. 1 Essex well, August 14th	20	16·7
" No. 2 " " August 14th	96	16·8
" Middlesex August 14th	16	16·4
Deep Wells.		
Kent New Well at Deptford, August 15th	2	11·3
East London well at Lea Bridge, August 14th	0	11·3

* During the late drought, the storage of this water was merely nominal; it passed through the storage reservoir on to the filters with but little delay, and consequently, when my July samples were drawn, there was but little bacterial improvement between the intake at Angel Road and the filters at Lea Bridge.

Dr. Hill, F.I.C., Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and pale green in a two-foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a "little suspended matter."

I am, &c.
E. FRANKLAND.

The Registrar General, &c. &c.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 7th Sept., 1895. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6329	4050	1595	663	7	75	37	62	66	49	775	139	252	703	47	19·9	5·3	81·6	41·6	60·5	15·83	0·59	1·50	33 Towns.
London	4,392,346	2486	1358	420	263	5	40	20	38	17	21	129	48	103	412	7	16·1	3·2	81·6	46·4	65·1	18·39	0·82	2·08	London.
West Ham	249,473	152	60	24	6	–	5	3	3	1	1	4	4	4	5	2	12·5	3·6	–	–	–	–	–	–	West Ham.
Croydon	114,923	66	29	9	10	–	–	–	–	1	–	3	1	1	7	–	13·2	1·8	79·0	43·5	63·0	17·22	0·41	1·04	Croydon.
Brighton	119,604	67	38	12	9	–	–	–	–	–	1	9	–	–	8	1	16·6	4·4	–	–	–	–	–	–	Brighton.
Portsmouth	174,751	119	74	36	10	–	–	–	–	2	1	16	–	2	4	2	22·1	5·7	–	–	–	–	–	–	Portsmouth.
Plymouth	89,096	35	19	7	3	–	–	–	–	–	–	1	–	–	–	–	11·1	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,189	136	67	29	11	–	–	–	–	–	–	5	5	5	13	2	15·3	1·1	73·0	44·0	59·2	15·11	0·61	1·55	Bristol.
Cardiff	155,637	95	48	24	11	–	1	–	1	1	–	9	3	5	4	–	16·1	4·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	61	23	9	–	–	–	–	–	–	–	2	1	1	2	1	12·4	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	67	61	24	7	–	1	1	3	5	1	13	1	2	6	2	37·1	14·6	74·3	41·6	57·6	14·22	0·14	0·36	Wolverhampton.
Birmingham	496,751	334	158	55	23	–	–	1	4	1	4	22	6	8	26	5	16·6	3·4	–	–	–	–	–	–	Birmingham.
Norwich	107,127	63	45	22	7	–	–	1	–	–	–	10	4	4	7	–	21·9	5·4	–	–	–	–	–	–	Norwich.
Leicester	193,839	96	65	30	8	–	–	–	1	2	1	18	4	6	5	–	17·5	5·9	–	–	–	–	–	–	Leicester.
Nottingham	226,658	112	87	42	20	–	–	–	–	–	–	27	8	8	4	–	20·0	6·2	80·1	44·8	60·9	16·06	0·22	0·56	Nottingham.
Derby	100,272	57	31	11	5	–	–	–	–	1	1	8	3	6	4	–	16·1	5·2	–	–	–	–	–	–	Derby.
Birkenhead	107,469	56	45	17	9	–	–	–	–	1	–	11	2	3	4	–	21·8	5·8	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	360	239	87	30	–	3	2	3	9	6	43	6	6	49	5	24·7	6·8	71·9	53·4	59·1	15·06	0·95	2·41	Liverpool.
Bolton	119,337	74	58	27	8	–	–	1	–	5	–	14	2	5	2	–	25·3	8·7	–	–	–	–	–	–	Bolton.
Manchester	524,865	326	274	117	44	1	6	2	–	1	2	63	15	23	40	8	27·2	7·5	–	–	–	–	–	–	Manchester.
Salford	208,253	147	101	42	11	–	4	1	1	1	–	29	2	3	11	1	25·3	9·0	–	–	–	–	–	–	Salford.
Oldham	141,079	52	52	17	9	1	2	–	1	–	–	11	–	5	2	–	19·2	5·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	65	59	34	5	–	–	–	2	2	1	22	–	–	–	–	30·9	14·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	80	85	38	13	–	11	–	–	2	–	23	1	1	3	1	34·7	14·7	–	–	–	–	–	–	Blackburn.
Preston	112,638	80	73	38	11	–	1	–	–	–	–	29	2	3	2	1	33·8	13·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	44	33	9	11	–	–	–	–	–	–	5	1	3	4	1	17·3	2·6	–	–	–	–	–	–	Huddersfield.
Halifax	93,813	44	36	12	13	–	–	–	–	–	–	7	1	2	2	–	20·0	3·9	–	–	–	–	–	–	Halifax.
Bradford	226,384	116	112	49	16	–	–	–	–	6	–	30	1	8	3	–	25·8	8·3	69·6	52·4	58·8	14·89	1·00	2·54	Bradford.
Leeds	395,546	248	163	73	20	–	–	1	4	2	1	34	2	7	18	1	21·5	5·5	–	–	–	–	–	–	Leeds.
Sheffield	342,768	236	173	75	19	–	1	3	–	2	3	50	5	7	22	3	26·3	9·0	–	–	–	–	–	–	Sheffield.
Hull	216,722	144	148	88	20	–	–	1	–	1	2	70	2	3	16	3	35·6	17·8	–	–	–	–	–	–	Hull.
Sunderland	137,705	102	107	57	18	–	–	–	–	1	3	35	4	6	7	–	40·5	14·8	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	76	38	25	4	–	–	–	–	2	–	9	1	2	–	–	20·7	6·0	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	133	91	36	9	–	–	–	1	–	–	14	4	10	11	1	22·9	3·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2330	2557	2619	2475	2373	2469	2496	2604	2556	2369	2622·5	2486
Males . .	1164	1318	1324	1234	1215	1268	1298	1316	1327	1203	1336·9	1246
Females .	1166	1239	1295	1241	1158	1201	1198	1288	1229	1166	1285·6	1240
TOTAL **Deaths**	1221	1312	1349	1316	1170	1514	1217	1361	1560	1175	1392·6	1358
Males . .	614	684	659	670	605	772	644	705	796	629	715·4	704
Females .	607	628	690	646	565	742	573	656	764	546	677·2	654

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
TOTAL **Births** - -	2678	2639	2488	2651	2586	2557	2575	2624	2340	2646	2448	2617	2486
TOTAL **Deaths** - -	1218	1276	1429	1519	1768	1996	1939	1806	1601	1459	1430	1336	1358
Ages at Death: Under 1 year -	263	314	425	548	680	880	892	772	616	460	426	422	420
1—5 years -	198	212	231	222	281	310	286	308	272	232	224	190	199
5—20 " -	73	82	81	82	95	104	90	87	79	88	77	113	78
20—40 " -	170	176	185	169	188	165	184	166	167	159	167	164	171
40—60 " -	240	218	232	240	240	237	207	211	215	226	257	199	227
60—80 " -	232	229	226	212	235	251	242	207	222	241	227	206	230
80 years & upwards	37	45	49	46	49	49	38	55	30	53	52	42	33
Deaths from—													
Small-pox - - - -	1	-	1	3	1	-	1	1	3	1	6	4	5
Measles - - - -	71	71	84	73	75	82	94	67	70	62	55	56	40
Scarlet fever - - -	12	11	18	12	20	23	14	24	15	21	27	21	20
Diphtheria - - -	45	37	38	53	50	39	48	57	55	50	24	40	38
Whooping-cough - -	20	18	29	25	19	28	22	17	20	10	21	22	17
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Enteric fever - - -	5	4	7	5	11	5	9	12	9	15	10	10	21
Simple Continued fever -	-	1	-	-	-	1	-	1	-	-	-	-	-
Diarrhœa and Dysentery -	21	46	92	169	270	373	397	373	224	163	112	122	129
Cholera - - - -	-	2	3	4	4	12	15	9	5	1	2	2	1
All the above Diseases	175	190	272	344	450	563	600	561	401	323	257	278	271
Dis. of Respiratory System	152	186	160	160	187	193	185	171	159	137	170	102	134
Phthisis - - - -	143	134	147	119	130	131	111	127	136	126	148	136	124
Dis. of Circulatory System	99	111	97	110	107	126	92	108	100	114	86	98	97
Violence - - - -	55	43	64	72	74	71	69	58	49	67	51	68	48
Inquest Cases - - -	107	94	123	144	139	163	147	121	118	137	102	118	103
Deaths in Public Institutions	349	360	422	415	449	433	384	436	383	407	423	374	412
TEMPERATURE OF THE AIR													
Mean - - - -	58·7°	60·5°	65·8°	61·8°	65·6°	62·8°	62·6°	59·0°	60·3°	61·7°	66·2°	61·8°	65·1°
Mean of Highest readings -	76·6°	73·9°	79·8°	71·8°	78·7°	73·3°	71·7°	67·2°	71·3°	71·4°	78·4°	72·6°	78·8°
Mean of Lowest readings -	48·0°	48·4°	53·3°	53·8°	53·7°	54·0°	55·9°	53·1°	52·7°	53·9°	55·9°	53·3°	53·7°
Humidity of the Air - -	61	64	61	65	55	67	81	82	78	78	71	75	73
Rain-fall (in inches) - -	0·02	0·10	0·02	0·30	0·13	0·46	1·66	1·23	1·09	0·35	0·19	0·15	0·82
Registered Sunshine (in hours)	33·7	38·1	37·8	32·5	59·7	30·1	17·8	12·0	29·7	32·9	56·7	51·5	54·3
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	19	22	34	42	71	89	199	237	273	336	342	340	328
Scarlet fever - - - -	1637	1732	1894	2044	2241	2267	2347	2423	2511	2529	2507	2512	2600
Diphtheria - - - -	562	593	633	633	637	638	681	686	689	657	666	671	662
Enteric fever - - - -	147	142	147	146	143	123	121	108	106	103	114	123	113

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SIXTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 36th Week of the 10 years 1885-94.*	In the Week ending Saturday, 7th September 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1392·6	1358	420	199	78	171	227	230	33
Small-pox { Vaccinated† -	0·2	2	-	1	-	1	-	-	-
Small-pox { Unvaccinated	0·6	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·2	3	-	-	-	1	1	1	-
Measles - - - -	22·6	40	8	31	1	-	-	-	-
Scarlet Fever - -	24·5	20	1	12	7	-	-	-	-
Typhus - - - -	0·4	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	1·7	8	-	-	-	3	2	3	-
Whooping-cough - -	35·5	17	8	9	-	-	-	-	-
Diphtheria - - -	23·6	33	6	17	13	2	-	-	-
Simple Continued and Ill-defined Fever -	0·8	-	-	-	-	-	-	-	-
Enteric Fever - -	14·4	21	-	1	7	7	6	-	-
Cholera and Chol. Diarr.	3·8	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	119·9	129	98	21	-	1	3	5	1
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	2	2	-	-	-	-	-	-
Venereal Affections -	11·5	8	6	-	-	1	1	-	-
Erysipelas - - -	4·9	2	2	-	-	-	-	-	-
Pyæmia and Septicæmia	1·7	1	-	1	-	-	-	-	-
Puerperal Fever - -	4·1	1	-	-	-	1	-	-	-
Other Zymotic Diseases	1·3	-	-	-	-	-	-	-	-
Thrush - - - -	1·9	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·3	2	-	-	-	2	-	-	-
Starvation, Want of Breast-milk - -	2·2	1	1	-	-	-	-	-	-
Alcoholism - - -	7·3	11	-	-	-	5	6	-	-
Rheumatic Fever, Rheumatism of Heart	6·2	2	-	-	1	-	1	-	-
Rheumatism - -	3·4	7	-	-	-	-	3	3	1
Gout - - - -	2·6	4	-	-	-	-	2	2	-
Rickets - - - -	3·3	4	1	3	-	-	-	-	-
Cancer - - - -	63·6	80	-	1	1	4	42	30	2
Tabes Mesenterica -	33·7	38	22	10	3	-	3	-	-
Tubercular Meningitis -	21·6	16	8	5	3	-	-	-	-
Phthisis - - -	139·7	124	5	3	9	60	38	9	-
Scrofula, Tuberculosis -	19·0	25	9	4	6	5	1	-	-
Other Constitutional Diseases - - -	9·7	15	-	2	-	4	5	4	-
Premature Birth - -	40·4	31	31	-	-	-	-	-	-
Atelectasis - - -	2·6	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	6·0	5	5	-	-	-	-	-	-
Old Age - - - -	41·4	27	-	-	-	-	1	15	11
Apoplexy - - -	36·0	41	-	1	-	2	11	25	2
Epilepsy - - -	5·3	7	-	-	1	2	3	1	2
Convulsions - - -	44·4	41	37	3	1	-	-	-	-
Other Diseases of Brain and Nervous System	71·8	69	10	10	6	8	13	19	3

CAUSES OF DEATH.	Corrected Averages for the 36th Week of the 10 years 1885-94.*	In the Week ending Saturday, 7th September 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·3	3	-	-	2	1	-	-	-
Diseases of Circulatory System - - -	107·2	97	5	2	2	18	27	33	5
Croup - - - -	6·1	3	1	2	-	-	-	-	-
Bronchitis - - -	75·5	62	19	17	-	-	10	13	3
Pneumonia - - -	52·2	49	9	17	1	7	5	10	-
Pleurisy - - - -	4·6	4	-	1	1	1	-	1	-
Other Diseases of Respiratory System - -	16·6	16	3	3	-	3	4	2	1
Dentition - - -	7·6	6	3	3	-	-	-	-	-
Quinsy, Sore Throat -	1·6	2	-	-	-	-	1	1	-
Enteritis - - -	24·9	49	32	9	2	2	1	3	-
Peritonitis - - -	7·0	11	-	-	2	4	2	2	1
Diseases of Liver - -	27·1	25	2	-	-	2	12	8	1
Other Diseases of Digestive System -	30·1	29	9	5	-	-	6	8	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	2	-	-	1	-	-	1	-
Diseases of Urinary System - - -	37·8	29	-	-	2	3	5	18	1
Diseases of Generative System - - -	3·8	1	-	-	-	1	-	-	-
Accidents of Childbirth -	4·1	9	-	-	-	8	1	-	-
Diseases of Locomotive System - - -	6·9	2	1	-	-	-	-	1	-
Diseases of Integumentary System - -	6·2		4	-	-	-	-	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -		1	-	-	-	1	-	-	-
By Vehicles or Horses -		3	-	-	1	2	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -	45·1	4	1	1	-	1	1	-	-
By Drowning - -		5	1	-	1	1	2	-	-
By Suffocation in Bed -		5	5	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	1	-	-	-
Other or not stated Causes - - -		17	3	2	3	4	2	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·1	1	1	-	-	-	-	-	-
Suicide - - -	7·4	11	-	-	1	2	5	3	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	71·2	60	56	2	-	-	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL
during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON *	4,211,743	2486	1358	420	263	5	40	20	33	17	–	21	–	129	48	103	412
WEST DISTRICTS	740,735	384	235	80	46	–	2	2	4	4	–	4	–	24	5	9	81
NORTH DISTRICTS	993,884	591	294	87	62	–	12	5	8	1	–	6	–	30	9	18	92
CENTRAL DISTRICTS	247,538	111	83	22	19	–	6	–	4	1	–	–	–	5	3	11	25
EAST DISTRICTS	705,114	483	241	83	42	1	9	–	7	3	–	5	–	17	10	33	76
SOUTH DISTRICTS	1,524,472	917	476	147	89	1	11	6	15	8	–	6	–	52	21	32	109
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	29	1	5	3	–	7	–	–	–	–	–	1	–	–	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	63	26	11	2	–	–	–	–	–	–	–	–	4	–	–	6
St. John Paddington *H* G.J.	33687	9	4	–	2	–	–	–	–	–	–	–	–	–	1	–	3
Kensington Town *Ww* W.M.	118751	59	51	18	12	–	1	–	2	–	–	1	–	3	–	1	23
Brompton W.M. & C.	47557	9	14	2	4	–	–	–	–	–	–	2	–	–	1	1	1
St. Peter Hammersmith W.M*	8584	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88653	59	27	10	4	–	–	–	–	–	–	–	–	7	–	1	5
Fulham *Ww* W.M. & C.	91639	72	30	15	3	–	1	2	2	1	–	–	–	4	–	–	10
Chelsea Kensal Town C.	21787	10	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Chelsea North *WHHHH* C.	41637	27	15	2	2	–	–	–	–	1	–	–	–	–	–	2	11
Chelsea South *HH* C.	39829	8	10	5	1	–	–	–	–	–	–	–	–	1	–	–	3
May Fair *WH* G.J.	23733	7	12	1	7	–	–	–	–	–	–	–	–	–	1	1	11
Belgrave *WHHH* C.	54631	18	15	8	2	–	–	–	–	1	–	–	–	3	–	–	6
St. John Westminster *HH* C.	34103	19	13	3	3	–	–	–	–	–	–	–	–	2	2	3	–
St. Margaret Westminster *H* C.	21663	4	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–
St. James Westminster *WHHH* N.R. & G.J.	24995	11	5	2	1	–	–	–	–	–	–	1	–	–	–	–	1
St. Anne Soho *HHHHHH* N.R.	12317	7	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* W.M.	37713	13	16	2	1	–	–	–	–	–	–	1	–	1	2	2	9
Rectory Marylebone *WH* G.J. & W.M.	20024	11	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	30	11	7	1	–	–	–	–	–	–	–	–	6	–	–	8
Christchurch Marylebone *HH* W.M.	33327	19	9	4	2	–	–	–	–	–	–	1	–	2	1	–	–
St. John Marylebone *HH* W.M.	33101	14	4	–	1	–	–	–	–	–	–	–	–	–	1	1	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	25	29	8	9	–	1	–	3	–	–	1	–	2	–	–	7
Regent's Park Pancras *HH* W.M.	36590	24	8	2	1	–	–	–	–	–	–	–	–	–	1	1	2
Tottenham-court *wHHH* N.R. & W.M*	26321	21	11	3	2	–	–	–	1	–	–	–	–	1	–	1	8
Gray's Inn Lane *HHH* N.R.	27455	21	9	3	3	–	–	–	–	–	–	–	–	–	–	1	1
Somers Town *HH* N.R.	32829	17	13	3	3	–	–	–	–	–	–	1	–	–	–	–	2
Camden Town *WH* N.R.	15419	11	14	4	5	–	–	–	–	–	–	–	–	–	–	2	10
Kentish Town *WW* N.R.	95765	72	32	9	2	–	6	–	–	–	–	–	–	4	–	1	8
Upper Holloway *WWWwHHH* N.R.	90235	54	35	11	11	–	–	–	–	–	–	–	–	3	–	–	17
Islington South-west *H* N.R.	105557	55	20	6	7	–	1	1	–	–	–	–	–	2	3	3	1
Islington South-east N.R.	64153	33	9	2	3	–	–	–	–	–	–	–	–	1	–	2	–
Highbury *HH* N.R.	59193	29	9	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Stoke Newington *H* N.R.	30936	17	3	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Stamford Hill E.L.	17759	10	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* N.R.	42802	27	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Hackney *WwwH* K.L. & N.R.	96486	59	44	12	6	–	3	4	3	1	–	2	–	5	–	1	19
South Hackney *w* E.L.	41759	29	8	2	2	–	1	–	–	–	–	–	–	2	1	2	–
CENTRAL DISTRICTS.																	
St. George Bloomsbury N.R.	16695	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* N.R.	19454	7	4	1	3	–	–	–	–	–	–	–	–	1	1	1	–
St. Giles North *H* N.R.	9633	4	6	2	2	–	–	–	–	–	–	–	–	2	–	1	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	8	1	1	–	–	–	2	–	–	–	–	–	–	–	5
St. Mary-le-Strand *H* N.R.	5706	2	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1
St. Clement Danes *WH* N.R.	7194	3	8	1	1	–	–	–	1	–	–	–	–	–	–	–	6
Strand Union Workhouse, Edmonton	†1037	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Geo.-the-Martyr *HHHHHH* N.R.	17921	11	9	2	1	–	–	–	–	–	–	–	–	–	1	3	4
St. Andrew Eastern *WH* N.R.	15343	6	5	2	–	–	1	–	–	1	–	–	–	–	–	–	–
St. James Clerkenwell N.R.	16803	6	5	2	1	–	1	–	–	–	–	–	–	–	–	1	–
Amwell Clerkenwell N.R.	16883	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Pentonville N.R.	17155	5	6	2	2	–	1	–	1	–	–	–	–	–	–	–	–
Goswell-street N.R.	15375	11	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
City-road *HHHL* N.R.	29177	24	9	4	1	–	1	–	–	–	–	–	–	1	–	1	1
Whitecross-street N.R.	8278	1	5	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Finsbury N.R.	4985	2	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	†892	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
St. Botolph *H* N.R. & E.L.	8944	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cripplegate N.R.	4539	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* N.R.	4444	2	7	1	1	–	–	–	–	–	–	–	–	–	1	2	6
St. Bride *W* N.R.	6594	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Allhallows Barking N.R.	10422	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Broad Street *H* N.R.	3377	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone	†388	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, 7th September, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
reditch South *HL** E.L. & N.R.	20098	12	7	2	2	-	1	-	-	-	-	-	-	1	1	1	2	-
xton New Town *w* - - - N.R.	29313	23	12	3	5	-	-	-	-	-	-	-	-	-	-	2	4	-
xton Old Town - - - N.R.	28354	23	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston *WH* - - N.R. & E.L.	46244	26	19	7	4	-	-	-	-	1	-	-	-	1	-	3	7	-
hnal Green North *H* - - E.L.	51520	18	9	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
hnal Green South - - - E.L.	33489	28	8	5	-	-	2	-	-	-	-	-	-	-	1	2	-	-
hnal Green East *WHL** - E.L.	44123	25	11	1	4	-	-	-	-	-	-	-	-	1	-	-	6	-
talfields - - - E. N.R.	22456	20	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
e End New Town *W* - - E.L.	17908	9	8	2	-	1	-	-	1	-	-	-	-	1	-	2	3	-
itechapel Church *H** E.L. & N.R.	30298	16	25	4	2	-	1	-	3	-	-	2	-	1	2	6	21	-
odman's Fields - - - E.L.	13800	8	3	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-
George's, North - - - E.L.	37738	27	11	6	2	-	1	-	1	-	-	-	-	-	1	1	-	-
John, St. George East *W* - E.L.	8557	3	8	3	2	-	-	-	-	-	-	-	-	3	-	-	6	-
dwell *H* - - - E.L. & N.R.	10246	5	8	5	-	-	-	-	-	-	-	-	-	1	1	1	6	-
telff *W* - - - - - E.L.	14928	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nehouse - - - - - E.L.	32202	23	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
le End Old Town West *H* - E.L.	38650	36	12	7	-	-	-	-	1	-	-	-	-	2	-	-	-	-
le End Old Town East *WWww* E.L.	68942	51	26	8	5	-	2	-	1	-	-	-	-	1	1	4	3	-
w *L** - - - - - E.L.	40365	29	10	5	1	-	-	-	-	-	-	-	-	2	-	2	1	-
omley *wwwH* - - - - E.L.	70000	53	33	9	9	-	1	-	-	1	-	1	-	1	1	4	15	-
plar *WW* - - - - - E.L.	56838	42	10	4	1	-	-	-	-	-	-	2	-	2	1	2	2	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	11	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Saviour Southwark - - S.	13913	7	3	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
nt-road - - - - S. & L.	21867	14	5	3	-	-	1	-	-	-	-	-	-	1	-	-	-	1
orough-road *WH* - - S. & L.	16624	6	13	5	-	-	1	-	-	-	-	-	-	3	-	-	4	1
ndon-road *HL* - - L. & S.	21221	10	5	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
inity Newington - - S. & L.	26596	21	10	6	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Peter Walworth *W* - S. & L.	61342	36	16	9	1	-	1	-	-	-	-	-	-	3	-	1	-	-
Mary Newington - - L. & S.	27866	23	5	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Olave *WH* - - - - S.	12723	2	13	-	2	-	-	-	1	-	-	-	-	-	1	1	13	-
ather Market *W* - - S. & L.	30612	15	5	3	1	-	-	-	-	-	-	-	-	1	3	3	-	-
James Bermondsey - - S.	54070	44	16	4	1	-	-	-	-	-	-	-	-	2	1	2	-	-
therhithe *WwH* - - S. & K.	39255	28	15	1	3	-	-	-	1	-	-	-	-	-	-	-	4	1
aterloo-road 1st *H* - - L. & S.	14031	9	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
aterloo-road 2nd *H* - - L. & S.	14644	19	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mbeth Church 1st *H* - L. & S.	18075	6	13	3	2	-	-	-	1	-	-	-	-	1	3	3	8	-
mbeth Church 2nd *WW* - L. & S.	39097	30	25	7	8	-	-	-	-	1	-	-	-	2	1	1	12	-
nnington 1st *H* - - S. & L.	50586	34	8	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
nnington 2nd - - - S. & L.	39708	24	12	5	4	-	-	-	1	2	-	-	-	1	-	-	-	-
ixton *w* - - - - - L. & S.	73405	32	21	4	3	-	1	2	1	-	-	2	-	-	-	1	5	-
rwood *WH* - - - - L.	25657	10	5	2	-	-	-	-	-	-	-	-	-	2	1	1	-	-
st Battersea - - - S.	67244	37	18	5	3	-	2	-	-	1	-	-	-	3	-	1	-	1
est Battersea *WwH* - - S.	83314	50	14	3	2	-	-	-	1	-	-	-	-	-	1	2	3	-
apham *H* - - - - S.	43698	19	10	6	2	-	-	-	-	2	-	-	-	1	-	-	-	-
andsworth *WHHL* - - - S.	46717	27	12	3	2	-	-	-	-	-	-	-	-	1	2	3	1	-
tney - - - - - - S.	17771	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
roatham *wwww* - - - - L.	48756	19	14	5	2	-	-	1	1	-	-	-	-	4	1	1	2	-
lwich - - - - L. & S.	6809	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL*L** - - S. & L.	81686	41	48	10	16	-	2	-	-	-	-	-	-	3	-	-	26	-
ckham *W* - - - S., L., & K.	83488	53	25	11	3	-	-	-	-	-	-	1	-	3	1	2	-	-
George Camberwell - - L. & S.	63366	42	15	9	-	-	1	-	1	-	-	1	-	1	2	3	-	-
eptford, North - - - - K.	35814	32	16	4	4	-	-	-	-	2	-	-	-	1	1	1	-	-
eptford, Central *w* - - - K.	42007	33	17	3	2	-	-	3	5	-	-	1	-	1	-	-	8	-
eptford, South - - - - K.	30852	8	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
reenwich West *H* - - - K.	22007	11	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
reenwich East *WH* - - - K.	35233	23	19	5	6	-	-	-	-	-	-	-	-	3	-	-	10	-
ltham *wH* - - - - - K.	5082	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
e *H* - - - - - - K.	23541	5	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
wisham *WH* - - - - K.	30950	22	19	9	3	-	-	-	-	-	-	1	-	1	-	1	4	-
ydenham *H* - - - - L.	34162	26	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
arlton *HH* - - - - K.	14040	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Dockyard - - - K.	19606	6	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
oolwich Arsenal *HHHH* - K.	21242	16	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-	1
umstead, West *H* - - - K.	15869	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	36567	35	18	8	6	1	-	-	-	-	-	-	-	2	-	1	6	-
anstead Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
aterham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ane Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ospital Ships and Camp, Dartford -	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	3	-
arenth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
anwell Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
olney Hatch Asylum - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
.E. Hospital - - - - -	-	-	7	1	-	-	-	7	-	-	-	-	-	-	-	-	7	-
vinsmore Hill Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavsden Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
laybury Asylum - - - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORK HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week Saturday, 7th September 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING	368,749	1,422,063	909	405	153	91	–	7	3	14	4	3	43	15	19	4
30 : 1	Carshalton *wHH* -	12228	26108	6	4	–	3	–	–	–	–	–	–	–	–	–	
	Epsom, *part of** *WwH*	10423	12508	7	2	–	2	–	–	–	–	–	–	–	–	–	
37 : 1	Godstone, *part of** *W-*	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	
38 : 1	Croydon *WwHHH*	20851	128699	81	31	9	11	–	–	–	–	1	–	3	1	1	
2	Mitcham *w* -	11697	23088	10	5	2	1	–	–	–	–	–	–	1	–	–	
39 : 1	Wimbledon *HHH* -	3220	25761	10	5	1	2	–	–	–	1	–	–	–	–	–	
2	Kingston *WH* - -	8071	44765	27	8	4	–	–	–	–	–	–	–	–	1	–	
3	Esher, *part of** *HH*	6601	12059	5	5	2	–	–	–	–	2	–	–	–	–	–	
4	Hampton *H* -	4565	18252	8	8	2	1	–	–	–	–	–	–	–	2	2	
40 : 1	Richmond *WH* - -	2160	25389	8	9	–	6	–	–	–	–	–	–	–	–	–	
2	Mortlake *H* - -	2823	16159	8	4	1	1	–	–	–	–	–	–	–	–	–	
41 : 1	Bromley *HHH* - -	9127	23815	16	7	4	3	–	–	–	–	–	–	3	–	–	
2	Beckenham *H* - -	6542	21969	12	6	2	2	–	–	–	–	–	–	1	1	1	
	Chislhrst, *pt. of** *WHH*	14307	20372	16	11	7	1	–	–	–	–	–	–	3	–	–	
42 : 1	Bexley *HH* - -	12540	30590	16	17	5	2	–	–	–	–	–	–	4	1	1	
2	Dartford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	
124 : 1	Sunbury *w* - -	11054	13671	9	1	1	–	–	–	–	–	–	–	–	–	–	
2	Staines *WH* - -	13277	13221	5	3	–	1	–	–	–	–	–	–	–	–	–	
125 : 1	Hillingdon *WHH* -	6035	12237	9	5	–	3	–	–	–	–	–	–	–	–	–	
2	Uxbridge - - -	6172	5417	3	2	–	–	–	–	–	–	–	–	–	–	–	
3	Hayes *wH* - - -	14537	12618	4	3	–	–	–	1	–	–	–	–	–	–	–	
126 : 1	Isleworth *WHH* -	6967	26273	16	4	2	–	–	–	–	–	–	–	1	–	–	
2	Twickenham *HH* -	2415	16027	6	2	1	–	–	–	–	–	–	–	–	–	–	
3	Brentford *HHHH* -	4318	37777	16	4	1	1	–	–	–	–	–	–	1	–	1	
4	Chiswick - - -	1245	21963	15	5	3	–	–	–	–	–	–	–	1	–	–	
5	Aston *wH* - - -	6132	30945	23	5	3	–	–	–	–	–	–	–	1	–	–	
127 : 1	Harrow *HHH* - -	13809	15715	4	1	–	–	–	–	–	–	–	–	–	1	1	
2	Edgware *HH* - -	6994	3844	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	Willesden *HHH* -	4383	61265	42	16	10	4	–	–	–	–	–	–	5	1	1	
4	Hendon *WH* - -	8382	15843	7	8	3	1	–	–	–	–	–	–	–	–	–	
128 : 1	South Mimms *H* -	15599	8474	7	1	–	–	–	–	–	–	–	–	–	–	–	
2	Barnet *WHH* - -	5441	11778	3	2	1	–	–	–	–	–	–	–	–	–	–	
3	Finchley *HHH* -	4688	25820	6	4	–	2	–	–	–	–	–	1	–	–	–	
129 : 1	Hornsey *HH* - -	3039	61097	30	10	1	3	–	1	–	–	–	–	–	–	1	
2	Tottenham *H* - -	4642	97174	71	31	19	6	–	–	–	1	–	1	3	–	2	2
3	Edmonton *Www* -	7489	36351	32	17	6	8	–	–	–	–	–	–	3	–	–	6
4	Enfield *WWHH-* -	12639	31803	14	11	3	2	–	–	–	–	1	–	–	1	2	1
5	Waltham Abbey - -	11017	6066	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Cheshunt *H* - -	8480	9620	11	4	1	1	–	–	–	–	–	–	1	1	1	1
135 : 1	Hatfield, *part of** *W*	3306	582	–	1	–	–	–	–	–	–	–	–	–	–	–	
137 : 1	Bushey *H* - - -	9331	7737	4	4	2	–	–	–	–	–	–	–	2	1	1	
2	Watford *Work.*, pt. of*-	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	
186 : 1	Stratford *H-* -	1100	42983	34	8	4	1	–	1	–	–	–	–	–	1	1	1
2	Plaistow - - -	1242	58030	59	19	12	2	–	1	–	–	–	–	2	1	1	–
3	Canning Town *H* -	1558	54750	37	24	7	2	–	2	3	2	–	1	2	1	1	–
4	Forest Gate *w* - -	806	49140	22	5	1	–	–	1	–	–	1	–	–	1	1	–
5	East Ham *wH* - -	3266	32718	49	13	6	1	–	–	–	2	–	–	2	–	–	–
6	Leyton *WWWwH*	4334	70188	45	23	11	5	–	–	–	5	–	–	1	–	–	7
7	Walthamstow *HbL* -	6501	57330	39	23	8	10	–	–	–	–	–	–	1	–	–	–
187 : 1	Chigwell *part of** *H*	11779	12941	9	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	14	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford - - -	8493	10913	15	3	2	1	–	–	–	–	–	–	1	–	–	–
3	Barking Town *H* -	3814	14301	18	11	6	1	–	–	–	1	1	–	1	–	–	–
	Middlesex County Asy.	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follo 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the paris Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 4 Hertford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th September, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	15·2	3·0	1763	573	354	5	47	23	52	21	24	172	63	453
INNER LONDON -	74,672	4,392,346	16·1	3·2	1358	420	263	5	40	20	38	17	21	129	48	412
OUTER RING -	368,749	1,656,209	12·8	2·6	405	153	91	–	7	3	14	4	3	43	15	41

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the ea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	September 7	110	92	17·5	–	–	1	2	1	1	22
GLASGOW - -	695,876	" 7	417	223	16·7	–	–	4	–	7	2	26
DUBLIN - -	349,594	" 7	190	149	22·2	–	–	1	1	2	1	8
CALCUTTA - -	466,460	July 13	–	217	32·7	2	–	–	–	–	97	49†
BOMBAY - -	821,764	August 13	341	462	29·2	3	4	?	?	?	109	45†
MADRAS - -	452,518	" 2	395	363	41·8	–	5	?	?	?	135	57†
PARIS - - -	2,424,705	" 31	1106	880	18·9	1	6	3	–	11	8	160
BRUSSELS - -	507,985	" 31	230	136	13·9	–	3	1	1*	2	1	19
AMSTERDAM -	451,493	" 31	267	144	16·6	–	–	–	2	3	–	1
ROTTERDAM -	272,042	" 31	209	97	18·5	–	1	–	1	2	1	–
THE HAGUE -	180,455	" 31	108	58	16·7	–	–	–	–	–	–	–
COPENHAGEN -	341,000	" 31	175	101	15·4	–	–	–	1	7	2	12
STOCKHOLM -	259,304	" 24	121	86	17·2	–	–	–	–	–	1	7
CHRISTIANIA -	174,717	" 31	53	28	8·3	–	–	–	–	–	–	8
ST. PETERSBURG	954,400	" 24	539	496	27·1	–	5	7	1	9	19	107
MOSCOW - -	753,469	" 24	–	607	42·0	–	2	10	8	2	9	201
BERLIN - -	1,724,544	" 17	901	843	25·3	–	7	13	14	5	1	332
HAMBURG - -	608,710	" 24	408	272	23·2	–	–	1	4*	9	1	52
DRESDEN - -	320,600	" 3	–	174	28·0	–	1	3	4*	–	–	63
BRESLAU - -	367,769	" 31	–	171	24·2	–	–	4	8*	–	1	54
MUNICH - -	396,000	" 31	–	222	29·2	–	1	–	1*	1	–	110
VIENNA - -	1,495,764	" 31	829	621	21·6	–	5	2	10*	3	4	138
PRAGUE - -	351,478	" 24	238	167	24·7	–	–	–	–	2	5	10
BUDA-PESTH -	566,022	" 24	394	266	24·4	–	–	1	2	1	3	56
TRIESTE - -	160,825	" 17	109	92	29·8	–	–	2	9*	3	–	18
ROME - -	464,579	July 20	238	203	22·8	–	13	1	1	–	6‡	42
TURIN (10 days)	344,203	August 20	–	–	–	–	–	–	–	–	–	–
VENICE -	158,159	" 17	81	79	26·0	–	–	–	–	2	3	12
CAIRO - -	374,838	" 5	327	436	60·5	2	–	–	3*	–	11	173
ALEXANDRIA -	231,396	" 5	226	181	40·8	1	–	–	4*	–	4	78
NEW YORK -	1,860,700	" 24	–	853	23·6	–	16	4	27	9	14	149
BROOKLYN -	1,100,000	" 24	–	438	20·8	–	4	1	12	7	4	84
PHILADELPHIA	1,163,864	" 17	–	558	25·0	3	8	1	15	7	16	88
NEW ORLEANS -	275,000	" 3	–	127	24·1	–	–	–	–	–	12	10

* Including deaths from croup.
† Including 19 deaths from cholera in Calcutta, 4 in Bombay, and one in Madras.
‡ Malarial fever.

Table 9.—METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 7th September, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
Sept.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday	1	..	29·904	78·0	46·4	31·6	61·1	+ 1·4	53·1	8·0	22·1	0·8	75	133·2	39·7	62·94	SW. & SSW.	S. & ESE.	0·6	0·0	0·0	131	−122	0·00	3·0
Monday	2	..	29·773	81·6	53·3	28·3	66·8	+ 7·1	56·4	10·4	20·1	2·0	69	138·0	44·5	62·94	E. SE. & S.	SSW. SW. & WSW.	3·3	0·0	0·2	235	− 21	0·00	0·0
Tuesday	3	Apogee.	29·800	80·1	52·4	27·7	65·6	+ 6·0	56·5	9·1	20·2	0·4	73	137·3	49·1	62·97	Calm & SW.	ESE. ENE. & SSW.	1·6	0·0	0·1	139	−119	0·00	0·0
Wednesday	4	Full	29·942	77·1	56·2	20·9	63·7	+ 4·3	56·2	7·5	21·1	3·0	77	132·8	48·0	63·09	SW. & NW.	SW. & WSW.	2·1	0·0	0·1	217	− 44	0·00	0·0
Thursday	5	In Equator.	29·890	77·0	50·6	26·4	63·5	+ 4·2	50·8	12·7	23·3	1·4	63	137·3	45·3	63·40	S. & SSW.	SSW. & SW.	2·3	0·0	0·1	246	− 18	0·00	0·0
Friday	6	..	29·923	76·9	57·4	19·5	66·7	+ 7·6	58·2	8·5	16·7	2·3	74	132·9	50·8	63·44	SSW. & SW.	S. ESE. & E.	0·2	0·0	0·0	115	−151	0·02	0·0
Saturday	7	..	29·843	81·0	59·9	21·1	68·6	+ 9·7	62·5	6·1	15·3	0·6	81	134·2	55·0	63·83	ESE. & SW.	WSW. NW. & NNW.	12·0	0·0	0·1	161	−108	0·80	0·0
Means		..	29·868	78·8	53·7	25·1	65·1	+ 5·8	56·2	8·9	19·8	1·5	73	135·1	47·5	63·23	SW.		..	..	..	Sum 1244	Sum − 583	Sum 0·82	0·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	1	s. P. in morning; m. P. afterwards.	11·6	13·5	Very fine; cloudless till 5h. P.M.; clouds of variable density afterwards.
Monday	2	m. P. generally	10·9	13·4	Cloudy till 6h. A.M.; afterwards cloudless and very fine.
Tuesday	3	m. P. generally	7·8	13·4	Very fine; cloudless till 9h. A.M.; white fog prevalent between 6h. A.M. and 9h. A.M.; variable amounts of light cloud afterwards; partial solar halo at 3h. P.M.
Wednesday	4	w. P. in early morning; v. P. afterwards.	5·1	13·3	Generally cloudy till 11h A.M.; afterwards very fine; cloudless after 6h. P.M
Thursday	5	m. P. generally	10·5	13·2	Very fine; cloudless till noon; light cloud prevalent till 9h. P.M., afterwards thinner; partial lunar halo occasionally during the evening.
Friday	6	m. P. generally	2·1	13·2	Overcast till 8h. A.M.; afterwards fine, but partially cloudy; rain at 11h. P.M.
Saturday	7	ss. P. and ss. N. till 9h. A.M.; v. P. afterwards.	6·3	13·1	Overcast till 9h. A.M.; very violent thunderstorm between 4½h. A.M. and 5h. A.M., with exceedingly heavy rain and hail. Afterwards fine, with variable amounts of cloud.
			Sum 54·3	Sum 93·1	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 29·74 in. by 9h. A.M. on the 2nd; increased to 29·88 in. by 9h. A.M. on the 3rd; decreased to 29·72 in. by 9h. P.M. on the same day; increased to 29·96 in. by 9h. P.M. on the 4th; decreased to 29·86 in. by 5h. P.M. on the 5th; increased to 29·95 in. by 11h. A.M. on the 6th; decreased to 29·72 in. by 4h. 25m. A.M. on the 7th; increased to 29·81 in. by 4h. 30m. A.M. on the same day;

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 37. 1895. VOL. LVI.] WEEK ENDING SATURDAY, SEPTEMBER 14. [Price 1½*d*.

General Register Office, Somerset House,
September 16th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·3 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	TOWNS.	Weeks ending Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
Birkenhead	18·4	18·0	21·8	15·5	Liverpool - -	28·2	29·3	24·7	26·6
Birmingham	16·0	17·1	16·6	19·8	London - -	17·0	15·9	16·1	15·4
Blackburn -	35·6	27·8	34·7	32·7	Manchester -	30·4	25·0	27·2	30·0
Bolton -	26·7	34·1	25·3	28·4	Newcastle-on-Tyne	20·7	22·7	22·9	22·2
Bradford -	22·8	23·5	25·8	20·3	Norwich - -	25·8	23·4	21·9	13·1
Brighton -	19·6	22·2	16·6	20·9	Nottingham -	17·9	18·4	20·0	13·6
Bristol -	15·5	14·2	15·3	13·9	Oldham - -	22·2	25·1	19·2	24·4
Burnley -	23·6	35·6	30·9	33·5	Plymouth - -	12·9	21·7	11·1	11·7
Cardiff -	18·1	20·4	16·1	20·1	Portsmouth -	19·4	23·6	22·1	19·7
Croydon -	11·8	17·2	13·2	13·6	Preston - -	23·1	23·6	33·8	21·3
Derby -	21·3	19·2	16·1	15·1	Salford - -	29·0	29·5	25·3	27·5
Gateshead -	17·4	23·9	20·7	19·6	Sheffield - -	23·6	25·1	26·3	22·2
Halifax -	16·1	15·0	20·0	21·1	Sunderland -	26·5	31·0	40·5	37·5
Huddersfield	18·3	19·4	17·3	16·8	Swansea - -	12·4	17·7	12·4	15·1
Hull - -	33·2	31·3	35·6	30·8	West Ham - -	16·3	15·9	12·5	15·0
Leeds -	17·5	19·6	21·5	20·4	Wolverhampton -	25·5	18·8	37·1	21·3
Leicester -	15·9	16·1	17·5	16·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·0 in Blackburn; from *whooping-cough*, 1·0 in Norwich, in Birkenhead, and in Burnley, 1·2 in Bradford, and 1·3 in Bolton; from "*fever*," 6·1 in Sunderland; and from *diarrhœa*, 3·0 in Newcastle-on-Tyne, 3·5 in Brighton, 3·8 in Gateshead, 4·3 in Wolverhampton, 4·8 in Nottingham and in Oldham, 5·1 in Portsmouth, 5·2 in Derby and in Liverpool, 5·4 in Leeds, 6·2 in Leicester, in Bradford, and in Sheffield, 6·5 in Preston, 6·8 in Salford, 7·0 in Bolton and in Manchester, 7·4 in Blackburn, 8·4 in Burnley, 11·4 in Sunderland, and 14·0 in Hull. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 75 deaths from *diphtheria* included 55 in London, 5 in West Ham, 2 in Burnley, and 2 in Birmingham. Two deaths from *small-pox* were registered in London, and one in Manchester, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2557 BIRTHS and 1298† DEATHS were registered. Allowing for increase of population, the births were 119, and the deaths 97, below the average

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 87969.—11. 650.—9/95. Wt. 259. O O

numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·0, 15·9, and 16·1 in the preceding three weeks, fell again last week to 15·4. During the four weeks ending on Saturday last the death-rate averaged 16·1 per 1000, being 1·0 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1298 deaths included 2 from small-pox, 28 from measles, 19 from scarlet fever, 55 from diphtheria, 14 from whooping-cough, 16 from enteric fever, 107 from diarrhœa and dysentery, one from infantile cholera, and not one death from typhus, or from any ill-defined form of continued fever; thus, 242 deaths were referred to these diseases, being 10 above the corrected average weekly number.

The deaths from *small-pox*, which had been 6, 4, and 5 in the preceding three weeks, were 2 last week, the corrected average being one; the 2 fatal cases belonged respectively to St. George Hanover Square and Lambeth sanitary areas. The deaths from *measles*, which had been 55, 56, and 40 in the preceding three weeks, further fell last week to 28, but were 9 above the corrected average; 4 cases belonged to St. Pancras sanitary area. The deaths from *scarlet fever*, which had been 27, 21, and 20 in the preceding three weeks, were 19 last week, the corrected average being 25; 2 cases belonged to St. Pancras, 2 to Islington, 2 to Hackney, and 3 to Lambeth sanitary areas. The deaths from *diphtheria*, which had been 24, 40, and 38 in the preceding three weeks, rose again last week to 55, exceeding the corrected average by 21; 5 cases belonged to Mile End Old Town, 5 to Poplar, 5 to Greenwich, 4 to Hackney, and 4 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 21, 22, and 17 in the preceding three weeks, further fell last week to 14, and were 19 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 10, and 21 in the preceding three weeks, fell again last week to 16, the corrected average being 15; 3 cases belonged to St. George-the-Martyr Southwark, 2 to Mile End Old Town, and 2 to Rotherhithe sanitary areas. The deaths from *diarrhœa*, which had been 112, 122, and 129 in the preceding three weeks, fell again last week to 107, but were 7 above the corrected average. In addition to the 107 deaths directly referred to *diarrhœa*, 26 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 35 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 170, 102, and 134 in the preceding three weeks, fell again last week to 122, and were 46 below the corrected average.

The deaths attributed directly to *influenza* numbered 5, having been 2, 3, and 8 in the preceding three weeks.

Different forms of violence caused 67 deaths, concerning all but 3 of which inquests were held. Of these 67 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 54 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 8 to drowning, 6 (of infants under one year of age) to suffocation in bed, 4 to the direct effects of hot weather, and one to chloroform administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 307 cases of small-pox, 2674 of scarlet fever, 663 of diphtheria, and 120 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 42 cases, against 65, 36, and 25; of scarlet fever, 365 cases, against 306, 264, and 336; of diphtheria, 105 cases, against 81, 86, and 78; and of enteric fever, 16 cases, against 26, 21, and 19.

Greater London.

In Greater London 3428 births and 1691 deaths were registered, corresponding to annual rates of 29·6 and 14·6 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 14 from diphtheria, 9 from "fever", and 33 from diphtheria were registered. Four deaths from measles, 8 from diphtheria, and 5 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·90 inches, and that of the Thermometer 60°·7, the latter being 2°·5 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 13 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 39·4 hours; the measured rainfall amounted to 0·09 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 14th September, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 14th Sept., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6156	3917	1447	645	3	49	40	75	60	58	706	142	252	716	49	19·3	4·9	81·7	38·3	58·5	14·72	0·19	0·48	33 Towns.
London	4,392,346	2557	1298	381	235	2	28	19	55	14	16	107	67	116	378	10	15·4	2·9	81·7	41·2	60·7	15·94	0·09	0·23	London.
West Ham	249,473	155	72	27	12	–	4	–	5	–	3	4	4	4	9	2	15·0	3·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	55	30	16	6	–	1	–	–	1	–	6	1	1	6	–	13·6	3·6	80·6	41·8	59·1	15·06	0·17	0·43	Croydon.
Brighton	119,604	63	48	18	13	–	–	–	1	–	–	8	2	3	7	1	20·9	3·9	78·0	47·6	61·7	16·50	0·30	0·76	Brighton.
Portsmouth	174,751	82	66	26	11	–	2	–	–	1	1	17	4	7	6	–	19·7	6·3	–	–	–	–	–	–	Portsmouth.
Plymouth	89,096	41	20	6	7	–	–	–	–	–	–	1	1	2	2	–	11·7	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,139	112	61	16	17	–	–	–	1	1	1	8	5	7	8	–	13·9	2·5	81·0	44·0	58·6	14·78	0·29	0·74	Bristol.
Cardiff	155,637	108	60	28	6	–	–	–	1	–	–	8	5	6	2	2	20·1	3·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	65	28	12	4	–	–	–	–	1	–	4	1	3	1	1	15·1	2·7	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	46	35	14	7	–	–	–	1	1	–	7	1	2	1	–	21·3	5·5	79·7	43·6	56·9	13·83	0·10	0·25	Wolverhampton.
Birmingham	496,751	289	189	56	43	–	–	7	2	3	2	24	3	4	60	4	19·8	4·0	–	–	–	–	–	–	Birmingham.
Norwich	107,127	72	27	15	5	–	–	–	1	2	1	5	–	–	4	4	13·1	4·4	–	–	–	–	–	–	Norwich.
Leicester	193,839	114	63	28	9	–	–	–	–	1	–	23	4	5	8	4	16·9	6·5	–	–	–	–	–	–	Leicester.
Nottingham	226,658	121	59	24	9	–	–	–	–	–	–	21	–	1	8	–	13·6	4·8	80·6	38·3	57·8	14·33	0·38	0·97	Nottingham.
Derby	100,272	48	29	16	9	–	–	–	–	1	–	10	–	1	–	–	15·1	5·7	–	–	–	–	–	–	Derby.
Birkenhead	107,469	53	32	11	5	–	–	–	1	2	–	6	–	–	1	–	15·5	4·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	320	257	86	28	–	3	3	1	5	1	50	13	18	58	7	26·6	6·5	79·0	51·8	59·0	15·00	0·02	0·05	Liverpool.
Bolton	119,337	78	65	29	3	–	–	1	1	3	–	16	–	2	10	–	28·4	9·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	343	302	127	40	1	3	3	1	–	1	70	5	8	39	3	30·0	7·8	–	–	–	–	–	–	Manchester.
Salford	208,253	127	110	42	16	–	1	1	1	2	2	27	4	9	12	1	27·5	8·5	–	–	–	–	–	–	Salford.
Oldham	141,079	71	66	23	13	–	–	–	–	–	–	13	–	3	5	–	24·4	4·8	–	–	–	–	–	–	Oldham.
Burnley	99,591	51	64	36	3	–	–	–	2	2	–	16	–	–	1	1	33·5	10·5	–	–	–	–	–	–	Burnley.
Blackburn	127,615	58	80	35	10	–	5	–	–	2	2	18	–	2	2	1	32·7	11·0	–	–	–	–	–	–	Blackburn.
Preston	112,638	81	46	21	3	–	–	–	–	2	2	14	1	1	–	1	21·3	8·3	–	–	–	–	–	–	Preston.
Huddersfield	99,482	43	32	7	12	–	–	–	–	1	–	2	–	–	6	–	16·8	1·6	80·0	44·0	56·9	13·83	0·12	0·30	Huddersfield.
Halifax	93,813	45	38	12	8	–	–	1	–	–	1	5	1	1	6	1	21·1	3·9	–	–	–	–	–	–	Halifax.
Bradford	226,384	114	88	36	14	–	–	–	–	5	1	27	–	2	6	–	20·3	7·6	72·6	48·2	57·3	14·06	0·19	0·48	Bradford.
Leeds	395,546	247	155	76	24	–	–	2	1	4	1	41	3	11	15	–	20·4	6·5	–	–	–	–	–	–	Leeds.
Sheffield	342,768	203	146	64	26	–	1	–	–	3	4	41	7	11	18	2	22·2	7·5	–	–	–	–	–	–	Sheffield.
Hull	226,722	140	128	60	15	–	–	1	–	2	2	58	3	5	14	2	30·8	15·2	78·0	39·0	57·0	13·89	0·26	0·66	Hull.
Sunderland	137,705	61	99	42	10	–	–	1	–	1	16	30	3	6	9	–	37·5	18·2	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	70	36	15	7	–	–	1	–	–	–	7	1	1	3	–	19·6	4·4	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	123	88	32	15	–	1	–	–	–	1	12	3	10	11	2	22·2	3·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2542	2589	2506	2488	2432	2539	2507	2517	2635	2569	2675·9	2557
Males . .	1330	1284	1283	1270	1279	1258	1275	1318	1350	1251	1361·3	1289
Females .	1212	1305	1223	1218	1153	1281	1232	1229	1285	1318	1314·6	1268
TOTAL **Deaths**	1231	1403	1266	1330	1236	1410	1274	1331	1441	1241	1394·5	1298
Males . .	633	724	658	664	652	736	678	723	728	624	719·8	659
Females .	598	679	608	666	584	674	596	658	713	617	674·7	689

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
TOTAL **Births** - -	2639	2488	2651	2586	2557	2575	2624	2340	2646	2448	2617	2486	2557
TOTAL **Deaths** - -	1276	1429	1519	1768	1996	1939	1806	1601	1459	1430	1336	1358	1298
Ages at Death: Under 1 year -	314	425	548	680	880	892	772	616	460	426	422	420	381
1—5 years -	212	231	222	281	310	286	308	272	232	224	190	199	200
5—20 „ -	82	81	82	95	104	90	87	79	88	77	113	78	98
20—40 „ -	176	185	169	188	165	184	166	167	159	167	164	171	156
40—60 „ -	218	232	240	240	237	207	211	215	226	257	199	227	228
60—80 „ -	229	226	212	235	251	242	207	222	241	227	206	230	192
80 years & upwards	45	49	46	49	49	38	55	30	53	52	42	33	43
Deaths from—													
Small-pox - - - -	-	1	3	1	-	1	1	3	1	6	4	5	2
Measles - - - -	71	84	73	75	82	94	67	70	62	55	56	40	28
Scarlet fever - - -	11	18	12	20	23	14	24	15	21	27	21	20	19
Diphtheria - - -	37	38	53	50	39	48	57	55	50	24	40	38	55
Whooping-cough - -	18	29	25	19	28	22	17	20	10	21	22	17	14
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Enteric fever - - -	4	7	5	11	5	9	12	9	15	10	10	21	16
Simple Continued fever -	1	-	-	-	1	-	1	-	-	-	-	-	-
Diarrhœa and Dysentery -	46	92	169	270	378	397	373	224	163	112	122	129	107
Cholera - - - -	2	3	4	4	12	15	9	5	1	2	2	1	1
All the above Diseases	190	272	344	450	563	600	561	401	323	257	278	271	242
Dis. of Respiratory System	186	160	160	187	193	185	171	159	137	170	102	134	123
Phthisis - - -	134	147	119	130	131	111	127	136	126	148	136	124	122
Dis. of Circulatory System	111	97	110	107	126	92	108	100	114	86	93	97	104
Violence - - - -	43	64	72	74	71	69	58	49	67	51	68	48	67
Inquest Cases - - -	94	123	144	139	163	147	121	118	137	102	118	103	116
Deaths in Public Institutions	360	422	415	449	433	384	436	383	407	423	374	412	378
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·5	65·8	61·8	65·6	62·8	62·6	59·0	60·3	61·7	66·2	61·3	65·1	60·7
Mean of Highest readings -	73·9	79·8	71·8	78·7	73·3	71·7	67·2	71·3	71·4	78·4	72·6	78·8	71·8
Mean of Lowest readings -	48·4	53·3	53·8	53·7	54·0	55·9	53·1	52·7	53·9	55·9	53·3	53·7	51·4
Humidity of the Air - -	64	61	65	55	67	81	82	78	78	71	75	73	75
Rain-fall (in inches) - -	0·10	0·02	0·30	0·13	0·46	1·66	1·23	1·09	0·35	0·19	0·15	0·82	0·09
Registered Sunshine (in hours)	38·1	37·8	32·5	59·7	30·1	17·8	12·0	29·7	32·9	56·7	51·5	54·3	39·4
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	22	34	42	71	89	199	287	273	336	342	340	328	307
Scarlet fever - - - -	1732	1894	2044	2241	2267	2347	2423	2511	2519	2507	2512	2600	2674
Diphtheria - - - -	593	633	633	637	638	681	686	689	657	666	671	662	663
Enteric fever - - - -	142	147	146	143	123	121	108	106	103	114	123	118	120

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.E., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLaudsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SEVENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 37th Week of the 10 years 1885-94.*	In the Week ending Saturday, 14th September 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1394·5	1298	381	200	98	156	228	192	43
Small-pox: Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·4	1	-	1	-	-	-	-	-
Small-pox: No Statement	0·5	1	-	-	-	-	-	1	-
Measles - - - -	18·9	28	7	21	-	-	-	-	-
Scarlet Fever - -	25·1	19	-	13	6	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	1·1	5	-	1	1	1	2	-	-
Whooping-cough - -	33·4	14	4	10	-	-	-	-	-
Diphtheria - - -	34·1	55	3	35	16	1	-	-	-
Simple Continued and Ill-defined Fever -	0·9	-	-	-	-	-	-	-	-
Enteric Fever -	15·0	16	1	1	5	6	3	-	-
Cholera and Chol. Diarr.	3·1	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	19·9	107	78	23	-	1	2	3	-
Remittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	-	1	1	-	-	-	-	-	-
Venereal Affections -	12·8	15	14	-	-	-	-	1	-
Erysipelas - - -	5·3	2	-	-	-	1	-	-	-
Pyæmia and Septicæmia	2·8	2	-	-	-	1	1	-	-
Puerperal Fever - -	3·9	2	-	-	-	2	-	-	-
Other Zymotic Diseases	0·8	-	-	-	-	-	-	-	-
Thrush - - - -	1·9	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·3	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	3·3	-	-	-	-	-	-	-	-
Alcoholism - - -	7·9	13	-	-	-	6	6	1	-
Rheumatic Fever, Rheumatism of Heart	6·9	3	-	-	-	2	1	-	-
Rheumatism - -	1·6	1	-	-	-	-	-	1	-
Gout - - - -	2·3	5	-	-	-	-	1	3	1
Rickets - - - -	2·8	5	2	3	-	-	-	-	-
Cancer - - - -	61·5	69	-	-	1	3	33	30	2
Tabes Mesenterica -	37·6	33	25	4	-	3	-	1	-
Tubercular Meningitis -	21·1	20	6	9	3	2	-	-	-
Phthisis - - -	144·7	122	-	-	19	50	49	4	-
Scrofula, Tuberculosis -	19·6	20	6	6	3	3	2	-	-
Other Constitutional Diseases - - -	11·9	11	-	1	2	1	5	2	-
Premature Birth - -	40·7	39	39	-	-	-	-	-	-
Atelectasis - - -	3·3	1	1	-	-	-	-	-	-
Congenital Malformations - - - -	7·6	8	8	-	-	-	-	-	-
Old Age - - - -	42·6	33	-	-	-	-	-	13	20
Apoplexy - - -	38·6	35	1	1	-	-	11	21	1
Epilepsy - - -	8·0	13	-	-	2	3	4	4	-
Convulsions - - -	41·7	37	33	4	-	-	-	-	-
Other Diseases of Brain and Nervous System	76·1	63	10	8	6	11	18	12	3

CAUSES OF DEATH.	Corrected Averages for the 37th Week of the 10 years 1885-94.*	In the Week ending Saturday, 14th September 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·4	3	1	-	2	-	-	-	-
Diseases of Circulatory System - - -	104·8	104	3	3	7	13	28	43	7
Croup - - - -	7·0	4	1	3	-	-	-	-	-
Bronchitis - - -	85·4	58	27	11	-	1	6	10	3
Pneumonia - - -	54·5	50	14	17	5	6	5	3	-
Pleurisy - - - -	3·0	1	-	1	-	-	-	-	-
Other Diseases of Respiratory System - -	18·5	10	3	1	1	-	1	3	1
Dentition - - -	7·6	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	1·3	-	-	-	-	-	-	-	-
Enteritis - - -	22·2	35	20	8	1	4	-	2	-
Peritonitis - - -	6·3	9	-	1	3	2	2	1	-
Diseases of Liver - -	27·8	18	4	-	1	1	8	4	-
Other Diseases of Digestive System -	27·8	23	6	-	2	3	6	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	2	-	-	1	-	-	1	-
Diseases of Urinary System - - -	39·7	38	-	-	-	8	16	11	3
Diseases of Generative System - - -	5·3	4	1	-	-	-	3	-	-
Accidents of Childbirth -	4·3	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	6·0	4	1	-	1	1	-	1	-
Diseases of Integumentary System -	5·5	6	2	-	-	1	-	3	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - -	46·6	2	-	-	1	1	-	-	-
By Vehicles or Horses -		4	-	1	2	-	1	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		10	1	4	1	3	1	-	-
By Drowning - -		8	1	1	1	3	2	-	-
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		3	-	-	-	1	2	-	-
Other or not stated Causes - - - -		20	4	3	4	-	3	5	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·1	2	-	-	-	2	-	-	-
Suicide - - - -	8·8	11	-	-	1	4	5	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	63·1	51	43	4	-	2	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2557	1298	381	235	2	28	19	55	14	-	16	-	107	67	116	378
WEST DISTRICTS	740,735	412	218	61	44	1	6	2	4	3	-	1	-	21	16	25	66
NORTH DISTRICTS	993,884	582	283	74	59	-	8	2	18	3	-	4	-	22	11	25	73
CENTRAL DISTRICTS	247,538	143	79	18	8	-	2	-	4	1	-	2	-	5	7	10	38
EAST DISTRICTS	705,114	474	239	74	41	-	4	1	13	4	-	1	-	24	14	30	74
SOUTH DISTRICTS	1,524,472	946	450	154	77	-	8	8	16	3	-	8	-	35	19	26	98
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	29	-	6	1	-	6	-	-	-	-	-	-	-	-	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	49	23	7	5	-	-	-	-	-	-	-	-	2	4	5	6
St. John Paddington *H* - - G.J.	33687	10	9	1	4	-	-	-	-	-	-	-	-	1	1	1	3
Kensington Town *Ww* - - W.M.	118751	63	32	5	9	-	1	-	1	-	-	1	-	-		3	14
Brompton - - - W.M. & C.	47557	12	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - - W.M*	8533	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	55	20	8	6	-	2	-	1	-	-	-	-	3	2	3	3
Fulham *Ww* - - - W.M. & C.	91639	90	42	20	3	-	2	2	2	1	-	-	-	6	-	1	10
Chelsea Kensal Town - - - C.	21787	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	25	18	3	1	-	-	-	-	-	-	-	-	2	-	-	11
Chelsea South *HH* - - - C.	32829	25	12	5	2	-	-	-	-	1	-	-	-	2	3	3	5
May Fair *WH* - - - G.J.	23733	5	7	-	3	1	-	-	-	-	-	-	-	-	1	1	5
Belgrave *WHHH* - - - - C.	54831	27	21	5	3	-	-	-	-	1	-	-	-	2	2	4	3
St. John Westminster *HH* - C.	34106	19	10	3	4	-	1	-	-	-	-	-	-	2	1	1	-
St. Margaret Westminster *H* - C.	21668	9	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. James Westminster *WHHH* N.R. & G.J.	24995	6	8	1	3	-	-	-	-	-	-	-	-	1	-	1	1
St. Anne Soho *HHHHHH* - - N.R.	12317	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.M.	37713	12	12	2	1	-	-	-	-	-	-	-	-	-	-	1	3
Rectory Marylebone *WH* G.J. & W.M.	20024	14	5	2	1	-	-	-	-	-	-	-	-	1	1	1	1
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	24	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Christchurch Marylebone *HH* - W.M.	33327	12	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *H H* - - W.M.	32101	21	7	5	1	-	-	-	-	1	-	-	-	2	1	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	28	23	5	5	-	-	1	6	-	-	-	-	1	-	-	11
Regent's Park Paneras *HH* - W.M.	36590	16	9	3	2	-	1	-	-	-	-	-	-	1	-	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	9	22	2	5	-	-	-	-	1	-	-	-		2	4	15
Gray's Inn Lane *HHH* - - N.R.	27455	14	11	3	3	-	-	-	-	-	-	1	-	-	1	3	2
Somers Town *HH* - - - N.R.	32829	17	14	3	1	-	1	-	-	-	-	-	-	1	1	1	4
Camden Town *WH* - - - N.R.	15419	12	7	-	5	-	-	-	-	-	-	-	-	-	-	2	5
Kentish Town *WW* - - - N.R.	95765	63	24	8	8	-	2	-	1	-	-	-	-	-	-	1	2
Upper Holloway *WWWwHHH* - N.R.	90235	79	23	5	4	-	-	-	-	-	-	-	-	3	1	3	9
Islington South-west *H* - - N.R.	105557	62	21	5	5	-	-	1	-	-	-	-	-	3	-	1	-
Islington South-east - - - N.R.	64158	42	8	2	2	-	-	-	-	-	-	-	-	1	-	1	-
Highbury *HH* - - - - N.R.	59193	47	14	5	3	-	-	-	1	-	-	-	-	-	-	-	-
Stoke Newington *H* - - - N.R.	30936	14	9	2	2	-	-	-	1	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	23	18	7	3	-	-	-	4	-	-	-	-	2	-	-	2
Hackney *WwwH* - - E.L. & N.R.	96486	66	33	7	3	-	3	-	5	1	-	2	-	5	2	2	17
South Hackney *w* - - - E.L.	41752	20	13	4	2	-	1	-	-	-	-	1	-	1	1	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	7	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Giles South *WH* - - N.R.	13454	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North *H* - - N.R.	9633	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	5	1	-	-	-	-	1	-	-	1	-	-	1	1	4
St. Mary-le-Strand *H* - - N.R.	5706	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Clement Danes *WH* - - N.R.	7194	3	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Strand Union Workhouse, Edmonton -	†1037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	4	8	3	-	-	-	-	-	-	-	-	-	-	-	-	3
St. Andrew Eastern *WH* - - N.R.	15343	8	8	2	1	-	1	-	-	-	-	-	-	1	1	3	1
St. James Clerkenwell - - - N.R.	16803	12	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Amwell Clerkenwell - - - N.R.	16883	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - - N.R.	17155	18	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	13	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	31	10	2	1	-	1	-	1	-	-	-	-	1	2	2	2
Whitecross-street - - - - N.R.	8278	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	22	1	2	-	-	-	1	-	-	1	-	-	3	3	21
St. Bride *W* - - - - N.R.	6594	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.	10422	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—
house; *H*—Hospital; *A*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi
receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di
Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. I
River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT turday, 14th September, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	9	7	3	-	-	-	-	-	1	-	-	-	-	-	-	2	-
Hoxton New Town *w* - - - N.R.	29313	15	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hoxton Old Town - - - N.R.	28354	25	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Haggerston *WH* - - N.R. & E.L.	46244	25	22	7	6	-	-	-	-	1	-	-	-	4	2	2	10	-
Bethnal Green North *H* - - E.L.	51520	33	8	5	-	-	-	-	-	-	-	-	-	2	-	1	1	-
Bethnal Green South - - - E.L.	33489	19	9	2	-	-	-	-	1	-	-	1	-	1	-	3	-	-
Bethnal Green East *WHL** - E.L.	44123	28	18	4	3	-	-	-	1	1	-	-	-	1	1	4	7	-
Spitalfields - - - E. & N.R.	22456	18	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W* - - E.L.	17908	9	8	2	2	-	-	-	-	-	-	-	-	-	-	1	4	-
Whitechapel Church *H** E.L. & N.R.	10298	18	35	9	2	-	1	-	5	-	-	-	-	3	4	6	25	-
Goodman's Fields - - - E.L.	13800	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.L.	27738	35	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. John, St. George East *W* - E.L.	8557	3	7	3	1	-	1	1	-	-	-	-	-	1	2	2	1	-
Shadwell *H* - - - E.L. & N.R.	10246	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ratcliff *W* - - - - - E.L.	14928	3	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Limehouse - - - - - E.L.	32202	24	9	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* - E.L.	38650	17	7	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Mile End Old Town East *WWwo* E.L.	68942	49	25	5	9	-	1	-	1	-	-	-	-	2	1	1	7	-
Bow *L** - - - - - E.L.	40365	23	10	4	3	-	-	-	-	1	-	-	-	1	-	-	-	-
Bromley *wwwoH* - - - E.L.	70000	53	27	4	6	-	-	-	1	-	-	-	-	3	3	6	13	-
Poplar. *WW* - - - - - E.L.	56383	49	22	9	5	-	-	-	2	-	-	-	-	3	1	2	1	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	18264	8	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St Saviour Southwark - - S.	13913	12	5	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
Kent-road - - - - S. & L.	21867	10	8	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Borough-road *WH* - - S. & L.	16624	11	7	3	-	-	-	-	-	1	-	-	-	1	-	-	6	-
London-road *HL* - - L. & S.	21221	13	11	3	1	-	-	-	1	-	-	2	-	1	-	-	1	-
Trinity Newington - - S. & L.	26596	21	6	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	42	8	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Mary Newington - - L. & S.	27866	13	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - S.	12723	10	10	-	2	-	-	-	-	-	-	-	-	-	1	1	9	-
Leather Market *W* - - S. & L.	30612	25	5	5	1	-	1	-	-	-	-	-	-	2	1	2	-	1
St. James Bermondsey - - S.	54070	32	18	4	-	-	-	-	-	1	-	-	-	2	-	1	-	-
Rotherhithe *WwH* - - S. & K.	39255	28	15	4	3	-	1	-	-	-	-	2	-	2	-	-	6	-
Waterloo-road 1st *H* - - L. & S.	14031	7	7	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Waterloo-road 2nd *H* - - L. & S.	14644	19	4	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1
Lambeth Church 1st *H* - L. & S.	18075	14	13	3	2	-	-	-	-	-	-	-	-	-	3	3	8	-
Lambeth Church 2nd *WW* - L. & S.	39097	35	16	7	4	-	1	-	-	-	-	-	-	1	1	2	6	1
Kennington 1st *H* - - S. & L.	50586	31	12	7	1	-	-	-	1	1	-	-	-	-	1	1	1	-
Kennington 2nd - - - S. & L.	39708	19	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Brixton *w* - - - - L. & S.	73405	32	26	7	4	-	-	3	6	-	-	-	-	-	1	-	7	-
Norwood *WH* - - - - L.	25657	13	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea - - - - S.	67244	57	17	9	1	-	-	-	-	-	-	-	-	3	-	-	-	-
West Battersea *WwH* - - S.	83314	71	23	7	6	-	1	-	-	-	-	1	-	-	1	1	5	-
Clapham *H* - - - - - S.	43698	15	7	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-
Wandsworth *WHHL* - - - S.	46717	39	11	7	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - - - S.	17771	6	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Streatham *wwwo* - - - - L.	45756	20	16	3	5	-	-	2	3	-	-	-	-	1	-	-	7	-
Dulwich - - - - L. & S.	6809	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - - S. & L.	81086	46	37	8	9	-	1	-	-	-	-	1	-	1	-	1	17	-
Peckham *W* - - - - S., L., & K.	83483	35	19	10	3	-	-	-	-	-	-	-	-	2	-	2	1	-
St. George Camberwell - - L. & S.	63366	44	9	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford, North - - - - K.	35314	27	8	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Deptford, Central *w* - - - K.	42007	20	12	2	-	-	-	2	2	-	-	-	-	-	-	-	6	-
Deptford, South - - - - K.	30852	16	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - - K.	22007	10	7	1	1	-	-	-	1	-	-	-	-	-	1	2	1	-
Greenwich East *WH* - - - K.	35233	16	19	1	5	-	-	-	1	-	-	-	-	-	2	2	11	-
Eltham *wH* - - - - - K.	5582	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	5	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Lewisham *WH* - - - - K.	30950	24	9	3	4	-	-	-	-	-	-	-	-	-	-	1	3	-
Sydenham *H* - - - - - L.	34162	15	4	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *HH* - - - - K.	14040	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	19606	17	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Woolwich Arsenal *HH HH* - K.	21242	13	9	4	2	-	-	-	-	-	-	-	-	3	2	2	-	-
Plumstead, West *H* - - - K.	15869	8	8	1	2	-	-	-	-	-	-	-	-	-	1	-	-	2
Plumstead, East *WH* - - - K.	36567	34	16	7	2	-	-	-	1	-	-	-	-	3	-	1	2	-
Banstead Asylum - - - - -	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Caterham Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill Asylum - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Hospital Ships and Camp, Dartford -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch Asylum - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
N.E. Hospital - - - - -	-	-	6	-	-	-	-	6	-	-	-	-	-	-	-	-	6	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week end Saturday, 14th September 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	871	393	151	81	–	6	2	14	4	9	33	17	22	37
30 : 1	Carshalton *wHH* -	12228	26108	11	11	5	5	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	5	4	–	1	–	–	–	1	–	–	–	–	1	1
37 : 1	Godstone, *part of** *W*	2754	1593	1	1	–	1	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	64	34	18	7	–	1	–	–	1	–	6	1	1	6
2	Mitcham *w* -	11697	23088	21	8	4	2	–	–	–	–	1	–	1	–	–	–
39 : 1	Wimbledon *HHH* -	3229	25761	15	7	–	–	–	–	–	1	–	–	–	–	–	1
2	Kingston *WH* - -	8071	44765	31	16	8	4	–	–	–	–	–	–	1	–	–	4
3	Esher, *part of** *HH* -	6601	12059	5	5	2	2	–	–	–	–	–	–	–	1	1	–
4	Hampton *H*	4535	18252	10	6	3	2	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH* - -	2160	25389	9	4	–	1	–	–	–	–	–	1	–	1	1	–
2	Mortlake *H*	2823	16159	8	7	3	3	–	–	–	–	–	1	–	–	–	1
41 : 1	Bromley *HHH* - -	9127	23815	14	3	2	–	–	–	–	–	–	–	1	–	–	–
2	Beckenham *H* - -	6542	21969	3	7	3	2	–	–	–	–	–	–	1	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	6	5	1	2	–	–	–	1	–	–	1	–	–	–
42 : 1	Bexley *HH* - -	12540	30590	22	3	2	1	–	–	–	–	–	–	1	–	–	–
2	Dartford *Work.*, pt. of*-	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1
124 : 1	Sunbury *w* - -	11054	13671	9	5	3	1	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - -	13277	13221	8	8	2	3	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	7	3	–	1	–	–	–	–	1	–	–	1	–	1
2	Uxbridge - -	6172	5417	5	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* -	14537	12618	5	1	–	1	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	13	11	4	1	–	–	–	–	–	–	–	2	3	1
2	Twickenham *HH*	2415	16027	10	4	2	1	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	23	11	2	3	–	–	–	–	–	1	–	1	1	–
4	Chiswick - -	1215	21963	12	9	2	2	–	–	–	–	–	–	–	–	–	–
5	Acton *wH* - -	6132	30945	17	8	5	–	–	–	–	–	–	–	3	–	–	–
127 : 1	Harrow *HHH* -	13809	15715	7	2	–	1	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* -	6904	3344	2	1	–	–	–	–	–	–	–	–	–	–	1	–
3	Willesden *HHH*	4383	61265	39	15	5	4	–	–	–	1	–	–	1	–	–	1
4	Hendon *WH* -	8382	15843	10	4	1	2	–	–	–	–	–	–	–	–	–	1
128 : 1	South Mimms *H*	15599	8474	5	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11773	9	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4633	25820	12	2	1	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	27	11	6	1	–	–	–	–	–	–	1	1	2	–
2	Tottenham *H* -	4612	97174	67	33	14	4	–	1	–	2	–	1	4	2	4	4
3	Edmonton *Www*	7439	36351	26	4	2	2	–	–	–	–	–	–	1	–	–	1
4	Enfield *WWHH* -	12639	31803	24	8	4	1	–	–	–	–	–	–	4	–	–	1
5	Waltham Abbey - -	11017	6066	2	2	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* -	8430	9620	6	1	1	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - -	9331	7737	4	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*- -	1100	42983	35	8	3	–	–	1	–	–	–	–	1	3	3	2
2	Plaistow - - -	1242	58030	52	29	12	4	–	3	–	2	–	1	2	–	–	–
3	Canning Town *H* -	1558	54750	37	13	2	3	–	–	–	3	–	1	1	–	–	1
4	Forest Gate *w* - -	806	49149	31	16	9	2	–	–	–	–	–	1	–	1	1	–
5	East Ham *wH* - -	3266	32713	31	10	3	–	–	–	–	2	–	1	–	1	1	–
6	Leyton *WWWwH*	4334	70188	45	23	8	7	–	–	1	–	–	–	1	1	–	3
7	Walthamstow *HrL*	6501	57339	36	9	3	1	–	–	1	1	–	1	1	2	2	–
187 : 1	Chigwell *part of** *H*	11779	12041	6	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1
189 : 1	Romford *part of** *WH*	6553	4324	3	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford - - -	8433	10913	9	2	1	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H* -	3814	14391	13	6	4	–	–	–	–	–	1	–	1	–	–	–
	Cane Hill Asylum -	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Bromley-cum, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Lambourne-cum-Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th September, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from ALL CAUSES.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	14·6	2·7	1691	532	316	2	34	21	69	18	25	140	84	415
INNER LONDON	74,672	4,392,346	15·4	2·9	1298	381	35	2	28	19	55	14	16	107	67	378
OUTER RING	368,749	1,656,209	12·4	2·1	393	151	81	-	6	2	14	4	9	33	17	37

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the ea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	273,535	September 14	131	83	15·8	-	-	1	2	1	1	10
GLASGOW	695,876	" 14	411	233	17·5	-	-	1	2	8	6	20
DUBLIN	349,594	" 14	192	170	25·4	1	-	1	-	3	4	12
CALCUTTA	466,460	July 20	-	200	22·3	4	-	-	1	-	78	33†
BOMBAY	821,764	August 20	307	460	29·1	3	4	?	?	?	107	58†
MADRAS	452,518	" 9	436	400	45·9	-	5	?	?	?	133	70†
PARIS	2,424,705	September 7	1152	982	22·4	-	17	4	7*	11	8	196
BRUSSELS	507,985	" 7	227	177	18·1	-	1	-	2*	-	3	32
AMSTERDAM	451,493	" 7	282	137	15·8	-	-	-	2	1	2	1
ROTTERDAM	272,042	" 7	175	106	20·3	-	1	1	-	2	-	-
THE HAGUE	180,455	" 7	107	71	20·5	-	-	-	1	4	-	-
COPENHAGEN	341,000	" 7	216	108	16·5	-	-	-	1	10	1	12
STOCKHOLM	259,304	August 31	122	53	10·6	-	-	-	-	-	-	1
CHRISTIANIA	174,717	September 7	48	51	15·1	-	-	-	-	1	-	14
ST. PETERSBURG	954,400	August 31	567	470	25·7	1	2	8	12	6	20	81
MOSCOW	753,469	" 31	-	497	34·4	-	2	5	10	2	5	148
BERLIN	1,724,544	" 24	-	-	-	-	-	-	-	-	-	-
HAMBURG	608,710	" 31	388	216	18·5	-	-	3	3*	7	4	34
DRESDEN	320,600	" 10	-	-	-	-	-	-	-	-	-	-
BRESLAU	367,769	September 7	-	213	30·2	-	-	6	4*	1	1	62
MUNICH	396,000	" 7	-	254	33·3	-	2	1	3*	-	-	110
VIENNA	1,495,764	" 7	801	602	20·9	-	5	6	8*	4	2	144
PRAGUE	351,478	August 31	218	146	21·6	-	1	1	1	1	1	5
BUDA-PESTH	566,022	" 31	367	246	22·6	-	1	3	3	2	7	52
TRIESTE	160,825	" 24	89	84	27·2	-	-	2	7*	2	-	13
ROME	464,579	July 27	196	175	19·6	-	11	-	-	-	3‡	31
TURIN (10 days)	344,203	August 20	-	-	-	-	-	-	-	-	-	-
VENICE	158,159	" 31	75	60	19·8	-	-	-	1*	-	1	14
CAIRO	374,838	" 12	364	424	58·8	2	1	-	2*	1	8	169
ALEXANDRIA	231,396	" 12	179	193	43·5	-	-	-	2*	-	12	68
NEW YORK	1,860,700	" 31	-	-	-	-	-	-	-	-	-	-
BROOKLYN	1,100,000	" 31	-	474	22·5	-	2	1	16	18	9	96
PHILADELPHIA	1,163,864	" 24	-	465	20·8	2	2	-	23	7	9	79
NEW ORLEANS	275,000	" 10	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup.
† Including 13 deaths from cholera in Calcutta, 2 in Bombay, and 4 in Madras.
‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 14TH SEPTEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPT.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY . 8	..	30·040	76·2	56·3	19·9	65·1	+ 6·4	54·7	10·4	17·9	1·3	69	132·7	48·7	63·72	NNE. & NE.	E. & ESE.	0·6	0·0	0·0	180	− 91	0·00	0·0
MONDAY . 9	..	29·900	81·7	53·3	28·4	67·1	+ 8·6	58·5	8·6	18·0	0·0	74	137·9	47·8	63·98	ESE. & E.	E. & SE.	1·0	0·0	0·0	130	−144	0·00	0·0
TUESDAY. 10	..	29·682	75·9	56·3	19·6	63·9	+ 5·6	58·4	5·5	15·1	1·5	82	126·6	54·7	63·99	S. & WSW.	SW.	2·8	0·0	0·2	275	− 2	0·08	3·5
WEDNESDAY 11	..	29·661	69·0	54·1	14·9	61·6	+ 3·5	52·9	8·7	16·0	2·0	73	129·0	48·9	64·02	SW. & WSW.	WSW.	6·7	0·0	1·1	472	+193	0·01	4·5
THURSDAY 12	Last Qr. Greatest Dec. S.	29·904	65·2	49·9	15·3	56·1	− 1·9	47·8	8·3	18·0	4·0	74	105·6	46·0	63·71	WSW. & W.	W.	3·0	0·0	0·4	365	+ 84	0·00	0·0
FRIDAY . 13	..	30·056	66·0	48·5	17·5	56·1	− 1·8	47·6	8·5	15·8	2·5	73	115·2	41·7	63·30	W. & NNW.	N. NW. & SW.	1·1	0·0	0·1	201	− 81	0·00	1·0
SATURDAY 14	..	30·081	68·4	41·2	27·2	55·1	− 2·7	48·8	6·3	14·9	0·4	79	119·0	36·2	62·74	Calm & NE.	NE. &	0·0	0·0	0·0	76	−206	0·00	0·0
MEANS . .	..	29·903	71·8	51·4	20·4	60·7	+ 2·5	52·7	8·0	16·5	1·7	75	123·7	46·3	63·64	Variable.		..	..	..	Sum 1699	Sum − 247	Sum 0·09	1·3
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	8	m. P. generally .	8·0	13·0	Very fine; few light clouds till noon; afterwards cloudless.
MONDAY .	9	m. P. generally .	9·5	13·0	A very fine day; generally cloudless; very hot.
TUESDAY .	10	m. P. generally till afternoon; v. P. in evening.	0·9	12·9	Generally cloudy; solar halo at 2½h. P.M.; a little rain at 6h. P.M., and again between 7½h. and 9½h. P.M.
WEDNESDAY	11	m. P. generally .	7·6	12·9	Fine generally; showery between 9h. A.M. and 1h. P.M.
THURSDAY .	12	w. P. in morning; v. P. afterwards.	1·6	12·8	Fine; partially cloudy.
FRIDAY .	13	w. P. in early morning; s. P. till 6h. P.M.; w. P. afterwards.	4·2	12·7	Cloudy in morning; afterwards fine; cloudless and misty after 8h. P.M.
SATURDAY .	14	v. P. generally .	7·6	12·7	Cloudless generally; foggy in morning; generally hazy all day; fine.
			Sum 39·4	Sum 90·0	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·99 in. at the beginning of the week to 30·05 in. by 10h. A.M. on the 8th; decreased to 29·61 in. by 11h. P.M. on the 10th; and increased to 30·11 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 38. 1895. VOL. LVI.] WEEK ENDING SATURDAY, SEPTEMBER 21. [Price 1½*d.*

General Register Office, Somerset House,
September 23rd, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	TOWNS.	Weeks ending Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
Birkenhead	18·0	21·8	15·5	17·5	Liverpool - -	29·3	24·7	26·6	26·6
Birmingham	17·1	16·6	19·8	20·2	London - -	15·9	16·1	15·4	16·0
Blackburn -	27·8	34·7	32·7	30·2	Manchester -	25·0	27·2	30·0	25·7
Bolton -	34·1	25·3	28·4	25·8	Newcastle-on-Tyne	22·7	22·9	22·2	19·9
Bradford -	23·5	25·8	20·3	21·7	Norwich - -	23·4	21·9	13·1	17·5
Brighton -	22·2	16·6	20·9	22·2	Nottingham -	18·4	20·0	13·6	21·2
Bristol -	14·2	15·3	13·9	16·0	Oldham - -	25·1	19·2	24·4	25·5
Burnley -	35·6	30·9	33·5	27·7	Plymouth - -	21·7	11·1	11·7	12·3
Cardiff -	20·4	16·1	20·1	17·1	Portsmouth -	23·6	22·1	19·7	22·1
Croydon -	17·2	13·2	13·6	9·1	Preston - -	23·6	33·8	21·3	25·0
Derby -	19·2	16·1	15·1	18·2	Salford - -	29·5	25·3	27·5	30·5
Gateshead -	23·9	20·7	19·6	28·3	Sheffield - -	25·1	26·3	22·2	24·5
Halifax -	15·0	20·0	21·1	17·8	Sunderland -	31·0	40·5	37·5	32·9
Huddersfield	19·4	17·3	16·8	19·9	Swansea - -	17·7	12·4	15·1	17·7
Hull - -	31·3	35·6	30·8	31·8	West Ham - -	15·9	12·5	15·0	14·8
Leeds -	19·6	21·5	20·4	22·0	Wolverhampton -	18·8	37·1	21·3	23·7
Leicester -	16·1	17·5	16·9	19·4					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in Salford, 2·2 in Oldham, and 2·9 in Blackburn; from *whooping-cough*, 1·2 in Wolverhampton, 1·9 in Sunderland, and 2·7 in Gateshead; from "*fever*," 1·0 in Burnley, 1·1 in Swansea, 1·2 in Blackburn, 2·1 in Derby, and 4·2 in Sunderland; and from *diarrhœa*, 6·0 in Gateshead, 6·1 in Bolton, 6·2 in Nottingham, 6·5 in Leicester, 6·6 in Portsmouth, 6·7 in Wolverhampton, 6·9 in Preston, 7·2 in Sunderland, 7·5 in Salford, 8·6 in Blackburn, 9·1 in Hull, and 9·4 in Burnley. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 65 deaths from *diphtheria* included 37 in London, 4 in West Ham, and 4 in Burnley. Two deaths from *small-pox* were registered in London, and one in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2541 BIRTHS and 1346† DEATHS were registered. Allowing for increase of population, the births were 36, and the deaths 4, below the average

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

numbers in the corresponding weeks of the last ten years. The annual death rate per 1000 from all causes, which had been 15·9, 16·1, and 15·4 in the preceding three weeks, rose again last week to 16·0. During the four weeks ending on Saturday last the death-rate averaged 15·9 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1346 deaths included 2 from small-pox, 24 from measles, 13 from scarlet fever, 37 from diphtheria, 21 from whooping-cough, 21 from enteric fever, one from an ill-defined form of continued fever, 109 from diarrhœa and dysentery, one death from English cholera, and not one from typhus; thus, 229 deaths were referred to these diseases, being 18 above the corrected average weekly number.

The deaths from *small-pox*, which had been 4, 5, and 2 in the preceding three weeks, were again 2 last week, the corrected average being less than one; the fatal cases belonged respectively to Shoreditch and Greenwich sanitary areas. The deaths from *measles*, which had been 56, 40, and 28 in the preceding three weeks, further fell last week to 24, but exceeded the corrected average by 9; 3 cases belonged to Mile End Old Town sanitary area. The deaths from *scarlet fever*, which had been 21, 20, and 19 in the preceding three weeks, fell last week to 13, and were 10 below the corrected average; 2 cases belonged to Islington, 2 to Whitechapel, and 2 to Wandsworth sanitary areas. The deaths from *diphtheria*, which had been 40, 38, and 55 in the preceding three weeks, fell again last week to 37, the corrected average being 39; 4 cases belonged to St. Pancras, 4 to Greenwich, 3 to Mile End Old Town, and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 22, 17, and 14 in the preceding three weeks, rose again last week to 21, but were 11 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 21, and 16 in the preceding three weeks, rose again last week to 21, exceeding the corrected average by 5; 3 cases belonged to Hackney sanitary area. The deaths from *diarrhœa*, which had been 122, 129, and 107 in the preceding three weeks, were 109 last week, exceeding the corrected average by 27. In addition to the 109 deaths directly referred to *diarrhœa*, 26 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 38 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 102, 134, and 123 in the preceding three weeks, rose again last week to 141, but were 37 below the corrected average.

One death was attributed directly to *influenza*, the numbers having been 3, 8, and 5 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all but 2 of which inquests were held. Of these 62 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 54 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 7 to drowning, 8 (of infants under one year of age) to suffocation in bed, one to sunstroke, and 2 to the effects of chloroform.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 271 cases of small-pox, 2732 of scarlet fever, 665 of diphtheria, and 109 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 23 cases, against 36, 25, and 42; of scarlet fever, 344 cases, against 264, 336, and 365; of diphtheria, 114 cases, against 86, 78, and 105; and of enteric fever, 14 cases, against 21, 19, and 16.

Greater London.

In Greater London 3473 births and 1718 deaths were registered, corresponding to annual rates of 29·9 and 14·8 per 1000 of the estimated population. In the Outer Ring 16 deaths from diphtheria and 11 from "fever" were registered. Six deaths from diphtheria occurred in West Ham district, and 3 in Hornsey sub-district; 4 deaths from "fever" occurred in West Ham district, and 4 in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 56°·9, the latter being 0°·1 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 32 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 30·5 hours; the measured rainfall amounted to 0·03 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 21st September, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 21st Sept., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6278	4028	1514	628	3	57	29	65	71	68	689	126	239	657	44	19·8	4·8	77·0	34·8	55·9	13·28	0·01	0·03	33 Towns.
London	4,392,346	2541	1346	425	232	2	24	13	37	21	22	109	62	118	386	7	16·0	2·7	77·0	42·2	56·9	13·83	0·03	0·08	London.
West Ham	249,473	157	71	26	11	–	3	1	4	1	2	6	–	1	5	–	14·8	3·6	–	–	–	–	–	–	West Ham.
Croydon	114,923	47	20	6	9	–	–	–	–	–	–	–	–	–	2	–	9·1	–	74·5	36·0	55·2	12·89	0·01	0·03	Croydon.
Brighton	119,604	45	51	18	16	–	–	–	–	–	1	9	2	5	7	–	22·2	4·4	69·8	47·4	57·6	14·22	0·00	0·00	Brighton.
Portsmouth	174,751	94	74	36	12	–	–	–	–	1	1	22	3	5	8	2	22·1	7·2	71·5	46·0	57·0	13·89	0·00	0·00	Portsmouth.
Plymouth	89,096	45	21	9	4	–	–	–	–	–	–	4	–	1	1	–	12·3	2·3	–	–	–	–	–	–	Plymouth.
Bristol	228,189	121	70	27	17	–	–	–	1	–	–	9	2	5	14	1	16·0	2·3	68·0	39·0	54·9	12·72	0·01	0·03	Bristol.
Cardiff	155,637	109	51	19	7	–	1	–	–	–	–	10	–	2	5	–	17·1	3·7	–	–	–	–	–	–	Cardiff.
Swansea	97,608	72	33	15	5	–	1	–	–	–	2	3	–	1	–	–	17·7	3·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	49	39	18	4	–	–	–	1	2	1	11	–	–	3	–	23·7	9·1	71·9	34·8	54·0	12·22	0·00	0·00	Wolverhampton.
Birmingham	496,751	314	192	66	29	–	1	4	3	6	1	35	9	6	28	6	20·2	5·2	–	–	–	–	–	–	Birmingham.
Norwich	107,127	72	36	19	9	–	–	–	–	1	–	7	–	2	2	–	17·5	3·9	74·0	38·2	56·3	13·59	0·00	0·00	Norwich.
Leicester	193,889	106	72	38	10	–	–	–	2	1	2	24	4	4	7	4	19·4	7·8	–	–	–	–	–	–	Leicester.
Nottingham	226,658	124	92	48	13	–	–	–	–	–	–	27	4	4	9	1	21·2	6·2	74·4	37·8	55·9	13·28	0·00	0·00	Nottingham.
Derby	100,272	49	35	9	8	–	–	–	–	1	4	4	1	4	6	–	18·2	4·7	–	–	–	–	–	–	Derby.
Birkenhead	107,469	69	36	11	5	–	–	–	–	–	–	5	3	4	7	–	17·5	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	360	257	87	29	–	3	2	3	6	6	47	9	11	37	7	26·6	6·9	68·2	44·6	55·8	13·22	0·01	0·03	Liverpool.
Bolton	119,337	80	59	27	12	–	–	–	–	2	1	14	–	2	4	–	25·8	7·4	–	–	–	–	–	–	Bolton.
Manchester	524,865	306	259	103	31	–	2	5	2	1	–	56	5	16	29	1	25·7	6·6	–	–	–	–	–	–	Manchester.
Salford	208,253	140	122	53	11	–	5	2	2	3	2	30	2	6	13	1	30·5	11·0	–	–	–	–	–	–	Salford.
Oldham	141,079	91	69	27	4	1	6	–	–	–	–	14	–	1	3	–	25·5	7·8	–	–	–	–	–	–	Oldham.
Burnley	99,591	69	53	24	3	–	–	1	4	1	2	18	1	2	3	–	27·7	13·6	–	–	–	–	–	–	Burnley.
Blackburn	127,615	57	74	31	11	–	7	–	–	2	3	21	–	1	1	1	30·2	13·5	–	–	–	–	–	–	Blackburn.
Preston	112,638	64	54	28	7	–	1	–	–	–	1	15	–	–	4	1	25·0	7·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	43	38	9	6	–	1	–	–	–	–	1	–	–	1	1	19·9	1·0	69·0	41·0	55·9	13·28	0·00	0·00	Huddersfield.
Halifax	93,813	49	32	10	6	–	–	–	–	–	–	8	3	3	1	1	17·8	4·4	–	–	–	–	–	–	Halifax.
Bradford	226,884	122	94	43	12	–	–	–	–	4	–	24	–	1	4	3	21·7	6·4	66·0	50·0	56·2	13·44	0·00	0·00	Bradford.
Leeds	395,546	258	167	63	31	–	–	1	1	2	2	35	6	13	20	1	22·0	5·4	–	–	–	–	–	–	Leeds.
Sheffield	342,768	201	161	64	29	–	–	–	2	5	2	36	1	6	12	–	24·5	6·8	–	–	–	–	–	–	Sheffield.
Hull	216,722	133	132	60	20	–	–	–	3	1	1	38	4	4	12	1	31·8	10·3	74·0	40·0	55·2	12·89	0·03	0·08	Hull.
Sunderland	137,705	106	87	34	11	–	–	–	–	5	11	19	4	6	15	5	32·9	13·3	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	55	52	23	7	–	1	–	–	5	1	11	1	1	4	–	28·3	9·8	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	130	79	38	7	–	1	–	–	–	–	17	–	4	4	–	19·9	4·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2438	2409	2507	2463	2344	2355	2559	2433	2554	2358	2577·3	2541
Males . .	1318	1208	1291	1261	1213	1161	1334	1245	1299	1224	1325·0	1278
Females .	1120	1201	1216	1202	1131	1194	1225	1188	1255	1134	1252·3	1263
TOTAL **Deaths**	1081	1273	1164	1298	1237	1375	1322	1238	1561	1211	1349·9	1346
Males . .	551	668	599	677	649	704	663	634	802	647	696·0	703
Females .	530	605	565	621	618	671	659	604	759	564	653·9	643

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
TOTAL **Births**	2488	2651	2586	2557	2575	2624	2340	2646	2448	2617	2486	2557	2541
TOTAL **Deaths**	1429	1519	1768	1996	1939	1806	1601	1459	1430	1336	1358	1298	1346
Ages at Death: Under 1 year	425	548	680	880	892	772	616	460	426	422	420	381	425
1—5 years	231	222	281	310	286	308	272	232	224	190	199	200	163
5—20 "	81	82	95	104	90	87	79	88	77	113	78	98	91
20—40 "	185	169	188	165	184	166	167	159	167	164	171	156	174
40—60 "	232	240	240	237	207	211	215	226	257	199	227	228	261
60—80 "	226	212	235	251	242	207	222	241	227	206	230	192	188
80 years & upwards	49	46	49	49	38	55	30	53	52	42	33	43	44
Deaths from—													
Small-pox	1	3	1	-	1	1	3	1	6	4	5	2	2
Measles	84	73	75	82	94	67	70	62	55	56	40	28	24
Scarlet fever	18	12	20	23	14	24	15	21	27	21	20	19	13
Diphtheria	38	53	50	39	48	57	55	50	24	40	38	55	37
Whooping-cough	29	25	19	28	22	17	20	10	21	22	17	14	21
Typhus	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric fever	7	5	11	5	9	12	9	15	10	10	21	16	21
Simple Continued fever	-	-	-	1	-	1	-	-	-	-	-	-	1
Diarrhœa and Dysentery	92	169	270	378	397	373	224	163	112	122	129	107	109
Cholera	3	4	4	12	15	9	5	1	2	2	1	1	1
All the above Diseases	272	344	450	563	600	561	401	323	257	278	271	242	229
Dis. of Respiratory System	160	160	187	193	185	171	159	137	170	102	134	123	141
Phthisis	147	119	130	131	111	127	136	126	148	136	124	122	144
Dis. of Circulatory System	97	110	107	126	92	108	100	114	86	93	97	104	101
Violence	64	72	74	71	69	58	49	67	51	68	48	67	62
Inquest Cases	123	144	139	163	147	121	118	137	102	118	103	116	118
Deaths in Public Institutions	422	415	449	433	384	436	383	407	423	374	412	378	386
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean	65·8	61·8	65·6	62·8	62·6	59·0	60·3	61·7	66·2	61·8	65·1	60·7	56·9
Mean of Highest readings	79·8	71·8	78·7	73·3	71·7	67·2	71·3	71·4	78·4	72·6	78·8	71·8	68·8
Mean of Lowest readings	53·3	53·8	53·7	54·0	55·9	53·1	52·7	53·9	55·9	53·3	53·7	51·4	46·8
Humidity of the Air	61	65	55	67	81	82	78	78	71	75	73	75	81
Rain-fall (in inches)	0·02	0·30	0·13	0·46	1·66	1·23	1·09	0·35	0·19	0·15	0·82	0·09	0·03
Registered Sunshine (in hours)	37·8	32·5	59·7	30·1	17·8	12·0	29·7	32·9	56·7	51·5	54·3	39·4	30·5
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox	34	42	71	89	199	237	273	336	342	340	328	307	271
Scarlet fever	1894	2044	2241	2267	2347	2423	2511	2529	2507	2512	2600	2674	2732
Diphtheria	633	633	637	638	681	686	689	657	666	671	662	663	665
Enteric fever	147	146	143	123	121	108	106	103	114	123	118	120	109

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-EIGHTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 38th Week of the 10 years 1885–94.*	In the Week ending Saturday, 21st September 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1349·9	1346	425	163	91	174	261	188	44
Small-pox: Vaccinated† -	0·1	1	-	-	-	-	1	-	-
Small-pox: Unvaccinated	0·2	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·2	1	-	-	-	1	-	-	-
Measles - - - -	15·0	24	6	17	-	-	-	1	-
Scarlet Fever - -	23·0	13	2	6	5	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	1·4	1	-	-	1	-	-	-	-
Whooping-cough - -	32·1	21	9	11	1	-	-	-	-
Diphtheria - - -	38·9	37	3	25	9	-	-	-	-
Simple Continued and Ill-defined Fever -	0·9	1	-	1	-	-	-	-	-
Enteric Fever -	15·6	21	-	-	10	10	-	1	-
Cholera and Chol. Diarr.	2·8	1	-	1	-	-	-	-	-
Diarrhœa, Dysentery -	82·4	109	88	13	-	2	-	5	1
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	0·4	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·3	1	1	-	-	-	-	-	-
Venereal Affections -	11·9	4	2	-	-	-	1	-	1
Erysipelas - -	4·3	3	1	1	-	-	1	-	-
Pyæmia and Septicæmia	2·7	3	1	-	-	1	1	-	-
Puerperal Fever - -	5·1	2	-	-	-	2	-	-	-
Other Zymotic Diseases	0·4	-	-	-	-	-	-	-	-
Thrush - - - -	2·2	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·9	2	2	-	-	-	-	-	-
Alcoholism - - -	5·3	8	-	-	-	3	3	2	-
Rheumatic Fever, Rheumatism of Heart	7·9	12	-	-	3	3	4	2	-
Rheumatism - -	2·7	-	-	-	-	-	-	-	-
Gout - - - -	1·9	1	-	-	-	-	1	-	-
Rickets - - - -	3·5	7	4	3	-	-	-	-	-
Cancer - - - -	58·2	69	-	-	-	11	37	18	3
Tabes Mesenterica -	30·9	24	16	5	-	1	2	-	-
Tubercular Meningitis -	22·3	28	13	10	2	2	1	-	-
Phthisis - - -	155·1	144	1	1	18	65	55	4	-
Scrofula, Tuberculosis -	16·6	17	9	4	2	2	-	-	-
Other Constitutional Diseases - - -	10·2	10	-	-	1	3	-	1	-
Premature Birth - -	38·5	47	47	-	-	-	-	-	-
Atelectasis - - -	2·8	2	2	-	-	-	-	-	-
Congenital Malformations - - - -	6·6	6	6	-	-	-	-	-	-
Old Age - - - -	39·4	43	-	-	-	-	-	21	22
Apoplexy - - -	34·8	30	-	-	-	1	13	14	2
Epilepsy - - -	6·8	3	-	-	1	1	1	-	-
Convulsions - - -	33·7	34	30	2	-	1	-	1	-
Other Diseases of Brain and Nervous System	71·4	63	7	5	6	7	20	17	1

CAUSES OF DEATH.	Corrected Averages for the 38th Week of the 10 years 1885–94.*	In the Week ending Saturday, 21st September 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·2	5	-	2	1	2	-	-	-
Diseases of Circulatory System - - -	111·9	101	1	-	6	19	33	32	5
Croup - - - -	6·9	2	1	1	-	-	-	-	-
Bronchitis - - -	92·1	64	20	11	1	3	9	17	3
Pneumonia - - -	53·7	52	13	18	2	5	7	6	1
Pleurisy - - - -	4·6	2	1	-	-	1	-	-	-
Other Diseases of Respiratory System - -	15·7	21	4	5	-	2	6	4	-
Dentition - - -	6·6	6	2	4	-	-	-	-	-
Quinsy, Sore Throat -	1·8	1	-	-	1	-	-	-	-
Enteritis - - -	17·8	33	29	3	3	-	1	2	-
Peritonitis - - -	6·0	4	1	-	2	1	-	-	-
Diseases of Liver - -	27·7	26	3	-	-	1	14	7	1
Other Diseases of Digestive System - -	31·8	25	5	1	-	3	4	12	-
Diseases of Lymphatic System & of Ductless Glands - - -	0·9	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	33·7	34	-	1	2	4	15	10	2
Diseases of Generative System - - -	4·9	7	-	-	1	2	3	1	-
Accidents of Childbirth -	4·4	5	-	-	-	5	-	-	-
Diseases of Locomotive System - - -	6·4	3	-	-	2	-	-	1	-
Diseases of Integumentary System - -	5·3	4	2	-	-	-	1	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	46·9	-	-	-	-	-	-	-	-
By Vehicles or Horses -		10	-	3	3	-	2	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		4	-	1	-	2	1	-	-
By Drowning - -		7	-	-	2	2	2	1	-
By Suffocation in Bed -		8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		2	-	-	1	-	1	-	-
Other or not stated Causes - - - -		23	1	3	4	3	6	4	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	0·8	2	2	-	-	-	-	-	-
Suicide - - - -	7·6	6	-	-	-	3	3	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	59·7	90	81	5	1	-	2	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARL during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2541	1346	425	232	2	24	13	37	21	-	21	1	109	62	118	386
WEST DISTRICTS	740,735	371	212	72	39	-	-	1	4	5	-	4	1	21	10	15	53
NORTH DISTRICTS	993,884	563	273	79	44	-	5	4	12	1	-	4	-	19	11	22	83
CENTRAL DISTRICTS	247,538	150	87	24	14	-	2	-	2	-	-	4	-	3	5	11	36
EAST DISTRICTS	705,114	509	278	90	43	-	12	-	5	5	-	3	-	27	10	32	81
SOUTH DISTRICTS	1,524,472	948	472	160	88	-	4	6	14	10	-	5	-	39	26	38	104
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	24	-	4	2	1	2	-	-	-	1	-	-	-	-	24
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	45	24	11	5	-	-	-	2	2	-	-	-	1	1	2	5
St. John Paddington *H* - G.J.	33687	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Kensington Town *Ww* - W.M.	118751	56	46	12	13	-	-	1	1	1	-	-	1	2	-	-	15
Brompton - W.M., & C.	47557	9	5	-	1	-	-	-	-	1	-	-	-	-	1	1	1
St. Peter Hammersmith - W.M*	8838	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	57	23	7	5	-	-	-	1	-	-	-	-	4	3	4	2
Fulham *Ww* - W.M. & C	91639	81	35	18	3	-	-	-	-	1	-	1	-	5	1	1	4
Chelsea Kensal Town - C.	21787	8	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North *WHHHH* - C.	41637	23	15	4	-	-	-	-	-	-	-	-	-	2	-	-	10
Chelsea South *HH* - C.	33829	11	10	4	2	-	-	-	-	-	-	-	-	1	1	1	1
May Fair *WH* - G.J.	23733	7	5	-	3	-	-	-	-	-	-	-	-	-	1	1	3
Belgrave *WHHH* - C.	54631	24	21	5	3	-	-	-	-	-	-	3	-	2	2	2	11
St. John Westminster *HH* - C.	34106	26	12	6	2	-	-	-	-	-	-	-	-	1	-	1	-
St. Margaret Westminster *H* - C.	21668	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	5	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-
St. Anne Soho *HHHHHH* - N.R.	12317	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	22	17	-	3	-	-	-	-	1	-	-	-	-	-	1	9
Rectory Marylebone *WH* G.J. & W.M.	20024	5	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	26	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone *HH* - W.M.	33327	13	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-
St. John Marylebone *H I* - W.M.	32101	22	5	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	30	25	6	-	-	-	3	4	-	-	1	-	3	-	-	15
Regent's Park Paneras *HH* - W.M.	36590	17	8	3	-	-	1	-	-	-	-	-	-	2	-	-	-
Tottenham-court *wHHH* N.R. & W.M.	26321	8	14	4	2	-	-	-	-	-	-	-	-	1	1	2	9
Gray's Inn Lane *HHH* - N.R.	27455	31	14	4	1	-	-	-	2	-	-	-	-	1	3	3	5
Somers Town *HH* - N.R.	32829	13	10	2	-	-	-	-	-	-	-	-	-	2	-	1	1
Camden Town *WH* - N.R.	15419	11	7	3	2	-	-	-	-	-	-	-	-	-	1	3	3
Kentish Town *WW* - N.R.	95765	62	27	12	4	-	1	-	-	-	-	-	-	3	1	1	4
Upper Holloway *WWWwHHH* - N.R.	90235	58	38	6	9	-	-	-	-	-	-	-	-	-	2	2	25
Islington South-west *H* - N.R.	105557	75	18	10	3	-	2	-	-	-	-	-	-	3	-	3	-
Islington South-east - N.R.	64158	27	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *HH* - N.R.	59193	25	12	4	4	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H* - N.R.	30936	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	17759	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42602	23	11	5	3	-	-	-	1	-	-	-	-	-	-	1	1
Hackney *WwwH* - E.L. & N.R.	96486	60	37	9	6	-	1	1	4	-	-	3	-	3	1	1	15
South Hackney *w* - E.L.	41759	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	15	5	2	1	-	-	-	-	-	-	-	-	1	-	-	1
St. Giles North *H* - N.R.	9633	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	6	4	1	-	-	-	-	-	-	-	1	-	-	-	-	2
St. Mary-le-Strand *H* - N.R.	5706	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Strand Union Workhouse, Edmonton -	†1037	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	12	12	4	-	-	-	-	-	-	-	-	-	-	-	-	10
St. Andrew Eastern *WH* - N.R.	15343	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	4	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Amwell Clerkenwell - N.R.	16883	8	5	1	2	-	-	-	-	-	-	-	-	1	1	3	-
Pentonville - N.R.	17155	16	7	2	-	-	1	-	-	-	-	-	-	-	-	2	-
Goswell-street - N.R.	15375	10	6	1	3	-	-	-	-	-	-	1	-	-	-	-	-
City-road *HHHL* - N.R.	29177	33	12	4	2	-	1	-	-	-	-	1	-	-	1	2	3
Whitecross-street - N.R.	8278	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	2	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Sepulchre *H* - N.R.	4444	1	15	3	2	-	-	-	1	-	-	1	-	-	1	1	14
St. Bride *W* - N.R.	6594	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3377	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
City of London Asylum, Stone -	1388	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—V house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establisl receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the dif Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.
†Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
urday, 21st September, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	16	6	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-
oxton New Town *w* - - - N.R.	29313	23	16	5	4	-	2	-	-	-	-	-	-	1	-	2	2	-
oxton Old Town - - - N.R.	28354	27	6	3	1	-	-	-	-	1	-	-	-	2	-	-	-	-
aggerston *WH* - - N.R. & E.L.	46244	40	23	6	6	-	-	-	-	1	-	-	-	-	2	3	12	-
ethnal Green North *H* - - E.L.	51520	38	11	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-
ethnal Green South - - - E.L.	33489	23	9	6	-	-	1	-	-	-	-	-	-	2	1	2	-	-
ethnal Green East *WHL** - - E.L.	44123	27	25	5	9	-	1	-	-	-	-	-	-	4	-	-	10	-
italfields - - - E. & N.R.	22456	16	5	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
le End New Town *W* - - E.L.	17908	5	8	3	2	-	2	-	-	-	-	-	-	-	-	-	7	-
hitechapel Church *H'* E.L. & N.R.	20298	13	26	5	1	-	1	-	-	-	-	2	-	3	4	7	21	-
oodman's Fields - - - E.L.	13890	3	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.L.	27738	21	8	1	-	-	-	-	1	-	-	-	-	-	1	3	-	-
John, St. George East *W* - E.L.	8057	3	6	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-
adwell *H* - - - E.L. & N.R.	10246	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
tcliff *W* - - - - - E.L.	14928	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - - E.L.	32202	23	11	7	-	-	1	-	-	-	-	-	-	4	-	4	-	-
le End Old Town West *H* - E.L.	38650	48	8	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-
le End Old Town East *B Www* E.L.	68942	53	26	11	5	-	1	-	1	-	-	1	-	2	-	2	7	-
w *L** - - - - - E.L.	40365	29	10	6	2	-	-	-	-	-	-	-	-	2	-	-	-	-
omley *wwwH* - - - E.L.	70000	48	44	13	8	-	2	-	1	1	-	-	-	4	1	2	14	-
plar *WW* - - - - - E.L.	56383	36	19	6	2	-	-	-	-	-	-	-	-	1	1	3	1	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saviour Southwark - - - S.	18913	6	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-	1
nt-road - - - - S. & L.	21867	19	7	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-
orough-road *WH* - - S. & L.	16624	10	7	3	2	-	-	-	-	1	-	-	-	1	-	-	-	-
ndon-road *HL* - - L. & S.	21221	15	3	1	-	-	-	-	-	-	-	-	-	1	1	1	3	-
inity Newington - - S. & L.	26596	12	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Peter Walworth *W* - S. & L.	61342	40	21	6	5	-	2	-	-	1	-	-	-	1	2	2	1	-
Mary Newington - - L. & S.	27866	21	8	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Olave *WH* - - - - S.	12723	5	19	2	3	-	-	-	-	-	-	-	-	1	2	4	17	-
ather Market *W* - - S. & L.	30612	26	14	6	1	-	-	-	-	1	-	-	-	-	3	3	-	1
James Bermondsey - - S.	54070	31	10	6	-	-	-	-	-	-	-	-	-	3	-	-	-	-
therhithe *WwH* - - S. & K.	39255	18	12	2	4	-	-	-	-	-	-	-	-	-	1	1	2	-
aterloo-road 1st *H* - - L. & S.	14031	12	5	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-
aterloo-road 2nd *H* - - L. & S.	14644	12	9	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
mbeth Church 1st *H* - - L. & S.	18075	8	20	4	2	-	-	-	-	-	-	-	-	3	2	2	13	-
mbeth Church 2nd *WW* - L. & S.	39097	33	11	1	3	-	-	-	-	-	-	-	-	1	1	1	4	-
nnington 1st *H* - - S. & L.	50586	34	15	2	2	-	1	1	1	-	-	1	-	1	1	1	-	-
nnington 2nd - - - - S. & L.	39708	19	15	8	1	-	-	-	1	1	-	-	-	1	-	-	-	-
ixton *w* - - - - L. & S.	73405	47	21	3	9	-	-	-	2	1	-	-	-	-	-	-	2	1
rwood *WH* - - - - L.	25657	15	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
st Battersea - - - - S.	67244	41	16	8	3	-	1	-	-	-	-	-	-	-	2	2	-	-
est Battersea *WwH* - - S.	83314	54	29	9	2	-	-	-	1	-	-	-	-	2	2	2	10	1
pham *H* - - - - - S.	43698	20	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
andsworth *WHHL* - - S.	46717	36	9	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-
tney - - - - - - S.	17771	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	7	-
eatham *www* - - - - L.	48756	25	17	4	3	-	-	3	3	-	-	-	-	-	-	-	-	-
lwich - - - - L. & S.	6309	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL*L** - S. & L.	81686	58	27	6	8	-	-	-	1	-	-	-	-	-	1	4	15	-
ckham *W* - - - - S., L., & K.	83483	44	16	7	2	-	-	1	-	-	-	-	-	3	-	-	1	-
George Camberwell - - L. & S.	63366	42	19	7	5	-	-	-	-	-	-	2	-	2	-	2	-	-
ptford, North - - - - K.	35314	22	11	4	-	-	-	-	1	-	-	-	-	2	1	1	-	-
ptford, Central *w* - - - K.	42007	39	12	5	-	-	-	1	3	-	-	2	-	-	1	1	5	-
ptford, South - - - - K.	30852	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich West *H* - - - K.	22007	9	7	4	3	-	-	-	-	-	-	-	-	2	-	-	1	-
eenwich East *WH* - - - K.	35233	22	21	2	7	-	-	-	-	1	-	-	-	1	3	4	14	1
tham *wH* - - - - - K.	5682	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
e *H* - - - - - K.	23541	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30950	19	12	7	2	-	-	-	-	-	-	-	-	4	-	-	3	-
denham *H* - - - - - L.	34162	21	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
alton *HH* - - - - K.	14040	4	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
oolwich Dockyard - - - K.	19606	15	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
oolwich Arsenal *HH* - K.	21242	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
umstead, West *H* - - - K.	15869	12	8	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
amstead, East *WH* - - - K.	36567	23	20	9	4	-	-	-	-	2	-	-	-	3	-	-	3	1
nstead Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
terham Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
ne Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
spital Ships and Camp, Dartford -	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
renth Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
nwell Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ney Hatch Asylum - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
E. Hospital - - - - -	-	-	4	-	-	-	1	2	-	-	-	1	-	-	-	-	4	-
nchmore Hill Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
ydbury Asylum - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 21st September 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unertified Cases
	LONDON—OUTER RING	368,740	1,422,063	932	372	133	82	–	4	5	16	9	11	34	10	18	36	5
30 : 1	Carshalton *wHH* -	12228	26108	9	9	2	1	–	–	–	1	–	–	–	–	–	–	
	Epsom, *part of* WwH*	10423	12508	3	1	–	1	–	–	–	–	–	–	–	–	–	–	
37 : 1	Godstone, *part of* W*	2754	1593	1	3	1	1	–			–	–	–	–	1	1	1	
38 : 1	Croydon *WwHHH*	20351	128699	52	24	7	10	–	–	–	–	–	–	–	–	–	3	
2	Mitcham *w* -	11697	23038	11	4	2	2	–	–	–	–	–	–	1	1	1	–	
39 : 1	Wimbledon *HHB*	3220	25761	23	4	2	–	–	–	–	–	–	–	1	–	1	–	
2	Kingston *WH* -	8071	44765	24	13	5	4	–	–	–	–	–	–	1	–	1	1	
3	Esher, *part of * HH*	6601	12059	10	2	–	2	–	–	–	–	–	–	–	–	–	–	
4	Hampton *H*	4535	18252	7	3	1	–	–	–	–	–	–	–	–	–	–	–	
40 : 1	Richmond *WH* -	2160	25389	10	6	1	1	–	–	–	–	–	1	–	–	–	1	
2	Mortlake *H* -	2323	16159	8	1	1	–		–	–	–	–	–	1	–	–	–	
41 : 1	Bromley *HHH* - -	9127	23815	11	7	5	1	–	–	1	–	1	–	3	–	–	2	
2	Beckenham *H* - -	6542	21969	10	3	2	1	–	–	–	–	–	–	–	–	–	–	
	Chislhrst, *pt. of* WHH*	14307	20372	5	6	2	3	–	–	–	–	1	–	1	–	–	–	
42 : 1	Bexley *HH* -	12540	30590	23	9	4	–	–	–			–	1	2	–	–	–	
2	Dartford *Work.*, pt. of* -	—	—	–	1	–	1	–	–		–	–	–	–	–	–	1	
124 : 1	Sunbury *w* -	11054	13671	12	5	2	2	–	–	–	–	–	–	1	–	–	–	
2	Staines *WH* -	13277	13221	10	6	1	3	–	–	–	–	–	–	–	–	–	–	
125 : 1	Hillingdon *WHH*	6035	12237	11	2	1	1	–	–	–	–	–	–	–	–	–	–	
2	Uxbridge - -	6172	5417	–	5	3	1	–	–	–	–	2	–	1	–	–	–	
3	Hayes *wH* - -	14537	12618	10	4	3	–	–	–	–	–	–	–	–	–	–	–	
126 : 1	Isleworth *WHH*	6967	26273	17	13	2	5	–	–	–	1	–	–	–	–	–	7	
2	Twickenham *HH*	2415	16027	5	3	2	–	–	–	–	–	–	–	1	1	1		
3	Brentford *HHHH*	4318	37777	18	11	6	2	–	–	–	1	–	–	1	1	1	1	
4	Chiswick - -	1245	21963	10	7	2	–	–	–	–	–	–	–	1	1	1	–	
5	Acton *wH* - -	6132	30945	20	5	–	1	–	–	–	–	1	–	–	–	–	1	
127 : 1	Harrow *HHH* - -	13809	15715	17	2	1	–	–	–	–	–	–	–	–	–	–	–	
2	Edgware *BH* -	6994	3844	1	–	–	–	–	–	–	–	–	–	–		–	–	
3	Willesden *HHH* -	4383	61265	71	19	6	4	–	–	1	2	–	–	1	1	1	1	
4	Hendon *WH* - -	8382	15343	10	2	–	2	–	–	–	–	–	–	–	–	–	–	
128 : 1	South Mimms *H*	15599	8474	7	3	2	–	–	–	–	–	–	–	–	–	–	–	
2	Barnet *WHH* -	5441	11778	2	4	1	1	–	–	–	–	1	1	–	–	–	1	
3	Finchley *HHH*	4688	25820	16	2	–	2	–	–	–	–	–	–	–	–	–	–	
129 : 1	Hornsey *HH* - -	3039	61097	37	13	6	–	–	–	–	3	–	2	–	1	2	–	
2	Tottenham *H* - -	4642	97174	79	28	11	4	–	1	–	1	1	–	4	1	2	1	
3	Edmonton *Www*	7489	36351	25	11	4	4	–	–	–	–	–	1	1	1	3	3	
4	Enfield *WWHH* -	12639	31803	21	9	3	2		–	1	–	1	1	–	–	–	1	
5	Waltham Abbey - -	11017	6066	6	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Cheshunt *H* -	8430	9620	9	2	1	–		–	–	–	–	–	–	–	–	–	
135 : 1	Hatfield, *part of * W*	3306	582	–	–	–	–	–	–	–	–	–	–		–	–	–	
137 : 1	Bushey *H* - -	9331	7737	6	3	1	1	–	–	–	–	–	–	–	–	–	–	
2	Watford *Work.*, pt. of* -	—	—	–	–	–	–		–	–		–	–	–	–	–		
186 : 1	Stratford *H* -	1100	42983	31	15	4	–	–	2	1	1	1	1	–	–	–	–	
2	Plaistow - - -	1242	58030	44	19	6	3	–	1	–	1	–	–	–	–	–	–	
3	Canning Town *H* -	1558	54750	43	17	11	1	–	–	–	–	–	1	1	–	1	–	
4	Forest Gate *w* - -	806	49140	39	15	5	4	–	–	–	2	–	–	5	–	–	–	
5	East Ham *wH* - -	3266	32713	33	9	4	–	–	–	1	–	–	–	2	–	–	1	
6	Leyton *WWWwH*	4334	70188	39	16	4	4	–	–	–	–	–	1	2	–	–	7	
7	Walthamstow *HbL*	6501	57330	41	15	4	3		–	–	2	–	1	1	–	1	1	
187 : 1	Chigwell *part of * H*	11779	12941	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Epping *Work.*, pt. of* -	—	—	–	–	–	–		–		–	–	–	–			–	
189 : 1	Romford *part of* WH*	6556	4324	6	3	1	2		–	–	–	–	–	1	–	–	2	
2	Ilford - - - -	8493	10913	8	3	–	–	–	–	–	–	–	–	–	1	1	–	
3	Barking Town *H* -	3814	14301	12	5	1	2		–	–	1	–	–	1	–	–	–	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow: 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 1 Dartford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st September, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8–14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6.048,555	14·8	2·6	1718	558	314	2	28	18	53	30	33	143	72	422
INNER LONDON	74,672	4,392,346	16·0	2·7	1346	425	232	2	24	13	37	21	22	109	62	386
OUTER RING	368,749	1,656,209	11·7	2·5	372	133	82	–	4	5	16	9	11	34	10	36

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH	273,535	September 21	139	95	18·1	–	–	–	–	–	2	13
ASGOW	695,876	„ 21	408	262	19·6	–	2	2	3	6	9	19
BLIN	349,594	„ 21	242	148	22·1	1	–	2	–	1	5	12
LCUTTA	466,460	July 27	–	–	–	–	–	–	–	–	–	–
MBAY	821,764	August 27	270	474	30·0	1	2	?	?	?	121	52
DRAS	452,518	„ 16	444	480	55·1	–	8	?	?	?	154	102†
RIS	2,424,705	September 14	1163	940	20·2	–	10	2	6*	10	5	192
USSELS	507,985	„ 14	237	161	16·5	–	1	1	1*	1	4	35
STERDAM	451,493	„ 14	267	126	14·5	–	–	–	1	4	1	–
TTERDAM	272,042	„ 14	222	98	18·7	1	–	1	–	2	–	–
E HAGUE	180,455	„ 14	104	68	19·6	–	–	1	–	3	–	–
PENHAGEN	341,000	„ 14	168	104	15·9	–	–	–	2	8		13
OCKHOLM	259,304	„ 7	128	58	11·6	–	–	–	–	–	–	3
RISTIANIA	174,717	„ 14	29	51	15·1	–	–	1	–	–	–	8
PETERSBURG	954,400	„ 7	336	448	24·5	–	3	6	9	9	16	84
SCOW	753,469	„ 7	–	459	31·8	1	2	12	14	–	6	112
RLIN	1,724,544	August 31	835	713	21·4	–	3	16	16	10	2	240
MBURG	608,710	September 7	476	253	21·6	–	–	3	6	8	5	32
ESDEN	320,600	August 17	–	–	–	–	–	–	–	–	–	–
SLAU	367,769	September 14	–	190	26·9	–	–	5	4*	–	3	55
NICH	396,000	„ 14	–	242	31·8	–	–	–	3*	1	–	127
NNA	1,495,764	„ 14	873	610	21·2	–	4	11	6*	2	1	151
GUE	351 478	„ 7	199	147	21·8	–	–	–	4	2	5	17
DA-PESTH	566,022	„ 7	461	241	20·5	–	1	–	2	–	1	54
ESTE	160,825	August 31	78	74	23·9	–	–	2	6*	2	–	15
N	464,579	„ 3	205	179	20·1	–	9	–	–	–	10‡	37
RIN (10 days)	344,203	„ 20	214	172	18·2	–	–	–	2	2	8	27
NICE	158,159	September 7	78	85	28·0	–	–	–	–	–	–	19
RO	374,838	August 26	374	383	53·1	–	1	–	1*	2	14	150
EXANDRIA	231,396	„ 26	225	169	38·1	–	–	–	–	–	7	76
W YORK	1,850,700	September 7	–	735	20·3	–	5	4	26	13	8	106
OOKLYN	1,100,000	„ 7	–	439	20·8	–	2	1	22	9	8	86
LADELPHIA	1,163 864	August 31	–	355	15·9	–	–	2	22	5	3	38
W ORLEANS	275,000	„ 10	–	128	24·3	–	–	–	1	1	8	8

* Including deaths from croup.
† Including one death from cholera in Madras.
‡ Including 9 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 21ST SEPTEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPT.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	15	..	30·142	66·9	46·1	20·8	56·3	− 1·4	52·4	3·9	10·8	0·4	87	115·6	41·0	62·31	S. & SW.	NNE. E. & SSE.	0·0	0·0	0·0	115	−166	0·00	0·0
MONDAY	16	..	30·106	72·6	46·8	25·8	58·6	+ 1·1	53·9	4·7	15·3	0·4	85	119·2	41·0	61·89	SSW. & SW.	WSW. & SW.	0·1	0·0	0·0	142	−137	0·00	0·0
TUESDAY	17	..	29·975	74·7	50·1	24·6	59·0	+ 1·7	54·1	4·9	18·5	0·4	84	125·2	40·2	61·50	SW.	SW. & SSW.	3·0	0·0	0·1	237	− 39	0·00	5·0
WEDNESDAY	18	Perigee. New In Equator.	29·886	77·0	52·4	24·6	62·4	+ 5·5	50·5	11·9	25·5	0·8	65	134·7	48·5	61·50	SW. & SSW.	SW.	2·8	0·0	0·2	305	+ 32	0·00	0·0
THURSDAY	19	..	30·003	58·3	47·9	10·4	53·4	− 3·1	52·6	0·8	4·0	0·0	97	61·0	38·0	61·40	SW.	N. & NNE.	0·5	0·0	0·0	141	−129	0·03	0·0
FRIDAY	20	..	30·212	66·2	42·4	23·8	54·8	− 1·3	46·4	8·4	16·2	0·5	73	121·2	33·3	61·40	NNE. & ENE.	ESE. & E.	1·6	0·0	0·1	177	− 91	0·00	0·0
SATURDAY	21	..	30·219	65·8	42·2	23·6	53·7	− 2·0	47·3	6·4	16·6	0·5	79	128·7	32·5	61·00	E. & NE.	NE.	3·7	0·0	0·1	180	− 85	0·00	0·0
MEANS		..	30·078	68·8	46·8	21·9	56·9	+ 0·1	51·0	5·9	15·3	0·4	81	115·1	39·2	61·57	SW. & E.		..	..	..	Sum 1297	Sum − 615	Sum 0·03	0·7
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	15	w. P. generally	1·3	12·6	Fine till 10h. A.M.; cloudy and misty till 3h. P.M., with fog till noon; afterwards cloudless generally and very fine.
MONDAY	16	m. P. generally	5·0	12·6	Generally cloudy till 10h. A.M.; afterwards cloudless; hazy till evening.
TUESDAY	17	m. P. generally	2·5	12·5	Cloudy till noon; fog between 5h. and 9h. A.M.; afterwards very fine; brilliant sunset.
WEDNESDAY	18	s. P. generally	8·5	12·4	Overcast generally till 9h. A.M.; afterwards cloudless and very fine.
THURSDAY	19	v. P. throughout	0·0	12·3	Overcast till 7h. P.M., with occasional misty rain; afterwards cloudless and very fine.
FRIDAY	20	m. P. generally	6·8	12·3	Very fine; cloudless in morning and again at night; light cloud prevalent during the day.
SATURDAY	21	m. P. generally	6·4	12·2	Very fine; cloudless in early morning; cloudy between 6h. and 9½h. A.M.; afterwards cloudless.
			Sum 30·5	Sum 86·9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·11 in. at the beginning of the week to 30·16 in. by 10h. A.M. on the 15th; decreased to 29·85 in. by 3h. P.M. on the 18th; increased to 30·24 in. by 9h. A.M. on the 21st; and was 30·22 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 39. 1895. VOL. LVI.] WEEK ENDING SATURDAY, SEPTEMBER 28. [Price 1½*d.*

General Register Office, Somerset House,
September 30th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·0 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	TOWNS.	Weeks ending Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
Birkenhead	21·8	15·5	17·5	18·4	Liverpool - -	24·7	26·6	26·6	28·6
Birmingham	16·6	19·8	20·2	21·2	London - -	16·1	15·4	16·0	18·2
Blackburn -	34·7	32·7	30·2	29·4	Manchester -	27·2	30·0	25·7	29·9
Bolton -	25·3	28·4	25·8	29·7	Newcastle-on-Tyne	22·9	22·2	19·9	22·2
Bradford -	25·8	20·3	21·7	19·6	Norwich - -	21·9	13·1	17·5	17·0
Brighton -	16·6	20·9	22·2	22·2	Nottingham -	20·0	13·6	21·2	24·6
Bristol -	15·3	13·9	16·0	16·5	Oldham - -	19·2	24·4	25·5	22·2
Burnley -	30·9	33·5	27·7	27·7	Plymouth - -	11·1	11·7	12·3	25·2
Cardiff -	16·1	20·1	17·1	20·8	Portsmouth -	22·1	19·7	22·1	16·1
Croydon -	13·2	13·6	9·1	15·0	Preston - -	33·8	21·3	25·0	23·6
Derby -	16·1	15·1	18·2	18·7	Salford - -	25·3	27·5	30·5	29·0
Gateshead -	20·7	19·6	28·3	30·5	Sheffield - -	26·3	22·2	24·5	24·3
Halifax -	20·0	21·1	17·8	20·6	Sunderland -	40·5	37·5	32·9	29·5
Huddersfield	17·3	16·8	19·9	14·7	Swansea - -	12·4	15·1	17·7	21·0
Hull - -	35·6	30·8	31·8	19·5	West Ham - -	12·5	15·0	14·8	19·4
Leeds -	21·5	20·4	22·0	20·8	Wolverhampton -	37·1	21·3	23·7	26·7
Leicester -	17·5	16·9	19·4	16·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in West Ham and 3·7 in Blackburn; from *scarlet fever*, 1·6 in Huddersfield; from *whooping-cough*, 1·1 in Gateshead, 1·2 in Wolverhampton, 1·4 in Bradford, and 2·2 in Bolton; ; from "*fever*," 1·3 in Bolton and 4·5 in Sunderland; and from *diarrhœa*, 4·2 in Preston, 4·4 in Brighton, 4·8 in Portsmouth, 4·9 in Leeds, 5·4 in Gateshead, 5·5 in Sheffield, 5·6 in Manchester, 5·7 in Sunderland, 6·0 in Cardiff, 6·2 in Nottingham, 6·3 in Burnley, 7·0 in Bolton, 7·5 in Hull, and 7·8 in Blackburn. The 81 deaths from *diphtheria* included 56 in London, 8 in West Ham, and 3 in Birmingham. Two deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2618 BIRTHS and 1532† DEATHS were registered. Allowing for increase of population, the births were 9, and the deaths 115, above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·1, 15·4, and 16·0 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

preceding three weeks, further rose last week to 18·2. During the four weeks ending on Saturday last the death-rate averaged 16·4 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1532 deaths included 2 from small-pox, 27 from measles, 24 from scarlet fever, 56 from diphtheria, 25 from whooping-cough, 11 from enteric fever, 107 from diarrhœa and dysentery, 4 from infantile cholera and choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 256 deaths were referred to these diseases, being 54 above the corrected average weekly number.

The deaths from *small-pox*, which had been 5, 2, and 2 in the preceding three weeks, were again 2 last week, the corrected average being one; the two cases belonged to Hackney and Lambeth sanitary areas respectively. The deaths from *measles*, which had been 40, 28, and 24 in the preceding three weeks, rose again last week to 27, and exceeded the corrected average by 10; 4 belonged to St. Pancras, 4 to St. Luke, and 3 to Limehouse sanitary areas. The deaths from *scarlet fever*, which had been 20, 19, and 13 in the preceding three weeks, rose again last week to 24, which is practically equal to the corrected average; 3 belonged to Whitechapel sanitary area. The deaths from *diphtheria*, which had been 38, 55, and 37 in the preceding three weeks, rose again last week to 56, and exceeded the corrected average by 12; 7 belonged to Camberwell, 5 to St. Pancras, 5 to Islington, 5 to Bethnal Green, and 5 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 17, 14, and 21 in the preceding three weeks, further rose last week to 25, exceeding the corrected average by 2. The fatal cases of *enteric fever*, which had been 21, 16, and 21 in the preceding three weeks, fell again last week to 11, the corrected average being 17. The deaths from *diarrhœa*, which had been 129, 107, and 109 in the preceding three weeks, were 107 last week, exceeding the corrected average by 34. In addition to the 107 deaths directly referred to *diarrhœa*, 27 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 43 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 134, 123, and 141 in the preceding three weeks, further rose last week to 173, but were 37 below the corrected average.

The deaths directly attributed to *influenza* numbered 2, having been 8, 5, and one in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning all but 2 of which inquests were held. Of these 72 deaths, 9 were cases of suicide, and one of homicide, while the remaining 62 were attributed to accident or negligence. Twelve of these were referred to vehicles in the streets, 2 to conflagrations, 8 to drowning, 9 (of infants under one year of age) to suffocation in bed, and 2 to the effects of anæsthetics administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 234 cases of small-pox, 2807 of scarlet fever, 673 of diphtheria, and 117 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 21 cases, against 25, 42, and 23; of scarlet fever, 339 cases, against 336, 365, and 344; of diphtheria, 114 cases, against 78, 105, and 114; and of enteric fever, 25 cases, against 19, 16, and 14.

Greater London.

In Greater London 3525 births and 1950 deaths were registered, corresponding to annual rates of 30·4 and 16·8 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 3 from scarlet fever, 17 from diphtheria, 9 from whooping-cough, 5 from "fever", and 30 from diarrhœa were registered. Six deaths from measles, 11 from diphtheria, 4 from whooping-cough, and 2 from "fever" occurred in West Ham district; 4 deaths from diphtheria occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 65°·6, the latter being 10°·5 above the week's average in the 50 years 1841–90. The direction of the wind was Easterly, the horizontal movement of the air being 45 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 56·1 hours; no rain was measured during the week.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 28th September, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 28th Sept., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6273	4269	1542	742	2	60	50	81	69	57	604	155	268	798	54	21·0	4·5	87·3	34·2	62·2	16·78	0·10	0·25	33 Towns.
London	4,392,346	2618	1532	443	300	2	27	24	56	25	11	107	72	137	463	9	18·2	3·0	87·3	41·7	65·6	18·67	0·00	0·00	London.
West Ham	249,473	168	93	32	16	–	5	–	8	4	2	5	1	2	8	1	19·4	5·0	–	–	–	–	–	–	West Ham.
Croydon	114,923	62	33	7	14	–	–	–	–	1	1	2	1	4	5	–	15·0	1·8	82·5	34·7	62·5	16·94	0·00	0·00	Croydon.
Brighton	119,604	59	51	23	16	–	–	–	–	1	–	10	1	1	7	1	22·2	4·8	83·2	49·2	66·0	18·89	0·22	0·56	Brighton.
Portsmouth	174,751	87	54	26	9	–	–	1	–	3	1	16	3	4	9	–	16·1	6·3	79·5	45·0	64·2	17·89	0·53	1·35	Portsmouth.
Plymouth	89,096	53	43	14	13	–	–	–	–	–	–	3	2	7	3	–	25·2	1·8	–	–	–	–	–	–	Plymouth.
Bristol	228,139	125	72	23	12	–	–	–	–	–	1	9	1	1	20	1	16·5	2·3	80·0	41·0	63·4	17·44	0·22	0·56	Bristol.
Cardiff	155,637	101	62	28	11	–	–	–	–	1	1	18	2	1	4	3	20·8	6·7	–	–	–	–	–	–	Cardiff.
Swansea	97,608	58	39	15	7	–	1	–	–	–	–	6	3	3	–	–	21·0	3·8	–	–	–	–	–	–	Swansea.
Wolverhampton	85,790	45	44	17	12	–	1	1	–	2	–	6	–	2	10	2	26·7	6·1	78·3	34·2	59·8	15·44	0·00	0·00	Wolverhampton.
Birmingham	496,751	300	202	80	31	–	1	3	3	–	2	36	8	9	28	7	21·2	4·7	–	–	–	–	–	–	Birmingham.
Norwich	107,127	43	35	16	8	–	–	–	–	–	–	5	–	3	1	–	17·0	2·4	80·0	38·4	60·8	16·00	0·00	0·00	Norwich.
Leicester	193,839	114	60	24	9	–	–	1	–	3	1	6	4	4	8	–	16·1	3·0	–	–	–	–	–	–	Leicester.
Nottingham	226,658	128	107	44	25	–	–	–	–	1	3	27	7	7	16	–	24·6	7·1	83·7	47·7	62·2	16·78	0·06	0·15	Nottingham.
Derby	100,272	57	36	14	9	–	–	–	–	1	–	2	1	2	5	–	18·7	1·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	67	38	17	5	–	–	–	1	–	–	6	1	1	5	–	18·4	3·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	348	276	89	46	–	1	5	2	5	4	38	16	21	59	6	28·6	5·7	79·2	48·3	64·2	17·89	0·14	0·36	Liverpool.
Bolton	119,337	69	68	24	13	–	–	–	–	5	3	16	1	4	4	1	29·7	10·5	–	–	–	–	–	–	Bolton.
Manchester	524,865	342	301	131	32	–	6	4	2	–	1	56	6	9	53	3	29·9	6·9	–	–	–	–	–	–	Manchester.
Salford	208,253	100	116	52	13	–	2	3	1	3	3	12	4	7	13	1	29·0	6·0	–	–	–	–	–	–	Salford.
Oldham	141,079	84	60	18	10	–	2	–	–	1	1	10	3	6	5	–	22·2	5·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	53	53	27	5	–	1	–	2	–	–	12	1	2	3	–	27·7	7·9	–	–	–	–	–	–	Burnley.
Blackburn	127,615	71	72	28	10	–	9	–	–	–	2	19	1	2	5	1	29·4	12·3	–	–	–	–	–	–	Blackburn.
Preston	112,638	63	51	17	7	–	–	–	–	–	–	9	1	1	4	4	23·6	4·2	–	–	–	–	–	–	Preston.
Huddersfield	99,482	30	28	7	3	–	–	3	1	–	–	4	1	1	2	1	14·7	4·2	82·0	35·0	60·7	15·94	0·03	0·08	Huddersfield.
Halifax	93,813	55	57	11	11	–	–	–	–	–	–	4	–	–	6	–	20·6	2·2	–	–	–	–	–	–	Halifax.
Bradford	226,384	102	85	34	15	–	–	–	–	6	–	17	1	3	8	1	19·6	5·3	70·2	43·8	58·5	14·72	0·01	0·03	Bradford.
Leeds	395,546	205	158	64	21	–	2	2	1	1	3	37	4	7	10	2	20·8	6·1	–	–	–	–	–	–	Leeds.
Sheffield	342,768	220	160	82	20	–	–	1	–	1	3	36	4	7	12	5	24·3	6·2	–	–	–	–	–	–	Sheffield.
Hull	216,722	134	81	44	10	–	–	–	1	–	1	31	1	2	3	3	19·5	7·9	75·0	35·0	58·4	14·67	0·00	0·00	Hull.
Sunderland	137,705	100	78	29	12	–	–	–	–	2	12	15	1	1	7	2	29·5	11·0	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	51	56	26	10	–	–	1	1	2	1	10	2	3	4	–	30·5	8·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	101	88	36	7	–	2	1	2	1	–	14	1	4	8	–	22·2	5·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2516	2559	2420	2395	2504	2458	2367	2469	2633	2403	2609·4	2618
Males . .	1253	1331	1273	1219	1294	1237	1238	1258	1377	1243	1342·8	1378
Females .	1263	1228	1147	1176	1210	1221	1129	1211	1256	1160	1266·6	1240
TOTAL **Deaths**	1251	1350	1244	1314	1331	1458	1272	1245	1656	1277	1417·2	1532
Males . .	660	714	655	679	669	790	647	631	855	675	736·1	784
Females .	591	636	589	635	692	668	625	614	801	602	681·1	748

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
TOTAL **Births**	2651	2586	2557	2575	2624	2340	2646	2448	2617	2486	2557	2541	2618
TOTAL **Deaths**	1519	1768	1996	1939	1806	1601	1459	1430	1336	1358	1298	1346	1532
Ages at Death: Under 1 year	548	680	880	892	772	616	460	426	422	420	381	425	443
1—5 years	222	281	310	286	308	272	232	224	190	199	200	163	220
5—20 ,,	82	95	104	90	87	79	88	77	113	73	98	91	100
20—40 ,,	169	188	165	184	166	167	159	167	164	171	156	174	190
40—60 ,,	240	240	237	207	211	215	226	257	199	227	228	261	279
60—80 ,,	212	235	251	242	207	222	241	227	206	230	192	188	259
80 years & upwards	46	49	49	38	55	30	53	52	42	33	43	44	41
Deaths from—													
Small-pox	3	1	–	1	1	3	1	6	4	5	2	2	2
Measles	73	75	82	94	67	70	62	55	56	40	28	24	27
Scarlet fever	12	20	23	14	24	15	21	27	21	20	19	13	24
Diphtheria	53	50	39	48	57	55	50	24	40	38	55	37	56
Whooping-cough	25	19	28	22	17	20	10	21	22	17	14	21	25
Typhus	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric fever	5	11	5	9	12	9	15	10	10	21	16	21	11
Simple Continued fever	–	–	1	–	1	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	169	270	373	397	373	224	163	112	122	129	107	109	107
Cholera	4	4	12	15	9	5	1	2	2	1	1	1	4
All the above Diseases	344	450	563	600	561	401	323	257	278	271	242	229	256
Dis. of Respiratory System	160	187	193	185	171	159	137	170	102	134	123	141	173
Phthisis	119	130	131	111	127	136	126	148	136	124	122	144	140
Dis. of Circulatory System	110	107	126	92	108	100	114	86	93	97	104	101	121
Violence	72	74	71	69	53	49	67	51	68	48	67	62	72
Inquest Cases	144	139	163	147	121	118	137	102	118	103	116	118	137
Deaths in Public Institutions	415	449	433	384	436	383	407	423	374	412	378	386	463
TEMPERATURE OF THE AIR													
Mean	61·8°	65·6°	62·8°	62·6°	59·0°	60·3°	61·7°	66·2°	61·8°	65·1°	60·7°	56·9°	65·6°
Mean of Highest readings	71·8°	78·7°	73·3°	71·7°	67·2°	71·3°	71·4°	78·4°	72·6°	78·8°	71·8°	68·8°	81·8°
Mean of Lowest readings	53·8°	53·7°	54·0°	55·9°	53·1°	52·7°	53·9°	55·9°	53·3°	53·7°	51·4°	46·8°	52·4°
Humidity of the Air	65	55	67	81	82	78	78	71	75	73	75	81	71
Rain-fall (in inches)	0·30	0·13	0·46	1·66	1·23	1·09	0·35	0·19	0·15	0·82	0·09	0·03	0·00
Registered Sunshine (in hours)	32·5	59·7	30·1	17·8	12·0	29·7	32·9	56·7	51·5	54·3	39·4	30·5	56·1
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox	42	71	89	199	237	273	336	342	340	328	307	271	234
Scarlet fever	2044	2241	2267	2347	2423	2511	2529	2507	2512	2600	2674	2732	2807
Diphtheria	633	637	633	681	686	689	657	666	671	662	663	665	673
Enteric fever	146	143	123	121	108	106	103	114	123	118	120	109	117

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-NINTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 39th Week of the 10 years 1885-94.*	In the Week ending Saturday, 28th September 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1417·2	1532	443	220	100	190	279	259	41
Small-pox: Vaccinated† -	0·4	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·1	2	2	-	-	-	-	-	-
Small-pox: No Statement	0·4	-	-	-	-	-	-	-	-
Measles - - - -	16·8	27	7	19	1	-	-	-	-
Scarlet Fever - -	24·5	24	3	13	8	-	-	-	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	1·9	2	-	1	-	1	-	-	-
Whooping-cough - -	22·9	25	10	14	1	-	-	-	-
Diphtheria - - -	44·1	56	2	35	19	-	-	-	-
Simple Continued and Ill-defined Fever -	1·3	-	-	-	-	-	-	-	-
Enteric Fever -	17·0	11	-	1	1	7	2	-	-
Cholera and Chol. Diarr.	1·3	4	3	1	-	-	-	-	-
Diarrhœa, Dysentery -	73·2	107	84	17	-	-	3	2	1
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	0·4	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·3	-	-	-	-	-	-	-	-
Venereal Affections -	11·8	11	8	-	-	-	3	-	-
Erysipelas - - -	5·3	3	1	-	-	-	1	1	-
Pyæmia and Septicæmia	3·8	2	1	-	-	-	-	1	-
Puerperal Fever - -	4·6	9	-	-	-	9	-	-	-
Other Zymotic Diseases	0·9	-	-	-	-	-	-	-	-
Thrush - - - -	2·0	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	-	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·1	2	2	-	-	-	-	-	-
Alcoholism - - -	8·3	7	-	-	-	1	6	-	-
Rheumatic Fever, Rheumatism of Heart	7·6	8	-	-	2	2	2	2	-
Rheumatism - -	1·4	4	-	-	-	-	1	2	1
Gout - - - -	2·2	2	-	-	-	-	1	1	-
Rickets - - - -	3·8	4	-	4	-	-	-	-	-
Cancer - - - -	63·5	89	-	-	1	9	47	28	4
Tabes Mesenterica -	34·3	32	21	8	2	1	-	-	-
Tubercular Meningitis -	23·1	19	8	9	1	-	1	-	-
Phthisis - - -	144·6	140	1	3	13	66	52	5	-
Scrofula, Tuberculosis -	18·4	19	4	5	3	3	3	1	-
Other Constitutional Diseases - - -	10·7	18	-	-	3	3	5	7	-
Premature Birth - -	44·3	45	45	-	-	-	-	-	-
Atelectasis - - -	3·4	5	5	-	-	-	-	-	-
Congenital Malformations - - - -	7·1	6	5	-	1	-	-	-	-
Old Age - - - -	39·5	43	-	-	-	-	-	27	16
Apoplexy - - -	38·5	40	-	-	1	1	15	22	1
Epilepsy - - -	6·4	6	-	-	1	1	4	-	-
Convulsions - - -	41·2	37	33	3	1	-	-	-	-
Other Diseases of Brain and Nervous System	74·4	80	14	12	5	5	20	21	3

CAUSES OF DEATH.	Corrected Averages for the 39th Week of the 10 years 1885-94.*	In the Week ending Saturday, 28th September 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	4·0	3	1	-	2	-	-	-	-
Diseases of Circulatory System - - -	113·5	121	7	-	7	18	40	47	2
Croup - - - -	8·4	3	1	1	1	-	-	-	-
Bronchitis - - -	107·3	78	24	11	1	1	10	28	3
Pneumonia - - -	68·7	74	16	24	9	11	6	8	-
Pleurisy - - - -	4·6	3	-	-	2	-	1	-	-
Other Diseases of Respiratory System - -	21·2	15	4	-	1	2	5	3	-
Dentition - - -	9·0	6	2	4	-	-	-	-	-
Quinsy, Sore Throat -	2·1	1	-	1	-	-	-	-	-
Enteritis - - -	16·3	43	23	6	1	2	1	4	1
Peritonitis - - -	6·2	6	-	-	2	2	2	-	-
Diseases of Liver - -	26·8	25	5	1	-	4	8	7	-
Other Diseases of Digestive System -	29·2	35	8	4	3	4	7	8	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	3	-	-	-	3	-	-	-
Diseases of Urinary System - - -	42·0	44	1	4	1	6	11	19	2
Diseases of Generative System - - -	5·3	6	-	-	-	4	1	1	-
Accidents of Childbirth -	4·5	4	-	-	-	3	1	-	-
Diseases of Locomotive System - - -	6·2	4	1	-	-	2	-	1	-
Diseases of Integumentary System - -	6·4	8	2	-	-	-	1	3	2
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	47·9	1	-	-	-	1	-	-	-
By Vehicles or Horses -		12	-	3	3	2	1	1	2
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		3	-	-	-	1	1	1	-
In Conflagrations - -		2	-	-	-	1	1	-	-
By Burns, Scalds, Explosions - - -		4	-	1	-	1	-	2	-
By Drowning - -		8	-	-	2	4	2	-	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		6	-	2	1	3	-	-	-
Other or not stated Causes - - - -		17	-	4	-	2	6	3	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	8·7	9	-	-	-	3	5	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	67·5	88	74	9	-	-	3	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON *	4,211,743	2618	1532	443	300	2	27	24	56	25	-	11	-	107	72	137	463	9
WEST DISTRICTS	740,735	412	231	64	43	-	2	3	6	4	-	2	-	17	11	17	76	2
NORTH DISTRICTS	993,884	575	326	73	68	-	6	5	14	2	-	4	-	22	18	29	100	-
CENTRAL DISTRICTS	247,538	129	88	29	15	-	5	-	1	-	-	1	-	5	11	17	26	-
EAST DISTRICTS	705,114	484	322	102	61	-	7	6	12	6	-	1	-	16	18	43	96	-
SOUTH DISTRICTS	1,524,472	1018	535	172	104	-	7	6	23	13	-	3	-	46	14	31	135	7
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	30	3	9	2	-	4	-	-	-	-	-	1	-	-	30	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	52	20	4	3	-	-	-	1	1	-	-	-	1	1	1	3	-
St. John Paddington *H* - - G.J.	33687	7	13	-	1	-	-	-	-	-	-	-	-	-	4	4	12	-
Kensington Town *Ww* - - W.M.	118751	60	43	10	12	-	2	-	1	2	-	-	-	2	1	3	16	-
Brompton - - W.M. & C.	47557	11	5	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Peter Hammersmith - - W.M*	8536	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	47	23	6	6	-	-	-	-	-	-	1	-	1	-	-	5	-
Fulham *Ww* - - W.M. & C.	91639	93	40	14	5	-	-	2	3	1	-	-	-	5	-	1	14	-
Chelsea Kensal Town - - C.	21787	20	8	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	23	22	6	1	-	-	-	-	-	-	-	-	3	1	1	10	1
Chelsea South *HH* - - C.	32829	12	14	5	4	-	-	-	-	-	-	-	-	-	1	2	3	-
May Fair *WH* - - G.J.	23733	4	8	-	4	-	-	-	-	-	-	-	-	-	1	1	6	-
Belgrave *WHHH* - - C.	54631	24	20	2	4	-	-	1	1	-	-	-	-	1	2	2	5	-
St. John Westminster *HH* - C.	34106	16	6	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Margaret Westminster *H* - C.	21668	10	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1
St. James Westminster *WHHH* N.R. & G.J.	24995	15	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Anne Soho *HHHHHH* - - N.R.	12317	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	19	12	2	-	-	-	-	-	1	-	-	-	2	2	3	8	-
Rectory Marylebone *WH* G.J. & W.M.	20024	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	27	6	2	1	-	-	-	-	-	-	-	-	2	1	1	1	-
Christchurch Marylebone *HH* - W.M.	33327	14	8	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
St. John Marylebone *HH* - - W.M.	32101	20	11	5	1	-	1	-	-	-	-	-	-	1	-	-	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	24	31	3	6	-	-	4	2	-	-	1	-	1	-	-	13	-
Regent's Park Paneras *HH* - W.M.	36590	16	8	1	1	-	-	-	-	-	-	-	-	1	1	1	3	-
Tottenham-court *wHHH* N.R. & W.M.	26321	13	16	2	4	-	-	-	1	-	-	1	-	-	2	3	11	-
Gray's Inn Lane *HHH* - - N.R.	27455	20	7	1	1	-	-	-	-	-	-	-	-	-	-	1	3	-
Somers Town *HH* - - N.R.	32829	15	16	5	3	-	3	-	-	-	-	-	-	3	1	1	1	-
Camden Town *WH* - - N.R.	15419	14	12	1	3	-	1	-	-	-	-	-	-	-	1	3	10	-
Kentish Town *WW* - - N.R.	25765	52	28	6	7	-	-	-	3	-	-	-	-	2	1	1	3	-
Upper Holloway *WWWwHHH* - N.R.	90285	55	45	6	16	-	-	-	2	1	-	-	-	2	2	4	26	-
Islington South-west *H* - - N.R.	105557	64	23	9	2	-	-	-	3	-	-	-	-	-	1	1	-	-
Islington South-east - - N.R.	64153	37	19	7	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Highbury *HH* - - N.R.	59193	39	13	3	5	-	-	-	-	-	-	-	-	1	-	-	-	-
Stoke Newington *H* - - N.R.	30936	20	11	3	6	-	1	-	-	-	-	-	-	-	1	1	-	-
Stamford Hill - - E.L.	17759	4	4	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-
West Hackney *H* - - N.R.	42602	21	11	1	-	-	-	-	-	-	-	1	-	1	1	3	6	-
Hackney *WwwH* - - E.L. & N.R.	96486	57	31	7	5	-	-	1	3	-	-	-	-	2	1	1	14	-
South Hackney *w* - - E.L.	41752	38	10	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - N.R.	13454	14	5	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-
St. Giles North *H* - - N.R.	9633	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	6	-	1	-	-	-	-	-	-	-	-	-	2	2	4	-
St. Mary-le-Strand *H* - - N.R.	5706	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand Union Workhouse, Edmonton -	†1037	-	5	1	3	-	-	-	-	-	-	-	-	-	-	-	5	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	11	10	5	2	-	-	-	1	-	-	-	-	-	1	1	3	-
St. Andrew Eastern *WH* - - N.R.	15843	4	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.	16803	13	4	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-
Amwell Clerkenwell - - N.R.	16883	9	6	3	2	-	-	-	-	-	-	-	-	-	1	3	-	-
Pentonville - - N.R.	17155	11	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.	15375	8	6	4	-	-	-	-	-	-	-	-	-	3	-	1	1	-
City-road *HHHL* - - N.R.	29177	22	15	8	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - - N.R.	8278	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - N.R.	4985	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham -	†892	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Botolph *H* - - N.R. & E.L.	8944	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	-
St. Sepulchre *H* - - N.R.	4444	1	11	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
St. Bride *W* - - N.R.	6594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All hallows Barking - - N.R.	10422	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - N.R.	3877	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Wo house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishm receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differ Sub-districts; G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N River; E. L. East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
urday, 28th September, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.
EAST DISTRICTS.																		
horeditch South *HL** E.L. & N.R.	20098	8	9	3	1	-	-	1	-	-	-	-	-	2	-	-	1	-
loxton New Town *w* - - - N.R.	29313	28	12	-	5	-	-	-	-	-	-	-	-	-	1	1	6	-
loxton Old Town - - - N.R.	28354	26	9	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
laggerston *WH* - - N.R. & E.L.	46244	27	38	11	5	-	1	1	1	1	-	-	-	1	-	2	15	-
ethnal Green North *H* - - E.L.	51520	27	15	6	-	-	-	-	2	-	-	-	-	-	2	3	2	-
ethnal Green South - - - E.L.	33489	25	12	6	-	-	-	-	1	2	-	-	-	1	-	3	-	-
ethnal Green East *WHL** - E.L.	44123	30	24	7	5	-	-	-	1	-	-	-	-	2	-	3	11	-
pitalfields - - - E. N.R.	22456	8	10	8	-	-	1	1	-	-	-	-	-	1	-	-	-	-
ile End New Town *W* - - E.L.	17908	13	9	4	2	-	1	1	-	-	-	-	-	1	-	-	4	-
Whitechapel Church *H** E.L. & N.R.	20298	11	21	2	3	-	-	-	2	-	-	1	-	1	3	4	17	-
oodman's Fields - - - E.L.	13800	13	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t. George's, North - - - E.L.	27738	32	13	5	2	-	-	-	-	-	-	-	-	-	2	3	-	-
t. John, St. George East *W* - E.L.	8357	3	8	-	5	-	-	-	-	-	-	-	-	-	2	2	8	-
hadwell *H* - - - E.L. & N.R.	10216	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
atcliff *W* - - - - - E.L.	14928	10	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
imehouse - - - - - E.L.	32202	21	12	3	1	-	3	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town West *H* - E.L.	36650	35	12	6	2	-	-	1	1	-	-	-	-	-	1	4	-	-
Mile End Old Town East *H Www* E.L.	68942	44	29	8	9	-	1	-	1	1	-	-	-	1	2	4	8	-
Bow *L** - - - - - E.L.	40365	35	14	7	3	-	-	-	1	1	-	-	-	2	2	4	-	-
Bromley *wwwH* - - - - E.L.	70000	60	41	9	14	-	-	1	-	1	-	-	-	1	3	3	22	-
Poplar. *WW* - - - - - E.L.	56383	31	23	10	2	-	-	-	2	-	-	-	-	2	-	4	2	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13264	8	5	2	1	-	-	-	-	1	-	-	-	1	-	1	-	-
St Saviour Southwark - - - S.	13913	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	21867	14	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Borough-road *WH* - - S. & L.	16624	10	7	3	-	-	-	-	1	-	-	-	-	-	-	2	3	-
London-road *HL* - - L. & S.	21221	10	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Trinity Newington - - S. & L.	26596	23	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	51	18	5	5	-	1	-	-	1	-	1	-	1	-	-	2	-
St. Mary Newington - - L. & S.	27866	22	11	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-
St. Olave *WH* - - - - S.	12723	10	15	1	1	-	-	-	-	-	-	-	-	-	2	3	11	2
Leather Market *W* - - S. & L.	30612	43	7	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. James Bermondsey - - S.	54070	36	14	8	3	-	1	-	-	-	-	-	-	2	-	1	-	-
Rotherhithe *WwH* - - S. & K.	39255	28	16	4	3	-	-	-	-	-	-	-	-	-	2	2	7	1
Waterloo-road 1st *H* - - L. & S.	14031	11	7	3	-	-	1	-	1	2	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	14	8	3	-	-	-	-	1	-	-	-	-	4	-	-	1	-
Lambeth Church 1st *H* - - L. & S.	18075	5	22	5	4	-	-	-	-	-	-	-	-	1	3	5	16	-
Lambeth Church 2nd *WW* - L. & S.	39097	31	25	5	7	-	1	-	-	-	-	-	-	1	-	1	17	-
Kennington 1st *H* - - S. & L.	50586	31	10	1	3	-	-	-	-	-	-	1	-	1	-	-	-	-
Kennington 2nd - - - S. & L.	39708	21	12	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Brixton *w* - - - - L. & S.	73405	49	20	1	4	-	-	-	5	1	-	-	-	-	-	-	6	1
Norwood *WH* - - - - L.	25687	13	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea - - - S.	67244	53	19	9	3	-	-	-	1	1	-	-	-	1	-	1	-	-
West Battersea *WwH* - - S.	83314	47	32	7	8	-	-	-	-	-	-	-	-	3	1	3	11	-
Clapham *H* - - - - S.	43698	25	14	4	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Wandsworth *WHHL* - - - S.	46717	31	11	6	2	-	-	-	-	-	-	-	-	1	1	1	1	-
Putney - - - - - - S.	17771	15	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *www* - - - - L.	48753	28	25	8	5	-	1	2	6	-	-	-	-	5	-	1	10	-
Dulwich - - - L. & S.	6809	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL**L* - S. & L.	81086	50	52	10	16	-	1	-	1	1	-	1	-	4	-	2	31	-
Peckham *W* - - - S., L., & K.	83488	49	32	12	9	-	-	-	2	-	-	-	-	1	-	-	-	2
St. George Camberwell - - L. & S.	63366	43	18	7	1	-	1	-	-	-	-	-	-	3	-	-	-	-
Deptford, North - - - - K.	35314	27	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford, Central *w* - - - K.	42007	32	15	3	1	-	-	3	2	2	-	-	-	1	-	1	7	-
Deptford, South - - - - K.	30852	15	8	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-
Greenwich West *H* - - - K.	22007	9	8	2	2	-	-	-	-	1	-	-	-	1	1	1	-	-
Greenwich East *WH* - - - K.	35233	25	21	6	4	-	-	-	1	-	-	-	-	2	-	1	8	-
Eltham *wH* - - - - - K.	5582	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	8	4	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-
Lewisham *WH* - - - - K.	30950	21	11	4	2	-	-	-	-	-	-	-	-	2	-	-	2	-
Sydenham *H* - - - - - L.	34162	29	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Charlton *HH* - - - - K.	14040	8	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Woolwich Dockyard - - - K.	19606	10	5	3	1	-	-	-	1	-	-	-	-	1	-	-	-	1
Woolwich Arsenal *HHHH* - K.	21242	18	6	3	1	-	-	-	-	1	-	-	-	2	1	1	-	-
Plumstead, West *H* - - - K.	15869	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	23	6	2	2	-	-	-	-	-	-	-	-	3	-	-	1	-
Banstead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Caterham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital Ships and Camp, Dartford -	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Darenth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch Asylum - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
N.E. Hospital - - - - -	-	-	5	1	-	-	-	4	-	-	-	-	-	-	-	-	5	-
Winsmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - - -	-	-	6	-	4	-	-	-	-	-	-	-	-	1	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 28th September 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	907	418	131	103	–	7	3	17	9	5	30	16	28	45
30 : 1	Carshalton *wHH*	12228	26103	21	3	2	1	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of** *WwH*	10423	12503	4	2	–	2	–	–	–	–	–	–	–	–	–	1
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20351	123699	74	40	10	16	–	–	–	1	1	1	3	1	4	6
2	Mitcham *w*	11697	23038	15	4	2	1	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3229	25761	9	5	2	–	–	–	–	–	–	–	1	–	–	–
2	Kingston *WH*	8071	44765	19	9	1	3	–	–	–	–	–	–	–	–	1	1
3	Esher, *part of** *HH*	6301	12059	3	2	–	2	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	10	5	2	2	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25339	8	7	1	2	–	–	–	–	–	–	1	–	–	1
2	Mortlake *H*	2323	16159	11	3	1	2	–	–	–	–	–	–	1	–	–	–
41 : 1	Bromley *HHH*	9127	23815	10	8	2	2	–	–	–	–	–	–	1	–	–	–
2	Beckenham *H*	6542	21969	12	3	–	–	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	8	4	–	1	–	–	–	–	–	–	1	–	1	2
42 : 1	Bexley *HH*	12540	30590	27	8	2	5	–	–	–	–	–	–	1	1	1	–
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	7	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13231	8	6	3	1	–	–	–	–	–	–	–	1	1	1
125 : 1	Hillingdon *WHH*	6035	12237	5	6	1	3	–	–	–	–	–	–	–	–	–	2
2	Uxbridge	6172	5417	–	2	1	1	–	–	–	–	–	–	1	–	–	–
3	Hayes *wH*	14537	12618	10	4	2	1	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	23273	16	14	1	7	–	–	–	–	–	–	–	–	–	2
2	Twickenham *HH*	2415	16027	9	3	1	1	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	18	12	3	3	–	–	–	–	–	–	–	–	1	–
4	Chiswick	1245	21963	8	3	2	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	25	10	6	2	–	–	1	–	–	–	2	1	1	–
127 : 1	Harrow *HHH*	13800	15715	7	5	2	1	–	–	–	–	–	–	1	–	–	–
2	Edgware *HH*	6994	3344	4	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	47	17	6	4	–	–	–	1	–	1	2	1	1	–
4	Hendon *WH*	8382	15843	15	10	3	3	–	–	–	–	–	–	1	1	1	3
128 : 1	South Mimms *H*	15599	8474	5	3	2	1	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11773	8	1	–	1	–	–	–	–	–	–	1	–	–	–
3	Finchley *HHH*	4638	25320	20	4	2	–	–	–	–	–	1	–	–	–	1	–
129 : 1	Hornsey *HH*	3039	61097	18	11	2	1	–	–	1	3	–	–	1	–	–	1
2	Tottenham *H*	4842	97174	60	29	11	1	–	1	–	1	–	1	3	5	7	6
3	Edmonton *Wwo*	7439	36351	24	11	4	5	–	–	–	–	1	–	–	–	1	4
4	Enfield *WWHH*	12639	31803	17	8	4	2	–	–	–	–	–	–	2	1	1	–
5	Waltham Abbey	11017	6063	2	2	1	1	–	–	–	–	–	–	–	–	–	–
6	Chesnut *H*	8430	9620	3	3	1	1	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	4	4	2	1	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	30	20	5	4	–	–	–	2	–	2	–	–	–	1
2	Plaistow	1212	58030	55	26	12	2	–	2	–	5	–	–	3	–	1	–
3	Canning Town *H*	1558	54759	45	24	9	3	–	1	–	–	1	–	–	1	1	–
4	Forest Gate *w*	806	49140	38	16	6	3	–	1	–	1	3	–	2	–	–	–
5	East Ham *wH*	3266	32713	43	13	3	3	–	–	–	1	–	–	1	1	1	–
6	Leyton *WWWwH*	4334	70188	45	21	4	5	–	2	–	2	–	–	–	–	–	9
7	Walthamstow *HbL*	6501	57339	50	8	2	2	–	–	1	–	–	–	1	1	2	–
187 : 1	Chigwell *part of** *H*	11779	12941	8	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1
189 : 1	Romford *part of** *WH*	6556		1	3	1	2	–	–	–	–	–	–	–	–	–	–
2	Ilford	8493	10913	8	2	–	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3314	14301	13	6	3	–	–	–	–	–	2	–	–	–	–	–
	Middlesex Co. Asylum	—	—	–	2	–	–	–	–	–	–	–	–	–	–	–	2
	Cane Hill Asylum	—	—	–	1	–	–	–	–	–	–	–	–	–	1	1	1
	North-Eastern Hosp.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farleyin Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsf Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish Theydon Bois (1979); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford; 137 : 3, Watford, and 137 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th September, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	16·8	2·8	1950	574	406	2	34	27	73	34	16	137	88	508
INNER LONDON	74,672	4,392,346	18·2	3·0	1532	443	300	2	27	24	56	25	11	107	72	463
OUTER RING	368,749	1,656,209	13·2	2·2	418	131	106	–	7	3	17	9	5	30	16	45

NOTE.—The area of Greater London is 443,421 acres, This area is equal to 692·845 square miles, which is equivalent to the ea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
DINBURGH	273,535	September 28	127	79	15·1	–	–	1	3	–		6
LASGOW	695,876	" 28	409	260	19·5	–	3	3	1	2	4	19
UBLIN	349,594	" 28	156	166	24·8	2	1	2	–	4	2	13
ALCUTTA	466,460	August 17	–	199	22·2	2	–	–	–	–	78	30†
OMBAY	821,764	September 3	304	457	28·9	2	3	–	–	–	111	33†
ADRAS	452,518	August 23	421	449	51·5	–	9	–	–	–	180	89†
ARIS	2,424,705	September 21	1052	850	18·2	1	6	1	3*	7	13	144
RUSSELS	507,985	" 21	221	160	16·4	–	1	1	1*	–	–	29
MSTERDAM	451,493	" 21	264	121	13·9	–	–	–	4	2	–	1
OTTERDAM	272,042	" 21	207	85	16·2	–	–	–	–	1	–	–
HE HAGUE	180,455	" 21	125	73	21·0	–	–	–	–	3	–	–
OPENHAGEN	341,000	" 21	234	97	14·8	–	–	–	–	5	–	15
TOCKHOLM	259,304	" 14	148	77	15·4	–	–	–	–	1	–	2
HRISTIANIA	174,717	" 21	45	39	11·6	–	–	1	–	–	–	10
T. PETERSBURG	954,400	" 14	800	441	24·1	2	6	7	20	12	27	66
OSCOW	753,469	" 14	–	506	35·0	–	2	6	7	1	13	129
ERLIN	1,724,544	" 7	873	848	25·5	–	3	18	24	17	2	266
AMBURG	608,710	" 14	439	216	18·5	–	–	–	–	6	2	32
RESDEN	320,600	August 31	194	129	20·8	–	2	2	–	–	–	44
RESLAU	367,769	September 21	–	191	27·1	–	1	9	4*	1	3	28
UNICH	396,000	" 21	–	289	37·9	–	2	1	8*	3	2	141
IENNA	1,495,764	" 21	840	561	19·5	–	2	8	6*	5	–	111
RAGUE	351,478	" 14	191	162	24·0	–	–	1	3	–	3	9
UDA-PESTH	566,022	" 14	362	267	24·5	–	3	1	6	–	1	63
RIESTE	160,825	" 7	108	84	27·2	–	–	3	1*	–	–	14
OME	464,579	August 10	211	170	19·1	–	13	1	–	–	5‡	35
URIN (11 days)	344,203	" 31	203	157	15·2	–	–	–	1	1	3	22
ENICE	158,159	September 14	62	59	19·4	–	–	–	–	–	1	17
AIRO	374,838	" 2	392	371	51·5	–	–	–	2*	–	9	135
LEXANDRIA	231,396	" 2	238	184	41·5	1	–	–	4*	–	7	75
EW YORK	1,830,700	" 14	–	–	–	–	–	–	–	–	–	–
ROOKLYN	1,100,000	" 14	–	454	21·5	–	3	2	14	7	4	82
HILADELPHIA	1,163,864	" 14	–	398	17·8	–	–	2	16	6	11	39
EW ORLEANS	275,000	August 24	–	109	20·7	1	–	–	2	2	6	6

* Including deaths from croup.
† Including 6 deaths from cholera in Calcutta, 3 in Bombay, and 3 in Madras.
‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28TH SEPTEMBER, 1895.

[*Under the Suprintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPT.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	22	..	30·144	72·3	41·7	30·6	56·7	+ 1·3	51·5	5·2	18·0	0·0	83	132·5	30·8	60·60	NE. & ENE.	E.	0·9	0·0	0·0	158	—105	0·00	0·0
MONDAY .	23	..	30·078	80·8	48·5	32·3	61·2	+ 6·0	54·3	6·9	26·2	0·0	78	130·0	37·9	60·37	NE & Calm.	E. & ESE.	0·2	0·0	0·0	71	—190	0·00	0·0
TUESDAY.	24	..	30·022	87·3	52·2	35·1	68·4	+13·3	57·5	10·9	24·8	0·2	68	135·0	44·9	60·42	E. NE. & Calm.	SSW. & ESE.	0·4	0·0	0·0	113	—146	0·00	0·0
WEDNESDAY	25	Greatest Dec. S. First Qr.	30·065	84·0	57·4	26·6	69·9	+14·9	58·9	11·0	23·3	0·0	68	138·2	50·0	60·70	Variable & Calm.	WSW. & SSW.	1·4	0·0	0·0	143	—114	0·00	0·0
THURSDAY	26	..	30·105	84·2	55·4	28·8	68·5	+13·6	57·4	11·1	27·4	0·0	68	135·2	48·9	61·09	Calm & ENE.	ESE. & E.	1·2	0·0	0·1	161	— 95	0·00	0·0
FRIDAY .	27	..	30·049	83·2	57·1	26·1	68·8	+13·9	58·8	10·0	24·3	0·0	70	131·0	48·6	61·47	E. & ENE.	E. & ESE.	1·4	0·0	0·0	171	— 84	0·00	1·0
SATURDAY	28	..	30·067	80·5	54·3	26·2	65·6	+10·8	53·1	12·5	28·9	0·4	64	137·0	44·9	61·80	E.	E. & ENE.	2·0	0·0	0·1	183	— 71	0·00	3·0
MEANS . .		..	30·076	81·8	52·4	29·4	65·6	+10·5	55·9	9·7	24·7	0·1	71	134·1	43·7	60·92	E.		..	..	..	Sum 1000	Sum — 805	Sum 0·00	0·6
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	22	v. P. generally .	8·9	12·2	Cloudless and very fine throughout.
MONDAY .	23	v. P. generally .	6·9	12·1	Cloudless; fog in morning; afterwards very fine.
TUESDAY .	24	w. P. in morning; m. P. afterwards.	7·8	12·0	A very hot day. Cloudless generally; slight fog in morning; frequent lightning in evening. The max. temperature for the day is the highest recorded during the present year; and it is also higher than any temperature recorded at the time of the year during the period 1841–1894.
WEDNESDAY	25	Loss of register till 3h. P.M.; m. P. afterwards.	8·2	11·9	Cloudless; dense fog in morning; afterwards very fine; sultry.
THURSDAY .	26	v. P. till noon; m. P. afterwards.	8·2	11·9	Cloudless; variable fog in morning; afterwards very fine; oppressively warm.
FRIDAY .	7	m. P. throughout -	7·9	11·8	Cloudless and very fine throughout; very hot.
SATURDAY .	28	m. P. throughout .	8·2	11·7	Very fine; dense fog in morning, cloudless till evening afterwards; a few light clouds prevailed.
			Sum 56·1	Sum 83·6	
No. of Co. .		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·22 in. at the beginning of the week to 30·00 in. by 3h. P.M. on the 24th; increased to 30·13 in. by 9h. A.M. on the 26th; decreased to 30·02 in. by 4h. P.M. on the 27th; and was 30·07 in. by the end of the week.

OFFICIAL COPY,

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 40. 1895. VOL. LVI.] WEEK ENDING SATURDAY, OCTOBER 5. [Price 1½*d.*

General Register Office, Somerset House,
October 7th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	TOWNS.	Weeks ending Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
Birkenhead	15·5	17·5	18·4	22·8	Liverpool - -	26·6	26·6	28·6	26·6
Birmingham	19·8	20·2	21·2	22·0	London - -	15·4	16·0	18·2	15·9
Blackburn -	32·7	30·2	29·4	37·2	Manchester -	30·0	25·7	29·9	24·9
Bolton -	28·4	25·8	29·7	32·3	Newcastle-on-Tyne	22·2	19·9	22·2	24·9
Bradford -	20·3	21·7	19·3	19·8	Norwich - -	13·1	17·5	17·0	16·5
Brighton -	20·9	22·2	22·2	14·4	Nottingham -	13·6	21·2	24·6	15·6
Bristol -	13·9	16·0	16·5	18·5	Oldham - -	24·4	25·5	22·2	25·9
Burnley -	33·5	27·7	27·7	23·6	Plymouth - -	11·7	12·3	25·2	18·7
Cardiff -	20·1	17·1	20·8	20·4	Portsmouth -	19·7	22·1	16·1	19·1
Croydon -	13·6	9·1	15·0	13·2	Preston - -	21·3	25·0	23·6	18·5
Derby -	15·1	18·2	18·7	14·6	Salford - -	27·5	30·5	29·0	30·3
Gateshead -	19·6	28·3	30·5	26·1	Sheffield - -	22·2	24·5	24·3	24·5
Halifax -	21·1	17·8	20·6	23·9	Sunderland -	37·5	32·9	29·5	28·8
Huddersfield	16·8	19·9	14·7	14·2	Swansea - -	15·1	17·7	21·0	20·4
Hull - -	30·8	31·8	19·5	20·2	West Ham - -	15·0	14·8	19·4	16·9
Leeds -	20·4	22·0	20·8	18·1	Wolverhampton -	21·3	23·7	26·7	19·5
Leicester -	16·9	19·4	16·1	15·6					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·8 in Oldham, 2·0 in Salford, and 6·9 in Blackburn; from *scarlet fever*, 1·1 in Gateshead and 1·2 in Wolverhampton; from *whooping-cough*, 1·1 in Gateshead, 1·2 in Bradford, 1·7 in Bolton, and 3·6 in Wolverhampton; from "*fever*," 1·1 in Leicester, and 3·4 in Sunderland; and from *diarrhœa*, 4·4 in Gateshead, 4·5 in Portsmouth, 4·7 in Cardiff, 4·8 in Hull and in Newcastle-on-Tyne, 5·3 in Sunderland, 5·5 in Sheffield, 5·6 in Manchester, 6·3 in Salford, in Oldham, and in Burnley, 9·2 in Bolton, and 10·2 in Blackburn. The 71 deaths from *diphtheria* included 44 in London, 4 in West Ham, 4 in Salford, 3 in Birmingham, 3 in Liverpool, and 3 in Manchester. One death from *small-pox* was registered in London and one in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2447 BIRTHS and 1343† DEATHS were registered. Allowing for increase of population, the births were 186, and the deaths 92, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·4, 16·0, and 18·2 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 38999.—1. 650.—10/95. Wt. 259. R R

preceding three weeks, fell again last week to 15·9. During the four weeks ending on Saturday last the death-rate averaged 16·4 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1343 deaths included one from small-pox, 15 from measles, 22 from scarlet fever, 44 from diphtheria, 14 from whooping-cough, 22 from enteric fever, 103 from diarrhœa and dysentery, 3 from choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 224 deaths were referred to these diseases, being 38 above the corrected average weekly number.

One death from *small-pox* was registered, the number having been 2 in each of the preceding three weeks; the fatal case belonged to Wandsworth sanitary area. The deaths from *measles*, which had been 28, 24, and 27 in the preceding three weeks, fell again last week to 15, and were 5 below the corrected average; 3 cases belonged to Bermondsey sanitary area. The deaths from *scarlet fever*, which had been 19, 13, and 24 in the preceding three weeks, were 22 last week, the corrected average being 26; 3 cases belonged to Bethnal Green sanitary area. The deaths from *diphtheria*, which had been 55, 37, and 56 in the preceding three weeks, fell again last week to 44, but exceeded the corrected average by 2; 5 cases belonged to St. Pancras, 4 to Hackney, 3 to Kensington, 3 to Bethnal Green, 3 to Limehouse, 3 to Poplar, and 3 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 14, 21, and 25 in the preceding three weeks, fell again last week to 14, and were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 16, 21, and 11 in the preceding three weeks, rose again last week to 22, exceeding the corrected average by 7; 3 cases belonged to Wandsworth and 2 each to Hampstead, Hackney, Strand, Shoreditch, Poplar, and Newington sanitary areas. The deaths from *diarrhœa*, which had been 107, 109, and 107 in the preceding three weeks, were 103 last week, exceeding the corrected average by 46. In addition to the 103 deaths directly referred to *diarrhœa*, 18 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 29 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 123, 141, and 173 in the preceding three weeks, fell again last week to 158, and were 79 below the corrected average.

The deaths directly attributed to *influenza* numbered 7, having been 5, 1, and 2 in the preceding three weeks.

The death of a foreman in a horsehair factory, aged 59, was described, after inquest, as due to anthrax.

Different forms of violence caused 77 deaths, concerning all but 2 of which inquests were held. Of these 77 deaths, 9 were cases of suicide, and 5 of homicide, while the remaining 53 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 11 (including 7 caused by a fire on board the steamship "Iona") to injuries on board ships and boats, 11 to drowning, 5 (of infants under one year of age) to suffocation in bed, and one to the effects of an anæsthetic administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 198 cases of small-pox, 2802 of scarlet fever, 672 of diphtheria, and 124 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 17 cases, against 42, 23, and 21; of scarlet fever, 252 cases, against 365, 344, and 339; of diphtheria, 90 cases, against 105, 114, and 114; and of enteric fever, 23 cases, against 16, 14, and 25.

Greater London.

In Greater London 3297 births and 1762 deaths were registered, corresponding to annual rates of 28·4 and 15·2 per 1000 of the estimated population. In the Outer Ring 21 deaths from diphtheria, 5 from "fever", and 39 from diarrhœa were registered. Ten deaths from diphtheria occurred in West Ham district, 4 in Edmonton district, and 4 in Willesden sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 56°·5, the latter being 2°·7 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 39 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 32·5 hours; the measured rainfall amounted to 0·49 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

[illegible], and Hartlepool, during the Week ending 5th October, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 5th Oct., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5930	3949	1370	668	2	64	48	71	56	65	565	161	306	762	30	19·4	4·2	81·6	33·2	54·8	12·67	0·94	2·39	33 Towns.
London	4,392,346	2447	1343	383	258	1	15	22	44	14	22	103	77	159	401	4	15·9	2·6	78·0	39·2	56·5	13·61	0·49	1·24	London.
West Ham	249,473	145	81	28	10	–	1	–	4	–	1	7	1	1	6	2	16·9	2·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	55	29	10	5	–	–	–	–	–	–	4	1	4	6	–	13·2	1·8	76·0	37·2	56·5	13·61	0·53	1·35	Croydon.
Brighton	119,604	64	33	12	6	–	1	1	–	2	–	8	–	–	5	–	14·4	5·2	79·0	39·2	59·6	15·33	1·08	2·74	Brighton.
Portsmouth	174,751	89	64	27	12	–	–	–	–	1	1	15	1	3	6	–	19·1	5·1	77·0	41·0	58·1	14·50	0·72	1·83	Portsmouth.
Plymouth	89,096	44	32	15	6	–	–	1		–	–	4	1	2	5	–	18·7	2·9	–	–	–	–	–	–	Plymouth.
Bristol	228,189	117	81	23	23	–	–	–	1	1	1	9	4	7	23	–	18·5	2·7	76·0	39·0	54·0	12·22	1·00	2·54	Bristol.
Cardiff	155,637	87	61	28	3	–	–	–	1	–	–	14	2	3	3	–	20·4	5·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	64	38	10	9	–	2	–	–	–	–	4	2	4	5	–	20·4	3·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	53	32	6	4	–	1	2	1	6	–	1	–	–	3	–	19·5	6·7	77·4	33·2	53·5	11·94	1·08	2·74	Wolverhampton.
Birmingham	496,751	278	210	79	39	–	–	7	3	2	2	23	10	5	41	6	22·0	3·9	–	–	–	–	–	–	Birmingham.
Norwich	107,127	63	34	11	15	–	–	–	–	–	–	3	–	–	7	1	16·5	1·5	75·0	36·4	55·3	12·94	0·29	0·74	Norwich.
Leicester	193,889	128	58	16	12	–	–	1	1	–	4	8	–	1	10	2	15·6	3·8	–	–	–	–	–	–	Leicester.
Nottingham	226,658	95	68	21	10	–	–	–	1	–	–	12	3	5	9	–	15·6	3·0	81·6	35·2	55·9	12·78	0·33	0·84	Nottingham.
Derby	100,272	57	28	8	6	–	–	–	–	1	–	3	1	2	2	–	14·6	2·1	–	–	–	–	–	–	Derby.
Birkenhead	107,469	61	47	19	7	–	–	1	2	–	1	3	4	5	4	–	22·8	3·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	284	257	90	31	–	4	4	3	5	6	31	16	27	54	6	26·6	5·5	76·3	39·3	52·5	11·39	1·92	4·88	Liverpool.
Bolton	119,337	68	74	25	18	–	–	–	–	4	1	21	–	3	7	–	32·3	11·4	–	–	–	–	–	–	Bolton.
Manchester	524,865	306	251	105	23	–	5	2	3	3	7	56	10	18	39	3	24·9	7·6	–	–	–	–	–	–	Manchester.
Salford	208,253	143	121	59	13	–	8	1	4	2	–	25	1	3	13	–	30·3	10·0	–	–	–	–	–	–	Salford.
Oldham	141,079	69	70	19	10	1	5	1	–	1	–	17	–	–	9	–	25·9	9·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	54	45	21	4	–	–	–	–	–	–	12	1	1	2	–	23·6	6·3	–	–	–	–	–	–	Burnley.
Blackburn	127,615	64	91	44	8	–	17	–	–	2	–	25	–	–	1	–	37·2	18·0	–	–	–	–	–	–	Blackburn.
Preston	112,638	56	40	15	9	–	–	–	–	–	1	7	–	–	4	–	18·5	3·7	–	–	–	–	–	–	Preston.
Huddersfield	99,482	54	27	9	5	–	1	–	–	–	–	5	2	2	1	1	14·2	3·1	74·0	35·0	50·9	10·50	1·94	4·93	Huddersfield.
Halifax	93,813	43	43	13	10	–	–	–	–	1	–	7	–	1	4	1	23·9	4·4	–	–	–	–	–	–	Halifax.
Bradford	226,384	84	86	22	20	–	–	–	–	5	1	16	2	2	10	1	19·8	5·1	68·1	41·2	53·5	11·94	1·19	3·02	Bradford.
Leeds	295,546	240	137	56	25	–	1	1	1	–	3	25	4	14	18	1	18·1	4·1	–	–	–	–	–	–	Leeds.
Sheffield	342,768	226	161	74	24	–	–	1	–	2	3	36	5	9	21	–	24·5	6·4	–	–	–	–	–	–	Sheffield.
Hull	226,722	127	84	30	13	–	–	–	–	–	2	20	3	5	16	1	20·2	5·3	74·0	36·0	52·2	11·22	0·71	1·80	Hull.
Sunderland	137,705	82	76	32	8	–	–	1	–	–	9	14	5	7	9	–	28·8	9·1	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	55	48	17	7	–	–	2	–	2	–	8	2	7	1	1	26·1	6·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	128	99	43	15	–	3	–	2	2	–	19	3	6	17	–	24·9	6·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTIETH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2491	2538	2647	2413	2364	2433	2578	2441	2513	2532	2633·2	2447
Males . .	1279	1304	1387	1212	1180	1290	1329	1226	1292	1312	1352·0	1228
Females .	1212	1234	1260	1201	1184	1143	1249	1215	1221	1220	1281·2	1219
TOTAL **Deaths**	1309	1365	1265	1352	1381	1413	1395	1344	1481	1287	1434·5	1343
Males . .	655	741	688	701	728	757	719	672	740	640	743·1	698
Females .	654	624	577	651	653	656	676	672	741	647	691·4	645

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
TOTAL **Births** - -	2586	2557	2575	2624	2340	2646	2448	2617	2486	2557	2541	2618	2447
TOTAL **Deaths** - -	1768	1996	1939	1806	1601	1459	1430	1336	1358	1298	1346	1532	1343
Ages at Death: Under 1 year -	680	880	892	772	616	460	426	422	420	381	425	443	383
1—5 years -	281	310	286	308	272	232	224	190	199	200	163	220	180
5—20 " -	95	104	90	87	79	88	77	113	78	98	91	100	76
20—40 " -	188	165	184	166	167	159	167	164	171	156	174	190	184
40—60 " -	240	237	207	211	215	226	257	199	227	228	261	279	262
60—80 " -	235	251	242	207	222	241	227	206	230	192	188	259	212
80 years & upwards	49	49	38	55	30	53	52	42	33	43	44	41	46
Deaths from—													
Small-pox - - - -	1	-	1	1	3	1	6	4	5	2	2	2	1
Measles - - - -	75	82	94	67	70	62	55	56	40	28	24	27	15
Scarlet fever - - -	20	23	14	24	15	21	27	21	20	19	13	24	22
Diphtheria - - -	50	39	48	57	55	50	24	40	38	55	37	56	44
Whooping-cough - -	19	28	22	17	20	10	21	22	17	14	21	25	14
Typhus - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric fever - - -	11	5	9	12	9	15	10	10	21	16	21	11	22
Simple Continued fever -	-	1	-	1	-	-	-	-	-	-	1	-	-
Diarrhœa and Dysentery -	270	373	397	373	224	163	112	122	129	107	109	107	103
Cholera - - - -	4	12	15	9	5	1	2	2	1	1	1	4	3
All the above Diseases	450	563	600	561	401	323	257	278	271	242	229	256	224
Dis. of Respiratory System	187	193	185	171	159	137	170	102	134	123	141	173	158
Phthisis - - - -	130	131	111	127	136	126	148	136	124	122	144	140	152
Dis. of Circulatory System	107	126	92	108	100	114	86	93	97	104	101	121	102
Violence - - - -	74	71	69	58	49	67	51	68	48	67	62	72	77
Inquest Cases - - -	139	163	147	121	118	137	102	118	103	116	118	137	159
Deaths in Public Institutions	449	433	384	436	383	407	423	374	412	378	387	464	401
TEMPERATURE OF THE AIR													
Mean - - - -	65·6°	62·8°	62·6°	59·0°	60·3°	61·7°	66·2°	61·8°	65·1°	60·7°	56·9°	65·6°	56·5°
Mean of Highest readings -	78·7°	73·3°	71·7°	67·2°	71·3°	71·4°	78·4°	72·6°	78·8°	71·8°	68·8°	81·8°	68·5°
Mean of Lowest readings -	53·7°	54·0°	55·9°	53·1°	52·7°	53·9°	55·9°	53·3°	53·7°	51·4°	46·8°	52·4°	46·2°
Humidity of the Air - -	55	67	81	82	78	78	71	75	73	75	81	71	77
Rain-fall (in inches) - -	0·13	0·46	1·66	1·23	1·09	0·35	0·19	0·15	0·82	0·09	0·03	0·00	0·49
Registered Sunshine (in hours)	59·7	30·1	17·8	12·0	29·7	32·9	56·7	51·5	54·3	39·4	30·5	56·1	32·5
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	71	89	199	237	273	336	342	340	323	307	271	234	198
Scarlet fever - - - -	2241	2267	2347	2423	2511	2529	2507	2512	2600	2674	2732	2807	2802
Diphtheria - - - -	637	638	681	686	689	657	666	671	662	663	665	673	672
Enteric fever - - - -	143	123	121	108	106	103	114	123	118	120	109	117	124

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTIETH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1885–94.*	In the Week ending Saturday, 5th October 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1434·5	1343	383	180	76	184	262	212	46
Small-pox { Vaccinated†	0·2	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	-	1	1	-	-	-	-	-	-
Small-pox { No Statement	0·2	-	-	-	-	-	-	-	-
Measles - - - -	19·7	15	1	13	1	-	-	-	-
Scarlet Fever - -	26·1	22	-	17	4	1	-	-	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	1·9	7	-	-	-	1	4	1	1
Whooping-cough - -	22·2	14	7	7	-	-	-	-	-
Diphtheria - - -	41·7	44	3	26	14	-	-	1	-
Simple Continued and Ill-defined Fever -	1·6	-	-	-	-	-	-	-	-
Enteric Fever -	15·4	22	1	-	7	8	5	1	-
Cholera and Chol. Diarr.	1·2	3	1	-	1	-	1	-	-
Diarrhœa, Dysentery -	56·9	103	70	24	-	-	1	6	2
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections -	10·4	8	3	-	-	-	3	2	-
Erysipelas - -	6·0	2	-	-	-	-	1	-	1
Pyæmia and Septicæmia	2·4	1	1	-	-	-	-	-	-
Puerperal Fever - -	4·9	3	-	-	-	2	1	-	-
Other Zymotic Diseases	1·5	3	-	-	-	2	1	-	-
Thrush - - - -	1·9	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·7	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	3·0	1	1	-	-	-	-	-	-
Alcoholism - - -	7·9	13	-	-	-	5	7	1	-
Rheumatic Fever, Rheumatism of Heart	9·5	3	-	-	1	-	2	-	-
Rheumatism - -	2·1	1	-	-	-	-	-	1	-
Gout - - - -	1·8	4	-	-	-	-	2	2	-
Rickets - - - -	4·0	3	1	2	-	-	-	-	-
Cancer - - - -	67·2	69	-	-	-	8	29	31	1
Tabes Mesenterica -	27·4	23	17	5	1	-	-	-	-
Tubercular Meningitis -	21·5	23	11	8	3	1	-	-	-
Phthisis - - -	149·9	152	1	3	12	66	61	9	-
Scrofula, Tuberculosis -	17·8	24	8	9	2	3	1	1	-
Other Constitutional Diseases - - -	11·8	12	1	-	-	3	2	6	-
Premature Birth - -	44·6	47	47	-	-	-	-	-	-
Atelectasis - - -	3·1	1	1	-	-	-	-	-	-
Congenital Malformations - - - -	7·9	5	5	-	-	-	-	-	-
Old Age - - - -	42·7	29	-	-	-	-	-	14	15
Apoplexy - - -	42·2	37	-	-	-	4	13	16	4
Epilepsy - - -	6·6	5	-	-	-	1	3	1	-
Convulsions - - -	40·7	41	40	1	-	-	-	-	-
Other Diseases of Brain and Nervous System	68·4	57	5	1	1	10	9	28	3

CAUSES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1885–94.*	In the Week ending Saturday, 5th October 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·8	4	-	-	1	2	1	-	-
Diseases of Circulatory System - - -	119·7	102	1	1	7	21	37	30	5
Croup - - - -	6·9	2	-	2	-	-	-	-	-
Bronchitis - - -	127·9	70	22	15	-	2	8	17	6
Pneumonia - - -	74·7	67	19	22	2	9	8	5	2
Pleurisy - - - -	5·2	4	1	1	1	-	1	-	-
Other Diseases of Respiratory System - -	22·2	15	3	1	-	1	5	3	2
Dentition - - -	8·1	10	6	4	-	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	-	-	-	1	-	-
Enteritis - - -	15·7	20	21	-	4	1	2	1	-
Peritonitis - - -	6·5	5	-	-	1	-	3	1	-
Diseases of Liver - -	30·1	21	3	-	-	1	13	4	-
Other Diseases of Digestive System -	27·2	18	7	2	1	-	3	4	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	3	-	1	-	1	1	-	-
Diseases of Urinary System - - -	41·4	42	-	2	1	7	16	15	1
Diseases of Generative System - - -	5·2	2	-	-	-	-	1	1	-
Accidents of Childbirth -	4·0	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	7·1	2	1	-	-	-	-	1	-
Diseases of Integumentary System - -	7·1	5	4	-	-	-	1	-	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways -	48·1	3	-	-	1	2	-	-	-
By Vehicles or Horses -		3	-	-	1	-	-	1	1
In Ships, Boats, Docks (exclusive of Drowning) - - - -		11	-	-	1	7	2	1	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations - -		2	-	2	-	-	-	-	-
By Burns, Scalds, Explosions - - -		6	-	3	1	-	1	1	-
By Drowning - -		11	1	-	2	5	3	-	-
By Suffocation in Bed -		5	5	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		4	-	1	1	-	2	-	-
Other or not stated Causes - - - -		17	5	4	4	-	1	2	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·5	5	2	-	-	2	1	-	-
Suicide - - - -	8·4	9	-	-	-	4	3	2	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	64·8	61	55	3	-	-	1	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.* – POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCAR during the Week end

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2447	1343	383	258	1	15	22	44	14	–	22	–	103	77	159	401
WEST DISTRICTS	740,735	360	219	63	50	–	2	8	7	3	–	1	–	24	9	14	65
NORTH DISTRICTS	993,884	573	287	76	61	–	3	1	15	2	–	6	–	17	16	39	80
CENTRAL DISTRICTS	247,538	122	94	27	13	–	2	1	–	–	–	3	–	5	6	10	42
EAST DISTRICTS	705,114	485	263	87	39	–	2	2	8	4	–	5	–	19	22	51	74
SOUTH DISTRICTS	1,524,472	907	447	129	83	–	6	11	14	5	–	7	–	37	24	45	107
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	33	1	12	1	–	4	–	–	–	–	–	1	–	–	33
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	43	30	13	10	–	–	–	–	–	–	–	–	5	1	2	7
St. John Paddington *H* – G.J.	33687	8	10	–	2	–	–	–	–	–	–	–	–	–	2	2	7
Kensington Town *Ww* – W.M.	118751	52	32	10	8	–	1	–	1	1	–	–	–	3	1	2	12
Brompton – W.M. & C.	47557	9	6	1	1	–	2	–	1	–	–	–	–	2	–	–	–
St. Peter Hammersmith – W.M*	8583	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88653	52	28	7	10	–	–	1	1	1	–	–	–	3	4	5	5
Fulham *Ww* – W.M. & C.	91639	72	41	13	5	–	–	1	2	1	–	–	–	4	–	–	11
Chelsea Kensal Town – C.	21787	16	8	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *WH/HHH* – C.	41637	17	15	5	1	–	–	–	–	–	–	–	–	2	1	1	5
Chelsea South *HH* – C.	32829	19	13	4	1	–	–	1	–	–	–	–	–	2	–	–	4
May Fair *WH* – G.J.	23733	2	5	–	1	–	–	–	–	–	–	–	–	–	–	1	4
Belgrave *WHHH* – C.	54631	28	13	1	3	–	–	–	3	–	–	1	–	1	–	1	9
St. John Westminster *HH* – C.	34106	11	4	1	1	–	–	–	–	–	–	–	–	1	–	1	–
St. Margaret Westminster *H* – C.	21668	5	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–
St. James Westminster *WHHH* N.R. & G.J.	24995	15	6	2	3	–	–	–	–	–	–	–	–	1	–	–	1
St. Anne Soho *HHHHHH* – N.R.	12317	10	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* – W.M.	37713	12	6	1	2	–	–	–	–	–	–	–	–	1	–	–	4
Rectory Marylebone *WH* G.J. & W.M.	20024	9	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–
St. Mary Mareleb. *HHHH* G.J. & W.M.	19239	27	5	2	2	–	–	–	–	–	–	–	–	–	–	–	3
Christchurch Marylebone *HH* – W.M.	33327	11	3	3	–	–	–	–	–	–	–	–	–	1	–	–	–
St. John Marylebone *HH* – W.M.	32101	16	10	3	4	–	–	–	1	–	–	–	–	2	–	1	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	22	24	4	7	–	–	–	3	–	–	2	–	1	1	2	8
Regent's Park Paneras *HH* – W.M.	36590	20	3	1	–	–	–	–	–	1	–	–	–	–	–	–	1
Tottenham-court *wHHH* N.R. & W.M.	26321	6	17	3	3	–	–	–	–	–	–	–	–	1	1	1	14
Gray's Inn Lane *HHH* – N.R.	27455	23	11	5	1	–	–	–	–	–	–	–	–	1	1	3	5
Somers Town *HH* – N.R.	32829	22	11	3	3	–	–	–	2	–	–	–	–	–	1	2	2
Camden Town *WH* – N.R.	15419	12	7	1	4	–	–	–	–	–	–	–	–	1	1	3	3
Kentish Town *WW* – N.R.	95765	65	34	9	3	–	2	–	1	–	–	–	–	–	2	5	8
Upper Holloway *WWWwHHH* – N.R.	90235	46	34	11	4	–	–	–	–	–	–	1	–	2	1	5	14
Islington South-west *H* – N.R.	105557	56	27	7	6	–	–	–	–	–	–	–	–	–	2	5	–
Islington South-east – N.R.	64153	51	11	4	–	–	–	–	–	1	–	–	–	–	1	1	–
Highbury *HH* – N.R.	59193	35	8	3	3	–	–	–	–	–	–	–	–	1	–	1	–
Stoke Newington *H* – N.R.	30936	19	6	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Stamford Hill – E.L.	17759	11	3	1	–	–	–	–	–	–	–	–	–	–	1	1	–
West Hackney *H* – N.R.	42802	13	10	1	2	–	–	–	–	–	–	–	–	–	1	1	2
Hackney *WwwH* – E.L. & N.R.	96486	62	38	8	9	–	–	1	8	–	–	3	–	4	3	4	16
South Hackney *w* – E.L.	41759	35	14	5	4	–	1	–	–	–	–	–	–	1	–	4	–
CENTRAL DISTRICTS.																	
St. George Bloomsbury – N.R.	16695	9	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* – N.R.	13454	7	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3
St. Giles North *H* – N.R.	9633	3	6	–	1	–	–	1	–	–	–	–	–	–	–	–	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	–	7	2	–	–	–	–	–	–	–	–	–	–	–	–	7
St. Mary-le-Strand *H* – N.R.	5706	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Clement Danes *WH* – N.R.	7194	2	8	–	1	–	–	–	–	–	–	1	–	–	–	–	8
Strand Union Workhouse, Edmonton –	†1037	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	2
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	6	16	7	–	–	–	–	–	–	–	–	–	–	1	1	11
St. Andrew Eastern *WH* – N.R.	15343	12	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell – N.R.	16803	6	6	3	1	–	1	–	–	–	–	–	–	1	–	–	–
Amwell Clerkenwell – N.R.	16883	4	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Pentonville – N.R.	17155	11	4	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Goswell-street – N.R.	15375	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City-road *HHHL* – N.R.	29177	26	9	4	1	–	–	–	–	–	–	1	–	–	–	2	–
Whitecross-street – N.R.	8278	6	4	2	–	–	–	–	–	–	–	–	–	1	2	2	–
Finsbury – N.R.	4985	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham –	†892	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H* – N.R. & E.L.	8944	4	4	2	1	–	–	–	–	–	–	–	–	1	–	–	–
Cripplegate – N.R.	4539	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – N.R.	4444	5	9	1	1	–	–	–	–	–	–	1	–	1	2	2	8
St. Bride *W* – N.R.	6594	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Allhallows Barking – N.R.	10422	2	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–
Broad Street *H* – N.R.	3377	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone –	†388	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establi receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth · N. R. River; E. L., East London; and K., the Kent Company

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT rday, 5th October, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
xton New Town *w* - - - N.R.	29313	12	7	5	-	-	1	-	-	-	-	-	-	1	-	-	-	-
xton Old Town - - - - N.R.	28354	18	7	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-
ggerston *WH* - - N.R. & E.L.	46244	35	24	7	4	-	-	-	2	2	-	1	-	1	2	3	9	-
thnal Green North *H* - - E.L.	51520	43	18	12	2	-	-	1	-	-	-	1	-	2	-	3	1	-
thnal Green South - - - E.L.	33489	27	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *WHL** - E.L.	44123	23	15	5	1	-	-	-	1	1	-	-	-	-	-	2	5	-
italfields - - - E. & N.R.	22456	27	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
le End New Town *W* - - E.L.	17908	22	9	3	1	-	-	-	-	-	-	-	-	-	-	-	6	-
hitechapel Church *H* E.L. & N.R.	20298	14	20	5	-	-	-	-	1	-	-	1	-	1	3	5	16	-
odman's Fields - - - - E.L.	13800	7	5	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
George's, North - - - E.L.	37738	38	12	5	2	-	-	-	1	-	-	-	-	2	-	1	-	-
John, St. George East *W* - E.L.	8057	7	8	-	-	-	-	-	-	-	-	-	-	1	-	-	7	-
adwell *H* - - - E.L. & N.R.	10246	5	9	1	1	-	-	-	-	-	-	-	-	-	8	9	-	-
tcliff *W* - - - - - E.L.	14928	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
mehouse - - - - - E.L.	32202	16	11	7	1	-	-	-	-	-	-	-	-	3	-	3	-	-
le End Old Town West *H* - E.L.	38650	25	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
le End Old Town East *WWww* E.L.	68942	37	20	1	8	-	1	1	-	-	-	-	-	-	-	1	7	-
w *L** - - - - - E.L.	40365	34	13	8	2	-	-	-	-	1	-	-	-	2	-	1	-	-
omley *wwwH* - - - - E.L.	70000	42	40	6	10	-	-	-	3	-	-	1	-	4	7	13	19	-
plar. *WW* - - - - - E.L.	56883	35	19	8	2	-	-	-	-	-	-	1	-	-	1	3	3	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Saviour Southwark - - S.	18918	6	6	2	1	-	-	-	-	1	-	-	-	-	1	2	-	-
nt-road - - - - S. & L.	21867	14	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
orough-road *WH* - - S. & L.	16624	15	8	4	1	-	-	-	-	-	-	-	-	4	1	1	5	-
ndon-road *HL* - - L. & S.	21221	14	6	3	1	-	-	-	-	-	-	-	-	-	1	2	-	1
inity Newington - - S. & L.	26596	22	6	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Peter Walworth *W* - S. & L.	61342	35	8	4	2	-	-	-	-	-	-	1	-	1	-	1	1	-
Mary Newington - - L. & S.	27866	21	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Olave *WH* - - - - S.	12723	6	20	5	3	-	-	-	-	1	-	-	-	-	3	7	10	-
ather Market *W* - - S. & L.	30612	25	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-
James Bermondsey - - S.	54070	34	15	8	-	-	3	-	-	-	-	-	-	1	-	1	-	-
therhithe *WwH* - - S. & K.	39255	27	17	2	6	-	-	-	1	-	-	-	-	1	2	3	7	-
aterloo-road 1st *H* - - L. & S.	14031	13	5	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-
aterloo-road 2nd *H* - - L. & S.	14644	19	6	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
mbeth Church 1st *H* - L. & S.	18075	15	17	2	2	-	-	1	-	-	-	-	-	1	3	4	10	-
mbeth Church 2nd *WW* - L. & S.	39037	33	16	3	3	-	-	-	-	-	-	-	-	2	-	2	7	-
nnington 1st *H* - - S. & L.	50586	33	11	4	1	-	-	-	-	1	-	-	-	2	-	3	-	-
nnington 2nd - - - S. & L.	39708	16	10	4	3	-	-	-	-	-	-	-	-	2	-	-	-	-
ixton *w* - - - - - L. & S.	73405	32	15	3	4	-	-	2	3	-	-	1	-	-	-	-	5	-
rwood *WH* - - - - - L.	25657	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
st Battersea - - - - S.	67244	52	17	6	3	-	-	-	-	-	-	-	-	3	2	2	-	-
est Battersea *WwH* - - S.	83314	40	31	10	9	-	-	-	-	-	-	1	-	2	3	4	12	-
apham *H* - - - - - S.	43698	17	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
andsworth *WHHL* - - - S.	46717	36	9	2	-	-	-	-	-	-	-	1	-	-	1	1	-	1
tney - - - - - - S.	17771	10	6	2	3	-	1	-	-	-	-	-	-	1	-	1	-	-
eatham *www* - - - - L.	48756	32	13	4	3	-	-	3	3	-	-	1	-	1	-	-	6	-
lwich - - - - L. & S.	6809	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WoL*L** - - S. & L.	81686	58	39	11	12	-	-	-	-	-	-	1	-	3	-	1	24	-
ckham *W* - - - - S., L., & K.	83483	49	21	8	3	-	-	-	1	-	-	-	-	1	1	1	-	1
George Camberwell - - L. & S.	63366	31	13	4	1	-	1	-	-	-	-	-	-	3	-	-	-	-
ptford, North - - - - K.	35814	19	11	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-
ptford, Central *w* - - - K.	42007	22	14	3	2	-	-	4	1	-	-	-	-	2	1	1	4	-
ptford, South - - - - K.	30852	12	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
eenwich West *H* - - - K.	22007	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich East *WH* - - - K.	35233	19	23	5	8	-	-	-	-	-	-	-	-	-	-	-	14	-
tham *wH* - - - - - K.	5682	3	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
e *H* - - - - - - K.	23541	11	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30950	13	4	2	-	-	-	-	1	-	-	-	-	1	1	1	-	-
denham *H* - - - - - K.	34162	13	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
arlton *HH* - - - - - K.	14040	11	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
oolwich Dockyard - - - K.	19606	8	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
oolwich Arsenal *HH* - K.	21242	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mstead, West *H* - - - K.	15869	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mstead, East *WH* - - - K.	36567	20	12	4	1	-	-	-	1	-	-	-	-	3	-	-	1	-
nstead Asylum - - - - -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
terham Asylum - - - - -	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
ne Hill Asylum - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ospital Ships and Camp, Dartford - -	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
arenth Asylum - - - - -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
anwell Asylum - - - - -	-	-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	5	-
ney Hatch Asylum - - - -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
E. Hospital - - - - -	-	-	-	4	-	-	-	4	-	-	-	-	-	-	-	-	4	-
intmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - -	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
aybury Asylum - - - - -	-	-	-	8	-	2	-	-	-	-	-	-	-	1	-	-	8	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week endin Saturday, 5th October 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	850	419	132	99	-	2	3	21	4	5	39	11	24	45	8
30 : 1	Carshalton *wHH* -	12228	26108	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Epsom, *part of** *WwH*	10423	12508	1	4	-	1	-	-	-	-	-	-	-	1	1	1	-
37 : 1	Godstone, *part of** *W*	2754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH* -	20851	128699	61	36	12	7	-	-	-	-	-	-	5	1	4	9	-
2	Mitcham *w* - -	11697	23088	16	5	1	-	-	-	-	-	-	1	-	-	-	-	1
39 : 1	Wimbledon *HHH* -	3220	25761	19	10	5	3	-	-	-	-	-	-	1	-	2	1	-
2	Kingston *WH* - -	8071	44765	26	12	3	5	-	-	-	-	1	-	-	2	2	1	-
3	Esher, *part of** *HH* -	6601	12059	12	3	1	-	-	-	-	-	-	-	-	1	2	-	-
4	Hampton *H* - -	4565	18252	4	5	1	-	-	-	-	-	-	-	-	-	-	1	1
40 : 1	Richmond *WH* - -	2160	25389	12	8	2	5	-	-	-	-	-	1	-	-	-	2	-
2	Mortlake *H* - -	2823	16159	7	5	1	3	-	-	-	-	-	-	1	1	1	-	1
41 : 1	Bromley *HHH* - -	9127	23315	10	2	-	2	-	-	-	-	-	-	1	-	-	-	-
2	Beckenham *H* - -	6542	21969	11	6	2	3	-	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of** *WHH*	14307	20372	9	7	2	3	-	-	-	-	1	-	1	-	-	3	-
42 : 1	Bexley *HH* - -	12540	30590	14	9	4	2	-	-	-	-	-	-	4	-	-	-	-
2	Dartford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w* - -	11054	13671	4	4	4	-	-	-	-	-	-	-	1	-	-	-	-
2	Staines *WH* - -	13277	13221	4	4	1	2	-	-	1	-	-	-	1	-	-	1	-
125 : 1	Hillingdon *WHH* -	6035	12237	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - -	6172	5417	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - -	14537	12618	4	6	3	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* -	6967	26273	19	5	1	-	-	-	-	1	-	-	-	-	1	-	-
2	Twickenham *HH* -	2415	16027	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* -	4318	37777	28	16	4	7	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - -	1245	21963	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wH* - - -	6132	30945	17	4	2	1	-	-	-	-	-	-	-	-	1	-	-
127 : 1	Harrow *HHH* - -	13809	15715	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - -	6994	3844	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* -	4383	61235	52	28	13	5	-	-	1	4	-	1	4	-	-	6	-
4	Hendon *WH* - -	8382	15843	11	6	2	2	-	-	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms *H* -	15599	8474	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11778	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* -	4688	25820	9	4	-	3	-	-	-	-	-	-	-	1	1	-	-
129 : 1	Hornsey *HH* - -	3039	61097	25	16	4	6	-	-	-	2	-	-	1	-	1	1	-
2	Tottenham *H* - -	4642	97174	53	22	7	3	-	-	-	-	1	-	4	1	2	1	-
3	Edmonton *Wwo* -	7489	36351	26	14	5	1	-	-	-	-	-	-	1	-	1	4	-
4	Enfield *WWHH* - -	12639	31803	18	5	2	1	-	-	-	-	-	1	1	-	-	-	-
5	Waltham Abbey - -	11017	6066	3	2	-	-	-	-	-	2	-	-	-	-	-	-	-
6	Cheshunt *H* - -	8480	9620	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	562	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - -	9331	7737	6	2	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*- -	1100	42983	27	15	4	2	-	-	-	1	-	-	-	1	1	2	-
2	Plaistow - - -	1242	58030	41	24	14	2	-	1	-	-	-	-	3	-	-	-	1
3	Canning Town *H* -	1558	54750	46	22	6	1	-	-	-	2	-	-	3	-	-	-	-
4	Forest Gate *w* - -	806	49140	31	16	4	4	-	-	-	1	-	1	1	-	-	-	1
5	East Ham *wH* - -	3266	32713	35	8	3	2	-	-	-	1	-	-	1	-	-	-	-
6	Leyton *WWWwH* -	4334	70188	38	28	2	11	-	1	-	3	1	-	2	1	1	9	1
7	Walthamstow *HbL* -	6501	57330	53	13	5	1	-	-	-	2	-	-	1	1	3	-	-
187 : 1	Chigwell *part of** *H* -	11779	12941	3	4	1	-	-	-	-	1	-	-	-	-	-	-	1
2	Epping *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford *part of** *WH*	6556	4224	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - - -	8493	10913	9	6	2	1	-	-	-	-	-	-	-	-	-	-	1
3	Barking Town *H* -	3314	14301	10	9	4	-	-	-	-	-	-	-	2	-	-	-	-
	North-Eastern Hosp. -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 5th October, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from ALL CAUSES.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	15·2	2·5	1762	515	357	1	17	25	65	18	27	142	88	446
INNER LONDON	74,672	4,392,346	15·9	2·6	1343	383	258	1	15	22	44	14	22	103	77	401
OUTER RING	368,749	1,656,209	13·2	2·3	419	132	99	–	2	3	21	4	5	39	11	45

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	273,535	October 5	122	87	16·6	–	–	–	–	–	1	9
GLASGOW	695,876	" 5	430	246	18·4	–	–	3	1	10	3	27
DUBLIN	349,594	" 5	202	143	21·3	1	–	2	–	1	–	8
CALCUTTA	466,460	August 24	–	210	23·4	–	1	–	–	–	95	45†
BOMBAY	821,764	September 10	304	408	25·8	–	5	?	?	?	93	46†
MADRAS	452,518	August 30	391	479	55·0	–	5	?	?	?	160	122†
PARIS	2,424,705	September 28	1059	892	19·1	–	17	3	3*	8	11	138
BRUSSELS	507,985	" 28	226	170	17·4	–	–	–	1*	1	1	32
AMSTERDAM	451,493	" 28	258	120	13·8	–	–	1	1	2	–	–
ROTTERDAM	272,042	" 28	190	88	16·8	–	–	–	–	5	–	–
THE HAGUE	180,455	" 28	127	62	17·9	–	–	2	1	–	–	–
COPENHAGEN	341,000	" 28	193	115	17·6	–	–	1	1	3	–	28
STOCKHOLM	259,304	" 21	131	62	12·4	–	–	–	–	1	–	2
CHRISTIANIA	174,717	" 28	40	40	11·9	–	–	–	–	1	–	5
ST. PETERSBURG	954,400	" 21	–	–	–	–	–	–	–	–	–	–
MOSCOW	753,469	" 21	–	415	28·7	–	–	7	8	1	13	64
BERLIN	1,724,544	" 14	825	756	22·7	–	2	15	12	14	6	229
HAMBURG	608,710	" 21	415	228	19·5	–	–	–	3*	7	1	27
DRESDEN	320,600	" 7	–	161	25·9	–	–	1	5*	–	–	51
BRESLAU	367,769	" 28	–	179	25·4	–	–	9	8*	–	1	27
MUNICH	396,000	" 28	–	230	30·2	–	3	2	7*	1	1	91
VIENNA	1,495,764	" 28	838	537	18·6	–	3	8	8*	7	3	82
PRAGUE	351,478	" 21	190	140	20·7	–	–	1	1	3	2	11
BUDA-PESTH	566,022	" 21	413	271	24·9	–	1	3	2	1	3	37
TRIESTE	160,825	" 14	96	91	29·4	–	–	–	4*	1	–	22
ROME	464,579	" 17	197	181	20·3	–	10	–	2	–	10‡	36
TURIN (10 days)	344,203	" 10	221	134	14·2	–	1	–	1	2	1	21
VENICE	158,159	" 21	82	66	21·8	–	–	–	–	1	1	11
CAIRO	374,838	" 9	358	370	51·3	2	–	–	3*	1	10	130
ALEXANDRIA	231,396	" 9	222	188	42·4	–	–	–	2*	–	7	81
NEW YORK	1,860,700	" 14	–	782	21·6	–	4	1	21	19	8	127
BROOKLYN	1,100,000	" 21	–	416	19·7	–	–	–	16	2	5	68
PHILADELPHIA	1,163,864	" 21	–	366	16·4	–	–	1	19	6	11	27
NEW ORLEANS	275,000	August 31	–	108	20·5	–	–	–	2	1	9	8

* Including deaths from croup.
† Including 8 deaths from cholera in Calcutta, one in Bombay, and 8 in Madras.
‡ Including 4 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 5TH OCTOBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPT.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	29	..	30·028	77·6	55·2	22·4	65·5	+10·9	55·9	9·6	19·9	0·0	71	132·0	46·0	61·90	NE. & ENE.	NE. & ENE.	2·4	0·0	0·1	199	− 54	0·00	0·0
MONDAY .	30	..	29·818	78·0	54·3	23·7	63·5	+ 9·1	55·8	7·7	26·2	0·0	76	130·8	46·8	62·00	NE. & NNE.	E.	1·3	0·0	0·1	149	−103	0·00	0·0
OCT. TUESDAY.	1	Apogee.	29·565	75·8	53·2	22·6	63·4	+ 9·3	55·7	7·7	17·3	0·0	76	134·2	45·2	62·09	Calm & SE.	S. & SSW.	3·7	0·0	0·2	214	− 37	0·01	2·2
WEDNESDAY	2	In Equator.	29·374	62·2	41·5	20·7	49·4	− 4·4	40·7	8·7	18·0	3·0	72	120·0	36·5	61·88	SSE. S. & WSW.	WSW. & SW.	10·3	0·0	1·4	473	+223	0·17	3·8
THURSDAY	3	Full	29·197	65·2	39·4	25·8	51·7	− 1·8	46·4	5·3	14·1	0·0	82	111·1	33·2	61·71	SW. & S.	WSW. & SW.	22·5	0·0	1·5	519	+271	0·05	0·5
FRIDAY .	4	..	29·380	61·2	40·6	20·6	49·7	− 3·5	42·5	7·2	15·2	2·0	76	114·4	36·0	61·02	SW. & WSW.	WNW. & WSW.	8·3	0·0	1·0	505	+258	0·13	1·5
SATURDAY	5	..	29·591	59·6	39·2	20·4	52·0	− 1·0	48·4	3·6	10·6	0·5	88	98·3	32·4	60·33	S. & SW.	SW. & SSW.	5·5	0·0	0·4	365	+120	0·13	2·0
MEANS . .		..	29·565	68·5	46·2	22·3	56·5	+ 2·7	49·3	7·1	17·3	0·8	77	120·1	39·4	61·56	NE. & SW.		..	..	..	Sum 2424	Sum + 678	Sum 0·49	1·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	29	m. P. throughout .	8·1	11·7	Cloudless throughout; variable fog between 8h. A.M. and 8h. A.M., and again after 11h. P.M. A fine day.
MONDAY .	30	m. P. generally .	6·4	11·6	Overcast with fog in morning; afterwards cloudless and very fine; dense fog after 11h. P.M.
OCTOBER. TUESDAY .	1	Loss of register till 9h. A.M.; m. P. afterwards.	5·2	11·6	Fine; variable amounts of light cloud; dense fog in early morning; a little rain in evening.
WEDNESDAY	2	w. P. in morning; v. P. afterwards.	4·8	11·5	Overcast in morning, with rain between 2h. A.M. and 6h. A.M.; afterwards very fine; strong wind till 6h. P.M.
THURSDAY .	3	s. P. till 8h. A.M.; v. P. afterwards.	2·5	11·4	Overcast till noon, with nearly continuous rain from 8½h. A.M.; afterwards very fine; strong wind.
FRIDAY .	4	v. P. and s. N. throughout.	5·2	11·4	Fine generally; squally in afternoon; cloudless at night.
SATURDAY .	5	v. P. in morning; insulation defective afterwards.	0·3	11·3	Cloudless in early morning; overcast after 9h. A.M.; Continuous rain between 1h. P.M. and 5½h. P.M.
			Sum 32·5	Sum 80·5	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·07 in. at the beginning of the week to 29·10 in. by noon on the 3rd of October; increased to 29·69 in. by 1h. A.M. on the 5th; and decreased to 29·45 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 41. 1895. VOL. LVI.] WEEK ENDING SATURDAY, OCTOBER 12. [Price 1½*d.*

General Register Office, Somerset House,
October 14th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·0 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.		Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
Birkenhead	17·5	18·4	22·8	17·0	Liverpool - -	26·6	28·6	26·6	31·7
Birmingham	20·2	21·2	22·0	22·4	London - -	16·0	18·2	15·9	17·0
Blackburn -	30·2	29·4	37·2	42·5	Manchester -	25·7	29·9	24·9	28·4
Bolton -	25·8	29·7	32·3	22·7	Newcastle-on-Tyne	19·9	22·2	24·9	27·5
Bradford -	21·7	19·6	19·8	25·3	Norwich - -	17·5	17·0	16·5	13·6
Brighton -	22·2	22·2	14·4	22·7	Nottingham -	21·2	24·6	15·6	24·2
Bristol -	16·0	16·5	18·5	16·7	Oldham - -	25·1	22·2	25·9	21·4
Burnley -	27·7	27·7	23·6	34·0	Plymouth - -	12·3	25·2	18·7	15·8
Cardiff -	17·1	20·8	20·4	19·8	Portsmouth -	22·1	16·1	19·1	17·6
Croydon -	9·1	15·0	13·2	8·6	Preston - -	25·0	23·6	18·5	26·4
Derby -	18·2	18·7	14·6	21·8	Salford - -	30·5	29·0	30·3	33·6
Gateshead -	28·3	30·5	26·1	28·8	Sheffield - -	24·5	24·3	24·5	24·0
Halifax -	17·8	20·6	23·9	24·5	Sunderland -	32·9	29·5	28·8	25·7
Huddersfield	19·9	14·7	14·2	18·9	Swansea - -	17·7	21·0	20·4	24·2
Hull - -	31·8	19·5	20·2	22·6	West Ham - -	14·8	19·4	17·1	13·4
Leeds -	22·0	20·8	18·1	21·6	Wolverhampton -	23·7	26·7	19·5	28·0
Leicester -	19·4	16·1	15·6	19·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Manchester, 1·3 in Salford, 1·5 in Oldham, 3·6 in Wolverhampton, and 7·4 in Blackburn; from *scarlet fever*, 1·0 in Liverpool and in Salford; from *whooping-cough*, 1·0 in Salford, 1·1 in Gateshead, and 1·3 in Bolton; from "*fever*," 1·5 in Birkenhead and in Sunderland; and from *diarrhœa*, 4·1 in Sheffield, 4·2 in Sunderland, 4·3 in Newcastle-on-Tyne, 4·5 in Manchester, 4·8 in Bolton, 5·1 in Nottingham, 5·8 in Hull, 6·5 in Preston, 7·3 in Salford, 8·9 in Burnley, and 11·0 in Blackburn. The 85 deaths from *diphtheria* included 56 in London, 7 in West Ham, 6 in Birmingham, 4 in Liverpool, and 3 in Leeds. Two deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

A 88999.—2. 650.—10/95. Wt. 259. S S

London.

In London 2622 births and 1435* deaths were registered. Allowing for increase of population, the births were 8 above, and the deaths 20 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 18·2, and 15·9 in the preceding three weeks, rose again last week to 17·0. During the four weeks ending on Saturday last the death-rate averaged 16·8 per 1000, which is equal to the mean rate in the corresponding periods of the ten years 1885–94.

The 1435 deaths included 2 from small-pox, 34 from measles, 25 from scarlet fever, 56 from diphtheria, 10 from whooping-cough, 22 from enteric fever, 87 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 236 deaths were referred to these diseases, being 58 above the corrected average weekly number.

The deaths from *small-pox*, which had been 2, 2, and 1 in the preceding three weeks, were again 2 last week; the fatal cases belonged to Limehouse and Bethnal Green sanitary areas respectively. The deaths from *measles*, which had been 24, 27, and 15 in the preceding three weeks, rose again last week to 34, and exceeded the corrected average by 9; 6 cases belonged to St. Pancras, 3 to Bethnal Green, and 3 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 13, 24, and 22 in the preceding three weeks, rose again last week to 25, the corrected average being 26; 3 cases belonged to Lambeth and 3 to Camberwell sanitary areas. The deaths from *diphtheria*, which had been 37, 56, and 44 in the preceding three weeks, rose again last week to 56, exceeding the corrected average by 17; 7 cases belonged to Greenwich, 7 to St. Pancras, 6 to Islington, and 4 to Hackney sanitary areas. The deaths from *whooping-cough*, which had been 21, 25, and 14 in the preceding three weeks, further fell last week to 10, and were less than half of the corrected average. The fatal cases of *enteric fever*, which had been 21, 11, and 22 in the preceding three weeks, were again 22 last week, the corrected average being 19; 4 cases belonged to Lambeth sanitary area. The deaths from *diarrhœa*, which had been 109, 107, and 102 in the preceding three weeks, further fell last week to 87, but were 42 above the corrected average. In addition to the 87 deaths directly referred to *diarrhœa*, 21 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 35 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 141, 173, and 158 in the preceding three weeks, rose again last week to 175, but were 92 below the corrected average.

The deaths attributed directly to *influenza* numbered 3, having been 1, 2, and 7 in the preceding three weeks.

Different forms of violence caused 52 deaths, concerning all but 2 of which inquests were held. Of these 52 deaths, 10 were cases of suicide, and one of homicide, while the remaining 41 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 3 to drowning, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals and from the Highgate Small-pox Hospital, there were 158 cases of small-pox, 2827 of scarlet fever, 659 of diphtheria, and 125 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 9 cases, against 23, 21, and 17; of scarlet fever, 332 cases, against 344, 339, and 252; of diphtheria, 102 cases, against 114, 114, and 90; and of enteric fever, 14 cases, against 14, 25, and 23.

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

DEATHS BELONGING to the SEVERAL SANITARY AREAS of REGISTRATION LONDON registered in the 13 WEEKS ENDING on 28TH SEPTEMBER, 1895.

SANITARY AREAS.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and undefined Fever.	Diarrhœa.			
REGISTRATION LONDON	19,932	31	751	253	594	261	1	151	3	2,638	1,631	7,313	220
West.													
Paddington	486	–	5	5	17	11	–	3	–	66	36	161	209
Kensington	618	–	6	4	24	9	–	4	1	73	58	187	217
Hammersmith	428	–	4	6	12	4	–	3	–	61	39	162	215
Fulham	513	–	20	4	18	16	–	2	–	97	23	239	240
Chelsea	409	–	2	8	10	4	–	3	–	51	37	155	232
St. George Hanover Square	223	1	–	4	4	2	–	2	1	21	29	50	128
St. Margt & St. John Westr.	264	–	7	1	1	1	–	1	–	29	31	81	237
St. James Westminster	81	–	1	1	1	–	–	3	–	5	9	20	152
North.													
St. Marylebone	609	–	5	1	9	7	–	6	–	63	59	198	176
Hampstead	199	–	–	1	2	2	–	1	–	20	18	68	178
St. Pancras	1,072	1	51	11	32	11	–	5	–	151	78	400	223
Islington	1,292	1	52	19	34	10	–	4	1	159	106	427	172
Stoke Newington	100	–	3	–	3	1	–	–	–	13	8	33	156
Hackney	856	1	37	12	13	9	1	15	–	142	58	352	231
Central.													
St. Giles	160	1	2	1	3	–	–	1	–	20	18	57	207
St. Martin-in-the-Fields	50	1	–	1	–	–	–	1	–	3	5	11	229
Strand	106	2	–	6	2	–	–	1	–	8	15	36	248
Holborn	214	–	13	–	1	1	–	–	–	19	23	65	319
Clerkenwell	361	–	20	5	7	8	–	1	–	41	40	140	269
St. Luke	357	–	71	2	7	3	–	2	–	51	29	123	285
City of London	137	–	3	1	1	–	–	1	–	8	9	26	174
East.													
Shoreditch	685	2	24	14	17	12	–	9	–	114	58	289	256
Bethnal Green	695	2	29	11	36	8	–	5	–	111	54	261	225
Whitechapel	484	4	36	8	21	5	–	1	–	39	43	179	249
St. George-in-the-East	365	–	38	6	21	2	–	2	–	42	25	135	296
Limehouse	405	–	41	10	10	5	–	3	–	41	22	131	271
Mile End Old Town	673	1	51	9	40	7	–	5	–	95	49	255	238
Poplar	952	1	52	18	41	16	–	10	–	122	60	374	249
South.													
St. Saviour	176	–	6	4	3	1	–	–	–	20	23	63	306
St. George-the-Mar. Southwk.	370	–	13	5	7	8	–	6	–	52	43	144	277
Newington	601	1	15	6	12	14	–	2	–	73	42	249	232
St. Olave	75	–	2	–	1	1	–	–	–	9	11	23	250
Bermondsey	414	–	29	6	7	6	–	2	–	58	37	138	177
Rotherhithe	174	–	5	–	6	1	–	4	–	24	19	50	163
Lambeth	1,358	2	40	14	38	36	–	5	–	198	112	510	218
Battersea	733	–	29	13	16	6	–	5	–	106	54	326	242
Wandsworth	582	1	6	5	7	4	–	3	–	84	41	209	187
Camberwell	1,097	6	23	10	51	8	–	13	–	144	72	427	232
Greenwich	793	1	2	14	47	14	–	2	–	98	77	284	215
Lee	117	–	2	–	1	–	–	–	–	9	12	28	146
Lewisham (excluding Penge)	262	–	3	3	1	3	–	3	–	42	11	104	183
Woolwich	170	–	2	3	6	1	–	5	–	20	21	62	180
Plumstead	216	2	1	1	4	4	–	7	–	36	17	81	172

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 410 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 456 cases the previous residence was outside Registration London, and these have been excluded from the Table.

GREATER LONDON.

In Greater London 3525 births and 1830 deaths were registered, corresponding to annual rates of 30·4 and 15·8 per 1000 of the estimated population. In the Outer Ring 6 deaths from scarlet fever, 27 from diphtheria, 7 from "fever", and 38 from diarrhœa were registered. Eleven deaths from diphtheria occurred in West Ham district, and 4 in Waltham Abbey sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·53 inches, and that of the Thermometer 50°·7, the latter being 1°·0 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 16 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 7·9 hours; the measured rainfall amounted to 1·45 inches.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of September. The supply was in the ratio of 276 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	September. 1894.	September. 1895.	September. 1894.	September. 1895.
Total Supply . . .	809,585	820,880	194,121,301	226,334,331
From Thames	391,309	396,889	100,779,460	119,468,764
From Lea and from other Sources . .	418,276	423,991	93,341,841	106,865,567
Thames.				
Chelsea	36,864	36,916	11,801,003	12,795,495
West Middlesex	78,295	79,302	18,928,820	21,297,715
Southwark and Vauxhall . . .	117,072	118,440	32,066,952	39,148,588
Grand Junction	59,308	59,946	17,971,406	18,763,541
Lambeth	99,770	102,285	20,011,279	27,463,625
Lea and other Sources.				
New River	158,134	159,108	36,964,000	38,810,000
East London	179,196	182,945	41,042,842	50,359,490
Kent	80,946	81,938	15,334,999	17,696,077

Note.—The Return for September 1895, as compared with that for the corresponding month of 1894, shows an increase of 11,295 services and an increase of 32,213,030 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during September, 1895.

Water-analysis Laboratory, The Yews, Reigate,
9th October, 1895.

Sir,

I have to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of September.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—New River and Kent 0·6, Colne Valley and Tottenham 1·2, East London (deep-well) 1·3, Grand Junction and Lambeth 2·0, and Chelsea, West Middlesex, Southwark, and East London (river supply) 2·1. The unfiltered river waters contained the following proportions:—Thames at Hampton 3·6, New River Cut 1·7, and the Lea at Angel Road 3·5.

The Thames at Hampton was, on September 23rd, turbid and pale yellow in colour, but it was, as raw water, of good chemical and bacterial quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered, and of excellent chemical and (with one exception) bacterial quality for dietetic purposes. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·19, West Middlesex 99·46, Southwark (No. 4 filter well) 99·73, (No. 9 filter well) 92·97, Grand Junction (general well at Hampton) 98·11, (general well at Kew Bridge) 99·19, (South filter well at Kew Bridge) 98·92, and Lambeth, 98·65.

The New River Cut, before entering the subsidence and storage reservoirs, was, on September the 25th, turbid and very pale yellow in colour. It was, for unfiltered water, of excellent chemical quality, but bacterially somewhat inferior to the Thames at Hampton. By passing through the storage reservoirs the number of bacteria was reduced to less than one-fourth, and, after efficient filtration, the water was delivered to consumers in excellent chemical and bacterial condition for dietetic purposes. Bacterially it was improved before delivery to the extent represented by the following percentage numbers :—General filter well 97·88, No. 9 well 98·82. The water taken from the Lea by the East London Company at Angel Road on September 25th, was turbid and pale yellow in colour. Chemically it was of nearly the same quality as the Thames at Hampton, but bacterially much inferior. It was passing through the storage reservoirs without detention, and actually arrived at the Lea Bridge works with an increased number of microbes per c.c. After efficient filtration, however, it was delivered in excellent chemical condition for dietetic purposes, whilst the bacterial improvement was represented by the following percentage numbers : —No. 1 Essex well 96·96, No. 2 Essex well 99·53, and Middlesex well 99·3.

The deep-well waters of the Kent, Colne Valley, and East London Companies and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes, but the East London sample was slightly turbid owing to repairs in the well. The Colne Valley Company's water had been softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Colne Valley, and Tottenham waters were clear and colourless, the East London (deep-well) slightly turbid and colourless, the New River clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, and the supplies delivered by the various Companies and collected on the 23rd, 24th, 25th, and 26th of September yielded the results contained in the following table :—

Description.	Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, September 23rd	1,480	15°·0
" after storage for 14·7 days (Chelsea Company), September 23rd	220	16·3
West Middlesex Company's water (supplying filters 1–5), September 24th	200	15·3
Grand Junction Company's water arriving at Kew from Hampton, September 24th.	240	16·4
" " " at Kew, passing on to filters 2, 3; and 4, September 24th.	340	16·3
New River Cut before passing through reservoirs, September 25th	1,700	15·2
" " after " " " just before filtration, September 25th.	380	14·7
River Lea at Angel Road, September 25th	2,480	16·5
" after passing storage reservoirs of East London Company, September 25th.	3,420	16·4
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general filter well, September 23rd	12	16·2
West Middlesex Company's general filter well, September 24th	8	15·2
Southwark Company's No. 4 filter well, September 23rd	4	14·4
" " No. 9 " " September 23rd	104	14·3
Grand Junction Company's general filter well at Hampton, September 23rd	28	15·1
" " " " Kew Bridge, September 24th	12	15·7
" " " south " " September 24th	16	16·3
Lambeth Company's general filter well, September 23rd	20	15·5
Lea.		
New River Company's general filter well, September 25th	36	15·0
" " No. 9 " " September 25th	20	14·9
East London No. 1 Essex well, September 25th	104	15·8
" No. 2 " " September 25th	16	16·1
" Middlesex well, September 25th	24	16·1
Deep Well.		
Kent Company's new well at Deptford, September 26th	4	11·3

Dr. Hill, F.I.C., Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and pale green in a two-foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a "little suspended matter."

I am, &c.

The Registrar General, &c. &c. E. Frankland.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	September 23rd. Grand Junction Co.'s intake at Hampton.	° 15·0	27·32	·172	·038	·006	·179	·222	1·8	18·9
	Chelsea - - -	September 26th. Cab Rank, Horse Guards, Whitehall.	16·7	24·28	·110	·013	0	·143	·156	1·8	17·7
	West Middlesex -	September 26th. Cab Rank, Riding House-street.	15·7	24·42	·112	·014	0	·162	·176	1·8	18·3
	Southwark -	September 26th. Cab Rank, St. George's Church, Borough.	18·0	26·06	·111	·011	0	·163	·174	1·8	19·1
	Grand Junction -	September 26th. Cab Rank, Portman-street, Oxford-street.	18·4	25·12	·107	·013	0	·166	·179	1·8	18·9
	Lambeth - -	September 26th. Cab Rank, St. George's-road, Southwark.	16·7	25·72	·102	·015	0	·171	·186	1·8	19·1
	LEA. (Unfiltered water) -	September 25th. New River Cut at Green-lanes.	15·2	32·00	·081	·020	·005	·206	·230	1·8	21·5
	New River - -	September 26th. Cab Rank, Tottenham Court-road.	16·1	30·44	·032	·006	0	·183	·189	1·7	21·5
	(Unfiltered water) -	September 25th. East London Co.'s intake at Angel-road.	16·5	31·92	·172	·033	·008	·194	·234	2·0	22·7
	East London -	September 26th. Cab Rank, Sidney-street, E.	17·1	26·86	·108	·013	0	·095	·108	2·0	18·6
	DEEP WELLS. Kent - - -	September 26th. Police Station, Blackheath-road.	12·7	39·36	·030	·006	0	·466	·472	2·3	28·4
Outer Circle.	Colne Valley - -	October 1st. Bushey.	—	15·68	·056	·012	·072	·484	·555	2·1	6·4
	Tottenham - -	September 18th. Tottenham.	—	41·78	·063	·007	0	·063	·070	2·9	23·6
	East London - -	September 28th. Lea Bridge well.	—	38·78	·064	·011	·054	·028	·083	2·6	20·6
Corporation of Birmingham* - - -		September 3rd. Rear of 45 & 47 Foundry-road.	16·7	31·60	·200	·075	0	·180	·255	2·2	20·6
Corporation of Glasgow† -		September 16th. Loch Katrine water.	13·6	2·58	·146	·016	0	·005	·021	·8	1·2
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 26th of September at the cab rank, Horse Guards, had a temperature of 16°·7 C.; 100,000 lbs. of it contained 24·28 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·110 lb. of carbon and ·013 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·143 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·156 lb. The above weight of water also contained 1·8 lb. of chlorine and 17·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 12th Oct., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths from All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6492	4271	1493	734	2	94	60	85	56	65	533	125	246	777	55	21·0	4·4	63·5	34·2	49·9	9·94	1·02	2·59	33 Towns.
London	4,392,346	2622	1435	394	296	2	34	25	56	10	22	87	52	120	411	8	17·0	2·8	61·3	37·7	50·7	10·39	1·45	3·68	London.
West Ham	249,473	165	64	25	9	–	–	–	7	–	1	6	–	–	4	1	13·4	2·9	–	–	–	–	–	–	West Ham.
Croydon	114,923	50	19	5	5	–	–	–	–	–	–	3	–	2	1	–	8·6	1·4	59·7	34·2	49·8	9·89	1·22	3·10	Croydon.
Brighton	119,604	74	52	22	13	–	1	1	–	1	–	7	1	1	12	2	22·7	4·4	63·0	39·6	52·5	11·39	1·58	4·01	Brighton.
Portsmouth	174,751	93	59	20	16	–	–	1	–	2	3	11	3	5	10	–	17·6	5·1	63·5	41·0	54·1	12·28	0·60	1·52	Portsmouth.
Plymouth	89,096	39	27	8	8	–	–	–	–	–	–	1	–	–	4	–	15·8	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,139	129	73	27	18	–	–	–	1	1	1	7	5	10	14	1	16·7	2·3	58·0	39·0	50·0	10·00	1·26	3·20	Bristol.
Cardiff	155,637	126	59	31	5	–	–	–	1	1	–	8	2	2	5	–	19·8	3·4	–	–	–	–	–	–	Cardiff.
Swansea	97,008	59	45	19	8	–	–	–	–	–	–	6	3	5	5	1	24·2	3·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	48	46	18	8	–	6	1	–	2	–	5	3	6	4	–	28·0	8·5	56·5	36·8	47·9	8·83	0·46	1·17	Wolverhampton.
Birmingham	496,751	300	213	94	34	–	3	3	6	4	1	25	4	2	27	9	22·4	4·4	–	–	–	–	–	–	Birmingham.
Norwich	107,127	59	28	12	6	–	–	–	–	1	–	6	–	–	5	–	13·6	3·4	61·0	36·6	49·9	9·94	1·69	4·29	Norwich.
Leicester	193,839	134	71	32	14	–	–	–	1	1	3	11	1	2	9	2	19·1	4·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	143	105	41	27	–	–	1	–	–	3	22	2	2	14	1	24·2	6·0	60·0	35·3	49·3	9·61	1·29	3·28	Nottingham.
Derby	100,272	44	42	18	6	–	–	–	–	–	1	6	–	–	3	–	21·8	3·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	61	35	14	6	–	–	–	1	–	3	1	–	–	4	–	17·0	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	414	306	96	38	–	7	10	4	9	2	37	12	18	68	6	31·7	7·1	55·9	45·5	50·1	10·06	0·44	1·12	Liverpool.
Bolton	119,337	86	52	26	6	–	–	1	–	3	–	11	1	1	4	1	22·7	6·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	352	286	96	37	–	10	6	2	2	3	45	9	15	46	4	28·4	6·8	–	–	–	–	–	–	Manchester.
Salford	208,253	151	134	55	11	–	5	4	–	4	2	29	2	6	22	1	33·6	11·0	–	–	–	–	–	–	Salford.
Oldham	141,079	73	58	11	8	–	4	–	1	–	2	10	2	5	4	–	21·4	6·3	–	–	–	–	–	–	Oldham.
Burnley	99,591	53	65	38	6	–	–	–	–	1	–	17	1	1	4	1	34·0	9·4	–	–	–	–	–	–	Burnley.
Blackburn	127,615	77	104	39	16	–	18	1	–	1	–	27	1	2	7	2	42·5	19·2	–	–	–	–	–	–	Blackburn.
Preston	112,638	60	57	29	8	–	–	–	1	1	2	14	3	3	7	2	26·4	8·3	–	–	–	–	–	–	Preston.
Huddersfield	99,482	42	36	14	7	–	1	1	–	–	–	4	–	1	1	–	18·9	3·1	57·0	38·0	47·5	8·61	0·58	1·47	Huddersfield.
Halifax	93,813	41	44	11	13	–	–	–	–	–	–	6	2	2	3	3	24·5	3·3	–	–	–	–	–	–	Halifax.
Bradford	276,384	106	110	40	19	–	–	–	–	3	1	13	3	8	5	–	25·3	3·9	54·2	45·2	48·3	9·06	0·62	1·57	Bradford.
Leeds	395,546	238	164	52	23	–	2	3	3	2	3	22	6	13	23	1	21·6	4·6	–	–	–	–	–	–	Leeds.
Sheffield	342,768	235	158	61	23	–	–	–	–	4	3	27	4	5	20	2	24·0	5·2	–	–	–	–	–	–	Sheffield.
Hull	216,722	150	94	41	11	–	–	1	–	1	3	24	–	–	4	4	22·6	7·0	60·0	37·0	48·2	9·00	1·06	2·69	Hull.
Sunderland	137,705	77	68	28	9	–	–	–	–	–	4	11	–	2	8	–	25·7	5·7	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	62	53	28	5	–	–	–	–	2	–	7	–	1	7	1	28·8	4·9	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	129	109	48	15	–	3	1	1	–	2	17	3	6	12	2	27·5	6·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIRST Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2582	2456	2358	2588	2595	2409	2508	2511	2434	2323	2613·6	2622
Males . .	1319	1237	1192	1330	1368	1190	1278	1278	1250	1184	1332·5	1355
Females .	1263	1219	1166	1258	1227	1219	1230	1233	1184	1139	1281·1	1267
TOTAL **Deaths**	1346	1274	1351	1536	1321	1472	1321	1395	1477	1291	1454·8	1435
Males . .	667	675	653	768	679	785	676	697	742	692	742·4	732
Females .	679	599	698	768	642	687	645	698	735	599	712·4	703

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
TOTAL **Births** - -	2557	2575	2624	2340	2646	2448	2617	2486	2557	2541	2618	2447	2622
TOTAL **Deaths** - -	1996	1939	1806	1601	1459	1430	1336	1358	1298	1346	1532	1342	1435
Ages at Death: Under 1 year -	880	892	772	616	460	426	422	420	381	425	443	383	394
1—5 years -	310	286	308	272	232	224	190	199	200	163	220	180	213
5—20 „ -	104	90	87	79	88	77	113	78	98	91	100	76	78
20—40 „ -	165	184	166	167	159	167	164	171	156	174	190	184	193
40—60 „ -	237	207	211	215	226	257	199	227	228	261	279	261	261
60—80 „ -	251	242	207	222	241	227	206	230	192	188	259	212	237
80 years & upwards	49	38	55	30	53	52	42	33	43	44	41	46	59
Deaths from—													
Small-pox - - - -	–	1	1	3	1	6	4	5	2	2	2	1	2
Measles - - - -	82	94	67	70	62	55	56	40	28	24	27	15	34
Scarlet fever - - -	23	14	24	15	21	27	21	20	19	13	24	22	25
Diphtheria - - -	39	48	57	55	50	24	40	38	55	37	56	44	56
Whooping-cough - -	28	22	17	20	10	21	22	17	14	21	25	14	10
Typhus - - - -	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric fever - - -	5	9	12	9	15	10	10	21	16	21	11	22	22
Simple Continued fever -	1	–	1	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery -	373	397	373	224	163	112	122	129	107	109	107	102	87
Cholera - - - -	12	15	9	5	1	2	2	1	1	1	4	3	–
All the above Diseases	563	600	561	401	323	257	278	271	242	229	256	223	236
Dis. of Respiratory System	193	185	171	159	137	170	102	134	123	141	173	158	175
Phthisis - - - -	131	111	127	136	126	148	136	124	122	144	140	152	153
Dis. of Circulatory System	126	92	108	100	114	86	98	97	104	101	121	102	125
Violence - - - -	71	69	58	49	67	51	68	48	67	62	72	77	52
Inquest Cases - - -	163	147	121	118	137	102	118	103	116	118	137	159	120
Deaths in Public Institutions	433	384	436	383	407	423	374	412	378	387	464	400	411
TEMPERATURE OF THE AIR													
Mean - - - - -	62·8°	62·6°	59·0°	60·3°	61·7°	66·2°	61·8°	65·1°	60·7°	56·9°	65·6°	56·5°	50·7°
Mean of Highest readings -	73·3°	71·7°	67·2°	71·3°	71·4°	78·4°	72·6°	78·8°	71·8°	68·8°	81·8°	68·5°	57·0°
Mean of Lowest readings -	54·0°	55·9°	53·1°	52·7°	53·9°	55·9°	53·3°	53·7°	51·4°	46·8°	52·4°	46·2°	45·8°
Humidity of the Air - -	67	81	82	78	78	71	73	73	75	81	71	77	83
Rain-fall (in inches) - -	0·46	1·66	1·23	1·09	0·35	0·19	0·15	0·82	0·09	0·03	0·00	0·49	1·45
Registered Sunshine (in hours)	30·1	17·8	12·0	29·7	32·9	56·7	51·5	54·3	39·4	30·5	56·1	32·5	7·9
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	89	199	237	273	336	342	340	328	307	271	234	198	158
Scarlet fever - - - -	2267	2347	2423	2511	2529	2507	2512	2600	2674	2732	2807	2802	2827
Diphtheria - - - -	638	681	686	689	657	666	671	662	663	665	673	672	659
Enteric fever - - - -	123	121	108	106	103	114	123	113	120	109	117	124	125

The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIRST Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 41st Week of the 10 years 1885–94.*	In the Week ending Saturday, 12th October 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1454·8	1435	394	213	78	193	261	237	59
Small-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	-	2	-	2	-	-	-	-	-
Small-pox { No Statement	0·1	-	-	-	-	-	-	-	-
Measles - - - -	25·3	34	7	26	1	-	-	-	-
Scarlet Fever - -	26·4	25	3	14	8	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	2·1	3	-	-	-	1	1	1	-
Whooping-cough - -	21·4	10	4	6	-	-	-	-	-
Diphtheria - - -	39·4	56	6	37	12	1	-	-	-
Simple Continued and Ill-defined Fever -	0·3	-	-	-	-	-	-	-	-
Enteric Fever - -	18·5	22	-	1	4	14	3	-	-
Cholera and Chol. Diarr.	0·9	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	45·1	87	62	17	-	-	1	5	2
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·3	1	1	-	-	-	-	-	-
Venereal Affections -	10·7	10	7	1	-	-	2	-	-
Erysipelas - - -	6·0	5	1	-	1	-	-	2	1
Pyæmia and Septicæmia	2·7	2	1	-	-	-	1	-	-
Puerperal Fever - -	5·9	6	-	-	-	5	1	-	-
Other Zymotic Diseases	0·9	2	2	-	-	-	-	-	-
Thrush - - - -	1·6	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·7	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	1·9	1	1	-	-	-	-	-	-
Alcoholism - - -	9·0	12	-	-	-	6	4	2	-
Rheumatic Fever, Rheumatism of Heart	8·4	3	-	-	-	-	2	1	-
Rheumatism - -	2·1	-	-	-	-	-	-	-	-
Gout - - - -	3·1	3	-	-	-	1	2	-	-
Rickets - - - -	4·1	7	2	5	-	-	-	-	-
Cancer - - - -	60·1	62	-	-	2	9	30	15	6
Tabes Mesenterica -	25·5	41	30	9	1	-	-	1	-
Tubercular Meningitis -	23·4	17	5	8	4	-	-	-	-
Phthisis - - -	158·7	153	-	3	11	64	62	13	-
Scrofula, Tuberculosis -	16·9	12	5	3	1	1	2	-	-
Other Constitutional Diseases - - -	12·5	13	-	-	2	2	4	5	-
Premature Birth - -	43·7	35	35	-	-	-	-	-	-
Atelectasis - - -	3·1	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	6·6	6	5	1	-	-	-	-	-
Old Age - - - -	43·9	32	-	-	-	-	-	13	19
Apoplexy - - -	44·1	40	-	-	-	-	16	22	2
Epilepsy - - -	8·7	5	-	-	1	2	1	1	-
Convulsions - - -	44·0	42	38	4	-	-	-	-	-
Other Diseases of Brain and Nervous System	70·9	64	10	7	4	8	9	22	4

CAUSES OF DEATH.	Corrected Averages for the 41st Week of the 10 years 1885–94.*	In the Week ending Saturday, 12th October 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·2	5	1	2	-	2	-	-	-
Diseases of Circulatory System - - -	122·2	125	-	4	5	24	38	45	9
Croup - - - -	8·4	2	-	2	-	-	-	-	-
Bronchitis - - -	146·7	80	30	9	1	2	10	21	7
Pneumonia - - -	83·6	65	15	22	5	4	10	9	-
Pleurisy - - - -	4·4	6	1	-	-	2	2	1	-
Other Diseases of Respiratory System - -	23·9	22	8	3	-	2	3	4	2
Dentition - - -	8·0	5	4	1	-	-	-	-	-
Quinsy, Sore Throat -	2·4	2	1	1	-	-	-	-	-
Enteritis - - -	13·4	35	16	8	2	3	1	5	-
Peritonitis - - -	6·3	9	-	1	2	2	2	2	-
Diseases of Liver - -	24·7	24	1	-	-	5	10	6	2
Other Diseases of Digestive System -	30·9	28	5	1	1	4	9	7	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·7	4	-	1	-	-	2	1	-
Diseases of Urinary System - - -	40·3	56	1	1	1	8	20	23	2
Diseases of Generative System - - -	5·3	6	-	-	-	4	1	1	-
Accidents of Childbirth -	4·6	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	5·5	9	1	2	3	2	-	-	1
Diseases of Integumentary System - -	5·0	8	4	1	-	-	1	2	-
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	45·2	3	-	-	-	2	-	1	-
By Vehicles or Horses -		6	-	-	3	-	2	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		4	-	2	-	1	1	-	-
By Drowning - -		3	-	1	-	1	1	-	-
By Suffocation in Bed -		10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		-	-	-	-	-	-	-	-
Other or not stated Causes - - - -		15	6	-	2	2	2	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	6·4	10	-	-	1	4	3	2	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	60·7	70	60	7	-	1	1	-	1

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON *	4,211,743	2622	1435	394	296	2	34	25	53	10	-	22	-	87	52	120	411	8
WEST DISTRICTS	740,735	378	215	47	60	-	5	4	8	2	-	4	-	17	8	14	73	1
NORTH DISTRICTS	993,884	582	333	92	68	-	9	7	20	2	-	5	-	25	14	32	87	1
CENTRAL DISTRICTS	247,538	144	83	15	10	-	3	-	6	1	-	1	-	4	6	10	28	1
EAST DISTRICTS	705,114	520	301	102	52	-	10	1	7	4	-	6	-	17	9	36	89	-
SOUTH DISTRICTS	1,524,472	998	473	138	94	-	7	13	20	1	-	6	-	24	15	28	104	5
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	30	-	12	2	-	1	-	-	-	-	-	-	-	-	30	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	45	22	8	8	-	-	-	1	-	-	-	-	4	-	1	3	-
St. John Paddington *H* - - G.J.	33687	2	6	-	1	-	-	-	-	-	-	1	-	-	-	-	5	-
Kensington Town *Ww* - - W.M.	118751	64	41	7	14	-	2	1	-	1	-	1	-	1	-	2	18	-
Brompton - - - W.M. & C.	47557	10	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - - W.M.	8383	2	4	-	2	-	-	-	-	1	-	-	-	2	1	2	3	-
St. Paul Hammersmith *H* W.M. & G.J	88653	48	24	8	5	-	-	-	-	-	-	-	-	4	-	-	13	1
Fulham *Ww* - - - W.M. & C.	91639	73	44	11	11	-	2	3	2	-	-	2	-	-	-	-	-	-
Chelsea Kensal Town - - - C.	21787	15	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	19	15	3	3	-	-	-	-	-	-	-	-	-	-	-	10	-
Chelsea South *HH* - - - C.	32829	20	9	1	1	-	-	-	-	-	-	-	-	2	1	1	2	-
May Fair *WH* - - - - G.J.	23733	10	9	-	4	-	-	-	-	-	-	-	-	-	1	2	6	-
Belgrave *WHHH* - - - C.	54631	24	17	5	4	-	-	-	-	-	-	-	-	1	4	5	9	-
St. John Westminster *HH* - C.	34105	14	6	1	2	-	-	-	-	-	-	-	-	2	-	-	-	-
St. Margaret Westminster *H* - C.	21668	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. James Westminster *WHHH* N.R. & G.J.	24995	20	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Anne Soho *HHHHHH* - - N.R.	12317	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	19	7	3	-	-	-	-	-	-	-	-	-	-	1	1	5	-
Rectory Marylebone *WH* G.J. & W.M.	20024	8	6	2	2	-	-	-	1	-	-	-	-	1	-	-	-	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	25	8	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-
Christchurch Marylebone *HH* - W.M.	33327	17	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HH* - - W.M.	32101	16	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	30	23	3	2	-	-	1	3	-	-	1	-	1	1	1	10	-
Regent's Park Paneras *HH* - W.M.	36590	22	15	5	1	-	2	1	-	-	-	-	-	-	1	3	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	21	17	5	4	-	1	-	2	1	-	1	-	-	1	2	8	-
Gray's Inn Lane *HHH* - - N.R.	27455	12	12	1	1	-	-	-	-	-	-	-	-	2	1	1	5	-
Somers Town *HH* - - - N.R.	32829	17	8	5	1	-	1	-	-	-	-	-	-	4	1	1	1	-
Camden Town *WH* - - - N.R.	15419	13	9	1	5	-	-	-	-	-	-	-	-	-	1	3	5	-
Kentish Town *WW* - - - N.R.	95765	68	28	5	6	-	2	-	1	-	-	-	-	1	2	3	6	1
Upper Holloway *WWWwHHH* - N.R.	90235	45	34	9	10	-	1	-	1	-	-	-	-	-	3	5	19	-
Islington South-west *H* - - N.R.	105557	72	30	9	6	-	-	-	2	-	-	-	-	2	-	1	-	-
Islington South-east - - - N.R.	64153	42	15	3	4	-	-	-	-	-	-	1	-	2	-	-	-	-
Highbury *HH* - - - - N.R.	59193	23	7	5	2	-	-	-	-	-	-	-	-	2	-	2	-	-
Stoke Newington *H* - - - N.R.	30936	11	8	2	3	-	-	-	-	-	-	-	-	1	-	2	-	-
Stamford Hill - - - - E.L.	17759	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42802	31	17	4	6	-	1	-	-	-	-	1	-	-	-	-	4	-
Hackney *WwwH* - - E.L. & N.R.	96486	59	47	12	5	-	-	5	9	-	-	1	-	4	1	5	21	-
South Hackney *w* - - - E.L.	41759	25	16	6	3	-	1	-	1	1	-	-	-	3	1	2	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	7	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Giles South *WH* - - - N.R.	13454	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Giles North *H* - - - N.R.	9633	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	8	5	-	2	-	-	-	1	-	-	-	-	-	1	1	4	-
St. Mary-le-Strand *H* - - - N.R.	5706	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	1	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Strand Union Workhouse, Edmonton -	†1037	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	9	-	-	-	-	-	1	-	-	-	-	-	-	-	6	-
St. Andrew Eastern *WH* - - N.R.	15343	9	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16383	8	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - - - - N.R.	17155	11	6	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Goswell-street - - - - N.R.	15375	13	7	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
City-road *HHHL* - - - N.R.	29177	40	10	4	-	-	-	-	1	-	-	-	-	1	1	1	1	1
Whitecross-street - - - - N.R.	8278	2	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Finsbury - - - - - N.R.	4985	4	2	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	12	-	1	-	-	-	1	-	-	1	-	-	1	2	12	-
St. Bride *W* - - - - N.R.	6594	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	-	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Broad Street *H* - - - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
ırday, 12th October, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	9	7	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
oxton New Town *w* - - - N.R.	29313	18	21	6	9	-	1	-	1	-	-	-	-	-	-	2	7	-
oxton Old Town - - - N.R.	28354	18	9	3	1	-	-	-	-	-	-	-	-	2	-	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	37	23	7	3	-	-	-	-	-	-	-	-	2	-	1	13	-
thnal Green North *H* - - E.L.	51520	34	8	3	-	-	-	-	-	1	-	1	-	1	1	2	-	-
thnal Green South - - - E.L.	33489	19	11	5	1	-	-	-	-	-	-	-	-	2	-	3	-	-
thnal Green East *WHL** - E.L.	44123	32	32	8	7	-	3	-	-	-	-	-	-	-	1	2	15	-
italfields - - - E. . N.R.	22456	17	5	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-
le End New Town *W* - - E.L.	17908	14	14	7	2	-	-	-	1	-	-	-	-	-	1	2	6	-
hitechapel Church *H'* E.L. & N.R.	20298	15	27	5	4	-	-	-	2	-	-	4	-	1	2	5	23	-
odman's Fields - - - E.L.	13800	13	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
. George's, North - - - E.L.	37738	24	13	3	2	-	-	-	1	-	-	-	-	-	-	1	-	-
. John, St. George East *W* - E.L.	8957	3	4	2	-	-	1	-	-	-	-	-	-	1	-	-	1	-
adwell *H* - - - E.L. & N.R.	10246	8	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
teliff *W* - - - - - E.L.	14928	10	4	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-
mehouse - - - - - E.L.	32202	33	15	7	-	-	1	-	1	-	-	-	-	-	1	3	-	-
le End Old Town West *H* - E.L.	38650	40	12	5	1	-	-	-	-	-	-	-	-	2	-	-	-	-
le End Old Town East *WWww* E.L.	68942	54	23	5	7	-	-	-	-	-	-	-	-	1	1	3	6	-
w *L** - - - - - E.L.	40365	34	9	3	2	-	-	-	-	-	-	-	-	1	-	2	-	-
omley *wwwH* - - - - E.L.	70000	56	34	8	10	-	-	-	1	1	-	1	-	-	1	3	18	-
plar *WW* - - - - - E.L.	56383	32	21	14	2	-	2	1	-	1	-	-	-	2	-	1	-	-
SOUTH DISTRICTS.																		
ristchurch Southwark *WH* L. & S.	18264	11	3	-	-	-	-	-	-	-	-	-	-	-		-	-	-
Saviour Southwark - - - S.	13913	8	3	1	-	-	-	-	-	-	-	-	-	1		-	-	-
nt-road - - - - S. & L.	21867	27	6	4	-	-	-	-	-	-	-	-	-	-		-	-	-
orough-road *WH* - - S. & L.	16624	15	3	-	-	-	-	-	-	-	-	-	-	-		1	-	-
ndon-road *HL* - - L. & S.	21221	10	8	-	1	-	-	-	-	-	-	-	-	1		1	2	-
inity Newington - - S. & L.	26596	20	11	5	-	-	-	-	1	-	-	-	-	-		1	-	-
. Peter Walworth *W* - S. & L.	61342	47	21	9	2	-	1	-	1	-	-	-	-	1		1	-	-
. Mary Newington - - L. & S.	27866	15	6	4	1	-	-	-	-	-	-	-	-	1		-	-	-
. Olave *WH* - - - S.	12723	7	14	-	3	-	-	-	-	-	-	1	-	-	1	2	10	-
ather Market *W* - - S. & L.	30612	25	7	4	1	-	-	-	-	-	-	-	-	-		2	1	-
. James Bermondsey - - S.	54070	40	18	5	1	-	1	-	-	-	-	-	-	-		-	-	-
therhithe *WwH* - - S. & K.	39255	31	9	8	1	-	-	-	-	-	-	-	-	-	1	1	3	2
aterloo-road 1st *H* - - L. & S.	14031	13	5	2	1	-	-	-	-	-	-	-	-	1		-	-	-
aterloo-road 2nd *H* - - L. & S.	14644	17	3	2	-	-	-	1	-	-	-	-	-	-		-	-	-
mbeth Church 1st *H* - L. & S.	18075	14	19	5	4	-	-	1	2	-	-	-	-	1		1	-	-
mbeth Church 2nd *WW* - L. & S.	39097	33	26	6	6	-	2	-	-	-	-	-	-	1		2	11	-
nnington 1st *H* - - S. & L.	50586	35	7	4	2	-	-	-	-	-	-	-	-	-	1	1	14	-
nnington 2nd - - - S. & L.	39708	14	9	1	2	-	1	-	1	-	-	1	-	-	-	-	1	-
ixton *w* - - - - L. & S.	73405	41	18	3	3	-	-	1	4	-	-	2	-	-	1	1	6	-
rwood *WH* - - - - L.	25657	15	4	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
st Battersea - - - S.	67244	45	13	6	2	-	-	-	-	-	-	-	-	1	-	4	-	-
est Battersea *WwH* - - S.	83314	48	27	7	7	-	-	-	-	-	-	-	-	3	2	2	6	-
pham *H* - - - - S.	43698	18	10	3	4	-	-	-	1	-	-	-	-	1	-	-	-	-
andsworth *WHHL* - - - S.	46717	42	8	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-
tney - - - - - - S.	17771	8	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
eatham *wwww* - - - - L.	48756	33	9	2	3	-	-	1	-	-	-	-	-	-	-	-	1	-
lwich - - - L. & S.	6809	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL*L** - - S. & L.	81686	52	36	8	13	-	-	-	1	-	-	-	-	2	1	1	15	-
cham *W* - - - S., L., & K.	83488	54	20	7	3	-	1	2	-	-	-	1	-	1	1	-	-	-
George Camberwell - - L. & S.	68366	33	18	9	1	-	1	-	-	1	-	-	-	-	-	1	-	-
ptford, North - - - - K.	35314	31	8	6	-	-	-	-	1	-	-	-	-	1	-	-	-	-
ptford, Central *w* - - - K.	42007	34	21	6	1	-	-	5	3	-	-	1	-	-	1	1	8	-
ptford, South - - - - K.	30852	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich West *H* - - - K.	22007	11	8	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-
eenwich East *WH* - - - K.	35233	25	11	1	-	-	-	-	1	-	-	-	-	-	-	-	8	-
tham *wH* - - - - - K.	5662	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	12	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
wisham *WH* - - - - - K.	30950	23	15	-	8	-	-	-	-	-	-	-	-	-	1	1	7	-
denham *H* - - - - - L.	34162	11	12	1	6	-	-	-	1	-	-	-	-	1	-	-	-	-
alton *HH* - - - - K.	14040	9	8	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
olwich Dockyard - - - K.	19606	6	10	4	2	-	-	-	-	-	-	-	-	-	1	1	1	- 2
olwich Arsenal *HH HH* - K.	21242	11	7	2	1	-	-	-	-	-	-	-	-	2	-	1	1	-
mstead, West *H* - - - K.	15869	11	4	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-
mstead, East *WH* - - - K.	36567	25	15	3	3	-	-	-	-	-	-	-	-	2	-	-	7	1
nstead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
terham Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
ne Hill Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
spital Ships and Camp, Dartford - -	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
renth Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
nwell Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ney Hatch Asylum - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
n more Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
w den Asylum - - - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-
ybury Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUS HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week endi Saturday, 12th October 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	903	395	134	78	–	1	6	27	1	7	38	8	17	25
30 : 1	Carshalton *wHH*	12228	26108	5	7	1	1	–	–	–	–	–	–	–	–	–	–
	Epsom, *part of* WwH*	10423	12508	5	4	1	1	–	–	–	–	–	–	–	–	–	1
37 : 1	Godstone, *part of* W*	2754	1598	–	1	1	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	59	22	5	6	–	–	–	1	–	–	3	–	2	3
2	Mitcham *w*	11697	23088	14	6	2	1	–	–	–	1	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3229	25761	14	10	3	–	–	–	–	1	–	–	1	–	–	–
2	Kingston *WH*	8071	44765	24	11	3	4	–	–	–	–	–	–	–	–	–	5
3	Esher, *part of* HH*	6601	12059	3	2	–	1	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	11	7	–	3	–	–	–	1	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25389	13	10	–	4	–	–	–	–	–	1	–	1	1	2
2	Mortlake *H*	2823	16159	8	7	3	2	–	–	–	–	–	–	1	–	–	–
41 : 1	Bromley *HHH*	9127	23815	9	4	1	1	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6542	21969	17	5	2	2	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of* WHH*	14307	20372	8	4	–	1	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HH*	12540	30590	15	6	4	–	–	–	–	–	–	–	1	–	–	–
2	Dartford *Work.*, pt. of*	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1
124 : 1	Sunbury *w*	11054	13671	5	5	–	3	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	8	4	2	1	–	–	–	–	–	–	1	1	1	–
125 : 1	Hillingdon *WHH*	6035	12237	3	6	2	1	–	–	–	–	–	1	2	–	–	1
2	Uxbridge	6172	5417	1	2	–	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12618	2	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	8	7	–	2	–	–	–	1	–	1	–	–	–	2
2	Twickenham *HH*	2415	16027	9	4	2	2	–	–	–	–	–	–	2	–	–	–
3	Brentford *HHHH*	4318	37777	28	5	2	1	–	–	–	–	–	–	–	1	1	–
4	Chiswick	1245	21963	17	4	2	1	–	–	–	1	–	–	–	–	–	–
5	Acton *wH*	6132	30945	26	6	1	3	–	–	1	–	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13809	15715	10	4	1	1	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4833	61265	58	17	9	1	–	–	–	2	–	–	2	1	2	–
4	Hendon *WH*	8332	15843	12	2	–	2	–	–	–	–	–	–	–	–	–	–
128 : 1	South Mimms *H*	15599	8474	3	4	3	–	–	–	–	–	–	–	1	–	–	–
2	Barnet *WHH*	5441	11778	9	4	2	–	–	–	–	–	–	–	1	–	–	–
3	Finchley *HHH*	4688	25820	14	2	2	–	–	–	–	–	–	–	2	–	–	–
129 : 1	Hornsey *HH*	3039	61097	23	9	1	1	–	1	–	1	–	–	–	–	1	–
2	Tottenham *H*	4642	97174	61	34	14	5	–	–	1	1	1	–	4	1	4	2
3	Edmonton *Wow*	7489	36351	22	14	6	5	–	–	–	–	–	–	2	–	–	1
4	Enfield *WWHH*	12639	31803	34	7	3	1	–	–	1	–	–	1	1	–	–	2
5	Waltham Abbey	11017	6066	5	7	1	1	–	–	–	4	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	3	2	1	–	–	–	–	–	–	–	1	–	1	–
135 : 1	Hatfield, *part of * W*	3306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	3	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	33	18	8	3	–	–	–	–	–	–	3	–	–	–
2	Plaistow	1242	58030	44	15	7	1	–	–	–	2	–	–	1	–	–	1
3	Canning Town *H*	1558	54750	59	19	7	2	–	–	–	3	–	1	1	–	–	–
4	Forest Gate *w*	806	49140	29	9	3	1	–	–	–	2	–	–	1	–	–	–
5	East Ham *wH*	3266	32713	39	14	9	1	–	–	1	–	–	–	2	–	–	–
6	Leyton *WWWwH*	4334	70188	47	25	7	4	–	–	1	3	–	–	1	–	–	3
7	Walthamstow *HHL*	6501	57330	44	23	7	5	–	–	–	1	–	1	3	2	3	–
187 : 1	Chigwell *part of * H*	11779	12941	4	5	–	–	–	–	–	1	–	1	–	1	1	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of* WH*	6556	4324	5	2	–	–	–	–	–	1	–	–	–	–	–	–
2	Ilford	8493	10913	13	2	1	1	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	20	6	4	–	–	–	–	–	–	–	1	–	–	–
	South-Eastern Hosp.	—	—	–	1	1	–	–	–	1	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 30 : 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37 : 1, the parishes of Warlingham and Farley in Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfi Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1, Chigwell sub-district, except the parish

Meteorological Observations.

LONDON.	in Acres.	in the middle of the year 1895.	From All Causes.	From Diseases in Cols. 8–14.	from ALL CAUSES.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	15·8	2·7	1830	528	374	2	35	31	83	11	29	125	60	436
INNER LONDON -	74,672	4,392,346	17·0	2·8	1435	396	296	2	34	25	56	10	22	87	52	411
OUTER RING -	368,749	1,656,209	12·4	2·5	395	134	78	–	1	6	27	1	7	38	8	25

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	October 12	125	108	20·6	–	–	3	1	1	2	11
GLASGOW - -	695,876	" 12	402	236	17·7	–	1	3	1	5	2	22
DUBLIN - -	349,594	" 12	199	180	26·8	1	–	1	1	3	6	17
CALCUTTA - -	466,460	August 31	–	225	25·1	1	1	–	–	–	102	38†
BOMBAY - -	821,764	September 17	278	425	26·9	2	1	?	?	?	98	37
MADRAS - -	452,518	" 6	449	502	57·6	–	6	?	?	?	205	103†
PARIS - - -	2,424,705	October 5	1033	904	19·4	–	19	–	7*	11	12	131
BRUSSELS - -	507,985	" 5	242	179	18·3	–	–	1	1*	–	–	26
AMSTERDAM -	451,493	" 5	282	140	16·1	–	–	1	–	8	–	–
ROTTERDAM -	272,042	" 5	194	107	20·4	2	–	–	1	1	–	–
THE HAGUE -	180,455	" 5	110	52	15·0	–	–	–	–	2	–	–
COPENHAGEN -	341,000	" 5	213	105	16·1	–	–	1	1	7	–	13
STOCKHOLM -	259,304	September 28	158	73	14·6	–	–	–	–	–	1	
CHRISTIANIA -	174,717	October 5	21	46	13·7	–	–	1	–	–	–	6
ST. PETERSBURG	954,400	September 21	576	400	21·9	–	3	17	10	10	18	59
MOSCOW - -	753,469	" 28	–	393	27·2	–	4	6	13	4	10	62
BERLIN - -	1,724,544	" 21	934	640	19·2	–	1	24	16	12	5	154
HAMBURG - -	608,710	" 28	372	196	16·7	–	–	2	2*	3	2	19
DRESDEN - -	320,600	" 14	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	367,769	October 5	–	161	22·8	–	–	6	4*	1	2	28
MUNICH - -	396,000	" 5	–	232	30·5	–	4	2	6*	1	–	88
VIENNA - -	1,495,764	" 5	865	546	19·0	–	7	7	6*	4	2	79
PRAGUE - -	351,478	September 28	240	154	22·8	–	–	–	3	2	2	3
BUDA-PESTH -	566,022	" 28	503	223	20·5	–	6	–	4	–	1	29
TRIESTE - -	160,825	" 21	109	80	25·9	–	–	–	6*	–	–	19
ROME - -	464,579	August 24	190	161	18·1	–	11	–	–	–	5‡	25
TURIN (10 days)	344,203	September 20	–	–	–	–	–	–	–	–	–	–
VENICE -	158,159	" 28	89	54	17·8	–	–	–	–	–	2	4
CAIRO - -	374,838	" 16	454	350	48·5	2	–	–	2*	–	6	119
ALEXANDRIA -	231,396	" 16	236	154	34·7	–	–	–	4*	–	10	53
NEW YORK -	1,860,700	" 21	–	763	21·1	–	5	1	12	13	16	123
BROOKLYN -	1,100,000	" 28	–	492	23·3	–	3	2	17	10	9	73
PHILADELPHIA	1,163,864	" 28	–	400	17·9	–	–	3	21	6	8	24
NEW ORLEANS -	275,000	" 7	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 4 deaths from cholera in Calcutta, and 6 in Madras.
‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, durin the Week ending Saturday, 12TH OCTOBER, 18

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCT.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY .	6	..	29·436	59·8	50·0	9·8	53·5	+ 0·8	52·9	0·6	2·5	0·0	98	71·2	48·5	59·33	SW. WSW. & W.	WSW. & NNW.	5·6	0·0	0·2	215	− 29	1·05
MONDAY .	7	..	29·567	59·7	44·9	14·8	50·9	− 1·6	42·5	8·4	14·8	1·3	73	110·5	43·8	59·21	WSW. & SW.	SW. & SSE.	1·7	0·0	0·1	240	− 3	0·00
TUESDAY.	8	..	29·096	56·8	49·4	7·4	52·1	− 0·0	48·5	3·6	8·8	0·0	88	70·1	42·8	58·90	ESE.	ENE. & NNE.	1·8	0·0	0·1	225	− 18	0·30
WEDNESDAY	9	..	29·064	54·8	49·7	5·1	51·2	− 0·5	46·3	4·9	8·8	0·0	84	66·3	44·0	58·50	SSE. & NNW.	NW. & W.	4·2	0·0	0·5	274	+ 30	0·07
THURSDAY	10	Greatest Dec. N.	29·591	51·0	41·5	9·5	46·6	− 4·7	41·3	5·3	7·3	1·3	82	56·0	36·0	58·18	W. & NW.	NNW. & NW.	4·1	0·0	0·2	260	+ 15	0·03
FRIDAY .	11	Last Qr.	29·940	55·9	37·7	18·2	47·6	− 3·4	40·8	6·8	11·6	0·9	77	90·7	33·1	57·80	SW. WSW. & W.	WNW. W. & WSW.	2·7	0·0	0·3	324	+ 78	0·00
SATURDAY	12	..	29·990	61·3	47·4	13·9	53·2	+ 2·6	46·8	6·4	12·4	2·3	79	101·0	42·5	57·21	SW.	WSW. & SW.	6·8	0·0	1·0	453	+205	0·00
MEANS . .		..	29·526	57·0	45·8	11·2	50·7	− 1·0	45·6	5·1	9·5	0·8	83	80·8	41·5	58·45	Variable.		..	..	..	Sum 1991	Sum + 278	Sum 1·45
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	6	Insulation defective till noon; v. P. afterwards.	0·0	11·2	Overcast; heavy rain till noon; great gloom in afternoon, accompanied by a sharp shower of rain.
MONDAY .	7	m. P. in forenoon; v. P. and v. P. afterwards.	5·1	11·2	Fine; sky covered with thin cloud in evening; lunar halo.
TUESDAY .	8	s. P. and s. N. in early morning; w. P. till 1h. P.M.; s. N. and v. P. afterwards.	0·0	11·1	Overcast; heavy rain between 1h. A.M. and 4h. A.M.; frequent slight rain after 2h. P.M.
WEDNESDAY	9	v. P. and v. N. till noon; m. P. afterwards.	0·1	11·0	Overcast; rain between 1h. A.M. and 5h. A.M.
THURSDAY .	10	v. P. and s. N. till afternoon; s. P. afterwards.	0·0	11·0	Overcast till evening; slight showers in early morning; cloudless after 10½h. P.M.
FRIDAY .	11	s. P. generally	1·5	10·9	Fine; variable amounts of cloud.
SATURDAY .	12	m. P. till noon; s. P. afterwards.	1·2	10·9	Fine; partially cloudy during the day; generally cloudless after 6h. P.M.
			Sum 7·9	Sum 77·3	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, converted into mean daily values by the application of corrections deduced from a discus of the photographic records made during the twenty years ending 1873 for the barometer, during the twenty years ending 1868 for the thermometers. With the corrected mean rea of the dry bulb thermometer is combined the corrected mean of the readings of the maxin and minimum thermometers, forming the mean daily value of temperature of the (column 8). The mean daily dew point temperature and degree of humidity are ded from the mean daily values the dry and wet bulb thermometers by Glaisher's Hy metrical Tables.

The average temperature of the air is that derived from a discussion of the observat made at Greenwich during the 50 years ending 1890, and that of horizontal moven of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermome which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, s the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·45 in. at the beginning of the wee 29·40 in. by 3h. A.M. on the 6th; increased to 29·60 in. by 9h. A.M. on the 7th; decrease 28·89 in. by 5h. A.M. on the 9th; and increased to 30·05 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 42. 1895. VOL. LVI.] WEEK ENDING SATURDAY, OCTOBER 19. [Price 1½*d.*

General Register Office, Somerset House,
October 21*st*, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	TOWNS.	Weeks ending Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
Birkenhead	18·4	22·8	17·0	16·0	Liverpool - -	28·6	26·6	31·7	24·0
Birmingham	21·2	22·0	22·4	20·8	London - -	18·2	15·9	17·0	18·0
Blackburn -	29·4	37·2	42·5	31·5	Manchester -	29·9	24·9	28·4	24·3
Bolton -	29·7	32·3	22·7	22·7	Newcastle-on-Tyne	22·2	24·9	27·5	20·7
Bradford -	19·6	19·8	25·3	16·8	Norwich - -	17·0	16·5	13·6	22·4
Brighton -	22·2	14·4	22·7	15·3	Nottingham -	24·6	15·6	24·2	13·1
Bristol -	16·5	18·5	16·7	15·8	Oldham - -	22·2	25·9	21·4	16·6
Burnley -	27·7	23·6	34·0	25·7	Plymouth - -	25·2	18·7	15·8	19·3
Cardiff -	20·8	20·4	19·8	19·1	Portsmouth -	16·1	19·1	17·6	17·9
Croydon -	15·0	13·2	8·6	13·6	Preston - -	23·6	18·5	26·4	19·0
Derby -	18·7	14·6	21·8	10·4	Salford - -	29·0	30·3	33·6	25·5
Gateshead -	30·5	26·1	28·8	21·2	Sheffield - -	24·3	24·5	24·0	17·3
Halifax -	20·6	23·9	24·5	17·2	Sunderland -	29·5	28·8	25·7	19·7
Huddersfield	14·7	14·2	18·9	17·8	Swansea - -	21·0	20·4	24·2	24·7
Hull - -	19·5	20·2	22·6	22·9	West Ham - -	19·4	17·1	13·4	17·8
Leeds -	20·8	18·1	21·6	17·0	Wolverhampton -	26·7	19·5	28·0	20·1
Leicester -	16·1	15·6	19·1	16·4					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Wolverhampton, 3·2 in Swansea, and 5·7 in Blackburn; from *whooping-cough*, 1·1 in Gateshead; from "*fever*," 1·7 in Bolton and 1·9 in Sunderland; and from *diarrhœa*, 2·0 in Leeds, 2·4 in Sheffield, 2·6 in Derby and in Bolton, 2·7 in Swansea, 2·8 in Manchester and in Newcastle-on-Tyne, 2·9 in Hull, 3·2 in Preston, 3·4 in Bristol, in Cardiff, and in Sunderland, 3·5 in Salford, 3·8 in Gateshead, 6·3 in Burnley, and 6·5 in Blackburn. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 107 deaths from *diphtheria* included 76 in London, 5 in West Ham, 4 in Manchester, 3 in Wolverhampton, 3 in Salford, and 3 in Hull. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2629 BIRTHS and 1518 DEATHS were registered. Allowing for increase of population, the births were 37 above, and the deaths 63 below, the average numbers in the corresponding weeks of the last ten years. The annual death-

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 88999—3. 650.—10/95. Wt. 259. T T

rate per 1000 from all causes, which had been 18·2, 15·9, and 17·0 in the preceding three weeks, further rose last week to 18·0. During the four weeks ending on Saturday last the death-rate averaged 17·3 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1518 deaths included 1 from small-pox, 42 from measles, 23 from scarlet fever, 76 from diphtheria, 15 from whooping-cough, 1 from typhus, 19 from enteric fever, 62 from diarrhœa and dysentery, and not one death from any ill-defined form of continued fever, or from cholera; thus, 239 deaths were referred to these diseases, being 51 above the corrected average weekly number.

The death from *small-pox* was that of an unvaccinated child, aged 4 months, who had been removed from Bethnal Green sanitary area to the hospital ship "Atlas." The deaths from *measles*, which had been 27, 15, and 34 in the preceding three weeks, further rose last week to 42, exceeding the corrected average by 10; 10 cases belonged to St. Pancras, 5 to Newington, and 4 to Clerkenwell sanitary areas. The deaths from *scarlet fever*, which had been 24, 22, and 25 in the preceding three weeks, were 23 last week, the corrected average being 29; 3 cases belonged to Whitechapel, 2 to Bethnal Green, 2 to St. George-in-the-East, and 2 to Lambeth sanitary areas. The deaths from *diphtheria*, which had been 56, 44, and 56 in the preceding three weeks, further rose last week to 76, and were 34 above the corrected average; 6 cases belonged to Kensington, 6 to Camberwell, 5 to St. Marylebone, 5 to St. Pancras, 5 to Mile End Old Town, 5 to Greenwich, 4 to Fulham, 4 to Shoreditch, and 4 to Battersea sanitary areas. The deaths from *whooping-cough*, which had been 25, 14, and 10 in the preceding three weeks, rose again last week to 15, but were 10 below the corrected average. The fatal cases of *enteric fever*, which had been 11, 22, and 22 in the preceding three weeks, fell again last week to 19, the corrected average being 18; 2 cases belonged to St. Marylebone, 2 to Hackney, 2 to Mile End Old Town, and 2 to Poplar sanitary areas. The death of a male, aged 25 years, in Battersea sanitary area, was certified as due to "fever (typhus ?), 6 days." The deaths from *diarrhœa*, which had been 107, 102, and 87 in the preceding three weeks, further fell last week to 62, but were 23 above the corrected average. In addition to the 62 deaths directly referred to *diarrhœa*, 19 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 37 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 173, 158, and 175 in the preceding three weeks, further rose last week to 215, but were 114 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having been 2, 7, and 3 in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning all but one of which inquests were held. Of these 72 deaths, 8 were cases of suicide, and one of homicide, while the remaining 63 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 6 to drowning, one to ptomaine poisoning, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 119 cases of small-pox, 2838 of scarlet fever, 667 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 7 cases, against 21, 17, and 9; of scarlet fever, 241 cases, against 339, 252, and 332; of diphtheria, 115 cases, against 114, 90, and 102; and of enteric fever, 15 cases, against 25, 23, and 14.

Greater London.

In Greater London 3624 births and 1916 deaths were registered, corresponding to annual rates of 31·2 and 16·5 per 1000 of the estimated population. In the Outer Ring 27 deaths from diphtheria were registered. Twelve of these deaths occurred in West Ham district, 4 in Edmonton district, and 3 in Isleworth sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 49°·4, the latter being 0°·4 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 11·7 hours; the measured rainfall amounted to 0·15 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 19th October, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 19th Oct., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Death in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6526	3873	1208	733	1	83	47	107	39	60	333	155	287	751	39	19·1	3·3	66·2	27·0	47·4	8·56	0·24	0·61	33 Towns.
London	4,892,346	2629	1518	421	306	1	42	23	76	15	20	62	72	141	428	5	18·0	2·8	66·2	35·2	49·4	9·67	0·15	0·38	London.
West Ham	249,473	128	85	33	13	–	1	2	5	–	2	4	3	4	11	2	17·8	2·9	–	–	–	–	–	–	West Ham.
Croydon	114,923	63	39	6	9	–	–	–	1	–	–	2	2	4	4	–	13·6	1·4	64·5	28·0	47·0	8·33	0·08	0·20	Croydon.
Brighton	119,604	61	35	9	7	–	–	–	–	1	–	1	–	1	5	1	15·3	0·9	63·4	38·4	50·5	10·28	0·07	0·18	Brighton.
Portsmouth	174,751	105	60	19	20	–	–	–	–	1	1	6	3	6	7	–	17·9	2·4	63·0	36·0	50·0	10·00	0·01	0·03	Portsmouth.
Plymouth	89,096	48	33	12	7	–	–	1	1	–	–	2	–	2	4	–	19·3	2·3	–	–	–	–	–	–	Plymouth.
Bristol	228,159	128	69	20	19	–	–	1	–	1	–	15	2	2	12	–	15·8	3·9	58·0	31·0	47·0	8·33	0·13	0·33	Bristol.
Cardiff	155,637	118	57	22	8	–	–	1	–	–	1	10	3	6	12	1	19·1	4·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	61	46	21	4	–	6	–	–	–	–	5	1	1	1	–	24·7	5·9	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	64	33	9	9	–	2	–	3	–	1	3	–	2	6	–	20·1	5·5	60·0	29·8	46·1	7·83	0·42	1·07	Wolverhampton.
Birmingham	496,751	342	198	76	33	–	2	4	1	1	3	18	6	7	44	8	20·8	3·0	–	–	–	–	–	–	Birmingham.
Norwich	107,127	72	46	19	11	–	–	–	–	–	–	4	3	7	4	1	22·4	1·9	59·2	35·2	48·1	8·94	0·31	0·79	Norwich.
Leicester	193,839	100	61	23	19	–	1	–	–	1	–	5	2	2	6	1	16·4	1·9	–	–	–	–	–	–	Leicester.
Nottingham	226,658	125	57	21	17	–	–	2	–	–	1	6	3	5	8	–	13·1	2·1	62·6	28·0	47·3	8·50	0·15	0·38	Nottingham.
Derby	100,272	65	20	6	5	–	–	–	–	1	–	5	–	–	–	–	10·4	3·1	–	–	–	–	–	–	Derby.
Birkenhead	107,469	69	33	12	5	–	–	–	2	–	1	2	–	–	3	–	16·0	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	338	232	74	36	–	1	3	2	6	3	18	14	19	44	5	24·0	3·4	56·8	34·7	46·8	8·22	0·47	1·19	Liverpool.
Bolton	119,337	55	52	16	10	–	–	2	–	–	4	6	3	4	3	–	22·7	5·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	356	245	80	33	–	6	3	4	–	2	28	14	26	42	2	24·3	4·3	–	–	–	–	–	–	Manchester.
Salford	208,253	139	102	36	15	–	3	1	3	–	4	14	3	5	12	2	25·5	6·3	–	–	–	–	–	–	Salford.
Oldham	141,079	73	45	5	9	–	2	1	–	–	1	4	–	–	7	–	16·6	3·0	–	–	–	–	–	–	Oldham.
Burnley	99,591	64	49	21	3	–	–	–	1	–	1	12	1	1	2	–	25·7	7·3	–	–	–	–	–	–	Burnley.
Blackburn	127,615	77	77	32	6	–	14	1	–	1	1	16	1	2	7	–	31·5	13·5	–	–	–	–	–	–	Blackburn.
Preston	112,638	67	41	13	7	–	–	–	1	–	–	7	–	–	1	2	19·0	3·7	–	–	–	–	–	–	Preston.
Huddersfield	99,482	66	34	8	7	–	–	–	1	1	1	1	1	1	4	2	17·8	2·1	55·0	27·0	44·3	6·83	0·40	1·02	Huddersfield.
Halifax	93,813	32	31	8	9	–	–	–	–	–	–	1	–	–	4	–	17·2	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	105	73	19	14	–	–	–	–	2	1	6	3	5	7	1	16·8	2·1	55·0	37·4	47·1	8·39	0·28	0·71	Bradford.
Leeds	395,546	263	129	39	29	–	–	–	–	1	3	15	2	7	12	1	17·0	2·5	–	–	–	–	–	–	Leeds.
Sheffield	342,768	241	114	37	19	–	1	1	–	1	3	16	2	3	16	2	17·3	3·3	–	–	–	–	–	–	Sheffield.
Hull	226,722	146	95	32	18	–	1	–	3	2	–	12	7	8	13	3	22·9	4·3	57·0	27·0	45·0	7·22	0·38	0·97	Hull.
Sunderland	137,705	69	52	17	12	–	–	–	1	–	5	9	–	7	6	–	19·7	5·7	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	62	39	15	5	–	–	1	–	2	1	7	–	3	2	–	21·2	6·0	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	125	82	27	9	–	1	–	2	2	–	11	4	6	14	–	20·7	4·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births and Deaths** Registered in the FORTY-SECOND Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2572	2647	2568	2459	2518	2412	2562	2446	2559	2516	2665·9	2629
Males . .	1282	1352	1304	1280	1287	1253	1276	1230	1248	1303	1352·5	1308
Females .	1290	1295	1264	1179	1231	1159	1286	1216	1311	1213	1313·4	1321
TOTAL **Deaths**	1458	1406	1566	1641	1410	1741	1428	1449	1554	1326	1580·9	1518
Males . .	742	714	809	854	721	892	711	783	808	693	815·5	766
Females .	716	692	757	787	689	849	717	666	746	633	765·4	752

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
TOTAL **Births** - -	2575	2624	2340	2646	2448	2617	2486	2557	2541	2618	2447	2622	2629
TOTAL **Deaths** - -	1939	1806	1601	1459	1430	1336	1358	1298	1346	1532	1342	1435	1518
Ages at Death: Under 1 year -	892	772	616	460	426	422	420	381	425	443	383	394	421
1—5 years -	286	308	272	232	224	190	199	200	163	220	180	213	238
5—20 " -	90	87	79	88	77	113	78	98	91	100	76	78	108
20—40 " -	184	166	167	159	167	164	171	156	174	190	184	193	189
40—60 " -	207	211	215	226	257	199	227	228	261	279	261	261	256
60—80 " -	242	207	222	241	227	206	230	192	188	259	212	237	255
80 years & upwards	38	55	30	53	52	42	33	43	44	41	46	59	51
Deaths from—													
Small-pox - - - -	1	1	3	1	6	4	5	2	2	2	1	2	1
Measles - - - -	94	67	70	62	55	56	40	28	24	27	15	34	42
Scarlet fever - - -	14	24	15	21	27	21	20	19	13	24	22	25	23
Diphtheria - - -	48	57	55	50	24	40	38	55	37	56	44	56	76
Whooping-cough - -	22	17	20	10	21	22	17	14	21	25	14	10	15
Typhus - - - -	-	-	-	-	-	1	-	-	-	-	-	-	1
Enteric fever - - -	9	12	9	15	10	10	21	16	21	11	22	22	19
Simple Continued fever -	-	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhœa and Dysentery -	397	373	224	163	112	122	129	107	109	107	102	87	62
Cholera - - - - -	15	9	5	1	2	2	1	1	1	4	3	-	-
All the above Diseases	600	561	401	323	257	278	271	242	229	256	223	236	239
Dis. of Respiratory System	185	171	159	137	170	102	134	123	141	173	158	175	215
Phthisis - - - -	111	127	136	126	148	136	124	122	144	140	152	153	168
Dis. of Circulatory System	92	108	100	114	86	98	97	104	101	121	102	125	111
Violence - - - -	69	58	49	67	51	68	48	67	62	72	77	52	72
Inquest Cases - - -	147	121	118	137	102	118	103	116	118	137	159	120	141
Deaths in Public Institutions	384	436	383	407	423	374	412	378	387	464	400	412	428
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	62·6	59·0	60·3	61·7	66·2	61·8	65·1	60·7	56·9	65·6	56·5	50·7	49·4
Mean of Highest readings -	71·7	67·2	71·3	71·4	78·4	72·6	78·8	71·8	68·8	81·8	68·5	57·0	57·8
Mean of Lowest readings -	55·9	53·1	52·7	53·9	55·9	53·3	53·7	51·4	46·8	52·4	46·2	45·8	42·1
Humidity of the Air - -	81	82	78	78	71	75	73	75	81	71	77	83	85
Rain-fall (in inches) - -	1·66	1·23	1·09	0·35	0·19	0·15	0·82	0·09	0·03	0·00	0·49	1·45	0·15
Registered Sunshine (in hours)	17·8	12·0	29·7	32·9	56·7	51·5	54·3	39·4	30·5	56·1	32·5	7·9	11·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	199	237	273	336	342	340	323	307	271	234	198	158	119
Scarlet fever - - - -	2347	2423	2511	2529	2507	2512	2600	2674	2732	2807	2802	2827	2838
Diphtheria - - - -	681	686	689	657	666	671	662	663	665	673	672	659	667
Enteric fever - - - -	121	108	106	103	114	123	118	120	109	117	124	125	115

The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SECOND Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 42nd Week of the 10 years 1885-94.*	In the Week ending Saturday, 19th October 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1580·9	1518	421	238	108	189	256	255	51
Small-pox: Vaccinated† -	-	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	-	1	1	-	-	-	-	-	-
Small-pox: No Statement	-	-	-	-	-	-	-	-	-
Measles - - - -	32·0	42	3	38	1	-	-	-	-
Scarlet Fever - -	28·9	23	1	12	10	-	-	-	-
Typhus - - - -	0·2	1	-	-	-	1	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	2·2	8	1	2	-	2	3	-	-
Whooping-cough - -	21·6	15	8	7	-	-	-	-	-
Diphtheria - - -	41·9	76	7	44	24	1	-	-	-
Simple Continued and Ill-defined Fever -	1·1	-	-	-	-	-	-	-	-
Enteric Fever - -	17·5	19	-	-	7	9	3	-	-
Cholera and Chol. Diarr.	0·5	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	38·9	62	49	8	-	-	-	4	1
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	0·2	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·3	-	-	-	-	-	-	-	-
Venereal Affections - -	11·1	13	7	1	-	2	1	2	-
Erysipelas - - -	7·3	3	1	-	-	1	-	1	-
Pyæmia and Septicæmia	3·0	3	-	1	1	1	-	-	-
Puerperal Fever - -	6·2	3	-	-	-	3	-	-	-
Other Zymotic Diseases	1·4	2	-	1	-	1	-	-	-
Thrush - - - -	1·7	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·4	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·8	4	4	-	-	-	-	-	-
Alcoholism - - -	7·9	5	-	-	-	-	2	3	-
Rheumatic Fever, Rheumatism of Heart	10·4	2	-	-	1	1	-	-	-
Rheumatism - -	2·1	2	-	-	-	-	-	1	1
Gout - - - -	3·3	2	-	-	-	-	2	-	-
Rickets - - - -	3·1	7	2	5	-	-	-	-	-
Cancer - - - -	65·4	76	1	1	-	5	32	33	4
Tabes Mesenterica -	29·4	35	19	15	1	-	-	-	-
Tubercular Meningitis -	21·7	21	6	10	3	1	1	-	-
Phthisis - - -	177·0	163	2	3	15	86	50	12	-
Scrofula, Tuberculosis -	17·1	17	5	6	3	2	-	1	-
Other Constitutional Diseases - - -	11·4	13	-	-	-	3	4	6	-
Premature Birth - -	48·2	54	54	-	-	-	-	-	-
Atelectasis - - -	3·4	3	3	-	-	-	-	-	-
Congenital Malformations - - - -	8·0	6	6	-	-	-	-	-	-
Old Age - - - -	45·8	39	-	-	-	-	-	19	20
Apoplexy - - -	39·6	41	-	1	-	4	11	21	4
Epilepsy - - -	6·0	11	-	1	2	5	2	1	-
Convulsions - - -	42·4	39	34	4	1	-	-	-	-
Other Diseases of Brain and Nervous System	73·6	71	4	9	8	5	13	29	3
Diseases of Organs of Special Sense - -	2·8	2	-	-	1	-	1	-	-
Diseases of Circulatory System - - -	132·7	111	2	-	7	17	40	43	2
Croup - - - -	12·3	5	3	1	1	-	-	-	-
Bronchitis - - -	192·6	131	60	15	-	2	13	30	11
Pneumonia - - -	91·9	61	13	26	3	4	9	6	-
Pleurisy - - - -	5·7	6	-	1	-	2	3	-	-
Other Diseases of Respiratory System - -	26·5	12	5	3	-	-	1	3	-
Dentition - - -	8·2	3	2	1	-	-	-	-	-
Quinsy, Sore Throat -	2·3	3	-	1	2	-	-	-	-
Enteritis - - -	13·4	37	23	2	-	1	4	3	1
Peritonitis - - -	7·7	5	1	-	3	-	1	-	-
Diseases of Liver - -	28·6	22	1	1	-	1	9	10	-
Other Diseases of Digestive System -	30·5	31	11	2	3	2	8	4	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	1	-	-	1	-	-	-	-
Diseases of Urinary System - - -	48·7	36	-	4	-	6	13	12	1
Diseases of Generative System - - -	4·2	8	-	-	-	1	5	1	1
Accidents of Childbirth -	4·7	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	6·1	5	1	-	1	1	1	1	-
Diseases of Integumentary System - -	6·8	9	3	-	-	-	2	4	-
VIOLENT DEATHS: (ACCIDENT.)									
By Railways - -	5·7	2	-	-	-	-	2	-	-
By Vehicles or Horses -		7	-	1	1		3	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		2	-	-	-	1	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		8	1	3	2	1	1	-	-
By Drowning - -		6	-	-	-	3		-	-
By Suffocation in Bed -		11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		5	-	1	1	2	1	-	-
Other or not stated Causes - - - -		21	2	4		2			1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·2	1	-		-	-	-	-	-
Suicide - - - -	9·0	8	-	-	1	2	4	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·2	64	59		-	1		-	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET
during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON - -	4,211,743	2629	1518	421	306	1	42	23	76	15	1	19	-	62	72	141	436	5
WEST DISTRICTS - - - -	740,735	331	262	63	67	-	5	4	16	3	-	3	-	14	11	22	84	-
NORTH DISTRICTS - - - -	993,884	604	347	95	74	-	13	7	15	3	-	4	-	13	12	25	93	-
CENTRAL DISTRICTS - - -	247,538	135	108	33	15	-	8	-	6	-	-	3	-	5	12	20	43	-
EAST DISTRICTS - - - -	705,114	491	294	111	88	-	5	2	14	6	-	6	-	9	24	41	75	-
SOUTH DISTRICTS - - - -	1,524,472	1018	478	118	100	-	11	8	25	3	1	3	-	24	13	33	104	5
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON * - - -	—	-	29	1	12	1	-	2	-	-	-	-	-	-	-	-	29	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	42	23	14	4	-	-	-	-	1	-	-	-	5	3	5	4	-
St. John Paddington *H* - - G.J.	33687	6	10	1	4	-	-	-	3	-	-	-	-	-	-	-	5	-
Kensington Town *Ww* - - W.M.	118751	47	55	9	21	-	1	1	3	1	-	-	-	-	2	4	27	-
Brompton *H* - - - W.M. & C.	47557	11	7	-	4	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Peter Hammersmith - - W.M*	8533	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	47	19	2	3	-	1	-	1	-	-	-	-	-	2	4	2	-
Fulham *Ww* - - - W.M. & C.	91639	94	55	14	10	-	1	3	7	-	-	1	-	1	-	1	13	-
Chelsea Kensal Town - - - C.	21787	16	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *WHHHHH* - - C.	41637	14	14	3	4	-	-	-	-	-	-	-	-	2	1	2	7	-
Chelsea South *HH* - - - C.	32829	15	9	4	1	-	-	-	-	-	-	-	-	2	-	1	2	-
May Fair *WH* - - - - G.J.	23733	6	18	-	10	-	-	-	-	-	-	-	-	-	1	1	14	-
Belgrave *WHHH* - - - - C.	54631	29	10	3	2	-	1	-	1	-	-	1	-	1	1	1	1	-
St. John Westminster *HH* - C.	34106	24	14	5	-	-	1	-	-	-	-	-	-	1	1	3	-	-
St. Margaret Westminster *H* - C.	21668	4	7	-	1	-	1	-	1	-	-	1	-	-	-	-	3	-
St. James Westminster *WHHH* N.R. & G.J.	24995	14	5	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-
St. Anne Soho *HHHHHH* - - N.R.	12317	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	16	15	1	3	-	-	-	1	-	-	2	-	-	-	-	8	-
Rectory Marylebone *WH* G.J. & W.M.	20024	16	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	28	8	2	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Christchurch Marylebone *HH* - W.M.	33327	17	7	3	3	-	-	-	-	-	-	-	-	2	-	-	-	-
St. John Marylebone *H L* - - W.M.	32101	18	12	9	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	23	22	3	2	-	-	5	2	-	-	-	-	-	-	1	9	-
Regent's Park Pancras *HH* - W.M.	86590	25	9	7	2	-	-	-	-	-	-	-	-	4	-	1	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	8	19	2	6	-	-	-	-	-	-	-	-	-	1	1	14	-
Gray's Inn Lane *HHH* - - N.R.	27455	13	8	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-
Somers Town *HH* - - - N.R.	32829	20	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Camden Town *WH* - - - N.R.	15419	20	15	5	3	-	4	-	1	-	-	-	-	-	-	-	9	-
Kentish Town *WW* - - - N.R.	95765	51	28	3	1	-	5	-	2	-	-	-	-	-	-	1	3	-
Upper Holloway *WWWwHHH* - N.R.	99235	44	49	11	11	-	-	-	-	1	-	1	-	-	3	6	23	-
Islington South-west *H* - - N.R.	105557	69	35	12	6	-	-	-	2	-	-	-	-	1	2	3	1	-
Islington South-east - - - N.R.	64158	49	20	9	1	-	-	-	1	-	-	-	-	-	-	1	-	-
Highbury *HH* - - - - N.R.	59193	32	13	2	7	-	-	-	-	-	-	-	-	-	3	4	1	-
Stoke Newington *H* - - - N.R.	30936	21	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - - - E.L.	17759	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	33	24	7	7	-	-	-	-	1	-	-	-	-	2	4	2	-
Hackney *WwwH* - - E.L. & N.R.	96486	64	35	7	9	-	-	2	6	-	-	-	-	-	1	1	18	-
South Hackney *w* - - - E.L.	41759	34	13	5	2	-	3	-	-	-	-	-	-	2	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	7	5	1	1	-	-	-	-	-	-	-	-	-	1	3	-	-
St. Giles South *WH* - - - N.R.	13454	12	5	2	1	-	1	-	-	-	-	-	-	1	-	-	2	-
St. Giles North *H* - - - N.R.	9633	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	12	4	1	-	-	-	-	-	-	1	-	-	2	4	7	-
St. Mary-le-Strand *H* - - - N.R.	5706	3	2	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Clement Danes *WH* - - N.R.	7194	11	13	2	2	-	-	-	-	-	-	-	-	-	1	2	10	-
Strand Union Workhouse, Edmonton -	†1037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	9	9	3	2	-	-	-	2	-	-	-	-	-	-	-	7	-
St. Andrew Eastern *WH* - - N.R.	15343	9	5	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-
St. James Clerkenwell - - - N.R.	16803	11	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	5	8	5	-	-	3	-	-	-	-	-	-	-	1	1	-	-
Pentonville - - - - - N.R.	17155	8	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Goswell-street - - - - N.R.	15375	7	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.R.	29177	31	7	4	-	-	-	-	1	-	-	-	-	-	1	2	-	-
Whitecross-street - - - N.R.	8278	9	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Finsbury - - - - - N.R.	4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L.	8944	-	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Cripplegate - - - - - N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - - N.R.	4444	-	16	2	3	-	-	-	1	-	-	2	-	-	3	4	16	-
St. Bride *W* - - - - - N.R.	6594	5	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - - N.R.	3377	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Wo house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishm receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differ Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

FER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT urday, 19th October, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
horeditch South *HL** E.L. & N.R.	20098	11	7	3	-	-	-	-	1	-	-	-	-	1	1	1	1	-
oxton New Town *w* - - - N.R.	29313	18	13	3	4	-	-	-	1	-	-	-	-	1	3	4	4	-
oxton Old Town - - - - N.R.	28354	23	11	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	40	24	10	4	-	-	-	2	2	-	-	-	1	1	1	6	-
ethnal Green North *H* - - E.L.	51520	32	16	8	1	-	-	-	-	-	-	-	-	1	-	3	1	-
ethnal Green South - - - E.L.	33489	22	12	10	-	-	-	1	-	-	-	-	-	1	1	2	-	-
ethnal Green East *WHL** - E.L.	44123	38	22	6	3	-	3	1	-	-	-	-	-	-	1	3	5	-
pitalfields - - - E. N.R.	22456	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *W* - - E.L.	17908	16	15	6	2	-	-	-	1	-	-	-	-	-	-	-	9	-
hitechapel Church *H* E.L. & N.R.	20298	17	32	4	1	-	1	-	3	-	-	5	-	-	4	4	24	-
oodman's Fields - - - E.L.	13800	4	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
t. George's, North - - - E.L.	37738	28	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t. John, St. George East *W* - E.L.	8957	4	10	2	3	-	-	-	-	-	-	-	-	1	-	1	8	-
adwell *H* - - - E.L. & N.R.	10246	4	7	2	1	-	-	-	-	-	-	-	-	-	3	4	1	-
atcliff *W* - - - - - E.L.	14928	11	5	3	-	-	-	-	1	-	-	-	-	1	1	1	-	-
imehouse - - - - - E.L.	32202	28	14	8	2	-	-	-	-	-	-	1	-	1	1	2	-	-
ile End Old Town West *H* - E.L.	38650	27	10	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town East *WWww* E.L.	68942	48	26	10	7	-	-	-	2	1	-	-	-	-	1	1	5	-
ow *L** - - - - - E.L.	40365	30	12	4	-	-	1	-	1	3	-	-	-	-	1	1	-	-
romley *wwwH* - - - - E.L.	70000	45	23	8	4	-	-	-	2	-	-	-	-	1	2	2	10	-
oplar *WW* - - - - - E.L.	56383	33	19	8	2	-	-	-	-	-	-	-	-	-	3	8	1	-
SOUTH DISTRICTS.																		
hristchurch Southwark *WH* L. & S.	18264	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Saviour Southwark - - - S.	18913	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ent-road - - - - - S. & L.	21867	21	8	8	1	-	2	-	-	-	-	-	-	-	-	-	-	-
orough-road *WH* - - S. & L.	16624	13	3	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-
ondon-road *HL* - - L. & S.	21221	10	5	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
rinity Newington - - S. & L.	26596	15	10	5	1	-	2	-	-	-	-	-	-	1	-	2	1	-
t. Peter Walworth *W* - S. & L.	61342	55	16	6	2	-	3	-	-	-	-	-	-	-	1	2	-	-
t. Mary Newington - - L. & S.	27866	20	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
t. Olave *WH* - - - - S.	12723	8	20	4	3	-	-	-	-	-	-	-	-	2	5	6	16	-
eather Market *W* - - S. & L.	30612	22	12	6	-	-	1	1	-	-	-	-	-	2	-	-	-	2
t. James Bermondsey - - S.	54070	40	17	4	4	-	1	-	1	-	-	-	-	1	-	-	-	-
otherhithe *WwH* - - S. & K.	39255	34	16	4	4	-	-	-	-	1	-	-	-	-	-	-	5	-
aterloo-road 1st *H* - - L. & S.	14031	13	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
aterloo-road 2nd *H* - - L. & S.	14644	18	6	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-
ambeth Church 1st *H* - - L. & S.	18075	17	19	3	2	-	-	1	-	1	-	-	-	1	-	1	11	-
ambeth Church 2nd *WW* - L. & S.	39097	30	17	3	5	-	-	-	-	-	-	-	-	-	1	2	9	-
ennington 1st *H* - - S. & L.	50586	24	14	5	5	-	-	-	1	-	-	-	-	1	1	5	1	-
ennington 2nd - - - S. & L.	39708	21	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
rixton *w* - - - - L. & S.	78405	42	18	-	5	-	-	1	3	-	-	-	-	-	-	-	3	-
orwood *WH* - - - - L.	25657	13	6	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
ast Battersea - - - - S.	67244	27	13	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-
est Battersea *WwH* - - S.	83314	67	30	8	9	-	1	-	3	-	1	1	-	4	-	-	8	-
apham *H* - - - - - S.	43698	31	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
andsworth *WHHL* - - S.	46717	27	17	2	4	-	-	-	1	-	-	-	-	-	-	-	1	-
atney - - - - - - S.	17771	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
reatham *www* - - - - L.	48756	28	11	2	2	-	-	1	3	-	-	1	-	-	-	-	3	-
ulwich - - - - L. & S.	6309	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
amberwell *WwL*L** - - S. & L.	51656	41	44	13	13	-	-	1	2	-	-	-	-	2	1	2	24	-
eckham *W* - - - S., L., & K.	83483	54	20	8	1	-	-	-	3	-	-	-	-	1	2	3	-	-
, George Camberwell - - L. & S.	63366	46	19	6	4	-	1	-	-	-	-	-	-	3	-	1	-	-
eptford, North - - - - K.	35314	23	8	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
eptford, Central *w* - - - K.	42007	39	13	2	-	-	-	3	4	-	-	-	-	-	-	-	7	-
eptford, South - - - - K.	30852	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
reenwich West *H* - - - K.	22007	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
reenwich East *WH* - - - K.	35233	29	14	2	5	-	-	-	2	-	-	-	-	-	-	1	6	-
itham *wH* - - - - - K.	5682	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ewisham *WH* - - - - K.	30950	19	6	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
ydenham *H* - - - - - L.	34162	22	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
aulton *HH* - - - - K.	14040	9	6	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-
oolwich Dockyard - - - K.	19306	19	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	2
oolwich Arsenal *HH* - - K.	21242	21	7	1	1	-	-	-	-	-	-	-	-	-	2	3	1	-
umstead, West *H* - - - K.	15869	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East *WH* - - - K.	36567	30	16	5	3	-	-	-	1	-	-	-	-	1	-	-	3	-
unstead Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
aterham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
one Hill Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
ospital Ships and Camp, Dartford - -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
aronth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anwell Asylum - - - - -	-	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6	-
ulney Hatch Asylum - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
ircknmore Hill Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
aybury Asylum - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 19th October 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.
	LONDON—OUTER RING	368,749	1,422,063	995	398	134	85	–	4	3	27	2	3	21	15	26	39	7
30 : 1	Carshalton *wHH* -	12228	26108	12	8	2	1	–	–	–	–	–	–	–	1	1	–	
	Epsom, *part of** *WwH*	10423	12508	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
37 : 1	Godstone, *part of** *W* -	2754	1598	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
38 : 1	Croydon *WwHHH*	20851	128699	82	37	9	12	–	–	–	1	–	–	3	2	4	4	
2	Mitcham *w* -	11697	23088	11	4	–	–	–	–	–	–	–	–	–	–	1	–	
39 : 1	Wimbledon *HHH* -	3229	25761	18	13	3	6	–	–	–	2	–	–	–	1	1	1	
2	Kingston *WH* - -	8071	44765	26	7	4	2	–	–	–	–	–	–	–	–	–	–	
3	Esher, *part of** *HH*	6601	12059	11	3	–	–	–	–	–	–	–	–	–	–	1	–	1
4	Hampton *H*	4535	18252	4	1	–	1	–	–	–	–	–	–	–	–	–	–	
40 : 1	Richmond *WH* - -	2160	25389	6	6	1	3	–	–	–	–	–	–	–	–	1	1	
2	Mortlake *H* - -	2823	16159	10	2	–	–	–	–	–	–	–	–	–	–	–	–	
41 : 1	Bromley *HHH* - -	9127	23815	15	7	2	3	–	–	–	–	–	–	3	–	–	1	
2	Beckenham *H* - -	6542	21969	7	4	–	1	–	–	–	1	–	–	–	1	1	1	
	Chislhrst, *pt. of** *WHH*	14307	20372	15	7	3	3	–	–	–	–	1	–	–	–	–	1	
41 : 1	Bexley *HH* - -	12540	30590	30	7	3	1	–	–	–	–	–	–	1	2	2	–	
2	Dartford *Work.*, pt. of*-	—	—	-	-	–	–	–	–	–	–	–	–	–	–	–	–	
124 : 1	Sunbury *w* - -	11054	13671	5	4	1	2	–	–	–	1	–	–	–	–	–	–	1
2	Staines *WH* - -	13277	13221	5	–	–	–	–	–	–	–	–	–	–	–	–	–	
125 : 1	Hillingdon *WHH* -	6035	12237	10	2	–	1	–	–	–	–	–	–	–	–	–	–	
2	Uxbridge - -	6172	5417	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Hayes *wH* - -	14537	12618	10	3	1	–	–	–	–	–	–	–	–	–	–	–	
126 : 1	Isleworth *WHH*	6967	26273	24	1	2	2	–	–	–	3	–	–	–	–	–	3	
2	Twickenham *HH* -	2415	16027	9	3	2	1	–	–	–	–	–	–	–	–	–	–	
3	Brentford *HHHH* -	4318	37777	20	11	7	2	–	–	–	–	1	–	1	–	–	1	
4	Chiswick - - -	1245	21963	14	4	2	1	–	–	–	–	–	–		1	1	–	
5	Acton *wH* - - -	6132	30945	12	9	4	2	–	–	–	–	–	–	–	–	–	–	
127 : 1	Harrow *HHH* - -	13809	15715	3	2	1	1	–	–	–	–	–	–	1	–	–	–	
2	Edgware *HH* - -	6994	3844	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Willesden *HHH* -	4383	61265	50	19	10	2	–	–	1	1	–	–	1	–	–	2	
4	Hendon *WH* - -	8382	15843	9	3	1	–	–	–	–	–	–	–	1	–	–	2	
128 : 1	South Mimms *H*	15599	8474	5	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	Barnet *WHH* - -	5441	11773	4	3	–	1	–	–	–	–	–	–	–	–	–	–	
3	Finchley *HHH*	4688	25820	16	8	3	2	–	–	–	1	–	–	1	–	1	1	
129 : 1	Hornsey *HH* - -	3039	61027	35	5	1	2	–	–	–	–	–	–	–	–	1	–	
2	Tottenham *H* - -	4642	97174	65	26	12	4	–	–	–	–	–	1	1	1	3	2	
3	Edmonton *Wwo*	7489	36851	28	10	3	3	–	–	–	2	–	–	–	–	–	2	
4	Enfield *WWHH* -	12639	31803	19	2	1	–	–	–	–	–	–	–	–	1	1	–	
5	Waltham Abbey - -	11017	6066	1	4	1	–	–	–	–	2	–	–	–	1	1	–	
6	Cheshunt *H* -	8480	9620	13	1	1	–	–	–	–	–	–	–	–	–	–	–	
135 : 1	Hatfield, *part of** *W*	8306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
137 : 1	Bushey *H* - -	9331	7737	1	3	–	–	–	–	–	–	–	–	–	–	1	–	
2	Watford *Work.*, pt. of*-	—	—	-	1	–	–	–	–	–	1	–	–	–	–	–	1	
186 : 1	Stratford *H*- -	1100	42983	39	8	1	2	–	–	–	1	–	1	–	1	1	1	
2	Plaistow - - -	1242	58030	55	33	16	3	–	1	1	2	–	1	1	–	1	–	
3	Canning Town *H* -	1558	54750	70	28	14	2	–	–	1	1	–	–	3	2	2	–	
4	Forest Gate *w* - -	806	49140	34	6	2	2	–	–	–	1	–	–	–	–	–	–	
5	East Ham *wH* - -	3266	32713	51	20	8	1	–	–	–	4	–	–	1	–	–	–	
6	Leyton *WWWwH* -	4334	70188	57	28	7	9	–	2	–	1	–	–	–	1	1	12	
7	Walthamstow *HL* -	6501	57330	48	17	4	3	–	–	–	2	–	–	–	–	–	–	
187 : 1	Chigwell *part of** *H*	11773	12941	8	3	–	–	–	–	–	–	–	–	–	–	–	–	
2	Epping *Work.*, pt. of* -	—	—	-	-	–	–	–	–	–	–	–	–	–	–	–	–	
189 : 1	Romford *part of** *WH*	6556	4324	3	1	–	1	–	–	–	–	–	–	–	–	–	–	
2	Ilford - - - -	8493	10913	8	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Barking Town *H* -	3814	14301	13	7	1	1	–	1	–	–	–	–	1	–	–	–	
	Middlesex Co. Asylum -	—	—	-	3	–	2	–	–	–	–	–	–	–	–	–	3	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1979); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 3 Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 19th October, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	16·5	2·6	1916	555	391	1	46	26	103	17	23	83	87	467
INNER LONDON -	74,672	4,392,346	18·0	2·8	1518	421	303	1	42	23	76	15	20	62	72	428
OUTER RING -	368,749	1,656,209	12·5	1·9	398	134	85	–	4	3	27	2	3	21	15	39

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	October 19	124	91	17·3	–	–	2	2	3	3	8
GLASGOW - -	695,876	" 19	429	238	17·8	–	–	4	4	5	3	20
DUBLIN - -	349,594	" 19	188	162	24·2	–	–	3	1	–	4	12
CALCUTTA - -	466,460	September 7	–	252	28·1	1	–	–	–	1	124	29†
BOMBAY - -	821,764	" 24	330	486	30·8	–	4	?	?	?	118	47†
MADRAS - -	452,518	" 13	455	476	54·6	–	5	?	?	?	190	95†
PARIS - - -	2,424,705	October 12	1102	823	17·6	1	4	4	6*	7	7	97
BRUSSELS - -	507,985	" 12	215	203	27·0	–	1	1	2*	1	1	35
AMSTERDAM -	451,493	" 12	282	132	15·2	–	1	–	–	5	–	–
ROTTERDAM -	272,042	" 12	165	70	13·4	–	–	1	–	1	–	–
THE HAGUE -	180,455	" 12	117	62	17·9	–	–	–	–	3	–	–
COPENHAGEN -	341,000	" 12	223	122	18·7	–	–	1	2	8	2	16
STOCKHOLM -	259,304	" 5	119	58	11·6	–	–	–	–	–	2	1
CHRISTIANIA -	174,717	" 12	13	37	11·2	–	–	–	–	–	–	5
ST. PETERSBURG	954,400	September 28	492	423	23·1	1	7	9	10	12	16	55
MOSCOW - -	753,469	October 5	–	374	25·9	–	3	6	9	1	12	49
BERLIN - -	1,724,544	September 28	859	618	18·8	1	–	21	22	9	3	97
HAMBURG - -	608,710	October 5	511	182	15·5	–	–	–	3*	–	1	14
DRESDEN - -	320,600	September 21	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	367,769	October 12	–	156	22·1	–	–	8	6*	1	2	14
MUNICH - -	396,000	" 12	–	233	30·6	–	2	2	6*	–	–	86
VIENNA - -	1,495,764	" 12	884	549	19·1	1	6	11	17*	5	2	82
PRAGUE - -	351,478	" 5	179	162	24·0	–	–	–	1	2	1	8
BUDA-PESTH -	566,022	" 5	434	238	21·9	–	5	3	4	–	2	26
TRIESTE - -	160,825	September 28	98	79	25·2	–	–	3	3*	–	–	14
ROME - -	464,579	August 31	214	156	17·5	–	7	1	–	–	6‡	38
TURIN (10 days)	344,203	September 30	210	141	15·0	–	–	–	–	–	6	15
VENICE -	158,159	October 5	59	54	17·8	–	–	–	–	1	2	12
CAIRO - -	374,838	September 23	418	346	48·0	–	–	–	4*	–	7	109
ALEXANDRIA -	231,396	" 23	208	142	32·0	–	–	–	2*	–	6	57
NEW YORK -	1,860,700	October 5	–	704	19·4	–	5	2	27	7	7	71
BROOKLYN -	1,100,000	" 5	–	374	17·7	–	3	–	20	9	3	50
PHILADELPHIA	1,163,864	" 5	–	337	15·1	–	1	1	25	3	15	20
NEW ORLEANS -	275,000	September 14	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 5 deaths from cholera in Calcutta, one in Bombay, and 4 in Madras.
‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 19TH OCTOBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCT.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	13	..	30·019	55·3	46·6	8·7	51·4	+ 1·1	45·3	6·1	8·4	2·0	80	67·3	41·4	56·87	WSW.	WSW. & SW.	2·8	0·0	0·1	236	− 14	0·00	0·0
MONDAY .	14	..	29·850	61·7	48·2	13·5	53·3	+ 3·2	47·7	5·6	12·7	1·0	81	106·0	44·0	56·69	SW. & SSW.	SW. & Calm.	0·8	0·0	0·0	132	−121	0·00	0 0
TUESDAY.	15	..	29·763	66·2	45·5	20·7	55·4	+ 5·5	54·2	1·2	10·6	0·0	96	109·0	37·8	56·62	SE & Calm.	SW.	0·5	0·0	0·0	110	−146	0·11	0·0
WEDNESDAY	16	Perigee. In Equator.	30·060	58·0	40·6	17·4	47·0	− 2·8	42·5	4·5	10·0	2·0	84	94·0	33·5	56·51	WSW. & N.	N. & NNW.	4·0	0·0	0·4	316	+ 57	0·04	0·0
THURSDAY	17	..	30·324	55·3	37·4	17·9	45·6	− 4·0	39·4	6·2	14·2	1·7	79	104·3	30·6	56·32	N.	NNE. & NE.	1·5	0·0	0·1	233	− 29	0·00	0·0
FRIDAY .	18	New.	30·334	55·1	35·2	19·9	44·9	− 4·6	41·7	3·2	9·8	0·5	89	91·0	28·2	56·00	Calm & NE.	E.	0·4	0·0	0·0	99	−165	0·00	0·0
SATURDAY	19	..	30·185	53·0	41·2	11·8	48·0	− 1·3	43·8	4·2	7·8	0·4	85	64·0	32·0	55·50	E. & NE.	E. & ESE.	0·0	0·0	0·0	89	−177	0·00	0·0
MEANS . .		..	30·076	57·8	42·1	15·7	49·4	− 0·4	44·9	4·4	10·5	1·1	85	90·8	35·4	56·36	SW. & NE.		..	..	..	Sum 1215	Sum − 595	Sum 0·15	0·0
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	13	m. P. till afternoon; s. P. in evening.	0·0	10·8	Overcast generally.
MONDAY .	14	s. P. generally	3·4	10·7	Fine generally; variable amounts of cloud; cloudless at night with slight fog.
TUESDAY .	15	v. P. till afternoon; v. P. and v. N. in evening.	1·7	10·7	Generally cloudy; dense fog in morning; very fine between 10h. A.M. and 1h. P.M.; frequent rain after 4h. P.M.
WEDNESDAY	16	m. P. till noon; s. P. afterwards.	1·1	10·6	Overcast in morning, and rain fell occasionally; afterwards fine; generally cloudless after 3h. P.M.
THURSDAY .	17	s. P. throughout	5·0	10·5	Very fine; small amounts of light cloud prevalent between 9h. A.M. and 7h. P.M.; otherwise cloudless.
FRIDAY .	18	s. P. throughout	0·5	10·5	Generally cloudy.
SATURDAY .	19	m. P. generally	0·0	10·4	Overcast throughout.
			Sum 11·7	Sum 74·2	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·05 in. at the beginning of the week to 29·73 in. by 3h. P.M. on the 15th; increased to 30·38 in. by 10h. A.M. on the 18th; and decreased to 30·11 in. by the end of the week.

OFFICIAL COPY,

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 43. 1895. VOL. LVI.] WEEK ENDING SATURDAY, OCTOBER 26. [Price 1½*d.*

General Register Office, Somerset House,
October 28th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	TOWNS.	Weeks ending Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.
Birkenhead	22·8	17·0	16·0	19·4	Liverpool - -	26·6	31·7	24·0	27·8
Birmingham	22·0	22·4	20·8	20·5	London - -	15·9	17·0	18·0	17·5
Blackburn -	37·2	42·5	31·5	32·3	Manchester -	24·9	28·4	24·3	26·1
Bolton -	32·3	22·7	22·7	20·1	Newcastle-on-Tyne	24·9	27·5	20·7	20·4
Bradford -	19·8	25·3	16·8	21·7	Norwich - -	16·5	13·6	22·4	25·3
Brighton -	14·4	22·7	15·3	13·5	Nottingham -	15·6	24·2	13·1	18·2
Bristol -	18·5	16·7	15·8	15·5	Oldham - -	25·9	21·4	16·6	22·5
Burnley -	23·6	34·0	25·7	27·7	Plymouth - -	18·7	15·8	19·3	19·3
Cardiff -	20·4	19·8	19·1	16·4	Portsmouth -	19·1	17·6	17·9	17·9
Croydon -	13·2	8·6	13·6	12·7	Preston - -	18·5	26·4	19·0	19·0
Derby -	14·6	21·8	10·4	16·1	Salford - -	30·3	33·6	25·5	30·5
Gateshead -	26·1	28·8	21·2	23·9	Sheffield - -	24·5	24·0	17·3	21·0
Halifax -	23·9	24·5	17·2	16·7	Sunderland -	28·8	25·7	19·7	27·6
Huddersfield	14·2	18·9	17·8	13·1	Swansea - -	20·4	24·2	24·7	24·2
Hull - -	20·2	22·6	22·9	20·5	West Ham - -	17·1	13·4	17·8	16·5
Leeds -	18·1	21·6	17·0	20·8	Wolverhampton -	19·5	28·0	20·1	18·2
Leicester -	15·6	19·1	16·4	15·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Manchester, 1·2 in Wolverhampton, 1·8 in Salford, 2·2 in Oldham, 2·7 in Swansea, and 8·6 in Blackburn; from *whooping-cough*, 1·2 in Wolverhampton; from "*fever*," 1·0 in Birkenhead, 1·1 in Oldham, 1·6 in Burnley, 2·2 in Bolton, and 2·3 in Sunderland; and from *diarrhœa*, 2·0 in Cardiff, 2·1 in Manchester, 3·2 in Swansea, 3·3 in Blackburn, and 5·8 in Burnley. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 95 deaths from *diphtheria* included 61 in London, 8 in West Ham, 4 in Birmingham, 3 in Cardiff, and 3 in Wolverhampton. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2447 BIRTHS and 1470 DEATHS were registered. Allowing for increase of population, the births were 247, and the deaths 114, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·9, 17·0, and 18·0 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 88999.—4. 650.—10/95. Wt. 259. U U

preceding three weeks, fell again last week to 17·5. During the four weeks ending on Saturday last the death-rate averaged 17·1 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1470 deaths included 1 from small-pox, 48 from measles, 19 from scarlet fever, 61 from diphtheria, 20 from whooping-cough, 20 from enteric fever, 45 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 214 deaths were referred to these diseases, being 36 above the corrected average weekly number.

The death from *small-pox* was that of a child, aged 6 months, who had been removed from Marlborough Road, Chelsea, to the hospital ship "Atlas." The deaths from *measles*, which had been 15, 34, and 42 in the preceding three weeks, further rose last week to 48, exceeding the corrected average by 11; 9 cases belonged to St. Pancras, 6 to Bermondsey, and 6 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 22, 25, and 23 in the preceding three weeks, further fell last week to 19, and were 10 below the corrected average; 4 cases belonged to St. Pancras sanitary area. The deaths from *diphtheria*, which had been 44, 56, and 76 in the preceding three weeks, fell again last week to 61, but were 22 above the corrected average; 7 cases belonged to St. Pancras, 6 to Islington 6 to Poplar, and 6 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 14, 10, and 15 in the preceding three weeks, further rose last week to 20, but were 5 below the corrected average. The fatal cases of *enteric fever*, which had been 22, 22, and 19 in the preceding three weeks, were 20 last week, the corrected average being 18; 3 cases belonged to St. Pancras, 2 to Bethnal Green, and 2 to Battersea sanitary areas. The deaths from *diarrhœa*, which had been 102, 87, and 62 in the preceding three weeks, further fell last week to 45, but were 18 above the corrected average. In addition to the 45 deaths directly referred to *diarrhœa*, 12 of the registered deaths were described as due to *gastro-enteritis*, and these are included among the 17 cases of enteritis shown in Table 4.

The deaths referred to diseases of the respiratory organs, which had been 158, 175, and 215 in the preceding three weeks, further rose last week to 235, and were 137 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 7, 3, and 8 in the preceding three weeks.

Different forms of violence caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 6 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 6 to drowning, and 11 (including 10 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 114 cases of small-pox, 2833 of scarlet fever, 675 of diphtheria, and 129 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 14 cases, against 17, 9, and 7; of scarlet fever, 269 cases, against 252, 332, and 241; of diphtheria, 115 cases, against 90, 102, and 115; and of enteric fever, 16 cases, against 23, 14, and 15.

Greater London.

In Greater London 3344 births and 1893 deaths were registered, corresponding to annual rates of 28·8 and 16·3 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 7 from scarlet fever, 27 from diphtheria, and 8 from "fever" were registered. Eight deaths from measles, 4 from scarlet fever, 9 from diphtheria, and 4 from "fever" belonged to West Ham district. Four deaths from measles and 7 from diphtheria occurred in Edmonton district, and 3 deaths from diphtheria in Willesden sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·56 inches, and that of the Thermometer 40°·4, the latter being 7°·8 below the week's average in the 50 years 1841–90. The direction of the wind was Northerly, the horizontal movement of the air being 18 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·0 hours; the measured rainfall amounted to 0·45 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 26th October, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 26th Oct., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6111	4011	1197	790	1	121	42	95	47	74	203	127	269	756	57	19·7	2·9	57·0	22·0	39·3	4·06	0·77	1·96	33 Towns.
London	4,892,346	2447	1470	410	303	1	48	19	61	20	20	45	59	127	415	9	17·5	2·5	52·4	28·0	40·4	4·67	0·45	1·14	London.
West Ham	249,473	159	79	24	10	–	3	2	8	–	4	2	1	4	9	4	16·5	4·0	–	–	–	–	–	–	West Ham.
Croydon	114,923	60	28	7	9	–	–	–	1	–	1	1	–	1	1	–	12·7	1·4	50·2	22·0	37·9	3·28	0·46	1·17	Croydon.
Brighton	119,604	54	31	9	11	–	–	–	–	–	–	1	1	2	5	–	13·5	0·4	56·8	30·6	41·9	5·50	0·37	0·94	Brighton.
Portsmouth	174,751	84	60	16	16	–	–	–	1	–	–	3	2	4	7	–	17·9	1·2	57·0	30·0	41·1	5·06	1·85	4·70	Portsmouth.
Plymouth	89,096	46	33	13	12	–	–	–	2	–	–	–	–	–	2	–	19·3	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,189	118	68	19	23	–	–	1	–	–	–	6	2	5	17	1	15·5	1·6	53·0	27·0	39·2	4·00	0·46	1·17	Bristol.
Cardiff	155,637	101	49	17	7	–	–	–	3	1	–	6	2	3	6	–	16·4	3·4	–	–	–	–	–	–	Cardiff.
Swansea	97,608	51	45	22	2	–	5	–	–	–	1	6	–	1	3	1	24·2	6·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	64	30	9	6	–	2	–	3	2	–	1	2	4	1	–	18·2	4·9	52·8	23·2	38·5	3·61	0·62	1·57	Wolverhampton.
Birmingham	496,751	312	195	77	26	–	5	3	4	3	3	13	7	5	22	10	20·5	3·3	–	–	–	–	–	–	Birmingham.
Norwich	107,127	60	52	18	17	–	–	–	–	–	1	4	2	3	12	–	25·3	2·4	56·8	28·2	41·2	5·11	0·86	2·18	Norwich.
Leicester	193,889	104	59	20	14	–	2	1	–	2	1	3	1	1	8	3	15·9	2·4	–	–	–	–	–	–	Leicester.
Nottingham	226,658	110	79	23	18	–	–	1	–	–	1	3	4	8	10	1	18·2	1·2	54·8	22·3	39·9	4·39	0·44	1·12	Nottingham.
Derby	100,272	51	31	10	7	–	–	–	–	–	–	–	1	3	2	–	16·1	–	–	–	–	–	–	–	Derby.
Birkenhead	107,469	54	40	9	6	–	–	–	2	–	2	1	1	2	1	1	19·4	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	364	269	73	35	–	7	–	–	6	4	13	9	15	62	9	27·8	3·1	53·8	30·9	38·7	3·72	1·90	4·83	Liverpool.
Bolton	119,337	64	46	15	5	–	–	2	–	–	5	3	–	3	3	–	20·1	4·4	–	–	–	–	–	–	Bolton.
Manchester	524,865	353	263	87	49	–	10	5	–	–	3	21	10	22	47	2	26·1	3·9	–	–	–	–	–	–	Manchester.
Salford	208,253	133	122	51	19	–	7	–	1	2	–	6	2	3	14	1	30·5	4·0	–	–	–	–	–	–	Salford.
Oldham	141,079	63	61	9	13	–	6	1	–	–	3	4	4	8	5	–	22·5	5·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	57	53	27	4	–	1	–	1	–	3	11	–	–	2	–	27·7	8·4	–	–	–	–	–	–	Burnley.
Blackburn	127,615	71	79	23	11	–	21	1	1	2	–	8	–	2	4	1	32·3	13·5	–	–	–	–	–	–	Blackburn.
Preston	112,638	61	41	19	6	–	–	–	–	–	–	4	–	1	3	1	19·0	1·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	38	25	8	3	–	1	–	–	–	–	2	–	–	–	–	13·1	1·6	50·0	26·0	36·3	2·39	0·50	1·27	Huddersfield.
Halifax	93,813	41	30	6	11	–	–	–	–	–	–	2	1	2	–	1	16·7	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	93	94	16	27	–	–	1	–	4	1	3	–	3	7	–	21·7	2·1	48·4	32·2	39·1	3·94	0·44	1·12	Bradford.
Leeds	395,546	259	158	54	37	–	1	1	2	1	7	10	3	11	18	1	20·8	2·9	–	–	–	–	–	–	Leeds.
Sheffield	342,768	225	138	33	21	–	1	1	1	–	6	8	1	3	30	5	21·0	2·6	–	–	–	–	–	–	Sheffield.
Hull	216,722	143	85	20	18	–	–	3	–	–	2	5	4	4	9	5	20·5	2·4	50·0	23·0	36·8	2·67	0·89	2·26	Hull.
Sunderland	137,705	98	73	18	16	–	–	–	–	2	6	2	2	6	12	1	27·6	3·8	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	51	44	17	14	–	–	–	2	–	–	1	–	4	4	–	23·9	1·6	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	122	81	28	14	–	1	–	2	2	–	5	6	9	15	–	20·4	2·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-THIRD Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2581	2685	2581	2666	2580	2512	2603	2312	2590	2413	2693·7	2447
Males . .	1338	1370	1357	1350	1308	1252	1338	1170	1293	1232	1372·8	1220
Females .	1243	1315	1224	1316	1272	1260	1265	1142	1297	1181	1320·9	1227
TOTAL **Deaths**	1366	1380	1738	1737	1310	1649	1348	1514	1487	1481	1584·2	1470
Males . .	696	693	907	914	686	850	687	777	762	740	814·0	744
Females .	670	687	831	823	624	799	661	737	725	741	770·2	726

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.
TOTAL **Births** - -	2624	2340	2646	2448	2617	2486	2557	2541	2618	2447	2622	2629	2447
TOTAL **Deaths** - -	1806	1601	1459	1430	1336	1358	1298	1346	1532	1342	1435	1518	1470
Ages at Death: Under 1 year -	772	616	460	426	422	420	381	425	443	383	394	421	410
1—5 years -	308	272	232	224	190	199	200	163	220	180	213	238	221
5—20 " -	87	79	88	77	113	78	98	91	100	76	78	108	94
20—40 " -	166	167	159	167	164	171	156	174	190	184	193	189	180
40—60 " -	211	215	226	257	199	227	228	261	279	261	261	256	262
60—80 " -	207	222	241	227	206	230	192	188	259	212	237	255	251
80 years & upwards	55	30	53	52	42	33	43	44	41	46	59	51	52
Deaths from—													
Small-pox - - - -	1	3	1	6	4	5	2	2	2	1	2	1	1
Measles - - - -	67	70	62	55	56	40	28	24	27	15	34	42	48
Scarlet fever - - -	24	15	21	27	21	20	19	13	24	22	25	23	19
Diphtheria - - -	57	55	50	24	40	38	55	37	56	44	56	76	61
Whooping-cough - -	17	20	10	21	22	17	14	21	25	14	10	15	20
Typhus - - - -	-	-	-	-	1	-	-	-	-	-	-	1	-
Enteric fever - - -	12	9	15	10	10	21	16	21	11	22	22	19	20
Simple Continued fever -	1	-	-	-	-	-	-	1	-	-	-	-	-
Diarrhœa and Dysentery -	373	224	163	112	122	129	107	109	107	102	87	62	45
Cholera - - - -	9	5	1	2	2	1	1	1	4	3	-	-	-
All the above Diseases	561	401	323	257	278	271	242	229	256	223	236	239	214
Dis. of Respiratory System	171	159	137	170	102	134	123	141	173	158	175	215	235
Phthisis - - -	127	136	126	148	136	124	122	144	140	152	153	168	156
Dis. of Circulatory System	108	100	114	86	93	97	104	101	121	102	125	111	117
Violence - - - -	58	49	67	51	68	48	67	62	72	77	52	72	59
Inquest Cases - - -	121	118	137	102	118	103	116	118	137	159	120	141	127
Deaths in Public Institutions	436	383	407	423	374	412	378	387	464	400	412	427	415
TEMPERATURE OF THE AIR													
Mean - - - -	59·0°	60·3°	61·7°	66·2°	61·8°	65·1°	60·7°	56·9°	65·6°	56·5°	50·7°	49·4°	40·4°
Mean of Highest readings -	67·2°	71·3°	71·4°	78·4°	72·6°	78·8°	71·8°	68·8°	81·8°	68·5°	57·0°	57·8°	46·4°
Mean of Lowest readings -	53·1°	52·7°	53·9°	55·9°	53·3°	53·7°	51·4°	46·8°	52·4°	46·2°	45·8°	42·1°	34·4°
Humidity of the Air - -	82	78	78	71	75	73	75	81	71	77	83	85	85
Rain-fall (in inches) - -	1·23	1·09	0·35	0·19	0·15	0·82	0·09	0·03	0·00	0·49	1·45	0·15	0·45
Registered Sunshine (in hours)	12·0	29·7	32·9	56·7	51·5	54·3	39·4	30·5	56·1	32·5	7·9	11·7	10·0
CASES OF INFECTIOUS SICKNESS IN HOSPITAL AT THE END OF EACH WEEK.*													
Small-pox - - - -	237	273	336	342	340	323	307	271	234	198	158	119	114
Scarlet fever - - - -	2423	2511	2529	2506	2514	2600	2674	2732	2807	2802	2827	2838	2833
Diphtheria - - - -	686	689	657	667	669	662	663	665	673	672	659	667	675
Enteric fever - - - -	108	106	103	114	123	118	120	109	117	124	125	115	129

The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-THIRD Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 43rd Week of the 10 years 1885-94.*	In the Week ending Saturday, 26th October 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1584·2	1470	410	221	94	180	262	251	52
Small-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·1	1	1	-	-	-	-	-	-
Small-pox { No Statement	0·6	-	-	-	-	-	-	-	-
Measles - - - -	36·6	48	7	38	3	-	-	-	-
Scarlet Fever - -	29·3	19	3	11	4	1	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	3·6	4	-	-	-	-	2	1	1
Whooping-cough - -	25·1	20	7	13	-	-	-	-	-
Diphtheria - - -	39·4	61	2	37	20	-	2	-	-
Simple Continued and Ill-defined Fever -	1·1	-	-	-	-	-	-	-	-
Enteric Fever - -	18·2	20	-	-	5	11	4	-	-
Cholera and Chol. Diarr.	0·3	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	27·4	45	37	2	-	1	3	2	-
Remittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	1	1	-	-	-	-	-	-
Venereal Affections - -	10·6	6	5	-	-	1	-	-	-
Erysipelas - - -	8·7	4	-	-	1	-	1	1	1
Pyæmia and Septicæmia	2·7	2	-	-	-	1	1	-	-
Puerperal Fever - -	6·8	5	-	-	1	4	-	-	-
Other Zymotic Diseases	1·7	1	-	-	-	1	-	-	-
Thrush - - - -	0·7	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·5	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·5	5	2	1	-	-	2	-	-
Alcoholism - - -	7·2	6	-	-	-	2	4	-	-
Rheumatic Fever, Rheumatism of Heart	10·6	9	-	-	1	3	3	2	-
Rheumatism - -	1·7	1	-	-	-	-	-	1	-
Gout - - - -	2·8	2	-	-	-	-	-	2	-
Rickets - - - -	3·5	7	4	3	-	-	-	-	-
Cancer - - - -	61·4	75	-	-	1	7	34	32	1
Tabes Mesenterica -	28·2	25	17	6	1	1	-	-	-
Tubercular Meningitis -	16·4	21	7	11	3	-	-	-	-
Phthisis - - -	162·2	156	2	4	16	71	56	7	-
Scrofula, Tuberculosis -	15·8	17	5	5	3	-	3	1	-
Other Constitutional Diseases - - -	11·9	19	1	2	2	4	2	7	1
Premature Birth - -	41·6	44	44	-	-	-	-	-	-
Atelectasis - - -	3·2	3	3	-	-	-	-	-	-
Congenital Malformations - - -	7·9	10	7	1	1	1	-	-	-
Old Age - - - -	43·7	31	-	-	-	-	-	17	14
Apoplexy - - -	43·8	32	1	-	1	3	7	18	2
Epilepsy - - -	6·2	6	-	-	-	2	3	1	-
Convulsions - - -	42·3	44	39	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	80·5	71	4	10	7	5	15	24	5

CAUSES OF DEATH.	Corrected Averages for the 43rd Week of the 10 years 1885-94.*	In the Week ending Saturday, 26th October 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	1·9	4	1	-	-	-	1	2	-
Diseases of Circulatory System - - -	134·5	117	3	1	8	12	37	51	5
Croup - - - -	9·7	1	-	1	-	-	-	-	-
Bronchitis - - -	217·1	132	47	17	1	5	18	32	12
Pneumonia - - -	109·0	75	29	19	3	5	10	7	2
Pleurisy - - -	5·9	6	-	1	-	2	3	-	-
Other Diseases of Respiratory System - -	30·3	21	9	4	-	1	3	2	2
Dentition - - -	7·8	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	3·0	6	-	2	3	-	1	-	-
Enteritis - - -	11·6	17	11	1	-	-	3	2	-
Peritonitis - - -	7·0	2	1	-	-	-	1	-	-
Diseases of Liver - -	25·0	22	3	1	-	4	11	3	-
Other Diseases of Digestive System -	32·1	29	8	3	1	4	6	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	5	2	-	-	1	2	-	-
Diseases of Urinary System - - -	42·6	35	-	3	2	5	10	14	1
Diseases of Generative System - - -	6·0	10	1	-	1	5	-	3	-
Accidents of Childbirth -	5·6	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	5·7	7	1	1	-	2	2	1	-
Diseases of Integumentary System - -	5·8	12	5	1	-	-	3	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	47·3	-	-	-	-	-	-	-	-
By Vehicles or Horses -		5	-	1	-	1	1	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	-	1	-	-	-
In Building Operations -		2	-	-	-	2	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		6	-	3	1	1	-	-	1
By Drowning - -		6	-	-	1	2	1	2	-
By Suffocation in Bed -		11	10	1	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		-	-	-	-	-	-	-	-
Other or not stated Causes - - - -		22	5		3	2	3	3	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	-	-	-	-	-	-	-	-
Suicide - - - -	5·6	6	-	-	-	2	2	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	61·0	78	70	5	-	-	2	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA
during the Week en

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2447	1470	410	303	1	48	19	61	20	-	29	-	45	59	127	415
WEST DISTRICTS	740,735	371	240	57	74	-	6	1	8	5	-	2	-	7	9	25	61
NORTH DISTRICTS	993,884	547	305	82	59	-	14	7	16	3	-	6	-	11	8	18	83
CENTRAL DISTRICTS	247,538	118	96	22	14	-	7	2	4	1	-	1	-	1	11	14	39
EAST DISTRICTS	705,114	471	328	98	58	-	5	4	10	7	-	4	-	8	14	33	105
SOUTH DISTRICTS	1,524,472	940	478	150	93	-	16	4	22	4	-	7	-	18	17	32	104
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	23	1	5	1	-	1	1	-	-	-	-	-	-	-	23
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	47	27	4	14	-	-	-	1	-	-	-	-	-	2	4	4
St. John Paddington *H* - G.J.	33687	5	8	2	3	-	-	-	-	-	-	-	-	-	1	1	1
Kensington Town *Ww* - W.M.	118751	65	54	17	15	-	2	-	-	-	-	-	-	2	1	4	22
Brompton *H* - W.M., & C.	47557	14	9	1	2	-	-	-	-	1	-	1	-	-	-	1	1
St. Peter Hammersmith - W.M.	8586	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J.	88653	57	25	5	8	-	-	-	3	1	-	-	-	2	1	4	4
Fulham *Ww* - W.M. & C.	91639	71	39	14	9	-	2	1	3	3	-	-	-	2	2	5	8
Chelsea Kensal Town - C.	21787	14	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHHH* - C.	41837	28	19	3	6	-	-	-	-	-	-	1	-	-	-	1	9
Chelsea South *HH* - C.	32829	15	8	4	3	-	-	-	-	-	-	-	-	-	-	-	4
May Fair *WH* - G.J.	23733	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-	4
Belgrave *WHHH* - C.	54831	15	20	3	5	-	-	-	-	-	-	-	-	-	2	4	3
St. John Westminster *HH* - C.	34106	13	12	1	2	-	2	-	-	-	-	-	-	1	-	2	-
St. Margaret Westminster *H* - C.	21868	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WHHH* N.R. & G.J.	24995	9	4	-	2	-	-	-	1	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHHH* - N.R.	12317	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	15	14	4	1	-	-	-	-	-	-	1	-	-	-	-	7
Rectory Marylebone *WH* G.J. & W.M.	20024	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	21	8	1	1	-	-	-	-	1	-	-	-	-	-	-	2
Christchurch Marylebone *HH* - W.M.	33327	15	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *HH* - W.M.	32101	19	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	24	21	3	7	-	-	2	1	-	-	-	-	3	1	1	7
Regent's Park Pancras *HH* - W.M.	36590	19	12	4	2	-	1	-	-	1	-	-	-	-	2	3	-
Tottenham-court *wHHH* N.R. & W.M.	26321	14	6	2	1	-	-	-	-	-	-	-	-	-	-	-	6
Gray's Inn Lane *HHH* - N.R.	27455	9	11	4	-	-	-	1	1	-	-	-	-	2	-	-	3
somers Town *HH* - N.R.	32829	27	12	7	1	-	-	-	-	-	-	-	-	1	1	1	-
Camden Town *WH* - N.R.	15419	17	5	1	2	-	1	-	-	-	-	1	-	-	1	1	2
Kentish Town *WW* - N.R.	95765	44	44	9	10	-	7	1	5	-	-	2	-	1	-	-	8
Upper Holloway *WWWwHHH* - N.R.	90235	62	50	12	9	-	1	-	-	1	-	-	-	-	-	1	31
Islington South-west *H* - N.R.	105557	65	24	10	4	-	1	1	1	-	-	-	-	1	-	2	1
Islington South-east - N.R.	64153	32	15	5	3	-	-	1	1	-	-	-	-	1	-	1	-
Highbury *HH* - N.R.	59193	31	13	4	3	-	-	-	2	-	-	1	-	1	1	1	2
Stoke Newington *H* - N.R.	30936	20	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	17759	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42602	22	5	2	1	-	-	-	-	-	-	-	-	1	-	1	-
Hackney *WwwH* - E.L. & N.R.	96486	42	36	8	9	-	-	1	4	-	-	1	-	-	1	2	14
South Hackney *w* - E.L.	41759	25	11	2	-	-	3	-	1	-	-	-	-	-	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	9	5	-	4	-	-	-	-	-	-	-	-	-	1	1	4
St. Giles North *H* - N.R.	9633	7	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2
St. Martin-in-the-Fields *HH* N.R. & C.	14616	1	9	2	-	-	1	1	-	-	-	-	-	-	1	2	4
St. Mary-le-Strand *H* - N.R.	5706	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Strand Union Workhouse, Edmonton -	†1037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	12	3	-	-	2	-	1	-	-	-	-	-	1	1	8
St. Andrew Eastern *WH* - N.R.	15343	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.	16883	11	7	2	-	-	1	1	-	1	-	-	-	-	-	1	-
Pentonville - N.R.	17155	6	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Goswell-street - N.R.	15375	8	2	1	-	-	-	-	-	-	-	-	-	-	1	1	4
City-road *HHHL* - N.R.	29177	26	13	7	1	-	2	-	-	-	-	-	-	-	1	1	-
Whitecross-street - N.R.	8278	3	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Finsbury - N.R.	4985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4444	-	15	-	3	-	-	-	2	-	-	-	-	5	6	14	-
St. Bride *W* - N.R.	6594	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Broad Street *H* - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
City of London Asylum, Stone -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—W
house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establish
receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diff
Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R.
River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
iturday, 26th October, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	9	8	2	1	-	-	1	-	-	-	-	-	1	-	1	1	-
Hoxton New Town *w* - - - N.R.	29313	21	17	3	4	-	-	-	1	-	-	-	-	1	-	1	4	-
Hoxton Old Town - - - N.R.	28354	12	8	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Haggerston *WH* - - N.R. & E.L.	46244	35	23	8	3	-	-	-	1	2	-	-	-	1	-	-	12	-
Bethnal Green North *H* - - E.L.	51520	32	12	10	-	-	-	-	-	-	-	1	-	-	1	3	-	-
Bethnal Green South - - - E.L.	33489	33	10	3	-	-	-	1	-	-	-	1	-	-	1	1	-	-
Bethnal Green East *WHL** - E.L.	44123	34	37	11	8	-	1	-	-	1	-	-	-	-	-	1	21	-
Spitalfields - - - E. & N.R.	22456	24	11	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End New Town *W* - - E.L.	17908	13	7	3	1	-	-	-	-	-	-	-	-	-	-	2	4	-
Whitechapel Church *H* E.L. & N.R.	20298	19	28	7	3	-	-	-	1	1	-	1	-	-	4	4	21	-
Goodman's Fields - - - E.L.	13800	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.L.	37738	38	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John, St. George East *W* - E.L.	8957	2	12	4	2	-	-	1	-	-	-	1	-	1	-	1	10	-
Shadwell *H* - - - E.L. & N.R.	10246	5	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Ratcliff *W* - - - - - E.L.	14928	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - - E.L.	32202	22	13	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* - E.L.	38650	24	10	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town East *WWww* E.L.	68942	37	34	9	15	-	-	1	1	-	-	-	-	2	2	5	9	-
Bow *L** - - - - - E.L.	40865	25	21	7	2	-	1	-	-	1	-	-	-	-	1	1	1	-
Bromley *wwwH* - - - - E.L.	70000	46	40	5	9	-	1	-	3	-	-	-	-	2	2	4	21	-
Poplar *WW* - - - - - E.L.	56383	31	22	9	2	-	1	-	2	2	-	-	-	-	1	7	1	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	18264	8	8	3	1	-	-	-	-	2	-	-	-	-	1	1	-	-
St Saviour Southwark - - S.	18913	10	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	21867	24	8	3	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Borough-road *WH* - - S. & L.	16624	10	6	3	1	-	-	-	1	-	-	-	-	2	-	-	2	-
London-road *HL* - - L. & S.	21221	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington - - S. & L.	26596	25	15	7	1	-	2	-	-	-	-	-	-	1	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	35	23	11	2	-	-	-	1	-	-	1	-	2	-	-	1	-
St. Mary Newington - - L. & S.	27866	12	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	12723	14	13	2	4	-	-	-	1	-	-	1	-	1	1	1	15	-
Leather Market *W* - - S. & L.	30612	26	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Bermondsey - - S.	54070	25	24	6	4	-	6	-	1	-	-	-	-	1	-	1	-	1
Rotherhithe *WwH* - - S. & K.	39255	24	14	5	1	-	-	-	1	-	-	-	-	1	-	-	4	-
Waterloo-road 1st *H* - - L. & S.	14031	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	16	5	3	-	-	-	-	-	-	-	-	-	1	1	1	-	1
Lambeth Church 1st *H* - L. & S.	18075	7	14	4	1	-	-	-	1	-	-	-	-	-	3	3	8	1
Lambeth Church 2nd *WW* - L. & S.	39097	31	21	6	3	-	1	-	-	-	-	-	-	1	1	3	12	-
Kennington 1st *H* - - S. & L.	50586	35	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Kennington 2nd - - - S. & L.	39708	22	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - - L. & S.	73405	42	15	2	3	-	-	2	3	-	-	-	-	-	-	-	3	-
Norwood *WH* - - - - L.	25657	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	67244	45	19	9	-	-	-	1	1	-	-	2	-	-	-	1	-	-
West Battersea *WwH* - - - S.	83314	37	24	3	10	-	-	-	-	-	-	-	-	-	-	-	9	-
Clapham *H* - - - - - S.	43698	18	8	3	3	-	-	-	-	-	-	-	-	2	-	-	1	-
Wandsworth *WHHL* - - - S.	46717	25	8	-	4	-	-	-	-	1	-	-	-	-	-	-	-	1
Putney - - - - - - - S.	17771	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Streatham *www* - - - - L.	48756	20	13	-	2	-	-	1	5	-	-	1	-	-	-	1	6	-
Dulwich - - - L. & S.	6809	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL**L** - - S. & L.	81686	39	36	8	11	-	1	-	-	-	-	1	-	-	1	4	20	-
Peckham *W* - - - - S., L., & K.	83483	64	24	8	7	-	1	-	-	-	-	-	-	2	1	1	-	-
St. George Camberwell - - L. & S.	63366	46	19	6	2	-	4	-	-	-	-	-	-	1	1	3	-	-
Deptford, North - - - - K.	35314	22	16	7	4	-	-	-	3	-	-	1	-	1	-	1	-	-
Deptford, Central *w* - - - K.	42007	35	10	5	1	-	-	-	1	-	-	-	-	-	-	-	1	1
Deptford, South - - - - K.	30852	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - - K.	22007	12	6	2	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Greenwich East *WH* - - - K.	35233	22	18	2	4	-	-	-	1	-	-	-	-	-	-	-	7	-
Eltham *wH* - - - - - K.	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WH* - - - - K.	30950	21	13	3	4	-	-	-	1	-	-	-	-	-	1	1	5	-
Sydenham *H* - - - - - L.	34162	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *HH* - - - - K.	14040	7	5	2	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Woolwich Dockyard - - - K.	19606	16	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	2
Woolwich Arsenal *HH HH* - K.	21242	24	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead, West *H* - - - K.	15869	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	28	15	3	5	-	-	-	1	-	-	-	-	1	3	4	5	-
Banstead Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Caterham Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford - -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch Asylum - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
N.E. Hospital - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - - -	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
Leavesden Asylum - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 26th October 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	897	423	107	99	–	13	7	27	6	8	15	12	26	41	16
30 : 1	Carshalton *wHH*	12228	26108	16	6	1	2	–	–	–	–	–	–	1	–	–	–	–
	Epsom, *part of** *WwH*	10423	12508	3	2	–	1	–	–	–	–	–	–	–	–	–	1	–
37 : 1	Godstone, *part of** *W*	2754	1593	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	69	33	8	11	–	–	–	1	–	1	1	–	1	1	–
2	Mitcham *w*	11697	23088	14	5	1	–	–	–	–	1	–	–	1	–	–	–	–
39 : 1	Wimbledon *HHH*	3229	25761	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	8071	44765	20	12	1	4	–	–	–	1	–	–	–	1	1	4	–
3	Esher, *part of** *HH*	6601	12059	5	4	–	1	–	–	–	–	–	–	–	–	1	–	–
4	Hampton *H*	4565	18252	13	6	2	–	–	–	–	1	–	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25389	13	8	–	3	–	–	–	–	–	–	–	–	–	1	–
2	Mortlake *H*	2823	16159	6	4	1	–	–	–	–	1	–	–	–	–	1	2	–
41 : 1	Bromley *HHH*	9127	23815	7	5	–	1	–	–	–	–	–	–	–	–	–	1	–
2	Beckenham *H*	6542	21969	9	4	–	2	–	–	–	–	–	–	–	–	–	–	–
	Chislhrst, *pt. of** *WHH*	14307	20372	9	7	2	1	–	–	–	1	–	–	–	1	1	1	–
42 : 1	Bexley *HH*	12540	30590	19	6	2	3	–	–	–	–	–	–	1	–	–	–	–
2	Dartford *Work.*, pt. of*–	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	9	6	1	2	–	–	–	–	–	–	–	1	1	–	–
2	Staines *WH*	13277	13221	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	7	8	1	3	–	1	–	–	–	–	–	1	1	2	–
2	Uxbridge	6172	5417	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	14537	12618	4	4	2	1	–	–	–	–	–	–	1	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	11	11	3	2	–	–	–	–	1	–	–	–	1	–	–
2	Twickenham *HH*	2415	16027	8	3	2	1	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	25	7	6	1	–	–	–	–	–	–	1	–	–	–	–
4	Chiswick	1245	21963	11	9	–	4	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wH*	6132	30945	33	5	2	1	–	–	–	–	–	–	–	1	–	–	–
127 : 1	Harrow *HHH*	13809	15715	14	3	2	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	2	3	–	2	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61255	40	19	5	2	–	–	2	3	–	2	1	1	2	4	–
4	Hendon *WH*	8382	15843	14	8	–	5	–	–	–	–	–	–	–	–	–	5	–
128 : 1	South Mimms *H*	15599	8474	7	1	–	–	–	–	–	1	–	–	–	–	–	–	–
2	Barnet *WHH*	5441	11778	7	2	–	1	–	–	–	1	–	–	1	–	–	–	–
3	Finchley *HHH*	4683	25820	14	2	–	1	–	–	–	–	–	–	–	–	2	–	–
129 : 1	Hornsey *HH*	3039	61097	29	21	3	6	–	1	–	1	–	1	1	–	1	1	–
2	Tottenham *H*	4642	97174	72	23	5	2	–	2	1	4	–	–	–	1	3	2	–
3	Edmonton *Www*	7489	36351	25	7	3	2	–	1	–	1	1	–	2	–	–	–	–
4	Enfield *WWHH*	12639	31803	23	8	2	1	–	–	–	1	–	–	–	–	2	–	–
5	Waltham Abbey	11017	6066	4	4	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*–	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1100	42983	32	16	7	2	–	–	1	–	–	–	1	–	1	1	–
2	Plaistow	1242	58030	53	19	5	4	–	1	–	1	–	2	–	–	1	–	–
3	Canning Town *H*	1558	54750	43	23	9	1	–	2	1	2	–	–	1	1	2	1	–
4	Forest Gate *w*	806	49149	31	14	2	1	–	–	–	4	–	1	–	–	–	–	–
5	East Ham *wH*	3266	32713	28	16	3	5	–	–	2	–	–	–	1	–	–	2	–
6	Leyton *WWWwH*	4334	70188	44	38	11	9	–	5	–	–	2	1	–	2	2	10	–
7	Walthamstow *H L*	6501	57330	52	20	9	6	–	–	–	1	2	–	–	2	2	1	–
187 : 1	Chigwell *part of** *H*	11773	12941	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6556	4324	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford	8493	10913	5	4	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	15	5	2	2	–	–	–	–	–	–	1	–	–	–	–
	Homerton Fever Hosp.	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2282); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1072); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 1 Dartford, 137 : 2, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 26th October, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8–14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	16·3	2·5	1893	517	402	1	61	26	88	26	28	60	71	456
INNER LONDON -	74,672	4,392,346	17·5	2·5	1470	410	303	1	48	19	61	20	20	45	59	415
OUTER RING -	368,749	1,656,209	13·3	2·4	423	107	99	–	13	7	27	6	8	15	12	41

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	October 26	141	83	15·8	–	–	2	4	2	2	4
GLASGOW - -	695,876	" 26	411	271	20·3	–	1	6	3	5	9	6
DUBLIN - -	349,594	" 26	152	139	20·7	1	–	1	–	2	5	6
CALCUTTA - -	466,460	September 14	–	224	25·0	–	–	–	–	–	95	22
BOMBAY - -	821,764	October 1	319	411	26·0	–	1	?	?	?	85	34†
MADRAS - -	452,518	September 20	454	431	49·5	–	4	?	?	?	172	85
PARIS - - -	2,424,705	October 19	1014	795	17·0	–	7	2	2*	2	9	70
BRUSSELS - -	507,985	" 19	237	197	20·2	–	–	2	1*	–	4	25
AMSTERDAM -	451,493	" 19	263	115	13·2	–	–	–	2	–	–	–
ROTTERDAM -	272,042	" 19	189	84	16·0	–	–	–	2	–	–	–
THE HAGUE -	180,455	" 19	104	54	15·6	–	–	–	–	2	–	–
COPENHAGEN -	341,000	" 19	–	–	–	–	–	–	–	–	–	–
STOCKHOLM -	259,304	" 12	128	66	13·2	–	–	–	–	–	–	2
CHRISTIANIA -	174,717	" 19	47	49	14·6	–	–	–	2	2	–	3
ST. PETERSBURG	954,400	" 5	464	451	24·6	3	5	13	12	5	23	38
MOSCOW - -	753,469	" 12	–	372	25·7	1	–	12	8	3	6	46
BERLIN - -	1,724,544	" 5	845	552	16·5	–	6	20	25	20	1	79
HAMBURG - -	608,710	" 12	340	201	17·2	–	1	4	2*	5	1	30
DRESDEN - -	320,600	September 28	234	122	19·6	–	–	2	3*	2	–	12
BRESLAU - -	367,769	October 19	–	134	19·0	–	–	8	1*	1	–	23
MUNICH - -	396,000	" 19	–	211	27·7	–	–	–	4*	–	1	75
VIENNA - -	1,495,764	" 19	–	–	–	–	–	–	–	–	–	–
PRAGUE - -	351,478	" 12	168	151	21·9	–	–	–	2	–	3	6
BUDA-PESTH -	566,022	" 12	381	220	20·2	–	3	4	3	–	3	39
TRIESTE - -	160,825	" 5	70	89	28·8	–	–	4	3*	1	–	14
ROME - -	464,579	September 7	180	165	18·5	–	7	–	–	–	9‡	20
TURIN (10 days)	344,203	October 10	178	126	13·4	–	–	1	1	–	4	13
VENICE -	158,159	" 12	79	48	15·8	–	–	–	–	–	1	6
CAIRO - -	374,838	September 30	371	313	43·4	1	1	–	3*	–	6	121
ALEXANDRIA -	231,396	" 30	215	133	30·0	–	–	–	2*	–	5	52
NEW YORK -	1,860,700	October 12	–	732	20·2	1	1	2	25	10	11	45
BROOKLYN -	1,100,000	" 12	–	393	18·6	–	2	–	16	7	7	28
PHILADELPHIA	1,163,864	" 12	–	360	16·1	–	1	1	18	1	4	14
NEW ORLEANS -	275,000	September 21	–	110	20·9	–	–	–	–	–	7	4

* Including deaths from croup.
† Including one death from cholera.
‡ Including 5 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 26TH OCTOBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	20	..	30·070	50·0	40·9	9·1	45·6	− 3·4	43·0	2·6	5·7	1·0	91	53·8	33·0	55·16	NE. & Calm.	SSW. & SW.	0·0	0·0	0·0	70	−197	0·00	0·0
MONDAY .	21	..	29·810	52·4	37·8	14·6	44·8	− 4·0	39·6	5·2	12·4	0·3	82	83·7	30·3	54·91	WSW. & SSW.	SW. & SSW.	0·8	0·0	0·0	132	−136	0·00	0 0
TUESDAY.	22	Greatest Dec. S.	29·492	43·9	40·2	3·7	42·2	− 6·3	40·0	2·2	5·7	0·0	92	56·3	38·0	54·52	N. & NNE.	N. & NNE.	6·1	0·0	0·6	325	+ 57	0·44	2·0
WEDNESDAY	23	..	29·402	44·1	34·9	9·2	39·9	− 8·3	35·8	4·1	6·2	3·2	85	59·0	32·0	54·10	N.	NNE. & N.	4·9	0·0	0·6	381	+112	0·01	5·0
THURSDAY	24	..	29·344	46·8	28·1	18·7	36·9	−11·0	31·1	5·8	14·1	0·2	79	72·0	23·2	53·59	NNW. & WSW.	WSW. & SW.	1·1	0·0	0·0	209	− 60	0·00	0·0
FRIDAY .	25	First Qr.	29·357	48·1	31·0	17·1	39·0	− 8·6	33·0	6·0	12·8	1·5	79	85·1	24·2	52·90	WSW.	WSW. & SW.	1·4	0·0	0·1	244	− 26	0·00	0·0
SATURDAY	26	..	29·412	39·7	28·0	11·7	34·7	−12·7	31·8	2·9	6·4	0·0	89	49·0	20·0	52·15	SW. & N.	N. & NNW.	1·9	0·0	0·1	180	− 91	0·00	0·5
MEANS . .		..	29·555	46·4	34·4	12·0	40·4	− 7·8	36·3	4·1	9·0	0·9	85	65·6	28·7	53·90	N. & NNE.		..	..	..	Sum 1541	Sum − 341	Sum 0·45	1·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	20	v. P. generally - -	0·0	10·3	Overcast till 6h. P.M.; afterwards cloudless and foggy.
MONDAY .	21	v. P. in morning; afterwards s. P.	0·2	10·3	Generally overcast; foggy in morning, and again after sunset.
TUESDAY .	22	v. P. and v. N. -	0·0	10·2	Overcast; nearly continuous rain from 4h. A.M.
WEDNESDAY	23	v. P. and v. N. in morning; afterwards s. P.	0·0	10·2	Overcast; cold wind; showery between 4h. and 6h. A.M.
THURSDAY .	24	s. P. throughout -	3·5	10·1	Very fine; cloudless at times; much hoar frost in morning; lightning at 11h. P.M.
FRIDAY .	25	s. P. throughout .	6·3	10·0	Very fine: cloudless with hoar frost in morning and again in evening; few light clouds during the day. Occasional lightning at about 11h. P.M.
SATURDAY .	26	v. P. in morning; afterwards s. P.	0·0	10·0	Fine; haze and variable amounts of cloud; hoar frost in morning; partial solar halo in afternoon.
			Sum 10·0	Sum 71·1	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·11 in. at the beginning of the week to 29·31 in. by 10h. P.M. on the 24th; and increased to 29·53 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 44. 1895. VOL. LVI.] WEEK ENDING SATURDAY, NOVEMBER 2. [Price 1½*d.*

General Register Office, Somerset House,
November 4th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	TOWNS.	Weeks ending Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
Birkenhead	17·0	16·0	19·4	20·4	Liverpool - -	31·7	24·0	27·8	35·5
Birmingham	22·4	20·8	20·5	20·6	London - -	17·0	18·0	17·5	21·2
Blackburn -	42·5	31·5	32·3	33·1	Manchester -	28·4	24·3	26·1	27·5
Bolton -	22·7	22·7	20·1	24·9	Newcastle-on-Tyne	27·5	20·7	20·4	20·4
Bradford -	25·3	16·8	21·7	21·0	Norwich - -	13·6	22·4	25·3	19·0
Brighton -	22·7	15·3	13·5	17·4	Nottingham -	24·2	13·1	18·2	17·5
Bristol -	16·7	15·8	15·5	19·0	Oldham - -	21·4	16·6	22·5	23·7
Burnley -	34·0	25·7	27·7	26·2	Plymouth - -	15·8	19·3	19·3	18·7
Cardiff -	19·8	19·1	16·4	20·8	Portsmouth -	17·6	17·9	17·9	17·3
Croydon -	8·6	13·6	12·7	12·3	Preston - -	26·4	19·0	19·0	25·0
Derby -	21·8	10·4	16·1	18·2	Salford - -	33·6	25·5	30·5	30·8
Gateshead -	28·8	21·2	23·9	20·1	Sheffield - -	24·0	17·3	21·0	19·3
Halifax -	24·5	17·2	16·7	15·0	Sunderland -	25·7	19·7	27·6	22·3
Huddersfield	18·9	17·8	13·1	14·2	Swansea - -	24·2	24·7	24·2	19·4
Hull - -	22·6	22·9	20·5	21·7	West Ham - -	13·4	17·8	16·5	19·9
Leeds -	21·6	17·0	20·8	20·2	Wolverhampton -	28·0	20·1	18·2	21·3
Leicester -	19·1	16·4	15·9	18·3					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Oldham, 1·2 in Liverpool, 1·3 in Manchester, 1·6 in Swansea, 1·8 in Wolverhampton, 3·0 in Salford, and 9·0 in Blackburn; from *scarlet fever*, 1·0 in Birkenhead and in Salford; from *whooping-cough*, 1·0 in Burnley, 1·2 in Liverpool, and 1·4 in Bradford; from "*fever*," 1·0 in Burnley, 1·1 in Leicester and in Halifax, 1·4 in Preston, 1·7 in Sheffield, 2·0 in Salford, and 2·7 in Sunderland; and from *diarrhœa*, 1·1 in Oldham and in Sunderland, 1·2 in Wolverhampton, in Birmingham, and in Nottingham, 1·3 in Manchester, 1·4 in Bristol and in Preston, 1·5 in Birkenhead, 1·6 in Swansea and in Blackburn, 1·7 in Bolton and in Hull, and 2·6 in Burnley. The 108 deaths from *diphtheria* included 72 in London, 7 in Birmingham, 6 in West Ham, and 4 in Manchester. Three deaths from *small-pox* were registered in West Ham and one in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2693 BIRTHS and 1789 DEATHS were registered. Allowing for increase of population, the births were 23 below, and the deaths 174 above, the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 88999.—5. 650.—11/95. Wt. 259. X X

average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·0, 18·0, and 17·5 in the preceding three weeks, rose again last week to 21·2. During the four weeks ending on Saturday last the death-rate averaged 18·4 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1789 deaths included 1 from small-pox, 75 from measles, 23 from scarlet fever, 72 from diphtheria, 11 from whooping-cough, 1 from typhus, 16 from enteric fever, 36 from diarrhœa and dysentery, and not one death from any ill-defined form of continued fever or from cholera; thus, 235 deaths were referred to these diseases, being 52 above the corrected average weekly number.

The death from *small-pox* was that of an unvaccinated female, aged 15 years, who had been removed from Beaufoy Road, Battersea, to the hospital ship "Atlas." The deaths from *measles*, which had been 34, 42, and 48 in the preceding three weeks, further rose last week to 75, exceeding the corrected average by 31; 15 cases belonged to St. Pancras, 10 to Newington, 9 to Clerkenwell, 7 to Bermondsey, 5 to Hackney, 5 to Lambeth, and 5 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 25, 23, and 19 in the preceding three weeks, rose again last week to 23, but were 6 below the corrected average; 3 cases belonged to Shoreditch sanitary area. The deaths from *diphtheria*, which had been 56, 76, and 61 in the preceding three weeks, rose again last week to 72, exceeding the corrected average by 34; 9 cases belonged to Greenwich, 7 to Islington, 5 to Kensington, and 5 to Battersea sanitary areas. The deaths from *whooping-cough*, which had been 10, 15, and 20 in the preceding three weeks, fell again last week to 11, and were 14 below the corrected average. The fatal cases of *enteric fever*, which had been 22, 19, and 20 in the preceding three weeks, fell last week to 16, the corrected average being 19; 2 cases belonged to St. Pancras, 2 to Hackney, and 2 to Limehouse sanitary areas. The death of a man, aged 41 years, who had been removed from Inglewood Road, West Hampstead, to the German Hospital, was certified as due to *typhus*. The deaths from *diarrhœa*, which had been 87, 62, and 45 in the preceding three weeks, further fell last week to 36, but were 8 above the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 175, 215, and 235 in the preceding three weeks, further rose last week to 366, but were 28 below the corrected average.

The deaths attributed directly to *influenza* numbered 7, having been 3, 8, and 4 in the preceding three weeks.

The death of the wife of a horsehair dresser was certified, after inquest, as due to "anthrax on face."

Different forms of violence caused 65 deaths, concerning all but one of which inquests were held. Of these 65 deaths, 12 were cases of suicide, and one of homicide, while the remaining 52 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 9 to burns and scalds, 13 (including 12 of infants under one year of age) to suffocation in bed, and one to the effects of chloroform administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 106 cases of small-pox, 2841 of scarlet fever, 671 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 29 cases, against 9, 7, and 14; of scarlet fever, 215 cases, against 332, 241, and 269; of diphtheria, 102 cases, against 102, 115, and 115; and of enteric fever, 10 cases, against 14, 15, and 16.

Greater London.

In Greater London 3576 births and 2233 deaths were registered, corresponding to annual rates of 30·8 and 19·2 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox and 22 from diphtheria were registered. The 3 deaths from small-pox belonged to West Ham district. Nine deaths from diphtheria occurred in West Ham district, 4 in Hornsey sub-district, and 3 in Willesden sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 39°·9, the latter being 7°·0 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·0 hours; the measured rainfall amounted to 0·16 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis s found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 2nd November, 1895.

Cities and Boroughs	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 2nd Nov., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6542	4454	1143	947	4	150	53	108	56	83	136	156	322	917	66	21·9	2·9	58·0	20·5	38·6	3·67	0·50	1·27	33 Towns.
London	4,392,346	2693	1789	412	403	1	75	23	72	11	17	36	65	163	513	9	21·2	2·8	56·0	27·4	39·9	4·39	0·16	0·41	London.
West Ham	249,473	168	95	31	10	3	–	–	6	1	–	2	3	5	10	–	19·9	2·5	–	–	–	–	–	–	West Ham.
Croydon	114,923	53	27	6	5	–	–	–	2	–	–	–	3	3	3	–	12·3	0·9	55·2	20·5	38·0	3·33	0·23	0·58	Croydon.
Brighton	119,604	67	40	8	16	–	–	–	–	–	1	1	1	3	9	2	17·4	0·9	55·0	30·6	42·4	5·78	1·55	3·94	Brighton.
Portsmouth	174,751	99	58	17	15	–	–	–	2	2	–	2	–	1	8	–	17·3	1·8	56·5	30·5	40·8	4·89	1·59	4·04	Portsmouth.
Plymouth	89,096	46	32	14	6	–	–	–	–	1	–	1	2	4	–	–	18·7	1·2	–	–	–	–	–	–	Plymouth.
Bristol	228,139	123	83	22	25	–	–	2	2	–	–	6	4	9	22	1	19·0	2·3	55·0	25·0	38·8	3·78	0·34	0·86	Bristol.
Cardiff	155,637	103	62	20	12	–	–	–	1	2	–	2	2	6	10	–	20·8	1·7	–	–	–	–	–	–	Cardiff.
Swansea	97,068	64	36	9	5	–	3	–	–	–	–	3	1	2	1	–	19·4	3·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	54	35	11	6	–	3	–	2	1	1	2	–	2	3	–	21·3	5·5	49·0	24·3	36·5	2·50	0·06	0·15	Wolverhampton.
Birmingham	496,751	368	196	68	25	–	4	3	7	5	3	11	11	7	33	10	20·6	3·5	–	–	–	–	–	–	Birmingham.
Norwich	107,127	53	39	7	13	–	–	–	–	–	–	–	3	4	10	–	19·0	–	58·0	25·0	39·1	3·94	0·86	2·18	Norwich.
Leicester	193,839	122	68	20	16	–	–	–	1	2	4	1	1	4	8	2	18·3	2·2	–	–	–	–	–	–	Leicester.
Nottingham	226,658	132	76	23	24	–	–	–	–	–	–	5	6	7	10	2	17·5	1·2	48·9	25·3	37·2	2·89	0·07	0·18	Nottingham.
Derby	100,272	54	35	6	10	–	–	–	–	1	1	–	1	3	6	–	18·2	1·0	–	–	–	–	–	–	Derby.
Birkenhead	107,469	68	42	9	9	–	–	2	1	1	1	3	1	5	4	1	20·4	3·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	360	343	96	66	–	12	3	1	12	6	4	13	21	71	12	35·5	3·9	49·7	26·8	39·5	4·17	0·70	1·78	Liverpool.
Bolton	119,337	69	57	17	8	–	–	–	1	1	1	4	1	1	4	–	24·9	3·1	–	–	–	–	–	–	Bolton.
Manchester	524,865	364	277	74	57	–	13	5	4	1	3	13	5	16	59	2	27·5	3·9	–	–	–	–	–	–	Manchester.
Salford	208,253	134	123	34	14	–	12	4	–	2	8	3	5	8	23	1	30·8	7·3	–	–	–	–	–	–	Salford.
Oldham	141,079	66	64	15	11	–	3	1	–	–	1	3	1	4	9	–	23·7	3·0	–	–	–	–	–	–	Oldham.
Burnley	99,591	59	50	12	9	–	–	1	1	2	2	5	–	–	2	2	26·2	5·8	–	–	–	–	–	–	Burnley.
Blackburn	127,615	67	81	22	16	–	22	1	–	–	1	4	3	3	5	3	33·1	11·4	–	–	–	–	–	–	Blackburn.
Preston	112,638	73	54	13	12	–	–	–	–	–	3	3	1	2	–	–	25·0	2·8	–	–	–	–	–	–	Preston.
Huddersfield	99,482	47	27	7	6	–	1	–	–	1	–	1	–	–	–	4	14·2	1·6	47·0	24·0	36·8	2·67	0·19	0·48	Huddersfield.
Halifax	93,813	41	27	–	10	–	–	–	–	–	2	–	1	2	6	–	15·0	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,284	108	91	31	22	–	–	1	–	6	1	2	2	8	9	–	21·0	2·3	45·2	28·8	37·4	3·00	0·08	0·20	Bradford.
Leeds	395,546	235	153	30	37	–	–	3	2	1	6	1	5	9	20	–	20·2	1·7	–	–	–	–	–	–	Leeds.
Sheffield	342,768	240	127	34	18	–	–	–	1	2	11	5	4	5	25	6	19·3	2·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	151	90	23	26	–	–	1	–	–	2	7	5	6	7	6	21·7	2·4	50·0	24·0	36·8	2·67	0·20	0·51	Hull.
Sunderland	137,705	93	59	16	11	–	1	–	–	–	7	3	3	3	14	1	22·3	4·2	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	55	37	10	8	–	–	1	1	–	–	1	2	3	1	–	20·1	1·6	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	113	81	26	16	–	1	2	1	1	1	2	1	3	12	2	20·4	2·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† Urban District only.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2695	2556	2593	2373	2623	2295	2717	2767	2452	2659	2715·6	2693
Males . .	1410	1322	1301	1204	1316	1155	1348	1336	1253	1331	1369·5	1368
Females .	1285	1234	1292	1169	1307	1140	1369	1431	1199	1328	1346·1	1325
TOTAL **Deaths**	1483	1332	1735	1613	1317	1817	1446	1491	1695	1372	1614·9	1789
Males . .	743	686	896	820	673	909	755	747	853	711	822·5	921
Females .	740	646	839	793	644	908	691	744	842	661	792·4	868

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
TOTAL **Births** - -	2340	2646	2448	2617	2486	2557	2541	2618	2447	2622	2629	2447	2693
TOTAL **Deaths** - -	1601	1459	1430	1336	1358	1298	1346	1532	1342	1435	1518	1470	1789
Ages at Death: Under 1 year -	616	460	426	422	420	381	425	443	383	394	421	410	412
1—5 years -	272	232	224	190	199	200	163	220	180	213	238	221	280
5—20 " -	79	88	77	113	78	98	91	100	76	78	108	94	140
20—40 " -	167	159	167	164	171	156	174	190	184	193	189	180	226
40—60 " -	215	226	257	199	227	228	261	279	261	261	256	262	328
60—80 " -	222	241	227	206	230	192	183	259	212	237	255	251	320
80 years & upwards	30	53	52	42	33	43	44	41	46	59	51	52	83
Deaths from—													
Small-pox - - - -	3	1	6	4	5	2	2	2	1	2	1	1	1
Measles - - - -	70	62	55	56	40	28	24	27	15	34	42	48	75
Scarlet fever - - -	15	21	27	21	20	19	13	24	22	25	23	19	23
Diphtheria - - -	55	50	24	40	38	55	37	56	44	56	76	61	72
Whooping-cough - -	20	10	21	22	17	14	21	25	14	10	15	20	11
Typhus - - - -	-	-	-	1	-	-	-	-	-	-	1	-	1
Enteric fever - - -	9	15	10	10	21	16	21	11	22	22	19	20	16
Simple Continued fever -	-	-	-	-	-	-	1	-	-	-	-	-	-
Diarrhœa and Dysentery -	224	163	112	122	129	107	109	107	102	87	62	45	36
Cholera - - - -	5	1	2	2	1	1	1	4	3	-	-	-	-
All the above Diseases	401	323	257	278	271	242	229	256	223	236	239	214	235
Dis. of Respiratory System	159	137	170	102	134	123	141	173	158	175	215	235	366
Phthisis - - -	136	126	148	136	124	122	144	140	152	153	168	156	173
Dis. of Circulatory System	100	114	86	98	97	104	101	121	102	125	111	117	178
Violence - - - -	49	67	51	68	48	67	62	72	77	52	72	59	65
Inquest Cases - - -	118	137	102	118	103	116	118	137	159	120	141	127	163
Deaths in Public Institutions	383	407	423	374	412	378	387	464	400	412	427	416	513
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·3	61·7	66·2	61·8	65·1	60·7	56·9	65·6	56·5	50·7	49·4	40·4	39·9
Mean of Highest readings -	71·3	71·4	78·4	72·6	78·8	71·8	68·8	81·8	68·5	57·0	57·8	46·4	47·5
Mean of Lowest readings -	52·7	53·9	55·9	53·3	53·7	51·4	46·8	52·4	46·2	45·8	42·1	34·4	33·0
Humidity of the Air - -	78	78	71	75	78	75	81	71	77	83	85	85	87
Rain-fall (in inches) - -	1·09	0·35	0·19	0·15	0·82	0·09	0·03	0·00	0·49	1·45	0·15	0·45	0·16
Registered Sunshine (in hours)	29·7	32·9	56·7	51·5	54·3	39·4	30·5	56·1	32·5	7·9	11·7	10·0	12·0
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	273	336	342	340	328	307	271	234	198	158	119	114	106
Scarlet fever - - - -	2511	2529	2506	2514	2600	2674	2732	2807	2802	2827	2838	2833	2841
Diphtheria - - - -	689	657	667	669	662	663	665	673	672	659	667	675	671
Enteric fever - - - -	106	103	114	123	118	120	109	117	124	125	115	129	123

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FOURTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 44th Week of the 10 years 1885-94.*	In the Week ending Saturday, 2nd November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1614·9	1789	412	280	140	226	328	320	83
Small-pox, Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox, Unvaccinated	0·1	1	-	-	1	-	-	-	-
Small-pox, No Statement	0·2	-	-	-	-	-	-	-	-
Measles - - - -	43·7	75	16	56	3	-	-	-	-
Scarlet Fever - -	28·6	23	1	14	8	-	-	-	-
Typhus - - - -	0·1	1	-	-	-	-	1	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	2·7	7	-	-	-	1	2	3	1
Whooping-cough - -	25·2	11	5	6	-	-	-	-	-
Diphtheria - - -	37·6	72	4	31	33	3	1	-	-
Simple Continued and Ill-defined Fever -	0·7	-	-	-	-	-	-	-	-
Enteric Fever - -	19·0	16	-	-	6	8	1	1	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	27·7	33	24	7	1	-	-	2	2
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·4	2	2	-	-	-	-	-	-
Venereal Affections -	10·3	12	9	1	-	1	1	-	-
Erysipelas - - -	8·1	5	1	1	-	1	1	1	-
Pyæmia and Septicæmia	3·4	3	-	1	-	1	1	-	-
Puerperal Fever - -	8·7	6	-	-	-	5	1	-	-
Other Zymotic Diseases	0·9	1	-	-	-	1	-	-	-
Thrush - - - -	1·1	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·2	1	-	-	1	-	-	-	-
Starvation, Want of Breast-milk - -	1·7	-	-	-	-	-	-	-	-
Alcoholism - - -	7·3	13	-	-	-	3	9	1	-
Rheumatic Fever, Rheumatism of Heart	11·9	6	-	1	3	2	-	-	-
Rheumatism - -	2·0	2	-	-	-	-	1	1	-
Gout - - - -	3·2	4	-	-	-	-	3	1	-
Rickets - - - -	3·5	8	3	5	-	-	-	-	-
Cancer - - - -	64·9	73	-	-	1	8	37	27	-
Tabes Mesenterica -	22·7	30	19	9	2	-	-	-	-
Tubercular Meningitis -	19·2	24	8	9	7	-	-	-	-
Phthisis - - -	162·3	173	2	1	14	96	49	11	-
Scrofula, Tuberculosis -	16·4	27	4	6	3	6	3	-	-
Other Constitutional Diseases - - -	12·2	15	1	-	3	3	5	2	1
Premature Birth - -	40·6	46	46	-	-	-	-	-	-
Atelectasis - - -	2·3	5	5	-	-	-	-	-	-
Congenital Malformations - - - -	6·6	9	8	-	-	1	-	-	-
Old Age - - - -	46·2	53	-	-	-	-	-	23	30
Apoplexy - - -	43·4	49	-	-	-	2	16	27	4
Epilepsy - - -	7·1	12	-	1	-	4	3	4	-
Convulsions - - -	41·9	37	32	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	76·3	88	14	7	9	14	16	24	4

CAUSES OF DEATH.	Corrected Averages for the 44th Week of the 10 years 1885-94.*	In the Week ending Saturday, 2nd November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·6	4	1	-	2	1	-	-	-
Diseases of Circulatory System - - -	131·3	178	6	2	13	25	54	65	13
Croup - - - -	9·8	5	-	5	-	-	-	-	-
Bronchitis - - -	239·6	299	70	27	1	4	30	62	15
Pneumonia - - -	117·0	118	30	38	10	10	14	11	5
Pleurisy - - -	6·1	7	1	2	-	-	1	3	-
Other Diseases of Respiratory System - -	30·2	27	2	9	-	3	6	6	1
Dentition - - -	7·8	5	1	4	-	-	-	-	-
Quinsy, Sore Throat -	2·0	2	-	1	1	-	-	-	-
Enteritis - - -	10·1	23	11	8	2	1	1	-	-
Peritonitis - - -	6·2	7	-	1	1	1	2	2	-
Diseases of Liver - -	27·7	21	1	-	1	2	11	5	1
Other Diseases of Digestive System -	29·2	35	8	2	1	4	13	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·8	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	44·9	49	-	3	-	2	22	19	3
Diseases of Generative System - - -	5·1	4	-	-	-	2	2	-	-
Accidents of Childbirth -	4·3	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	7·0	5	-	2	-	1	2	-	-
Diseases of Integumentary System - -	6·6	10	3	1	-	-	2	3	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - -	49·9	2	-	-	2	-	-	-	-
By Vehicles or Horses -		5	-	-	1	-	3	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		2	-	-	-	1	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		9	1	7	1	-	-	-	-
By Drowning - -		-	-	-	-	-	-	-	-
By Suffocation in Bed -		13	12	-	-	-	1	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	-	1	-	-
Other or not stated Causes - - -		19	3	2	3	1	4	5	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	7·8	12	-	-	-	4	5	3	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	62·7	65	53	5	1	-	1	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON *	4,211,743	2693	1789	412	403	1	75	23	72	11	1	16	-	36	65	163	513	9
WEST DISTRICTS	740,735	377	261	52	72	-	4	4	13	-	-	1	-	7	6	30	80	-
NORTH DISTRICTS	993,884	578	409	97	93	-	21	6	16	3	1	6	-	6	20	38	111	1
CENTRAL DISTRICTS	247,538	129	128	25	22	-	9	1	3	1	-	4	-	3	6	16	47	-
EAST DISTRICTS	705,114	571	384	115	64	-	6	5	12	2	-	2	-	9	20	52	113	-
SOUTH DISTRICTS	1,524,472	1038	567	123	141	-	35	7	28	5	-	3	-	11	13	27	122	8
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	40	-	11	1	-	-	-	-	-	-	-	-	-	-	40	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84169	46	21	8	6	-	-	-	-	-	-	-	-	1	-	2	4	-
St. John Paddington *H* - - G.J.	33687	4	17	2	6	-	-	-	1	-	-	-	-	-	2	5	9	-
Kensington Town *Ww* - - W.M.	118751	59	45	6	13	-	1	1	1	-	-	-	-	2	-	3	16	-
Brompton *H* - - - W.M. & C.	47557	6	7	1	1	-	-	-	2	-	-	-	-	-	1	2	-	-
St. Peter Hammersmith - - W.M.	8583	9	1	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
St. Paul Hammersmith *H* W.M. & G.J	88633	51	25	7	6	-	1	-	2	-	-	-	-	3	1	7	18	-
Fulham *Ww* - - - W.M. & C	91639	79	59	17	12	-	-	2	4	-	-	-	-	-	-	1	-	-
Chelsea Kensal Town - - - C.	21787	12	3	1	1	-	-	-	-	-	-	1	-	-	-	3	6	-
Chelsea North *WHHHHH* - - C.	41637	24	21	-	8	-	-	1	2	-	-	-	-	-	-	1	3	-
Chelsea South *HH* - - - C.	32329	15	12	4	2	-	-	-	-	-	-	-	-	1	-	-	8	-
May Fair *WH* - - - - G.J.	23733	3	8	-	6	-	-	-	1	-	-	-	-	-	-	2	7	-
Belgrave *WHHH* - - - C.	54831	26	19	2	6	-	1	-	-	-	-	-	-	-	-	1	-	-
St. John Westminster *HH* - C.	34106	18	8	3	1	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Margaret Westminster *H* - C.	21668	6	7	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-
St. James Westminster *WHHH* N.R. & G.J.	24995	15	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Anne Soho *HHHHHH* - - N.R.	12317	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	19	14	5	1	-	1	-	-	-	-	-	-	-	2	2	8	-
Rectory Marylebone *WH* G.J. & W.M.	20024	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	20	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Christchurch Marylebone *HH* - W.M.	33327	19	12	2	3	-	-	-	-	-	-	-	-	-	-	3	-	-
St. John Marylebone *H* - - W.M.	32101	25	8	3	1	-	-	-	-	-	-	1	-	-	2	2	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	27	36	3	7	-	-	1	5	-	-	2	-	-	-	1	11	-
Regent's Park Pancras *HH* - W.M.	36590	17	23	6	8	-	-	-	-	-	-	-	-	1	4	3	2	-
Tottenham-court *wHHH* N.R. & W.M.	26321	14	18	-	1	-	1	-	3	-	-	1	-	-	-	-	15	-
Gray's Inn Lane *HHH* - - N.R.	27455	13	17	6	4	-	1	-	-	-	-	-	-	-	1	1	4	-
Somers Town *HH* - - - N.R.	32929	33	10	-	-	-	3	-	-	2	-	1	-	-	-	-	2	-
Camden Town *WH* - - - N.R.	15419	15	22	8	8	-	4	-	-	-	-	-	-	-	-	2	16	-
Kentish Town *WW* - - - N.R.	95765	43	44	14	7	-	6	-	1	-	-	-	-	3	3	6	9	-
Upper Holloway *WWWwHHH* - N.R.	90235	61	46	8	18	-	-	-	1	1	-	-	-	-	4	4	22	-
Islington South-west *H* - - N.R.	105557	71	28	11	4	-	-	1	-	-	-	-	-	2	2	5	-	-
Islington South-east - - - N.R.	64153	32	21	5	2	-	-	-	3	-	-	-	-	-	-	-	-	-
Highbury *HH* - - - - N.R.	59193	29	14	3	3	-	-	-	-	-	-	1	-	-	-	-	1	-
Stoke Newington *H* - - - N.R.	30936	11	9	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-
Stamford Hill - - - - E.L.	17759	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42302	21	15	3	8	-	-	-	-	-	-	-	-	-	-	2	1	-
Hackney *WwwH* - - E.L. & N.R.	96486	68	49	9	12	-	2	3	4	-	1	-	-	-	-	4	19	-
South Hackney *w* - - - E.L.	41759	22	15	4	3	-	3	-	-	-	-	-	-	-	1	1	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16395	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North *H* - - - N.R.	9633	5	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	2	9	2	1	-	-	-	-	-	-	-	-	-	-	-	6	-
St. Mary-le-Strand *H* - - - N.R.	5706	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	4	11	-	1	-	-	-	-	-	-	1	-	-	2	2	8	-
Strand Union Workhouse, Edmonton -	†1037	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	12	12	3	3	-	1	-	-	1	-	-	-	-	1	2	7	-
St. Andrew Eastern *WH* - - N.R.	15343	12	5	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. James Clerkenwell - - - N.R.	16803	6	7	2	2	-	3	-	-	-	-	-	-	1	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	9	9	2	-	-	5	-	-	-	-	1	-	-	1	2	-	-
Pentonville - - - - N.R.	17155	12	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Goswell-street - - - N.R.	15375	15	8	1	2	-	-	-	-	-	-	-	-	-	1	2	1	-
City-road *HHHL* - - - N.R.	29177	22	13	5	3	-	-	1	-	-	-	-	-	-	-	1	-	-
Whitecross-street - - - N.R.	8278	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Finsbury - - - - N.R.	4985	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N.R. & E.L	8944	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - N.R.	4539	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - N.R.	4444	-	23	1	3	-	-	-	2	-	-	2	-	-	-	2	22	-
St. Bride *W* - - - - N.R.	6594	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
City of London Asylum, Stone - -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establis receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the di Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.
† Not included in the total population of the Central Districts or of London.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT Saturday, 2nd November, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	9	6	1	-	-	1	1	-	-	-	-	-	-	-	-	-	
Hoxton New Town *w* - - - N.R.	23313	27	26	7	9	-	-	1	-	1	-	-	-	2	-	-	9	-
Hoxton Old Town - - - N.R.	28354	23	14	9	2	-	-	-	1	-	-	-	-	-	-	3	-	-
Haggerston *WH* - - N.R. & E.L.	46244	35	37	11	4	-	-	1	1	-	-	-	-	1	2	4	15	-
Bethnal Green North *H* - - E.L.	51520	45	14	7	1	-	-	-	-	-	-	-	-	1	-	1	1	-
Bethnal Green South - - - E.L.	33489	36	11	4	1	-	-	1	-	-	-	-	-	1	-	-	-	-
Bethnal Green East *WHL** - E.L.	44123	34	24	5	4	-	2	-	1	-	-	-	-	-	2	2	12	-
Spitalfields - - - E. & N.R.	22456	16	7	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Mile End New Town *W* - - E.L.	17908	16	13	1	-	-	-	-	1	-	-	-	-	1	-	-	7	-
Whitechapel Church *H* E.L. & N.R.	20298	18	28	3	2	-	-	-	1	1	-	-	-	-	5	5	24	-
Goodman's Fields - - - E.L.	13800	14	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.L.	27738	36	14	2	1	-	1	-	2	-	-	-	-	-	-	2	-	-
St. John, St. George East *W* - E.L.	8057	7	9	2	4	-	-	-	-	-	-	-	-	-	-	1	5	-
Shadwell *H* - - - E.L. & N.R.	10246	6	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Ratcliff *W* - - - - - E.L.	14928	13	7	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Limehouse - - - - - E.L.	32202	32	23	8	2	-	-	-	-	-	-	2	-	1	1	7	-	-
Mile End Old Town West *H* - E.L.	38650	20	15	7	2	-	1	-	1	-	-	-	-	-	1	1	1	-
Mile End Old Town East *H Www* E.L.	68942	48	40	11	11	-	-	-	2	-	-	-	-	1	3	8	10	-
Bow *L** - - - - - E.L.	40365	38	20	8	2	-	-	1	-	-	-	-	-	-	2	2	1	-
Bromley *wwwH* - - - - - E.L.	70000	53	53	14	11	-	-	-	1	-	-	-	-	-	4	10	25	-
Poplar. *WW* - - - - - E.L.	56383	45	16	6	6	-	1	-	-	-	-	-	-	-	-	2	3	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13264	8	5	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
St Saviour Southwark - - - S.	13913	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	21867	22	11	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Borough-road *WH* - - S. & L.	16624	11	9	3	-	-	2	-	-	1	-	-	-	1	-	-	5	-
London-road *HL* - - L. & S.	21221	13	9	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Trinity Newington - - S. & L.	26596	19	7	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	47	22	7	4	-	7	-	-	-	-	-	-	-	-	-	-	-
St. Mary Newington - - L. & S.	27866	14	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Olave *WH* - - - - S.	12723	5	23	3	3	-	1	-	1	1	-	1	-	-	1	2	14	-
Leather Market *W* - - S. & L.	30612	28	13	5	3	-	2	-	-	-	-	-	-	1	-	-	1	-
St. James Bermondsey - - S.	54070	34	20	6	3	-	5	-	-	-	-	-	-	1	-	1	-	-
Rotherhithe *WwH* - - S. & K.	39255	19	23	2	6	-	2	-	1	-	-	-	-	-	2	6	8	-
Waterloo-road 1st *H* - - L. & S.	14031	9	7	2	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Waterloo-road 2nd *H* - - L. & S.	14644	24	5	-	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Lambeth Church 1st *H* - L. & S.	18075	11	16	4	1	-	1	-	-	-	-	-	-	-	2	2	10	-
Lambeth Church 2nd *WW* - L. & S.	39097	36	29	7	9	-	3	-	-	-	-	-	-	-	-	-	15	-
Kennington 1st *H* - - S. & L.	50586	32	14	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - - S. & L.	39708	5	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - - L. & S.	73405	46	16	4	8	-	-	2	4	-	-	-	-	-	-	-	5	-
Norwood *WH* - - - - L.	25657	9	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
East Battersea - - - - S.	67244	46	13	4	3	-	-	-	1	-	-	-	-	1	1	1	-	1
West Battersea *WwH* - - S.	83314	58	35	7	7	-	1	-	2	-	-	-	-	1	1	3	13	-
Clapham *H* - - - - - S.	43698	23	11	5	4	-	1	-	-	-	-	-	-	-	1	1	-	-
Wandsworth *WHHL* - - - S.	46717	42	15	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Putney - - - - - - S.	17771	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *www* - - - - L.	48756	23	27	6	5	-	-	2	7	-	-	-	-	-	-	-	8	-
Dulwich - - - - L. & S.	6809	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - - S. & L.	81686	50	32	3	14	-	1	-	-	-	-	1	-	-	-	-	14	1
Peckham *W* - - - S., L., & K.	83483	56	34	9	11	-	-	-	-	1	-	-	-	-	1	3	-	1
St. George Camberwell - - L. & S.	63366	46	23	7	5	-	4	1	1	1	-	-	-	1	1	1	-	-
Deptford, North - - - - K.	35314	27	10	2	1	-	-	-	3	-	-	-	-	-	-	1	-	1
Deptford, Central *w* - - - K.	42007	42	14	1	1	-	-	1	3	-	-	1	-	-	-	-	3	1
Deptford, South - - - - K.	30852	12	6	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - - K.	22007	16	7	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - - K.	35233	32	15	3	6	-	-	-	-	-	-	-	-	-	-	-	9	1
Eltham *wH* - - - - - K.	5682	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	12	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WH* - - - - K.	30950	16	9	3	3	-	-	-	-	-	-	-	-	1	-	-	2	-
Sydenham *H* - - - - L.	34162	31	6	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *HH* - - - - K.	14040	6	6	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Woolwich Dockyard - - - K.	19606	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HH HH* - K.	21242	17	7	1	2	-	-	-	-	-	-	-	-	-	1	1	3	-
Plumstead, West *H* - - - K.	15869	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	19	15	3	3	-	1	1	1	-	-	-	-	1	-	-	5	1
Banstead Asylum - - - - -	-	-	10	-	3	-	-	-	-	-	-	-	-	-	-	-	10	-
Caterham Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - - -	-	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-
Hospital Ships and Camp, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
N.E. Hospital - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury Asylum - - - -	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 2nd November 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	883	444	125	109	3	5	3	22	1	4	15	17	29	46	6
30 : 1	Carshalton *wHH*	12228	26108	13	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Epsom, *part of* WwH*	10423	13508	8	3	1	1	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of* W*	2754	1598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20851	128699	60	23	6	6	-	-	-	2	-	-	-	3	3	3	-
2	Mitcham *w*	11697	23088	10	7	3	1	-	-	-	-	-	-	1	-	-	-	-
39 : 1	Wimbledon *HHH*	3220	25761	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH*	8071	44765	21	19	7	5	-	-	-	-	-	-	-	1	2	5	-
3	Esher, *part of* HH*	6601	12059	7	4	-	-	-	-	-	-	-	-	-	-	1	-	1
4	Hampton *H*	4535	18252	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH*	2160	25389	8	7	2	3	-	-	-	-	-	-	-	1	1	1	1
2	Mortlake *H*	2823	16159	6	4	1	1	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley *HHH*	9127	23815	30	10	2	4	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham *H*	6542	21969	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of* WHH*	14307	20372	7	4	2	-	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley *HH*	12540	30590	27	4	1	1	-	-	-	1	-	-	-	1	1	-	-
2	Dartford *Work.*, pt. of*	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
124 : 1	Sunbury *w*	11054	13671	5	2	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Staines *WH*	13277	13221	21	7	2	2	-	-	-	-	-	-	-	-	-	2	-
125 : 1	Hillingdon *WHH*	6035	12237	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	6172	5417	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	14537	13618	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1
126 : 1	Isleworth *WHH*	6967	26273	12	7	3	1	-	-	-	2	-	1	1	-	-	-	-
2	Twickenham *HH*	2415	16027	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH*	4318	37777	16	7	1	3	-	-	-	-	-	-	-	-	1	-	-
4	Chiswick	1245	21963	10	7	4	2	-	-	-	-	-	-	-	2	2	-	-
5	Acton *wH*	6132	30945	11	7	2	1	-	-	-	-	-	-	2	-	-	-	-
127 : 1	Harrow *HHH*	13809	15715	9	7	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6994	3844	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4383	61265	43	25	9	3	-	-	-	3	-	1	-	1	1	3	-
4	Hendon *WH*	8382	15843	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms *H*	15599	8474	9	3	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Barnet *WHH*	5441	11778	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH*	4688	25820	14	8	2	3	-	-	-	-	-	-	-	1	1	1	-
129 : 1	Hornsey *HH*	3039	61097	23	16	6	5	-	-	-	4	-	1	2	1	1	-	-
2	Tottenham *H*	4642	97174	62	21	4	6	-	1	1	1	-	-	-	-	2	1	-
3	Edmonton *Www*	7489	36351	26	18	5	5	-	-	-	-	-	-	1	1	2	6	1
4	Enfield *WWHH*	12639	31803	28	12	1	5	-	-	-	-	-	-	-	-	1	-	-
5	Waltham Abbey	11017	6066	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8480	9620	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of* W*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-		-	-
137 : 1	Bushey *H*	9331	7737	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1100	42983	41	17	7	3	-	-	-	-	-	-	1	1	1	-	-
2	Plaistow	1242	58030	49	24	8	3	-	-	-	2	1	-	-	-	1	-	-
3	Canning Town *H*	1558	54750	50	27	9	3	1	-	-	4	-	-	1	2	3	-	-
4	Forest Gate *w*	806	49140	23	17	7	1	-	-	-	-	-	-	-	-	-	-	-
5	East Ham *wH*	3266	32713	23	10	3	3	-	1	-	-	-	-	-	-	2	-	-
6	Leyton *WWWwH*	4334	70188	42	38	5	7	-	1	-	1	-	-	4	-	-	13	1
7	Walthamstow *H L*	6501	57330	44	22	8	5	-	1	2	2	-	1	1	-	1	-	1
187 : 1	Chigwell, *part of* H*	11779	12941	4	2	-	2	-	-	-	-	-		-	-	-	-	-
2	Epping *Work.* pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-		-	-
189 : 1	Romford *part of* wH*	6556	4324	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford	8493	10913	10	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H*	3814	14301	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-
23 : 4	Met. Asy. Shel. S. Wharf.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
25 : 4	Middlesex County Asy	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
32 : 1	Cane Hill Asylum	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
42 : 2	Hospital Ship "Atlas"	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 909); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 3, Dartford, 137 : 3 Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd November, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from ALL CAUSES.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	19·2	2·5	2233	537	512	4	80	26	94	12	21	51	82	559
INNER LONDON	74,672	4,392,346	21·2	2·8	1789	412	403	1	75	23	72	11	17	36	65	513
OUTER RING	368,749	1,656,209	14·0	1·7	444	125	109	3	5	3	22	1	4	15	17	46

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	273,535	November 2	112	102	19·4	–	–	2	–	3	1	2
GLASGOW	695,876	" 2	413	288	21·6	–	–	5	3	11	4	10
DUBLIN	349,594	" 2	174	211	31·5	1	–	5	1	1	2	4
CALCUTTA	466,460	September 21	–	–	–	–	–	–	–	–	–	–
BOMBAY	821,764	October 8	365	414	26·2	1	2	?	?	?	90	36†
MADRAS	452,518	September 27	405	441	50·6	–	4	?	?	?	169	81†
PARIS	2,424,705	October 26	1017	881	18·9	–	6	2	9*	4	6	57
BRUSSELS	507,985	" 26	212	159	16·3	–	1	–	1*	–	2	22
AMSTERDAM	451,493	" 26	261	133	15·3	–	–	2	2	2	1	1
ROTTERDAM	272,042	" 26	176	89	17·0	1	–	–	–	4	1	–
THE HAGUE	180,455	" 26	107	67	19·3	–	–	–	1	3	–	–
COPENHAGEN	341,000	" 26	183	109	16·7	–	–	1	1	6	4	6
STOCKHOLM	259,304	" 19	132	62	12·4	–	–	–	–	–	1	2
CHRISTIANIA	174,717	" 26	39	48	14·3	–	–	–	1	–	–	4
ST. PETERSBURG	954,400	" 12	668	389	21·3	1	4	15	7	4	22	30
MOSCOW	753,469	" 19	–	367	25·4	1	1	10	8	2	12	39
BERLIN	1,724,544	" 12	822	585	17·5	–	5	25	22	8	5	78
HAMBURG	608,710	" 19	381	185	15·8	–	–	3	2*	–	2	11
DRESDEN	320,600	" 5	–	119	19·1	–	–	1	3*	1	–	12
BRESLAU	367,769	" 26	–	164	23·2	–	–	10	6*	1	1	23
MUNICH	396,000	" 26	–	190	24·9	–	4	–	1*	–	–	58
VIENNA	1,495,764	" 19	929	512	17·8	–	3	13	9*	2	2	59
PRAGUE	351,478	" 19	173	147	21·3	–	2	3	1	–	1	8
BUDA-PESTH	566,022	" 19	394	254	23·3	–	4	1	3*	2	3	43
TRIESTE	160,825	" 12	79	93	30·1	–	–	2	3*	1	–	14
ROME	464,579	September 14	200	166	18·6	–	4	–	–	–	9‡	25
TURIN (10 days)	344,203	October 20	–	–	–	–	–	–	–	–	–	–
VENICE	158,159	" 19	70	47	15·5	–	–	–	1*	–	–	10
CAIRO	374,838	" 7	447	297	41·2	3	–	–	2*	1	6	95
ALEXANDRIA	231,396	" 7	242	149	33·6	–	–	–	3*	–	6	57
NEW YORK	1,860,700	" 19	–	714	19·7	–	6	3	12	9	13	34
BROOKLYN	1,100,000	" 19	–	390	18·5	–	2	1	18	13	5	17
PHILADELPHIA	1,163,864	" 19	–	383	17·2	–	–	–	29	3	7	10
NEW ORLEANS	275,000	September 28	–	129	24·5	1	–	–	2	1	9	7

* Including deaths from croup.
† Including 2 deaths from cholera in Bombay, and 4 in Madras.
‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 2ND NOVEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCT.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	27	..	29·575	43·5	29·4	14·1	35·5	−11·8	33·0	2·5	7·7	0·8	90	75·2	23·0	51·41	WSW. & W.	WSW. & Calm.	0·9	0·0	0·0	153	−119	0·00	1·5
MONDAY .	28	Apogee.	29·582	46·9	27·4	19·5	36·2	−11·0	30·5	5·7	14·5	0·0	79	87·0	21·7	50·80	Variable.	SW. & S.	0·4	0·0	0·0	193	− 80	0·00	2·0
TUESDAY.	29	..	29·690	40·1	32·3	7·8	36·3	−10·7	33·1	3·2	6·0	1·3	88	52·0	26·8	50·17	NW.	NNW.	2·7	0·0	0·2	235	− 39	0·01	0 0
WEDNESDAY	30	In Equator.	29·925	45·0	30·5	14·5	37·5	− 9·5	32·0	5·5	10·6	1·2	80	74·2	24·8	49·70	NNW. & WSW.	WSW. & SW.	2·0	0·0	0·2	302	+ 27	0·00	0·8
THURSDAY	31	..	29·811	50·8	39·0	11·8	46·1	− 0·7	43·5	2·6	5·9	0·9	91	65·3	32·8	49·32	SSW.	SSW. & SE.	2·3	0·0	0·2	261	− 15	0·15	2·2
NOV. FRIDAY .	1	..	30·281	56·0	37·7	18·3	45·9	− 0·8	44·2	1·7	8·2	0·0	94	93·0	31·7	49·19	E. & ESE.	ESE. & E.	1·1	0·0	0·0	133	−144	0·00	0·0
SATURDAY	2	Full	30·006	50·1	34·6	15·5	42·1	− 4·4	37·6	4·5	10·0	0·6	84	79·3	29·3	49·23	ENE. & E.	E. & ESE.	4·4	0·0	0·3	204	− 73	0·00	0·0
MEANS . .		..	29·839	47·5	33·0	14·5	39·9	− 7·0	36·3	3·7	9·0	0·7	87	75·1	27·2	49·97	Variable		..	..	..	Sum 1481	Sum − 443	Sum 0·16	0·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	27	s. P. till afternoon; v. P. in evening.	1·5	9·9	Fine; hoar frost in morning; foggy in afternoon.
MONDAY .	28	s. P. generally -	5·5	9·8	Very fine; cloudless at times; hoar frost with fog in morning.
TUESDAY .	29	m. P. throughout -	0·0	9·8	Overcast till 11h. A.M.; afterwards fine; light showers till 1h. A.M.
WEDNESDAY	30	s. P. throughout -	0·8	9·7	Very fine; thin cloud prevalent between noon and 3h. P.M.; otherwise cloudless; hoar frost with slight fog in morning.
THURSDAY .	31	v. P. and v. N. -	0·0	9·7	Generally cloudy; occasional slight rain; warmer.
NOVEMBER. FRIDAY .	1	w. P. generally -	3·7	9·6	Dense fog in morning and evening; bright and sunny during the day.
SATURDAY .	2	w. P. throughout -	0·5	9·5	Generally cloudy till noon; afterwards fine with variable amounts of light cloud.
			Sum 12·0	Sum 68·0	
No. of Col. .		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·53 in. at the beginning of the week to 29·97 in. by 10h. A.M. on the 30th of October; decreased to 29·71 in. by 7h. A.M. on the 31st; increased to 30·31 in. by 8h. P.M. on the 1st of November; and decreased to 29·90 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 45. 1895. VOL. LVI.] WEEK ENDING SATURDAY, NOVEMBER 9. [Price 1½*d.*

General Register Office, Somerset House,
November 11th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.		Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.
Birkenhead	16·0	19·4	20·4	15·0	Liverpool - -	24·0	27·8	35·5	37·6
Birmingham	20·8	20·5	20·6	21·1	London - -	18·0	17·5	21·2	21·2
Blackburn -	31·5	32·3	33·1	37·6	Manchester -	24·3	26·1	27·5	25·7
Bolton -	22·7	20·1	24·9	18·8	Newcastle-on-Tyne	20·7	20·4	20·4	21·2
Bradford -	16·8	21·7	21·0	23·5	Norwich - -	22·4	25·3	19·0	19·5
Brighton -	15·3	13·5	17·4	17·4	Nottingham -	13·1	18·2	17·5	16·6
Bristol -	15·8	15·5	19·0	17·6	Oldham - -	16·6	22·5	23·7	25·1
Burnley -	25·7	27·7	26·2	24·1	Plymouth - -	19·3	19·3	18·7	26·3
Cardiff -	19·1	16·4	20·8	20·8	Portsmouth -	17·9	17·9	17·3	17·0
Croydon -	13·6	12·7	12·3	13·2	Preston - -	19·0	19·0	25·0	21·8
Derby -	10·4	16·1	18·2	17·2	Salford - -	25·5	30·5	30·8	29·5
Gateshead -	21·2	23·9	20·1	17·9	Sheffield - -	17·3	21·0	19·3	25·1
Halifax -	17·2	16·7	15·0	25·6	Sunderland -	19·7	27·6	22·3	20·4
Huddersfield	17·8	13·1	14·2	14·7	Swansea - -	24·7	24·2	19·4	19·4
Hull - -	22·9	20·5	21·7	18·8	West Ham - -	17·8	16·5	19·9	17·1
Leeds -	17·0	20·8	20·2	20·7	Wolverhampton -	20·1	18·2	21·3	33·4
Leicester -	16·4	15·9	18·3	15·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Norwich, 1·1 in Swansea, 1·2 in London and in Wolverhampton, 1·8 in Liverpool and in Salford, 2·6 in Oldham, and 10·6 in Blackburn; from *whooping-cough*, 1·2 in Wolverhampton and in Liverpool, 1·8 in Bradford, and 2·0 in Cardiff; from "*fever*," 1·0 in Norwich, in Birkenhead, and in Hull, 1·1 in Halifax and in Sunderland, 1·2 in Bradford, 1·3 in Salford, 1·5 in Sheffield, and 2·4 in Wolverhampton; and from *diarrhœa*, 1·0 in Liverpool, 1·1 in Gateshead, 1·2 in Wolverhampton, in Manchester, in Blackburn, and in Leeds, 1·3 in Salford and in Newcastle-on-Tyne, 1·4 in Hull, and 2·1 in Derby. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

A 88999.—6. 650.—11/95. Wt. 259.

towns. The 100 deaths from *diphtheria* included 75 in London and 4 in Wolverhampton. One death from *small-pox* was registered belonging to London and one belonging to West Ham, but not one belonging to any other of the thirty-three towns.

London.

In London* 2525 births and 1790 deaths were registered. Allowing for increase of population, the births were 171 below, and the deaths 179 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·0, 17·5, and 21·2 in the preceding three weeks, was again 21·2 last week. During the four weeks ending on Saturday last the death-rate averaged 19·5 per 1000, being 0·5 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1790 deaths included 1 from small-pox, 97 from measles, 19 from scarlet fever, 75 from diphtheria, 14 from whooping-cough, 24 from enteric fever, 20 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 250 deaths were referred to these diseases, being 68 above the corrected average weekly number.

The death from *small-pox* was that of an unvaccinated female, aged 24 years, who had been removed from Tabard Street, in Newington sanitary area, to the hospital ship "Atlas." The deaths from *measles*, which had been 42, 48, and 75 in the preceding three weeks, further rose last week to 97, exceeding the corrected average by 50; 19 cases belonged to St. Pancras, 14 to Newington, 10 to Camberwell, 7 to Poplar, 7 to Bermondsey, 6 to Hackney, 6 to Clerkenwell, and 5 to Bethnal Green sanitary areas. The deaths from *scarlet fever*, which had been 23, 19, and 23 in the preceding three weeks, fell again last week to 19, and were 10 below the corrected average; 5 cases belonged to St. Pancras and 3 to Kensington sanitary areas. The deaths from *diphtheria*, which had been 76, 61, and 72 in the preceding three weeks, further rose last week to 75, exceeding the corrected average by 32; 7 cases belonged to Islington, 6 to Kensington, 6 to Chelsea, 6 to St. Pancras, and 6 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 15, 20, and 11 in the preceding three weeks, rose again last week to 14, but were barely more than one-half of the corrected average; 4 cases belonged to Hackney and 3 to Kensington sanitary areas. The fatal cases of *enteric fever*, which had been 19, 20, and 16 in the preceding three weeks, rose again last week to 24, exceeding the corrected average by 6; 3 cases belonged to Shoreditch sanitary area. The deaths from *diarrhœa*, which had been 62, 45, and 36 in the preceding three weeks, further fell last week to 20, the corrected average being 18.

The deaths referred to diseases of the respiratory organs, which had been 215, 235, and 366 in the preceding three weeks, further rose last week to 447, and were 55 above the corrected average.

The deaths attributed directly to *influenza* numbered 10, having been 8, 4, and 7 in the preceding three weeks.

Different forms of violence caused 70 deaths, concerning all but 4 of which inquests were held. Of these 70 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 60 were attributed to accident or negligence. One of these was referred to a vehicle in the street, one to a conflagration, and 18 (including 16 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 78 cases of small-pox, 2847 of scarlet fever, 683 of diphtheria, and 118 of enteric fever under treatment in these

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 14 cases, against 7, 14, and 29; of scarlet fever, 349 cases, against 241, 269, and 215; of diphtheria, 112 cases, against 115, 115, and 102; and of enteric fever, 21 cases, against 15, 16, and 10.

Greater London.

In Greater London 3450 births and 2214 deaths were registered, corresponding to annual rates of 29·7 and 19·1 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 10 from scarlet fever, 18 from diphtheria, and 7 from "fever" were registered. Four deaths from measles and 5 from scarlet fever occurred in West Ham district, 4 from measles and 7 from diphtheria in Edmonton district, and 3 from diphtheria in Wimbledon sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·58 inches, and that of the Thermometer 50°·8, the latter being 5°·5 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 22 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 4·8 hours; the measured rainfall amounted to 1·09 inches.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of October. The supply was in the ratio of 262 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	October. 1894.	October. 1895.	October. 1894.	October. 1895.
Total Supply	810,438	822,124	192,939,209	215,433,126
From Thames	391,820	397,398	101,066,742	113,597,502
From Lea and from other Sources	418,618	424,726	91,872,467	101,835,624
Thames.				
Chelsea	36,913	36,889	11,659,295	12,285,028
West Middlesex	78,387	79,469	18,911,633	20,873,345
Southwark and Vauxhall	117,182	118,534	33,028,294	37,180,152
Grand Junction	59,336	59,986	17,527,174	17,893,531
Lambeth	100,002	102,520	19,940,346	25,365,646
Lea and other Sources.				
New River	158,172	159,376	36,566,000	36,521,000
East London	179,424	183,262	40,466,664	49,351,396
Kent	81,022	82,088	14,839,803	15,963,228

Note.—The Return for October 1895, as compared with that for the corresponding month of 1894, shows an increase of 11,686 services and an increase of 22,493,917 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during October, 1895.

Water-analysis Laboratory, The Yews, Reigate,
8th November, 1895.

Sir,

I have to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of October.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. Unfiltered water) -	October 16th. Grand Junction Co.'s intake at Hampton.	11·5	26·88	·237	·037	·006	·203	·245	1·9	19·1
	Chelsea - - -	October 19th. Cab Rank, Horse Guards, Whitehall.	12·3	25·56	·117	·018	0	·180	·198	1·8	18·9
	West Middlesex -	October 19th. Cab Rank, Riding House-street.	10·7	26·56	·141	·021	0	·199	·220	1·8	19·4
	Southwark - -	October 19th. Cab Rank, St. George's Church, Borough.	11·8	26·64	·142	·018	0	·195	·213	1·8	19·4
	Grand Junction -	October 19th. Cab Rank, Portman-street, Oxford-street.	12·5	26·88	·147	·017	0	·209	·226	1·8	19·4
	Lambeth - -	October 19th. Cab Rank, St. George's-road, Southwark.	12·1	27·06	·151	·016	0	·201	·217	1·8	19·7
	LEA. (Unfiltered water) -	October 18th. New River Cut at Green-lanes.	9·8	33·12	·097	·017	·004	·248	·268	1·8	22·1
	New River - -	October 19th. Cab Rank, Tottenham Court-road.	11·3	30·68	·063	·008	0	·226	·234	1·8	22·4
	(Unfiltered water) -	October 18th. East London Co.'s intake at Angel-road.	10·0	34·04	·162	·041	·006	·264	·310	2·0	24·2
	East London -	October 19th. Cab Rank, Sidney-street, E.	11·0	30·46	·106	·020	0	·195	·215	1·9	21·8
	DEEP WELLS. Kent - - -	October 19th. Police Station, Blackheath-road.	11·9	38·00	·040	·006	0	·470	·476	2·2	28·1
Outer Circle.	Colne Valley - -	October 24th. Bushey.	—	16·88	·057	·016	·058	·466	·530	2·1	7·4
	Tottenham - -	October 22nd. Tottenham.	—	42·56	·043	·008	·063	·055	·115	2·9	26·0
	East London - -	October 22nd. Lea Bridge well.	—	38·76	·080	·017	·070	0	·075	2·5	21·2
	Corporation of Birmingham* - - -	October 8th. 4 Court, Smith Street, Bloomsbury.	10·0	37·90	·210	·050	0	·100	·150	1·9	21·2
	Corporation of Glasgow† -	October 15th. Loch Katrine water.	10·1	3·06	·169	·008	0	·005	·012	·8	1·1
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 19th of October at the cab rank, Horse Guards, had a temperature of 12°·3 C.; 100,000 lbs. of it contained 25·56 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·117 lb. of carbon and ·018 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·180 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·198 lb. The above weight of water also contained 1·8 lb. of chlorine and 18·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·8, Tottenham 0·9, New River and Colne Valley 1·2, East London (deep-well) 1·6, East London (river supply) 2·1, Chelsea 2·3, West Middlesex and Southwark 2·7, and Grand Junction and Lambeth 2·8. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·6, New River Cut 1·9, and the Lea at Angel Road 3·4.

The Thames at Hampton was, on October 16th, turbid and yellow in colour, and of moderately good chemical and bacterial quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered, and of excellent chemical and bacterial quality or dietetic purposes. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·84, West Middlesex 99·03, Southwark (No. 3 filter well) 99·52, ditto (No. 8 filter) 99·61, Grand Junction (general well at Hampton) 99·35, (general well at Kew Bridge) 98·23, (South well at Kew Bridge) 99·84, and Lambeth, 99·52.

The New River Cut, before entering the subsidence and storage reservoirs, was, on October 18th, turbid and very pale yellow in colour. It was, of excellent chemical and fairly good bacterial quality. By passing through the storage reservoirs the number of bacteria was reduced to less than one-third, and, after efficient filtration, the water was delivered to consumers in excellent chemical and bacterial condition for dietetic purposes. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—General filter well 99·29, No. 7 filter well 99·29, and No. 9 filter well 98·93. The water, taken from the Lea by the East London Company at Angel Road on October 18th, was of very good chemical and fairly good bacterial quality, but it was turbid and pale yellow in colour. After storage for 15 days, more or less, the number of bacteria per c.c. was reduced to little more than one third. It was efficiently filtered before delivery and was improved bacterially to the extent represented by the following percentage numbers:—No. 1 Essex well 99·12, and Middlesex well 99·56.

The deep-well waters of the Kent, Colne Valley, and East London Companies and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes and (with the exception of the Tottenham sample which was very slightly turbid) they were perfectly clear and bright without filtration. The Colne Valley Company's water had been softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the New River, Kent, and Colne Valley waters were clear and colourless, the East London (deep-well) clear and nearly colourless, the Tottenham very slightly turbid and colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters before and after storage, and the supplies delivered by the various Companies and collected on the 16th, 17th, 18th, and 19th of October yielded the results contained in the following table:—

Description.	— Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, October 16th	2,480	11·5°
„ after storage for 14·7 days (Chelsea Company), October 16th	1,240	12·3
Lambeth Company's water passing on to filter No. 5, October 16th	480	12·2
West Middlesex Company's water (supplying filters 1–5), October 17th	220	11·0
Grand Junction Company's water at Kew, passing on to filters 2, 3, 4, 5, and 7, October 17th.	340	12·5
New River Cut before passing through reservoirs, October 18th	1,120	9·8
„ „ after „ „ „ before filtration, October 18th	340	10·4
River Lea at Angel Road, October 18th	1,820	10·0
„ after storage for 15 days (East London Company), October 18th	640	10·6
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general filter well, October 16th	4	12·5
West Middlesex Company's general filter well, October 17th	24	11·0
Southwark Company's No. 3 filter well, October 16th	12	11·7
„ „ No. 8 „ „ October 16th	84	11·7
Grand Junction Company's general filter well at Hampton, October 16th	16	12·1
„ „ „ „ Kew Bridge, October 17th	44	12·0
„ „ „ south „ „ October 17th	4	12·0
Lambeth Company's general filter well, October 16th	12	12·3
Lea.		
New River Company's general filter well, October 18th	8	10·4
„ „ No. 7 „ „ October 18th	8	10·5
„ „ No. 9 „ „ October 18th	12	10·4
East London No. 1 Essex well, October 18th	16	10·0
„ Middlesex well, October 18th	8	10·0
Deep Well.		
Kent Company's new well at Deptford, October 19th	0	11·3
East London Company's Lea Bridge well, October 18th	4	11·3

It deserves to be remarked that the Kent Company's new well at Deptford yielded water which was absolutely sterile, whilst the supply of the Chelsea Company, Grand Junction Company (from their south well at Kew Bridge), and the deep-well water of the East London Company contained only 4 mircobes per c.c.

Dr. Hill, F.I.C., Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and green in a two-foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a "little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. Frankland.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 9th November, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 9th Nov., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6228	4492	1105	1036	2	187	54	100	68	90	105	169	324	900	66	22·1	3·0	60·2	28·0	47·8	8·78	1·20	3·05	33 Towns.
London	4,392,346	2525	1790	392	444	1	97	19	75	14	24	20	70	151	496	8	21·2	3·0	60·1	32·8	50·8	10·44	1·09	2·77	London.
West Ham	249,473	163	82	31	16	1	1	4	1	1	1	1	3	6	7	2	17·1	2·1	-	-	-	-	-	-	West Ham.
Croydon	114,923	36	29	5	10	-	-	-	1	-	-	-	1	3	8	-	13·2	0·5	60·2	29·8	49·2	9·56	1·59	4·04	Croydon.
Brighton	119,604	53	40	8	15	-	-	1	-	-	-	-	2	4	7	-	17·4	0·4	59·0	38·8	52·8	11·56	1·59	4·04	Brighton.
Portsmouth	174,751	92	57	10	15	-	-	-	1	2	2	3	2	2	9	1	17·0	2·4	60·0	38·0	51·4	10·78	2·32	5·89	Portsmouth.
Plymouth	89,096	41	45	13	8	-	-	-	-	1	-	-	2	2	4	-	26·3	0·6	-	-	-	-	-	-	Plymouth.
Bristol	228,139	92	77	19	23	-	-	4	-	-	-	3	-	2	21	1	17·6	1·6	58·0	36·0	46·6	8·11	2·30	5·84	Bristol.
Cardiff	155,637	83	62	22	10	-	-	1	2	6	1	-	2	3	5	-	20·8	3·4	-	-	-	-	-	-	Cardiff.
Swansea	97,008	62	36	11	6	-	2	-	-	1	-	-	1	3	1	1	19·4	1·6	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	63	55	15	8	-	2	-	4	2	4	2	-	-	5	-	33·4	8·5	55·6	33·8	45·1	7·28	1·02	2·59	Wolverhampton.
Birmingham	496,751	311	201	73	38	-	9	2	1	2	1	4	5	4	33	12	21·1	2·0	-	-	-	-	-	-	Birmingham.
Norwich	107,127	69	40	8	14	-	2	-	-	1	2	1	-	1	2	2	19·5	2·9	59·8	28·0	48·3	9·06	1·35	3·43	Norwich.
Leicester	193,889	106	59	16	11	-	2	-	2	1	3	-	1	2	10	2	15·9	2·2	-	-	-	-	-	-	Leicester.
Nottingham	226,658	137	72	18	23	-	-	2	-	-	1	-	1	3	6	2	16·6	0·7	58·6	38·0	46·4	8·00	0·73	1·85	Nottingham.
Derby	100,272	70	33	10	6	-	-	1	-	-	1	4	2	3	8	-	17·2	3·1	-	-	-	-	-	-	Derby.
Birkenhead	107,469	57	31	6	10	-	-	1	2	1	2	1	1	3	1	1	15·0	3·4	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,967	339	363	87	74	-	17	2	2	12	5	10	21	26	81	4	37·6	5·0	57·4	37·0	46·1	7·83	0·34	0·86	Liverpool.
Bolton	119,337	79	43	7	10	-	-	1	1	1	2	2	1	4	9	-	18·8	3·1	-	-	-	-	-	-	Bolton.
Manchester	524,865	352	259	57	60	-	6	5	2	5	3	12	11	23	56	2	25·7	3·3	-	-	-	-	-	-	Manchester.
Salford	208,253	124	118	29	16	-	7	-	2	2	5	5	6	8	16	4	29·5	5·3	-	-	-	-	-	-	Salford.
Oldham	141,079	72	68	19	7	-	7	-	-	-	-	2	4	6	6	-	25·1	3·3	-	-	-	-	-	-	Oldham.
Burnley	99,591	50	46	6	13	-	1	1	-	-	1	1	1	2	2	2	24·1	2·1	-	-	-	-	-	-	Burnley.
Blackburn	127,615	66	92	20	14	-	26	1	-	-	1	3	2	3	6	3	37·6	12·7	-	-	-	-	-	-	Blackburn.
Preston	112,638	74	47	19	6	-	-	1	-	-	2	2	1	1	2	3	21·8	2·3	-	-	-	-	-	-	Preston.
Huddersfield	99,482	42	28	5	10	-	-	-	-	-	-	-	-	-	2	-	14·7	-	55·0	34·0	45·0	7·22	0·64	1·63	Huddersfield.
Halifax	93,813	37	46	7	13	-	-	-	1	-	2	-	3	5	3	-	25·6	1·7	-	-	-	-	-	-	Halifax.
Bradford	226,384	110	102	21	29	-	-	3	-	8	5	1	4	14	13	1	23·5	3·9	53·8	40·4	46·4	8·00	0·62	1·57	Bradford.
Leeds	395,546	255	157	49	29	-	5	2	2	2	4	9	6	15	12	-	20·7	3·2	-	-	-	-	-	-	Leeds.
Sheffield	342,768	253	165	50	37	-	2	-	-	3	10	5	11	13	31	8	25·1	3·0	-	-	-	-	-	-	Sheffield.
Hull	216,722	144	78	24	17	-	-	1	-	2	4	6	1	2	9	2	18·8	3·1	57·0	29·0	45·4	7·44	0·78	1·98	Hull.
Sunderland	137,705	85	54	16	11	-	-	-	-	-	3	1	2	4	7	-	20·4	1·5	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	56	33	11	10	-	-	-	-	1	-	2	-	1	3	-	17·9	1·6	-	-	-	-	-	-	Gateshead.
Newcastle	207,021	130	84	21	23	-	1	2	1	-	1	5	2	5	19	5	21·2	2·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† Urban District only.

88999.—6.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2534	2565	2634	2770	2659	2173	2456	2435	2659	2657	2695·7	2525
Males . .	1295	1277	1350	1401	1339	1110	1266	1246	1378	1367	1375·1	1314
Females .	1239	1288	1284	1369	1320	1063	1190	1189	1281	1290	1320·6	1211
TOTAL **Deaths**	1531	1420	1564	1520	1350	1734	1590	1538	1769	1249	1611·1	1790
Males . .	807	746	787	781	676	881	817	795	901	643	827·4	910
Females .	724	674	777	739	674	853	773	743	868	601	783·7	880

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 17.*	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.
TOTAL **Births** - -	2646	2448	2617	2486	2557	2541	2618	2447	2622	2629	2447	2693	2525
TOTAL **Deaths** - -	1459	1430	1336	1358	1298	1346	1532	1342	1435	1518	1470	1789	1790
Ages at Death: Under 1 year -	460	426	422	420	381	425	443	383	394	421	410	412	392
1—5 years -	232	224	190	199	200	163	220	180	213	238	221	280	303
5—20 „ -	88	77	113	78	98	91	100	76	78	108	94	140	104
20—40 „ -	159	167	164	171	156	174	190	184	193	189	180	226	235
40—60 „ -	226	257	199	227	228	261	279	261	261	256	262	328	312
60—80 „ -	241	227	206	230	192	188	259	212	237	255	251	320	366
80 years & upwards	53	52	42	33	43	44	41	46	59	51	52	83	78
Deaths from—													
Small-pox - - - -	1	6	4	5	2	2	2	1	2	1	1	1	1
Measles - - - -	62	55	56	40	28	24	27	15	34	42	48	75	97
Scarlet fever - - -	21	27	21	20	19	13	24	22	25	23	19	23	19
Diphtheria - - -	50	24	40	38	55	37	56	44	56	76	61	72	75
Whooping-cough - -	10	21	22	17	14	21	25	14	10	15	20	11	14
Typhus - - - -	–	–	1	–	–	–	–	–	–	1	–	1	–
Enteric fever - - -	15	10	10	21	16	21	11	22	22	19	20	16	24
Simple Continued fever -	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	163	112	122	129	107	109	107	102	87	62	45	36	20
Cholera - - - -	1	2	2	1	1	1	4	3	–	–	–	–	–
All the above Diseases	323	257	278	271	242	229	256	223	236	239	214	235	250
Dis. of Respiratory System	137	170	102	134	123	141	173	158	175	215	235	366	447
Phthisis - - - -	126	148	136	124	122	144	140	152	153	168	156	173	159
Dis. of Circulatory System	114	86	98	97	104	101	121	102	125	111	117	178	154
Violence - - - -	67	51	68	48	67	62	72	77	52	72	59	65	70
Inquest Cases - - -	137	102	118	103	116	118	137	159	120	141	127	163	151
Deaths in Public Institutions	407	423	374	412	378	387	464	400	412	427	416	513	496
TEMPERATURE OF THE AIR													
Mean - - - -	61°·7	66°·2	61°·8	65°·1	60°·7	56°·9	65°·6	56°·5	50°·7	49°·4	40°·4	39°·9	50°·8
Mean of Highest readings -	71·4	78·4	72·6	78·8	71·8	68·8	81·8	68·5	57·0	57·8	46·4	47·5	56·3
Mean of Lowest readings -	53·9	55·9	53·3	53·7	51·4	46·8	52·4	46·2	45·8	42·1	34·4	33·0	45·3
Humidity of the Air - -	78	71	75	73	75	81	71	77	83	85	85	87	91
Rain-fall (in inches) - -	0·35	0·19	0·15	0·82	0·09	0·03	0·00	0·49	1·45	0·15	0·45	0·16	1·09
Registered Sunshine (in hours)	32·9	56·7	51·5	54·3	39·4	30·5	56·1	32·5	7·9	11·7	10·0	12·0	4·8
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	336	342	340	328	307	271	234	198	158	119	114	106	78
Scarlet fever - - - -	2529	2506	2514	2600	2674	2732	2807	2802	2827	2838	2833	2841	2847
Diphtheria - - - -	657	667	669	662	663	665	673	672	659	667	675	671	683
Enteric fever - - - -	103	114	123	118	120	109	117	124	125	115	129	123	118

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIFTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 45th Week of the 10 years 1885–94.*	In the Week ending Saturday, 9th November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1611·1	1790	392	303	104	235	312	366	78
Small-pox { Vaccinated† -	–	–	–	–	–	–	–	–	–
Small-pox { Unvaccinated	0·1	1	–	–	–	1	–	–	–
Small-pox { No Statement	0·5	–	–	–	–	–	–	–	–
Measles - - - -	46·6	97	19	75	3	–	–	–	–
Scarlet Fever - -	28·5	19	4	9	4	2	–	–	–
Typhus - - - -	0·2	–	–	–	–	–	–	–	–
Relapsing Fever - -	–	–	–	–	–	–	–	–	–
Influenza - - -	4·5	10	1	–	1	2	2	3	1
Whooping-cough - -	27·1	14	6	7	1	–	–	–	–
Diphtheria - - -	42·8	75	4	51	18	2	–	–	–
Simple Continued and Ill-defined Fever -	0·4	–	–	–	–	–	–	–	–
Enteric Fever -	17·5	24	–	–	7	15	2	–	–
Cholera and Chol. Diarr.	0·3	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery -	18·0	20	14	4	1	–	–	–	1
Remittent Fever - -	0·2	–	–	–	–	–	–	–	–
Hydrophobia - -	0·1	–	–	–	–	–	–	–	–
Glanders - - -	0·1	–	–	–	–	–	–	–	–
Cowpox and Effects of Vaccination - -	0·4	1	1	–	–	–	–	–	–
Venereal Affections -	9·1	10	5	1	1	1		–	–
Erysipelas - -	8·7	–	–	–	–	–	–	–	–
Pyæmia and Septicæmia	2·6	2	–	–	–	1	1	–	–
Puerperal Fever - -	6·4	4	–	–	–	4	–	–	–
Other Zymotic Diseases	1·3	3	–	3	–	–	–	–	–
Thrush - - - -	1·2	2	2	–	–	–	–	–	–
Worms and other Parasitical Diseases - -	0·7	1	–	1	–	–	–	–	–
Starvation, Want of Breast-milk - -	1·5	4	4	–	–	–	–	–	–
Alcoholism - - -	8·5	7	–	–	–	1	6	–	–
Rheumatic Fever, Rheumatism of Heart	12·6	11	–	–	2	5	4	–	–
Rheumatism - -	2·0	3	–	–	–	–	1	2	–
Gout - - - -	2·6	5	–	–	–	–	2	3	–
Rickets - - - -	5·0	7	1	6	–	–	–	–	–
Cancer - - - -	64·1	81	–	–	1	11	34	33	2
Tabes Mesenterica -	24·0	29	18	11	–	–	–	–	–
Tubercular Meningitis -	20·6	17	6	6	4	1	–	–	–
Phthisis - - -	157·4	150	2	5	6	86	49	11	–
Scrofula, Tuberculosis -	17·5	25	7	7	6	3	2	–	–
Other Constitutional Diseases - - -	12·8	20	1	1	2	4	9	3	–
Premature Birth - -	44·9	41	41	–	–	–	–	–	–
Atelectasis - - -	3·5	1	1	–	–	–	–	–	–
Congenital Malformations - - - -	7·6	6	6	–	–	–	–	–	–
Old Age - - - -	47·0	46	–	–	–	–	–	16	30
Apoplexy - - -	44·6	42	1	–	–	2	15	21	3
Epilepsy - - -	7·6	6	–	–	1	1	2	2	–
Convulsions - - -	43·6	29	26	3	–	–	–	–	–
Other Diseases of Brain and Nervous System	78·8	61	5	9	5	5	13	19	5

CAUSES OF DEATH.	Corrected Averages for the 45th Week of the 10 years 1885–94.*	In the Week ending Saturday, 9th November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·0	2	–	–	1	1	–	–	–
Diseases of Circulatory System - - -	129·3	154	4	2	14	16	50	63	5
Croup - - - -	10·4	3	–	2	1	–	–	–	–
Bronchitis - - -	233·6	259	63	36	5	11	33	91	20
Pneumonia - - -	113·1	145	44	37	5	16	15	26	2
Pleurisy - - -	6·5	5	1	–	–	1	2	1	–
Other Diseases of Respiratory System - -	23·6	35	7	5	–	3	6	13	1
Dentition - - -	9·0	4	2	2	–	–	–	–	–
Quinsy, Sore Throat -	2·6	6	1	3	1	–	1	–	–
Enteritis - - -	8·4	25	9	3	2	3	3	5	–
Peritonitis - - -	7·1	6	1	–	1	2	1	1	–
Diseases of Liver - -	25·1	24	2	1	–	1	10	8	2
Other Diseases of Digestive System -	28·5	37	5	1	4	6	8	10	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	2	–	–	1	–	–	1	–
Diseases of Urinary System - - -	43·3	53	–	1	3	8	19	21	1
Diseases of Generative System - - -	5·8	11	1	1	–	5	4	–	–
Accidents of Childbirth -	3·4	6	–	–	–	4	2	–	–
Diseases of Locomotive System - - -	7·1	2	–	1	–	–	–	1	–
Diseases of Integumentary System - -	6·3	3	2	–	–	–	1	–	–
VIOLENT DEATHS.									
(ACCIDENT.)									
By Railways - -	45·9	3	–	–	–	2	1	–	–
By Vehicles or Horses -		1	–	–	–	–	1	–	–
In Ships, Boats, Docks (exclusive of Drowning) - - - -		–	–	–	–	–	–	–	–
In Building Operations -		2	–	–	–	–	1	1	–
In Conflagrations - -		1	–	–	–	–	1	–	–
By Burns, Scalds, Explosions - - -		6	–	2	1	1	2	–	–
By Drowning - -		1	–	–	–	–	–	1	–
By Suffocation in Bed -		18	16	1	–	1	–	–	–
By Poisons or Poisonous Vapours - - -		1	–	–	–	–	1	–	–
Other or not stated Causes - - - -		27	6	4	2	2	2	9	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·4	2	1	1	–	–	–	–	–
Suicide - - - -	7·8	8	–	–	–	4	3	1	–
Execution - - -	–	–	–	–	–	–	–	–	–
OTHER CAUSES - -	59*	5	52	1	–	1	1	–	–

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 3. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,211,743	2525	1790	392	444	1	97	19	75	14	-	24	-	20	70	151	496	8
WEST DISTRICTS	740,735	378	275	50	74	-	5	3	19	3	-	1	-	1	17	24	76	-
NORTH DISTRICTS	993,884	566	441	90	122	-	23	6	19	5	-	6	-	8	16	38	112	-
CENTRAL DISTRICTS	247,538	138	120	33	17	-	8	-	2	-	-	2	-	1	7	11	40	-
EAST DISTRICTS	705,114	524	301	71	74	-	14	2	6	4	-	6	-	2	13	33	113	-
SOUTH DISTRICTS	1,524,472	919	635	143	152	-	42	7	29	2	-	9	-	8	17	45	137	8
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	18	-	5	1	-	1	-	-	-	-	-	-	-	-	18	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	39	33	5	13	-	-	-	2	-	-	-	-	1	2	4	8	-
St. John Paddington *H* - G.J.	33687	9	15	-	4	-	-	-	2	-	-	-	-	-	1	1	5	-
Kensington Town *Ww* - W.M.	118751	58	62	14	16	-	2	3	3	3	-	-	-	-	5	7	21	-
Brompton *H* - W.M. & C.	47557	11	11	-	2	-	-	-	1	-	-	-	-	-	2	2	2	-
St. Peter Hammersmith - W.M.	8886	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	51	33	6	10	-	-	-	1	-	-	-	-	-	1	1	2	-
Fulham *Ww* - W.M. & C	91639	73	35	13	5	-	2	-	5	-	-	1	-	-	1	1	8	-
Chelsea Kensal Town - C.	21787	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	41637	19	17	4	6	-	-	-	-	-	-	-	-	-	2	3	6	-
Chelsea South *HH* - C.	32829	22	7	-	2	-	-	-	-	-	-	-	-	-	1	2	2	-
May Fair *WH* - G.J.	23733	6	6	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Belgrave *WHHH* - C.	54631	27	19	3	3	-	-	-	2	-	-	-	-	-	-	1	9	-
St. John Westminster *HH* - C.	34106	15	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	21668	10	12	-	2	-	-	-	3	-	-	-	-	-	-	-	7	-
St. James Westminster *WHHH* N.R. & G.J.	24998	10	8	-	6	-	-	-	-	-	-	-	-	-	2	2	3	-
St. Anne Soho *HHHHHH* - N.R.	12317	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - W.M.	37713	9	21	-	1	-	2	-	-	-	-	2	-	-	-	1	11	-
Rectory Marylebone *WH* G.J. & W.M.	20024	7	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *HH* - W.M.	33327	15	9	1	2	-	-	-	-	1	-	-	-	1	1	2	-	-
St. John Marylebone *HH* - W.M.	32101	18	9	2	4	-	-	-	-	-	-	-	-	-	1	2	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	31	37	9	11	-	-	3	2	-	-	-	-	-	3	4	11	-
Regent's Park Paneras *HH* - W.M.	36590	31	10	2	1	-	2	-	-	-	-	-	-	1	-	1	1	-
Tottenham-court *wHHH* N.R. & W.M.	26321	11	19	1	9	-	-	-	-	-	-	1	-	-	-	1	9	-
Gray's Inn Lane *HHH* - N.R.	27455	16	14	4	4	-	1	-	-	-	-	1	-	-	-	1	3	-
Somers Town *HH* - N.R.	32829	26	24	6	1	-	8	1	2	-	-	-	-	-	-	2	2	-
Camden Town *WH* - N.R.	15419	9	13	3	5	-	2	-	-	-	-	-	-	-	2	3	9	-
Kentish Town *WW* - N.R.	25765	59	43	9	9	-	6	1	3	-	-	1	-	3	-	2	6	-
Upper Holloway *WWWwHHH* - N.R.	90235	43	57	11	21	-	1	-	4	-	-	-	-	-	4	6	34	-
Islington South-west *H* - N.R.	105557	62	35	10	9	-	-	1	3	-	-	-	-	-	1	1	3	-
Islington South-east - N.R.	64158	38	16	4	7	-	-	-	-	-	-	-	-	1	3	3	-	-
Highbury *HH* - N.R.	59193	34	18	3	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Stoke Newington *H* - N.R.	30936	17	10	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-
Stamford Hill - E.L.	17759	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - N.R.	42802	28	21	5	10	-	1	-	1	1	-	-	-	-	-	1	3	-
Hackney *WwwH* - E.L. & N.R.	96486	60	57	11	15	-	4	-	2	3	-	-	-	-	1	4	18	-
South Hackney *w* - E.L.	41759	26	11	3	3	-	1	-	2	-	-	-	-	1	-	1	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - N.R.	16695	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - N.R.	13454	14	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Giles North *H* - N.R.	9633	3	4	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	6	8	-	-	-	-	-	1	-	-	-	-	-	-	-	6	-
St. Mary-le-Strand *H* - N.R.	5706	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes *WH* - N.R.	7194	-	5	1	-	-	-	-	-	-	-	1	-	-	-	-	3	-
Strand Union Workhouse, Edmonton -	†1037	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	9	9	2	1	-	-	-	-	-	-	-	-	-	1	1	6	-
St. Andrew Eastern *WH* - N.R.	15343	7	6		-	-	-	-	-	-	-	-	-	-	2	2	-	-
St. James Clerkenwell - N.R.	16803	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Amwell Clerkenwell - N.R.	16883	9	7	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	17155	13	11	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.	15375	5	8	2	1	-	2	-	-	-	-	-	-	-	2	2	-	-
City-road *HHHL* - N.R.	29177	40	13	6	1	-	-	-	-	-	-	-	-	-	-	2	1	-
Whitecross-street - N.R.	8278	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Finsbury - N.R.	4985	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - N.R. & E.L.	8944	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - N.R.	4444	2	21	2	4	-	-	-	1	-	-	1	-	-	1	2	20	-
St. Bride *W* - N.R.	6594	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - N.R.	10422	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - N.R.	3377	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone -	†383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 9th November, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	9	6	-	3	-	1	-	-	-	-	-	-	-	1	2	-	-
oxton New Town *w* - - - N.R.	29313	12	12	2	2	-	-	-	-	1	-	1	-	-	-	1	3	-
oxton Old Town - - - N.R.	28354	14	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	31	28	14	5	-	-	-	2	-	-	1	-	1	2	3	14	-
ethnal Green North *H* - - E.L.	51520	39	14	5	3	-	-	-	1	-	-	-	-	-	3	6	-	-
ethnal Green South - - - E.L.	33489	36	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
ethnal Green East *WHL** - E.L.	44123	32	47	4	15	-	5	1	1	1	-	-	-	-	2	3	29	-
pitalfields - - - E. & N.R.	22456	20	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
ile End New Town *W* - - E.L.	17908	15	15	3	6	-	-	-	-	-	-	-	-	-	1	1	14	-
hitechapel Church *H* E.L. & N.R.	20298	21	30	5	3	-	-	-	-	-	-	2	-	-	2	4	25	-
oodman's Fields - - - E.L.	13800	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. George's, North - - - E.L.	37738	29	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
. John, St. George East *W* - E.L.	8937	7	7	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
adwell *H* - - - E.L. & N.R.	10246	5	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
atcliff *W* - - - - E.L.	14928	12	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
mehouse - - - - - E.L.	32202	24	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town West *H* - E.L.	38650	25	15	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town East *HWww* E.L.	68942	57	28	9	11	-	-	-	-	-	-	-	-	-	-	4	8	-
ow *L** - - - - - E.L.	40365	20	23	5	6	-	6	-	-	-	-	-	-	-	-	-	1	-
romley *wwwH* - - - E.L.	70000	56	26	5	4	-	-	-	1	1	-	1	-	-	1	1	14	-
oplar *WW* - - - - E.L.	56388	51	14	5	3	-	1	-	1	-	-	1	-	-	-	1	-	-
SOUTH DISTRICTS.																		
hristchurch Southwark *WH* L. & S.	13264	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Saviour Southwark - - - S.	13913	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ent-road - - - - S. & L.	21867	20	10	5	3	-	-	-	-	-	-	-	-	-	1	1	-	-
orough-road *WH* - - S. & L.	16624	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	6	-
ondon-road *HL* - - L. & S.	21221	11	11	5	1	-	1	1	-	-	-	-	-	-	-	1	-	-
rinity Newington - - S. & L.	26596	19	15	6	2	-	3	-	-	-	-	-	-	-	1	3	-	-
. Peter Walworth *W* - S. & L.	61342	25	31	5	9	-	11	1	-	-	-	-	-	-	2	2	3	-
. Mary Newington - - L. & S.	27866	22	13	6	2	-	-	-	2	-	-	-	-	2	-	-	-	-
. Olave *WH* - - - S.	12723	4	21	2	4	-	-	-	-	1	-	-	-	-	1	1	17	-
eather Market *W* - - S. & L.	30612	25	9	4	1	-	2	-	-	-	-	-	-	-	-	2	-	-
. James Bermondsey - - S.	54070	37	23	8	3	-	5	-	-	-	-	-	-	-	-	-	-	-
otherhithe *WwH* - - S. & K.	39255	19	22	4	8	-	-	1	-	-	-	-	-	-	-	1	8	-
aterloo-road 1st *H* - - L. & S.	14031	5	4	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
aterloo-road 2nd *H* - - L. & S.	14644	18	6	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-
ambeth Church 1st *H* - L. & S.	18075	15	15	3	2	-	-	-	1	-	-	1	-	1	-	2	9	-
ambeth Church 2nd *WW* - L. & S.	39097	31	21	-	8	-	2	-	-	-	-	-	-	-	-	2	11	-
ennington 1st *H* - - S. & L.	50586	31	13	4	4	-	-	-	-	-	-	-	-	-	-	3	-	-
ennington 2nd - - - S. & L.	39708	18	17	4	3	-	-	-	-	-	-	1	-	-	1	-	-	-
ixton *w* - - - - - L. & S.	73405	43	22	3	7	-	-	-	4	-	-	2	-	-	-	1	5	3
orwood *WH* - - - - L.	25657	11	5	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
st Battersea - - - - S.	67244	50	30	11	2	-	-	1	-	-	-	-	-	1	1	3	-	-
est Battersea *WwH* - - S.	83314	39	26	8	9	-	1	-	1	-	-	-	-	-	1	3	6	-
apham *H* - - - - S.	43698	21	12	3	5	-	2	-	-	-	-	-	-	-	-	-	1	-
andsworth *WHHL* - - - S.	46717	29	13	5	4	-	-	-	-	-	-	-	-	-	-	1	-	-
tney - - - - - - S.	17771	10	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eatham *www* - - - - L.	48756	25	22	2	5	-	-	-	9	-	-	1	-	-	-	-	10	-
lwich - - - - L. & S.	6809	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell *WwL**L** - - S. & L.	81686	45	47	5	19	-	3	-	-	-	-	1	-	-	1	3	26	1
eckham *W* - - - S., L., & K.	83483	57	24	5	6	-	1	-	4	-	-	-	-	1	-	3	1	-
George Camberwell - - L. & S.	63366	43	27	5	6	-	6	-	-	1	-	-	-	1	-	1	-	-
ptford, North - - - - K.	35314	28	20	7	2	-	-	-	1	-	-	-	-	1	-	-	-	-
ptford, Central *w* - - - K.	42007	35	18	2	1	-	-	2	3	-	-	2	-	-	1	1	6	1
ptford, South - - - - K.	30852	15	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eenwich West *H* - - - K.	22007	13	10	4	-	-	2	-	-	-	-	-	-	-	-	-	-	1
eenwich East *WH* - - - K.	35233	27	24	4	10	-	-	-	1	-	-	-	-	-	3	5	17	1
tham *wH* - - - - - K.	5082	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e *H* - - - - - - K.	23541	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
wisham *WH* - - - - K.	30950	20	11	5	2	-	-	-	-	-	-	-	-	-	1	2	1	-
ésnham *H* - - - - L.	34162	7	12	3	4	-	-	-	-	-	-	-	-	-	2	2	-	-
arlton *HH* - - - - K.	14040	5	8	1	3	-	-	1	-	-	-	-	-	-	-	-	1	1
oolwich Dockyard - - - K.	19606	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal *HH (H* - K.	21242	12	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
amstead, West *H* - - - K.	15869	10	9	2	4	-	-	-	2	-	-	-	-	-	-	-	-	-
amstead, East *WH* - - - K.	36567	33	18	3	1	-	-	-	1	-	-	1	-	-	1	1	7	-
nstead Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
terham Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
ne Hill Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ospital Ships and Camp, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
rrenth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
nwell Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lney Hatch Asylum - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
E. Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
avesden Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
aybury Asylum - - - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 9th November 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	925	424	105	123	1	12	10	18	4	7	6	15	30	50	7
30 : 1	Carshalton *wHH* -	12228	26108	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-
-	Epsom, *part of* WwH*	10423	12508	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of* W*	2754	1593	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20851	128699	43	36	7	13	-	-	-	1	1	-	-	1	3	8	-
2	Mitcham *w* -	11697	23088	17	6	-	4	-	-	-	-	-	1	-	1	1	-	-
39 : 1	Wimbledon *HHH* -	3220	25761	14	6	2	-	-	-	-	3	-	-	-	-	-	3	-
2	Kingston *WH* - -	8071	44765	25	8	1	4	-	-	-	-	-	-	-	1	3	2	-
3	Esher, *part of* HH* -	6601	12059	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* - -	4535	18252	9	5	1	2	-	-	-	-	-	-	1	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	15	5	2	2	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake *H* - -	2823	16159	2	6	1	2	-	-	-	1	-	-	-	-	-	1	-
41 : 1	Bromley *HHH* - -	9127	23815	19	5	-	3	-	-	-	-	-	-	-	-	1	-	-
2	Beckenham *H* - -	6542	21969	15	6	2	2	-	-	-	-	1	-	-	-	-	-	-
	Chislhrst, *pt. of* WHH*	14307	20372	15	6	-	5	-	-	-	-	-	-	-	-	-	3	-
41 : 1	Bexley *HH* - -	12540	30590	21	6	-	4	-	-	-	-	-	-	-	-	-	-	1
2	Dartford *Work.*, pt. of*-	—	—	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w* - -	11054	13671	10	1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	Staines *WH* - -	13277	13221	7	3	-	3	-	-	-	-	-	-	1	-	-	-	-
125 : 1	Hillingdon *WHH*	6035	12237	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-
2	Uxbridge - - -	6172	5417	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - -	14537	15618	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* -	6967	26273	15	7	1	2	-	-	1	-	-	-	-	-	-	4	-
2	Twickenham *HH* -	2415	16027	14	5	1	1	-	-	-	2	-	-	-	-	1	-	-
3	Brentford *HHHH* -	4318	37777	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - -	1245	21963	14	5	-	4	-	-	-	-	-	-	-	1	1	-	-
5	Acton *wH* - - -	6132	30945	16	6	2	3	-	-	-	-	-	-	1	1	3	1	-
127 : 1	Harrow *HHH* - -	13809	15715	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - -	6994	3844	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* -	4383	61265	66	27	9	9	-	-	1	1	-	1	-	1	1	2	1
4	Hendon *WH* - -	8382	15843	9	3	1	1	-	-	-	-	-	-	-	-	1	1	-
128 : 1	South Mimms *H*	15599	8474	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11778	3	6	1	3	-	-	-	-	-	-	-	1	1	1	-
3	Finchley *HHH* -	4688	25820	10	7	-	1	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61097	20	13	2	5	-	-	-	1	-	-	-	-	-	1	-
2	Tottenham *H* - -	4642	97174	69	38	12	10	-	2	1	3	-	1	1	2	4	2	1
3	Edmonton *Www* -	7489	36851	24	11	2	3	-	2	-	-	-	-	-	-	1	2	-
4	Enfield *WWHH*- -	12639	31803	25	5	1	-	-	-	-	-	-	1	-	1	1	1	-
5	Waltham Abbey - -	11017	6066	1	3	-	1	-	-	-	2	-	-	-	-	-	-	-
6	Cheshunt *H* - -	8480	9620	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of * W*	3306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - -	9331	7737	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*- -	1100	42983	35	17	7	1	-	1	1	-	-	1	-	3	4	3	1
2	Plaistow - - -	1242	58030	66	23	10	4	-	-	1	-	-	-	1	-	-	-	1
3	Canning Town *H* -	1558	54750	40	22	12	4	-	-	1	-	1	-	-	-	2	-	-
4	Forest Gate *w* - -	806	49140	22	13	2	5	-	-	1	1	-	-	-	-	-	-	-
5	East Ham *wH* - -	3266	32713	59	15	6	-	-	-	-	1	-	-	-	1	1	-	1
6	Leyton *WWWwH*	4334	70188	58	25	5	8	-	3	1	-	1	-	-	-	-	6	1
7	Walthamstow *HtL*	6501	57330	37	16	7	-	-	-	-	1	-	-	1	-	-	-	-
187 : 1	Chigwell, *part of * H*-	11779	12941	7	4	1	1	-	-	-	-	-	1	-	-	-	2	-
2	Epping *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of* WH*	6556	4324	4	5	1	-	-	-	1	-	-	-	-	-	-	2	-
2	Ilford - - - -	8493	10913	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H* -	3814	14301	15	7	-	2	-	1	-	-	-	1	-	-	-	-	-
42 : 2	Hospital Ship "Atlas"	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
128 : 3	Colney Hatch Asylum -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
189 : 2	Claybury Asylum -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 187 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 9th November, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	6,048,555	19·1	2·7	2214	497	567	2	109	29	93	18	31	26	85	546
INNER LONDON -	74,672	4,392,346	21·2	3·0	1790	392	444	1	97	19	75	14	24	20	70	496
OUTER RING -	368,749	1,656,209	13·4	1·8	424	105	123	1	12	10	18	4	7	6	15	50

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the rea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	273,535	November 9	142	86	16·4	–	–	1	2	1	2	4
GLASGOW - -	695,876	" 9	381	289	21·7	–	–	8	3	12	3	10
DUBLIN - -	349,594	"	186	163	24·3	–	–	–	1	1	4	2
CALCUTTA - -	466,460	September 21	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	821,764	October 15	301	398	25·2	1	5	?	?	?	73	25†
MADRAS - -	452,518	" 4	508	394	45·2	–	6	?	?	?	141	63†
PARIS - - -	2,424,705	November 2	1012	909	19·5	–	3	3	9*	7	10	50
BRUSSELS - -	507,985	" 2	177	178	18·2	–	–	2	4*	1	2	16
AMSTERDAM -	451,493	" 2	285	152	17·5	–	–	–	4	2	6	–
ROTTERDAM -	272,042	" 2	195	78	14·9	–	–	–	–	4	1	–
THE HAGUE -	180,455	" 2	128	57	16·4	–	–	–	–	1	–	–
COPENHAGEN -	341,000	" 2	193	96	14·7	–	–	3	1	3	4	5
STOCKHOLM -	259,304	October 26	123	47	9·4	–	–	–	–	–	–	–
CHRISTIANIA -	174,717	November 2	40	32	9·5	–	–	1	–	–	–	3
ST. PETERSBURG	954,400	October 19	573	412	22·5	4	6	20	9	5	23	34
MOSCOW - -	753,469	" 26	–	394	27·2	–	1	12	8	2	5	34
BERLIN - -	1,724,544	" 19	821	577	17·2	–	5	28	23	11	2	76
HAMBURG - -	608,710	" 26	431	168	14·4	–	–	–	2*	3	1	10
DRESDEN - -	320,600	" 12	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	367,769	November 2	–	164	23·2	–	–	1	2*	4	3	21
MUNICH - -	396,000	" 2	–	182	23·9	–	9	1	6*	–	–	42
VIENNA - -	1,495,764	October 26	841	581	20·2	1	13	14	17*	6	4	49
PRAGUE - -	351,478	" 26	197	132	19·2	–	–	1	4	1	3	2
BUDA-PESTH -	566,022	" 26	421	234	21·5	–	4	7	2	–	5	21
TRIESTE - -	160,825	" 19	94	93	30·1	–	–	1	6*	1	–	10
ROME - -	464,579	September 21	192	142	15·9	–	–	–	–	–	8‡	19
TURIN (10 days)	344,203	October 20	–	–	–	–	–	–	–	–	–	–
VENICE -	158,159	" 26	70	62	20·4	–	–	–	–	–	–	8
CAIRO - -	374,838	" 14	432	292	40·5	1	–	–	5*	1	3	78
ALEXANDRIA -	231,396	" 14	251	126	28·4	–	–	–	2*	–	3	47
NEW YORK -	1,860,700	" 26	–	–	–	–	–	–	–	–	–	–
BROOKLYN -	1,100,000	" 26	–	398	18·9	–	2	3	31	4	4	14
PHILADELPHIA	1,163,864	" 26	–	362	16·2	–	–	1	28	1	8	12
NEW ORLEANS -	275,000	" 5	–	124	23·5	–	–	–	2	–	11	7

* Including deaths from croup.
† Including 2 deaths from cholera in Bombay, and 3 in Madras.
‡ Including 5 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 9TH NOVEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
Nov.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	3	..	29·744	50·0	32·8	17·2	43·6	− 2·7	42·5	1·1	6·0	0·6	96	67·0	27·9	49·30	E. & ESE.	SE. & S.	0·1	0·0	0·0	118	−159	0·03	0·5
MONDAY	4	..	29·497	52·7	44·5	8·2	48·3	+ 2·2	46·6	1·7	4·0	0·0	94	60·2	37·9	49·22	S.	SSE. SW. & WSW.	5·6	0·0	0·3	223	− 55	0·21	3·5
TUESDAY	5	..	29·310	57·0	39·5	17·5	48·9	+ 3·0	48·1	0·8	4·8	0·0	97	69·5	33·4	49·38	WSW. & ENE.	SW. & SSW.	17·0	0·0	1·4	341	+ 63	0·19	3·0
WEDNESDAY	6	Greatest Dec. N.	29·482	60·0	53·0	7·0	56·0	+10·5	48·8	7·2	9·9	1·0	77	91·3	47·0	49·60	SW.	SW.	10·5	0·0	2·6	697	+419	0·00	3·5
THURSDAY	7	..	29·706	60·1	50·9	9·2	55·8	+10·7	53·7	2·1	5·0	0·0	93	68·3	49·4	50·02	SW.	WSW. & W.	6·5	0·0	1·1	468	+189	0·19	4·5
FRIDAY	8	..	29·728	56·7	50·4	6·3	52·3	+ 7·7	51·5	0·8	3·0	0·0	97	58·7	50·1	50·40	W. & WSW.	ESE. SSE. & SSW.	1·1	0·0	0·0	189	− 90	0·32	0·0
SATURDAY	9	Last Qr.	29·623	57·3	45·9	11·4	50·8	+ 6·8	45·3	5·5	10·6	1·6	82	80·3	40·2	50·91	WSW. & W.	W. & SW.	4·0	0·0	0·3	346	+ 66	0·15	1·8
MEANS		..	29·584	56·3	45·3	11·0	50·8	+ 5·5	48·1	2·7	6·2	0·5	91	70·8	40·8	49·83	SW.		..	..	..	Sum 2382	Sum + 433	Sum 1·09	2·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.
SUNDAY	3	w. P. in morning; v. P. and v. N. afterwards.	0·0	9·5
MONDAY	4	v. P. and v. N. in afternoon; w. P. at other times.	0·0	9·4
TUESDAY	5	m. P. generally; v. N. for a short time in both morning and evening.	0·0	9·4
WEDNESDAY	6	m. P. throughout	1·8	9·3
THURSDAY	7	v. P. between 7h. and 11h. A.M.; w. P. at other times.	0·0	9·2
FRIDAY	8	v. P. generally	0·0	9·2
SATURDAY	9	w. P. and w. N. in morning; afterwards m. P. generally.	3·0	9·1
			Sum 4·8	Sum 65·1

GENERAL REMARKS.

SUNDAY 3	Overcast generally; showery between 5h. P.M. and 9h. P.M.
MONDAY 4	Overcast; frequent rain.
TUESDAY 5	Overcast; frequent rain till noon; a gale of wind with driving rain in evening.
WEDNESDAY 6	Fine; variable amounts of light cloud; strong wind; solar halo in afternoon.
THURSDAY 7	Overcast; nearly continuous rain; brisk wind in evening.
FRIDAY 8	Overcast; frequent rain; slight fog in evening.
SATURDAY 9	Overcast, with occasional slight rain till 10h. A.M.; afterwards very fine; cloudless after 6h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending1 868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the bservations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·12 in. by 10h. P.M. on the 5th; increased to 29·80 in. by 9h. A.M. on the 8th; decreased to 29·45 in. by 7h. A.M. on the 9th; and increased to 29·72 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 46. 1895. VOL. LVI.] WEEK ENDING SATURDAY, NOVEMBER 16. [Price 1½*d.*

General Register Office, Somerset House,
November 18th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.		Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.
Birkenhead	19·4	20·4	15·0	18·4	Liverpool - -	27·8	35·5	37·6	30·8
Birmingham	20·5	20·6	21·1	20·2	London - -	17·5	21·2	21·2	17·9
Blackburn -	32·3	33·1	37·6	36·4	Manchester -	26·1	27·5	25·7	22·0
Bolton -	20·1	24·9	18·8	26·2	Newcastle-on-Tyne	20·4	20·4	21·2	18·6
Bradford -	21·7	21·0	23·5	18·9	Norwich - -	25·3	19·0	19·5	15·6
Brighton -	13·5	17·4	17·4	12·2	Nottingham -	18·2	17·5	16·6	20·9
Bristol -	15·5	19·0	17·6	19·4	Oldham - -	22·5	23·7	25·1	21·8
Burnley -	27·7	26·2	24·1	21·5	Plymouth - -	19·3	18·7	26·3	14·6
Cardiff -	16·4	20·8	20·8	18·4	Portsmouth -	17·9	17·3	17·0	14·9
Croydon -	12·7	12·3	13·2	15·0	Preston - -	19·0	25·0	21·8	20·8
Derby -	16·1	18·2	17·2	13·0	Salford - -	30·5	30·8	29·5	25·0
Gateshead -	23·9	20·1	17·9	22·8	Sheffield - -	21·0	19·3	25·1	15·7
Halifax -	16·7	15·0	25·6	15·6	Sunderland -	27·6	22·3	20·4	20·1
Huddersfield	13·1	14·2	14·7	10·0	Swansea - -	24·2	19·4	19·4	22·0
Hull - -	20·5	21·7	18·8	17·3	West Ham - -	16·5	19·9	17·1	15·0
Leeds -	20·8	20·2	20·7	16·5	Wolverhampton -	18·2	21·3	33·4	23·7
Leicester -	15·9	18·3	15·9	13·2					

The highest annual death-rates per 1000 living, as measured by last week's mortality were:—from *measles*, 1·0 in Burnley and in Huddersfield, 1·1 in Swansea, 1·4 in Liverpool, 1·8 in Wolverhampton, 2·5 in Salford, 3·7 in Oldham, and 9·0 in Blackburn; from *scarlet fever*, 1·1 in Gateshead; from *whooping-cough*, 1·2 in Liverpool, 1·3 in Newcastle-on-Tyne, and 1·8 in Wolverhampton; from "*fever*," 1·1 in Swansea, 1·3 in Salford, 1·5 in Oldham, 1·6 in Burnley, and 1·9 in Sunderland; and from *diarrhœa*, 1·0 in Birkenhead, 1·1 in Swansea and in Gateshead, 1·3 in Bolton, and 2·5 in Blackburn. The 107 deaths from *diphtheria* included 61 in London, 8 in West Ham, 5 in Wolverhampton, 5 in Birmingham, 5 in Liverpool, 4 in Manchester, 4 in Salford, 4 in Newcastle-on-Tyne, and 3 in Bradford. One death from *small-pox* was registered belonging to West Ham, but not one belonging to any other of the thirty-three towns.

LONDON.

In LONDON† 2576 BIRTHS and 1510 DEATHS were registered. Allowing for increase of population, the births were 110, and the deaths 156, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·5, 21·2, and 21·2 in the preceding

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 88999.—7. 650.—11/95. Wt. 259. Z Z

three weeks, fell again last week to 17·9. During the four weeks ending on Saturday last the death-rate averaged 19·5 per 1000, being 0·3 per 1000 above the mean rate in the corresponding periods of the ten years 1885–94.

The 1510 deaths included 77 from measles, 14 from scarlet fever, 61 from diphtheria, 21 from whooping-cough, 23 from enteric fever, 25 from diarrhœa and dysentery, 1 from cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 222 deaths were referred to these diseases, being 32 above the corrected average weekly number.

No death from *small-pox* was registered last week; at least one death from the disease had been registered in each of the preceding 16 weeks, and the total number in that period reached 34. The deaths from *measles*, which had been 48, 75, and 97 in the preceding three weeks, fell again last week to 77, but exceeded the corrected average by 27; 13 cases belonged to St. Pancras, 10 to Clerkenwell, 10 to Newington, 7 to Lambeth, 5 to St. George Southwark, and 5 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 19, 23, and 19 in the preceding three weeks, further fell last week to 14, the corrected average being 26; 2 cases belonged to Islington, 2 to Bermondsey, 2 to Lambeth, and 2 to Wandsworth sanitary areas. The deaths from *diphtheria*, which had been 61, 72, and 75 in the preceding three weeks, fell again last week to 61, but were 21 above the corrected average; 7 cases belonged to St. Pancras, 7 to Mile End Old Town, and 7 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 20, 11, and 14 in the preceding three weeks, further rose last week to 21, but were 13 below the corrected average; 4 cases belonged to Camberwell sanitary area. The fatal cases of *enteric fever*, which had been 20, 16, and 24 in the preceding three weeks, were 23 last week, the corrected average being 21; 3 cases belonged to Islington and 3 to Hackney sanitary areas. The deaths from *diarrhœa*, which had been 45, 36, and 20 in the preceding three weeks, rose again last week to 25, exceeding the corrected average by 6.

Two deaths were certified as due to *chicken-pox*, or *varicella*.

The deaths referred to diseases of the respiratory organs, which had been 235, 366, and 447 in the preceding three weeks, fell again last week to 340, and were 84 below the corrected average.

The deaths attributed directly to *influenza* numbered 11, having been 4, 7, and 10 in the preceding three weeks.

The death of the wife of a horse-hair dresser, at Hackney Infirmary, was certified as due to *malignant pustule*.

Different forms of violence caused 73 deaths, concerning all but one of which inquests were held. Of these 73 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 61 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 4 to drowning, 17 (including 16 of infants under one year of age) to suffocation in bed, and one to failure of the heart's action while under an operation.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 86 cases of small-pox, 2845 of scarlet fever, 678 of diphtheria, and 125 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 23 cases, against 14, 29, and 14; of scarlet fever, 298 cases, against 269, 215, and 349; of diphtheria, 104 cases, against 115, 102, and 112; and of enteric fever, 20 cases, against 16, 10, and 21.

Greater London.

In Greater London 3405 births and 1901 deaths were registered, corresponding to annual rates of 29·4 and 16·4 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 11 from diphtheria, and 10 from "fever" were registered. Three deaths from measles occurred in Edmonton and 2 in West Ham districts; 8 deaths from diphtheria in West Ham district; and 3 deaths from "fever" in West Ham, 3 in Edmonton, and 2 in Hendon districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·45 inches, and that of the Thermometer 50°·4, the latter being 7°·5 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 72 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·2 hours; the measured rainfall amounted to 0·87 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 16th November, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 16th Nov., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6291	3876	907	878	1	163	38	107	66	64	83	152	320	751	50	19·1	2·6	64·0	32·7	48·3	9·06	1·17	2·97	33 Towns.
London	4,392,346	2576	1510	325	354	–	77	14	61	21	23	25	73	156	417	14	17·9	2·6	64·0	39·3	50·4	10·22	0·87	2·21	London.
West Ham	249,473	160	72	20	16	1	–	2	8	–	2	1	4	7	5	3	15·0	2·9	–	–	–	–	–	–	West Ham.
Croydon	114,923	59	33	5	14	–	–	–	–	1	–	–	1	6	3	–	15·0	0·5	61·6	36·0	48·2	9·00	1·63	4·14	Croydon.
Brighton	119,604	68	28	4	9	–	–	–	–	–	1	–	–	–	7	1	12·2	0·4	61·8	40·2	52·7	11·50	1·64	4·17	Brighton.
Portsmouth	174,751	80	50	10	21	–	–	–	–	–	1	1	–	3	10	–	14·9	0·6	60·0	45·0	51·6	10·89	1·58	4·01	Portsmouth.
Plymouth	89,096	47	25	4	8	–	–	–	–	–	–	–	–	1	1	1	14·6	–	–	–	–	–	–	–	Plymouth.
Bristol	228,139	140	85	15	28	–	–	–	1	–	1	1	1	5	19	–	19·4	0·7	62·0	40·0	49·1	9·50	1·67	4·24	Bristol.
Cardiff	155,637	104	55	19	14	–	–	–	1	1	1	1	–	2	14	1	18·4	1·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	69	41	19	3	–	2	–	–	–	2	2	1	1	2	–	22·0	3·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	63	39	12	5	–	3	–	5	3	–	–	1	1	7	–	23·7	6·7	58·8	32·7	44·8	7·11	0·88	2·24	Wolverhampton.
Birmingham	496,751	318	192	54	38	–	7	3	5	2	1	7	7	8	25	13	20·2	2·6	–	–	–	–	–	–	Birmingham.
Norwich	107,127	67	32	8	16	–	1	–	–	–	–	1	–	1	3	–	15·6	1·0	62·8	36·2	48·3	9·06	0·36	0·91	Norwich.
Leicester	193,839	101	49	9	14	–	–	–	–	1	–	–	1	2	5	2	13·2	0·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	118	91	23	32	–	–	3	–	–	3	1	2	6	23	–	20·9	1·6	60·9	36·7	47·0	8·33	0·58	1·47	Nottingham.
Derby	100,272	54	25	5	5	–	–	1	–	–	–	–	2	4	7	–	13·0	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	43	38	8	12	–	–	–	1	–	–	2	–	3	2	–	18·4	1·5	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	368	298	75	63	–	14	3	5	12	3	7	22	22	58	5	30·8	4·6	61·0	38·6	47·7	8·72	1·55	3·94	Liverpool.
Bolton	119,337	56	60	11	12	–	–	–	1	2	1	3	2	6	6	–	26·2	3·1	–	–	–	–	–	–	Bolton.
Manchester	524,865	330	221	42	39	–	6	3	4	3	2	5	8	20	47	1	22·0	2·3	–	–	–	–	–	–	Manchester.
Salford	208,253	155	100	25	9	–	10	2	4	2	5	1	2	5	14	1	25·0	6·0	–	–	–	–	–	–	Salford.
Oldham	141,079	67	59	12	11	–	10	–	–	–	4	1	1	3	5	–	21·8	5·5	–	–	–	–	–	–	Oldham.
Burnley	99,591	51	41	6	7	–	2	–	1	1	3	1	1	3	3	1	21·5	4·2	–	–	–	–	–	–	Burnley.
Blackburn	127,615	75	89	26	14	–	22	1	–	–	–	6	1	1	5	1	36·4	11·9	–	–	–	–	–	–	Blackburn.
Preston	112,638	69	45	14	12	–	–	–	–	–	1	2	2	2	1	1	20·8	1·4	–	–	–	–	–	–	Preston.
Huddersfield	99,482	29	19	5	5	–	2	1	1	1	–	–	1	2	2	1	10·0	2·6	61·0	36·0	45·9	7·72	1·62	4·11	Huddersfield.
Halifax	93,813	46	28	2	6	–	–	–	1	–	–	–	–	1	3	1	15·6	0·6	–	–	–	–	–	–	Halifax.
Bradford	226,384	107	82	21	17	–	–	–	3	3	1	2	–	3	6	–	18·9	2·1	58·2	40·0	46·9	8·28	1·28	3·25	Bradford.
Leeds	395,546	237	125	37	25	–	4	1	–	4	2	2	5	13	9	–	16·5	1·7	–	–	–	–	–	–	Leeds.
Sheffield	342,768	250	103	35	23	–	2	1	–	3	1	5	5	9	14	2	15·7	1·8	–	–	–	–	–	–	Sheffield.
Hull	216,722	111	72	13	20	–	–	–	1	–	1	2	4	4	10	–	17·3	1·0	63·0	36·0	46·7	8·17	0·40	1·02	Hull.
Sunderland	137,705	78	53	12	6	–	–	–	–	1	5	2	1	8	8	–	20·1	3·0	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	56	42	12	9	–	–	2	–	–	–	2	–	4	2	–	22·8	2·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	139	74	19	11	–	1	1	4	5	–	–	4	8	8	1	18·6	2·8	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† The recent extension of this city will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2682	2830	2459	2606	2522	2321	2596	2510	2430	2494	2686·0	2576
Males . .	1381	1454	1207	1335	1275	1151	1279	1293	1260	1258	1361·8	1323
Females .	1301	1376	1252	1271	1247	1170	1317	1217	1170	1226	1324·2	1248
TOTAL **Deaths**	1557	1385	1638	1619	1451	1709	1629	1508	2016	1275	1666·2	1510
Males . .	765	756	830	848	748	874	822	759	1016	644	850·9	758
Females .	792	629	808	771	703	835	807	749	1000	631	815·3	752

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.
TOTAL **Births**	2448	2617	2486	2557	2541	2618	2447	2622	2629	2447	2693	2525	2576
TOTAL **Deaths**	1430	1336	1358	1298	1346	1532	1342	1435	1518	1470	1789	1790	1510
Ages at Death: Under 1 year	426	422	420	381	425	443	383	394	421	410	412	392	325
1—5 years	224	190	199	200	163	220	180	213	238	221	280	303	285
5—20 „	77	113	78	98	91	100	76	78	108	94	140	104	96
20—40 „	167	164	171	156	174	190	184	193	189	180	226	235	191
40—60 „	257	199	227	228	261	279	261	261	256	262	328	312	259
60—80 „	227	206	230	192	188	259	212	237	255	251	320	366	290
80 years & upwards	52	42	33	43	44	41	46	59	51	52	83	78	64
Deaths from—													
Small-pox	6	4	5	2	2	2	1	2	1	1	1	1	-
Measles	55	56	40	28	24	27	15	34	42	48	75	97	77
Scarlet fever	27	21	20	19	13	24	22	25	23	19	23	19	14
Diphtheria	24	40	38	55	37	56	44	56	76	61	72	75	61
Whooping-cough	21	22	17	14	21	25	14	10	15	20	11	14	21
Typhus	-	1	-	-	-	-	-	-	1	-	1	-	-
Enteric fever	10	10	21	16	21	11	22	22	19	20	16	24	23
Simple Continued fever	-	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery	112	122	129	107	109	107	102	87	62	45	36	20	25
Cholera	2	2	1	1	1	4	3	-	-	-	-	-	1
All the above Diseases	257	278	271	242	229	256	223	236	239	214	235	250	222
Dis. of Respiratory System	170	102	134	123	141	173	158	175	215	235	366	447	340
Phthisis	148	136	124	122	144	140	152	153	168	156	173	159	149
Dis. of Circulatory System	86	98	97	104	101	121	102	125	111	117	178	154	105
Violence	51	68	48	67	62	72	77	52	72	59	65	70	73
Inquest Cases	102	118	103	116	118	137	159	120	141	127	163	151	156
Deaths in Public Institutions	423	374	412	373	387	464	400	412	427	416	513	496	417
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean	66·2	61·8	65·1	60·7	56·9	65·6	56·5	50·7	49·4	40·4	39·9	50·8	50·4
Mean of Highest readings	78·4	72·6	78·8	71·8	68·8	81·8	68·5	57·0	57·8	46·4	47·5	56·3	56·9
Mean of Lowest readings	55·9	53·3	53·7	51·4	46·8	52·4	46·2	45·8	42·1	34·4	33·0	45·3	43·5
Humidity of the Air	71	75	73	75	81	71	77	83	85	85	87	91	80
Rain-fall (in inches)	0·19	0·15	0·82	0·09	0·03	0·00	0·49	1·45	0·15	0·45	0·16	1·09	0·87
Registered Sunshine (in hours)	56·7	51·5	54·3	39·4	30·5	56·1	32·5	7·9	11·7	10·0	12·0	4·8	21·2
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox	342	340	328	307	271	234	198	158	119	114	106	78	86
Scarlet fever	2506	2514	2600	2674	2732	2807	2802	2827	2838	2833	2841	2847	2845
Diphtheria	667	669	662	663	665	673	672	659	667	675	671	683	678
Enteric fever	114	123	118	120	109	117	124	125	115	129	123	118	125

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SIXTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 46th Week of the 10 years 1885–94.*	In the Week ending Saturday, 16th November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1666·2	1510	325	285	96	191	259	290	64
Small-pox: Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	-	-	-	-	-	-	-	-	-
Small-pox: No Statement	-	-	-	-	-	-	-	-	-
Measles - - - -	49·7	77	15	59	2	-	1	-	-
Scarlet Fever - -	25·9	14	1	6	7	-	-	-	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	5·4	11	-	1	1	2	4	2	1
Whooping-cough - -	33·8	21	9	12	-	-	-	-	-
Diphtheria - - -	39·7	61	3	41	17	-	-	-	-
Simple Continued and Ill-defined Fever -	0·6	-	-	-	-	-	-	-	-
Enteric Fever -	20·5	23	-	1	6	13	3	-	-
Cholera and Chol. Diarr.	0·5	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	18·8	25	16	4	-	1	-	3	1
Remittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·3	-	-	-	-	-	-	-	-
Venereal Affections -	9·1	3	2	-	-	1	-	-	-
Erysipelas - - -	7·1	6	2	-	-	1	-	3	-
Pyæmia and Septicæmia	3·0	5	2	1	1	-	1	-	-
Puerperal Fever - -	6·1	8	-	-	-	8	-	-	-
Other Zymotic Diseases	1·5	4	1	2	1	-	-	-	-
Thrush - - - -	1·3	3	3	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·5	1	-	-	1	-	-	-	-
Starvation, Want of Breast-milk - -	1·4	1	1	-	-	-	-	-	-
Alcoholism - - -	7·2	8	-	-	-	3	4	1	-
Rheumatic Fever, Rheumatism of Heart	10·2	3	-	-	-	1	1	1	-
Rheumatism - -	2·1	2	-	-	-	-	1	1	-
Gout - - - -	1·9	2	-	-	-	-	2	-	-
Rickets - - - -	3·3	2	-	2	-	-	-	-	-
Cancer - - - -	61·8	74	-	-	-	3	30	34	7
Tabes Mesenterica -	19·2	13	5	7	1	-	-	-	-
Tubercular Meningitis -	20·9	21	5	13	1	1	1	-	-
Phthisis - - -	164·2	149	1	1	10	76	50	11	-
Scrofula, Tuberculosis -	17·3	22	7	5	6	2	1	1	-
Other Constitutional Diseases - - -	13·0	16	1	-	-	5	6	3	1
Premature Birth - -	45·9	34	34	-	-	-	-	-	-
Atelectasis - - -	3·5	7	7	-	-	-	-	-	-
Congenital Malformations - - - -	7·1	5	3	1	1	-	-	-	-
Old Age - - - -	48·0	37	-	-	-	-	-	19	18
Apoplexy - - -	48·0	36	-	-	-	2	13	19	2
Epilepsy - - -	7·3	5	-	-	2	1	2	-	-
Convulsions - - -	45·5	39	31	8	-	-	-	-	-
Other Diseases of Brain and Nervous System	79·4	68	5	10	5	5	15	24	4

CAUSES OF DEATH.	Corrected Averages for the 46th Week of the 10 years 1885–94.*	In the Week ending Saturday, 16th November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·5	8	2	1	3	2	-	-	-
Diseases of Circulatory System - - -	136·9	105	3	1	5	14	30	45	7
Croup - - - -	9·6	5	-	4	1	-	-	-	-
Bronchitis - - -	247·9	156	54	27	-	1	15	47	12
Pneumonia - - -	125·1	146	27	57	6	18	16	18	4
Pleurisy - - -	6·8	7	-	-	1	1	2	3	-
Other Diseases of Respiratory System - -	34·3	26	7	4	1	-	2	10	2
Dentition - - -	8·1	4	4	-	-	-	-	-	-
Quinsy, Sore Throat -	1·9	3	1	1	1	-	-	-	-
Enteritis - - -	11·5	13	8	-	1	-	2	2	-
Peritonitis - - -	6·5	7	-	-	4	3	-	-	-
Diseases of Liver - -	26·7	32	1	-	1	1	19	9	1
Other Diseases of Digestive System -	30·7	25	7	2	1	1	5	8	1
Diseases of Lymphatic System & of Ductless Glands - - -	3·1	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	41·7	35	-	2	3	6	11	12	1
Diseases of Generative System - - -	6·4	8	-	1	-	1	5	-	1
Accidents of Childbirth -	5·1	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	8·2	2	-	1	1	-	-	-	-
Diseases of Integumentary System - -	5·9	7	3	1	-	-	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	51·7	1	-	-	-	1	-	-	-
By Vehicles or Horses -		6	-	-	-	3	2	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		8	1	3	1	-	1	2	-
By Drowning - -		4	-	-	1	3	-	-	-
By Suffocation in Bed -		17	16	1	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		5	-	1	1	1	2	-	-
Other or not stated Causes - - -		19	4	-	1	3	5	6	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·1	2	-	1	-	-	-	1	-
Suicide - - - -	6·4	10	-	-	-	4	3	3	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·2	38	22	3	1	-	1	-	1

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON	4,211,743	2576	1510	325	354	-	77	14	61	21	-	23	-	25	73	156	417	1
WEST DISTRICTS	740,735	364	242	54	53	-	9	1	9	4	-	3	-	5	10	34	69	1
NORTH DISTRICTS	993,884	589	363	76	91	-	19	2	18	3	-	6	-	10	14	30	93	-
CENTRAL DISTRICTS	247,538	140	88	18	19	-	13	-	2	2	-	1	-	1	7	10	23	-
EAST DISTRICTS	705,114	504	269	61	51	-	4	3	8	3	-	6	-	3	17	38	75	-
SOUTH DISTRICTS	1,524,472	979	509	116	121	-	32	6	24	9	-	7	-	6	25	44	118	13
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	39	-	14	-	-	2	-	-	-	-		-	-	-	39	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	53	24	7	6	-	-	-	1	-	-	1	-	-	-	1	3	-
St. John Paddington *H* - - G.J.	33687	4	13	2	1	-	-	-	-	-	-	1	-	-	2	5	4	-
Kensington Town *Ww* - - W.M.	118751	66	42	11	12	-	3	1	1	1	-	-	-	1	2	6	17	-
Brompton *H* - - - W.M. & C.	47557	11	9	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-
St. Peter Hammersmith - - W.M*	8586	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith *H* W.M. & G.J	88653	38	20	7	3	-	2	-	1	-	-	-	-	1	-	2	4	-
Fulham *Ww* - - - W.M. & C.	91639	78	32	5	12	-	-	-	3	1	-	-	-	1	1	4	11	-
Chelsea Kensal Town - - - C.	21787	10	6	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - - C.	41637	16	25	5	3	-	-	-	1	-	-	-	-	-	-	6	7	-
Chelsea South *HH* - - - C.	32829	22	14	4	2	-	-	-	1	-	-	-	-	-	-	1	1	-
May Fair *WH* - - - - G.J.	23733	3	7	2	2	-	-	-	-	-	-	-	-	1	1	1	5	-
Belgrave *WHHH* - - - - C.	54631	22	17	1	2	-	2	-	-	-	-	-	-	1	1	2	8	-
St. John Westminster *HH* - C.	34106	17	10	4	3	-	-	-	1	1	-	-	-	-	1	2	-	-
St. Margarets Westminster *H* - C.	21668	5	11	1	2	-	2	-	-	-	-	-	-	-	2	2	3	-
St. James Westminster *WHHH* N.R. & G.J.	24995	9	9	1	2	-	-	-	-	-	-	-	-	-	-	-	5	1
St. Anne Soho *HHHHHH* - - N.R.	12317	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* - - W.M.	37713	6	14	4	3	-	-	-	-	-	-	1	-	2	1	1	7	-
Rectory Marylebone *WH* G.J. & W.M.	20024	11	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	30	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *HH* - W.M.	38327	23	7	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *H I* - - W.M.	32101	19	10	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	29	15	2	4	-	-	-	3	-	-	-	-	-	2	3	6	-
Regent's Park Paneras *HH* - W.M.	36590	14	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Tottenham-court *wHHH* N.R. & W.M	26321	9	18	1	1	-	1	1	1	-	-	-	-	-	2	3	13	-
Gray's Inn Lane *HHH* - - N.R.	27455	15	9	1	4	-	1	-	-	-	-	1	-	-	-	1	3	-
Somers Town *HH* - - - N.R.	32829	15	16	5	1	-	4	-	-	1	-	-	-	-	1	2	1	-
Camden Town *WH* - - - N.R.	15419	10	16	3	6	-	3	-	-	-	-	-	-	-	-	1	8	-
Kentish Town *WW* - - - N.R.	25765	59	46	11	8	-	4	-	5	-	-	1	-	-	2	2	9	-
Upper Holloway *WWWwHHH* - N.R.	90285	52	40	6	14	-	-	1	-	-	-	1	-	2	-	-	25	-
Islington South-west *H* - - N.R.	105557	81	25	6	8	-	1	-	1	-	-	-	-	1	-	1	-	-
Islington South-east - - - N.R.	64158	41	17	4	3	-	-	-	1	-	-	-	-	-	1	2	-	-
Highbury *HH* - - - - N.R.	59193	38	23	7	7	-	1	-	-	-	-	1	-	1	-	2	-	-
Stoke Newington *H* - - - N.R.	30936	17	7	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Stamford Hill - - - - E.L.	17759	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney *H* - - - N.R.	42602	26	19	2	4	-	1	-	1	-	-	-	-	2	2	4	3	-
Hackney *WwwH* - - E.L. & N.R.	96486	52	48	8	12	-	2	-	4	1	-	-	-	1	2	5	17	-
South Hackney *w* - - - E.L.	41759	36	14	4	2	-	1	-	2	-	-	1	-	-	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	10	2	-	2		-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South *WH* - - - N.R.	13454	15	7	1	4		-	-	-	-	-	-	-	-	1	2	2	-
St. Giles North *H* - - - N.R.	9633	5	3	1	-		-	-		-	-	-	-	1	1	1	1	-
St. Martin-in-the-Fields *HH* N.R. & C.	14616	6	8	3	1	-	2	-	-	-	-	-	-	-	-	1	4	-
St. Mary-le-Strand *H* - - - N.R.	5706	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Clement Danes *WH* - - N.R.	7194	8	5	-	-		-	-	-	-	-	1	-	-	-	-	3	-
Strand Union Workhouse, Edmonton -	†1037	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	7	4	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-
St. Andrew Eastern *WH* - - N.R.	15343	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - - N.R.	16803	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	5	7	2	-	-	4	-	-	-	-	-	-	-	2	3	-	-
Pentonville - - - - - N.R.	17155	13	9	3	-	-	4	-	1	1	-	-	-	-	1	1	-	-
Goswell-street - - - - N.R.	15375	9	7	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-
City-road *HHHL* - - - N.R.	29177	25	14	4	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Whitecross-street - - - N.R.	8278	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.R.	4985	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham -	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - - N.R. & E.L	8944	7	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cripplegate - - - - - N.R.	4539	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *H* - - - - N.R.	4444	2	6	-	2	-	-	-	-	-	-	-	-	-	1	1	5	-
St. Bride *W* - - - - - N.R.	6594	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - - N.R.	10422	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street *H* - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

NOTE.—The Italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L*[e]—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differ Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population or the Central Districts or of London.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT turday, 16th November, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hoxton New Town *w* - - - N.R.	29313	24	14	4	4	-	-	-	-	-	-	-	-	-	1	2	4	-
Hoxton Old Town - - - - N.R.	28354	17	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Haggerston *WH* - - N.R. & E.L.	46244	30	19	5	5	-	-	1	-	-	-	-	-	1	1	2	11	-
Bethnal Green North *H* - - E.L.	51520	37	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green South - - - E.L.	33489	22	16	5	3	-	1	-	1	-	-	-	-	-	3	7	-	-
Bethnal Green East *WHL** - E.L.	44123	36	23	7	3	-	-	-	-	-	-	1	-	-	-	-	7	-
Spitalfields - - - E. & N.R.	26446	19	7	1	4	-	-	-	-	-	-	-	-	-	-	3	-	-
Mile End New Town *W* - - - E.L.	11363	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Whitechapel Church *H'* E.L. & N.R.	22913	21	29	4	1	-	1	-	2	-	-	2	-	1	2	4	22	-
Goodman's Fields - - - E.L.	13800	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George's, North - - - E.L.	37738	26	8	2	1	-	1	-	-	-	-	-	-	-	1	3	-	-
St. John, St. George East *W* - E.L.	8957	9	8	1	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Shadwell *H* - - - E.L. & N.R.	10246	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Ratcliff *W* - - - - - E.L.	14928	6	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Limehouse - - - - - E.L.	32202	28	7	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town West *H* - E.L.	38650	43	17	1	4	-	-	1	2	1	-	1	-	-	-	-	-	-
Mile End Old Town East *WWw* E.L.	68942	53	22	8	3	-	-	-	2	1	-	1	-	1	1	2	4	-
Bow *L** - - - - - E.L.	40365	25	17	3	5	-	1	1	-	-	-	1	-	-	1	1	1	-
Bromley *wwwH* - - - - E.L.	70000	46	31	6	7	-	-	-	1	-	-	-	-	-	2	7	13	-
Poplar *WW* - - - - - E.L.	56383	39	12	2	1	-	-	-	-	-	-	-	-	-	2	3	1	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13264	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark - - - S.	13913	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Kent-road - - - - S. & L.	21867	10	5	2	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Borough-road *WH* - - S. & L.	16624	11	9	6	-	-	1	-	-	-	-	-	-	1	1	1	3	1
London-road *HL* - - L. & S.	21221	14	8	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-
Trinity Newington - - S. & L.	26596	13	6	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
St. Peter Walworth *W* - S. & L.	61342	39	32	9	3	-	6	-	1	1	-	-	-	1	2	5	2	-
St. Mary Newington - - L. & S.	27866	25	11	5	-	-	3	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	12723	9	19	2	2	-	-	-	1	-	-	-	-	-	6	7	17	-
Leather Market *W* - - S. & L.	30612	24	7	3	1	-	-	1	-	-	-	-	-	-	-	1	-	1
St. James Bermondsey - - S.	54070	35	17	5	3	-	3	-	-	-	-	-	-	-	-	2	-	-
Rotherhithe *WwH* - - S. & K.	39255	27	27	4	6	-	1	-	1	-	-	-	-	1	1	2	9	2
Waterloo-road 1st *H* - - L. & S.	14031	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	18	4	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *H* - L. & S.	18075	15	21	4	3	-	2	-	-	-	-	-	-	-	3	4	11	1
Lambeth Church 2nd *WW* - L. & S.	39097	27	18	8	4	-	1	-	-	1	-	-	-	-	1	2	9	-
Kennington 1st *H* - - - S. & L.	50586	41	12	8	5	-	3	-	-	-	-	-	-	1	1	1	-	-
Kennington 2nd - - - - S. & L.	39708	25	9	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Brixton *w* - - - - - L. & S.	73405	41	15	1	6	-	1	1	1	-	-	-	-	-	-	1	3	1
Norwood *WH* - - - - L.	25657	11	6	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	67244	46	12	4	4	-	-	-	-	-	-	-	-	1	-	3	-	-
West Battersea *WwH* - - - S.	83314	63	25	2	10	-	1	-	1	-	-	-	-	-	2	2	7	-
Clapham *H* - - - - - S.	43698	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth *WHHL* - - - S.	46717	38	10	2	4	-	-	-	-	2	-	-	-	-	1	1	-	-
Putney - - - - - - S.	17771	7	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Streatham *www* - - - - L.	48756	31	23	6	4	-	-	3	5	-	-	1	-	-	-	-	8	3
Dulwich - - - - L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL**L* - - S. & L.	81686	46	46	5	19	-	-	-	1	-	-	-	-	-	-	-	17	-
Peckham *W* - - - - S., L., & K.	83488	63	24	6	4	-	-	-	3	3	-	-	-	-	1	1	-	1
St. George Camberwell - - L. & S.	63366	51	27	8	3	-	4	-	1	1	-	-	-	-	-	1	-	1
Deptford, North - - - - K.	35314	30	11	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Deptford, Central *w* - - - K.	42007	28	12	5	-	-	-	-	4	-	-	3	-	1	-	1	7	-
Deptford, South - - - - K.	30852	11	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - - K.	22007	20	7	3	1	-	-	-	-	-	-	1	-	-	1	1	1	-
Greenwich East *WH* - - - K.	35233	23	16	3	5	-	-	-	1	-	-	-	-	-	-	-	8	-
Eltham *wH* - - - - - K.	5682	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	14	7	1	2	-	1	-	1	-	-	1	-	-	-	-	-	-
Lewisham *WH* - - - - K.	30950	19	11	1	4	-	-	-	1	-	-	-	-	-	1	1	2	-
Sydenham *H* - - - - L.	34162	18	9	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *HH* - - - - K.	14040	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	19606	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HH HH* - K.	21242	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, West *H* - - - K.	15869	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, East *WH* - - - K.	36567	23	10	1	4	-	-	-	-	-	-	1	-	-	-	-	2	1
Banstead Asylum - - - - -	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Caterham Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hospital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
N.E. Hospital - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - - -	-	-	12	-	4	-	-	-	-	-	-	-	-	-	-	-	12	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 16th November 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	829	391	96	108	1	7	4	11	6	10	7	10	24	23	9
30 : 1	Carshalton *wHH* -	12228	26108	9	4	1	-	-	-	-	-	-	-	-	1	-	-	-
	Epsom, *part of** *WwH*	10423	12508	5	3	-	-	-	-	-	-	-	-	-	-	-	2	-
37 : 1	Godstone, *part of** *W*	2754	1593	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20851	128699	66	40	5	17	-	-	-	-	1	1	-	1	7	3	-
2	Mitcham *w* -	11697	23088	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* -	3220	25761	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - -	8071	44765	30	9	1	5	-	-	-	-	-	-	-	-	-	2	-
3	Esher, *part of** *HH*	6601	12059	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton *H* -	4535	18252	7	6	-	2	-	-	-	1	-	-	-	-	-	-	-
40 : 1	Richmond *WH* - -	2160	25389	6	7	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *H* - -	2823	16159	3	8	2	4	-	-	-	-	-	1	-	-	-	-	-
41 : 1	Bromley *HHH* - -	9127	23815	9	4	-	2	-	1	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - -	6542	21969	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Chislhrst, *pt. of** *WHH*	14307	20372	10	7	2	2	-	-	-	-	1	-	-	-	-	-	-
43 : 1	Bexley *HH* - -	12540	30590	20	5	1	1	-	-	-	-	-	-	-	-	-	-	1
2	Dartford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w* - -	11054	13671	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - -	13277	13221	5	5	1	-	-	-	-	-	-	-	-	-	1	-	-
125 : 1	Hillingdon *WHH*	6035	12237	3	4	-	2	-	1	-	-	-	-	-	-	-	1	-
2	Uxbridge - - -	6172	5417	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - -	14537	12618	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* -	6967	26273	14	8	2	1	-	-	-	-	-	-	1	-	-	-	1
2	Twickenham *HH* -	2415	16027	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* -	4318	37777	21	5	-	3	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick - - -	1245	21963	5	6	1	2	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wH* - - -	6132	30945	14	11	6	2	-	-	-	1	-	-	1	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	10	3	-	1	-	-	-	-	-	1	-	-	-	-	-
2	Edgware *HH* -	6994	3844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* -	4383	61265	45	22	6	7	-	-	-	-	2	1	1	-	-	-	1
4	Hendon *WH* -	8382	15843	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-
128 : 1	South Mimms *H*	15599	8474	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - -	5441	11773	5	3	1	2	-	-	-	-	-	-	1	-	-	-	-
3	Finchley *HHH* -	4688	25820	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61097	33	20	5	8	-	1	-	1	-	-	-	-	2	-	-
2	Tottenham *H* - -	4612	97174	62	24	3	4	-	2	-	-	-	1	-	-	2	1	-
3	Edmonton *Www* -	7489	36351	20	13	4	3	-	-	-	-	-	1	1	-	-	3	-
4	Enfield *WWHH*- -	12639	31803	13	7	3	1	-	-	-	-	-	1	-	-	-	1	1
5	Waltham Abbey -	11017	6066	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* -	8480	9620	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 :	Bushey *H* - - -	9331	7737	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford *H*- -	1100	42983	31	11	2	3	-	-	-	-	-	1	-	2	2	2	-
2	Plaistow - - -	1242	58030	54	21	5	5	-	-	1	5	-	-	-	-	3	-	-
3	Canning Town *H* -	1558	54750	39	25	11	2	-	-	1	-	-	1	1	1	1	1	3
4	Forest Gate *w* - -	806	49140	36	13	2	6	-	-	-	3	-	-	-	1	1	-	-
5	East Ham *wH* - -	3263	32713	37	11	4	2	-	-	-	-	-	-	-	-	-	-	-
6	Leyton *WWWwH*	4331	70188	45	25	10	2	-	2	2	-	1	1	1	2	2	1	1
7	Walthamstow *HbL*	6501	57330	43	11	7	1	-	-	-	-	1	-	-	-	-	-	-
187 : 1	Chigwell, *part of** *H*-	11773	12941	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford *part of** *WH*	6556	4324	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - - -	8493	10913	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H* -	3314	14391	13	6	1	2	-	-	-	-	-	-	-	1	1	-	1
	Hospital Ship "Atlas"	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
	Middlesex County Asy., Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2252); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1020); 189 : 1 the [illegible]

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 16th November, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include										
						Deaths of		Deaths from								Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
EATER LONDON	443,421	6,048,555	16·4	2·3	1901	421	462	1	84	18	72	27	33	32	83	440
INNER LONDON -	74,672	4,392,346	17·9	2·6	1510	325	354	–	77	14	61	21	23	25	73	417
OUTER RING -	368,749	1,656,209	12·3	1·4	391	96	108	1	7	4	11	6	10	7	10	23

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
DINBURGH -	273,535	November 16	126	90	17·2	–	–	3	1	1	2	1
LASGOW - -	695,876	„ 16	404	248	18·6	1	1	3	2	14	1	5
UBLIN - -	349,594	„ 16	205	155	23·1	2	–	–	–	–	2	2
ALCUTTA - -	466,460	September 21	–	257	28·7	1	1	–	1	2	119	36†
OMBAY - -	821,764	October 29	321	411	26·0	1	2	?	?	?	81	26†
ADRAS - -	452,518	„ 18	413	323	37·1	–	2	?	?	?	124	40
ARIS - - -	2,424,705	November 9	1011	927	19·9	–	17	1	10*	3	6	51
RUSSELS - -	507,985	„ 9	200	185	18·9	–	–	–	3*	1	2	11
MSTERDAM -	451,493	„ 9	257	131	15·0	–	–	–	–	2	2	–
OTTERDAM -	272,042	„ 9	186	93	17·8	–	–	–	–	6	–	–
HE HAGUE -	180,455	„ 9	121	51	14·7	–	–	–	–	1	–	–
OPENHAGEN -	341,000	„ 9	206	112	17·1	–	–	1	–	7	–	7
TOCKHOLM -	259,304	„ 2	121	72	14·4	–	–	1	–	–	1	3
HRISTIANIA -	174,717	„ 9	31	46	13·7	–	–	1	–	1	1	3
T. PETERSBURG	954,400	„ 2	622	456	24·9	2	13	13	15	4	17	41
OSCOW - -	753,469	„ 2	–	344	23·8	–	2	11	9	2	5	20
ERLIN - -	1,724,544	October 26	810	589	17·5	1	6	21	29	5	6	38
AMBURG - -	608,710	November 2	349	195	16·7	–	–	3	4*	3	–	8
RESDEN - -	320,600	October 19	–	–	–	–	–	–	–	–	–	–
RESLAU - -	367,769	November 9	–	176	24·9	–	–	13	11*	2	1	10
UNICH - -	396,000	„ 9	–	171	22·5	–	5	1	5*	2	–	25
IENNA - -	1,495,764	„ 2	855	581	20·2	–	12	13	13*	6	2	51
RAGUE - -	351,478	„ 2	171	172	25·0	–	–	4	4	1	–	6
UDA-PESTH -	566,022	„ 2	364	239	22·0	–	7	6	5	–	2	17
RIESTE - -	160,825	October 26	79	76	24·6	–	–	–	4*	–	–	2
OME - -	464,579	September 28	208	168	18·9	–	3	–	1	–	13‡	25
URIN (10 days)	344,203	October 20	162	153	16·2	–	1	–	–	1	8	23
ENICE -	158,159	November 9	74	56	18·5	–	1	–	1*	–	1	7
AIRO - -	374,838	October 21	474	325	45·1	1	–	–	4*	1	7	81
LEXANDRIA -	231,396	„ 21	270	138	31·1	–	–	–	2*	–	6	45
EW YORK -	1,860,700	„ 26	–	697	19·2	1	7	2	22	9	9	19
ROOKLYN -	1,100,000	November 2	–	350	16·6	–	2	2	23	3	2	13
HILADELPHIA	1,163,864	„ 2	–	–	–	–	–	–	–	–	–	–
EW ORLEANS -	275,000	October 12	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 13 deaths from cholera in Calcutta, and 1 in Bombay.
‡ Including 9 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 16TH NOVEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
Nov.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	10	..	29·423	56·5	45·7	10·8	52·5	+ 8·9	47·9	4·6	6·4	0·0	84	80·0	40·0	51·30	SSW.	SW. & SSW.	17·5	0·0	1·8	527	+246	0·09	7·0
MONDAY	11	..	29·155	57·3	45·0	12·3	50·2	+ 7·0	42·4	7·8	14·9	3·0	74	99·2	40·5	51·30	SW. & WSW.	WSW. & SW.	19·0	0·0	1·6	508	+226	0·36	6·0
TUESDAY	12	In Equator.	29·055	49·6	41·9	7·7	46·0	+ 3·1	41·9	4·1	6·1	3·3	86	62·0	36·7	51·35	WSW. SW. & SSW.	SSW. & SW.	6·1	0·0	0·3	335	+ 51	0·12	2 3
WEDNESDAY	13	Perigee	29·556	54·9	43·2	11·7	48·6	+ 5·8	40·2	8·4	13·4	2·4	73	90·8	38·2	51·10	WSW. & SW.	WSW. & SW.	6·2	0·0	0·8	440	+153	0·00	0·0
THURSDAY	14	..	29·691	56·1	44·4	11·7	50·2	+ 7·6	44·0	6·2	11·0	2·3	79	94·9	38·0	50·80	SSW. & SW.	WSW.	4·8	0·0	0·6	405	+115	0·08	1·0
FRIDAY	15	..	29·700	59·6	39·3	20·3	49·6	+ 7·1	47·1	2·5	6·2	2·2	91	73·0	31·8	50·50	S. & SSE.	S. SSW. & SW.	15·6	0·0	1·5	462	+169	0·16	10·5
SATURDAY	16	New.	29·568	64·0	45·1	18·9	55·4	+13·0	47·6	7·8	10·8	1·7	75	101·1	38·0	50·40	SW. & SSW.	SSW. & SW.	21·0	0·0	3·7	785	+489	0·06	2·8
MEANS		..	29·450	56·9	43·5	13·3	50·4	+ 7·5	44·4	5·9	9·8	2·1	80	85·9	37·6	50·96	SW.		..	..	..	Sum 3462	Sum +1449	Sum 0·87	4·2
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	10	w. P. throughout –	0·2	9·1	Very fine till 6h. A.M.; afterwards overcast, strong wind with driving rain after 6h. P.M.
MONDAY	11	v. P. and v. N. till afternoon; s. P. and s. N. afterwards.	3·8	9·0	Strong wind with heavy rain in early morning; fine during the day; overcast with frequent rain at night; several flashes of lightning in evening.
TUESDAY	12	v. P. and v. N. till afternoon; s. P. in evening.	0·3	9·0	Generally overcast; occasional rain till noon.
WEDNESDAY	13	w. P. in early morning; s. P. afterwards.	5·9	8·9	Very fine; generally cloudless.
THURSDAY	14	m. P. generally; s. N. for a short time in afternoon.	5·7	8·9	A very slight shower shortly after midnight; afterwards fine generally, with small amounts of light clouds; a sharp shower at 4h. 35m. P.M. lasting till 5h. 15m. P.M.
FRIDAY	15	m. P. till 2h. P.M.; v. N. and w. P. afterwards.	0·0	8·8	Fine in early morning; afterwards overcast; frequent rain with strong wind after 2h. P.M.
SATURDAY	16	w. P. generally –	5·3	8·8	Generally cloudless and very fine excepting sharp shower at 4h. P.M.; strong wind throughout. A very warm day.
			Sum 21·2	Sum 62·5	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and – "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 28·98 in. by 3h. P.M. on the 12th; increased to 29·92 in. by 5h. A.M. on the 15th; decreased to 29·45 in. by 4h. P.M. on the 16th; and increased to 29·85 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 47. 1895. VOL. LVI.] WEEK ENDING SATURDAY, NOVEMBER 23. [Price 1½*d.*

General Register Office, Somerset House,
November 25th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·0 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	TOWNS.	Weeks ending Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
Birkenhead	20·4	15·0	18·4	24·7	Liverpool - -	35·5	37·6	30·8	27·2
Birmingham	20·6	21·1	20·2	19·8	London - -	21·2	21·2	17·9	17·7
Blackburn -	33·1	35·1	32·3	32·3	Manchester -	27·5	25·7	22·0	23·0
Bolton -	24·9	18·8	26·2	17·9	Newcastle-on-Tyne	20·4	21·2	18·6	20·1
Bradford -	21·0	23·5	18·9	17·3	Norwich - -	19·0	19·5	15·6	13·1
Brighton -	17·4	17·4	12·2	12·6	Nottingham -	17·5	16·6	20·9	16·1
Bristol -	19·0	17·6	19·4	14·9	Oldham - -	23·7	25·1	21·8	26·2
Burnley -	26·2	24·1	21·5	23·0	Plymouth - -	18·7	26·3	14·6	18·1
Cardiff -	20·8	20·8	18·4	19·1	Portsmouth -	17·3	17·0	14·9	16·7
Croydon -	12·3	13·2	15·0	13·2	Preston - -	25·0	21·8	20·8	15·7
Derby -	18·2	17·2	13·0	17·2	Salford - -	30·8	29·5	25·0	27·3
Gateshead -	20·1	17·9	22·8	17·4	Sheffield - -	19·3	25·1	15·7	21·9
Halifax -	15·0	25·6	15·6	17·8	Sunderland -	22·3	20·4	20·1	15·1
Huddersfield	14·2	14·7	10·0	18·9	Swansea - -	19·4	19·4	22·0	22·6
Hull - -	21·7	18·8	17·3	17·8	West Ham - -	19·9	17·1	15·0	16·3
Leeds -	20·2	20·7	16·5	17·7	Wolverhampton -	21·3	33·4	23·7	23·1
Leicester -	18·3	15·9	13·2	16·1					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Swansea, 1·2 in London, 1·3 in Birmingham, 1·7 in Liverpool, 2·5 in Salford, 2·6 in Burnley, 3·0 in Wolverhampton and in Oldham, and 9·4 in Blackburn; from *scarlet fever*, 1·0 in Birkenhead; from *whooping-cough*, 1·0 in Cardiff; from "*fever*," 1·0 in Salford and 1·1 in Sunderland; and from *diarrhœa*, 1·6 in Blackburn. The 111 deaths from *diphtheria* included 69 in London, 8 in Birmingham, 6 in West Ham, 4 in Salford, 3 in Manchester, 3 in Birkenhead, 3 in Newcastle-on-Tyne, and 3 in Bristol. One death from *small-pox* was registered belonging to West Ham, but not one belonging to any other of the thirty-three towns.

LONDON.

In LONDON† 2596 BIRTHS and 1488 DEATHS were registered. Allowing for increase of population, the births were 40, and the deaths 210, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 88999.—8. 650.—11/95. Wt. 259.

per 1000 from all causes, which had been 21·2, 21·2, and 17·9 in the preceding three weeks, further fell last week to 17·7. During the four weeks ending on Saturday last the death-rate averaged 19·5 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1488 deaths included 103 from measles, 27 from scarlet fever, 69 from diphtheria, 20 from whooping-cough, 12 from enteric fever, 1 from an ill-defined form of continued fever, 22 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus, 254 deaths were referred to these diseases, being 57 above the corrected average weekly number.

No death from *small-pox* was registered, the corrected average being 0·6. The deaths from *measles*, which had been 75, 97, and 77 in the preceding three weeks, rose again last week to 103, exceeding the corrected average by 48; 20 cases belonged to St. Pancras, 11 to Newington, 11 to Lambeth, 5 to Fulham, and 5 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 23, 19, and 14 in the preceding three weeks, rose again last week to 27, which is also the corrected average; 5 cases belonged to Lambeth sanitary area. The deaths from *diphtheria*, which had been 72, 75, and 61 in the preceding three weeks, rose again last week to 69, exceeding the corrected average by 27; 9 cases belonged to Poplar, 6 to St. Pancras, 5 to Kensington, and 5 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 11, 14, and 21 in the preceding three weeks, were 20 last week, the corrected average being 37; 3 cases belonged to Wandsworth sanitary area. The fatal cases of *enteric fever*, which had been 16, 24, and 23 in the preceding three weeks, fell last week to 12, and were 7 below the corrected average; 2 cases belonged to Marylebone and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 36, 20, and 25 in the preceding three weeks, fell again last week to 22, but exceeded the corrected average by 6.

The deaths referred to diseases of the respiratory organs, which had been 366, 447, and 340 in the preceding three weeks, further fell last week to 327, and were 119 below the corrected average.

The deaths attributed directly to *influenza* numbered 15, having been 7, 10, and 11 in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning all but 4 of which inquests were held. Of these 72 deaths, 8 were cases of suicide, one of homicide, and one of execution, while the remaining 62 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 5 to drowning, 14 (of infants under one year of age) to suffocation in bed, and one to the effects of chloroform administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 89 cases of small-pox, 2807 of scarlet fever, 688 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 20 cases, against 29, 14, and 23; of scarlet fever, 296 cases, against 215, 349, and 298; of diphtheria, 103 cases, against 102, 112, and 104; and of enteric fever, 16 cases, against 10, 21, and 20.

Greater London.

In Greater London 3522 births and 1900 deaths were registered, corresponding to annual rates of 30·4 and 16·4 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 15 from diphtheria, and 10 from "fever" were registered. Four deaths from measles occurred in Tottenham sub-district, 8 from diphtheria and 4 from "fever" in West Ham district, 3 from diphtheria in Edmonton district, and 3 from "fever" in Edmonton sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 45°·5, the latter being 3°·3 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 11 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·5 hours; the measured rainfall amounted to 0·28 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 23rd November, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 23rd Nov., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Death: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	6311	3863	978	804	1	208	50	111	54	55	69	156	292	755	69	19·0	2·7	62·6	25·0	44·7	7·06	0·40	1·02	33 Towns.
London	4,392,346	2596	1488	341	321	–	103	27	69	20	13	22	72	141	412	16	17·7	3·0	55·3	34·3	45·5	7·50	0·28	0·71	London.
West Ham	249,473	167	78	19	12	1	1	1	6	1	3	–	3	4	6	3	16·3	2·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	53	29	4	13	–	–	–	1	–	–	–	–	1	7	–	13·2	0·5	54·7	28·9	44·6	7·00	0·26	0·66	Croydon.
Brighton	119,604	56	29	2	13	–	–	–	–	–	–	1	–	–	5	–	12·6	0·4	57·0	35·8	48·4	9·11	0·28	0·71	Brighton.
Portsmouth	174,751	100	56	16	17	–	–	–	1	1	1	–	1	3	3	–	16·7	0·9	55·0	34·0	47·3	8·50	0·40	1·02	Portsmouth.
Plymouth	89,096	67	31	8	12	–	–	–	–	–	–	–	2	2	1	–	18·1	–	–	–	–	–	–	–	Plymouth.
Bristol	228,189	141	65	20	13	–	–	–	3	–	–	2	2	5	10	3	14·9	1·1	55·0	30·0	44·7	7·06	0·26	0·66	Bristol.
Cardiff	155,637	84	57	19	9	–	–	–	1	3	–	1	1	3	6	–	19·1	1·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	59	42	11	10	–	2	1	–	–	1	1	–	2	1	–	22·6	2·7	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	46	38	11	5	–	5	–	1	–	–	1	1	2	–	–	23·1	4·3	59·4	31·1	43·6	6·44	0·38	0·97	Wolverhampton.
Birmingham	496,751	324	189	56	35	–	12	6	8	3	2	4	8	5	39	5	19·8	3·7	–	–	–	–	–	–	Birmingham.
Norwich	107,127	47	27	6	6	–	5	–	–	1	–	1	–	2	2	1	13·1	3·4	52·2	31·0	44·6	7·00	0·28	0·71	Norwich.
Leicester	193,839	119	60	20	14	–	1	–	–	2	1	1	2	2	10	4	16·1	1·3	–	–	–	–	–	–	Leicester.
Nottingham	226,658	127	70	23	14	–	1	–	–	–	4	–	1	3	10	3	16·1	1·2	62·6	29·6	44·8	7·11	0·64	1·63	Nottingham.
Derby	100,272	46	33	9	10	–	–	–	–	1	–	–	2	7	7	–	17·2	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	52	51	7	11	–	–	2	3	1	–	1	2	5	1	2	24·7	3·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	338	203	77	36	–	16	3	1	6	1	7	12	21	54	7	27·2	3·5	53·4	35·3	43·8	6·56	0·32	0·81	Liverpool.
Bolton	119,337	81	41	8	12	–	–	–	–	–	–	1	1	3	4	–	17·9	0·4	–	–	–	–	–	–	Bolton.
Manchester	524,865	306	232	61	47	–	8	3	3	2	3	8	11	16	47	6	23·0	2·7	–	–	–	–	–	–	Manchester.
Salford	208,253	163	109	26	15	–	10	1	4	2	4	3	5	6	19	4	27·3	6·0	–	–	–	–	–	–	Salford.
Oldham	141,079	76	71	18	17	–	8	2	–	–	1	–	4	6	9	–	26·2	4·1	–	–	–	–	–	–	Oldham.
Burnley	99,591	60	44	15	6	–	5	–	1	1	1	1	–	3	1	–	23·0	4·7	–	–	–	–	–	–	Burnley.
Blackburn	127,615	67	79	22	15	–	23	–	–	1	1	4	–	–	2	–	32·3	11·8	–	–	–	–	–	–	Blackburn.
Preston	112,638	70	34	9	8	–	–	–	–	–	1	1	–	–	1	1	15·7	0·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	39	36	9	13	–	–	–	–	–	–	1	–	1	6	1	18·9	0·5	51·0	29·0	41·4	5·22	0·65	1·65	Huddersfield.
Halifax	93,813	50	32	5	7	–	–	–	2	–	1	–	–	1	6	–	17·8	1·7	–	–	–	–	–	–	Halifax.
Bradford	226,384	115	75	15	15	–	1	2	–	2	4	1	4	8	13	–	17·3	2·3	60·0	36·0	45·2	7·33	0·79	2·01	Bradford.
Leeds	395,546	224	134	34	18	–	3	2	–	2	6	3	8	17	14	1	17·7	2·1	–	–	–	–	–	–	Leeds.
Sheffield	342,768	200	144	44	24	–	1	–	2	2	–	1	3	8	23	8	21·9	0·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	159	74	20	20	–	–	–	1	1	1	–	2	2	9	3	17·8	0·7	53·0	25·0	42·8	6·00	0·26	0·66	Hull.
Sunderland †	137,705	84	40	13	7	–	1	–	–	2	3	1	2	2	5	1	15·1	2·7	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	76	32	9	6	–	–	–	1	–	1	1	1	2	2	–	17·4	1·6	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	119	80	21	13	–	2	–	3	–	2	1	6	9	20	–	20·1	2·0	–	–	–	–	–	–	Newcastle.

* See note ' ... first page of this return.

† The recent extension of these boroughs will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2422	2462	2632	2722	2517	2206	2395	2391	2529	2704	2636·4	2596
Males . .	1243	1302	1365	1354	1301	1059	1175	1223	1317	1379	1342·3	1314
Females .	1179	1160	1267	1368	1216	1147	1220	1168	1212	1325	1294·1	1282
TOTAL **Deaths**	1610	1543	1862	1409	1376	1716	1612	1447	2190	1323	1693·3	1488
Males . .	810	810	951	716	690	827	804	717	1102	655	853·0	770
Females .	800	733	911	693	686	889	808	730	1088	671	845·3	718

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
TOTAL **Births** - -	2617	2486	2557	2541	2618	2447	2622	2629	2447	2693	2525	2576	2596
TOTAL **Deaths** - -	1336	1358	1298	1346	1532	1342	1435	1518	1470	1789	1790	1510	1488
Ages at Death: Under 1 year -	422	420	381	425	443	383	394	421	410	412	392	325	341
1—5 years -	190	199	200	163	220	180	213	238	221	280	303	285	295
5—20 " -	113	78	98	91	100	76	78	108	94	140	104	96	103
20—40 " -	164	171	156	174	190	184	193	189	180	226	235	191	177
40—60 " -	199	227	228	261	279	261	261	256	262	328	312	259	251
60—80 " -	206	230	192	188	259	212	237	255	251	320	366	290	260
80 years & upwards	42	33	43	44	41	46	59	51	52	83	78	64	61
Deaths from—													
Small-pox - - - -	4	5	2	2	2	1	2	1	1	1	1	-	-
Measles - - - -	56	40	28	24	27	15	34	42	48	75	97	77	103
Scarlet fever - - -	21	20	19	13	24	22	25	23	19	23	19	14	27
Diphtheria - - -	40	38	55	37	56	44	56	76	61	72	75	61	69
Whooping-cough - -	22	17	14	21	25	14	10	15	20	11	14	21	20
Typhus - - - -	1	-	-	-	-	-	-	1	-	1	-	-	-
Enteric fever - - -	10	21	16	21	11	22	22	19	20	16	24	23	12
Simple Continued fever -	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa and Dysentery -	122	129	107	109	107	102	87	62	45	36	20	25	22
Cholera - - - -	2	1	1	1	4	3	-	-	-	-	-	1	-
All the above Diseases	278	271	242	229	256	223	236	239	214	235	250	222	254
Dis. of Respiratory System	102	134	123	141	173	158	175	215	235	366	447	340	327
Phthisis - - - -	136	124	122	144	140	152	153	168	156	173	159	149	130
Dis. of Circulatory System	98	97	104	101	121	102	125	111	117	178	154	105	126
Violence - - - -	68	48	67	62	72	77	52	72	59	65	70	73	72
Inquest Cases - - -	118	103	116	118	137	159	120	141	127	163	151	156	141
Deaths in Public Institutions	374	412	378	387	464	400	412	427	416	513	496	419	412
TEMPERATURE OF THE AIR													
Mean - - - -	61·8°	65·1°	60·7°	56·9°	65·6°	56·5°	50·7°	49·4°	46·4°	39·9°	50·8°	50·4°	45·5°
Mean of Highest readings -	72·6°	78·8°	71·8°	68·8°	81·8°	68·5°	57·0°	57·8°	46·4°	47·5°	56·3°	56·9°	50·6°
Mean of Lowest readings -	53·3°	53·7°	51·4°	46·8°	52·4°	46·2°	45·8°	42·1°	34·4°	33·0°	45·3°	43·5°	39·8°
Humidity of the Air - -	75	73	75	81	71	77	83	85	85	87	91	80	88
Rain-fall (in inches) - -	0·15	0·82	0·09	0·03	0·00	0·49	1·45	0·15	0·45	0·16	1·09	0·87	0·28
Registered Sunshine (in hours)	51·5	54·3	39·4	30·5	56·1	32·5	7·9	11·7	10·0	12·0	4·8	21·2	12·5
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	340	328	307	271	234	198	158	119	114	106	78	86	89
Scarlet fever - - - -	2514	2600	2674	2732	2807	2802	2827	2838	2833	2841	2847	2845	2807
Diphtheria - - - -	669	662	663	665	673	672	659	667	675	671	683	678	688
Enteric fever - - - -	123	118	120	109	117	124	125	115	129	123	118	125	121

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SEVENTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 47th Week of the 10 years 1885–94.*	In the Week ending Saturday, 23rd November 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1698·3	1483	341	295	103	177	251	260	61
Small-pox: Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·3	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·2	-	-	-	-	-	-	-	-
Measles - - - -	55·3	103	18	81	3	-	-	1	-
Scarlet Fever - -	26·5	27	1	16	10	-	-	-	-
Typhus - - - -	0·3	-	-	-	-	-	-	-	-
Relapsing Fever - -	0·1	-	-	-	-	-	-	-	-
Influenza - - -	7·1	15	1	-	2	1	6	4	1
Whooping-cough - -	37·2	20	7	11	2	-	-	-	-
Diphtheria - - -	41·5	69	5	41	21	1	1	-	-
Simple Continued and Ill-defined Fever -	0·8	1	-	-	-	1	-	-	-
Enteric Fever - -	19·3	12	-	1	3	6	2	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	15·7	22	14	2	-	1	-	4	1
Remittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - -	0·4	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·6	-	-	-	-	-	-	-	-
Venereal Affections -	10·8	3	2	-	-	-	-	1	-
Erysipelas - - -	6·4	6	5	-	-	-	-	1	-
Pyæmia and Septicæmia	3·2	2	-	-	-	1	-	1	-
Puerperal Fever - -	6·8	4	-	-	-	3	1	-	-
Other Zymotic Diseases	1·6	2	-	1	1	-	-	-	-
Thrush - - - -	0·9	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·1	-	-	-	-	-	-	-	-
Alcoholism - - -	6·3	4	-	-	-	1	1	1	1
Rheumatic Fever, Rheumatism of Heart	9·6	9	-	-	3	2	4	-	-
Rheumatism - -	2·3	4	-	-	-	1	-	3	-
Gout - - - -	3·1	2	-	-	-	-	-	2	-
Rickets - - - -	4·4	8	-	8	-	-	-	-	-
Cancer - - - -	64·9	51	-	-	-	8	21	21	2
Tabes Mesenterica -	17·2	8	6	-	2	-	-	-	-
Tubercular Meningitis -	22·7	30	7	19	3	1	-	-	-
Phthisis - - -	173·8	130	1	4	10	62	44	9	-
Scrofula, Tuberculosis -	17·1	17	3	5	5	2	1	1	-
Other Constitutional Diseases - - -	11·8	10	-	-	1	1	3	5	-
Premature Birth - -	45·9	47	47	-	-	-	-	-	-
Atelectasis - - -	3·5	6	6	-	-	-	-	-	-
Congenital Malformations - - -	7·5	12	11	1	-	-	-	-	-
Old Age - - - -	47·1	39	-	-	-	-	-	19	20
Apoplexy - - -	43·3	35	-	-	1	4	12	14	4
Epilepsy - - -	7·6	4	-	-	-	2	-	2	-
Convulsions - - -	44·2	33	30	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	81·4	67	11	6	4	8	16	17	5

CAUSES OF DEATH.	Corrected Averages for the 47th Week of the 10 years 1885–94.*	In the Week ending Saturday, 23rd November 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·8	1	-	-	1	-	-	-	-
Diseases of Circulatory System - - -	135·1	126	2	2	10	18	38	50	6
Croup - - - -	9·9	5	-	4	1	-	-	-	-
Bronchitis - - -	265·3	165	57	21	1	2	23	48	13
Pneumonia - - -	129·2	122	30	42	4	12	18	15	1
Pleurisy - - - -	6·6	6	-	1	1	1	2	1	-
Other Diseases of Respiratory System - -	34·3	29	8	7	2	1	4	6	1
Dentition - - -	7·9	8	2	1	-	-	-	-	-
Quinsy, Sore Throat -	2·6	4	1	2	-	-	1	-	-
Enteritis - - -	8·4	14	6	2	2	-	4	-	-
Peritonitis - - -	6·4	9	-	1	3	2	1	2	-
Diseases of Liver - -	26·2	13	1	-	-	1	6	5	-
Other Diseases of Digestive System -	27·2	17	1	2	-	4	6	4	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	5·4	38	-	-	2	8	14	13	1
Diseases of Generative System - - -	6·3	1	-	-	-	-	1	-	-
Accidents of Childbirth -	4·6	1	-	-	-	1	-	-	-
Diseases of Locomotive System - - -	7·9	4	-	-	-	2	1	-	1
Diseases of Integumentary System - -	7·2	5	2	-	1	-	1	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	43·2	1	-	-	-	-	1	-	-
By Vehicles or Horses -		11	-	2	-	3	4	2	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		2	-	-	-	1	1	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		10	1	5	2	1	1	-	-
By Drowning - -		5	-	-	-	2	2	1	-
By Suffocation in Bed -		14	14	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		5	-	-	-	2	3	-	-
Other or not stated Causes - - - -		13	1	-	1	3	4	1	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·2	1	-	-	-	1	-	-	-
Suicide - - - -	6·8	8	-	-	1	4	1	2	-
Execution - - -	-	1	-	-	-	1	-	-	-
OTHER CAUSES - -	51·9	47	40	4	-	-	1	1	1

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,211,743	2596	1488	341	321	–	103	27	69	20	–	12	1	22	72	141	412	16
WEST DISTRICTS	740,735	411	255	57	51	–	17	4	10	5	–	2	1	4	10	20	73	2
NORTH DISTRICTS	993,884	587	351	72	76	–	30	7	21	4	–	3	–	6	18	28	101	3
CENTRAL DISTRICTS	247,538	130	83	24	14	–	5	2	1	–	–	1	–	1	7	10	27	1
EAST DISTRICTS	705,114	496	256	61	53	–	10	1	12	4	–	–	–	5	13	41	80	–
SOUTH DISTRICTS	1,524,472	972	528	127	114	–	41	13	25	7	–	6	–	6	23	42	116	10
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	15	–	8	–	–	–	–	–	–	–	–	–	1	–	15	
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	70	38	10	8	–	–	–	3	1	–	–	–	–	1	2	4	–
St. John Paddington *H* – G.J.	33687	9	12	1	6	–	–	–	–	–	–	–	–	–	–	–	6	
Kensington Town *Ww* – W.M.	118751	57	46	13	13	–	4	1	1	1	–	–	–	–	1	4	18	–
Brompton *H* – W.M. & C.	47557	12	7	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Peter Hammersmith – W.M.*	8833	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	38653	58	31	10	2	–	3	–	–	–	–	–	–	–	4	4	6	–
Fulham *Ww* – W.M. & C.	91639	73	38	10	5	–	5	2	3	1	–	1	1	2	1	4	10	–
Chelsea Kensal Town – C.	21787	13	4	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Chelsea North *WHHHHH* – C.	41637	30	15	–	2	–	1	–	–	–	–	–	–	–	1	2	5	–
Chelsea South *HH* – C.	32829	14	7	1	1	–	–	1	–	–	–	–	–	–	1	2	1	–
May Fair *WH* – G.J.	23733	6	6	1	3	–	–	–	–	–	–	–	–	–	–	–	3	–
Belgrave *WHHH* – C.	54631	24	21	3	4	–	1	–	2	–	–	–	–	–	–	1	10	1
St. John Westminster *HH* – C.	34106	23	5	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–
St. Margaret Westminster *H* – C.	21668	7	16	3	2	–	–	–	1	–	–	1	–	1	1	1	7	–
St. James Westminster *WHHH* N.R. & G.J.	24995	6	8	–	2	–	1	–	–	–	–	–	–	–	–	–	2	1
St. Anne Soho *HHHHHH* – N.R.	12317	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* – W.M.	37713	10	14	3	3	–	1	–	–	–	–	–		–	1	2	4	
Rectory Marylebone *WH* G.J. & W.M.	20024	10	4	–	2	–	1	–	–	–	–	–		–	–	–	2	–
St. Mary Maryleb. *HHHH* G.J. & W.M.	19239	23	3	–	1	–	–	–	–	–	–	–		–	–	–	–	–
Christchurch Marylebone *HH* – W.M.	33327	18	10	5	2	–	–	–	–	1	–	1	–	–	–	–	–	2
St. John Marylebone *H L* – W.M.	32101	14	3	1	–	–	–	–	–	–	–	–		–	1	1	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	20	35	3	4	–	–	5	8	–	–	1	–	1	3	3	21	1
Regent's Park Pancras *HH* – W.M.	36590	26	13	4	2	–	1	–	–	–	–	–		–	–	–	1	–
Tottenham-court *wHHH* N.R. & W.M.	26321	15	14	5	1	–	1	–	–	1	–	–		1	1	2	7	–
Gray's Inn Lane *HHH* – N.R.	27455	16	6	1	2	–	–	–	–	–	–	–		–	–	–	3	–
Somers Town *HH* – N.R.	32829	26	17	2	3	–	7	–	–	–	–	–		–	1	1	1	–
Camden Town *WH* – N.R.	15419	10	14	3	7	–	1	–	–	–	–	–		1	1	1	9	–
Kentish Town *WW* – N.R.	95765	59	33	11	5	–	10	–	2	–	–	–		–	2	2	2	–
Upper Holloway *WWWwHHH* – N.R.	99235	58	51	6	10	–	–	–	3	–	–	–	–	1	1	4	36	–
Islington South-west *H* – N.R.	105557	70	19	6	6	–	4	–	–	–	–	–	–	–	1	3	–	–
Islington South-east – N.R.	64158	32	14	1	4	–	–	–	–	–	–	–		–	–	1	–	–
Highbury *HH* – N.R.	59193	34	16	4	4	–	–	1	–	–	–	–		–	–	–	–	–
Stoke Newington *H* – N.R.	30936	17	18	3	5	–	–	–	–	–	–	–		–	1	2	–	–
Stamford Hill – E.L.	17759	8	3	–	1	–	–	–	–	–	–	–		–	–	–	–	–
West Hackney *H* – N.R.	42602	22	8	2	3	–	–	–	–	–	–	1	–	–	–	–	–	–
Hackney *WwwH* – E.L. & N.R.	98486	63	50	11	10	–	4	1	8	2	–	–	–	1	5	6	15	–
South Hackney *w* – E.L.	41759	36	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury – N.R.	16695	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* – N.R.	13454	9	7	4	1	–	–	1	–	–	–	–	–	–	–	–	1	–
St. Giles North *H* – N.R.	9933	5	3	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	4	2	–	–	–	–	1	–	–	–	–	–	1	1	2	–
St. Mary-le-Strand *H* – N.R.	5706	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Clement Danes *WH* – N.R.	7194	3	4	–	–	–	–	–	–	–	–	–	–	–	2	3	4	–
Strand Union Workhouse, Edmonton –	†1037	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	6	9	5	1	–	1	–	–	–	–	–	–	1	–	–	5	–
St. Andrew Eastern *WH* – N.R.	15343	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell – N.R.	16803	11	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Amwell Clerkenwell – N.R.	18883	9	8	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Pentonville – N.R.	17155	16	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Goswell-street – N.R.	15375	6	6	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
City-road *HHHL* – N.R.	29177	27	11	3	2	–	1	–	–	–	–	–	–	–	–	2	3	–
Whitecross-street – N.R.	8278	10	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Finsbury – N.R.	4985	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham –	†892	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H* – N.R. & E.L	8944	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate – N.R.	4539	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* – N.R.	4441	2	10	–	2	–	–	–	–	–	–	1	–	–	3	4	7	–
St. Bride *W* – N.R.	6591	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Allhallows Barking – N.R.	10422	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Broad Street *H* – N.R.	3377	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone –	†383	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—The Italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishmen receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differen Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. Ne River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT aturday, 23th November, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hoxton New Town *w* - - - N.R.	29313	20	10	3	2	-	-	-	1	2	-	-	-	-	-	-	2	-
Hoxton Old Town - - - N.R.	28354	12	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Haggerston *WH* - - N.R. & E.L.	46244	31	19	3	4	-	-	-	1	-	-	-	-	-	1	2	8	-
Bethnal Green North *H* - E.L.	51520	34	19	8	2	-	1	-	-	-	-	-	-	1	1	5	-	-
Bethnal Green South - - - E.L.	33489	21	4	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Bethnal Green East *WHL** - E.L.	44123	26	23	1	8	-	2	-	1	1	-	-	-	1	-	2	14	-
Spitalfields - - - E. N.R.	26446	19	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End New Town *W* - - E.L.	113[illegible]3	18	9	2	2	-	1	-	-	-	-	-	-	-	-	-	5	-
Whitechapel Church *H* E.L. & N.R.	22913	28	17	5	1	-	-	-	2	-	-	-	-	-	3	5	15	-
Goodman's Fields - - - E.L.	13800	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.L.	37738	29	8	4	1	-	-	-	-	-	-	-	-	1	-	2	-	-
St. John, St. George East *W* - E.L.	8[illegible]57	4	6	-	3	-	-	-	-	-	-	-	-	-	-	1	6	-
Shadwell *H* - - - E.L. & N.R.	10246	9	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Ratcliff *W* - - - - - E.L.	14928	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Limehouse - - - - - E.L.	32202	32	10	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town West *H* - E.L.	38650	26	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East *WWww* E.L.	68942	51	31	5	14	-	1	-	1	-	-	-	-	1	-	2	11	-
Bow *L** - - - - - E.L.	40365	33	15	5	1	-	1	1	2	-	-	-	-	-	-	1	-	-
Bromley *wwwH* - - - - E.L.	70000	52	42	9	11	-	2	-	2	-	-	-	-	1	3	9	20	-
Poplar *WW* - - - - - E.L.	56383	36	15	5	2	-	-	-	1	1	-	-	-	-	2	6	-	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13334	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark - - - S.	18912	7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Kent-road - - - - S. & L.	21887	20	8	3	-	-	2	-	-	-	-	-	-	-	-	-	-	1
Borough-road *WH* - - S. & L.	16824	10	8	1	-	-	-	-	1	2	-	-	-	-	-	-	7	-
London-road *HL* - - L. & S.	21221	10	8	3	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Trinity Newington - - S. & L.	26596	18	6	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61342	41	22	4	3	-	7	-	-	-	-	-	-	-	1	1	-	-
St. Mary Newington - - L. & S.	27866	16	8	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	12723	7	13	1	1	-	-	-	-	-	-	-	-	-	2	3	9	-
Leather Market *W* - - S. & L	30612	27	8	2	1	-	1	-	-	-	-	1	-	1	-	-	-	-
St. James Bermondsey - - S.	54070	39	21	7	2	-	3	-	1	-	-	-	-	2	1	1	-	1
Rotherhithe *WwH* - - S. & K.	39255	21	8	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Waterloo-road 1st *H* - - L. & S.	14031	7	10	1	1	-	3	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14614	18	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18075	6	13	2	2	-	2	-	1	-	-	-	-	-	2	2	7	-
Lambeth Church 2nd *WW* - L. & S.	39097	17	22	5	5	-	1	-	1	-	-	-	-	-	1	3	7	-
Kennington 1st *H* - - S. & L.	50586	30	12	3	6	-	2	-	-	-	-	-	-	-	1	3	-	-
Kennington 2nd - - - S. & L.	39708	21	12	3	2	-	1	-	1	-	-	1	-	-	-	-	-	1
Brixton *w* - - - - L. & S.	73405	42	26	5	3	-	1	5	2	-	-	2	-	-	-	2	7	-
Norwood *WH* - - - - L.	25657	10	6	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	67244	49	17	5	7	-	-	-	2	1	-	-	-	-	2	6	-	-
West Battersea *WwH* - - S.	83314	56	35	11	6	-	1	-	2	-	-	-	-	1	1	1	5	-
Clapham *H* - - - - - S.	43698	23	10	3	3	-	-	-	-	1	-	-	-	-	-	1	2	-
Wandsworth *WHHL* - - - S.	46717	40	10	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Putney - - - - - - S.	17771	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *www* - - - - L.	48755	37	22	4	6	-	-	3	4	-	-	-	-	-	1	1	9	-
Dulwich - - - - L. & S.	6839	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - - S. & L.	81686	48	48	12	16	-	1	-	-	-	-	-	-	-	1	4	34	-
Peckham *W* - - - S., L., & K.	88483	61	22	2	7	-	1	-	1	-	-	-	-	-	1	3	-	1
St. George Camberwell - - L. & S.	63266	56	23	9	2	-	3	-	2	-	-	-	-	-	1	1	-	-
Deptford, North - - - - K.	55314	17	11	1	3	-	-	-	-	-	-	1	-	-	2	2	-	1
Deptford, Central *w* - - - K.	42007	41	15	3	2	-	-	2	4	-	-	1	-	-	-	-	4	-
Deptford, South - - - - K.	30852	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich West *H* - - - K.	22007	12	10	3	3	-	3	-	-	-	-	-	-	-	-	-	-	1
Greenwich East *WH* - - - K.	35223	24	15	3	5	-	-	-	-	-	-	-	-	-	1	1	7	1
Eltham *wH* - - - - - - K.	5682	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	7	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WH* - - - - K.	30950	16	15	1	6	-	-	-	-	2	-	-	-	1	1	1	9	-
Sydenham *H* - - - - - L.	34162	17	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Charlton *HH* - - - - K.	14040	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	19606	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HH H* - K.	21242	13	12	2	3	-	-	1	1	-	-	-	-	1	-	-	-	1
Plumstead, West *H* - - - K.	15869	4	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead, East *WH* - - - K.	36567	24	16	7	5	-	2	-	-	-	-	-	-	-	1	1	6	1
Banstead Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Caterham Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Hospital Ships and Camp, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
N.E. Hospital - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 23rd November 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	926	412	89	114	1	10	2	15	6	10	5	11	17	32	7
30 : 1	Carshalton *wHH* -	12228	26108	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwH*	10423	12508	5	4	-	1	-	-	-	1	-	-	-	-	-	2	-
37 : 1	Godstone, *part of** *W*	2754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20851	128699	60	36	5	17	-	-	-	1	-	1	-	-	1	7	-
2	Mitcham *w* -	11697	23088	10	6	-	2	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* -	3220	25761	19	6	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - -	8071	44765	23	6	-	3	-	-	-	-	-	-	-	-	-	4	-
3	Esher, *part of** *HH*	6601	12059	5	2	1	-	-	-	-	-	1	-	-	-	1	-	-
4	Hampton *H*	4535	18252	8	3	-	1	-	-	-	-	-	-	1	-	-	-	-
40 : 1	Richmond *WH* -	2160	25389	12	6	1	4	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake *H*	2823	16159	6	9	-	5	-	-	-	1	-	-	-	1	1	1	-
41 : 1	Bromley *HHH* - -	9127	23815	14	5	-	2	-	1	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - -	6542	21930	7	6	2	1	-	-	-	-	1	-	-	-	-	-	-
	Chislhrst *pt. of** *WHH*	14307	20372	13	9	2	5	-	-	-	-	-	-	-	-	-	2	-
44 : 1	Bexley *HH* -	12540	30590	22	8	4	2	-	-	-	-	-	-	1	1	1	-	-
2	Dartford *Work.*, pt. of*-	-	—	1	2	..	2	-	-	-	-	-	-	-	-	-	2	-
124 : 1	Sunbury *w* -	11054	13671	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* -	13277	13221	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon *WHH*	6035	12237	7	3	2	-	-	1	-	-	-	-	-	-	-	-	-
2	Uxbridge -	6172	5417	4	4	2	-	-	-	-	-	1	-	-	1	1	-	-
3	Hayes *wH* -	14537	15618	3	5	2	-	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth *WHH*	6967	26273	19	7	1	4	..	-	-	1	-	-	-	1	1	3	-
2	Twickenham *HH* -	2415	16027	9	5	1	-	-	-	-	-	-	-	-	-	-		-
3	Brentford *HHHH* -	4318	37777	23	10	2	5	-	-	-	-	1	-	-	-	-	-	-
4	Chiswick - - -	1245	21963	14	5	2	2	-	1	-	-	-	-	-	-	-	-	-
5	Acton *wH* - - -	6132	30945	27	11	3	2	-	-	-	-	-	-	1	-	-	-	-
127 : 1	Harrow *HHH* - -	13809	15715	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* -	6994	3344	1	-	-		-	-	-	-	-	-	-		-	-	-
3	Willesden *HHH*	4383	61265	46	23	6	5	-	-	-	-	-	2	-	-	-	-	-
4	Hendon *WH*	8382	15843	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms *H*	15599	8474	2	4	2	1	-	-	-	-	-	-	-	1	1	-	1
2	Barnet *WHH* -	5441	11773	5	6	-	3	-	-	-	-	-	-	-	-	-	2	-
3	Finchley *HHH*	4688	25820	9	5	2	2	-	-	-	-	-	-	1	-	-	-	-
129 : 1	Hornsey *HH* - -	3039	61037	31	9	4	-	-	1	-	1	-	-	-	1	1	-	-
2	Tottenham *H* - -	4642	97174	65	22	3	5	-	4	-	1	-	-	-	-	1	1	-
3	Edmonton *Www*	7489	36351	28	7	-	2	-	-	-	-	-	3	-	-	-	-	-
4	Enfield *WWHH*- -	12639	31803	19	4	1	-		-	-	1	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	6066	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8430	9620	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	582	1	-	-	-	-	-	-	-	-	-	-	-		-	-
137 : 1	Bushey *H* - -	9331	7737	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*- -	1100	42983	25	19	6	3	-	-	-	-	-	1	-	2	2	1	1
2	Plaistow - - -	1242	58030	60	14	3	3	-	-	-	1	-	1	-	1	1	-	-
3	Canning Town *H* -	1558	54750	48	23	6	4	-	1	1	3	1	1	-	-	1	-	2
4	Forest Gate *w* - -	806	49149	34	12	4	-	-	-	-	2	-	-	-	-	-	-	-
5	East Ham *wH* - -	3266	32713	42	19	4	5	-	1	1	1	-	-	1	-	-	-	-
6	Leyton *WWWwH*	4334	70188	39	23	6	5	-	-	-	-	-	-	-	-	-	5	1
7	Walthamstow *HL*	6501	57330	51	21	5	7	-	-	-	1	1	1	-	-	-	-	2
187 : 1	Chigwell, *part of** *H*-	11779	12941	6	5	4	-	-	-	-	-	-	-	-	1	2	-	-
2	Epping *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-		-	-
189 : 1	Romford *part of** *WH*	6558	4324	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - -	8493	10913	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H* -	3814	14391	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Asy.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Hospital Ship "Atlas"	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2382); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 23rd November, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	1
GREATER LONDON	443,421	6,048,555	16·4	2·6	1900	430	435	1	113	29	84	26	23	27	83	444
INNER LONDON	74,672	4,392,346	17·7	3·0	1483	341	321	–	103	27	69	20	13	22	72	412
OUTER RING	368,749	1,656,209	13·0	1·5	412	89	114	1	10	2	15	6	10	5	11	32

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the ea of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	273,535	November 23	137	87	16·6	–	–	1	1	2	1	–
GLASGOW	695,876	" 23	337	246	18·4	–	–	7	–	6	5	11
DUBLIN	349,594	" 23	155	160	23·9	–	–	2	–	–	3	5
CALCUTTA	466,460	September 28	–	298	33·3	1	–	–	1	–	145	53†
BOMBAY	821,764	November 5	380	409	25·9	–	–	?	?	?	97	38†
MADRAS	452,518	October 25	408	319	36·6	–	3	?	?	?	116	38
PARIS	2,424,705	November 16	975	895	19·2	–	18	2	12*	4	8	42
BRUSSELS	507,985	" 16	206	143	14·6	–	–	1	2*	–	3	15
AMSTERDAM	451,493	" 16	225	147	16·8	–	–	2	1	–	4	–
ROTTERDAM	272,042	" 16	176	94	18·0	1	–	–	–	3	–	–
THE HAGUE	180,455	" 16	85	53	15·3	–	–	2	–	2	–	–
COPENHAGEN	341,000	" 16	173	88	13·5	–	–	3	–	7	1	3
STOCKHOLM	259,304	" 9	140	72	14·4	–	–	1	1*	–	1	2
CHRISTIANIA	174,717	" 16	33	60	17·9	–	–	–	2	–	–	5
ST. PETERSBURG	954,400	" 9	–	–	–	–	–	–	–	–	–	–
MOSCOW	753,469	" 9	–	397	27·5	1	4	14	12	4	6	28
BERLIN	1,724,544	" 2	794	538	16·0	1	7	18	30	13	4	38
HAMBURG	608,710	" 9	416	209	17·9	–	–	2	–	6	–	6
DRESDEN	320,600	October 26	–	–	–	–	–	–	–	–	–	–
BRESLAU	367,769	November 16	–	168	23·8	–	–	5	14*	2	–	10
MUNICH	396,000	" 16	–	160	21·0	–	7	2	4*	1	–	27
VIENNA	1,495,764	" 9	857	599	19·4	–	10	11	16*	7	6	46
PRAGUE	351,478	" 9	165	168	24·4	–	1	5	4	–	1	3
BUDA-PESTH	566,022	" 9	374	264	24·3	–	6	6	5	–	4	20
TRIESTE	160,825	" 2	85	73	23·6	–	–	1	9*	–	–	1
ROME	464,579	October 5	212	161	18·1	–	2	–	–	1	18‡	26
TURIN (11 days)	344,203	" 31	202	171	16·4	3	–	1	1	1	6	12
VENICE	158,159	November 16	–	–	–	–	–	–	–	–	–	–
CAIRO	374,838	October 28	475	299	41·5	1	2	–	1*	–	5	76
ALEXANDRIA	231,396	" 28	261	142	32·0	–	–	–	2*	–	4	42
NEW YORK	1,860,700	November 9	–	721	19·8	–	9	5	41	5	15	14
BROOKLYN	1,100,000	" 9	–	350	16·6	–	–	2	16	2	3	4
PHILADELPHIA	1,163,864	" 9	–	423	19·0	–	2	1	43	4	12	5
NEW ORLEANS	275,000	October 19	–	130	24·7	1	–	–	1	1	12	6

* Including deaths from croup.
† Including 25 deaths from cholera in Calcutta, and 6 in Bombay.
‡ Including 10 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 23rd NOVEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
Nov.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	17	..	29·982	55·3	40·0	15·3	47·9	+ 5·6	43·1	4·8	8·6	4·2	83	90·0	32·0	50·70	S. & SW.	WSW.	2·0	0·0	0·1	268	− 30	0·00	3·8
MONDAY	18	..	30·201	51·8	34·3	17·5	42·3	+ 0·1	37·4	4·9	6·2	0·5	83	96·4	27·8	50·75	SW. & SE.	S. & SE.	0·1	0·0	0·0	156	−143	0·00	0·0
TUESDAY	19	Greatest Dec. S.	29·965	47·2	35·5	11·7	42·6	+ 0·4	39·9	2·7	5·5	0·8	90	82·0	28·0	50·36	E. & ESE.	SE.	2·0	0·0	0·1	232	− 68	0·00	2·0
WEDNESDAY	20	..	29·762	51·1	46·1	5·0	48·9	+ 6·8	46·8	2·1	3·6	0·0	93	54·0	44·2	49·80	SE.	SSE. & SE.	2·1	0·0	0·2	252	− 49	0·00	0·0
THURSDAY	21	..	29·883	50·9	42·9	8·0	47·8	+ 5·7	45·3	2·5	4·0	0·4	91	72·3	39·6	49·59	ESE. & SE.	ESE. SE. & SSE.	0·6	0·0	0·0	148	−153	0·01	0·0
FRIDAY	22	..	29·975	52·2	43·0	9·2	48·3	+ 6·1	46·0	2·3	6·3	0·4	92	56·2	40·0	49·60	SSE. & W.	W. & NNW.	2·4	0·0	0·1	222	− 78	0·06	0·0
SATURDAY	23	..	29·661	45·7	37·1	8·6	40·6	− 1·5	36·1	4·5	7·9	2·1	84	49·8	32·3	49·61	W. & N.	NNE. & NE.	13·0	0·0	2·0	597	+298	0·21	3·0
MEANS		..	29·918	50·6	39·8	10·8	45·5	+ 3·3	42·1	3·4	6·0	1·2	88	71·5	34·8	50·06	Variable		..	..	..	Sum 1875	Sum − 223	Sum 0·28	1·3
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. November.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	17	m. P. to s. P. –	2·6	8·7	Fine; variable amounts of cloud during the day; cloudless after 6h. P.M.
MONDAY	18	s. P. generally –	6·8	8·7	Cloudless and very fine throughout; hoar frost in morning and evening.
TUESDAY	19	m. P. generally – –	2·9	8·6	Cloudless in morning, with hoar frost; afterwards overcast, a little misty rain at 8h. P.M.
WEDNESDAY	20	w. P. in morning; m. P. afterwards.	0·0	8·6	Overcast; occasional very slight rain in evening.
THURSDAY	21	w. P. till 9h. A.M.; afterwards m. P.	0·2	8·5	Cloudy generally; a shower of rain after 9h. P.M.
FRIDAY	22	v. P. generally – –	0·0	8·5	Partially clear in early morning with slight fog; afterwards overcast; rain in evening.
SATURDAY	23	v. P. and v. N. – –	0·0	8·4	Overcast; with frequent showers of rain till night; cloudless after 10h. P.M. Gusty wind.
			Sum 12·5	Sum 60·0	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·85 in. at the beginning of the week to 30·22 in. by noon on the 18th; decreased to 29·74 in. by 2h. P.M. on the 20th; increased to 30·02 in. by 9h. A.M. on the 22nd; decreased to 29·57 by noon on the 23rd; and increased to 29·98 in. by the end of the week.

Printers to the Queen's most Excellent Majesty.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 48. 1895. VOL. LVI.] WEEK ENDING SATURDAY, NOVEMBER 30. [Price 1½*d.*

General Register Office, Somerset House,
December 2nd, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.		Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
Birkenhead	15·0	18·4	24·7	18·4	Liverpool	37·6	30·8	27·2	23·3
Birmingham	21·1	20·2	19·8	19·5	London	21·2	17·9	17·7	17·3
Blackburn	35·1	32·3	32·3	29·0	Manchester	25·7	22·0	23·0	21·0
Bolton	18·8	26·2	17·9	16·6	Newcastle-on-Tyne	21·2	18·6	20·1	16·6
Bradford	23·5	18·9	17·3	13·1	Norwich	19·5	15·6	13·1	14·1
Brighton	17·4	12·2	12·6	12·2	Nottingham	16·6	20·9	16·1	17·0
Bristol	17·6	19·4	14·9	18·7	Oldham	25·1	21·8	26·2	23·3
Burnley	24·1	21·5	23·0	14·1	Plymouth	26·3	14·6	18·1	18·7
Cardiff	20·8	18·4	19·1	14·7	Portsmouth	17·0	14·9	16·7	12·5
Croydon	13·2	15·0	13·2	11·3	Preston	21·8	20·8	15·7	22·7
Derby	17·2	13·0	17·2	14·6	Salford	29·5	25·0	27·3	23·3
Gateshead	17·9	22·8	17·4	14·1	Sheffield	25·1	15·7	21·9	19·8
Halifax	25·6	15·6	17·8	15·6	Sunderland	20·4	20·1	15·1	18·2
Huddersfield	14·7	10·0	18·9	18·3	Swansea	19·4	22·0	22·6	17·7
Hull	18·8	17·3	17·8	16·4	West Ham	17·1	15·0	16·3	17·1
Leeds	20·7	16·5	17·7	18·3	Wolverhampton	33·4	23·7	23·1	20·7
Leicester	15·9	13·2	16·1	14·3					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Oldham and in Halifax, 1·2 in London, 1·4 in Liverpool, 1·6 in Burnley, 1·9 in Birmingham, 2·0 in Manchester, 2·2 in Swansea, 2·4 in Wolverhampton, 3·5 in Salford, and 9·0 in Blackburn; from *whooping-cough*, 1·2 in Wolverhampton and 1·3 in Leeds; from "*fever*," 1·0 in Norwich and in Burnley, 1·1 in Sunderland, and 1·2 in Wolverhampton; and from *diarrhœa*, 1·0 in Salford and 1·2 in Blackburn. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 93 deaths from *diphtheria* included 63 in London, 6 in Birmingham, 3 in West Ham, and 3 in Sheffield. Two deaths from *small-pox* were registered belonging to West Ham, and one to London, but not one belonging to any other of the thirty-three towns.

LONDON.

In LONDON† 2159 BIRTHS and 1455 DEATHS were registered. Allowing for increase of population, the births were 390, and the deaths 228, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

per 1000 from all causes, which had been 21·2, 17·9, and 17·7 in the preceding three weeks, further fell last week to 17·3. During the four weeks ending on Saturday last the death-rate averaged 18·5 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1455 deaths included 1 from small-pox, 100 from measles, 17 from scarlet fever, 63 from diphtheria, 19 from whooping-cough, 21 from enteric fever, 14 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 235 deaths were referred to these diseases, being 36 above the corrected average weekly number.

The death from *small-pox* was that of an infant, aged 7 months, who had been removed from Bowles Road, Old Kent Road, to the hospital ship "Atlas." The deaths from *measles*, which had been 97, 77, and 103 in the preceding three weeks, fell again last week to 100, but were 41 above the corrected average; 16 cases belonged to Newington, 12 to Camberwell, 11 to St. Pancras, and 9 to Clerkenwell sanitary areas. The deaths from *scarlet fever*, which had been 19, 14, and 27 in the preceding three weeks, fell again last week to 17, and were 10 below the corrected average; 3 cases belonged to Lewisham sanitary area. The deaths from *diphtheria*, which had been 75, 61, and 69 in the preceding three weeks, fell again last week to 63, but were 24 above the corrected average; 6 cases belonged to Fulham, 6 to Bethnal Green, 6 to Lambeth, 5 to St. Pancras, and 5 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 14, 21, and 20 in the preceding three weeks, were 19 last week, the corrected average being 40; 4 cases belonged to Hackney and 3 to Hammersmith sanitary areas. The fatal cases of *enteric fever*, which had been 24, 23, and 12 in the preceding three weeks, rose again last week to 21, exceeding the corrected average by 5; 3 cases belonged to Chelsea and 3 to Hackney sanitary areas. The deaths from *diarrhœa*, which had been 20, 25, and 22 in the preceding three weeks, further fell last week to 14, and were 2 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 447, 340, and 327 in the preceding three weeks, further fell last week to 285, and were 146 below the corrected average.

The deaths attributed directly to *influenza* numbered 11, having been 10, 11, and 15 in the preceding three weeks.

Different forms of violence caused 65 deaths, concerning all but one of which inquests were held. Of these 65 deaths, 10 were cases of suicide, and one of homicide, while the remaining 54 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 4 to drowning, and 13 (including 12 of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 79 cases of small-pox, 2799 of scarlet fever, 691 of diphtheria, and 125 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 9 cases, against 14, 23, and 20; of scarlet fever, 325 cases, against 349, 298, and 296; of diphtheria, 86 cases, against 112, 104, and 103; and of enteric fever, 22 cases, against 21, 20, and 16.

Greater London.

In Greater London 2947 births and 1850 deaths were registered, corresponding to annual rates of 25·4 and 15·9 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 7 from measles, and 10 from diphtheria were registered. The 2 cases of small-pox belonged to West Ham district. Three deaths from measles occurred in Tottenham sub-district, and 7 from diphtheria in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 43°·4, the latter being 1°·9 above the week's average in the 50 years 1841–90. The direction of the wind was Easterly, the horizontal movement of the air being 21 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 0·7 hours; the measured rainfall amounted to 0·65 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 30th November, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 30th Nov., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5620	3639	863	767	3	211	46	93	63	65	48	160	291	732	51	17·9	2·6	54·5	29·0	43·4	6·33	0·68	1·73	33 Towns.
London	4,392,346	2159	1455	332	313	1	100	17	63	19	21	14	65	135	364	13	17·3	2·8	51·9	32·5	43·4	6·33	0·65	1·65	London.
West Ham	249,473	156	82	19	20	2	–	1	3	1	2	1	4	6	11	1	17·1	2·1	–	–	–	–	–	–	West Ham.
Croydon	114,923	58	25	6	7	–	–	–	–	1	–	–	1	2	9	–	11·3	0·5	53·0	29·0	42·4	5·78	0·77	1·96	Croydon.
Brighton	119,604	53	28	5	13	–	–	–	–	–	–	–	–	–	3	–	12·2	–	52·8	35·0	45·6	7·56	0·85	2·16	Brighton.
Portsmouth	174,751	84	42	12	10	–	–	1	1	–	1	1	6	6	10	–	12·5	1·2	54·5	36·5	45·5	7·50	0·81	2·06	Portsmouth.
Plymouth	89,096	48	32	8	14	–	–	–	–	–	1	–	–	1	6	1	18·7	0·6	–	–	–	–	–	–	Plymouth.
Bristol	228,139	122	82	16	20	–	–	–	1	2	–	–	4	14	12	–	18·7	0·7	53·0	34·0	43·4	6·33	0·92	2·34	Bristol.
Cardiff	155,637	100	44	12	3	–	–	1	–	2	–	1	3	5	5	1	14·7	1·3	–	–	–	–	–	–	Cardiff.
Swansea	97,008	63	33	11	10	–	4	–	–	–	–	–	1	–	4	–	17·7	2·2	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	45	34	5	6	–	4	1	1	2	2	–	2	2	8	–	20·7	6·1	50·3	30·9	41·5	5·28	0·50	1·27	Wolverhampton.
Birmingham	496,751	265	186	43	26	–	18	4	6	3	–	3	12	12	41	9	19·5	3·6	–	–	–	–	–	–	Birmingham.
Norwich	107,127	66	29	13	5	–	1	–	1	1	2	–	–	3	1	2	14·1	2·4	50·6	35·0	44·2	6·78	0·60	1·52	Norwich.
Leicester	193,839	105	53	12	17	–	1	1	1	2	–	1	–	1	9	2	14·3	1·6	–	–	–	–	–	–	Leicester.
Nottingham	226,658	104	74	20	17	–	–	1	–	–	4	3	3	7	13	–	17·0	1·8	50·0	36·0	42·9	6·06	0·66	1·68	Nottingham.
Derby	100,272	48	28	9	9	–	–	–	–	1	–	–	–	–	5	–	14·6	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	53	38	16	7	–	–	–	1	1	2	–	–	3	4	–	18·4	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	319	225	44	55	–	14	3	1	8	4	3	9	12	48	5	23·3	3·4	50·6	35·2	43·1	6·17	0·24	0·61	Liverpool.
Bolton	119,337	79	38	12	7	–	–	1	–	2	1	1	2	5	6	–	16·6	2·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	292	211	45	30	–	20	5	1	1	2	5	8	16	47	2	21·0	3·4	–	–	–	–	–	–	Manchester.
Salford	208,253	162	93	25	13	–	14	2	1	1	2	4	2	5	15	3	23·3	6·0	–	–	–	–	–	–	Salford.
Oldham	141,079	66	63	11	13	–	3	1	2	–	1	1	5	6	8	–	23·3	3·0	–	–	–	–	–	–	Oldham.
Burnley	99,591	55	27	7	3	–	3	–	1	–	2	–	1	1	2	–	14·1	3·1	–	–	–	–	–	–	Burnley.
Blackburn	127,615	61	71	21	6	–	22	–	–	–	1	3	5	5	5	3	29·9	10·6	–	–	–	–	–	–	Blackburn.
Preston	112,638	52	49	11	16	–	–	–	1	–	–	1	1	1	9	3	22·7	0·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	48	35	8	6	–	–	–	2	–	–	–	3	3	4	–	18·3	1·0	47·0	34·0	41·5	5·28	0·75	1·90	Huddersfield.
Halifax	93,813	42	28	4	7	–	2	–	–	–	–	–	1	3	1	–	15·6	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	93	57	14	15	–	–	–	–	3	3	1	3	5	9	1	13·1	1·6	48·2	38·0	43·1	6·17	0·63	1·60	Bradford.
Leeds	395,546	230	139	29	32	–	4	1	2	10	3	1	6	14	17	–	18·3	2·8	–	–	–	–	–	–	Leeds.
Sheffield	342,768	206	130	39	26	–	–	2	3	–	6	2	2	5	21	1	19·8	2·0	–	–	–	–	–	–	Sheffield.
Hull	216,722	134	68	17	14	–	–	–	–	–	1	–	4	5	11	3	16·4	0·2	50·0	35·0	43·6	6·44	0·81	2·06	Hull.
Sunderland †	137,705	84	48	14	8	–	–	1	–	1	3	–	3	4	12	–	18·2	1·9	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	49	26	5	6	–	–	–	–	1	–	–	–	–	2	–	14·1	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	119	66	18	13	–	1	3	1	1	1	2	4	4	10	1	16·6	2·3	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† The recent extension of these boroughs will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2656	2414	2599	2367	2321	1980	2480	2381	2405	2550	2549·1	2159
Males . .	1398	1242	1307	1180	1202	1009	1264	1237	1199	1280	1300·0	1081
Females .	1258	1172	1292	1187	1119	971	1216	1144	1206	1270	1249·1	1078
TOTAL **Deaths**	1544	1618	1705	1352	1448	1527	1715	1451	2235	1347	1682·5	1455
Males . .	815	812	846	685	729	767	850	735	1150	700	853·7	745
Females .	729	806	859	667	719	760	865	716	1085	647	823·8	710

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
TOTAL **Births** - -	2486	2557	2541	2618	2447	2622	2629	2447	2693	2525	2576	2596	2159
TOTAL **Deaths** - -	1358	1298	1346	1532	1342	1435	1518	1470	1789	1790	1510	1488	1455
Ages at Death: Under 1 year -	420	381	425	443	383	394	421	410	412	392	325	341	332
1—5 years -	199	200	163	220	180	213	238	221	280	303	285	295	296
5—20 „ -	78	98	91	100	76	78	108	94	140	104	96	103	82
20—40 „ -	171	156	174	190	184	193	189	180	226	235	191	177	182
40—60 „ -	227	228	261	279	261	261	256	262	328	312	259	251	250
60—80 „ -	280	192	188	259	212	237	255	251	320	366	290	260	255
80 years & upwards	33	43	44	41	46	59	51	52	83	78	64	61	58
Deaths from—													
Small-pox - - - -	5	2	2	2	1	2	1	1	1	1	-	-	1
Measles - - - -	40	28	24	27	15	34	42	48	75	97	77	103	100
Scarlet fever - - -	20	19	13	24	22	25	23	19	23	19	14	27	17
Diphtheria - - -	38	55	37	56	44	56	76	61	72	75	61	69	63
Whooping-cough - -	17	14	21	25	14	10	15	20	11	14	21	20	19
Typhus - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-
Enteric fever - - -	21	16	21	11	22	22	19	20	16	24	23	12	21
Simple Continued fever -	-	-	1	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Dysentery -	129	107	109	107	102	87	62	45	36	20	25	22	14
Cholera - - - -	1	1	1	4	3	-	-	-	-	-	1	-	-
All the above Diseases	271	242	229	256	223	236	239	214	235	250	222	254	235
Dis. of Respiratory System	134	123	141	173	158	175	215	235	366	447	340	327	285
Phthisis - - - -	124	122	144	140	152	153	168	156	173	159	149	130	135
Dis. of Circulatory System	97	104	101	121	102	125	111	117	178	154	105	126	116
Violence - - - -	48	67	62	72	77	52	72	59	65	70	73	72	65
Inquest Cases - - -	103	116	118	137	159	120	141	127	163	151	156	141	135
Deaths in Public Institutions	412	378	387	464	400	412	427	416	513	496	419	412	364
TEMPERATURE OF THE AIR													
Mean - - - -	65°·1	60°·7	56°·9	65°·6	56°·5	50°·7	49°·4	40°·4	39°·9	50°·8	50°·4	45°·5	43°·4
Mean of Highest readings -	78°·8	71°·8	68°·8	81°·8	68°·5	57°·0	57°·8	46°·4	47°·5	56°·3	56°·9	50°·6	46°·8
Mean of Lowest readings -	53°·7	51°·4	46°·8	52°·4	46°·2	45°·8	42°·1	34°·4	33°·0	45°·3	43°·5	39°·8	38°·7
Humidity of the Air - -	73	75	81	71	77	83	85	85	87	91	80	88	89
Rain-fall (in inches) - -	0·82	0·09	0·03	0·00	0·49	1·45	0·15	0·45	0·16	1·09	0·87	0·28	0·65
Registered Sunshine (in hours)	54·3	39·4	30·5	56·1	32·5	7·9	11·7	10·0	12·0	4·8	21·2	12·5	0·7
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	328	307	271	234	198	158	119	114	106	78	86	89	79
Scarlet fever - - - -	2600	2674	2732	2807	2802	2827	2838	2833	2841	2847	2845	2807	2799
Diphtheria - - - -	662	663	665	673	672	659	667	675	671	683	678	688	691
Enteric fever - - - -	118	120	109	117	124	125	115	129	123	118	125	121	125

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-EIGHTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 48th Week of the 10 years 1885–94.*	In the Week ending Saturday, 30th November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES	1682·5	1455	332	296	82	182	250	255	58
Small-pox: Vaccinated†	0·2	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	-	1	1	-	-	-	-	-	-
Small-pox: No Statement	0·1	-	-	-	-	-	-	-	-
Measles	58·8	100	16	80	4	-	-	-	-
Scarlet Fever	27·2	17	-	14	2	1	-	-	-
Typhus	0·2	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	10·8	11	2	1	1	2	3	1	1
Hooping-cough	40·3	19	5	14	-	-	-	-	-
Diphtheria	38·5	63	3	43	14	2	1	-	-
Typhus Continued and Ill-defined Fever	0·8	-	-	-	-	-	-	-	-
Enteric Fever	16·1	21	-	1	2	15	1	2	-
Cholera and Chol. Diarr.	0·4	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	16·3	14	7	4	-	-	-	2	1
Intermittent Fever	0·1	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·7	-	-	-	-	-	-	-	-
Puerperal Affections	10·9	11	7	1	-	-	2	1	-
Erysipelas	7·7	5	1	-	-	1	1	2	-
Pyæmia and Septicæmia	3·2	2	-	-	-	1	-	1	-
Puerperal Fever	6·1	5	-	-	1	4	-	-	-
Other Zymotic Diseases	2·3	1	-	1	-	-	-	-	-
Thrush	1·4	-	-	-	-	-	-	-	-
Syphilis and other Parasitical Diseases	-	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	2·3	2	2	-	-	-	-	-	-
Alcoholism	5·5	11	-	-	-	1	9	1	-
Rheumatic Fever, Rheumatism of Heart	9·1	2	-	-	2	-	-	-	-
Rheumatism	1·9	1	-	-	-	-	-	1	-
Gout	3·6	2	-	-	-	1	-	1	-
Rickets	3·8	2	-	2	-	-	-	-	-
Cancer	62·3	55	-	-	-	2	30	23	-
Tabes Mesenterica	17·5	12	4	5	1	2	-	-	-
Tubercular Meningitis	20·6	16	5	6	4	1	-	-	-
Phthisis	159·2	135	1	3	8	57	58	8	-
Scrofula, Tuberculosis	15·7	22	5	6	8	2	1	-	-
Other Constitutional Diseases	13·0	14	-	-	4	3	4	3	-
Premature Birth	43·4	50	50	-	-	-	-	-	-
Atelectasis	3·1	4	4	-	-	-	-	-	-
Congenital Malformations	9·1	7	7	-	-	-	-	-	-
Old Age	51·4	32	-	-	-	-	-	14	18
Apoplexy	42·4	43	2	-	-	4	10	21	6
Epilepsy	7·4	4	-	-	2	1	-	-	1
Convulsions	43·8	36	25	10	1	-	-	-	-
Other Diseases of Brain and Nervous System	85·2	55	9	9	-	4	15	15	3

CAUSES OF DEATH.	Corrected Averages for the 48th Week of the 10 years 1885–94.*	In the Week ending Saturday, 30th November 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense	4·0	5	1	2	1	1	-	-	-
Diseases of Circulatory System	134·7	116	3	1	5	20	34	47	6
Croup	9·1	6	3	2	1	-	-	-	-
Bronchitis	257·6	151	56	27	-	7	14	37	10
Pneumonia	125·5	100	21	35	7	3	17	14	3
Pleurisy	6·0	7	-	3	1	1	-	2	-
Other Diseases of Respiratory System	32·3	21	7	3	1	3	1	4	2
Dentition	9·2	8	6	2	-	-	-	-	-
Quinsy, Sore Throat	1·6	-	-	-	-	-	-	-	-
Enteritis	9·2	9	5	3	-	-	1	-	-
Peritonitis	8·1	8	-	1	1	1	2	1	2
Diseases of Liver	26·8	25	-	-	-	3	12	10	-
Other Diseases of Digestive System	28·7	40	3	1	4	6	7	13	1
Diseases of Lymphatic System & of Ductless Glands	2·3	1	1	-	-	-	-	-	-
Diseases of Urinary System	42·5	46	1	1	3	8	13	20	-
Diseases of Generative System	5·8	3	-	-	-	3	-	-	-
Accidents of Childbirth	4·4	4	-	-	-	4	-	-	-
Diseases of Locomotive System	8·4	7	3	1	1	2	-	-	-
Diseases of Integumentary System	6·1	10	4	1	-	1	1	1	2
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways	51·4	3	-	-	-	2	1	-	-
By Vehicles or Horses		7	-	1	-	1	2	2	1
In Ships, Boats, Docks (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		-	-	-	-	-	-	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		9	3	3	1	-	-	2	-
By Drowning		4	-	-	-	2	2	-	-
By Suffocation in Bed		13	12	1	-	-	-	-	-
By Poisons or Poisonous Vapours		1	-	-	-	1	-	-	-
Other or not stated Causes		17	2	4	2	4	3	2	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·9	1	1	-	-	-	-	-	-
Suicide	7·0	10	-	-	-	5	4	1	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	57·5	48	39	4	-	-	1	3	1

* The numbers in this column are the average weekly deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCA during the Week e

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - -	4,211,743	2159	1455	332	313	1	100	17	63	19	-	21	-	14	65	135	364
WEST DISTRICTS - - - -	740,735	316	271	58	64	-	13	3	13	5	-	6	-	3	14	26	76
NORTH DISTRICTS - - - -	993,884	498	309	69	74	-	16	5	11	6	-	7	-	3	14	28	81
CENTRAL DISTRICTS - - -	247,538	92	107	18	24	-	12	-	4	1	-	3	-	1	2	9	40
EAST DISTRICTS - - - -	705,114	419	267	64	55	-	9	1	13	3	-	3	-	1	18	40	65
SOUTH DISTRICTS - - - -	1,524,472	834	483	122	92	-	50	7	22	4	-	2	-	6	17	32	84
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON * - - - -	—	-	18	1	4	1	-	1	-		-	-		-	-	-	18
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G.J. & W.M.	84159	51	23	3	9	-	-	-	1	-	-	-	-	-	1	1	5
St. John Paddington *H* - - G.J.	33687	7	18	-	8	-	-	-	-	-	-	-	-	-	1	2	9
Kensington Town *Ww* - - W.M.	118751	47	37	7	9	-	1	-	-	1	-	-	-	1	1	3	17
Brompton *H* - - - W.M. & C.	47557	8	8	1	3	-	-	-	1	-	-	1	-	-	-	-	1
St. Peter Hammersmith - - W.M.	8838	3	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Paul Hammersmith *H* W.M. & G.J	88853	39	39	7	5	-	4	1	1	3	-	1	-	-	2	4	4
Fulham *Ww* - - - W.M. & C	91639	60	53	18	7	-	3	1	8	1	-	1	-	1	1	4	15
Chelsea Kensal Town - - - C.	21787	14	7	1	2	-	-	-	-	-	-	1	-	-	2	2	-
Chelsea North *WHHHH* - - C.	41637	21	22	4	6	-	-	-	-	-	-	-	-	-	-	1	9
Chelsea South *HH* - - - C.	32829	12	10	2	1	-	1	-	1	-	-	2	-	-	-	-	2
May Fair *WH* - - - - G.J.	23733	5	7	-	3	-	-	-	-	-	-	-	-	-	2	2	4
Belgrave *WHHH* - - - - C.	54831	15	20	2	5	-	2	1	1	-	-	-	-	1	3	3	7
St. John Westminster *HH* - C.	34106	15	10	7	-	-	1	-	-	-	-	-	-	-	-	2	-
St. Margaret Westminster *H* - C.	21668	6	6	2	3	-	-	-	-	-	-	-	-	-	1	1	2
St. James Westminster *WHHH* N.R. & G.J.	24995	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHHH* - - N.R.	12317	5	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	13	14	2	5	-	1	-	-	-	-	1		-	3	3	5
Rectory Marylebone *WH* G.J. & W.M.	20024	9	3	2	-	-	-	-	-	-	-	-		-	-	-	1
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	20	2	-	-	-	-	-	-	-	-	-		-	-	-	2
Christchurch Marylebone *HH* - W.M.	33327	15	2	-	-	-	-	-	-	-	-	-		-	-	-	-
St. John Marylebone *HH* - - W.M.	32101	13	6	2	-	-	-	-	-	1	-	-		-	-	1	-
Hampstead *WwHHHHH* N.R. & W.M.	68416	18	15	-	3	-	-	2	3		-	1	-	-	1	1	8
Regent's Park Pancras *HH* - W.M.	36590	15	8	3	3	-	-	-	-	-	-	-		-	-	-	-
Tottenham-court *wHHH* N.R. & W.M	26321	8	14	1	3	-	1	-	-	-	-	-		-	-	-	10
Gray's Inn Lane *HHH* - - N.R.	27455	17	8	1	1	-	-	-	-	-	-	-		-	2	3	4
Somers Town *HH* - - - N.R.	32829	17	13	1	1	-	6	-	-	1	-	1		-	-	1	4
Camden Town *WH* - - - N.R.	15419	13	9	2	1	-	2	-	-	-	-	-		-	-	1	1
Kentish Town *WW* - - - N.R.	95765	43	29	5	6	-	2	-	3	-	-	-		1	-	-	5
Upper Holloway *WWWwHHH* - N.R.	90235	43	40	6	13	-	-	-	-	-	-	-		-	4	6	20
Islington South-west *H* - - N.R.	105557	61	31	12	4	-	2	-	1	-	-	-		-	1	1	-
Islington South-east - - - N.R.	64158	38	17	5	7	-	-	-	-	-	-	-		-	-	1	-
Highbury *HH* - - - - N.R.	59198	30	9	2	3	-	-	-	-	-	-	-		-	-	-	1
Stoke Newington *H* - - - N.R.	30936	9	7	-	6	-	-	-	-	-	-	-		-	-	1	-
Stamford Hill - - - - E.L.	17759	6	5	2	3	-	-	-	-	1	-	-		-	-	-	-
West Hackney *H* - - - N.R.	42602	16	12	3	3	-	1	-	-	-	-	1		-	1	1	3
Hackney *WwwH* - - E.L. & N.R.	96486	59	45	11	8	-	-	3	3	3	-	1		1	2	6	17
South Hackney *w* - - - E.L.	41752	35	20	9	4	-	1	-	1	-	-	2		1	-	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	4	4	1	2	-	1	-	-	-	-	-		-	-	-	-
St. Giles South *WH* - - N.R.	13454	10	6	3	-	-	-	-	-	-	-	-		-	-	-	1
St. Giles North *H* - - - N.R.	9633	6	4	1	-	-	-	-	-	-	-	-		-	-	1	1
St. Martin-in-the-Fields *HH* N.R. & C.	14616	-	9	2	2	-	-	-	1	1		1		1	-	1	5
St. Mary-le-Strand *H* - - N.R.	5706	1	1	-	-	-	-	-	-	-		-		-	-	-	-
St. Clement Danes *WH* - - N.R.	7194	3	5	1	-	-	-	-	-	-		1		-	-	-	4
Strand Union Workhouse, Edmonton -	†1037		3	-	2	-	-	-	-	-		-		-	-	-	3
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	13	2	2	-	1		2	-	-	-		-	-	-	10
St. Andrew Eastern *WH* - - N.R.	15343	2	4	1	2	-	-	-	-	-	-	-		-	-	-	-
St. James Clerkenwell - - N.R.	16803	5	1	-	-	-	-	-	-	-	-	-		-	-	1	-
Amwell Clerkenwell - - N.R.	16883	5	11	-	3	-	6	-	-	-	-	-		-	-	-	-
Pentonville - - - - N.R.	17155	7	3	-	1	-	1	-	-	-	-	-		-	-	-	-
Goswell-street - - - N.R.	15375	4	6	1	-	-	2	-	-	-	-	1		-	-	-	-
City-road *HHHL* - - N.R.	29177	27	7	1	1	-	1	-	-	-	-	-		-	-	1	2
Walterose-street - - - N.R.	8278	3	2	1	-	-	-	-	-	-	-	-		-	-	1	-
Finsbury - - - - - N.R.	4985	-	1	-	1	-	-	-	-	-	-	-		-	-	1	-
Holborn Union Workhouse, Mitcham -	†892		1	-	1	-	-		-	-	-	-		-	-	1	1
St. Botolph *H* - - - N.R. & E.L	8944	-	4	2	1	-	-		-	-		-		-	-	-	-
Cripplegate - - - - - N.R.	4539	-	1	-	-	-	-	-	-	-	-	-		-	-	1	-
St. Sepulchre *H* - - - N.R.	4444	3	15	2	3	-	-	-	1	-		-		-	1	1	13
St. Bride *W* - - - - N.R.	6594	1	1	-	1	-	-	-	-	-	-	-		-	-	-	-
Allhallows Barking - - - N.R.	10422	2	5	-	2	-	-	-	-	-	-	-		-	1	1	-
Broad Street *H* - - - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-		-	-	-	-
City of London Asylum, Stone - -	†388		-	-	-	-	-	-	-	-	-	-		-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—W[illegible] house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse. Establish[illegible] receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the diffe[illegible] Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. [illegible]iver; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT rday, 30th November, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20098	15	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
oxton New Town *w* - - - N.R.	29313	15	7	-	3	-	1	1	-	-	-	-	-	-	-	-	1	-
oxton Old Town - - - - N.R.	28354	11	9	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-
aggerston *WH* - - N.R. & E.L.	46244	31	17	3	3	-	1	-	-	-	-	1	-	-	1	1	5	-
ethnal Green North *H* - - E.L.	51520	28	19	5	1	-	-	-	1	1	-	-	-	-	-	2	-	-
ethnal Green South - - - E.L.	33489	20	14	3	2	-	-	-	1	-	-	-	-	-	4	5	-	-
ethnal Green East *WHL** - E.L.	44123	34	23	4	6	-	5	-	3	-	-	-	-	-	-	1	6	-
italfields - - - E. N.R.	26446	12	6	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-
ile End New Town *W* - - E.L.	11303	12	12	1	5	-	-	-	-	-	-	-	-	-	-	1	11	-
hitechapel Church *H** E.L. & N.R.	22913	17	29	5	5	-	-	-	1	-	-	-	-	1	4	7	20	-
oodman's Fields - - - E.L.	13800	7	4	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
. George's, North - - - E.L.	27738	24	10	3	2	-	-	-	1	-	-	-	-	-	-	2	-	-
. John, St. George East *W* - E.L.	8357	6	9	3	1	-	-	-	2	-	-	-	-	-	1	2	4	-
adwell *H* - - - E.L. & N.R.	10246	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
atcliff *W* - - - - - E.L.	14928	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
imehouse - - - - - E.L.	32202	18	11	3	2	-	-	-	1	-	-	1	-	-	1	1	-	-
ile End Old Town West *H* - E.L.	38650	26	7	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town East *W Www* E.L.	68942	33	22	6	5	-	-	-	-	2	-	-	-	-	1	2	2	-
ow *L** - - - - - E.L.	40365	17	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
romley *wwwH* - - - - E.L.	70000	38	35	10	6	-	1	-	2	-	-	1	-	-	2	6	13	-
oplar. *WW* - - - - - E.L.	56383	37	15	2	7	-	-	-	1	-	-	-	-	-	1	3	2	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13364	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
t Saviour Southwark - - - S.	18913	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ent-road - - - - S. & L.	21867	18	11	3	-	-	6	-	-	-	-	-	-	-	-	-	-	-
orough-road *WH* - - S. & L.	16624	7	7	4	-	-	-	-	-	1	-	-	-	-	1	2	2	-
ondon-road *HL* - - L. & S.	21221	15	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
rinity Newington - - S. & L.	26596	25	14	7	2	-	3	-	-	-	-	-	-	-	-	-	-	1
t. Peter Walworth *W* - S. & L.	61342	35	30	4	2	-	8	-	-	-	-	-	-	-	1	1	-	-
t. Mary Newington - - L. & S.	27866	13	17	3	2	-	5	-	1	1	-	-	-	-	1	1	-	-
t. Olave *WH* - - - - S.	12723	7	12	1	2	-	-	-	-	-	-	-	-	1	2	2	11	-
eather Market *W* - - S. & L.	30612	23	11	3	3	-	1	-	1	-	-	-	-	1	-	-	2	-
t. James Bermondsey - - S.	54070	30	19	9	1	-	4	-	1	-	-	-	-	-	1	4	-	-
otherhithe *WwH* - - S. & K.	39255	21	23	4	6	-	3	1	-	-	-	-	-	-	1	1	6	1
Waterloo-road 1st *H* - - L. & S.	14031	13	7	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-
Waterloo-road 2nd *H* - - L. & S.	14644	16	7	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - - L. & S.	18075	15	9	-	-	-	-	-	1	-	-	-	-	-	4	5	8	-
Lambeth Church 2nd *WW* - L. & S.	39097	26	17	3	4	-	1	-	-	-	-	-	-	-	-	-	7	-
Kennington 1st *H* - - S. & L.	50586	25	14	2	5	-	2	-	-	-	-	-	-	-	-	1	-	-
Kennington 2nd - - - S. & L.	39708	15	9	3	1	-	-	1	1	-	-	-	-	-	1	2	-	-
Brixton *w* - - - - L. & S.	73405	30	16	4	6	-	1	1	2	-	-	-	-	-	1	1	4	-
Norwood *WH* - - - - L.	25657	11	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea - - - - S.	67244	46	14	4	2	-	-	-	-	1	-	-	-	-	-	1	-	1
West Battersea *WwH* - - S.	83314	33	23	6	5	-	1	-	1	-	-	-	-	-	1	1	4	-
Clapham *H* - - - - - S.	43698	22	7	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Wandsworth *WHHL* - - - S.	46717	30	18	7	4	-	-	-	-	-	-	1	-	-	-	-	1	-
Putney - - - - - - S.	17771	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *www* - - - - L.	48756	16	9	-	3	-	-	-	3	-	-	1	-	-	-	-	3	-
Dulwich - - - - L. & S.	6809	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - - S. & L.	81686	39	31	3	11	-	1	-	-	-	-	-	-	-	-	2	19	1
Peckham *W* - - - S., L., & K.	83488	40	23	6	3	-	2	-	1	1	-	-	-	-	-	1	-	2
St. George Camberwell - - L. & S.	63366	50	22	7	4	-	9	-	-	-	-	-	-	2	-	-	-	2
Deptford, North - - - - K.	35314	25	15	4	-	-	-	-	3	-	-	-	-	-	1	1	-	-
Deptford, Central *w* - - - K.	42007	27	14	5	1	-	-	2	2	-	-	-	-	-	-	-	2	1
Deptford, South - - - - K.	30852	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - - K.	22007	8	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2
Greenwich East *WH* - - - K.	35233	16	10	2	3	-	-	-	-	-	-	-	-	-	-	-	5	1
Eltham *wH* - - - - - K.	5682	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	23541	7	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WH* - - - - K.	30950	13	8	1	1	-	-	1	-	-	-	-	-	-	1	1	3	-
Sydenham *H* - - - - L.	34162	13	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *HH* - - - - K	14040	9	6	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Woolwich Dockyard - - - K.	19606	10	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Woolwich Arsenal *HH H* - K.	21242	16	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, West *H* - - - K	15869	9	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead, East *WH* - - - K	36567	27	16	4	2	-	1	-	-	-	-	-	-	-	-	1	4	-
Banstead Asylum - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Caterham Asylum - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - - -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Hospital Ships and Camp, Dartford -	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell Asylum - - - - -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - - - -	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Leavesden Asylum - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury Asylum - - - - -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week end Saturday, 30th November 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	788	395	100	103	2	7	4	10	6	5	4	17	32	50
30 : 1	Carshalton *wHH*	12228	26108	23	4	1	1	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwH*	10423	12508	3	2	-	1	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W*	2754	1593	2	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WwHHH*	20851	128699	63	29	6	10	-	-	-	-	1	-	-	1	2	9
2	Mitcham *w*	11697	23088	13	7	3	1	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH*	3220	25761	6	4	2	2	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH*	8071	44765	20	16	6	3	-	-	-	-	1	-	2	-	2	6
3	Esher, *part of** *HH*	6601	12059	3	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton *H*	4595	18252	3	2	-	1	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WH*	2160	25389	14	0	2	1	-	-	-	-	-	-	-	-	-	3
2	Mortlake *H*	2823	16159			-		-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH*	9127	23815		3	1	1	-	-	-	-	-	-	-	1	1	1
2	Beckenham *H*	6542	21969	8	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislhrst, *pt. of** *WHH*	14307	20372	6	3	-	2	-	-	-	-	-	-	-	-	-	2
43 : 1	Bexley *HH*	12540	30590	18	3	-	1	-	-	-	-	-	-	-	-	-	1
2	Dartford *Work.*, pt. of*-	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w*	11054	13671	10	1	-	-	-	-	-	-	-	-		-	-	-
2	Staines *WH*	13277	13221	7	1	-	-	-	-	-	-	-	-	-	-	-	1
125 : 1	Hillingdon *WHH*	6035	12237	8	5	1	1	-	2	-	-	1	-	-	-	-	-
2	Uxbridge	6172	5417	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	14537	15618	12	3	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH*	6067	26273	9	8	-	4	-	-	1	-	-	1	-	-	-	2
2	Twickenham *HH*	2415	16027	4	3	-	2	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH*	4318	37777	16	12	3	5	-	-	-	-		-	-	1	2	-
4	Chiswick	1245	21963	9	4	2	2	-	-	-	-	-	-	-	1	1	-
5	Acton *wH*	6132	30945	20	9	3	1	-	-	-	-	-	-	-	1	1	-
127 : 1	Harrow *HHH*	13809	15715	8	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6994	3844	2	-	-	-	-	-	-	-	-	-	-		-	-
3	Willesden *HHH*	4383	61265	31	19	7	6	-	-	-	1	-	-	-	1	2	1
4	Hendon *WH*	8382	15843	7	3	-	2	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms *H*	15599	8474	3	3	-	1	-	-	-	-	-	-	-	1	1	-
2	Barnet *WHH*	5441	11778	8	3	-	-	-	-	-	-	-	-	-	-	-	1
3	Finchley *HHH*	4688	25820	8	4	1	-	-	-	-	-	2	-	-	-	-	-
129 : 1	Hornsey *HH*	3039	61097	26	20	9	3	-	1	-	-	-	-	1	-	2	-
2	Tottenham *H*	4642	97174	55	30	9	6	-	3	-	1	-	-	-	3	9	1
3	Edmonton *Www*	7489	36351	20	6	1	2	-	-	-	-	-	-	-	1	2	3
4	Enfield *WWHH*	12639	31803	15	8	2	3	-	-	-	-	-	-	-	-	-	2
5	Waltham Abbey	11017	6066	9	1	-	1	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8480	9620	6	5	2	1	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9331	7737	1	3	-	2	-	-	-	1	-	-	-	-	-	-
2	Watford *Work.*, pt. of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1100	42983	34	21	8	2	-	-	-	2	-	-	-	2	2	2
2	Plaistow	1242	58030	46	19	4	5	-	-	-	-	1	-	-	-	-	3
3	Canning Town *H*	1558	54750	40	18	1	4	-	-	1	-	-	1	-	2	4	-
4	Forest Gate *w*	806	49140	36	18	6	6	-	-	-	1	-	1	-	-	-	-
5	East Ham *wH*	3266	32713	27	14	4	3	-	1	-	-	-	1	-	-	-	-
6	Leyton *WWWwH*	4334	70188	44	31	7	11	-	-	2	2	-	-	1	-	-	7
7	Walthamstow *HL*	6501	57330	31	19	6	2	-	-	-	2	-	-	-	-	-	-
187 : 1	Chigwell, *part of** *H*	11779	12941	7	3	-	-	-	-	-	-	-	-	-	1	1	1
2	Epping *Work.* pt. of*	—	—	-	1	-	1	-	-	-	-	-	-	-	-		1
189 : 1	Romford *part of** *WH*	6556	4324	2	3	1	1	-	-	-	-	-	1	-	1	-	-
2	Ilford	8493	10913	14	6	1	2	-	-	-	-	-	-	-	-	-	-
3	Barking Town *H*	3814	14301	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	Rotherhithe, S. Wharf Shelter.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1
	Hospital Ship "Atlas"	—	—	-	1	-	-	1	-	4	-	-	-	-	-	-	1
	Cane Hill Asylum	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts.

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 30th November, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
ATER LONDON	443,421	6,048,555	15·9	2·4	1850	432	419	3	107	21	73	25	26	18	82	414
NNER LONDON -	74,672	4,392,346	17·3	2·8	1455	332	313	1	100	17	63	19	21	14	65	364
UTER RING -	368,749	1,656,209	12·4	1·2	395	100	103	2	7	4	10	6	5	4	17	50

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	November 30	145	92	17·5	–	–	4	1	–	2	–
ASGOW - -	695,876	„ 30	374	219	16·4	–	–	3	1	9	2	5
BLIN - -	349,594	„ 30	166	168	25·1	–	1	1	1	2	4	1
LCUTTA - -	466,460	October 5	–	251	28·0	–	–	–	1	–	110	39†
MBAY - -	821,764	November 12	301	429	27·1	2	–	?	?	?	111	35†
DRAS - -	452,518	„ 1	461	356	40·9	–	4	?	?	?	117	55
RIS - - -	2,424,705	„ 23	956	871	18·7	–	14	5	5*	3	6	42
USSELS - -	507,985	„ 23	207	163	16·7	–	1	–	2*	–	2	23
STERDAM -	451,493	„ 23	262	126	14·4	–	–	2	4	3	1	–
TTERDAM -	272,042	„ 23	193	96	18·3	–	–	2	1	7	–	–
E HAGUE -	180,455	„ 23	104	58	16·7	–	–	–	–	1	–	–
PENHAGEN -	341,000	„ 23	183	101	15·4	–	–	1	–	4	–	2
OCKHOLM -	259,304	„ 16	146	75	15·0	–	–	1	3*	–	1	2
RISTIANIA -	174,717	„ 23	34	52	15·5	–	–	2	1	1	1	3
PETERSBURG	954,400	„ 16	649	458	25·0	2	9	6	17	17	20	48
OSCOW - -	753,469	„ 16	–	394	27·3	–	2	12	14	3	9	22
RLIN - -	1,724,544	„ 9	789	588	17·5	1	2	19	26	14	4	27
MBURG - -	608,710	„ 16	396	162	13·8	–	–	3	3*	–	–	2
ESDEN - -	320,600	„ 2	183	120	19·2	–	1	3	4*	2	–	4
ESLAU - -	367,769	„ 23	–	170	24·1	–	–	7	8*	–	1	15
UNICH - -	396,000	„ 23	–	175	23·0	–	4	–	5*	1	–	21
ENNA - -	1,495,764	„ 16	878	532	18·5	–	10	8	23*	3	1	40
AGUE - -	351,478	„ 16	199	137	19·9	–	1	3	2	1	1	2
DA-PESTH -	566,022	„ 16	380	241	22·1	–	10	5	4	–	5	15
IESTE - -	160,825	„ 16	64	81	26·2	–	–	–	13*	–	–	–
ME - -	464,579	October 12	233	165	18·5	–	–	–	2	1	14‡	18
RIN (10 days)	344,203	November 10	185	151	16·0	–	–	–	–	–	6	3
NICE -	158,159	„ 16	–	–	–	–	–	–	–	–	–	–
IRO - -	374,838	„ 4	511	317	44·0	1	–	–	1*	–	4	92
EXANDRIA -	231,396	„ 4	253	139	31·3	–	–	–	2*	2	3	38
EW YORK -	1,860,700	„ 16	–	–	–	–	–	–	–	–	–	–
ROOKLYN -	1,100,000	„ 16	–	358	17·0	–	1	4	24	4	5	7
HILADELPHIA	1,163,864	„ 16	–	390	17·5	–	2	1	32	1	5	5
EW ORLEANS -	275,000	November 2	–	152	28·8	1	–	–	2	–	10	13

* Including deaths from croup.
† Including 15 deaths from cholera in Calcutta, and 14 in Bombay.
‡ Including 7 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 30TH NOVEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
Nov.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	24	First Qr.	30·048	42·7	36·3	6·4	39·6	− 2·5	33·9	5·7	10·1	0·0	80	57·3	32·4	49·42	NE.	NE. & ENE.	14·0	0·0	2·6	746	+448	0·00	1·0
MONDAY	25	Apogee.	30·030	43·2	40·6	2·6	42·3	+ 0·3	37·2	5·1	5·7	3·5	82	46·7	40·0	49·00	ENE.	ENE. & E.	12·0	0·0	2·1	660	+363	0·00	3·8
TUESDAY	26	In Equator.	29·960	41·5	32·5	9·0	36·9	− 5·0	31·6	5·3	9·0	0·8	81	75·3	26·9	48·68	E. & ESE.	ESE. & S.	3·5	0·0	0·3	260	− 36	0·00	2·2
WEDNESDAY	27	..	29·790	46·2	32·8	13·4	41·6	0·0	40·9	0·7	1·3	0·0	97	46·2	26·7	48·31	E. & ESE.	ESE.	0·3	0·0	0·0	111	−185	0·09	0·0
THURSDAY	28	..	29·655	50·1	37·5	12·6	44·6	+ 3·3	44·4	0·2	1·0	0·0	99	50·8	32·0	47·94	E. ESE. & SE.	SE. & S.	0·3	0·0	0·0	133	−164	0·33	0·2
FRIDAY	29	..	29·477	51·9	48·7	3·2	50·6	+ 9·6	49·4	1·2	1·8	0·0	96	51·9	43·0	47·80	S. & SSE.	SSE. & S.	1·5	0·0	0·1	223	− 75	0·22	0·8
SATURDAY	30	..	29·560	51·7	42·5	9·2	48·2	+ 7·5	45·7	2·5	3·8	0·6	91	52·5	36·5	48·00	SSW. SW. & WSW.	WNW.	3·2	0·0	0·4	377	+ 78	0·01	0·0
MEANS		..	29·789	46·8	38·7	8·1	43·4	+ 1·9	40·4	3·0	4·7	0·7	89	54·4	33·9	48·45	NE. & SE.		..	..	..	Sum 2510	Sum + 429	Sum 0·65	1·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	24	m. P. till afternoon; v. P. at night.	0·1	8·4	Cloudless and fine in early morning; partially cloudy till 10h. A.M.; overcast afterwards. Windy throughout.
MONDAY	25	w. P. till 4h. A.M.; m. P. afterwards.	0·0	8·3	Overcast; bleak wind till afternoon.
TUESDAY	26	w. P. in morning; s. P. afterwards.	0·6	8·3	Generally cloudy till afternoon; cloudless with slight exceptions afterwards. Slight fog and hoar frost at night.
WEDNESDAY	27	s. P. in morning; v. P. afterwards.	0·0	8·2	Foggy throughout the morning; overcast and showery till evening; cloudless and foggy at night.
THURSDAY	28	v. P. till afternoon; v. N. in evening; w. P. at night.	0·0	8·2	Foggy throughout the morning; overcast with rain afterwards.
FRIDAY	29	w. P. in morning; v. P. and v. N. afterwards.	0·0	8·2	Overcast. Frequent rain.
SATURDAY	30	w. P. and occasionally w. N. in morning; v. P. afterwards.	0·0	8·1	Overcast with occasional slight rain till afternoon; cloudless and very fine at night. Lunar halo.
			Sum 0·7	Sum 57·7	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending1 868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the bservations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 in. at the beginning of the week to 30·08 in. by 10h. A.M. on the 24th; decreased to 29·41 in. by 9h. A.M. on the 29th; and increased to 29·76 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 49. 1895. VOL. LVI.] WEEK ENDING SATURDAY, DECEMBER 7. [Price 1½*d.*

General Register Office, Somerset House,
December 9th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	TOWNS.	Weeks ending Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
Birkenhead	18·4	24·7	18·4	20·4	Liverpool - -	30·8	27·2	23·3	28·9
Birmingham	20·2	19·8	19·5	18·4	London - -	17·9	17·7	17·3	17·3
Blackburn -	32·3	32·3	29·0	23·7	Manchester -	22·0	23·0	21·0	23·5
Bolton -	26·2	17·9	16·6	18·4	Newcastle-on-Tyne	18·6	20·1	16·6	15·4
Bradford -	18·9	17·0	13·1	16·1	Norwich - -	15·6	13·1	14·1	19·0
Brighton -	12·2	12·6	12·2	11·3	Nottingham -	20·9	16·1	17·0	14·3
Bristol -	19·4	14·9	18·7	17·6	Oldham - -	21·8	26·2	23·3	19·2
Burnley -	21·5	23·0	14·1	14·7	Plymouth - -	14·6	18·1	18·7	15·2
Cardiff -	18·4	19·1	14·7	14·1	Portsmouth -	14·9	16·7	12·5	15·5
Croydon -	15·0	13·2	11·3	10·0	Preston - -	20·8	15·7	22·7	13·4
Derby -	12·5	17·2	14·6	10·9	Salford - -	25·0	27·3	23·3	27·3
Gateshead -	22·8	17·4	14·1	17·4	Sheffield - -	15·7	21·9	19·8	16·1
Halifax -	15·6	17·8	15·6	17·8	Sunderland -	20·1	15·1	18·2	14·0
Huddersfield	10·0	18·9	18·3	12·6	Swansea - -	22·0	22·6	17·7	16·1
Hull - -	17·3	17·8	16·4	17·1	West Ham - -	15·0	16·3	17·1	15·7
Leeds -	16·5	17·7	18·3	18·2	Wolverhampton -	23·7	23·1	20·7	20·7
Leicester -	13·2	16·1	14·3	15·3					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Birmingham and in Norwich, 1·2 in London and in Wolverhampton, 2·0 in Liverpool, 2·1 in Manchester, 3·7 in Oldham, 4·3 in Salford, and 4·5 in Blackburn; from *scarlet fever*, 1·1 in Gateshead and 1·2 in Wolverhampton; from *whooping-cough*, 1·2 in Bradford; from "*fever*," 1·0 in West Ham, in Norwich, in Birkenhead, and in Newcastle-on-Tyne; and from *diarrhœa*, 1·0 in Burnley. The 109 deaths from *diphtheria* included 69 in London, 5 in Liverpool, 4 in Wolverhampton, 4 in Birmingham, 4 in Manchester, 3 in West Ham, and 3 in Norwich. Two deaths from *small-pox* were registered belonging to West Ham, one to London, and one to Oldham, but not one belonging to any other of the thirty-three towns.

LONDON.

In LONDON† 2373 BIRTHS and 1459 DEATHS were registered. Allowing for increase of population, the births were 212, and the deaths 309, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

per 1000 from all causes, which had been 17·9, 17·7, and 17·3 in the preceding three weeks, was again 17·3 last week. During the four weeks ending on Saturday last the death-rate averaged 17·6 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1459 deaths included 1 from small-pox, 105 from measles, 19 from scarlet fever, 69 from diphtheria, 30 from whooping-cough, 16 from enteric fever, 1 from an ill-defined form of continued fever, 9 from diarrhœa and dysentery, and not one death from typhus or from cholera; thus, 250 deaths were referred to these diseases, being 43 above the corrected average weekly number.

The death from *small-pox* was that of an infant, aged 5 months, who had been removed from Creek Road, Deptford, to the hospital ship "Atlas." The deaths from *measles*, which had been 77, 103, and 100 in the preceding three weeks, rose again last week to 105, exceeding the corrected average by 42; 12 cases belonged to St. Pancras, 12 to Bermondsey, 11 to Clerkenwell, 9 to Camberwell, 8 to Newington, 6 to Bethnal Green, and 6 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 14, 27, and 17 in the preceding three weeks, rose again last week to 19, but were 6 below the corrected average; 3 cases belonged to Whitechapel sanitary area. The deaths from *diphtheria*, which had been 61, 69, and 63 in the preceding three weeks, rose again last week to 69, exceeding the corrected average by 25; 8 cases belonged to Greenwich, 6 to Lambeth, 5 to Islington, 5 to Hackney, 4 to Clerkenwell, and 4 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 21, 20, and 19 in the preceding three weeks, rose last week to 30, but were 11 below the corrected average; 4 cases belonged to Chelsea, 4 to Camberwell, 3 to Hammersmith, and 3 to Fulham sanitary areas. The fatal cases of *enteric fever*, which had been 23, 12, and 21 in the preceding three weeks, fell again last week to 16, the corrected average being 18; 3 cases belonged to Hackney, 2 to Islington, and 2 to Poplar sanitary areas. The deaths from *diarrhœa*, which had been 25, 22, and 14 in the preceding three weeks, further fell last week to 9, and were 5 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 340, 327, and 285 in the preceding three weeks, further fell last week to 264, and were 194 below the corrected average.

The deaths attributed directly to *influenza* numbered 11, having been 11, 15, and 11 in the preceding three weeks.

The death of a master stationer, aged 57 years, was certified as due to *anthrax*.

Different forms of violence caused 55 deaths, concerning all but one of which inquests were held. Of these 55 deaths, 7 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 3 to drowning, and 18 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 87 cases of small-pox, 2805 of scarlet fever, 694 of diphtheria, and 129 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 18 cases, against 23, 20, and 9; of scarlet fever, 312 cases, against 298, 296, and 325; of diphtheria, 114 cases, against 104, 103, and 86; and of enteric fever, 26 cases, against 20, 16, and 22.

Greater London.

In Greater London 3273 births and 1837 deaths were registered, corresponding to annual rates of 28·2 and 15·8 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 13 from diphtheria, 9 from whooping-cough, and 10 from "fever" were registered. Four cases of diphtheria belonged to Edmonton district, and 4 to West Ham district; 7 deaths from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 44°·2, the latter being 3°·3 above the week's average in the 50 years 1841–90. The direction of the wind was South-Westerly, the horizontal movement of the air being 80 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·1 hours; the measured rainfall amounted to 0·20 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

Table 1.—33 GREAT TOWNS.—Births, Deaths, and Meteorology, during the Week ending 7th December, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 7th Dec., 1895. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5785	3644	908	749	4	207	54	109	80	66	41	131	276	735	58	17·9	2·8	56·4	28·9	43·2	6·22	0·48	1·22	33 Towns.
London	4,392,346	2373	1459	338	305	1	105	19	69	30	17	9	55	131	403	8	17·3	3·0	56·0	33·8	44·2	6·78	0·20	0·51	London.
West Ham	249,473	154	75	17	10	2	1	1	3	–	5	1	3	4	7	2	15·7	2·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	49	22	6	7	–	–	–	–	–	–	–	–	–	5	–	10·0	–	56·0	31·8	43·5	6·39	0·14	0·36	Croydon.
Brighton	119,604	54	26	7	7	–	–	–	1	–	2	–	–	–	5	–	11·3	1·3	53·4	35·4	45·2	7·33	0·21	0·53	Brighton.
Portsmouth	174,751	108	52	16	14	–	–	–	–	1	1	2	1	4	8	–	15·5	1·2	–	–	–	–	–	–	Portsmouth.
Plymouth	89,096	37	26	6	11	–	–	–	–	–	1	1	1	2	1	–	15·2	1·2	–	–	–	–	–	–	Plymouth.
Bristol †	228,139	121	77	17	19	–	–	1	2	1	–	2	5	8	16	3	17·6	1·4	53·0	32·0	43·2	6·22	0·32	0·81	Bristol.
Cardiff	155,637	110	42	15	10	–	–	–	2	2	1	1	4	5	8	3	14·1	2·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	58	30	9	4	–	1	–	–	–	–	–	1	2	1	1	16·1	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	54	34	13	7	–	2	2	4	–	–	–	1	1	–	1	20·7	4·9	54·1	28·9	42·4	5·78	0·38	0·97	Wolverhampton.
Birmingham	496,751	275	175	48	32	–	10	7	4	2	1	3	7	6	26	5	18·4	2·8	–	–	–	–	–	–	Birmingham.
Norwich	107,127	72	39	13	6	–	2	–	3	1	2	–	2	3	5	–	19·0	3·9	56·4	32·8	42·5	5·83	0·20	0·51	Norwich.
Leicester	193,839	118	57	18	11	–	2	–	2	3	2	–	1	4	9	2	15·3	2·4	–	–	–	–	–	–	Leicester.
Nottingham	226,658	96	62	20	19	–	–	–	–	–	3	1	1	6	9	2	14·3	0·9	54·1	31·3	42·2	5·67	0·38	0·97	Nottingham.
Derby	100,272	52	21	5	5	–	–	–	–	–	–	–	–	2	2	–	10·9	–	–	–	–	–	–	–	Derby.
Birkenhead	107,469	54	42	8	8	–	–	1	2	–	2	–	1	2	7	–	20·4	2·4	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	314	279	76	49	–	19	3	5	9	4	8	7	15	67	12	28·9	5·0	53·6	34·8	44·1	6·72	0·81	2·06	Liverpool.
Bolton	119,337	56	42	6	8	–	–	1	–	2	2	–	3	4	5	–	18·4	2·2	–	–	–	–	–	–	Bolton.
Manchester	524,865	292	237	45	45	–	21	8	4	5	4	3	9	15	58	2	23·5	4·5	–	–	–	–	–	–	Manchester.
Salford	208,253	138	109	32	14	–	17	4	1	2	2	1	2	5	18	3	27·3	6·8	–	–	–	–	–	–	Salford.
Oldham	141,079	73	52	12	9	1	10	–	1	1	1	–	1	2	5	–	19·2	5·2	–	–	–	–	–	–	Oldham.
Burnley	99,591	50	28	7	2	–	1	–	–	–	–	2	2	2	3	–	14·7	1·6	–	–	–	–	–	–	Burnley.
Blackburn	127,615	59	58	17	14	–	11	–	–	–	1	2	3	4	6	3	23·7	5·7	–	–	–	–	–	–	Blackburn.
Preston	112,638	44	29	11	6	–	–	–	–	–	1	1	2	2	3	2	13·4	0·9	–	–	–	–	–	–	Preston.
Huddersfield	99,482	40	24	4	7	–	–	–	–	–	–	–	–	1	–	–	12·6	–	48·0	30·0	41·2	5·11	0·85	2·16	Huddersfield.
Halifax	93,813	40	32	5	8	–	–	1	–	1	–	–	1	1	3	–	17·8	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	103	70	16	15	–	–	1	1	5	2	1	3	6	7	–	16·1	2·3	51·6	33·8	44·7	7·06	1·39	3·53	Bradford.
Leeds	395,546	203	138	37	31	–	3	2	–	7	3	2	6	15	14	1	18·2	2·2	–	–	–	–	–	–	Leeds.
Sheffield	342,768	218	106	29	21	–	1	–	1	2	3	1	1	2	11	3	16·1	1·2	–	–	–	–	–	–	Sheffield.
Hull	216,722	121	71	18	20	–	–	1	1	1	1	–	3	3	6	4	17·1	1·0	55·0	31·0	41·7	5·39	0·38	0·97	Hull.
Sunderland †	137,705	76	37	10	6	–	–	–	–	1	1	–	2	8	2	1	14·0	0·8	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	62	32	12	7	–	–	2	1	1	–	–	1	3	4	–	17·4	2·2	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	111	61	15	12	–	1	–	2	3	4	–	2	9	11	–	15·4	2·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† The recent extension of these boroughs will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-NINTH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2504	2485	2497	2644	2270	2240	2393	2397	2466	2599	2585·2	2373
Males . .	1257	1270	1237	1367	1139	1144	1244	1214	1246	1315	1315·3	1228
Females .	1247	1215	1260	1277	1131	1096	1149	1153	1220	1284	1269·9	1145
TOTAL **Deaths**	1474	1738	1577	1461	1683	1733	1462	1452	2556	1614	1767·8	1459
Males . .	741	906	781	792	820	901	716	735	1263	808	893·2	738
Females .	733	832	796	669	863	832	746	717	1293	806	874·6	721

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
TOTAL **Births** - -	2557	2541	2618	2447	2622	2629	2447	2693	2525	2576	2596	2159	2373
TOTAL **Deaths** - -	1298	1346	1532	1342	1435	1518	1470	1789	1790	1510	1488	1455	1459
Ages at Death: Under 1 year -	381	425	443	383	394	421	410	412	392	325	341	332	338
1—5 years -	200	163	220	180	213	238	221	280	303	285	295	296	305
5—20 " -	98	91	100	76	78	108	94	140	104	96	103	82	91
20—40 " -	156	174	190	184	193	189	180	226	235	191	177	182	163
40—60 " -	228	261	279	261	261	256	262	328	312	259	251	250	257
60—80 " -	192	188	259	212	237	255	251	320	366	290	260	255	249
80 years & upwards	43	44	41	46	59	51	52	83	78	64	61	58	56
Deaths from—													
Small-pox - - - -	2	2	2	1	2	1	1	1	1	-	-	1	1
Measles - - - -	28	24	27	15	34	42	48	75	97	77	103	100	105
Scarlet fever - - -	19	13	24	22	25	23	19	23	19	14	27	17	19
Diphtheria - - -	55	37	56	44	56	76	61	72	75	61	69	63	69
Whooping-cough - -	14	21	25	14	10	15	20	11	14	21	20	19	30
Typhus - - - -	-	-	-	-	-	1	-	1	-	-	-	-	-
Enteric fever - - -	16	21	11	22	22	19	20	16	24	23	12	21	16
Simple Continued fever -	-	1	-	-	-	-	-	-	-	-	1	-	1
Diarrhœa and Dysentery -	107	109	107	102	87	62	45	36	20	25	22	14	9
Cholera - - - -	1	1	4	3	-	-	-	-	-	1	-	-	-
All the above Diseases -	242	229	256	228	236	239	214	235	250	222	254	235	250
Dis. of Respiratory System	123	141	173	158	175	215	235	366	447	340	327	285	264
Phthisis - - - -	122	144	140	152	153	168	156	173	159	149	130	135	114
Dis. of Circulatory System	104	101	121	102	125	111	117	178	154	105	126	116	112
Violence - - - -	67	62	72	77	52	72	59	65	70	73	72	65	55
Inquest Cases - - -	116	118	137	159	120	141	127	163	151	156	141	134	131
Deaths in Public Institutions	378	387	464	400	412	427	416	513	496	419	412	364	403
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·7	56·9	65·6	56·5	50·7	49·4	40·4	39·9	50·8	50·4	45·5	43·4	44·2
Mean of Highest readings -	71·8	68·8	81·8	68·5	57·0	57·8	46·4	47·5	56·3	56·9	50·6	46·8	48·7
Mean of Lowest readings -	51·4	46·8	52·4	46·2	45·8	42·1	34·4	33·0	45·3	43·5	39·8	38·7	39·0
Humidity of the Air - -	75	81	71	77	83	85	85	87	91	80	88	89	82
Rain-fall (in inches) - -	0·09	0·03	0·00	0·49	1·45	0·15	0·45	0·16	1·09	0·87	0·28	0·65	0·20
Registered Sunshine (in hours)	39·4	30·5	56·1	32·5	7·9	11·7	10·0	12·0	4·8	21·2	12·5	0·7	5·1
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	307	271	234	198	158	119	114	106	78	86	89	79	87
Scarlet fever - - - -	2674	2732	2807	2802	2827	2838	2833	2841	2847	2845	2807	2799	2805
Diphtheria - - - -	663	665	673	672	659	667	675	671	683	678	688	691	694
Enteric fever - - - -	120	109	117	124	125	115	129	123	118	125	121	125	129

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McHandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-NINTH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 49th Week of the 10 years 1885–94.*	In the Week ending Saturday, 7th December 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1767·8	1459	338	305	91	163	257	249	56
Small-pox, Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox, Unvaccinated	0·3	1	1	-	-	-	-	-	-
Small-pox, No Statement	0·1	-	-	-	-	-	-	-	-
Measles - - - -	62·7	105	13	86	6	-	-	-	-
Scarlet Fever - -	25·3	19	2	12	4	1	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	16·4	11	1	-	1	1	5	2	1
Whooping-cough - -	41·2	30	13	16	1	-	-	-	-
Diphtheria - - -	44·4	69	6	44	19	-	-	-	-
Simple Continued and Ill-defined Fever -	0·8	1	-	-	-	-	-	-	1
Enteric Fever - -	17·6	16	-	2	3	9	1	1	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	13·8	9	6	-	-	-	1	2	-
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	-	1	1	-	-	-	-	-	-
Venereal Affections -	9·6	8	6	-	-	1	-	1	-
Erysipelas - - -	8·1	9	2	-	1	-	3	3	-
Pyæmia and Septicæmia	3·0	1	1	-	-	-	-	-	-
Puerperal Fever - -	6·3	4	-	-	1	3	-	-	-
Other Zymotic Diseases	2·2	3	1	-	-	-	1	1	-
Thrush - - - -	1·5	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·4	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	1·5	3	2	-	-	-	1	-	-
Alcoholism - - -	7·6	6	-	-	-	4	1	1	-
Rheumatic Fever, Rheumatism of Heart	8·0	11	-	-	5	4	2	-	-
Rheumatism - -	2·5	2	-	-	-	-	2	-	-
Gout - - - -	3·5	1	-	-	-	-	-	1	-
Rickets - - - -	4·7	2	1	1	-	-	-	-	-
Cancer - - - -	62·2	79	-	1	-	10	31	36	1
Tabes Mesenterica -	20·3	16	10	3	1	2	-	-	-
Tubercular Meningitis -	22·5	21	4	9	6	1	1	-	-
Phthisis - - -	173·2	114	1	4	6	53	46	4	-
Scrofula, Tuberculosis -	18·3	16	-	3	4	1	3	-	-
Other Constitutional Diseases - - -	10·7	12	-		-	-	3	6	-
Premature Birth - -	44·1	55	55	-	-	-	-	-	-
Atelectasis - - -	4·2	2	2	-	-	-	-	-	-
Congenital Malformations - - - -	8·9	6	6	-	-	-	-	-	-
Old Age - - - -	53·5	45	-	-	-	-	-	19	26
Apoplexy - - -	49·6	39	-	-	-	1	17	19	2
Epilepsy - - -	6·4	6	1	1	-	2	2	-	-
Convulsions - - -	45·1	42	35	6	1	-	-	-	-
Other Diseases of Brain and Nervous System	85·8	53	6	12	2	9	11	15	1
Diseases of Organs of Special Sense - -	2·6	3	-	1	2	-	-	-	-
Diseases of Circulatory System - - -	147·3	112	2	-	8	14	39	42	7
Croup - - - -	10·6	1	-	1	-	-	-	-	-
Bronchitis - - -	276·8	137	44	21	1	5	25	33	8
Pneumonia - - -	129·8	101	23	38	4	5	13	12	1
Pleurisy - - - -	6·4	4	-	2	-	1	1	-	-
Other Diseases of Respiratory System - -	34·0	21	5	5	3	1	4	2	1
Dentition - - -	7·9	10	4	6	-	-	-	-	-
Quinsy, Sore Throat -	2·8	2	-	1	1	-	-	-	-
Enteritis - - -	8·5	15	8	4	1	-	1	1	-
Peritonitis - - -	7·6	8	-	-	-	2	1	-	-
Diseases of Liver - -	29·1	33	2	1	-	2	13	14	1
Other Diseases of Digestive System -	29·3	29	3	6	1	2	5	11	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	45·2	39	1	-	4	11	10	11	2
Diseases of Generative System - - -	6·4	6	-	-	-	3	2	1	-
Accidents of Childbirth -	3·9	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	7·8	4	-	-	2	-	1	1	-
Diseases of Integumentary System - -	5·6	6	3	1	-	1	1	-	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - -	53·5	-	-	-	-	-	-	-	-
By Vehicles or Horses -		5	-	-	3	1	1	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	
In Building Operations -		-	-	-		-	-	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		6	-	5	-	-	-	1	-
By Drowning - -		3	-	-	-	1	1	1	-
By Suffocation in Bed -		18	18	-	-	-	-	-	
By Poisons or Poisonous Vapours - - -		1	-	-	-	1	-	-	-
Other or not stated Causes - - - -		15	1	1	-	2	3	5	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	-	-	-	-	-	-	-	-
Suicide - - - -	5·9	7	-	-	-	2	4	1	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·9	50	42	4	-	2	-	2	-

* The numbers in this column are the average weekly Deaths for the ten years 1885–94, raised by 5·541 per cent for increase of population.

† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET
during the Week ending

REGISTRATION SUB-DISTRICTS.	Estimated Population 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON *	4,211,745	2373	1459	338	305	1	105	19	69	30	–	16	1	9	55	131	403	8
WEST DISTRICTS	740,735	347	237	59	51	–	10	1	9	14	–	4	–	2	8	22	74	1
NORTH DISTRICTS	993,884	562	330	82	82	–	23	5	14	2	–	6	1	2	13	28	90	–
CENTRAL DISTRICTS	247,538	110	98	18	15	–	14	1	6	1	–	1	–	1	3	10	29	–
EAST DISTRICTS	705,114	453	267	69	57	–	12	3	12	4	–	2	–	1	17	39	79	–
SOUTH DISTRICTS	1,524,472	901	500	109	90	–	47	6	28	9	–	3	–	3	14	32	104	7
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	27	1	10	1	–	3	–	–	–	–		–	–	–	27	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	45	27	9	2	–	–	–	1	–	–	–	–	1	1	3	3	–
St. John Paddington *H* G.J.	33387	8	10	–	4	–	–	–	–	–	–	1	–	–	–	–	4	
Kensington Town *Ww* W.M.	118751	46	42	10	12	–	2	–	–	–	–	–	–	–	2	3	23	1
Brompton *H* W.M. & C.	47557	14	9	3	1	–	–	–	–	1		–	–	–	–	–	3	–
St. Peter Hammersmith W.M.	8383	7	3	–	–	–	–	–	–	–		–		–	–	1		
St. Paul Hammersmith *H* W.M. & G.J.	88033	40	24	10	5	–	1	–	–	3	–	–	–	–	1	1	–	–
Fulham *Ww* W.M. & C.	91639	80	37	15	6	–	3	1	4	3	–	1	–	–	1	3	12	–
Chelsea Kensal Town C.	21787	10	7	2	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Chelsea North *WHHHH* C.	41637	25	17	2	4	–	–	–	2	1	–	–	–	–	1	1	9	–
Chelsea South *HH* C.	32829	9	7	–	1	–	1	–	–	–	–	–	–	1	–	2	2	–
May Fair *WH* G.J.	23733	3	6	–	3	–	–	–	–	–	–	–	–	–	–	–	5	–
Belgrave *WHHH* C.	54331	25	19	2	4	–	1	–	–	2	–	–	–	–	2	5	5	
St. John Westminster *HH* C.	34106	17	11	1	5	–	2	–		1	–	–	–	–		1	1	
St. Margaret Westminster *H* C.	21668	6	10	2	3	–	–	–	1	–	–	1	–	–	1	2	5	
St. James Westminster *WHHH* N.R. & G.J.	24995	7	4	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
St. Anne Soho *HHHHHH* N.R.	12317	5	4	1	1	–	–	–	1	–	–	–		–	–	–	2	
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* W.M.	37713	12	17	4	2	–	3	–	–	–	–	–		–	1	1	7	
Rectory Marylebone *WH* G.J. & W.M.	20024	6	11	4	3	–	–	–	–	–	–	–			–	–	4	–
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	29	9	4	1	–	–	–	–	–	–	–		–	1	1	3	–
Christchurch Marylebone *HH* W.M.	33327	20	6	3	1	–	–	–	–	1	–	–			–	–	–	–
St. John Marylebone *HH* W.M.	32101	7	9	1	4	–	–	–	–	–	–	–			–	–	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	23	19	–	3	–	–	2	6	–	–	–	1		2	2	9	–
Regent's Park Pancras *HH* W.M.	86590	24	12	5	2	–	–	–	–	–	–	–		–		2	–	–
Tottenham-court *wHHH* N.R. & W.M.	26321	24	22	6	2	–	2	–	–	–	–	–		–	1	3	9	–
Gray's Inn Lane *HHH* N.R.	27455	29	10	4	1	–	1	–	–	–	–	–		–	2	2	4	–
Somers Town *HH* N.R.	32829	14	10	2	–	–	2	–	–	–	–	–		–	1	1	4	–
Camden Town *WH* N.R.	15419	16	14	3	7	–	1	–	–	–	–	–		–	1	3	11	–
Kentish Town *WW* N.R.	95765	43	22	6	5	–	6	–	–	–	–	–		–	–	1	2	–
Upper Holloway *WWWwHHH* N.R.	99235	51	31	3	14	–	–	–	2	–	–	1	–	1	–	–	12	–
Islington South-west *H* N.R.	105557	66	37	6	6	–	3	1	1	–	–	–	–	–	–	2	1	–
Islington South-east N.R.	64158	28	12	4	3	–	–	–	–	–	–	–		1	1	1	–	–
Highbury *HH* N.R.	59193	32	5	–	3	–	–	–	–	–	–	1		–	–	–	–	–
Stoke Newington *H* N.R.	30936	17	7	1	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Stamford Hill E.L.	17759	7	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* N.R.	42302	23	13	4	3	–	–	–	2	–	–	–	–	–	–	1	3	–
Hackney *WwwH* E.L. & N.R.	96486	61	50	16	14	–	2	2	2	1	–	4	–	–	2	6	21	–
South Hackney *w* E.L.	41759	25	8	4	–	–	2	–	1	–	–	–	–	–	1	1	–	
CENTRAL DISTRICTS.																		
St. George Bloomsbury N.R.	16695	5	3	1	1		–	–	–	–	–	–	–	–	–	–	–	
St. Giles South *WH* N.R.	13454	7	4	–	2		–	–	–	–	–	–	–	–	–	1	3	
St. Giles North *H* N.R.	9633	1	2	1	1		–	–	–	–	–	–	–	–	–	–	–	
St. Martin-in-the-Fields *HH* N.R. & C.	14616	4	5	2	–		–	–	–	–	–	1	–		–	2	2	
St. Mary-le-Strand *H* N.R.	5706	3	1	–	–	–	–	–	1	–	–	–			–	–	–	
St. Clement Danes *WH* N.R.	7194	–	5	1	1		–	–	–	–	–	–	–	–	–	–	4	
Strand Union Workhouse, Edmonton –	†1037	–	1	–	1		–	–	–	–	–	–	–	–	–	–	1	
St. Geo.-the-Martyr *HHHHHH* N.R.	17921	9	13	2	1	–	–	–	–	–	–	–	–	–	1	1	8	
St. Andrew Eastern *WH* N.R.	15343	6	6	–	1	–	3	1	–	–	–	–	–	–	–	–	–	
St. James Clerkenwell N.R.	16803	8	5	2	–	–	–	–	–	–	–	–		–	–	–	–	
Amwell Clerkenwell N.R.	16883	10	11	2	–	–	5	–	2	–	–	–		–	–	2	–	
Pentonville N.R.	17155	7	10	1	1	–	5	–	1	–	–	–		–	–	–	–	
Goswell-street N.R.	15375	10	5	–	1	–	1	–	–	–	–	–		–	–	–	–	
City-road *HHHL* N.R.	29177	29	9	4	2		–	–	–	1	–	–	–	1	1	1	–	
Whitecross-street N.R.	8278	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
Finsbury N.R.	4985	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Holborn Union Workhouse, Mitcham –	†892	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
St. Botolph *H* N.R. & E.L.	8944	4	2	–	1	–	–	–	–	–	–	–		–	–	–	–	
Cripplegate N.R.	4539	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
St. Sepulchre *H* N.R.	4444	–	12	–	2	–	–	–	2	–	–	–	–	–	1	3	11	
St. Bride *W* N.R.	6594	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Allhallows Barking N.R.	10422	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Broad Street *H* N.R.	3377	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
City of London Asylum, Stone –	†383	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

NOTE.—The Italic letters placed against the names of the sub districts denote Public Institutions situated therein, namely: *W*—Wor
house; *H*—Hospital; *L*—Lunatic Asylum; *L*s—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishm
receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differ
Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N
River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
rday, 7th December, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
oreditch South *HL** E.L. & N.R.	20998	9	7	1	5	-	1	-	-	-	-	-	-	-	2	2	1	-
oxton New Town *w* - - - N.R.	29313	22	21	3	2	-	1	1	-	1	-	-	-	-	-	4	3	-
oxton Old Town - - - N.R.	28354	12	6	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-
aggerston *WH* - - N.R. & E.L.	46244	37	19	5	1	-	1	-	-	-	-	-	-	-	-	-	10	-
ethnal Green North *H* - - E.L.	51520	30	9	5	-	-	-	-	2	-	-	-	-	-	1	2	-	-
ethnal Green South - - E.L.	33489	24	11	5	1	-	1	-	-	-	-	-	-	-	-	2	-	-
ethnal Green East *WHL** - E.L.	44123	28	20	5	5	-	5	-	-	-	-	-	-	-	3	5	2	-
pitalfields - - - E. N.R.	26446	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *W* - - E.L.	11303	11	14	2	6	-	-	-	-	-	-	-	-	-	1	2	10	-
hitechapel Church *H* E.L. & N.R.	22913	9	29	5	2	-	-	-	3	-	-	1	-	-	3	3	26	-
oodman's Fields - - - E.L.	13800	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
t. George's, North - - - E.L.	27738	23	11	4	3	-	-	1	1	-	-	-	-	-	1	3	-	-
t. John, St. George East *W* - E.L.	8957	5	7	1	-	-	-	-	-	-	-	1	-	-	-	-	3	-
adwell *H* - - - E.L. & N.R.	10246	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
atcliff *W* - - - - E.L.	14928	5	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
imehouse - - - - - E.L.	32202	29	13	5	1	-	1	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town West *H* - E.L.	38650	27	6	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
ile End Old Town East *WWww* E.L.	68942	47	20	5	7	-	-	-	1	1	-	-	-	1	-	2	5	-
ow *L** - - - - - E.L.	40365	28	15	7	2	-	-	-	-	1	-	-	-	-	-	1	1	-
romley *wwwH* - - - - E.L.	70000	47	29	6	9	-	-	-	-	-	-	-	-	-	2	5	17	-
oplar *WW* - - - - - E.L.	56388	29	22	5	7	-	1	1	2	1	-	-	-	-	3	5	1	-
SOUTH DISTRICTS.																		
hristchurch Southwark *WH* L. & S.	13364	9	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
t Saviour Southwark - - S.	13918	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ent-road - - - - S. & L.	21867	12	8	1	1	-	3	-	-	1	-	-	-	1	-	-	-	-
orough-road *WH* - - S. & L.	16624	12	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
ondon-road *HL* - - L. & S.	21221	12	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
rinity Newington - - S. & L.	26596	9	10	1	1	-	3	-	-	-	-	-	-	-	1	1	-	-
t. Peter Walworth *W* - S. & L.	61342	41	34	10	5	-	5	-	-	-	-	-	-	-	1	2	1	-
t. Mary Newington - - L. & S.	27866	13	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1
t. Olave *WH* - - - - S.	12723	9	19	3	1	-	-	-	-	-	-	1	-	1	2	2	15	-
eather Market *W* - - S. & L.	30612	23	10	2	2	-	4	-	-	-	-	-	-	-	-	-	1	-
t. James Bermondsey - - S.	54070	35	22	4	1	-	8	-	2	-	-	-	-	-	-	-	-	-
otherhithe *WwH* - - S. & K.	39255	16	14	1	5	-	-	-	-	-	-	-	-	-	2	3	7	-
Vaterloo-road 1st *H* - - L. & S.	14031	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vaterloo-road 2nd *H* - - L. & S.	14644	23	6	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1
ambeth Church 1st *H* - - L. & S.	18075	11	14	2		-	-	-	1	-	-	-	-	-	2	2	9	-
ambeth Church 2nd *WW* - L. & S.	39097	40	21	3	4	-	3	-	1	-	-	-	-	-	-	-	11	1
ennington 1st *H* - - S. & L.	50586	35	5	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
ennington 2nd - - - S. & L.	39708	18	10	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
rixton *w* - - - - L. & S.	73405	28	24	2	5	-	1	2	5	-	-	-	-	-	1	1	5	-
orwood *WH* - - - - L.	25657	20	8	-	4	-	1	-	1	-	-	-	-	1	-	-	-	-
ast Battersea - - - - S.	67244	47	13	5	2	-	-	-	2	-	-	-	-	-	1	2	-	-
Vest Battersea *WwH* - - S.	83314	63	25	7	7	-	1	-	-	-	-	-	-	-	-	1	3	-
ispham *H* - - - - S.	43698	19	6	2	1	-	-	-	-	2	-	-	-	-	-	1	-	-
Vandsworth - *WHHL* - - S.	46717	28	13	7	2	-	-	-	-	-	-	-	-	-	-	2	-	-
utney - - - - - - S.	17771	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
reatham *www* - - - - L.	48756	31	18	4	1	-	-	1	5	-	-	-	-	-	-	-	5	-
ilwich - - - - L. & S.	6809	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
amberwell *WwL*L** - - S. & L.	81686	33	34	5	5	-	3	-	1	-	-	1	-	-	-	3	16	-
eckham *W* - - - S., L., & K.	83488	52	25	7	5	-	1	-	-	2	-	-	-	-	-	1	2	1
t. George Camberwell - - L. & S.	63366	33	18	6	2	-	5	-	1	2	-	-	-	-	-	-	-	-
eptford, North - - - - K.	35314	19	7	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-
eptford, Central *w* - - - K.	42007	30	20	5	4	-	1	3	3	-	-	1	-	-	-	-	7	-
eptford, South - - - - K.	30852	23	7	3	2	-	-	-	1	-	-	-	-	-	-	-	-	1
reenwich West *H* - - - K.	22007	10	11	3	-	-	3	-	-	1	-	-	-	-	2	2	1	-
reenwich East *WH* - - - K.	35233	21	15	2	3	-	1	-	1	-	-	-	-	-	1	1	9	-
ltham *wH* - - - - - K.	5682	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ee *H* - - - - - - K.	23541	8	7	2	-	-	1	-	-	-	-	-	-	-	1	1	2	-
ewisham *WH* - - - - K.	30950	17	13	3	7	-	-	-	-	1	-	-	-	-	-	-	6	1
ydenham *H* - - - - L.	34162	11	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ulton *HH* - - - - K.	14040	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Dockyard - - - K.	19606	7	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
oolwich Arsenal *HH H* - K.	21242	12	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
lumstead, West *H* - - - K.	15869	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
lumstead, East *WH* - - - K.	36567	22	11	2	3	-	-	-	-	-	-	-	-	-	-	2	1	1
anstead Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
aterham Asylum - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
ane Hill Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ospital Ships and Camp, Dartford - -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
arenth Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
anwell Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
olney Hatch Asylum - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
.E. Hospital - - - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
inchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden Asylum - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
laybury Asylum - - - - -	-	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 7th December 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,749	1,422,063	900	378	113	83	2	8	1	13	9	10	4	8	17	38	5
30 : 1	Carshalton *wHH*	12228	26108	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Epsom, *part of** *WwH*	10423	12508	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	66	28	8	10	–	1	–	–	–	–	–	1	2	6	–
2	Mitcham *w*	11697	23088	17	2	–	–	–	–	–	–	–	–	1	–	1	–	–
39 : 1	Wimbledon *HHH*	3220	25761	12	7	2	–	–	–	–	1	–	–	–	–	–	–	–
2	Kingston *WH*	3071	44765	23	12	2	3	–	–	–	–	–	1	–	–	–	1	1
3	Esher, *part of** *HH*	6601	12059	8	3	2	1	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	6	2	–	–	–	–	–	1	–	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25389	5	5	1	2	–	–	–	–	–	–	–	–	–	1	–
2	Mortlake *H*	2823	16159	7	6	1	4	–	–	–	–	–	–	1	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	20	4	3	–	–	–	–	1	–	–	–	–	–	1	–
2	Beckenham *H*	6542	21969	13	5	1	2	–	–	–	–	–	–	–	–	–	1	–
3	Chislhrst, *pt. of** *WHH*	14307	20372	9	7	1	2	–	–	–	–	1	–	–	–	–	2	–
44 : 1	Bexley *HH*	12540	30590	12	7	3	1	–	–	–	–	–	–	–	–	–	–	–
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	5	2	1	1	–	–	–	–	–	–		–	–	–	–
2	Staines *WH*	13277	13221	7	4	1	1	–	–	–	–	–	1	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	11	4	1	1	–	1	–	–	–	–	–	–	–	1	–
2	Uxbridge	6172	5417	5	1	–	–	–	–	–	–	1	–	–	–	–	–	–
3	Hayes *wH*	14537	12618	5	4	2	1	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	14	3	–	2	–	–	–	–	–	–	–	–	–	2	–
2	Twickenham *HH*	2415	16027	5	8	4	4	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	17	10	4	2	–	–	–	–		–	–	–	–	–	1
4	Chiswick	1245	21963	15	2	2	–	–	1	–	–	–	–	–	–	–	–	–
5	Aston *wH*	6132	30945	15	7	4	–	–	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13809	15715	3	2	1	–	–	1	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6994	3844	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	48	18	3	4	–	–	–	1	2	–	–	–	–	1	–
4	Hendon *WH*	8332	15843	17	10	4	1	–	–	–	–	–	–	–	–	–	2	–
128 : 1	South Mimms *H*	15599	8474	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–
2	Barnet *WHH*	5441	11778	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	13	3	1	1	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH*	3039	61097	23	13	3	3	–	1	–	–	–	–	–	–	1	–	–
2	Tottenham *H*	4642	97174	74	29	9	6	–	–	–	1	2	1	1	1	3	3	–
3	Edmonton *Www*	7439	36351	20	15	6	5	–	1	–	2	–	–	–	2	2	4	–
4	Enfield *WWHH*	12639	31803	27	7	–	1	–	–	–	–	–	–	–	–	–	1	–
5	Waltham Abbey	11017	6066	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8480	9620	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	3	4	–	2	–	1	–	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
186 : 1	Stratford *H*	1100	42983	29	17	5	4	–	1	–	1	–	–	–	1	2	1	–
2	Plaistow	1242	58030	49	18	4	5	–	–	–	–	–	2	–	–	–	–	–
3	Canning Town *H*	1558	54750	42	22	5	–	1	–	1	–	–	–	1	2	2	1	1
4	Forest Gate *w*	806	49140	34	13	2	1	–	–	–	2	–	2	–	–	–	–	1
5	East Ham *wH*	3266	32713	42	15	10	2	–	–	–	–	–	1	–	1	1	–	–
6	Leyton *WWWwH*	4334	70188	33	16	3	4	–	–	1	–	–	1	–	–	–	5	–
7	Walthamstow *HtL*	6501	57330	46	12	5	1	–	–	–	–	2	1	–	–	–	–	–
187 : 1	Chigwell, *part of** *H*	11779	12941	7	6	1	2	–	–	–	–	–	–	–	–	1	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–		–	–
189 : 1	Romford *part of** *WH*	6556	4324	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
2	Ilford	8493	10913	13	8	4	1	–	–	–	–	–	–	–	–	1	–	1
3	Barking Town *H*	3814	14301	30	5	2	1	–	–	–	–	–	–	–	–	1	–	–
	Hospital Ship "Atlas"	—	—	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
	N.W. Fever Hospital	—	—	–	2	–	–	–	–	–	2	–	–	–	–	–	2	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2 Dartford, 137 : 3, Watford, and 187 : 2, Epping sub-districts

ABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th December, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living.		Deaths from all Causes.	The Deaths registered in the Week include										
						Deaths of		Deaths from								
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
ATER LONDON	443,421	6,048,555	15·8	2·6	1837	451	388	3	113	20	82	39	27	13	63	441
NNER LONDON -	74,672	4,392,346	17·3	3·0	1459	338	305	1	105	19	69	30	17	9	55	403
UTER RING -	368,749	1,656,209	11·9	1·5	378	113	83	2	8	1	13	9	10	4	8	38

OTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
INBURGH -	273,535	December 7	128	85	16·2	–	–	–	1	1	–	5
ASGOW - -	695,876	„ 7	340	257	19·3	–	1	2	6	12	1	5
BLIN - -	349,594	„ 7	184	135	20·1	1	–	–	–	2	1	2
LCUTTA - -	466,460	October 12	–	248	27·7	–	1	–	–	–	116	42†
MBAY - -	821,764	November 19	267	428	27·1	3	2	?	?	?	108	35†
ADRAS - -	452,518	„ 8	431	325	37·3	–	–	?	?	?	120	37
RIS - - -	2,424,705	„ 30	1024	866	19·0	–	20	4	7*	3	1	45
USSELS - -	507,985	„ 30	239	161	16·5	–	1	–	4*	1	2	12
ISTERDAM -	451,493	„ 30	266	140	16·0	–	–	–	2	2	–	–
OTTERDAM -	272,042	„ 30	170	176	14·5	–	–	–	–	1	–	–
E HAGUE -	180,455	„ 30	89	63	18·1	–	–	–	1	2	–	–
OPENHAGEN -	341,000	„ 30	183	104	15·9	–	–	–	–	8	3	2
OCKHOLM -	259,304	„ 23	129	64	12·8	–	–	2	2*	–	–	1
HRISTIANIA -	174,717	„ 30	32	41	12·2	–	–	1	1	–	–	2
. PETERSBURG	954,400	„ 23	657	435	23·8	1	10	16	12	4	30	39
OSCOW - -	753,469	„ 23	–	403	27·9	–	4	12	8	1	9	32
ERLIN - -	1,724,544	„ 16	794	601	17·7	1	7	24	27	13	1	27
AMBURG - -	608,710	„ 23	356	169	14·4	–	1	2	2*	4	–	5
RESDEN - -	320,600	„ 9	–	87	13·9	–	2	2	1	–	–	7
RESLAU - -	367,769	„ 30	–	172	24·3	–	–	10	7*	4	–	14
UNICH - -	396,000	„ 30	–	181	23·8	–	7	2	4	1	–	32
IENNA - -	1,495,764	„ 23	837	574	20·0	–	14	11	11*	8	2	38
RAGUE - -	351,478	„ 23	174	140	20·3	–	4	5	–	–	3	–
UDA-PESTH -	566,022	„ 23	350	257	23·6	–	9	7	4	1	4	10
RIESTE - -	160,825	„ 23	86	68	22·0	–	1	3	8*	–	1	2
OME - - -	464,579	October 19	230	157	17·6	1	1	1	–	–	14‡	17
URIN (10 days)	344,203	November 20	–	–	–	–	–	–	–	–	–	–
ENICE -	158,159	„ 23	68	53	17·5	–	–	–	1*	1	–	4
AIRO - -	374,838	„ 11	488	314	43·6	–	–	–	5*	–	4	75
LEXANDRIA -	231,396	„ 11	286	143	32·2	–	–	–	1*	1	5	14
EW YORK -	1,860,700	„ 16	–	676	18·6	–	10	7	28	6	5	22
ROOKLYN -	1,100,000	„ 23	–	355	16·8	–	7	3	20	7	4	4
HILADELPHIA	1,163,864	„ 23	–	–	–	–	–	–	–	–	–	–
EW ORLEANS -	275,000	November 9	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 16 deaths from cholera in Calcutta, and 9 in Bombay.
‡ Including 10 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 7TH DECEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DEC.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	1	..	29·857	44·9	37·2	7·7	40·8	+ 0·2	39·7	1·1	3·7	0·5	96	60·2	30·4	48·30	WSW. & SW.	WSW.	0·4	0·0	0·0	222	− 78	0·00	0·0
MONDAY .	2	Full	29·977	48·7	36·3	12·4	43·3	+ 2·7	39·1	4·2	8·0	0·6	85	76·3	30·8	48·25	WSW. & SW.	WSW. SW. & SSW.	2 1	0·0	0·1	262	− 39	0·02	1·0
TUESDAY.	3	Greatest Dec. N.	29·868	50·4	40·6	9·8	46·3	+ 5·5	40·5	5·8	8·8	1·3	80	52·8	35·0	47·91	WSW. & W.	WNW. & WSW.	3·6	0·0	0·4	395	+ 93	0·00	0 5
WEDNESDAY	4	..	29·810	49·2	39·6	9·6	45·7	+ 4·6	41·2	4·5	7·1	1·0	85	58·0	34·8	47·80	WSW. & SW.	WSW. & SW.	5·5	0·0	1·1	527	+224	0·03	2·0
THURSDAY	5	..	29·409	56·0	48·0	8·0	53·2	+11·9	45·2	8·0	9·0	3·8	74	61·7	45·1	47·69	SW. & WSW.	WSW. & W.	23·7	0·0	5·1	1002	+393	0·00	1·5
FRIDAY .	6	..	29·282	51·1	37·6	13·5	43·5	+ 2·2	36·1	7·4	11·8	2·3	75	71·1	34·0	47·79	W. & WSW.	WNW. & W.	14·5	0·0	3·2	776	+472	0·15	0·0
SATURDAY	7	..	29·522	40·3	33·8	6·5	36·9	− 4·1	30·8	6·1	10·6	3·0	79	60·3	29·1	47·82	W.	WNW.	9·0	0·0	2·1	629	+324	0·00	0·8
MEANS . .		..	29·675	48·7	39·0	9·6	44·2	+ 3·3	38·9	5·3	8·4	1·8	82	62·9	34·2	47·94	WSW.		..	..	..	Sum 3813	Sum +1694	Sum 0·20	0·8
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	1	s. P. throughout –	0 3	8·1	Fine; thin cloud generally prevalent; solar halo at and about noon; slight fog in evening.
MONDAY .	2	s. P. generally –	2·4	8·1	Fine; cloudless at times; hoar frost in morning; occasional slight rain between 6h. and 8h. P.M.
TUESDAY .	3	m. P. in morning; s. P. afterwards.	0·0	8·0	Cloudy till afternoon; afterwards cloudless; solar halo at 3½h. P.M.
WEDNESDAY.	4	m. P. generally; s. N. for a short time in afternoon.	0·0	8·0	Very fine till 9h. A.M.; afterwards overcast; frequent showers in evening.
THURSDAY .	5	m. P. generally –	0·0	8·0	Overcast generally; a gale of wind; very mild.
FRIDAY .	6	v. P. and s. N. in morning; afterwards s. P.	1·7	8·0	Generally overcast till noon; heavy squall with rain and hail at 11h. A.M.; afterwards very fine; strong wind throughout.
SATURDAY .	7	s. P. generally; s. N. for a short time in morning.	0·7	7·9	Fine; nearly cloudless till noon; variable amounts of cloud afterwards. A slight fall of snow at 4h. A.M., and again at 8h. P.M.
			Sum 5·1	Sum 56·1	
No. of Col. .		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the bservations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·76 in. at the beginning of the week to 30·02 in. by 9h. A.M. on the 2nd; decreased to 29·84 in. by 8h. A.M. on the 3rd; increased to 29·92 in. by 9h. A.M. on the 4th; decreased to 29·26 in. by 9h. A.M. on the 6th; and increased to 29·76 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 50. 1895. Vol. LVI.] Week ending Saturday, December 14. [Price 1½*d.*

General Register Office, Somerset House,
December 16th, 1895.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Towns.	Weeks ending Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
Birkenhead	24·7	18·4	20·4	17·5	Liverpool - -	27·2	23·3	28·9	22·8
Birmingham	19·8	19·5	18·4	20·0	London - -	17·7	17·3	17·3	17·5
Blackburn -	32·3	29·0	23·7	21·7	Manchester -	23·0	21·0	23·5	20·4
Bolton -	17·9	16·6	18·4	21·0	Newcastle-on-Tyne	20·1	16·6	15·4	18·4
Bradford -	17·0	13·1	16·1	19·3	Norwich - -	13·1	14·1	19·0	20·4
Brighton -	12·6	12·2	11·3	11·3	Nottingham -	16·1	17·0	14·3	16·3
Bristol -	14·9	18·7	17·6	14·4	Oldham - -	26·2	23·3	19·2	21·1
Burnley -	23·0	14·1	14·7	14·7	Plymouth - -	18·1	18·7	15·2	14·6
Cardiff -	19·1	14·7	14·1	16·8	Portsmouth -	16·7	12·5	15·5	12·2
Croydon -	13·2	11·3	10·0	10·9	Preston - -	15·7	22·7	13·4	16·2
Derby -	17·2	14·6	10·9	20·3	Salford - -	27·3	23·3	27·3	25·5
Gateshead -	17·4	14·1	17·4	18·5	Sheffield - -	21·9	19·8	16·1	15·4
Halifax -	17·8	15·6	17·8	12·2	Sunderland -	15·1	18·2	14·0	14·8
Huddersfield	18·9	18·3	12·6	12·6	Swansea - -	22·6	17·7	16·1	15·1
Hull - -	17·8	16·4	17·1	22·4	West Ham - -	16·3	17·1	15·7	15·5
Leeds -	17·7	18·3	18·2	17·3	Wolverhampton -	23·1	20·7	20·7	14·0
Leicester -	16·1	14·3	15·3	13·5					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in London and in Swansea, 1·2 in Wolverhampton, 1·3 in Liverpool, 1·5 in Oldham, 1·8 in Manchester, 2·4 in Birmingham and in Norwich, 4·8 in Salford, and 5·3 in Blackburn; from *scarlet fever*, 1·0 in Hull and 1·3 in Birmingham; from *whooping-cough*, 1·0 in Salford, 1·1 in Liverpool, and 1·3 in Cardiff; from "*fever*," 1·0 in Norwich and 1·1 in Sunderland; and from *diarrhœa*, 1·0 in Cardiff. The 92 deaths from *diphtheria* included 63 in London, 4 in West Ham, 4 in Birmingham, 3 in Leicester, and 3 in Newcastle-on-Tyne. Two deaths from *small-pox* were registered belonging to Hull and one to London, but not one belonging to any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

London.

In London* 2219 births and 1477 deaths were registered. Allowing for increase of population, the births were 406, and the deaths 301, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·7, 17·3, and 17·3 in the preceding three weeks, rose last week to 17·5. During the four weeks ending on Saturday last the death-rate averaged 17·5 per 1000, being 3·1 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1477 deaths included 1 from small-pox, 96 from measles, 19 from scarlet fever, 63 from diphtheria, 24 from whooping-cough, 21 from enteric fever, 6 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 230 deaths were referred to these diseases, being 23 above the corrected average weekly number.

The death from *small-pox* was that of the wife of a labourer, aged 36 years, who had been removed from Iliffe Street, Newington, to the Metropolitan Asylum Hospital, South Wharf, Rotherhithe. The deaths from *measles*, which had been 103, 100, and 105 in the preceding three weeks, fell again last week to 96, but were 37 above the corrected average; 13 cases belonged to St. Pancras, 11 to Newington, 10 to Islington, 10 to Bermondsey, 9 to Lambeth, and 6 to Bethnal Green sanitary areas. The deaths from *scarlet fever*, which had been 27, 17, and 19 in the preceding three weeks, were again 19 last week, the corrected average being 22; 3 cases belonged to Hackney and 3 to Camberwell sanitary areas. The deaths from *diphtheria*, which had been 69, 63, and 69 in the preceding three weeks, fell again last week to 63, but were 20 above the corrected average; 9 cases belonged to Islington, 7 to Greenwich, 5 to Hackney, 4 to St. Pancras, 4 to Poplar, and 4 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 20, 19, and 30 in the preceding three weeks, fell again last week to 24, and were 26 below the corrected average; 3 cases belonged to Bethnal Green and 3 to Mile End Old Town sanitary areas. The fatal cases of *enteric fever*, which had been 12, 21, and 16 in the preceding three weeks, rose again last week to 21, exceeding the corrected average by 3; 3 cases belonged to St. Pancras and 3 to Hackney sanitary areas. The deaths from *diarrhœa*, which had been 22, 14, and 9 in the preceding three weeks, further fell last week to 6, and were 8 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 447, 340, 327, 285, and 264 in the preceding five weeks, were again 264 last week, being 208 below the corrected average.

The deaths attributed directly to *influenza* numbered 15, having been 15, 11, and 11 in the preceding three weeks.

Different forms of violence caused 73 deaths, concerning all of which inquests were held. Of these 73 deaths, 7 were cases of suicide, while the remaining 66 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 6 to drowning, 12 (of infants under one year of age) to suffocation in bed, and 2 to the effects of anæsthetics administered for surgical purposes.

Cases of Infectious Sickness in Hospitals.†

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 89 cases of small-pox, 2800 of scarlet fever, 689 of diphtheria, and 129 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 18 cases, against 20, 9, and 18; of scarlet fever, 329 cases, against 296, 325, and 312; of diphtheria, 91 cases, against 103, 86, and 114; and of enteric fever, 24 cases, against 16, 22, and 26.

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

Greater London.

In Greater London 3073 births and 1863 deaths were registered, corresponding to annual rates of 26·5 and 16·1 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 16 from diphtheria, and 9 from "fever" were registered. Three deaths from measles occurred in Edmonton district, and 3 in Bushey sub-district; 8 deaths from diphtheria occurred in West Ham district, and 3 in Edmonton district; 3 deaths from "fever" occurred in West Ham district, and 2 in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 39°·5, the latter being 0°·6 below the week's average in the 50 years 1841–90. The direction of the wind was Westerly, the horizontal movement of the air being 16 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 1·6 hours; the measured rainfall amounted to 0·46 of an inch.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of November. The supply was in the ratio of 247 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	November. 1894.	November. 1895.	November. 1894.	November. 1895.
Total Supply	811,265	823,457	189,709,339	203,454,828
From Thames	392,221	397,856	97,438,340	106,376,477
From Lea and from other Sources	419,044	425,601	92,270,999	97,078,351
Thames.				
Chelsea	36,967	36,911	11,285,651	11,779,822
West Middlesex	78,395	79,546	18,565,280	20,357,833
Southwark and Vauxhall	117,280	118,643	31,346,514	34,511,547
Grand Junction	59,396	60,089	16,982,901	17,240,181
Lambeth	100,183	102,667	19,257,994	22,487,094
Lea and other Sources.				
New River	158,171	159,473	32,808,000	34,395,000
East London	179,681	183,830	44,877,026	46,782,528
Kent	81,192	82,298	14,585,973	15,900,823

Note.—The Return for November 1895, as compared with that for the corresponding month of 1894, shows an increase of 12,192 services and an increase of 13,745,489 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during November, 1895.

Water-analysis Laboratory, The Yews, Reigate,
13th December, 1895.

Sir,

I have to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of November.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (*a*) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (*b*) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·6, Tottenham 1·2, East London (deep-well) 1·5, Colne Valley 1·7, New River, 2·7, Chelsea 3·7, East London (river supply) 4·3, Grand Junction 5·3, West Middlesex 5·9, Lambeth 6·8, and Southwark 6·9. The unfiltered river waters contained the following proportions:—Thames at Hampton 10·4, New River Cut 4·2, and the Lea at Angel Road 6·6.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies or Local Authorities.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	November 18th. Grand Junction Co.'s intake at Hampton.	8·6°	30·44	·545	·071	·006	·230	·306	1·9	18·9
	Chelsea - - -	November 21st. Cab Rank, Horse Guards, Whitehall.	9·2	29·40	·193	·024	0	·226	·250	1·9	19·7
	West Middlesex -	November 21st. Cab Rank, Riding House-street.	8·8	32·16	·308	·039	0	·262	·301	1·9	20·0
	Southwark - -	November 21st. Cab Rank, St. George's Church, Borough.	9·5	32·14	·372	·034	0	·253	·287	1·9	20·9
	Grand Junction -	November 21st. Cab Rank, Portman-street, Oxford-street.	10·1	29·56	·274	·039	0	·243	·282	1·9	20·0
	Lambeth - -	November 21st. Cab Rank, St. George's-road, Southwark.	9·2	31·44	·364	·039	0	·261	·300	1·9	20·3
	LEA. (Unfiltered water) -	November 20th. New River Cut at Green-lanes.	7·3	33·80	·216	·033	·005	·282	·319	1·7	23·0
	New River - -	November 21st. Cab Rank, Tottenham Court-road.	8·8	33·00	·137	·023	0	·246	·269	1·7	22·4
	(Unfiltered water) -	November 20th. East London Co.'s intake at Angel-road.	7·6	37·64	·340	·052	·024	·308	·380	2·0	24·8
	East London -	November 21st. Cab Rank, Sidney-street, E.	9·3	34·94	·226	·028	0	·283	·311	2·0	23·0
	DEEP WELLS. Kent - - -	October 19th. Police Station, Blackheath-road.	11·7	38·24	·027	·007	0	·468	·475	2·2	26·9
Outer Circle.	Colne Valley - -	November 15th. Bushey.	—	18·14	·080	·018	·028	·524	·565	2·2	7·4
	Tottenham - -	November 21st. Tottenham.	—	42·04	·054	·016	·066	·021	·091	2·9	23·9
	East London - -	November 30th. Chingford.	—	29·04	·077	·013	·020	0	·030	2·0	20·3
	Corporation of Birmingham* - - -	November 6th. 4 Court, Cregoe-street.	8·3	38·10	·110	·045	·001	·440	·486	3·3	23·9
	Corporation of Glasgow† -	November 15th. Loch Katrine water.	7·6	2·79	·167	·014	0	·005	·019	·7	1·0
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.
† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the waters. The Table is to be read thus:—the Chelsea Company's water, collected on the 21st of November at the cab rank, Horse Guards, had a temperature of 9°·2 C.; 100,000 lbs. of it contained 29·40 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·193 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·226 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·250 lb. The above weight of water also contained 1·9 lb. of chlorine and 19·7 lbs. of carbonate of lime, or an equivalent quantity of soap-destroying or other hardening ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The Thames at Hampton was, on November the 18th, very turbid and brown in colour. It was of very bad chemical and bacterial quality. As delivered by the five Companies, however, drawing from this river, it was in every case efficiently filtered, and, with two exceptions, of most excellent bacterial quality. By reason of large storage capacity by which flood water had been avoided, the Chelsea Company was also enabled to deliver water of good *chemical* quality. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·93, West Middlesex 99·96, Southwark (No. 4 filter well) 99·81, ditto (No. 8 filter well) 98·93, Grand Junction (general filter well at Hampton) 98·37, (general filter well at Kew Bridge) 99·89, (South filter well at Kew Bridge) 99·91, and Lambeth 99·97.

The New River Cut, before entering the subsidence and storage reservoirs, was, on November 20th, turbid and yellow in colour. It was, of fairly good chemical, but inferior, bacterial quality; but, by passing through the storage reservoirs, the number of bacteria in a given volume was reduced to nearly one-fourth, and, after efficient filtration, this water was delivered to consumers in excellent chemical and bacterial condition for dietetic purposes. Bacterially it was improved before delivery to the extent represented by the following percentage numbers:—General filter well 99·45, No. 4 filter well 99·45, and No. 6 filter well 99·9. The water, taken from the Lea by the East London Company at Angel Road on November 20th, was turbid and pale brown in colour and of inferior quality both chemically and bacterially, although it was, in both these respects, much better than the Thames at Hampton. After storage for 15 days, more or less, the number of bacteria per c.c. was reduced to less than one half, and, after efficient filtration, this water was delivered to consumers of good chemical and excellent bacterial quality, the bacterial improvement being represented by the following percentage numbers:—No. 1 Essex well 99·32, No. 2 Essex well 99·80, and West Middlesex well 99·60.

The deep-well waters of the Kent, Colne Valley, and East London Companies and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes, and the supplies of the Kent and Colne Valley Companies were perfectly clear and bright without filtration, but that of the Tottenham Local Board of Health was slightly turbid, and that of the East London Company very slightly turbid. The Colne Valley Company's water had been softened before delivery and was thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent and Colne Valley waters were clear and colourless, the Tottenham slightly turbid and colourless, the East London (deep-well) very slightly turbid and colourless, the New River clear and very pale yellow, the Chelsea and East London (river supply) clear and pale yellow, the West Middlesex and Grand Junction yellow and clear, and the Southwark and Lambeth deep yellow and clear.

The bacterioscopic examination of the raw river waters before and after storage, and of the supplies delivered by the various Companies and collected on the 18th, 19th, and 20th of November yielded the results contained in the following table:—

Description.	Microbes per c.c.	Temp. C.
Raw and Stored River Waters.		
Thames at Hampton, November 18th	29,260	8°·6
„ after storage for 14·7 days (Chelsea Company), November 18th	500	9·0
„ „ 6 days (Lambeth Company), November 18th	13,140	8·9
West Middlesex Company's water passing on to filters 1–5, November 19th	2,900	8·3
Grand Junction Company's water at Kew, passing on to filters 3, 4, 5, 6, and 7, November 19th.	840	8·9
„ „ arriving at Kew from Hampton, November 19th.	1,160	9·0
New River Cut before passing through reservoirs, November 20th	5,800	7·3
„ „ after „ „ before filtration, November 20th	1,520	8·2
River Lea at Angel Road, (East London Company), November 20th	10,040	7·6
„ after storage for 16 days (East London Company), November 20th	4,080	8·2
Filtered River Water as supplied.		
Thames.		
Chelsea Company's general filter well, November 18th	20	9·6
West Middlesex Company's general filter well, November 19th	12	8·2
Southwark Company's No. 4 filter well, November 18th	56	8·7
„ „ No. 8 „ „ November 18th	312	9·2
Grand Junction Company's general filter well at Hampton, November 18th	476	8·5
„ „ „ „ Kew Bridge, November 19th	32	8·8
„ „ „ south „ „ November 19th	28	9·0
Lambeth Company's general filter well, November 18th	8	9·0
Lea.		
New River Company's general filter well, November 20th	32	8·1
„ „ No. 4 „ „ November 20th	32	7·6
„ „ No. 6 „ „ November 20th	5	8·2
East London Company's No. 1 Essex well, November 20th	68	7·9
„ „ No. 2 „ November 20th	20	8·0
„ „ Middlesex well, November 20th	40	7·6
Deep Well.		
Kent Company's new well at Deptford, November 19th	4	11·3

Dr. Hill, F.I.C., Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very slightly turbid and pale green in colour in a two-foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a "little suspended matter."

I am, &c.

The Registrar General, &c. &c. E. FRANKLAND.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 14th Dec., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air: Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall: In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5561	3609	837	770	3	198	56	92	79	53	43	173	307	786	50	17·8	2·6	52·5	24·8	39·0	3·89	0·66	1·68	33 Towns.
London	4,392,346	2219	1477	325	317	1	96	19	63	24	21	6	73	147	446	10	17·5	2·7	49·0	26·2	39·5	4·17	0·46	1·17	London.
West Ham	249,473	166	74	13	19	–	–	1	4	2	2	2	6	8	7	2	15·5	2·3	–	–	–	–	–	–	West Ham.
Croydon	114,923	58	24	4	8	–	–	–	–	–	1	–	1	5	1	–	10·9	0·5	49·0	24·8	37·9	3·28	0·49	1·24	Croydon.
Brighton	119,604	57	26	4	10	–	–	–	–	–	–	–	–	–	5	–	11·3	–	51·2	30·0	42·1	5·61	0·81	2·06	Brighton.
Portsmouth	174,751	79	41	11	13	–	–	–	–	2	–	1	–	4	6	–	12·2	0·9	52·5	30·0	42·4	5·78	0·39	0·99	Portsmouth.
Plymouth	89,096	28	25	5	9	–	–	–	2	1	–	1	1	2	2	–	14·6	2·3	–	–	–	–	–	–	Plymouth.
Bristol †	228,139	102	63	13	19	–	1	1	–	–	–	1	3	3	11	1	14·4	0·7	50·0	26·0	39·4	4·11	0·63	1·60	Bristol.
Cardiff	155,637	101	50	13	13	–	–	1	–	4	–	3	4	5	5	–	16·8	2·7	–	–	–	–	–	–	Cardiff.
Swansea	97,008	50	28	5	5	–	2	–	–	–	–	–	1	1	5	–	15·1	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	69	23	10	2	–	2	–	1	–	1	1	2	3	2	–	14·0	3·0	48·9	27·2	36·3	2·39	0·67	1·70	Wolverhampton.
Birmingham	496,751	274	191	43	28	–	23	12	4	5	–	4	6	4	36	11	20·0	5·0	–	–	–	–	–	–	Birmingham.
Norwich	107,127	55	42	11	11	–	5	–	1	–	2	–	1	1	3	1	20·4	3·9	50·0	28·4	38·3	3·50	0·39	0·99	Norwich.
Leicester	193,839	87	50	16	12	–	1	–	3	3	1	1	1	1	3	2	13·5	2·4	–	–	–	–	–	–	Leicester.
Nottingham	226,658	110	71	27	20	–	–	–	1	1	–	1	1	4	5	–	16·3	0·7	48·8	26·2	37·3	2·94	0·51	1·30	Nottingham.
Derby	100,272	45	39	10	10	–	–	–	–	–	–	1	2	2	5	1	20·3	0·5	–	–	–	–	–	–	Derby.
Birkenhead	107,469	52	36	8	10	–	–	–	–	–	1	–	2	5	8	–	17·5	0·5	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	311	220	58	31	–	13	3	2	11	6	4	9	14	49	5	22·8	4·0	50·8	34·2	41·7	5·39	0·84	2·13	Liverpool.
Bolton	119,337	63	48	9	10	–	–	–	–	1	1	2	4	8	7	–	21·0	1·7	–	–	–	–	–	–	Bolton.
Manchester	524,865	315	205	56	32	–	18	4	–	4	2	4	13	22	49	4	20·4	3·2	–	–	–	–	–	–	Manchester.
Salford	208,253	121	102	20	21	–	19	2	1	4	1	1	5	8	17	–	25·5	7·0	–	–	–	–	–	–	Salford.
Oldham	141,079	77	57	12	8	–	4	2	–	1	1	–	–	3	7	–	21·1	3·0	–	–	–	–	–	–	Oldham.
Burnley	99,591	58	28	9	5	–	–	–	–	–	–	1	4	4	–	2	14·7	0·5	–	–	–	–	–	–	Burnley.
Blackburn	127,615	73	53	17	16	–	13	–	–	–	–	–	1	2	7	3	21·7	5·3	–	–	–	–	–	–	Blackburn.
Preston	112,638	65	35	8	11	–	–	–	1	–	–	–	2	2	4	–	16·2	0·5	–	–	–	–	–	–	Preston.
Huddersfield	99,482	47	24	5	10	–	–	–	1	1	–	1	1	1	3	–	12·6	1·6	47·0	27·0	37·7	3·17	1·16	2·95	Huddersfield.
Halifax	93,813	44	22	3	4	–	–	–	1	–	–	1	–	–	1	–	12·2	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	90	84	19	16	–	–	1	1	3	2	1	7	9	13	–	19·3	1·8	–	–	–	–	–	–	Bradford.
Leeds	395,546	195	131	29	35	–	–	2	1	6	4	–	5	11	16	–	17·3	1·7	–	–	–	–	–	–	Leeds.
Sheffield	342,768	196	101	26	17	–	–	–	–	3	1	1	3	5	14	2	15·4	0·8	–	–	–	–	–	–	Sheffield.
Hull	216,722	108	93	16	21	2	–	4	1	–	3	2	4	6	19	5	22·4	2·9	48·0	27·0	36·4	2·44	0·91	2·31	Hull.
Sunderland †	137,705	84	39	5	10	–	–	–	–	2	3	–	1	2	8	–	14·8	1·9	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	53	34	11	4	–	–	1	1	–	–	1	1	4	–	–	18·5	1·6	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	109	73	16	13	–	1	3	3	1	–	2	9	11	22	1	18·4	2·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† The recent extension of these boroughs will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTIETH Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	2671	2415	2516	2291	2535	2293	2625	2451	2474	2597	2624·6	2219
Males . .	1390	1238	1293	1139	1323	1144	1357	1233	1264	1247	1332·8	1171
Females .	1281	1177	1223	1152	1212	1149	1268	1218	1210	1350	1291·8	1048
TOTAL **Deaths**	1725	1499	1625	1455	1768	1787	1449	1589	2400	1550	1778·1	1477
Males . .	868	763	807	733	901	910	748	824	1165	780	897·0	759
Females .	857	736	818	722	867	877	701	765	1235	770	881·1	718

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
TOTAL **Births** - -	2541	2618	2447	2622	2629	2447	2693	2525	2576	2596	2159	2373	2219
TOTAL **Deaths** - -	1346	1532	1342	1435	1518	1470	1789	1790	1510	1488	1455	1459	1477
Ages at Death: Under 1 year -	425	443	383	394	421	410	412	392	325	341	332	338	325
1—5 years -	168	220	180	213	238	221	280	303	285	295	296	305	252
5—20 " -	91	100	76	78	108	94	140	104	96	103	82	91	106
20—40 " -	174	190	184	193	189	180	226	235	191	177	182	163	196
40—60 " -	261	279	261	261	256	262	328	312	259	251	250	257	281
60—80 " -	188	259	212	237	255	251	320	366	290	260	255	249	268
80 years & upwards	44	41	46	59	51	52	83	78	64	61	58	56	49
Deaths from—													
Small-pox - - - -	2	2	1	2	1	1	1	1	-	-	1	1	1
Measles - - - -	24	27	15	34	42	48	75	97	77	103	100	105	96
Scarlet fever - - -	13	24	22	25	23	19	23	19	14	27	17	19	19
Diphtheria - - -	37	56	44	56	76	61	72	75	61	69	63	69	63
Whooping-cough - -	21	25	14	10	15	20	11	14	21	20	19	30	24
Typhus - - - -	-	-	-	-	1	-	1	-	-	-	-	-	-
Enteric fever - - -	21	11	22	22	19	20	16	24	23	12	21	16	21
Simple Continued fever -	1	-	-	-	-	-	-	-	-	1	-	1	-
Diarrhœa and Dysentery -	109	107	102	87	62	45	36	20	25	22	14	9	6
Cholera - - - - -	1	4	3	-	-	-	-	-	1	-	-	-	-
All the above Diseases	229	256	223	236	239	214	235	250	222	254	235	250	230
Dis. of Respiratory System	141	173	158	175	215	235	366	447	340	327	285	264	264
Phthisis - - - -	144	140	152	153	168	156	173	159	149	130	135	114	130
Dis. of Circulatory System	101	121	102	125	111	117	178	154	105	126	116	112	127
Violence - - - -	62	72	77	52	72	59	65	70	73	72	65	55	73
Inquest Cases - - -	118	137	159	120	141	127	163	151	156	141	134	131	147
Deaths in Public Institutions	387	464	400	412	427	416	513	496	419	412	364	403	446
TEMPERATURE OF THE AIR													
Mean - - - -	56°·9	65°·6	56°·5	50°·7	49°·4	46°·4	39°·9	50°·8	50°·4	45°·5	43°·4	44°·2	39°·5
Mean of Highest readings -	68·8	81·8	68·5	57·0	57·8	46·4	47·5	56·3	56·9	50·6	46·8	48·7	45·2
Mean of Lowest readings -	46·8	52·4	46·2	45·8	42·1	34·4	33·0	45·3	43·5	39·8	38·7	39·0	33·1
Humidity of the Air - -	81	71	77	83	85	85	87	91	80	88	89	82	84
Rain-fall (in inches) - -	0·03	0·00	0·49	1·45	0·15	0·45	0·16	1·09	0·87	0·28	0·65	0·20	0·46
Registered Sunshine (in hours)	30·5	56·1	32·5	7·9	11·7	10·0	12·0	4·8	21·2	12·5	0·7	5·1	1·6
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	271	234	198	158	119	114	106	78	86	89	79	87	89
Scarlet fever - - - -	2732	2807	2802	2827	2838	2833	2841	2847	2845	2807	2799	2805	2800
Diphtheria - - - -	665	673	672	659	667	675	671	683	678	688	691	694	689
Enteric fever - - - -	109	117	124	125	115	129	123	118	125	121	125	129	129

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTIETH Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 50th Week of the 10 years 1885-94.*	In the Week ending Saturday, 14th December 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1778·1	1477	325	252	106	196	281	268	49
Small-pox: Vaccinated† -	-	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·2	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·2	1	-	-	-	1	-	-	-
Measles - - - -	59·3	96	19	69	8	-	-	-	-
Scarlet Fever - -	22·4	19	1	15	3	-	-	-	-
Typhus - - - -	0·1	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	21·4	15	3	-	2	2	5	3	-
Whooping-cough - -	49·8	24	10	12	2	-	-	-	-
Diphtheria - - -	42·8	63	6	40	16	1	-	-	-
Simple Continued and Ill-defined Fever -	0·3	-	-	-	-	-	-	-	-
Enteric Fever -	18·2	21	-	-	7	10	4	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	14·0	6	3	1	1	-	-	-	1
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - -	-	-	-	-	-	-	-	-	-
Glanders - - -	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·4	-	-	-	-	-	-	-	-
Venereal Affections -	10·0	10	7	-	-	1	2	-	-
Erysipelas - -	8·2	7	-	-	-	1	2	3	1
Pyæmia and Septicæmia	2·3	1	-	-	-	1	-	-	-
Puerperal Fever - -	6·8	6	-	-	-	5	1	-	-
Other Zymotic Diseases	2·3	2	-	1	-	1	-	-	-
Thrush - - - -	1·2	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·6	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·3	1	1	-	-	-	-	-	-
Alcoholism - - -	6·3	8	-	-	-	2	5	1	-
Rheumatic Fever, Rheumatism of Heart	11·5	5	-	-	4	1	-	-	-
Rheumatism - -	2·4	-	-	-	-	-	-	-	-
Gout - - - -	3·0	1	-	-	-	-	1	-	-
Rickets - - - -	5·2	6	3	3	-	-	-	-	-
Cancer - - - -	65·3	56	-	-	-	8	22	25	1
Tabes Mesenterica -	17·9	14	7	3	4	-	-	-	-
Tubercular Meningitis -	21·8	20	6	13	1	-	-	-	-
Phthisis - - -	166·2	130	2	2	13	61	45	7	-
Scrofula, Tuberculosis -	15·2	16	2	6	4	4	-	-	-
Other Constitutional Diseases - - -	12·8	7	1	-	1	1	2	2	-
Premature Birth - -	45·9	57	57	-	-	-	-	-	-
Telectasis - - -	3·2	3	3	-	-	-	-	-	-
Congenital Malformations - - -	7·0	2	2	-	-	-	-	-	-
Old Age - - - -	57·0	41	-	-	-	-	-	18	23
Apoplexy - - -	49·8	34	-	-	1	4	13	14	2
Epilepsy - - -	6·1	5	-	-	1	-	3	1	-
Convulsions - - -	38·6	34	32	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	92·2	81	5	5	2	11	27	29	2

CAUSES OF DEATH.	Corrected Averages for the 50th Week of the 10 years 1885-94.*	In the Week ending Saturday, 14th December 1895. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	3·3	4	-	2	1	-	1	-	-
Diseases of Circulatory System - - -	144·6	127	3	4	6	27	35	48	4
Croup - - - -	10·7	4	-	3	1	-	-	-	-
Bronchitis - - -	235·2	152	47	27	1	4	23	44	6
Pneumonia - - -	128·5	82	23	21	9	8	12	8	1
Pleurisy - - - -	5·2	8	1	1	1	1	1	3	-
Other Diseases of Respiratory System - -	42·4	18	3	1	2	-	5	6	1
Dentition - - -	11·7	4	2	2	-	-	-	-	-
Quinsy, Sore Throat -	2·0	1	1	-	-	-	-	-	-
Enteritis - - -	6·8	21	10	4	2	1	4	-	-
Peritonitis - - -	6·6	5	-	-	1	3	1	-	-
Diseases of Liver - -	25·9	27	1	1	-	1	15	9	-
Other Diseases of Digestive System -	27·4	38	5	1	1	6	12	13	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	4	1	-	-	2	1	-	-
Diseases of Urinary System - - -	46·8	47	1	-	2	10	17	15	2
Diseases of Generative System - - -	6·0	10	-	-	-	3	4	3	-
Accidents of Childbirth -	4·5	6	-	-	-	3	3	-	-
Diseases of Locomotive System - - -	7·3	-	-	-	-	-	-	-	-
Diseases of Integumentary System - -	5·1	11	3	1	1	-	2	3	1
VIOLENT DEATHS.									
(ACCIDENT.)									
By Railways - -	53·1	2	-	-	-	1	1	-	-
By Vehicles or Horses -		9	-	1	-	3	2	3	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	1	-	-	-	-
In Building Operations -		3	-	-	1	-	2	-	-
In Conflagrations - -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - - -		11	-	3	2	-	1	-	-
By Drowning - -		6	-	-	-	3	2	1	-
By Suffocation in Bed -		12	12	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		2	-	1	-	-	1	-	-
Other or not stated Causes - - - -		20	2	-	4	1	2	8	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·4	-	-	-	-	-	-	-	-
Suicide - - - -	7·0	7	-	-	-	4	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	56·8	41	38	2	-	-	-	-	1

* The numbers in this column are the average weekly deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Estimated Population 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,211,743	2219	1477	325	317	1	93	19	63	24	–	21	–	6	73	147	446	10
WEST DISTRICTS	740,735	346	218	45	47	–	7	1	8	5	–	1	–	1	9	20	71	–
NORTH DISTRICTS	993,884	511	344	71	61	–	23	8	22	2	–	9	–	–	14	30	104	1
CENTRAL DISTRICTS	247,538	112	104	24	17	–	11	–	2	1	–	–	–	–	6	14	32	–
EAST DISTRICTS	705,114	442	266	75	57	–	9	2	8	9	–	3	–	3	19	42	89	–
SOUTH DISTRICTS	1,524,472	808	517	110	126	1	46	7	23	7	–	8	–	2	25	40	122	9
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	28	–	9	–	–	1	–	–		–		–	–	1	28	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	33	20	8	4	–	–	–	–	1		–	–	–	–	–	5	–
St. John Paddington *H* - - G.J.	33687	13	10	–	4		–	–	–	–		–		–	1	1	6	
Kensington Town *Ww* - - W.M.	118751	50	45	10	9	–	1	–	–	–	–	–	–	–	2	6	17	–
Brompton *H* - - - W.M. & C.	47557	5	9	–	2	–	–	–	–	1		–	–	–	–	–	4	–
St. Peter Hammersmith - - W.M.	8533	2	1	1	–		–	–	–	–		–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88833	55	32	7	4	–	3	–	1	–	–	–	–	–	–	4	4	–
Fulham *Ww* - - - W.M. & C	91639	86	25	6	2	–	1	–	5	1	–	–	–	–	2	3	12	–
Chelsea Kensal Town - - - C.	21787	11	1	–	–	–	–	–	–	–		–	–	1	–	1	–	–
Chelsea North *WHHHHH* - - C.	41637	19	15	2	5	–	–	–	–	–		–	–	–	–	–	7	–
Chelsea South *HH* - - - C.	32829	14	7	1	3	–	–	1	–	–		–	–	–	–	–	1	–
May Fair *WH* - - - - G.J.	23733	8	6	–	4	–	–	–	–	–	–	–	–	–	1	1	4	–
Belgrave *WHHH* - - - - C.	54831	14	17	4	4	–	–	–	–	1	–	1	–	–	2	3	7	–
St. John Westminster *HH* - C.	34106	17	15	3	2	–	–	–	–	1	–		–	–	–	–	1	–
St. Margaret Westminster *H* - C.	21668	3	6	–	2	–	1	–	2	–		–	–	–	1	1	2	–
St. James Westminster *WHHH* N.R. & G.J.	24995	10	7	3	2	–	–	–	–	–		–	–	–	–	–	1	–
St. Anne Soho *HHHHHH* - - N.R.	12317	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.M.	37713	10	10	–	–	–	–	–	–	–	–	–		–	2	2	6	
Rectory Marylebone *WH* G.J. & W.M.	20024	6	4	1	–		–	–	–	–	–	–		–	–	1	1	–
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	24	6	2	2		–	–	–	–	–	–		–	1	1	2	–
Christchurch Marylebone *HH* - W.M.	33327	13	6	–	3	–	–	–	–	–	–	–		–	–	–	–	–
St. John Marylebone *HH* - W.M.	32101	8	8	–	2	–	–	–	1	–	–	–		–	–	1	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	29	25	4	3	–	–	2	5	–	–	1	–	–	–	1	14	–
Regent's Park Paneras *HH* - W.M.	86590	26	6	2	2	–	–	–	–	–	–	1		–	–	1	1	–
Tottenham-court *wHHH* N.R. & W.M	26321	8	12	–	–	–	2	–	–	–	–	1	–	–	–	–	10	–
Gray's Inn Lane *HHH* - - N.R.	27455	23	16	4	2	–	–	–	–	–	–	–		–	2	3	5	–
Somers Town *HH* - - - N.R.	32829	16	12	2	2	–	2	–	–	–	–	1	–	–	–	–	4	–
Camden Town *WH* - - - N.R.	15419	10	15	4	6	–	1	–	–	–	–	–	–	–	1	1	10	–
Kentish Town *WW* - - - N.R.	95765	61	47	8	10	–	8	–	3	–	–	–	–	–	2	4	10	–
Upper Holloway *WWWwHHH* - N.R.	90235	39	38	8	5	–	–	–	3	–	–	–	–	–	2	2	19	–
Islington South-west *H* - - N.R.	105557	50	30	11	3	–	7	–	–	–	–	–	–	–	2	4	–	–
Islington South-east - - - N.R.	64158	37	18	5	3	–	3	–	–	2	–	–	–	–	1	3	–	–
Highbury *HH* - - - - N.R.	59193	26	10	1	4	–	–	–	3	–		–	–	–	–	–	–	–
Stoke Newington *H* - - - N.R.	30936	16	6	1	1	–	–	–	–	–		–	–	–	–	1	–	–
Stamford Hill - - - - E.L.	17759	7	6	2	3	–	–	–	–	–	–	1	–	–	–	–	–	–
West Hackney *H* - - - N.R.	42302	18	16	4	2	–	–	–	2	–	–	–	–	–	–	1	4	–
Hackney *WwwH* - - E.L. & N.R.	96486	59	46	9	6	–	–	6	5	–	–	4	–	–	1	2	18	1
South Hackney *w* - - - - E.L.	41759	25	7	3	2	–	–	–	–	–	–	–	–	–	–	2	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	7	6	2	1		1	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* - - - N.R.	13454	18	10	2	1	–	1	–	–	–	–	–	–	–	–	1	4	–
St. Giles North *H* - - - N.R.	9633	2	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	5	6	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–
St. Mary-le-Strand *H* - - N.R.	5706	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Clement Danes *WH* - - N.R.	7194	4	8	2	4		–	–	–	–	–	–	–	–	2	4	2	–
Strand Union Workhouse, Edmonton -	†1037	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Geo.-the-Martyr *HHHHHH* - N.R.	17921	8	13	3	–	–	–	–	1	1	–	–	–	–	–	–	9	–
St. Andrew Eastern *WH* - - N.R.	15343	3	5	1	2	–	3	–	–	–	–	–	–	–	–	–	–	–
St. James Clerkenwell - - - N.R.	16803	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Amwell Clerkenwell - - - N.R.	16883	6	3	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Pentonville - - - - N.R.	17155	10	6	2	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Goswell-street - - - - N.R.	15375	13	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
City-road *HHHL* - - - N.R.	29177	16	17	7	3	–	1	–	–	–	–	–	–	–	1	3	3	–
Whitecross-street - - - N.R.	8278	5	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Finsbury - - - - - N.R.	4985	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Holborn Union Workhouse, Mitcham -	†892	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H* - - - N.R. & E.L	8944	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cripplegate - - - - - N.R.	4539	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *H* - - - N.R.	4444	–	15	2	2	–	–	–	–	–	–	–	–	–	1	2	12	–
St. Bride *W* - - - - N.R.	6594	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
All hallows Barking - - - N.R.	10422	1	5	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Broad Street *H* - - - N.R.	3377	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone - -	†388	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts; G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
lay, 14th December, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
editch South *HL** E.L. & N.R.	20098	10	5	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-
on New Town *w* - - - N.R.	29313	22	17	4	7	-	-	1	-	-	-	-	-	-	2	4	6	-
on Old Town - - - N.R.	28354	17	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
erston *WH* - - N.R. & E.L.	46244	30	17	7	3	-	1	-	-	2	-	-	-	-	-	-	5	-
nal Green North *H* - - E.L.	51520	29	15	7	2	-	1	-	-	1	-	-	-	-	-	1	-	-
nal Green South - - - E.L.	33489	14	9	2	2	-	2	-	3	-	-	-	-	1	1	1	-	-
nal Green East *WHL** - E.L.	44123	39	32	5	10	-	3	-	-	2	-	-	-	1	-	2	18	-
lfields - - - E. N.R.	26446	12	8	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-
End New Town *W* - - E.L.	11303	12	8	2	2	-	-	-	-	-	-	-	-	-	1	1	6	-
tchapel Church *H* E.L. & N.R.	22913	14	28	5	2	-	-	-	-	-	-	-	-	-	6	6	23	-
dman's Fields - - - E.L.	13800	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.L.	37738	17	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
ohn, St. George East *W* - E.L.	8927	6	7	2	2	-	-	-	-	-	-	-	-	-	-	1	6	-
well *H* - - - E.L. & N.R.	10246	4	2	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
liff *W* - - - - - E.L.	14928	11	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
chouse - - - - - E.L.	32202	23	9	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-
End Old Town West *H* - E.L.	38650	20	12	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town East *H Www* E.L.	68942	54	26	6	9	-	-	1	1	3	-	1	-	-	-	3	7	-
*L** - - - - - E.L.	40365	24	12	3	3	-	1	-	1	-	-	-	-	-	2	4	3	-
nley *wwwH*.- - - - E.L.	70000	45	31	5	5	-	-	-	2	-	-	1	-	-	2	7	13	-
ar *WW* - - - - - E.L.	56383	31	14	6	4	-	-	-	-	1	-	-	-	-	2	4	2	-
SOUTH DISTRICTS.																		
istchurch Southwark *WH* L. & S.	13364	3	8	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Saviour Southwark - - S.	13913	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t-road - - - - S. & L.	21867	16	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ough-road *WH* - - S. & L.	16624	8	7	4	-	-	1	-	-	-	-	-	-	-	-	1	2	1
don-road *HL* - - L. & S.	21221	12	7	1	-	-	2	-	-	-	-	-	-	-	1	2	1	-
ity Newington - - S. & L.	26596	11	14	5	3	-	6	-	-	-	-	-	-	-	-	-	-	-
Peter Walworth *W* - S. & L.	61342	24	11	4	2	-	2	-	-	1	-	-	-	1	-	-	1	-
Mary Newington - - L. & S.	27866	14	8	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Olave *WH* - - - - S.	12723	9	14	1	3	-	-	-	-	-	-	-	-	-	5	5	9	-
ther Market *W* - - S. & L.	30612	22	10	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
James Bermondsey - - S.	54070	34	16	3	-	-	6	-	-	-	-	1	-	-	-	-	-	-
erhithe *WwH* - - S. & K.	39255	2	13	3	2	1	1	-	-	-	-	-	-	-	2	2	5	1
erloo-road 1st *H* - - L. & S.	14031	6	12	2	2	-	4	-	-	-	-	-	-	-	1	2	3	-
erloo-road 2nd *H* - - L. & S.	14644	19	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
beth Church 1st *H* - - L. & S.	18075	10	24	-	2	-	2	-	1	-	-	1	-	-	3	3	17	-
beth Church 2nd *WW* - L. & S.	39097	30	17	3	6	-	2	-	-	-	-	-	-	-	1	2	10	-
nington 1st *H* - - S. & L.	50586	23	15	6	3	-	-	-	1	1	-	-	-	-	1	3	-	-
nington 2nd - - - S. & L.	39708	11	8	-	3	-	-	-	-	-	-	1	-	-	-	-	-	1
ton *w* - - - - - L. & S.	73405	31	19	7	3	-	-	2	1	-	-	-	-	1	-	1	4	1
wood *WH* - - - - - L.	25657	13	5	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Battersea - - - - S.	67244	47	11	3	3	-	1	-	-	-	-	-	-	-	1	3	-	-
Battersea *WwH*- - - S.	83314	38	24	9	6	-	1	-	2	1	-	-	-	-	1	2	8	-
nam *H*- - - - - S.	43698	16	12	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
dsworth *WHHL* - - - S.	46717	24	12	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-
ey - - - - - - S.	17771	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
tham *www* - - - - L.	48756	27	15	4	-	-	-	2	2	-	-	1	-	-	1	2	4	1
ich - - - L. & S.	6809	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
berwell *WwL*L** - S. & L.	81686	47	44	7	14	-	3	-	2	-	-	-	-	-	1	2	21	-
ham *W* - - - S., L., & K.	83483	48	22	5	10	-	2	1	-	-	-	-	-	-	-	-	-	1
eorge Camberwell - - L. & S.	63366	37	15	3	3	-	-	-	1	2	-	1	-	-	2	2	-	-
ford, North - - - - K.	35314	24	9	2	1	-	-	1	1	-	-	-	-	-	-	-	-	1
ford, Central *w* - - - K.	42007	27	22	4	1	-	-	1	6	-	-	-	-	-	1	3	7	-
ford, South - - - - K.	30852	10	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
nwich West *H* - - - K.	22007	12	9	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-
nwich East *WH* - - - K.	35233	22	25	4	9	-	-	-	1	-	-	1	-	-	-	-	16	-
am *wH* - - - - - K.	5682	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - - K.	23541	8	6	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
isham *WH* - - - - K.	30950	15	16	-	8	-	-	-	-	1	-	1	-	-	1	1	7	-
nham *H* - - - - - L.	34162	15	8	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-
lton *HH* - - - - K.	14040	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Dockyard - - - K.	19606	8	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Arsenal *HH HH* - K.	21242	10	8	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
stead, West *H* - - - K.	15869	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, East *WH* - - - K.	36567	24	16	5	6	-	-	-	2	-	-	-	-	-	2	3	6	1
tead Asylum - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
rham Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hill Asylum - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
pital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ey Hatch Asylum - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
Hospital - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
chmore Hill Hospital - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
esden Asylum - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
bury Asylum - - - - -	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th December 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	854	386	91	99	–	9	3	16	8	9	9	12	22	33
30 : 1	Carshalton *wHH*	12228	26108	11	6	1	3	–	1	–	–	–	1	–	–	–	–
2	Epsom, *part of* WwH*	10423	12508	5	2	–	1	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of* W*	2754	1598	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	63	31	6	10	–	–	–	–	–	1	–	1	6	2
2	Mitcham *w*	11697	23088	7	6	2	1	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3220	25761	19	3	3	–	–	1	–	–	–	–	–	–	–	–
2	Kingston *WH*	8071	44765	24	13	4	6	–	–	–	–	–	–	–	–	–	1
3	Esher, *part of * HH*	6601	12059	3	4	1	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	7	3	–	2	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH*	2160	25389	11	3	1	1	–	–	–	–	–	–	1	–	–	1
2	Mortlake *H*	2823	16159	5	2	–	2	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley *HHH*	9127	23815	12	6	1	1	–	–	1	–	1	–	–	–	–	1
2	Beckenham *H*	6542	21969	8	3	–	–	–	–	–	–	–	–	–	–	–	–
3	Chislhrst, *pt. of* WHH*	14307	20372	8	2	1	–	–	–	–	–	–	–	–	–	–	–
41 : 1	Bexley *HH*	12540	30590	20	8	1	3	–	–	–	–	–	–	1	–	–	–
2	Dartford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11054	13671	9	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13277	13221	5	6	1	3	–	–	–	–	–	–	–	–	–	3
125 : 1	Hillingdon *WHH*	6035	12237	7	2	1	–	–	1	–	–	–	–	1	–	–	–
2	Uxbridge	6172	5417	–	3	1	–	–	–	–	–	–	1	–	–	–	–
3	Hayes *wH*	14537	12618	4	5	1	1	–	–	–	1	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	20	10	1	2	–	–	–	2	–	–	–	–	–	2
2	Twickenham *HH*	2415	16027	4	1	–	1	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4818	37777	17	8	3	3	–	–	–	–	1	–	–	–	–	–
4	Chiswick	1245	21963	17	5	2	1	–	–	–	–	–	–	–	1	1	–
5	Acton *wH*	6132	30945	31	7	2	2	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13809	15715	7	3	2	1	–	–	–	–	–	–	–	–	–	–
2	Edgware *BH*	6994	3844	1	3	–	–	–	–	–	1	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	47	15	6	3	–	–	–	–	1	1	–	2	3	–
4	Hendon *WH*	8382	15843	9	4	3	–	–	–	–	–	–	–	1	–	–	1
128 : 1	South Mimms *H*	15599	8474	5	3	1	–	–	–	–	1	–	–	1	–	–	–
2	Barnet *WHH*	5441	11778	8	3	–	1	–	–	–	–	–	–	–	–	–	1
3	Finchley *HHH*	4688	25820	10	6	1	3	–	–	–	–	–	–	–	–	–	1
129 : 1	Hornsey *HH*	3039	61097	31	13	2	5	–	1	–	1	–	–	–	–	1	1
2	Tottenham *H*	4642	97174	54	23	4	9	–	1	–	2	–	–	–	1	2	1
3	Edmonton *Wwv*	7489	36851	19	11	4	1	–	1	–	–	–	1	–	–	–	–
4	Enfield *WWHH*	12639	31803	14	8	2	1	–	–	–	–	–	1	–	–	–	1
5	Waltham Abbey	11017	6066	3	1	–	–	–	–	–	–	–	–	–	1	1	–
6	Cheshunt *H*	8480	9620	4	–	–	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of * W*	8306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9331	7737	2	5	2	–	–	3	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1
186 : 1	Stratford *H*	1100	42983	33	17	3	2	–	–	1	3	1	–	–	2	3	–
2	Plaistow	1242	58030	59	21	5	8	–	–	–	–	–	–	–	1	2	–
3	Canning Town *H*	1558	54750	35	17	2	4	–	–	–	–	–	1	–	3	3	–
4	Forest Gate *w*	806	49140	34	12	3	2	–	–	–	1	1	–	–	–	–	–
5	East Ham *wH*	3266	32713	38	8	2	1	–	–	–	2	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	50	33	5	6	–	–	1	2	1	1	3	–	–	12
7	Walthamstow *HwL*	6501	57330	40	29	7	1	–	–	–	–	2	1	1	–	–	2
187 : 1	Chigwell, *part of * H*	11773	12941	9	10	2	7	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of* WH*	6558	4324	3	2	1	–	–	–	–	–	–	–	–	–	–	–
2	Ilford	8493	10913	6	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town *H*	3814	14301	11	4	1	–	–	–	–	–	–	–	–	–	–	–
	Middlesex County Asylum.	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2232); 41 : 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 187 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 . 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 2, Dartford, 137 : 2, Watford, and 187 ; 2, Epping sub-districts

BLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th December, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TER LONDON	443,421	6,048,555	16·1	2·4	1863	416	416	1	105	22	79	32	30	15	85	479
ER LONDON -	74,672	4,392,346	17·5	2·7	1477	325	317	1	96	19	63	24	21	6	73	446
TER RING -	368,749	1,656,209	12·2	1·7	386	91	99	–	9	3	16	8	9	9	12	33

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	December 14	146	81	15·4	–	–	1	–	1	2	–
GOW - -	695,876	„ 14	390	255	19·1	–	5	5	2	15	1	7
IN - -	349,594	„ 14	173	153	22·8	–	–	–	1	1	3	3
UTTA - -	466,460	October 19	–	273	30·5	–	–	–	–	1	134	55†
BAY - -	821,764	November 26	345	422	26·7	3	–	?	?	?	125	25†
RAS - -	452,518	„ 15	431	319	36·6	–	2	?	?	?	117	37
S - - -	2,424,705	December 7	1025	840	18·0	–	12	2	13*	3	8	38
SELS - -	507,985	„ 7	239	159	16·3	–	1	2	5*	3	2	13
ERDAM -	451,493	„ 7	277	150	17·2	–	–	1	3	1	–	–
ERDAM -	272,042	„ 7	153	90	17·2	1	–	–	–	5	–	–
HAGUE -	180,455	„ 7	86	62	17·9	–	1	–	2	1	1	–
NHAGEN -	341,000	„ 7	202	117	17·9	–	–	–	2	3	–	3
KHOLM -	259,304	November 30	156	80	16·0	–	–	2	–	–	1	–
STIANIA -	174,717	December 7	28	50	14·9	–	1	1	1	4	–	1
ETERSBURG	954,400	November 30	614	476	26·0	3	10	9	9	10	21	46
COW - -	753,469	„ 30	–	410	28·4	–	1	8	15	–	6	31
LIN - -	1,724,544	„ 23	756	536	15·9	–	7	19	22	7	2	24
BURG - -	608,710	„ 30	383	189	16·1	–	1	–	1*	7	3	2
DEN - -	320,600	„ 16	–	–	–	–	–	–	–	–	–	–
LAU - -	367,769	December 7	–	185	26·2	–	–	9	4*	3	1	14
ICH - -	396,000	„ 7	–	188	24·7	–	3	2	8*	–	1	23
NA - -	1,495,764	November 30	890	561	19·5	–	24	14	16*	3	4	33
GUE - -	351,478	„ 30	190	133	19·3	–	–	2	1	–	5	1
A-PESTH -	566,022	„ 30	–	–	–	–	–	–	–	–	–	–
ESTH - -	160,825	„ 30	113	94	30·4	–	–	–	9*	–	–	1
N - - -	464,579	October 26	218	173	19·4	–	–	–	1	1	13‡	18
N (10 days)	344,203	November 30	–	–	–	–	–	–	–	–	–	–
ICE -	158,159	„ 30	70	67	22·1	–	1	–	–	–	–	7
O - -	374,838	„ 18	470	323	41·8	–	–	–	3*	–	6	88
KANDRIA -	231,396	„ 18	242	135	30·4	1	–	–	2*	1	4	35
YORK -	1,860,700	„ 30	–	683	18·7	–	14	1	22	4	8	9
OKLYN -	1,100,000	„ 30	–	357	16·9	–	4	2	34	2	4	3
LADELPHIA	1,163,864	„ 23	–	386	17·3	5	1	3	32	3	7	6
ORLEANS -	275,000	„ 19	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Including 24 deaths from cholera in Calcutta, and 6 in Bombay.
‡ Including 11 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 14TH DECEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DEC.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	8	..	29·933	38·4	32·0	6·4	35·4	− 5·2	30·0	5·4	7·7	4·0	81	45·1	26·0	47·35	WNW. & W.	W. & WSW.	1·5	0·0	0·1	320	+ 15	0·00	2·2
MONDAY	9	Last Qr. Perigee.	29·728	49·0	32·0	17·0	43·1	+ 2·8	40·0	3·1	5·9	0·2	89	53·2	23·9	46·77	SSW. & SW.	WSW.	4·0	0·0	0·3	351	+ 45	0·01	0·0
TUESDAY	10	In Equator.	29·777	48·5	33·7	14·8	40·9	+ 1·0	35·7	5·2	9·2	0·5	82	51·9	27·5	46·27	W. & NW.	NNW. & WSW.	1·7	0·0	0·1	253	− 53	0·03	0·0
WEDNESDAY	11	..	29·842	41·0	26·2	14·8	34·2	− 5·6	32·8	1·4	4·3	0·0	94	43·4	20·0	46·20	WSW. Calm & NE.	SSE. & E.	0·0	0·0	0·0	101	−206	0·04	0·0
THURSDAY	12	..	29·366	47·7	38·0	9·7	41·8	+ 1·9	37·8	4·0	7·0	1·8	86	56·1	32·0	45·81	W. & SW.	SSW. & W.	16·0	0·0	0·8	442	+135	0·23	2·8
FRIDAY	13	..	29·222	43·1	35·5	7·6	40·0	− 0·1	31·1	8·9	11·0	5·0	70	63·0	30·3	45·60	W.	WNW. & NW.	10·2	0·2	2·1	730	+422	0·00	2·2
SATURDAY	14	..	29·566	49·0	34·5	14·5	40·9	+ 0·7	37·1	3·8	6·6	0·8	86	50·0	29·0	45·38	NW. W. & WSW.	WSW. & SSW.	3·7	0·0	0·1	291	− 17	0·12	2·0
MEANS		..	29·633	45·2	33·1	12·1	39·5	− 0·6	34·9	4·5	7·4	1·8	84	51·8	27·0	46·20	W. NW. & SW.		..	..	..	Sum 2488	Sum + 341	Sum 0·46	1·3
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	8	s. P. throughout	0·0	7·9	Hoar frost in morning; cloudy and foggy till evening; cloudless at night.
MONDAY	9	m. P. in morning; v. P. afterwards.	0·0	7·9	Hoar frost in early morning; cloudy and mild during the day. Occasional showers between 6h. and 8h. A.M.
TUESDAY	10	v. P. and s. N. in morning; s. P. afterwards.	0·0	7·9	Cloudy and showery in morning; fine with little cloud during the day; cloudless at night.
WEDNESDAY	11	s. P. till 10h. P.M.; m. N. and m. P. afterwards.	0·0	7·8	Dense fog and hoar frost in morning; overcast after 9h. A.M. Rain at night.
THURSDAY	12	w. N. and v. P. in morning; s. N. and s. P. afterwards.	0·8	7·8	Overcast till evening with occasional rain. Violent squall shortly after 6h. P.M. with heavy rain and hail; variable at night.
FRIDAY	13	m. P. in morning; s. P. afterwards.	0·8	7·8	Fine and generally cloudless in morning; cloudy in afternoon; cloudless at night. Very slight hoar frost. Gusty wind.
SATURDAY	14	s. P. generally; s. N. for a short time between 6h. P.M. and 7h. P.M.	0·0	7·8	Cloudless in morning with slight hoar frost, faint solar halo at noon; overcast afterwards. Showery at night.
			Sum 1·6	Sum 54·9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the bservations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·76 in. at the beginning of the week to 29·96 in. by 9h. P.M. on the 8th; decreased to 29·69 in. by 9h. P.M. on the 9th; increased to 29·89 in. by 9h. A.M. on the 11th; decreased to 29·03 in. by 6h. P.M. on the 12th; increased to 29·63 in. by 9h. A.M. on the 14th; and decreased to 29·39 in. by the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 51. 1895. VOL. LVI.] WEEK ENDING SATURDAY, DECEMBER 21. [Price 1½*d.*

General Register Office, Somerset House,
December 23rd, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·6 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	TOWNS.	Weeks ending Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.
Birkenhead	18·4	20·4	17·5	17·0	Liverpool - -	23·2	28·9	22·8	27·5
Birmingham	19·5	18·4	20·0	23·0	London - -	17·3	17·3	17·5	18·1
Blackburn -	29·0	23·7	21·7	16·8	Manchester -	21·0	23·5	20·4	19·1
Bolton -	16·6	18·4	21·0	19·7	Newcastle-on-Tyne	16·6	15·4	18·4	19·6
Bradford -	13·1	16·1	19·3	18·4	Norwich - -	14·1	19·0	20·4	21·4
Brighton -	12·2	11·3	11·3	11·8	Nottingham -	17·0	14·3	16·3	18·4
Bristol -	18·7	17·6	14·4	13·9	Oldham - -	23·3	19·2	21·1	21·8
Burnley -	14·1	14·7	14·7	16·8	Plymouth - -	18·7	15·2	14·6	16·4
Cardiff -	14·7	14·1	16·8	15·1	Portsmouth -	12·5	15·5	12·2	12·8
Croydon -	11·3	10·0	10·9	13·6	Preston - -	22·7	13·4	16·2	20·4
Derby -	14·6	10·9	20·3	13·9	Salford - -	23·3	27·3	25·5	24·3
Gateshead -	14·1	17·4	18·5	14·7	Sheffield - -	19·8	16·1	15·4	18·0
Halifax -	15·6	17·8	12·2	15·6	Sunderland -	18·2	14·0	14·8	20·1
Huddersfield	18·3	12·6	12·6	15·7	Swansea - -	17·7	16·1	15·1	17·7
Hull - -	16·4	17·1	22·4	15·6	West Ham - -	17·1	15·7	15·5	15·5
Leeds -	18·3	18·2	17·3	18·7	Wolverhampton -	20·7	20·7	14·0	23·1
Leicester -	14·3	15·3	13·5	19·9					

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Burnley, 1·1 in Oldham, 1·5 in London, 1·6 in Leicester, 2·4 in Birmingham and in Liverpool, 2·9 in Norwich and in Blackburn, and 5·5 in Salford; from *scarlet fever*, 1·3 in Salford; from *whooping-cough*, 1·0 in Huddersfield, 1·1 in Sheffield, 1·2 in Plymouth and in Bradford, 1·3 in Leicester, 1·4 in Liverpool, 1·5 in Birkenhead, and 1·6 in Leeds; and from "*fever*," 1·0 in Salford, 1·5 in Norwich and in Sunderland, and 2·4 in Birkenhead. The death-rate from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 97 deaths from *diphtheria* included 62 in London, 6 in Birmingham, 5 in Liverpool, 4 in Manchester and in Newcastle-on-Tyne, and 3 in Sheffield. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2401 BIRTHS and 1521 DEATHS were registered. Allowing for increase of population, the births were 3, and the deaths 305, below the average

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·3, 17·3, and 17·5 in the preceding three weeks, further rose last week to 18·1. During the four weeks ending on Saturday last the death-rate averaged 17·6 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1521 deaths included 126 from measles, 25 from scarlet fever, 62 from diphtheria, 33 from whooping-cough, 11 from enteric fever, 20 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 277 deaths were referred to these diseases, being 56 above the corrected average weekly number.

The deaths from *measles*, which had been 100, 105, and 96 in the preceding three weeks, rose again last week to 126, exceeding the corrected average by 52; 22 cases belonged to St. Pancras, 15 to Newington, 12 to Bermondsey, 10 to Islington, and 9 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 17, 19, and 19 in the preceding three weeks, rose last week to 25, the corrected average being 24; 3 cases belonged to Kensington sanitary area. The deaths from *diphtheria*, which had been 63, 69, and 63 in the preceding three weeks, were 62 last week, exceeding the corrected average by 27; 8 cases belonged to Islington, 7 to Mile End Old Town, 4 to Kensington, 4 to Hackney, 4 to Whitechapel, 4 to Poplar, 4 to Battersea, and 4 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 19, 30, and 24 in the preceding three weeks, rose again last week to 33, but were 25 below the corrected average; 4 cases belonged to Hackney sanitary area. The fatal cases of *enteric fever*, which had been 21, 16, and 21 in the preceding three weeks, fell again last week to 11, and were 4 below the corrected average; 2 cases belonged to Lambeth sanitary area. The deaths from *diarrhœa*, which had been 14, 9, and 6 in the preceding three weeks, rose again last week to 20, exceeding the corrected average by 6.

The deaths referred to diseases of the respiratory organs, which had been 285, 264, and 264 in the preceding three weeks, rose again last week to 291, but were 214 below the corrected average.

The deaths attributed directly to *influenza* numbered 15, having been 11, 11, and 15 in the preceding three weeks.

Different forms of violence caused 66 deaths, concerning all but one of which inquests were held. Of these 66 deaths, 8 were cases of suicide, and 3 of homicide, while the remaining 55 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 9 to drowning, and 8 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 82 cases of small-pox, 2725 of scarlet fever, 699 of diphtheria, and 129 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 5 cases, against 9, 18, and 18; of scarlet fever, 210 cases, against 325, 312, and 329; of diphtheria, 104 cases, against 86, 114, and 91; and of enteric fever, 13 cases, against 22, 26, and 24.

Greater London.

In Greater London 3269 births and 1956 deaths were registered, corresponding to annual rates of 28·2 and 16·9 per 1000 of the estimated population. In the Outer Ring 15 deaths from measles and 16 from diphtheria were registered. Four deaths from measles occurred in Bushey sub-district and 3 in Tottenham sub-district; 4 deaths from diphtheria occurred in Walthamstow sub-district and 3 in Tottenham sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·48 inches, and that of the Thermometer 38°·7, the latter being 0°·9 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 13 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 0·3 hours; the measured rainfall amounted to 0·76 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 21st December, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 21st Dec., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified (Causes of Death)	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Col. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4	5.	6.	7.	8	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	5925	3774	876	800	-	240	51	97	101	57	47	153	290	789	46	18·6	2·9	-	-	-	-	-	-	33 Towns.
London	4,392,346	2401	1521	331	320	-	126	25	62	33	11	20	66	141	418	9	18·1	3·3	51·5	29·2	38·7	3·72	0·76	1·93	London.
West Ham	249,473	159	74	18	15	-	1	2	2	-	1	-	3	4	4	-	15·5	1·3	-	-	-	-	-	-	West Ham.
Croydon	114,923	60	30	5	13	-	1	-	1	-	1	-	2	4	4	-	13·6	1·4	50·3	27·6	38·3	3·50	0·94	2·39	Croydon.
Brighton	119,604	50	27	6	7	-	-	-	-	-	-	1	-	-	10	-	11·8	0·4	-	-	-	-	-	-	Brighton.
Portsmouth	174,751	96	43	13	12	-	-	-	1	1	1	1	1	2	5	2	12·8	1·2	-	-	-	-	-	-	Portsmouth.
Plymouth	89,096	39	28	4	9	-	-	-	-	2	1	-	-	-	2	-	16·4	1·8	-	-	-	-	-	-	Plymouth.
Bristol †	228,189	98	61	12	13	-	-	-	-	-	-	3	2	5	11	-	13·9	0·7	45·0	26·0	36·1	2·28	0·90	2·29	Bristol.
Cardiff	155,637	81	45	15	6	-	1	1	-	-	-	1	7	9	4	-	15·1	1·0	-	-	-	-	-	-	Cardiff.
Swansea	97,608	63	33	10	7	-	1	-	-	-	-	-	1	1	5	1	17·7	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	85,780	58	38	12	7	-	1	-	1	1	-	-	2	4	7	-	23·1	1·8	49·0	24·5	35·6	2·00	0·05	0·13	Wolverhampton.
Birmingham	496,751	283	219	53	43	-	23	7	6	5	3	3	8	7	46	12	23·0	4·9	-	-	-	-	-	-	Birmingham.
Norwich	107,127	68	44	11	14	-	6	-	-	1	3	1	1	1	3	-	21·4	5·4	-	-	-	-	-	-	Norwich.
Leicester	193,830	108	74	23	18	-	6	-	1	5	1	-	2	2	6	-	19·9	3·5	-	-	-	-	-	-	Leicester.
Nottingham	220,658	124	80	21	21	-	-	1	-	-	1	1	3	5	13	1	18·4	0·7	-	-	-	-	-	-	Nottingham.
Derby	100,272	47	25	4	7	-	-	-	-	-	1	-	-	3	4	1	13·0	0·5	-	-	-	-	-	-	Derby.
Birkenhead	107,469	66	35	4	11	-	-	-	1	3	5	-	-	1	9	-	17·0	4·4	-	-	-	-	-	-	Birkenhead.
Liverpool †	503,967	302	206	59	52	-	23	2	5	14	4	3	17	22	69	6	27·5	5·3	44·8	24·3	36·0	2·22	0·10	0·25	Liverpool.
Bolton	119,337	69	45	14	7	-	-	-	-	2	2	1	3	6	7	-	19·7	2·2	-	-	-	-	-	-	Bolton.
Manchester	524,865	322	192	42	39	-	9	4	4	2	2	2	8	10	44	2	19·1	2·3	-	-	-	-	-	-	Manchester.
Salford	208,253	142	87	21	8	-	22	5	2	2	4	1	-	8	14	2	24·3	9·0	-	-	-	-	-	-	Salford.
Oldham	141,079	77	59	17	12	-	3	-	1	-	-	-	2	3	7	-	21·8	1·5	-	-	-	-	-	-	Oldham.
Burnley	93,591	51	32	6	6	-	2	-	1	-	1	-	1	2	1	1	16·8	2·1	-	-	-	-	-	-	Burnley.
Blackburn	127,615	71	41	10	7	-	7	-	-	-	-	2	-	1	1	2	16·8	3·7	-	-	-	-	-	-	Blackburn.
Preston	112,638	62	44	16	4	-	-	-	-	-	-	1	1	2	1	-	20·4	0·5	-	-	-	-	-	-	Preston.
Huddersfield	99,482	44	30	6	6	-	-	-	-	2	-	-	-	1	3	1	15·7	1·0	-	-	-	-	-	-	Huddersfield.
Halifax	93,813	33	28	3	6	-	-	-	-	1	-	-	1	3	6	-	15·6	0·6	-	-	-	-	-	-	Halifax.
Bradford	226,384	115	80	25	21	-	-	1	-	5	-	1	1	3	11	1	18·4	1·6	46·4	32·6	39·9	4·39	0·33	0·84	Bradford.
Leeds	395,546	233	142	33	33	-	4	1	-	12	4	1	8	14	17	-	18·7	2·9	-	-	-	-	-	-	Leeds.
Sheffield	342,768	218	118	33	25	-	1	1	3	7	4	-	3	6	22	1	18·0	2·4	-	-	-	-	-	-	Sheffield.
Hull	226,722	120	65	15	14	-	-	1	1	-	1	2	2	5	8	1	15·6	1·2	-	-	-	-	-	-	Hull.
Sunderland †	137,705	100	53	13	18	-	-	-	-	-	4	-	2	4	9	1	20·1	1·5	-	-	-	-	-	-	Sunderland.
Gateshead	95,871	64	27	10	5	-	-	-	1	1	-	-	1	2	2	1	14·7	1·1	-	-	-	-	-	-	Gateshead.
Newcastle	267,021	101	78	11	14	-	3	-	4	2	2	2	5	9	16	1	19·6	3·3	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† The recent extension of these boroughs will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births and Deaths** Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885-94.*	1895
TOTAL **Births**	1965	2075	2406	2655	2513	2202	1462	2423	2378	2703	2404·4	2401
Males . .	1057	1040	1200	1368	1267	1142	750	1221	1217	1395	1230·3	1213
Females .	908	1035	1206	1287	1246	1060	712	1202	1161	1308	1174·1	1188
TOTAL **Deaths**	1408	1570	1502	1802	1816	2206	1771	1606	2170	1448	1825·8	1521
Males . .	720	748	732	887	909	1059	911	786	1069	726	902·1	794
Females .	688	822	770	915	907	1147	860	820	1101	722	923·7	727

The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.
TOTAL **Births** - -	2618	2447	2622	2629	2447	2693	2525	2576	2596	2159	2373	2219	2401
TOTAL **Deaths** - -	1532	1342	1435	1518	1470	1789	1790	1510	1488	1455	1459	1477	1521
Ages at Death: Under 1 year -	443	383	394	421	410	412	392	325	341	332	338	325	331
1—5 years -	220	180	213	238	221	280	303	285	295	296	305	252	339
5—20 „ -	100	76	78	108	94	140	104	96	103	82	91	106	96
20—40 „ -	190	184	193	189	180	226	235	191	177	182	163	196	175
40—60 „ -	279	261	261	256	262	328	312	259	251	250	257	281	260
60—80 „ -	259	212	237	255	251	320	366	290	260	255	249	263	265
80 years & upwards	41	46	59	51	52	83	78	64	61	58	56	49	55
Deaths from—													
Small-pox - - - -	2	1	2	1	1	1	1	-	-	1	1	1	-
Measles - - - -	27	15	34	42	48	75	97	77	103	110	105	96	126
Scarlet fever - - -	24	22	25	23	19	23	19	14	27	17	19	19	25
Diphtheria - - -	56	44	56	76	61	72	75	61	69	63	69	63	62
Whooping-cough - -	25	14	10	15	20	11	14	21	20	19	30	24	33
Typhus - - - -	-	-	-	1	-	1	-	-	-	-	-	-	-
Enteric fever - - -	11	22	22	19	20	16	24	23	12	21	16	21	11
Simple Continued fever -	-	-	-	-	-	-	-	-	1	-	1	-	-
Diarrhœa and Dysentery -	107	102	87	62	45	36	20	25	22	14	9	6	20
Cholera - - - -	4	3	-	-	-	-	-	1	-	-	-	-	-
All the above Diseases	256	223	236	239	214	235	250	222	254	235	250	230	277
Dis. of Respiratory System	173	158	175	215	235	366	447	340	327	285	264	264	291
Phthisis - - - -	140	152	153	168	156	173	159	149	130	135	114	130	135
Dis. of Circulatory System	121	102	125	111	117	178	154	105	126	116	112	127	114
Violence - - - -	72	77	52	72	59	65	70	73	72	65	55	73	66
Inquest Cases - - -	137	159	120	141	127	163	151	156	141	134	131	147	141
Deaths in Public Institutions	464	400	412	427	416	513	496	419	412	364	403	446	418
TEMPERATURE OF THE AIR													
Mean - - - -	65·6°	56·5°	50·7°	49·4°	46·4°	39·9°	50·8°	50·4°	45·5°	43·4°	44·2°	39·5°	38·7°
Mean of Highest readings -	81·8°	68·5°	57·0°	57·8°	46·4°	47·5°	56·8°	56·9°	50·6°	46·8°	48·7°	45·2°	42·0°
Mean of Lowest readings -	52·4°	46·2°	45·8°	42·1°	34·4°	33·0°	45·8°	43·5°	39·8°	38·7°	39·0°	33·1°	35·0°
Humidity of the Air - -	71	77	83	85	85	87	91	80	88	89	82	84	89
Rain-fall (in inches) - -	0·00	0·49	1·45	0·15	0·45	0·16	1·09	0·87	0·28	0·65	0·20	0·46	0·76
Registered Sunshine (in hours)	56·1	32·5	7·9	11·7	10·0	12·0	4·8	21·2	12·5	0·7	5·1	1·6	0·3
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.*													
Small-pox - - - -	234	198	158	119	114	106	73	86	89	79	87	89	82
Scarlet fever - - - -	2807	2802	2827	2838	2833	2841	2847	2845	2807	2799	2805	2800	2725
Diphtheria - - - -	673	672	659	667	675	671	688	678	688	691	694	689	699
Enteric fever - - - -	117	124	125	115	129	123	118	125	121	125	129*	129	129

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-FIRST Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 51st Week of the 10 years 1885-94.*	In the Week ending Saturday, 21st December 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1825·8	1521	331	339	96	175	230	265	55
Small-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox { No Statement	-	-	-	-	-	-	-	-	-
Measles - - - -	74·0	126	19	102	5	-	-	-	-
Scarlet Fever - -	24·3	25	3	15	6	1	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - -	20·4	15	1	-	2	3	2	6	1
Whooping-cough - -	58·3	33	6	25	2	-	-	-	-
Diphtheria - - -	35 0	62	4	36	21	1	-	-	-
Simple Continued and Ill-defined Fever -	0·3	-	-	-	-	-	-	-	-
Enteric Fever -	15·2	11	1	-	2	8	-	-	-
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	13·5	20	12	4	-	-	1	2	1
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-
Hydrophobia - -	0·1	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	-	1	1	-	-	-	-	-	-
Venereal Affections -	3·4	8	6	-	-	1	-	1	-
Erysipelas - - -	7·5	9	5	-	1	-	1	2	-
Pyæmia and Septicæmia	2·0	5	-	1	1	1	-	2	-
Puerperal Fever - -	6·1	4	-	-	-	3	1	-	-
Other Zymotic Diseases	1·8	3	-	2	-	-	1	-	-
Thrush - - - -	0·6	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·2	1	-	-	-	1	-	-	-
Starvation, Want of Breast-milk - -	2·0	1	1	-	-	-	-	-	-
Alcoholism - - -	6 8	13	-	-	-	4	8	1	-
Rheumatic Fever, Rheumatism of Heart	7·8	10	-	-	3	3	2	2	-
Rheumatism - -	2·2	1	-	-	-	-	1	-	-
Gout - - - -	3·5	3	-	-	-	-	1	2	-
Rickets - - - -	4·7	3	-	3	-	-	-	-	-
Cancer - - - -	60·4	60	-	-	-	3	33	24	-
Tabes Mesenterica -	14·9	18	9	8	-	1	-	-	-
Tubercular Meningitis -	17 3	19	5	9	3	-	1	1	-
Phthisis - - -	172·4	135	2	5	15	59	45	9	-
Scrofula, Tuberculosis -	17·8	8	3	4	-	-	1	-	-
Other Constitutional Diseases - - -	14·0	8	-	-	-	2	4	2	-
Premature Birth - -	43·0	59	59	-	-	-	-	-	-
Atelectasis - - -	2·0	9	9	-	-	-	-	-	-
Congenital Malformations - - - -	7·4	4	3	1	-	-	-	-	-
Old Age - - - -	57·5	51	-	-	-	-	-	25	26
Apoplexy - - -	46·1	43	-	1	-	3	14	21	4
Epilepsy - - -	6 8	7	-	1	2	-	2	1	1
Convulsions - - -	45·8	20	19	1	-	-	-	-	-
Other Diseases of Brain and Nervous System	89·2	72	8	11	4	11	14	20	4

CAUSES OF DEATH.	Corrected Averages for the 51st Week of the 10 years 1885-94.*	In the Week ending Saturday, 21st December 1895. Deaths of Persons of the Ages: All Ages.	Under 20. 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·8	8	1	1	4	1	1	-	-
Diseases of Circulatory System - - -	154·5	114	3	1	9	18	31	50	2
Croup - - - -	10·1	4	-	4	-	-	-	-	-
Bronchitis - - -	315·5	151	45	35	2	4	17	39	9
Pneumonia - - -	130·1	100	27	36	1	7	14	14	1
Pleurisy - - - -	5·4	10	-	4	2	2	1	1	-
Other Diseases of Respiratory System - -	43·5	26	7	6	1	4	4	3	1
Dentition - - -	11·9	11	8	3	-	-	-	-	-
Quinsy, Sore Throat -	2·3	1	-	1	-	-	-	-	-
Enteritis - - -	9·0	5	1	1	1	-	2	-	-
Peritonitis - - -	6 8	6	-	3	-	1	2	-	-
Diseases of Liver - -	21·6	17	-	1	-	3	6	7	-
Other Diseases of Digestive System -	28·2	29	3	1	2	4	9	8	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	43 3	40	-	1	1	4	17	14	3
Diseases of Generative System - - -	6·0	4	-	-	-	-	3	1	-
Accidents of Childbirth -	4·0	5	-	-	-	5	-	-	-
Diseases of Locomotive System - - -	6·2	3	-	1	-	1	1	-	-
Diseases of Integumentary System - -	7 0	4	1	-	-	1	2	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	57·9	4	-	-	2	1	1	-	-
By Vehicles or Horses -		5	-	-	-	1	3	1	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		1	-	-	1	-	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations - -		1	-	1	-	-	-	-	-
By Burns, Scalds, Explosions - - -		11	-	8	3	-	-	-	-
By Drowning - -		9	-	-	-	4	4	1	-
By Suffocation in Bed -		8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	1	-	-	-
Other or not stated Causes - - -		14	5	-	-	1	5	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·3	3	3	-	-	-	-	-	-
Suicide - - - -	7·6	8	-	-	-	7	-	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·5	50	43	2	-	-	4	1	-

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLE during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON	4,211,743	2401	1521	331	320	–	126	25	62	33	–	11	–	20	66	141	418	
WEST DISTRICTS	740,735	358	244	47	56	–	12	2	10	8	–	2	–	5	15	27	82	
NORTH DISTRICTS	993,884	535	336	76	86	–	37	10	16	8	–	2	–	4	9	22	101	
CENTRAL DISTRICTS	247,538	117	94	16	13	–	12	1	1	3	–	–	–	1	6	14	35	
EAST DISTRICTS	705,114	478	282	62	50	–	10	4	16	6	–	2	–	1	21	46	74	
SOUTH DISTRICTS	1,524,472	913	501	130	104	–	55	7	17	8	–	5	–	9	15	32	93	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	33	–	11	–	–	1	2	–		–		–	–	–	36	
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	40	19	4	6	–	–	–	–	1	–	–	–	–	2	2	4	
St. John Paddington *H* G.J.	33687	9	10	–	2	–	–	–	–	–	–	–	–	–	1	3	5	
Kensington Town *Ww* W.M.	118751	51	36	4	10	–	–	–	1	1	–	–	–	1	2	3	15	
Brompton *H* W.M. & C.	47557	8	9	1	1	–	–	–	1	1		–	–	–	–	–	–	
St. Peter Hammersmith W.M.	8586	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
St. Paul Hammersmith *H* W.M. & G.J	88583	50	28	6	6	–	5	–	1	–	–	1	–	1	3	4	8	
Fulham *Ww* W.M. & C.	91639	61	43	13	6	–	3	2	3	2	–	–	–	–	2	5	16	
Chelsea Kensal Town C.	21787	10	3	3	–	–	–	–	–	1	–	–	–	1	–	–	–	
Chelsea North *WHHHHH* C.	41637	32	22	3	7	–	–	–	–	–	–	–	–	–	–	1	10	
Chelsea South *HH* C.	32829	27	14	4	6	–	–	–	–	–	–	–	–	–	–	1	1	
May Fair *WH* G.J.	23733	6	13	–	6	–	–	–	–	–	–	–	–	–	2	2	9	
Belgrave *WHHH* C.	54331	16	16	2	2	–	–	–	3	–	–	1	–	1	2	3	6	
St. John Westminster *HH* C.	34106	15	10	1	1	–	2	–	–	1	–	–	–	–	1	1	1	
St. Margaret Westminster *H* C.	21668	8	9	1	1	–	1	–	1	–	–	–	–	1	–	1	5	
St. James Westminster *WHHH* N.R. & G.J.	24995	12	8	3	2	–	–	–	–	1	–	–	–	–	–	1	2	
St. Anne Soho *HHHHHH* N.R.	12317	8	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
NORTH DISTRICTS.																		
All Souls Marylebone. *HHHHHHHHH* W.M.	37713	8	12	1	3	–	3	–	–	–	–	–	–	–	–	–	3	
Rectory Marylebone *WH* G.J. & W.M.	20024	12	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	
St. Mary Marylebone. *HHHH* G.J. & W.M.	19239	22	10	3	3	–	–	–	–	–	–	–	–	–	–	–	2	
Christchurch Marylebone *HH* W.M.	33327	16	10	2	1	–	–	–	1	2	–	1	–	–	2	2	–	
St. John Marylebone *HH* W.M.	32101	13	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
Hampstead *WwHHHHH* N.R. & W.M.	68416	31	32	3	5	–	–	5	4	–	–	–	–	–	–	1	14	
Regent's Park Paneras *HH* W.M.	36590	13	11	5	4	–	1	–	1	–	–	–	–	–	1	2	–	
Tottenham-court *wHHH* N.R. & W.M.	26331	10	21	4	3	–	5	–	1	–	–	1	–	–	–	2	11	
Gray's Inn Lane *HHH* N.R.	27455	15	13	6	3	–	2	–	–	–	–	–	–	–	1	2	4	
Somers Town *HH* N.R.	32829	18	18	4	1	–	5	–	–	–	–	–	–	2	–	1	1	
Camden Town *WH* N.R.	15419	17	12	1	7	–	3	–	–	–	–	–	–	–	–	–	7	
Kentish Town *WW* N.R.	95765	49	30	5	8	–	6	–	–	–	–	–	–	1	–	–	7	
Upper Holloway *WWWwHHH* N.R.	90235	40	46	9	10	–	1	–	1	1	–	–	–	–	1	2	23	
Islington South-west *H* N.R.	105557	66	31	7	3	–	7	2	1	1	–	–	–	1	1	3	2	
Islington South-east N.R.	64158	42	19	6	5	–	2	–	–	–	–	–	–	–	–	–	–	
Highbury *HH* N.R.	59193	31	10	2	3	–	–	–	1	–	–	–	–	–	–	–	–	
Stoke Newington *H* N.R.	30936	11	8	1	5	–	–	–	–	–	–	–	–	–	1	2	–	
Stamford Hill E.L.	17739	12	4	1	–	–	–	–	1	1	–	–	–	–	–	–	–	
West Hackney *H* N.R.	42602	24	18	5	4	–	1	–	–	–	–	–	–	–	1	1	5	
Hackney *WwwH* E.L. & N.R.	96486	55	45	8	13	–	1	3	5	3	–	–	–	–	1	1	18	
South Hackney *w* E.L.	41759	30	9	1	2	–	–	–	–	–	–	–	–	–	–	1	–	
CENTRAL DISTRICTS.																		
St. George Bloomsbury N.R.	16695	4	5	2	–		–	–	–	1	–	–	–	–	–	–	–	
St. Giles South *WH* N.R.	18454	8	4	1	1	–	–	–	–	–	–	–	–	1	–	1	–	
St. Giles North *H* N.R.	9633	3	3	–	1		–	–	–	–	–	–	–	–	–	–	–	
St. Martin-in-the-Fields *HH* N.R. & C.	14616	1	6	–	2	–	–	–	1	–	–	–	–	–	1	1	3	
St. Mary-le-Strand *H* N.R.	5706	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
St. Clement Danes *WH* N.R.	7194	4	8	1	–		1	–	–	–	–	–	–	–	–	3	6	
Strand Union Workhouse, Edmonton	†1037	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	
St. Geo.-the-Martyr *HHHHHH* N.R.	17921	13	17	4	–	–	6	–	–	2	–	–	–	–	1	2	7	
St. Andrew Eastern *WH* N.R.	15343	7	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
St. James Clerkenwell N.R.	16803	7	4	1	2	–	–	–	–	–	–	–	–	–	1	2	–	
Amwell Clerkenwell N.R.	16883	7	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Pentonville N.R.	17155	7	4	–	1	–	1	1	–	–	–	–	–	–	–	–	–	
Goswell-street N.R.	15375	10	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–	
City-road *HHHL* N.R.	29177	28	8	1	–	–	–	–	–	–	–	–	–	–	–	1	4	
Whitecross-street N.R.	8278	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Finsbury N.R.	4985	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Holborn Union Workhouse, Mitcham	†892	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
St. Botolph *H* N.R. & E.L.	8944	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cripplegate N.R.	4539	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
St. Sepulchre *H* N.R.	4444	1	13	2	1	–	1	–	–	–	–	–	–	–	2	2	11	
St. Bride *W* N.R.	6594	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
Allhallows Barking N.R.	10422	3	3	–	2	–	–	–	–	–	–	–	–	–	1	1	–	
Broad Street *H* N.R.	3377	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
City of London Asylum, Stone	†388	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Work-houses; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishme receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differe Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. Ne River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
ay, 21st December, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total BIRTHS.	Total DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
ediveh South *HL** E.L. & N.R.	20098	14	12	6	2	-	-	-	1	-	-	-	-	-	-	-	2	-
on New Town *w* - - - N.R.	29313	18	18	5	4	-	2	-	-	2	-	-	-	-	-	4	2	-
on Old Town - - - N.R.	28354	11	7	2	2	-	1	-	-	-	-	-	-	-	1	2	-	-
erston *WH* - - N.R. & E.L.	46244	31	18	4	3	-	-	-	1	-	-	1	-	-	-	-	3	-
nal Green North *H* - - E.L.	51520	41	13	5	1	-	-	1	-	-	-	-	-	-	2	4	-	-
nal Green South - - E.L.	33489	23	7	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
nal Green East *WHL** - E.L.	44123	23	20	2	5	-	4	-	-	-	-	-	-	-	-	3	8	-
lfields - - - E. N.R.	26446	12	8	4	-	-	-	1	-	-	-	-	-	-	1	2	-	-
End New Town *W* - - E.L.	11303	13	14	2	2	-	-	-	1	-	-	-	-	-	-	-	10	-
echapel Church *H* E.L. & N.R.	22913	11	19	2	3	-	1	-	3	-	-	-	-	-	6	6	27	-
iman's Fields - - - E.L.	13890	15	4	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-
eorge's, North - - - E.L.	37738	13	14	7	2	-	-	-	-	-	-	-	-	1	-	4	-	-
ohn, St. George East *W* - E.L.	8[illegible]57	5	7	1	2	-	-	-	-	-	-	-	-	-	1	1	6	-
well *H* - - - E.L. & N.R.	10246	4	4	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-
iff *W* - - - - - E.L.	14928	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
house - - - - - E.L.	32202	19	5	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
End Old Town West *H* - E.L.	38650	52	14	4	2	-	-	-	4	-	-	-	-	-	1	2	-	-
End Old Town East *WWW* E.L.	68942	38	24	3	6	-	-	-	2	1	-	1	-	-	-	1	3	-
*L** - - - - - E.L.	40365	24	12	2	-	-	-	-	3	2	-	-	-	-	1	2	1	-
uley *wwwH* - - - - E.L.	70000	55	28	6	7	-	-	-	1	-	-	-	-	-	-	5	12	-
ar *WW* - - - - - E.L.	56383	33	20	2	3	-	-	2	-	1	-	-	-	-	3	3	-	-
SOUTH DISTRICTS.																		
etchurch Southwark *WH* L. & S.	13364	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
aviour Southwark - - S.	13913	9	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
-road - - - - S. & L.	21887	18	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
ugh-road *WH* - - S. & L.	16624	13	11	2	1	-	1	-	-	1	-	-	-	-	-	-	3	-
on-road *HL* - - L. & S.	21221	12	7	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
ty Newington - - S. & L.	26596	26	17	7	1	-	5	-	-	-	-	-	-	-	-	-	-	1
eter Walworth *W* - S. & L.	61342	38	25	8	3	-	7	-	-	1	-	-	-	1	-	-	-	-
Iary Newington - - L. & S.	27866	26	11	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-
lave *WH* - - - - S.	12723	4	16	4	2	-	-	-	-	1	-	-	-	-	1	2	8	1
her Market *W* - - S. & L.	30612	23	15	4	-	-	5	-	-	-	-	-	-	-	-	1	1	-
ames Bermondsey - - S.	54070	28	25	5	3	-	7	-	1	-	-	-	-	-	-	-	-	-
erhithe *WwH* - - S. & K.	32255	21	13	2	8	-	-	-	-	-	-	-	-	-	2	2	3	-
rlloo-road 1st *H* - - L. & S.	14031	7	5	1	2	-	2	-	-	-	-	-	-	-	-	1	1	-
rlloo-road 2nd *H* - - L. & S.	14644	16	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
beth Church 1st *H* - - L. & S.	18075	10	14	1	1	-	1	-	1	-	-	1	-	-	2	2	10	-
beth Church 2nd *WW* - L. & S.	39097	30	16	2	6	-	2	1	-	-	-	-	-	-	-	-	11	-
ington 1st *H* - - S. & L.	50586	28	9	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
ington 2nd - - - S. & L.	39708	28	6	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
on *w* - - - - L. & S.	78405	32	18	5	2	-	1	1	3	-	-	2	-	1	1	1	5	1
ood *WH* - - - - L.	25657	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Battersea - - - S.	67244	39	8	4	-	-	-	-	1	-	-	-	-	1	1	2	-	-
Battersea *WwH* - - S.	88314	59	20	8	5	-	-	-	2	-	-	-	-	-	-	-	2	-
am *H* - - - - S.	43698	22	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lsworth *WHHL* - - S.	46717	40	11	1	5	-	-	-	-	-	-	-	-	-	-	1	1	-
ey - - - - - S.	17771	11	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
tham *www* - - - L.	48753	21	15	2	7	-	-	2	1	-	-	-	-	-	-	-	3	-
ich - - - L. & S.	6809	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell *WwL*L** - S. & L.	81686	41	36	7	13	-	4	-	-	-	-	-	-	1	-	2	13	-
am *W* - - - S., L., & K.	83483	43	34	13	5	-	5	-	-	2	-	-	-	2	-	-	-	2
eorge Camberwell - - L. & S.	63366	42	21	3	3	-	1	-	-	1	-	-	-	1	1	2	-	-
ford, North - - - - K.	35314	28	12	7	2	-	1	-	-	-	-	-	-	-	2	4	-	-
ford, Central *w* - - - K.	42007	35	15	4	-	-	-	2	4	-	-	1	-	1	1	2	6	-
ford, South - - - - K.	20852	9	11	5	3	-	-	-	-	-	-	-	-	-	-	2	-	-
nwich West *H* - - - K.	22007	13	9	3	2	-	1	-	-	1	-	-	-	-	-	-	1	-
nwich East *WH* - - - K.	35233	21	16	3	4	-	1	-	1	-	-	1	-	1	-	-	9	-
am *wT* - - - - - K.	5682	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
H - - - - - K.	23541	5	6	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
nham *WH* - - - - K.	30950	8	11	-	5	-	-	-	1	-	-	-	-	-	-	-	5	-
nham *H* - - - - L.	34162	10	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ton *HH* - - - - K.	14040	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
wich Dockyard - - - K.	19606	9	6	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-
wich Arsenal *HH* - K.	21242	17	7	2	3	-	-	-	-	-	-	-	-	-	2	2	-	1
stead, West *H* - - - E.	15869	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
stead, East *WH* - - E.	36567	24	13	3	1	-	1	1	-	-	-	-	-	-	1	1	3	2
tead Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
ham Asylum - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hill Asylum - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
ital Ships and Camp, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nth Asylum - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
vell Asylum - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
y Hatch Asylum - - - -	-	-	5	-	8	-	-	-	-	-	-	-	-	-	-	-	5	-
Hospital - - - - -	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
hmore Hill Hospital - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
sden Asylum - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
bury Asylum - - - - -	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week end Saturday, 21st December 1895.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.
LONDON—OUTER RING		368,749	1,422,063	868	435	105	120	–	15	4	16	3	6	6	14	23	32
30 : 1	Carshalton *wHH*	12228	26108	8	7	1	1	–	1	–	–	–	–	–	–	–	–
2	Epsom, *part of** *WwH*	10423	12508	–	1	1	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W*	2754	1593	–	–	–	–	–	–		–	–	–	–	–	–	–
38 : 1	Croydon *WwHBH*	20851	128699	68	32	5	14	–	1	–	1	–	1	–	2	4	5
2	Mitcham *w* -	11697	23088	20	6	1	2	–	–	–	–	–	–	1	1	1	–
39 : 1	Wimbledon *HHH* -	3220	25761	14	7	2	2	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH* -	8071	44765	28	12	4	2	–	–	–	–	–	1	1	1	1	–
3	Esher, *part of** *HH*	6601	12059	6	2	–	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	8	4	–	3	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WH* -	2160	25389	4	7	1	3	–	–	–	–	–	–	–	1	2	–
2	Mortlake *H* -	2823	16159	8	6	–	2	–	–	–	1	–	–	–	–	1	1
41 : 1	Bromley *HHH* - -	9127	23815	10	3	1	1	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H* - -	6542	21969	14	3	–	–	–	–	–	–	–	–	–	–	–	–
3	Chislhrst, *pt. of** *WHH*	14307	20372	13	7	2	3	–	–	–	–	–	–	–	–	–	3
41 : 1	Bexley *HH* - -	12540	30590	20	7	3	2	–	–	–	1	–	–	–	–	–	–
2	Dartford *Work.*, pt. of*-	—	—	–	–	–	–	–	–				–		–	–	–
124 : 1	Sunbury *w* - -	11054	13671	10	6	2	1	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - -	13277	13221	5	2	1	1	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6035	12237	7	9	1	4	–	–	1	–	–	–	–	–	–	3
2	Uxbridge - -	6172	5417	2	2	–	1	–	–	–	–	–	–	–	–	1	–
3	Hayes *wH* -	14537	15618	10	5	3	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6967	26273	5	10	2	4	–	–	1	–	–	1	–	–	–	–
2	Twickenham *HH*	2415	16027	7	8	2	2	–	–	–	–	–	–	–	–	2	–
3	Brentford *HHHH* -	4318	37777	23	14	3	7	–	–	–	–	–	–	–	–	–	–
4	Chiswick - - -	1245	21963	14	7	2	3	–	1	–	–	–	–	–	–	–	–
5	Acton *wH* - - -	6132	30945	14	7	3	1	–	1	–	–	1	–	–	–	–	–
127 : 1	Harrow *HHH* - -	13809	15715	8	4	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - -	6994	3844	2	5	2	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4383	61265	34	21	7	3	–	1	–	1	–	–	–	1	1	–
4	Hendon *WH* -	8382	15843	11	7	1	1	–	–	–	–	–	–	–	1	1	3
128 : 1	South Mimms *H*	15599	8474	8	3	–	2	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11778	3	6	2	3	–	–	–	–	–	–	1	–	–	–
3	Finchley *HHH* -	4688	25820	11	6	1	5	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	26	9	–	2	–	1	–	–	1	–	–	1	1	–
2	Tottenham *H* - -	4642	97174	61	31	7	7	–	3	–	3	–	–	–	2	2	1
3	Edmonton *Wwo*	7439	36351	34	12	3	2	–	–	–	–	1	–	–	–	–	4
4	Enfield *WWHH*-	12639	31803	19	12	4	3		–	–	–	–	1	–	1	2	2
5	Waltham Abbey -	11017	6066	3	2	1	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* -	8480	9620	5	2	–	1	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	5	5	3	–	–	4	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*-	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1
186 : 1	Stratford *H*- -	1100	42983	26	23	7	4	–	1	–	1	–	–	–	2	2	1
2	Plaistow - - -	1242	58030	53	25	6	7	–	–	1	1	–	1	–	–	–	–
3	Canning Town *H* -	1558	54750	46	13	2	3	–	–	–	–	–	–	–	–	1	–
4	Forest Gate *w* - -	806	49140	34	19	3	1	–	–	–	–	–	–	–	1	1	–
5	East Ham *wH* -	3266	32713	35	12	3	1	–	–	–	2	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	41	19	4	9	–	–	–	–	–	–	–	–	–	5
7	Walthamstow *HtL*	6501	57330	56	22	5	5	–	1	–	4	–	–	1	–	–	–
187 : 1	Chigwell, *part of** *H*-	11773	12941	3	4	1	1	–	–	–	–	–	–	2	–	–	–
2	Epping *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of** *WH*	6554	4324	1	1	–	–	–	–	–	1	–	–	–	–	–	–
2	Ilford - - -	8493	10913	7	1	–	–	–	–	–	–	–	1	–	–	–	–
3	Barking Town *H* -	3814	14301	13	4	2	–	–	–	–	–	–	–	–	–	–	–
	S.E. Fever Hospital -	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follow 30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1331); 37 : 1, the parishes of Warlingham and Farley in Godstone s district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2252); 41 : 3, Chislehurst sub-district, except the parishes of Chels Cudham, and Knockholt (pop. 307); 135 : 1, the parish of Northaw in Hatfield sub-district; 147 : 1 Chigwell sub-district, except the parish Theydon Bois (2079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring: in 4 [illegible] 137 : 2, Watford and 137 : 3, Epping sub-districts.

BLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st December, 1895.

REATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
TER LONDON	443,421	6,048,555	16·9		1956	436	440	-	141	20	78	36	17	26	80	450
NER LONDON -	74,672	4,392,346	18·1	3·3	1521	331	320	-	123	25	62	33	11	20	66	418
THE RING -	368,749	1,656,209	13·7	1·6	435	105	120	-	15	4	16	3	6	6	14	32

E.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

ITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	December 21	125	92	17·5	-	-	3	5	1	-	5
GOW - -	695,876	" 21	378	263	19·7	-	7	5	2	15	6	3
IN - -	349,594	" 21	167	168	25·1	-	-	1	1	1	3	2
TTA - -	466,460	October 26	-	279	31·2	-	-	-	-	1	119	53†
AY - -	821,764	November 26	345	422	26·7	3	-	?	?	?	125	5†
AS - -	452,518	" 22	365	285	32·7	1	2	?	?	?	113	34
- - -	2,424,705	December 14	1083	944	20·2	-	17	1	12*	2	7	36
SELS - -	507,985	" 14	241	149	15·3	-	-	2	1*	1	2	12
ERDAM -	451,493	" 14	247	145	16·6	-	-	-	4	3	2	-
ERDAM -	272,042	" 14	146	87	16·6	-	-	-	-	9	-	-
HAGUE -	180,455	" 14	101	51	14·7	-	-	1	1	-	-	-
NHAGEN -	341,000	" 14	165	109	16·7	-	-	-	-	2	3	2
KHOLM -	259,304	" 7	149	89	17·9	-	-	4	-	-	-	1
STIANIA -	174,717	" 14	42	33	9·8	-	1	-	-	-	-	-
TERSBURG	954,400	" 7	625	564	30·8	4	8	15	18	8	20	48
OW - -	753,469	" 7	-	419	29·0	-	1	7	8	3	10	19
IN - -	1,724,544	November 30	792	557	17·3	1	8	19	26	10	-	24
URG - -	608,710	December 7	390	214	18·3	-	-	2	1*	4	2	4
DEN - -	320,600	November 16	-	-	-	-	-	-	-	-	-	-
LAU - -	367,769	December 14	-	164	23·2	-	-	12	8*	2	-	11
CH - -	396,000	" 14	-	164	21·7	-	7	2	5*	-	1	21
NA - -	1,495,764	" 7	849	604	21·0	-	27	10	26*	6	2	36
UE - -	351,478	" 7	195	173	25·1	-	2	2	2	-	2	-
-PESTH -	566,022	November 30	362	257	23·6	-	13	4	4	1	3	13
STE - -	160,825	December 7	-	-	-	-	-	-	-	-	-	-
- - -	464,579	November 2	196	164	18·4	-	-	-	1	-	8‡	23
N (10 days)	344,203	" 30	172	158	16·8	-	1	1	3	-	3	8
CH -	158,159	December 7	67	62	20·4	-	3	-	-	-	-	5
- -	374,838	November 25	500	329	45·6	-	-	-	2*	2	3	75
ANDRIA -	231,396	" 25	264	124	27·9	-	-	-	1*	1	3	33
YORK -	1,860,700	December 7	-	-	-	-	-	-	-	-	-	-
KLYN -	1,100,000	" 7	-	400	19·0	-	8	-	31	7	4	8
ADELPHIA	1,163,864	" 7	-	414	18·6	-	1	-	37	1	8	6
ORLEANS -	275,000	November 23	-	140	26·6	2	-	-	2	-	9	7

* Including deaths from croup.
† Including 27 deaths from cholera in Calcutta, and 6 in Bombay.
‡ Including 4 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 21ST DECEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DEC.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY .	15	..	29·072	51·5	35·3	16·2	43·8	+ 3·5	38·6	5·2	8·0	3·1	82	62·9	30·0	45·00	SW. & WSW.	WSW. & SSW.	5·4	0·0	0·2	360	+ 51	0·26	6·3
MONDAY .	16	New. Greatest Dec. S.	29·018	43·8	36·1	7·7	40·9	+ 0·7	38·4	2·5	4·8	2·1	91	52·0	29·8	45·21	SSW.	SSW. & SSE.	2·7	0·0	0·2	319	+ 10	0·30	4·3
TUESDAY.	17	..	29·422	44·2	36·9	7·3	41·2	+ 1·2	38·7	2·5	4·4	1·1	91	56·0	32·2	44·91	SE.	ESE.	1·5	0·0	0·1	231	− 79	0·19	4·5
WEDNESDAY	18	..	29·577	41·7	37·5	4·2	39·8	+ 0·1	37·0	2·8	4·2	1·1	90	46·2	36·0	44·96	E. & ESE.	ESE.	3·5	0·0	0·2	329	+ 19	0·01	0·5
THURSDAY	19	..	29·690	38·5	35·1	3·4	36·8	− 2·5	32·9	3·9	4·3	1·6	86	39·1	29·2	44·92	ENE. & NE.	NE.	3·6	0·0	0·1	312	+ 2	0·00	1·5
FRIDAY .	20	..	29·782	38·8	35·1	3·7	37·0	− 2·0	34·3	2·7	4·4	1·5	90	41·0	29·2	44·80	NNE. & N.	NNE.	0·9	0·0	0·1	214	− 95	0·00	0·0
SATURDAY	21	..	29·767	35·4	29·2	6·2	31·7	− 7·1	30·7	1·0	2·7	0·0	96	36·1	21·7	44·55	NNE.	NE. & Calm.	0·3	0·0	0·0	110	−197	0·00	0·0
MEANS . .		..	29·475	42·0	35·0	7·0	38·7	− 0·9	35·8	2·9	4·7	1·5	89	47·6	29·7	44·91	SW. SE. & NE.		..	..	..	Sum 1875	Sum − 289	Sum 0·76	2·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY .	15	m. P. and m. N. in morning; s. P. afterwards.	0·0	7·8	Overcast with frequent rain till afternoon; cloudless and very fine after 4h. P.M. Occasional flashes of lightning at night.
MONDAY .	16	v. P. and v. N.	0·1	7·8	Cloudless till 3h. A.M.; generally cloudy and showery throughout the day.
TUESDAY .	17	s. N. till 3h. A.M.; m. P. till 9h. A.M.; s. P. afterwards.	0·2	7·7	Overcast with rain till 3h. A.M.; fine but generally cloudy till evening, then cloudless with slight exceptions.
WEDNESDAY	18	m. P. generally; s. N. occasionally in morning.	0·0	7·7	Overcast generally. Slight showers in morning.
THURSDAY .	19	v. P. in morning; s. P. afterwards.	0·0	7·7	Overcast, with very slight exceptions throughout.
FRIDAY .	20	s. P. throughout	0·0	7·7	Overcast.
SATURDAY .	21	s. P. throughout	0·0	7·7	Partially cloudy in early morning; overcast till afternoon; variable afterwards. Dense fog at night. Hoar frost.
			Sum 0·3	Sum 54·1	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·39 in. at the beginning of the week to 28·96 in. by 6h. A.M. on the 16th; increased to 29·79 in. by 9h. P.M. on the 20th; and was 29·75 in. at the end of the week.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 52. 1895. VOL. LVI.] WEEK ENDING SATURDAY, DECEMBER 28. [Price 1½*d.*

General Register Office, Somerset House,
December 30th, 1895.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated* at 10,591,530 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending			
	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.
Birkenhead	20·4	17·5	17·0	20·9
Birmingham	18·4	20·0	23·0	22·7
Blackburn	23·7	21·7	16·8	21·2
Bolton	18·4	21·0	19·7	21·8
Bradford	16·1	19·3	18·4	16·1
Brighton	11·3	11·3	11·8	12·2
Bristol	17·6	14·4	13·9	19·4
Burnley	14·7	14·7	16·8	22·5
Cardiff	14·1	16·8	15·1	12·1
Croydon	10·0	10·9	13·6	12·3
Derby	10·9	20·3	13·0	16·6
Gateshead	17·4	18·5	14·7	13·6
Halifax	17·8	12·2	15·6	18·3
Huddersfield	12·6	12·6	15·7	10·5
Hull	17·1	22·4	15·6	19·7
Leeds	18·2	17·3	18·7	20·6
Leicester	15·3	13·5	19·9	22·1
Liverpool	28·9	22·8	27·5	26·1
London	17·3	17·5	18·1	17·8
Manchester	23·5	20·4	19·1	25·4
Newcastle-on-Tyne	15·4	18·4	19·6	21·7
Norwich	19·0	20·4	21·4	19·5
Nottingham	14·3	16·3	18·4	19·3
Oldham	19·2	21·1	21·8	19·6
Plymouth	15·2	14·6	16·4	18·1
Portsmouth	15·5	12·2	12·5	15·8
Preston	13·4	16·2	20·4	19·0
Salford	27·3	25·5	24·3	27·3
Sheffield	16·1	15·4	18·0	15·7
Sunderland	14·0	14·8	20·1	17·8
Swansea	16·1	15·1	17·7	19·4
West Ham	15·7	15·5	15·5	13·8
Wolverhampton	20·7	14·0	23·1	25·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Norwich and in Manchester, 1·7 in Birmingham, 2·2 in Leicester and in Oldham, 2·5 in Liverpool, 2·6 in Burnley, 2·9 in Blackburn, and 5·5 in Salford; from *scarlet fever*, 1·0 in Burnley and 1·3 in Bolton; from *whooping-cough*, 1·1 in Liverpool and in Manchester, and 1·6 in Bradford; from "*fever*," 1·0 in Derby; and from *diarrhœa*, 1·0 in Salford. The 107 deaths from *diphtheria* included 71 in London, 8 in Manchester, 7 in Birmingham, 3 in Liverpool, 3 in Burnley, and 3 in Newcastle-on-Tyne. Of the 2 fatal cases of *small-pox*, one belonged to London and one to Birmingham.

LONDON.

In LONDON† 1501 BIRTHS and 1502 DEATHS were registered. Allowing for increase of population, the births were 875, and the deaths 609, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·3, 17·5, and 18·1 in the preceding three weeks, fell again last week to 17·8. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

A 88999.—13. 650.—12/95. Wt. 259.

Saturday last the death-rate averaged 17·7 per 1000, being 4·5 per 1000 below the mean rate in the corresponding periods of the ten years 1885–94.

The 1502 deaths included 1 from small-pox, 97 from measles, 17 from scarlet fever, 71 from diphtheria, 32 from whooping-cough, 23 from enteric fever, 15 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 256 deaths were referred to these diseases, being 7 above the corrected average weekly number.

The death from *small-pox* was that of a male, aged 31 years, who had been removed from Greenwich sanitary area to the hospital ship "Castalia." The deaths from *measles*, which had been 105, 96, and 126 in the preceding three weeks, fell again last week to 97, but were 13 above the corrected average; 13 cases belonged to Lambeth, 11 to Camberwell, 11 to Bethnal Green, 10 to St. Pancras, 7 to Islington, 7 to Clerkenwell, 7 to Newington, and 7 to Bermondsey sanitary areas. The deaths from *scarlet fever*, which had been 19, 19, and 25 in the preceding three weeks, fell again last week to 17, and were 4 below the corrected average; 3 cases belonged to Lambeth, 2 to Camberwell, 2 to Kensington, and 2 to Islington sanitary areas. The deaths from *diphtheria*, which had been 69, 63, and 62 in the preceding three weeks, rose again last week to 71, exceeding the corrected average by 34; 7 cases belonged to Camberwell, 6 to Chelsea, 5 to Islington, 5 to Whitechapel, 4 to Hackney, 4 to Greenwich, and 4 to Plumstead sanitary areas. The deaths from *whooping-cough*, which had been 30, 24, and 33 in the preceding three weeks, were 32 last week, the corrected average being 74; 5 cases belonged to Hammersmith, 3 to Shoreditch, and 3 to Bethnal Green sanitary areas. The fatal cases of *enteric fever*, which had been 16, 21, and 11 in the preceding three weeks, rose again last week to 23, exceeding the corrected average by 6; 3 cases belonged to Battersea, 2 to Islington, 2 to Hackney, 2 to Whitechapel, 2 to Lambeth, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 9, 6, and 20 in the preceding three weeks, fell again last week to 15, which is also the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 264, 264, and 291 in the preceding three weeks, further rose last week to 318, but were 315 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having been 11, 15, and 15 in the preceding three weeks.

Different forms of violence caused 54 deaths, concerning all but 4 of which inquests were held. Of these 54 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 45 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, one to the results of a conflagration, and 14 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals, and from the Highgate Small-pox Hospital, there were 77 cases of small-pox, 2798 of scarlet fever, 705 of diphtheria, and 117 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 12 cases, against 18, 18, and 5; of scarlet fever, 184 cases, against 312, 329, and 210; of diphtheria, 93 cases, against 114, 91, and 104; and of enteric fever, 10 cases, against 26, 24, and 13.

Greater London.

In Greater London 2050 births and 1926 deaths were registered, corresponding to annual rates of 17·7 and 16·6 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 8 from scarlet fever, 15 from diphtheria, 10 from whooping-cough, and 8 from "fever" were registered. Five deaths from measles occurred in Tottenham sub-district and 3 in Bushey sub-district; 3 cases of scarlet fever, 6 of diphtheria, and 3 of "fever" belonged to West Ham district; and 2 deaths from "fever" occurred in Ilford sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 34°·7, the latter being 3°·7 below the week's average in the 50 years 1841–90. The direction of the wind was Easterly, the horizontal movement of the air being 8 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 0·9 hours; the measured rainfall amounted to 0·75 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ending 28th December, 1895.

Cities and Boroughs.	Population estimated to the middle of the Year 1895.*	Registered during the Week ending 28th Dec., 1895. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	10,591,530	3977	3881	916	859	2	207	48	107	90	51	39	159	317	744	79	19·1	2·7	50·0	22·3	34·4	1·33	0·51	1·30	33 Towns.
London	4,392,346	1501	1502	310	348	1	97	17	71	32	23	15	54	126	398	19	17·8	3·0	46·3	25·5	34·7	1·50	0·75	1·90	London.
West Ham	249,473	93	66	14	11	–	1	3	2	1	1	–	1	3	11	–	13·8	1·7	–	–	–	–	–	–	West Ham.
Croydon	114,923	31	27	6	8	–	–	–	–	–	–	–	2	4	7	–	12·3	–	43·0	22·5	33·7	0·94	0·44	1·12	Croydon.
Brighton	119,604	45	28	7	6	–	–	–	–	–	2	1	1	1	4	–	12·2	1·3	49·0	31·8	38·3	3·50	0·81	2·06	Brighton.
Portsmouth	174,751	54	53	12	20	–	–	1	–	1	–	1	–	1	6	–	15·8	0·9	50·0	30·0	38·0	3·33	0·61	1·55	Portsmouth.
Plymouth	89,096	34	31	9	7	–	–	–	1	–	–	1	–	2	5	–	18·1	1·2	–	–	–	–	–	–	Plymouth.
Bristol †	228,139	84	85	20	24	–	–	1	–	2	1	1	3	10	21	–	19·4	1·1	45·0	28·0	34·4	1·33	0·46	1·17	Bristol.
Cardiff	155,637	63	36	9	11	–	–	–	–	1	1	1	1	4	2	1	12·1	1·0	–	–	–	–	–	–	Cardiff.
Swansea	97,008	31	36	12	7	–	1	–	2	–	1	1	1	3	2	–	19·4	2·7	–	–	–	–	–	–	Swansea.
Wolverhampton	85,780	40	42	17	10	–	1	1	–	–	1	–	1	2	4	2	25·5	1·8	36·2	23·6	31·2	−0·45	0·45	1·14	Wolverhampton.
Birmingham	496,751	165	216	56	42	1	16	2	7	4	2	1	9	6	31	14	22·7	3·5	–	–	–	–	–	–	Birmingham.
Norwich	107,127	50	40	11	10	–	2	–	–	1	–	–	–	–	7	–	19·5	1·5	–	–	–	–	–	–	Norwich.
Leicester	193,889	99	82	27	19	–	8	1	–	2	–	1	3	7	10	1	22·1	3·2	–	–	–	–	–	–	Leicester.
Nottingham	226,658	86	84	24	20	–	–	1	–	–	2	1	3	6	11	–	19·3	0·9	37·8	22·3	32·4	0·22	0·08	0·20	Nottingham.
Derby	100,272	41	32	3	14	–	–	–	1	–	2	–	–	–	5	–	16·6	1·6	–	–	–	–	–	–	Derby.
Birkenhead	107,469	40	43	6	15	–	–	–	1	–	–	–	2	8	6	–	20·9	0·5	–	–	–	–	–	–	Birkenhead.
Liverpool †	503,967	200	252	69	82	–	24	3	3	11	2	2	22	31	52	10	26·1	4·7	47·9	29·7	34·9	1·61	0·39	0·99	Liverpool.
Bolton	119,337	52	50	11	7	–	–	3	–	2	1	–	1	3	5	–	21·8	2·6	–	–	–	–	–	–	Bolton.
Manchester	524,865	224	256	50	59	–	10	4	8	11	1	3	11	23	45	6	25·4	3·7	–	–	–	–	–	–	Manchester.
Salford	208,253	97	109	29	17	–	22	1	–	–	2	4	9	13	25	4	27·3	7·3	–	–	–	–	–	–	Salford.
Oldham	141,079	53	53	17	9	–	6	–	1	2	1	–	2	4	6	–	19·6	3·7	–	–	–	–	–	–	Oldham.
Burnley	99,591	41	43	9	14	–	5	2	3	–	–	–	3	4	4	3	22·5	5·2	–	–	–	–	–	–	Burnley.
Blackburn	127,615	48	52	13	11	–	7	–	1	–	1	2	2	3	5	2	21·2	4·5	–	–	–	–	–	–	Blackburn.
Preston	112,638	46	41	16	8	–	–	–	–	2	–	1	–	–	1	3	19·0	1·4	–	–	–	–	–	–	Preston.
Huddersfield	99,482	13	20	1	9	–	–	–	–	–	–	–	–	–	–	1	10·5	–	37·0	26·0	31·1	−0·50	0·97	2·46	Huddersfield.
Halifax	93,813	26	33	2	8	–	–	–	–	1	1	–	1	4	3	1	18·3	1·1	–	–	–	–	–	–	Halifax.
Bradford	226,384	80	70	13	19	–	–	–	–	7	1	1	4	8	7	–	16·1	2·1	39·0	30·8	34·6	1·44	0·13	0·33	Bradford.
Leeds	395,546	162	156	44	31	–	5	2	–	2	2	1	5	9	18	1	20·6	1·6	–	–	–	–	–	–	Leeds.
Sheffield	342,768	173	103	32	17	–	–	3	1	2	–	–	11	12	16	6	15·7	0·9	–	–	–	–	–	–	Sheffield.
Hull	216,722	94	82	19	21	–	–	3	2	1	2	–	1	3	11	4	19·7	1·9	42·0	27·0	34·6	1·44	0·51	1·30	Hull.
Sunderland †	137,705	68	47	12	9	–	–	–	–	3	–	–	3	6	2	–	17·8	1·1	–	–	–	–	–	–	Sunderland.
Gateshead	95,871	63	25	12	3	–	–	–	–	1	–	–	1	3	–	1	13·6	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	207,021	80	86	24	13	–	2	–	3	1	1	1	2	8	14	–	21·7	2·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† The recent extension of these boroughs will not be taken into account in the Weekly Returns until 1896.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1885–95.

	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	Corrected Weekly Average in 10 Years 1885–94.*	1895
TOTAL **Births**	2996	2868	2326	1876	1815	1771	3181	2120	2106	1950	2375·6	1501
Males . .	1508	1206	1175	974	927	873	1652	1063	1063	1061	1218·9	758
Females .	1488	1162	1151	902	888	898	1529	1057	1043	889	1161·7	743
TOTAL **Deaths**	2071	1899	1882	1641	1690	2231	3399	1830	1920	1434	2110·5	1502
Males . .	957	965	932	846	869	1069	1640	969	910	775	1048·2	774
Females .	1114	934	950	795	821	1162	1759	861	1010	659	1062·3	728

* The numbers in this column are the average weekly numbers in the corresponding weeks of the ten years 1885–94, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.
TOTAL **Births** - -	2447	2622	2629	2447	2693	2525	2576	2596	2159	2373	2219	2401	1501
TOTAL **Deaths** - -	1342	1435	1518	1470	1789	1790	1510	1488	1455	1459	1477	1521	1502
Ages at Death: Under 1 year -	383	394	421	410	412	392	325	341	332	338	325	331	310
1—5 years -	180	213	238	221	280	303	285	295	296	305	252	339	292
5—20 „ -	76	78	108	94	140	104	96	103	82	91	106	96	113
20—40 „ -	184	193	189	180	225	235	191	177	182	163	196	175	178
40—60 „ -	261	261	256	262	328	312	259	251	250	257	281	260	261
60—80 „ -	212	237	255	251	320	366	290	260	255	249	268	265	288
80 years & upwards	46	59	51	52	83	78	64	61	58	56	49	55	60
Deaths from—													
Small-pox - - - -	1	2	1	1	1	1	-	-	1	1	1	-	1
Measles - - - -	15	34	42	48	75	97	77	103	100	105	96	126	97
Scarlet fever - - -	22	25	23	19	23	19	14	27	17	19	19	25	17
Diphtheria - - -	44	56	76	61	72	75	61	69	63	69	63	62	71
Whooping-cough - -	14	10	15	20	11	14	21	20	19	30	24	33	32
Typhus - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-
Enteric fever - - -	22	22	19	20	16	24	23	12	21	16	21	11	23
Simple Continued fever -	-	-	-	-	-	-	-	1	-	1	-	-	-
Diarrhœa and Dysentery -	102	87	62	45	36	20	25	22	14	9	6	20	15
Cholera - - - -	3	-	-	-	-	-	1	-	-	-	-	-	-
All the above Diseases	223	236	239	214	235	250	222	254	235	250	230	277	256
Dis. of Respiratory System	158	175	215	235	366	447	340	327	285	264	264	291	318
Phthisis - - - -	152	153	168	156	173	159	149	130	135	114	130	135	131
Dis. of Circulatory System	102	125	111	117	178	154	105	126	116	112	127	114	134
Violence - - - -	77	52	72	59	65	70	73	72	65	55	73	66	54
Inquest Cases - - -	159	120	141	127	163	151	156	141	134	131	147	141	126
Deaths in Public Institutions	400	412	427	416	513	496	419	412	364	403	446	418	398
TEMPERATURE OF THE AIR													
Mean - - - -	56·5°	50·7°	49·4°	46·4°	39·9°	50·8°	50·4°	45·5°	43·4°	44·2°	39·5°	38·7°	34·7°
Mean of Highest readings -	68·5°	57·0°	57·8°	46·4°	47·5°	56·3°	56·9°	50·6°	46·8°	48·7°	45·2°	42·0°	38·2°
Mean of Lowest readings -	46·2°	45·8°	42·1°	34·4°	33·0°	45·3°	43·5°	39·8°	38·7°	39·0°	33·1°	35·0°	31·5°
Humidity of the Air - -	77	83	85	85	87	91	80	88	89	82	84	89	93
Rain-fall (in inches) - -	0·49	1·45	0·15	0·45	0·16	1·09	0·87	0·28	0·65	0·20	0·46	0·76	0·75
Registered Sunshine (in hours)	32·5	7·9	11·7	10·0	12·0	4·8	21·2	12·5	0·7	5·1	1·6	0·3	0·9
CASES OF INFECTIOUS SICKNESS IN HOSPITAL* AT THE END OF EACH WEEK.													
Small-pox - - - -	198	158	119	114	106	78	86	89	79	87	89	82	77
Scarlet fever - - - -	2802	2827	2838	2833	2841	2847	2845	2807	2799	2805	2800	2725	2793
Diphtheria - - - -	672	659	667	675	671	683	678	688	691	694	689	699	705
Enteric fever - - - -	124	125	115	129	123	118	125	121	125	129	129	129	117

* The Metropolitan Asylum, London Fever and Highgate Small-pox Hospitals.

METEOROLOGICAL OBSERVATIONS. (*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher Esq., F.R.S.:— B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-SECOND Week of the Year 1895.

CAUSES OF DEATH.	Corrected Averages for the 52nd Week of the 10 years 1885-94.*	In the Week ending Saturday, 28th December 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	2110·5	1502	310	292	113	178	261	288	60
Small-pox: Vaccinated†	-	1	-	-	-	1	-	-	-
Small-pox: Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·1	-	-	-	-	-	-	-	-
Measles - - - -	83·8	97	14	74	9	-	-	-	-
Scarlet Fever - -	21·0	17	2	8	7	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - -	18·0	8	-	1	-	1	2	4	-
Whooping-cough - -	74·2	32	10	22	-	-	-	-	-
Diphtheria - - -	36·7	71	3	43	24	-	-	1	-
Simple Continued and Ill-defined Fever -	0·9	-	-	-	-	-	-	-	-
Enteric Fever -	16·5	23	-	-	7	12	3	1	-
Cholera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	15·2	15	7	4	-	-	2	2	-
Remittent Fever - -	0·5	-	-	-	-	-	-	-	-
Hydrophobia - -	0·2	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections -	9·6	6	4	-	1	-	-	1	-
Erysipelas - -	6·9	4	-	-	-	-	1	2	1
Pyæmia and Septicæmia	3·4	2	-	-	1	-	1	-	-
Puerperal Fever - -	6·2	4	-	-	-	4	-	-	-
Other Zymotic Diseases	1·7	1	-	1	-	-	-	-	-
Thrush - - - -	1·0	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - -	0·6	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·4	2	1	-	-	-	1	-	-
Alcoholism - - -	·5	5	-	-	-	1	4	-	-
Rheumatic Fever, Rheumatism of Heart	8·3	6	-	-	2	-	2	2	-
Rheumatism - -	2·7	1	-	-	-	-	-	1	-
Gout - - - -	3·9	2	-	-	-	-	-	1	1
Rickets - - - -	3·5	5	1	4	-	-	-	-	-
Cancer - - - -	63·3	66	-	-	-	8	26	31	1
Tabes Mesenterica -	21·5	22	10	6	5	1	-	-	-
Tubercular Meningitis -	22·7	20	6	8	6	-	-	-	-
Phthisis - - -	190·4	131	1	3	10	68	43	6	-
Scrofula, Tuberculosis -	18·5	18	5	4	3	3	3	-	-
Other Constitutional Diseases - - -	12·6	5	-	-	1	-	2	2	-
Premature Birth - -	44·4	34	34	-	-	-	-	-	-
Atelectasis - - -	5·5	-	-	-	-	-	-	-	-
Congenital Malformations - - - -	7·3	3	3	-	-	-	-	-	-
Old Age - - - -	69·5	40		-	-	-	-	15	25
Apoplexy - - -	51·6	48	-	-	1	2	15	29	1
Epilepsy - - -	9·3	6	-	-	1	3	2	-	-
Convulsions - - -	45·4	49	44	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	98·6	62	5	7	2	9	11	22	6

CAUSES OF DEATH.	Corrected Averages for the 52nd Week of the 10 years 1885-94.*	In the Week ending Saturday, 28th December 1895. Deaths of Persons of the Ages: All Ages.	Under 20: 0—1.	1—5.	5—20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
Diseases of Organs of Special Sense - -	2·7	2	1	-	-	-	1	-	-
Diseases of Circulatory System - - -	175·6	134	7	-	10	18	39	52	8
Croup - - - -	12·1	1	-	1	-	-	-	-	-
Bronchitis - - -	410·7	172	49	35	1	6	26	45	10
Pneumonia - - -	147·3	110	19	37	8	12	13	13	8
Pleurisy - - - -	7·2	6	-	2	-	2	-	2	-
Other Diseases of Respiratory System - -	55·5	29	8	9	-	1	6	5	-
Dentition - - -	13·1	6	2	4	-	-	-	-	-
Quinsy, Sore Throat -	1·7	-	-	-	-	-	-	-	-
Enteritis - - -	9·4	11	6	-	1	2	1	1	-
Peritonitis - - -	6·6	4	-	-	1	2	1	-	-
Diseases of Liver - -	28·2	19	1	-	1	2	11	4	-
Other Diseases of Digestive System -	33·0	21	8	2	2	3	4	1	1
Diseases of Lymphatic System & of Ductless Glands - - -	3·1	1	-	-	-	-	-	1	-
Diseases of Urinary System - - -	50·0	53	-	-	2	6	22	26	-
Diseases of Generative System - - -	6·9	4	-	-	-	2	2	-	-
Accidents of Childbirth -	5·6	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	7·0	9	-	1	2	-	4	2	-
Diseases of Integumentary System - -	7·1	4	1	-	-	1	-	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	67·3	2	-	-	-	-	1	1	-
By Vehicles or Horses -		5	-	2	1	-	2	-	-
In Ships, Boats, Docks (exclusive of Drowning) - - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations - -		1	-	-	-	1	-	-	-
By Burns, Scalds, Explosions - - -		7	-	6	-	-	1	-	-
By Drowning - -		2	-	-	-	-	-	2	-
By Suffocation in Bed -		14	14	-	-	-	-	-	-
By Poisons or Poisonous Vapours - - -		1	-	-	-	-	-	1	-
Other or not stated Causes - - -		13	2	1	2	1	5	1	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - -	1·5	2	-	-	1	-	1	-	-
Suicide - - - -	6·4	7	-	-	1	2	2	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	65·5	49	42	2	-	-	1	3	1

* The numbers in this column are the average weekly Deaths for the ten years 1885-94, raised by 5·541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLE during the Week endi

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON	4,211,743	1501	1502	310	348	1	97	17	71	32	–	23	–	15	54	126	398	1
WEST DISTRICTS	740,735	210	234	46	61	–	4	3	19	12	–	3	–	3	5	14	68	–
NORTH DISTRICTS	993,884	339	339	72	78	–	29	3	11	4	–	5	–	4	13	33	73	–
CENTRAL DISTRICTS	247,538	59	99	18	17	–	7	–	4	–	–	2	–	–	6	12	46	1
EAST DISTRICTS	705,114	313	273	56	52	–	12	2	10	10	–	4	–	2	11	35	88	–
SOUTH DISTRICTS	1,524,472	580	540	118	138	–	45	6	24	6	–	9	–	5	19	32	106	18
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	–	17	–	2	1	–	3	–	–		–		1	–	–	17	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G.J. & W.M.	84159	26	23	3	10	–	–	–	1	1		1	–	–	–	1	6	–
St. John Paddington *H* – G.J.	33687	2	6	2	1		–	–	–	–	–	–		–	1	1	–	–
Kensington Town *Ww* – W.M.	118751	44	52	11	14	–	1	1	1	2	–	–	–	1	–	2	21	–
Brompton *H* – W.M. & C.	47557	7	3	–	1	–	–	–	–	–		–	–	–	–	–	–	–
St. Peter Hammersmith – W.M.	8886	3	1	–	–		–	–	–	–		–	–	–	–	–	–	–
St. Paul Hammersmith *H* W.M. & G.J	88653	22	29	5	7		2	–	–	4	–	–	–	1	2	2	3	–
Fulham *Ww* – W.M. & C	91639	49	47	13	4	–	1	1	9	2	–	–	–	–	–	3	22	–
Chelsea Kensal Town – C.	21787	12	7	2	3	–	–	–	–	2	–	–	–	–	–	–	–	–
Chelsea North *WHHHH* – C.	41637	11	15	1	5	–	–	1	3	–		–	–	–	–	–	6	–
Chelsea South *HH* – C.	32329	9	10	2	4	–	–	–	2	–		–	–	–	–	1	1	–
May Fair *WH* – G.J.	28733	2	4	–	3	–	–	–	–	–	–	–	–	–	1	2	2	–
Belgrave *WHHH* – C.	54631	10	14	1	5	–	–	–	2	1		1	–	–	1	1	3	–
St. John Westminster *HH* – C.	34106	5	10	2	3	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Margaret Westminster *H* – C.	21668	2	6	1	–	–	–	–	1	–		–	–	1	–	–	2	–
St. James Westminster *WHHH* N.R. & G.J.	24995	5	4	2	1	–	–	–	–	–		–	–	–	–	–	–	–
St. Anne Soho *HHHHHH* – N.R.	12317	1	3	1	–	–	–	–	–	–		1	–	–	–	–	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* – W.M.	37713	5	18	3	6	–	2	–	–	–	–	–	–	–	–	1	4	–
Rectory Marylebone *WH* G.J. & W.M.	20024	1	4	1	–		–	–	–	–		–		–	–	–	–	–
St. Mary Marylebone *HHHH* G.J. & W.M.	19239	16	5	1	1	–	–	–	–	1	–	–		–	–	–	1	–
Christchurch Marylebone *HH* – W.M.	33327	13	9	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–
St. John Marylebone *H f* – W.M.	32101	8	4	–	1	–	–	–	–	–	–	–		–	–	2	–	–
Hampstead *WwHHHHH* N.R. & W.M.	68416	18	30	6	5	–	4	1	5	–		1	–	–	–	–	10	–
Regent's Park Pancras *HH* – W.M.	36590	13	9	1	3	–	–	–	–	–	–	1		–	–	–	1	–
Tottenham-court *wHHH* N.R. & W.M	26321	9	13	–	1	–	1	–	–	–	–	–		–	2	2	8	–
Gray's Inn Lane *HHH* – N.R.	27455	8	10	2	2	–	–	–	1	–	–	–		–	1	2	3	–
Somers Town *HH* – N.R.	32829	11	12	5	1	–	3	1	–	–	–	–	–	–	1	2	1	–
Camden Town *WH* – N.R.	15419	10	13	2	6	–	2	–	–	–	–	–	–	–	–	–	6	–
Kentish Town *WW* – N.R.	95765	37	24	4	8	–	4	–	–	–	–	–	–	–	1	3	3	–
Upper Holloway *WWWwHHH* – N.R.	90235	26	41	8	14	–	1	–	2	–	–	1	–	–	1	2	20	–
Islington South-west *H* – N.R.	105557	31	29	10	3	–	5	1	1	1	–	–	–	–	–	1	1	–
Islington South-east – N.R.	64158	24	15	4	–	–	2	–	–	1	–	–		–	2	3	–	–
Highbury *HH* – N.R.	59198	23	15	3	3	–	–	–	–	–		1	–	1	–	–	–	–
Stoke Newington *H* – N.R.	30936	3	10	3	4	–	–	–	–	–	–	–	–	–	1	5	–	–
Stamford Hill – E.L.	17759	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Hackney *H* – N.R.	43602	21	21	3	8		2	–	1	–		–	–	–	2	2	3	–
Hackney *WwwH* – E.L. & N.R.	96486	44	38	8	5		2	–	3	1	–	–	–	1	1	4	12	–
South Hackney *w* – E.L.	41759	14	17	4	6		1	–	1	–	–	1	–	1	1	4	–	–
CENTRAL DISTRICTS.																		
St. George Bloomsbury – N.R.	16695	3	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–
St. Giles South *WH* – N.R.	13454	6	5	4	–		1	–	–	–	–	–	–	–	1	1	1	–
St. Giles North *H* – N.R.	9633	–	2	–	1		–	–	–	–	–	–	–	–	–	–	1	–
St. Martin-in-the-Fields *HH* N.R. & C.	14616	3	4	1	–		–	–	–	–		1		–	–	–	4	–
St. Mary-le-Strand *H* – N.R.	5706	3	2	1	–	–	–	–	–	–	–	–		–	–	–	–	–
St. Clement Danes *WH* – N.R.	7194	–	8	–	3		–	–	–	–		–	–	–	1	–	6	–
Strand Union Workhouse, Edmonton –	†1037	–	–	–	–		–	–	–	–		–		–	–	–	–	–
St. Geo.-the-Martyr *HHHHHH* – N.R.	17921	1	8	–	2	–	–	–	–	–	–	–	–	–	1	2	5	–
St. Andrew Eastern *WH* – N.R.	15343	1	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. James Clerkenwell – N.R.	16803	6	8	1	3		2	–	–	–	–	–		–	–	2	–	–
Amwell Clerkenwell – N.R.	16883	4	8	2	1	–	2	–	–	–	–	–		–	–	–	–	–
Pentonville – N.R.	17155	1	6	–	1	–	2	–	–	–	–	–		–	–	–	–	–
Goswell-street – N.R.	15375	6	2	–	–	–	–	–	1	–		–		–	–	–	–	–
City-road *HHHL* – N.R.	29177	16	8	4	1		–	–	–	–	–	–	–	–	–	1	2	–
Whitecross-street – N.R.	8278	3	1	–	–		–	–	–	–		–	–	–	–	1	–	–
Finsbury – N.R.	4985	2	2	–	–		–	–	–	–	–	–		–	–	1	–	–
Holborn Union Workhouse, Mitcham –	†892	–	–	–	–		–		–	–		–	–	–	–	–	–	–
St. Botolph *H* – N.R. & E.L	8944	1	–	–	–	–	–		–	–		–		–	–	–	–	–
Cripplegate – N.R.	4539	1	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
St. Sepulchre *H* – N.R.	4444	–	28	4	3	–	–	–	3	–		1	–	–	2	2	27	–
St. Bride *W* – N.R.	6594	–	1	–	1	–	–	–	–	–		–	–	–	–	–	–	–
Allhallows Barking – N.R.	10422	1	2	–	1	–	–	–	–	–		–	–	–	1	1	–	–
Broad Street *H* – N.R.	3377	1	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–
City of London Asylum, Stone –	†388		–	–	–	–	–	–	–	–		–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Wor house; *H*—Hospital; *L*—Lunatic Asylum; *L**—Private Lunatic Asylum in which paupers are received; *w*—Workhouse Establishme receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the differe Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. Ne River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

† Not included in the total population of the Central Districts or of London.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT aturday, 28th December, 1895.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1891.	Total Births.	Total Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South *HL** E.L. & N.R.	20098	4	11	3	-	-	-	-	-	-	-	-	-	-	-	2	4	-
Hoxton New Town *w* - - - N.R.	29313	19	13	4	5	-	-	-	1	-	-	-	-	-	-	1	4	-
Hoxton Old Town - - - N.R.	28354	13	8	4	2	-	-	-	-	2	-	-	-	-	1	1	-	-
Haggerston *WH* - - N.R. & E.L.	46244	16	20	3	4	-	-	-	1	1	-	-	-	1	1	3	8	-
Bethnal Green North *H* - - E.L.	51520	11	15	4	2	-	2	-	1	1	-	1	-	-	1	1	3	-
Bethnal Green South - - - E.L.	33489	12	15	4	2	-	5	-	-	-	-	-	-	-	-	5	-	-
Bethnal Green East *WHL** - E.L.	44123	15	32	2	7	-	4	-	-	2	-	-	-	1	-	1	15	-
Spitalfields - - - E. & N.R.	26446	17	4	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Mile End New Town *W* - - E.L.	11303	10	10	1	2	-	-	-	2	1	-	1	-	-	1	1	5	-
Whitechapel Church *H** E.L. & N.R.	22913	13	27	4	3	-	-	-	1	-	-	2	-	-	2	2	10	-
Goodman's Fields - - - E.L.	13300	4	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.L.	37738	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John, St. George East *W* - E.L.	8057	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Shadwell *H* - - - E.L. & N.R.	10246	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ratcliff *W* - - - - - E.L.	14928	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - E.L.	32202	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* - E.L.	38650	19	8	1	1	-	-	-	-	-	-	-	-	-	-	5	1	-
Mile End Old Town East *H Www* E.L.	68942	38	32	8	8	-	1	1	-	-	-	-	-	-	2	2	3	-
Bow *L** - - - - - E.L.	40365	20	12	1	2	-	-	1	1	1	-	-	-	-	-	1	3	-
Bromley *wwwH* - - - - E.L.	70000	38	29	7	9	-	-	-	-	-	-	-	-	-	3	5	17	-
Poplar. *WW* - - - - - E.L.	56383	25	12	4	2	-	-	-	1	1	-	-	-	-	-	4	1	-
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L. & S.	13264	11	4	-	2	-	2	-	-	-	-	-	-	-	-	-	2	1
St Saviour Southwark - - - S.	13913	6	5	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	21867	9	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - - S. & L.	16624	9	9	3	-	-	-	-	2	-	-	-	-	-	-	2	2	-
London-road *HL* - - L. & S.	21221	6	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington - - S. & L.	26596	4	8	4	-	-	2	-	-	-	-	-	-	-	1	2	-	-
St. Peter Walworth *W* - S. & L.	61342	28	30	7	6	-	4	-	1	2	-	-	-	-	2	2	2	1
St. Mary Newington - - L. & S.	27866	12	10	2	1	-	1	-	1	-	-	-	-	-	-	-	-	1
St. Olave *WH* - - - - S.	12723	5	16	4	3	-	-	-	-	-	-	1	-	-	1	1	12	1
Leather Market *W* - - S. & L.	30612	14	14	4	1	-	2	-	-	-	-	-	-	-	1	1	-	1
St. James Bermondsey - - S.	54070	27	23	5	3	-	5	-	-	-	-	1	-	-	-	-	-	1
Rotherhithe *WwH* - - S. & K.	39255	10	16	5	4	-	-	-	-	-	-	-	-	-	-	1	7	-
Waterloo-road 1st *H* - - L. & S.	14031	5	8	3	1	-	2	-	1	-	-	-	-	-	-	-	-	1
Waterloo-road 2nd *H* - - L. & S.	14644	16	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - - L. & S.	18075	8	14	3	-	-	1	-	-	-	-	1	-	-	3	3	9	-
Lambeth Church 2nd *WW* - L. & S.	39097	24	26	4	9	-	5	-	-	-	-	-	-	-	3	3	10	1
Kennington 1st *H* - - S. & L.	50586	21	17	6	7	-	-	-	-	-	-	1	-	1	1	3	-	-
Kennington 2nd - - - S. & L.	39708	10	10	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - - L. & S.	73405	28	28	2	14	-	2	1	2	-	-	1	-	-	-	-	3	3
Norwood *WH* - - - - L.	25657	6	6	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.	67244	25	16	2	4	-	-	-	1	-	-	1	-	-	-	1	-	1
West Battersea *WwH* - - S.	83314	30	25	6	8	-	-	1	1	-	-	1	-	-	1	3	8	-
Clapham *H* - - - - S.	43698	17	10	3	6	-	-	-	-	-	-	-	-	-	-	-	-	1
Wandsworth *WHHL* - - S.	48717	16	13	7	-	-	-	-	-	1	-	-	-	-	-	-	2	-
Putney - - - - - - S.	17771	7	4	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Streatham *www* - - - - L.	48756	9	14	1	3	-	-	2	2	-	-	-	-	-	-	-	5	-
Dulwich - - - - L. & S.	6309	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WwL*L** - S. & L.	81686	25	35	5	12	-	2	1	2	-	-	1	-	1	1	3	17	-
Peckham *W* - - - S., L., & K.	83483	28	24	4	5	-	2	-	2	-	-	-	-	-	-	1	-	-
St. George Camberwell - - L. & S.	63366	29	29	10	1	-	7	-	1	2	-	-	-	1	-	-	-	1
Deptford, North - - - - K.	35814	11	10	4	2	-	-	-	2	-	-	-	-	-	1	1	-	-
Deptford, Central *w* - - - K.	42007	21	17	3	7	-	-	1	3	-	-	-	-	-	-	-	4	1
Deptford, South - - - - K.	30852	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - - K.	22007	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - - K.	35233	13	31	4	11	-	-	-	1	1	-	-	-	-	1	1	15	1
Eltham *H* - - - - - - K.	5682	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
Lee *H* - - - - - - K.	23541	8	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1
Lewisham *WH* - - - - K.	30950	11	10	1	5	-	-	-	-	-	-	-	-	-	1	1	3	-
Sydenham *H* - - - - - L.	34162	9	5	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Charlton *HH* - - - - K.	14040	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Woolwich Dockyard - - - K.	19606	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HH HH* - K.	21242	4	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead, West *H* - - - K.	15869	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead, East *WH* - - - K.	36567	16	14	1	5	-	-	-	2	-	-	-	-	-	-	-	4	-
Banstead Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Caterham Asylum - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital - - - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
Winchmore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 28th December 1895.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.
	LONDON—OUTER RING	368,749	1,422,063	549	424	100	118	–	12	8	15	10	8	2	12	23	50
30 : 1	Carshalton *wHH* -	12228	26108	5	3	–	–	–	–	–	1	–	–	–	–	–	–
2	Epsom, *part of* WwH*	10423	12508	4	2	–	1	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of* W*	2754	1598	1	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WwHHH*	20851	128699	35	32	7	8	–	–	–	–	–	–	–	2	5	7
2	Mitcham *w* -	11697	23088	5	3	2	–	–	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH* -	3220	25761	7	3	1	2	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH* -	8071	44765	20	15	3	6	–	–	–	–	1	1	–	–	2	3
3	Esher, *part of* HH*	6301	12059	2	2	–	–	–	–	–	–	–	–	–	–	–	–
4	Hampton *H*	4535	18252	6	6	2	2	–	–	–	1	1	–	–	–	–	–
40 : 1	Richmond *WH* - -	2160	25389	11	10	–	3	–	–	–	–	–	–	–	–	–	5
2	Mortlake *H* - -	2823	16159	13	2	1	–	–	–	–	–	–	–	–	1	1	–
41 : 1	Bromley *HHH* - -	9127	23815	10	7	2	1	–	–	–	–	–	–	–	–	–	1
2	Beckenham *H* - -	6542	21969	3	7	3	3	–	–	–	–	–	–	–	–	–	–
3	Chislhrst, *pt. of* WHH*	14307	20372	6	6	2	1	–	–	2	–	–	–	–	–	–	1
41 : 1	Bexley *HH* - -	12540	30590	10	4	–	3	–	–	–	–	–	–	–	–	–	–
2	Dartford *Work.*, pt. of* -	—	—	–	1	–	1	–	–		–	–	–	–	–	–	1
124 : 1	Sunbury *w* - -	11051	13671	3	2	2	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - -	13277	13221	6	9	2	5	–	–	–	–	–	–	–	–	–	2
125 : 1	Hillingdon *WHH*	6035	12237	2	5	–	2	–	1	–	–	–	–	–	–	–	–
2	Uxbridge - -	6172	5417	3	4	–	1	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* -	14537	15618	4	3	–	–	–	–	–	–	–	–	–	1	1	–
126 : 1	Isleworth *WHH*	6967	26273	6	7	4	1	–	–	–	–	–	–	–	–	–	–
2	Twickenham *HH*	2415	16027	7	6	1	4	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4318	37777	13	16	6	4	–	–	–	1	1	–	–	–	2	–
4	Chiswick - -	1245	21963	11	12	4	4	–	–	–	2	1	–	1	1	2	–
5	Acton *wH* - -	6132	30945	19	5	1	2	–	–	–	–	–	–	–	1	1	–
127 : 1	Harrow *HHH* - -	13809	15715	3	4	–	4	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* -	6994	3844	3	5	1	–	–	–	–	–	–	–	–		–	–
3	Willesden *HHH*	4383	61265	27	17	5	4	–	1	1	–	–	–	1	–	–	3
4	Hendon *WH* -	8382	15843	4	4	–	2	–	–	–	–	–	–	–	–	–	–
128 : 1	South Mimms *H*	15599	8474	4	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - -	5441	11778	–	4	–	3	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4688	25820	9	5	2	1	–	–	–	–	1	–	–	–	–	–
129 : 1	Hornsey *HH* - -	3039	61097	26	10	1	4	–	–	–	–	–	1	–	1	1	–
2	Tottenham *H* -	4642	97174	42	27	3	3	–	5	–	1	1	1	–	2	2	5
3	Edmonton *Wwo*	7489	36351	16	13	3	5	–	–	–	–	1	–	–	–	1	4
4	Enfield *WWHH*-	12639	31803	14	10	2	2		–	1	2	–	–	–	1	1	1
5	Waltham Abbey -	11017	6066	1	1	–	1	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* -	8480	9620	6	2	–	2	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of* W*	3306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - -	9331	7737	1	8	1	2	–	3	–	–	–	–	–	–	–	–
2	Watford *Work.*, pt. of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*- -	1100	42983	22	18	5	2	–	–	1	1	1	–	–	–	–	–
2	Plaistow - - -	1242	58030	27	20	5	2	–	1	1	–	–	–	–	1	2	–
3	Canning Town *H* -	1558	54750	25	10	2	1	–	–	1	1	–	–	–	–	–	–
4	Forest Gate *w* - -	806	49149	19	7	2	2	–	–	–	–	–	1	–	–	1	–
5	East Ham *wH* -	3266	32713	22	10	3	3	–	–	–	2	–	–	–	–	–	–
6	Leyton *WWWwH*	4334	70188	19	35	8	13	–	–	–	1	–	–	–	1	1	14
7	Walthamstow *HL*	6501	57330	35	23	10	4	–	1	–	–	2	2	–	–	–	1
187 : 1	Chigwell, *part of* H* -	11770	12941	3	5	1	2	–	–	–	–	–	–	–	–	–	–
2	Epping *Work.* pt. of*	—	—	–	–	–	–		–	–	–	–	–	–	–	–	–
189 : 1	Romford *part of* WH*	6556	4324	2	2	–	–	–	–	–	1	–	–	–	–	–	–
2	Ilford - - -	8493	10913	1	4	1	1	–	–	–	–	–	2	–	–	–	–
3	Barking Town *H* -	3814	14391	6	7	2	1	–	–	1	–	–	–	–	–	–	1
	N.W. Fever Hospital -	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30 : 2, Epsom sub-district, except the parish of Ashstead (pop. 1351); 37 : 1, the parishes of Warlingham and Farley in Godstone sub-district; 39 : 3, Esher sub-district, except the parish of Esher (pop. 2252); 41 : 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135 : 1, the parish of Northaw in Hatfield sub-district; 137 : 1 Chigwell sub-district, except the parish of Theydon Bois (1079); 189 : 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 : 1 Dartford, 137 : 3, Watford, and 187 ; 2, Epping sub-districts.

BLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th December, 1895.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1895.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
TER LONDON	443,421	6,048,555	16·6	2·7	1923	410	466	1	109	25	86	42	31	17	66	448
NER LONDON -	74,672	4,392,346	17·8	·0	1502	310	348	1	97	17	71	32	23	15	54	398
TER RING -	368,749	1,656,209	13·3	1·7	424	100	118	–	12	8	15	10	8	2	12	50

TE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the f a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
BURGH -	273,535	December 28	120	87	16·6	–	1	2	2	3	3	1
GOW - -	695,876	„ 28	316	281	21·1	–	3	2	2	20	3	2
LIN - -	349,594	„ 28	95	156	23·3	1	–	–	1	–	1	–
UTTA - -	466,460	November 9	–	307	34·3	–	–	–	–	–	142	59†
BAY - -	821,764	December 3	322	484	27·5	3	–	?	?	?	117	40†
RAS - -	452,518	November 29	339	289	33·2	–	4	?	?	?	121	35
IS - - -	2,424,705	December 21	1076	870	18·7	–	14	2	14*	5	4	31
SSELS - -	507,985	„ 21	244	178	18·2	–	–	1	3*	2	3	19
TERDAM -	451,493	„ 21	251	149	17·1	–	–	–	2	1	2	–
TERDAM -	272,042	„ 21	175	93	17·8	–	–	–	–	2	–	–
HAGUE -	180,455	„ 21	99	62	17·9	–	–	1	–	1	–	–
ENHAGEN -	341,000	„ 21	–	–	–	–	–	–	–	–	–	–
KHOLM -	259,304	„ 14	144	70	14·0	–	–	1	–	–	2	–
ISTIANIA -	174,717	„ 21	35	54	16·1	–	–	–	1	1	–	2
PETERSBURG	954,400	„ 14	508	553	30·2	4	21	14	12	4	24	47
COW - -	753,469	„ 14	–	432	29·9	1	–	6	14	–	8	23
LIN - -	1,724,544	December 7	803	648	20·2	–	14	16	21	10	1	18
BURG - -	608,710	„ 14	376	187	16·0	–	3	4	–	2	1	7
SDEN - -	320,600	November 23	–	–	–	–	–	–	–	–	–	–
SLAU - -	367,769	December 21	–	175	24·8	–	–	6	4*	2	–	16
ICH - -	396,000	„ 21	–	173	22·7	–	12	–	9*	–	–	23
NNA - -	1,495,764	„ 21	774	628	21·8	–	37	11	17*	2	2	28
GUE - -	351,478	„ 14	189	119	17·3	–	–	1	1	–	3	1
A-PESTH -	566,022	„ 14	352	283	26·0	–	10	2	7	–	2	10
ESTE - -	160,825	„ 14	76	92	32·0	–	–	–	8*	1	–	2
E - - -	464,579	November 9	237	166	18·6	–	–	–	2	–	10‡	21
IN (10 days)	344,203	December 10	178	161	17·1	–	–	–	5	–	3	3
ICE -	158,159	„ 14	67	76	25·1	–	1	–	2*	–	–	4
RO - -	374,838	„ 2	447	337	46·8	1	–	–	4*	1	6	64
XANDRIA -	231,396	„ 2	265	134	30·2	1	–	–	1*	–	5	30
Y YORK -	1,860,700	„ 7	–	641	17·6	–	16	3	22	10	7	6
OKLYN -	1,100,000	„ 14	–	–	–	–	–	–	–	–	–	–
LADELPHIA	1,163,864	„ 14	–	390	17·5	–	2	1	40	3	12	2
Y ORLEANS -	275,000	November 30	–	131	24·9	1	–	–	1	–	4	8

* Including deaths from croup.
† Including 33 deaths from cholera in Calcutta, and 4 in Bombay.
‡ Including 7 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28TH DECEMBER, 1895.

[*Under the Superintendence of the Astronomer Royal.*]

1895. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DEC.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	22	..	29·633	35·2	25·5	9·7	31·3	− 7·3	28·8	2·5	4·7	0·0	90	47·3	25·3	44·20	E. & Calm.	ESE.	2·2	0·0	0·0	129	−176	0·00	1·2
MONDAY	23	Apogee. In Equator.	29·542	37·2	32·2	5·0	34·4	− 4·0	30·9	3·5	6·0	2·0	87	64·2	29·0	43·75	ESE.	ESE.	2·7	0·0	0·2	349	+ 46	0·00	3·8
TUESDAY	24	First Qr.	29·282	38·1	35·0	3·1	37·1	− 1·2	35·2	1·9	3·1	1·0	93	38·7	29·2	43·40	E.	E. & ESE.	8·1	0·1	1·3	551	+250	0·26	2·0
WEDNESDAY	25	..	29·521	36·3	32·0	4·3	33·2	− 5·1	31·7	1·5	2·9	0·9	95	36·3	31·9	43·13	ENE.	ENE.	4·1	0·0	0·4	423	+123	0·09	6·0
THURSDAY	26	..	29·690	37·2	31·6	5·6	34·0	− 4·4	32·9	1·1	3·0	0·5	95	37·2	31·2	43·00	ENE.	ENE.	1·6	0·0	0·1	302	+ 2	0·16	1·0
FRIDAY	27	..	30·149	37·2	32·9	4·3	34·9	− 3·5	32·5	2·4	4·0	0·8	91	37·2	32·0	42·70	ENE.	ENE. & ESE.	1·7	0·0	0·1	300	− 1	0·07	3·0
SATURDAY	28	..	30·045	46·3	31·2	15·1	37·8	− 0·7	37·6	0·2	1·0	0·0	99	46·3	30·1	42·54	ESE.	SE. S. & SSW.	2·2	0·0	0·1	221	− 81	0·17	0·0
MEANS		..	29·695	38·2	31·5	6·7	34·7	− 3·7	32·8	1·9	3·5	0·7	93	43·9	29·8	43·25	ESE. E. & ENE.		..	..	..	Sum 2275	Sum + 163	Sum 0·75	2·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	22	s. P. generally	0·1	7·7	Hoar frost and dense fog in morning; fine with little cloud till evening; overcast at night. Lightning seen about 8h. P.M.
MONDAY	23	m. P. to s. P.	0·8	7·7	Overcast in early morning; fine and partially cloudy during the day.
TUESDAY	24	m. P. in morning; v. P. and v. N. afterwards.	0·0	7·7	Overcast. Brisk wind. Frequent rain.
WEDNESDAY	25	v. N. in early morning; w. P. afterwards.	0·0	7·7	Overcast. Rain in early morning; sleet or snow afterwards.
THURSDAY	26	w. P. in morning; v. P. and v. N. afterwards.	0·0	7·8	Overcast. Occasional snow till afternoon. Rain afterwards.
FRIDAY	27	w. N. in early morning; v. P. afterwards.	0·0	7·8	Overcast. Showery in morning.
SATURDAY	28	s. P. in morning; v. P. afterwards.	0·0	7·8	Overcast. Slight fog. Showery.
			Sum 0·9	Sum 54·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the bservations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·75 in. at the beginning of the week to 29·26 in. by 3h. P.M. on the 24th; increased to 30·27 in. by 2h. A.M. on the 28th; and decreased to 29·78 in. by the end of the week.